

(19) **DANMARK**

(10) **DK/EP 2465864 T3**



(12)

Oversættelse af europæisk patentskrift

Patent- og
Varemærkestyrelsen

-
- (51) Int.Cl.: *C 07 K 14/47 (2006.01)* *A 61 K 39/00 (2006.01)* *A 61 P 35/00 (2006.01)*
C 07 K 14/745 (2006.01) *C 12 N 5/10 (2006.01)* *G 01 N 33/15 (2006.01)*
G 01 N 33/50 (2006.01)
- (45) Oversættelsen bekendtgjort den: **2014-11-24**
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2014-10-08**
- (86) Europæisk ansøgning nr.: **12151711.4**
- (86) Europæisk indleveringsdag: **2008-02-21**
- (87) Den europæiske ansøgnings publiceringsdag: **2012-06-20**
- (30) Prioritet: **2007-02-21 US 902949 P** **2007-02-21 US 90294907 P**
- (62) Stamansøgningsnr: **08710443.6**
- (84) Designerede stater: **AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR**
- (73) Patenthaver: **Oncotherapy Science, Inc., 2-1, Sakado 3-chome , Takatsu-ku, Kawasaki-shi, Kanagawa 213-0012, Japan**
- (72) Opfinder: **TSUNODA, Takuya, c/o Oncotherapy Science, Inc. , 2-1, Sakado 3-chome, Takatsu-ku, Kawasaki-shi, Kanagawa 213-0012, Japan**
Ohsawa, Ryuji, c/o ONCOTHERAPY SCIENCE, INC., 2-1, Sakado 3-chome, Takatsu-ku, Kawasaki-shi, Kanagawa 213-0012, Japan
- (74) Fuldmægtig i Danmark: **PLOUGMANN & VINGTOFT A/S, Rued Langgaards Vej 8, 2300 København S, Danmark**
- (54) Benævnelse: **EphA4-afledte peptidvacciner**
- (56) Fremdragne publikationer:
US-A1- 2006 093 617
SUDA TAKAKO ET AL: "Identification of secernin 1 as a novel immunotherapy target for gastric cancer using the expression profiles of cDNA microarray", CANCER SCIENCE,, vol. 97, no. 5, 1 May 2006 (2006-05-01), pages 411-419, XP002542757,
HARADA M ET AL: "Kinesin superfamily protein-derived peptides with the ability to induce glioma-reactive cytotoxic T lymphocytes in human leukocyte antigen-A24+ glioma patients", ONCOLOGY REPORTS, NATIONAL HELLENIC RESEARCH FOUNDATION, ATHENS, GR, vol. 17, no. 3, 1 January 2007 (2007-01-01), pages 629-636, XP003019917, ISSN: 1021-335X

Description**Technical Field**

[0001] The present invention relates to the field of biological science, more specifically to the field of cancer therapy. In particular, the present invention relates to novel immunogenic peptides that serve as extremely effective as cancer vaccines, and drugs for treating and preventing tumors containing such peptides.

Background Art

[0002] It has been demonstrated that CD8⁺ cytotoxic T lymphocytes (CTLs) recognize epitope peptides derived from tumor-associated antigens (TAAs) presented on MHC class I molecules, and subsequently lyse the tumor cells. Since the discovery of the MAGE family as the first example of TAAs, many other TAAs have been discovered using immunological approaches (Boon T. (1993) *Int J Cancer* 54: 177-80.; Boon T. et al., (1996) *J Exp Med* 183: 725-9.; van der Bruggen P et al., (1991) *Science* 254: 1643-7.; Brichard V et al., (1993) *J Exp Med* 178: 489-95.; Kawakami Y et al., (1994) *J Exp Med* 180: 347-52.). Some of them are now in clinical development as targets of immunotherapy. TAAs discovered to date include MAGE (van der Bruggen P et al., (1991) *Science* 254: 1643-7.), gp100 (Kawakami Y et al., (1994) *J Exp Med* 180: 347-52.), SART (Shichijo S et al., (1998) *J Exp Med* 187:277-88.), and NY-ESO-1 (Chen Y.T. et al., (1997) *Proc. Natl. Acad. Sci. USA*, 94: 1914-8.). On the other hand, certain gene products demonstrated to be somewhat specifically over-expressed in tumor cells have been shown to be recognized as targets for inducing cellular immune responses. Such gene products include p53 (Umano Y et al., (2001) *Br J Cancer*, 84:1052-7.), HER2/neu (Tanaka H et al., (2001) *Br J Cancer*, 84: 94-9.), CEA (Nukaya I et al., (1999) *Int. J. Cancer* 80, 92-7.) and the like.

[0003] Despite significant progress in basic and clinical research concerning TAAs (Rosenberg SA et al., (1998) *Nature Med*, 4: 321-7.; Mukherji B. et al., (1995) *Proc Natl Acad Sci USA*, 92: 8078-82.; Hu X et al., (1996) *Cancer Res*, 56: 2479-83.), only a very limited number of candidate TAAs suitable for treatment of cancers are presently available. TAAs that are abundantly expressed in cancer cells, and whose expression is restricted to cancer cells, would be promising candidates as immuno-therapeutic targets.

[0004] Both HLA-A24 and HLA-A0201 are common HLA alleles in the Japanese and Caucasian populations (Date Y et al., (1996) *Tissue Antigens* 47: 93-101.; Kondo A et al., (1995) *J Immunol* 155: 4307-12.; Kubo RT et al., (1994) *J Immunol* 152: 3913-24.; Imanishi et al., *Proceeding of the eleventh International Histocompatibility Workshop and Conference Oxford University Press, Oxford, 1065* (1992); William F et al., (1997) *Tissue Antigen* 49: 129-33.). Thus, antigenic peptides of cancers presented by these HLA alleles may find particular utility in the treatment of cancers among Japanese and Caucasian patients. Further, it is known that the induction of low-affinity CTL in vitro usually results from exposure to high concentrations of peptides, generating a high level of specific peptide/MHC complexes on antigen-presenting cells (APCs), which will effectively activate these CTL (Alexander-Miller et al., (1996) *Proc Natl Acad Sci USA* 93: 4102-7.).

[0005] Recently, HLA class I-binding peptide sequence can be expected using algorithms (Journal of Immunological Methods, (1995), Vol. 185, pp. 181-190, J. Immunol., (1994), Vol.152, pp.163-175, protein science, (2000), Vol.9, pp.1838-1846). However, it is hard to say that the expected epitope peptide can be cut to the size and expressed on the target cell surface with HLA molecule and recognized by CTL. Moreover, the algorithm, for example BIMAS (http://bimas.dcrt.nih.gov/cgi-bin/molbio/ken_parker_comboform) (Parker KC, et al., (1994) *J Immunol.*;152(1):163-75.; Kuzushima K, et al., (2001) *Blood*;98(6):1872-81.)) can suggest the HLA molecule-binding peptide, but the suggested peptide is not so rigorous (Bachinsky MM, et. al., *Cancer Immun.* 2005 Mar 22;5:6.). Thus TAA screening still remains a lot of challenges and difficulties.

[0006] Recent developments in cDNA microarray technologies have enabled the construction of comprehensive profiles of gene expression in malignant cells as compared to normal cells (Okabe, H. et al., (2001) *Cancer Res.*, 61, 2129-37.; Lin YM. et al., (2002) *Oncogene*, 21;4120-8.; Hasegawa S. et al., (2002) *Cancer Res* 62:7012-7.). This approach enables a more thorough understanding of the complex nature of cancer cells and the mechanisms of carcinogenesis and facilitates the identification of genes whose expression is deregulated in tumors (Bienz M. et al., (2000) *Cell* 103, 311-20.). Among the transcripts identified as up-regulated in cancers, CDH3 (GenBank Accession No. NM_001793; SEQ ID Nos.1, 2), EPHA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4), ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6), HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8) INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9, 10), KIF20A (GenBank Accession No. NM_005733; SEQ ID Nos.11, 12), KNTC2 (GenBank Accession No. AF017790; SEQ ID Nos.13, 14), TTK (GenBank Accession No. M_003318; SEQ ID Nos.15, 16) and URLC10 (GenBank Accession No. NM_017527; SEQ ID Nos.17, 18) have been recently discovered. The entire contents of the references are incorporated by reference herein. These genes are of particular interest to the present inventors, being specifically up-regulated in tumor cells of the various cancer tissues of the cases analyzed (see below). Thus, immunogenic peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 may find utility in selectively killing tumor cells that express such antigens. The present invention addresses these and

other needs.

[0007] Since cytotoxic drugs, such as M-VAC, often cause severe adverse reactions, it is clear that thoughtful selection of novel target molecules on the basis of well-characterized mechanisms of action should be very helpful in the development of effective anti-cancer drugs having a minimized risk of side effects. Toward this goal, expression profile analyses were previously performed on various cancers and normal human tissue. Such studies led to the discovery of multiple genes that are specifically over-expressed in cancer (Lin YM, et al., *Oncogene*. 2002 Jun 13;21:4120-8.; Kitahara O, et al., *Cancer Res.* 2001 May 1;61:3544-9.; Suzuki C, et al., *Cancer Res.* 2003 Nov 1;63:7038-41.; Ashida S, *Cancer Res.* 2004 Sep 1;64:5963-72.; Ochi K, et al., *Int J Oncol.* 2004 Mar;24(3):647-55.; Kaneta Y, et al., *Int J Oncol.* 2003 Sep;23:681-91.; Obama K, *Hepatology.* 2005 Jun;41:1339-48.; Kato T, et al., *Cancer Res.* 2005 Jul 1;65:5638-46.; Kitahara O, et al., *Neoplasia.* 2002 Jul-Aug;4:295-303.; Saito-Hisaminato A et al., *DNA Res* 2002, 9: 35-45.). Examples of such genes identified as over-expressed in various cancers include, but are not limited to, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10. CDH3 has been previously identified as over-expressed in bladder cancer, cervical cancer, cholangiocellular carcinoma, colorectal cancer, endometriosis, gastric cancer, diffuse-type gastric cancer, non-small cell lung cancer (NSCLC), pancreatic cancer, soft tissue tumor and testicular tumor. EPHA4 has been identified in bladder cancer, cervical cancer, cholangiocellular carcinoma, endometriosis, diffuse-type gastric cancer, ovarian cancer, pancreatic cancer, prostate cancer and soft tissue tumor. ECT2 has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, chronic myeloid leukemia (CML), colorectal cancer, esophageal cancer, NSCLC, lymphoma, prostate cancer, renal carcinoma and small cell lung cancer (SCLC). HIG2 has been identified in renal carcinoma and SCLC. INHBB has been identified in cholangiocellular carcinoma, esophageal cancer, NSCLC, renal carcinoma, SCLC and soft tissue tumor. KIF20A has been identified in bladder cancer, breast cancer, cholangiocellular carcinoma, esophageal cancer, NSCLC, pancreatic cancer, prostate cancer, renal carcinoma and SCLC. KNTC2 has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, esophageal cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC and soft tissue tumor. TTK has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, esophageal cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, prostate cancer, SCLC and soft tissue tumor. URLC10 has been identified in bladder cancer, cervical cancer, cholangiocellular carcinoma, esophageal cancer, gastric cancer, NSCLC, osteosarcoma, pancreatic cancer and SCLC.

[0008] Previously, secemin 1 has been identified as a novel immunotherapy target for gastric cancer (Suda et al., (2006) *Cancer Science* 97(5): 411-419). Moreover, kinesin superfamily protein-derived peptides with the ability to induce glioma-reactive cytotoxic T lymphocytes in human leukocyte antigen-A24⁺ glioma patients have been disclosed (Harada et al., (2007) *Oncology Reports*, National Hellenic Research Foundation 17(3): 629-636). Also, peptides derived from the Hepatitis C Virus (HCV), which elicit a CTL and/or HTL in a host have been described (US 2006/093617).

Summary of the Invention

[0009] The present invention is based in part on the discovery of the applicable targets of immunotherapy. Because TAAs have often no immunogenicity, the discovery of appropriate targets is of extreme importance. As noted above, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 have been identified as up-regulated in various cancers. More particularly, these genes were identified using gene expression profiling with a genome-wide cDNA microarray. As discussed above, expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 has been shown to be specifically up-regulated in various tumor cells, from pancreatic cancer cells to renal cell carcinomas. As described in Table 1, CDH3 expression is validly elevated in 26 out of 34 bladder cancer, 17 out of 19 cervical cancer, all of 19 cholangiocellular carcinoma, 30 out of 34 colorectal cancer, 20 out of 21 endometriosis, 13 out of 20 gastric cancer, 7 out of 8 diffuse-type gastric cancer, 36 out of 37 NSCLC, all of 16 pancreatic cancer, all of 21 soft tissue tumor and all of 10 testicular tumor.

[0010] Table 1 further demonstrates that:

EPHA4 expression is validly elevated in 14 out of 34 bladder cancer, 8 out of 14 cervical cancer, 10 out of 25 cholangiocellular carcinoma, 5 out of 15 endometriosis, 5 out of 8 diffuse-type gastric cancer, all of 5 ovarian cancer, all 14 pancreatic cancer, 20 out of 51 prostate cancer and 14 out of 23 soft tissue tumor.

ECT2 expression is validly elevated in 17 out of 19 bladder cancer, 5 out of 12 breast cancer, all of 14 cervical cancer, all of 13 cholangiocellular carcinoma, all of 5 CML, 7 out of 8 colorectal cancer, 12 out of 16 esophageal cancer, 6 out of 16 NSCLC, 8 out of 10 lymphoma, 1 out of 1 pancreatic cancer, 10 out of 13 prostate cancer, 3 out of 6 renal carcinoma and 12 out of 13 SCLC cancer.

HIG2 expression is validly elevated in 19 out of 20 renal cancer and 7 out of 9 soft tissue tumor.

INHBB expression is validly elevated in 10 out of 21 cholangiocellular carcinoma, all of 12 esophageal cancer, 10 out of 13 NSCLC. 22 out of 24 renal carcinoma, 8 out of 14 SCLC cancer and 45 out of 49 soft tissue tumor.

EP 2 465 864 B1

KIF20A expression is validly elevated in all of 31 bladder cancer, 38 out of 61 breast cancer, 10 out of 11 cholangiocellular carcinoma, 7 out of 19 esophageal cancer, 21 out of 22 NSCLC, all of 6 ovarian cancer, 17 out of 36 prostate cancer, 6 out of 11 renal carcinoma and all of 15 SCLC.

KNTC2 expression is validly elevated in 30 out of 32 bladder cancer, 47 out of 56 breast cancer, all of 10 cervical cancer, 16 out of 22 cholangiocellular carcinoma, 17 out of 37 CML, 3 out of 10 colorectal cancer, 11 out of 46 esophagus cancer, 15 out of 19 NSCLC, 7 out of 8 lymphoma, 20 out of 24 osteosarcoma, 3 out of 5 ovarian cancer, all of 2 pancreatic cancer, 15 out of 37 prostate cancer, 14 out of 19 renal carcinoma, all of 15 SCLC and 40 out of 59 soft tissue tumor.

TTK expression is validly elevated in all of 27 bladder cancer, 25 out of 30 breast cancer, 15 out of 16 cervical cancer, all of 10 cholangiocellular carcinoma, 5 out of 7 CML, 6 out of 10 colorectal cancer, 24 out of 44 esophageal cancer, 8 out of 15 liver cancer, all of 12 NSCLC, all of 6 lymphoma, 13 out of 16 osteoblastoma, 12 out of 17 prostate cancer, all of 15 SCLC and 16 out of 33 soft tissue tumor.

URLC10 expression is validly elevated in all of 29 bladder cancer, 15 out of 16 cervical cancer, all of 7 cholangiocellular carcinoma, 7 out of 19 esophageal cancer, all of 3 gastric cancer, 24 out of 27 NSCLC, 15 out of 19 osteosarcoma, 4 out of 5 pancreatic cancer, 33 out of 43 soft tissue tumor.

[0011] The present invention is based, at least in part, on the identification of specific epitope peptides of the gene products of these genes (CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC 10) which possess the ability to induce cytotoxic T lymphocytes (CTLs) specific to the corresponding molecules. As discussed in detail below, Peripheral Blood Mononuclear Cells (PBMC) of healthy donor were stimulated using HLA-A*2402 or HLA-A*0201 binding candidate peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10. CTL clones and/or lines were then established with specific cytotoxicity against the HLA-A24 or HLA-A2 positive target cells pulsed with each of the candidate peptides. These results demonstrate that these peptides are HLA-A24 or HLA-A2 restricted epitope peptides that can induce potent and specific immune responses against cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10. Accordingly, the present invention is characterized by the embodiments as defined in the claims. Thus, it relates to the following items.

1. A peptide of less than 15 amino acids having cytotoxic T cell inducibility, wherein said peptide comprises the amino acid sequence of SEQ ID NO: 376 or 379.

2. A peptide of less than 15 amino acids having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 376 and 379 in which 1 or 2 amino acids are substituted, wherein said peptide induces a cytotoxic T cell specific to a cell expressing EphA4.

3. The peptide of item 2, wherein the second amino acid from the N-terminus of the amino acid sequence of SEQ ID NO: 376 or 379 is substituted with leucine or methionine.

4. The peptide of item 2 or 3, wherein the C-terminal amino acid of the amino acid sequence of SEQ ID NO: 376 or 379 is substituted with valine or leucine.

5. The peptide of item 1, wherein said peptide consists of the amino acid sequence of SEQ ID NO: 376 or 379.

6. A peptide of less than 15 amino acids having cytotoxic T cell inducibility, wherein said peptide comprises the amino acid sequence selected from the group consisting of SEQ ID NOs: 41, 44, 46, 48, and 78.

7. A peptide of less than 15 amino acids having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 41, 44, 46, 48, and 78 in which one amino acid is substituted, wherein said peptide induces a cytotoxic T cell specific to a cell expressing EphA4.

8. A peptide of less than 15 amino acids having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence in which the second amino acid from the N-terminus of the amino acid sequence of SEQ ID NO: 41, 44, 46, 48 or 78 is substituted with phenylalanine, tyrosine, methionine, or tryptophan and/or the C-terminal amino acid of the amino acid sequence of SEQ ID NO: 41, 44, 46, 48 or 78 is substituted with phenylalanine, leucine, isoleucine, tryptophan, or methionine, wherein said peptide induces a cytotoxic T cell specific to a cell expressing EphA4.

9. The peptide of item 6, wherein said peptide consists of the amino acid sequence of SEQ ID NO: 41, 44, 46, 48 or 78.

10. A pharmaceutical composition for use in treating or preventing cancer, said composition comprising at least one peptide of any one of items 1 to 9 or a polynucleotide encoding the peptide.

11. An exosome that presents on its surface a complex comprising a peptide of any one of items 6 to 9 and an HLA antigen.

12. The exosome of item 11, wherein the HLA antigen is HLA-A24.

13. The exosome of item 12, wherein the HLA antigen is HLA-A2402.

14. An exosome that presents on its surface a complex comprising a peptide of any one of items 1 to 5 and an HLA antigen.

15. The exosome of item 14, wherein the HLA antigen is HLA-A2.

EP 2 465 864 B1

16. The exosome of item 15, wherein the HLA antigen is HL,A-A0201.

17. An in vitro method of inducing an antigen-presenting cell having cytotoxic T cell inducibility, comprising the step of:

(a) contacting an antigen-presenting cell with a peptide of any one of items 1 to 9, or

(b) transferring a gene comprising a polynucleotide encoding a peptide of any one of items 1 to 9 to an antigen-presenting cell.

18. An in vitro method of inducing a cytotoxic T cell by contacting a T cell with a peptide of any one of items 1 to 9.

19. An in vitro method of inducing a cytotoxic T cell, comprising the steps of:

(i) contacting an antigen-presenting cell with a peptide of any one of items 1 to 9, and

(ii) mixing the antigen-presenting cell of step (i) with a CD8+ T cell and co-culturing.

20. An isolated cytotoxic T cell, which is induced by the method of item 18 or 19 or which is transduced with the nucleic acids encoding the TCR subunits polypeptides binding with a peptide of any one of items 1 to 9 in the context of HLA-A24 or HLA-A2.

21. An antigen-presenting cell, which comprises a complex formed between an HLA antigen and a peptide of any one of items 1 to 9, or induced by the method of item 17.

22. A vaccine for use in inhibiting proliferation of cells expressing a gene of SEQ ID NO: 3, wherein the vaccine comprises at least one peptide of any one of items 1 to 9 as the active ingredient.

23. The vaccine of item 22, wherein the cells expressing a gene of SEQ ID NO: 3 are cancer cells.

24. A peptide of any one of items 1 to 9, or a polynucleotide encoding said peptide for use in treating or preventing cancer.

25. The pharmaceutical composition of item 10, the vaccine of item 23, or the peptide or polynucleotide of item 24, wherein the cancer, is selected from the group consisting of bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

26. The vaccine of item 25, formulated for administration to a subject whose HLA antigen is HLA-A.24 or HLA-A2.

27. A method of identifying a peptide having an ability to induce a cytotoxic T cell against a cell expressing EphA4, said method comprising the steps of:

(i) providing at least one candidate sequence which consists of an amino acid sequence modified by substituting one or two amino acid residues to an original amino acid sequence, wherein the original amino acid sequence is selected from the group consisting of SEQ ID NOS: 41, 44, 46, 48, and 78;

(ii) selecting the candidate sequence that does not have significant homology with the peptides derived from any known human gene products other than EphA4;

(iii) contacting a peptide consisting of the candidate sequence selected in step (ii) with an antigen presenting cell;

(iv) contacting the antigen presenting cell of step (iii) with a T cell to evaluate the ability of the peptide to simulate the T cell; and

(v) identifying the peptide of which cytotoxic T cell inducibility is the same as or higher than a peptide consisting of the original amino acid sequence.

[0012] Accordingly, there are disclosed methods for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC 10, e.g. cancer. Such methods involve the step of administering to a subject in need thereof a CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 polypeptides as disclosed herein. Administration of such peptide(s) results in the induction of anti-tumor immunity is induced by the administration of these polypeptides. Thus, there are disclosed methods for inducing anti-tumor immunity in a subject, such methods involving the step of administering to the subject the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC 10 polypeptides, as well as pharmaceutical compositions for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer, that include the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 polypeptides. Examples of such cancers include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0013] There are further disclosed methods for preventing post-surgery recurrence of the disease mentioned above.

[0014] Regarding the specific aims and objectives recited above, it will be understood by those skilled in the art that

one or more aspects of this invention can meet certain objectives, while one or more other aspects can meet certain other objectives. Each objective may not apply equally, in all its respects, to every aspect of this invention. As such, the objects herein can be viewed in the alternative with respect to any one aspect of this invention.

[0015] Additional objects and features of the invention will become more fully apparent when the following detailed description is read in conjunction with the accompanying figures and examples. However, it is to be understood that both the foregoing summary of the invention and the following detailed description are of preferred embodiments, and not restrictive of the invention or other alternate embodiments of the invention. In particular, while the invention is described herein with reference to a number of specific embodiments, it will be appreciated that the description is illustrative of the invention and is not constructed as limiting of the invention. Various modifications and applications may occur to those who are skilled in the art, as described by the appended claims. Likewise, other objects, features, benefits and advantages of the present invention will be apparent from this summary and certain embodiments described below, and will be readily apparent to those skilled in the art. Such objects, features, benefits and advantages will be apparent from the above in conjunction with the accompanying examples, data, figures and all reasonable inferences to be drawn therefrom, alone or with consideration of the references incorporated herein.

Brief Description of the Drawings

[0016] Various aspects and applications of the present invention will become apparent to the skilled artisan upon consideration of the brief description of the figures and the detailed description of the present invention and its preferred embodiments which follows:

[fig.1-1]Figure 1 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-470 (SEQ ID NO: 358), CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA-A*2402. "b" depicts the CTL-inducing ability of CDH3-A24-10-332 (SEQ ID NO: 34). CDH3-A24-10-332 (SEQ ID NO: 34) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of CDH3-A24-10-470 (SEQ ID NO: 358). CDH3-A24-10-470 (SEQ ID NO: 358) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of CDH3-A24-9-513 (SEQ ID NO: 19). CDH3-A24-9-513 (SEQ ID NO: 19) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #6 shown in boxed wells in left panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line that was established from the positive well #5 shown in boxed wells in middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of CDH3-A24-9-406 (SEQ ID NO: 22). CDH3-A24-9-406 (SEQ ID NO: 22) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #2 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig. 1-2]Figure 1 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-470 (SEQ ID NO: 358), CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of CDH3-A24-10-807 (SEQ ID NO: 30). CDH3-A24-10-807 (SEQ ID NO: 30) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive well #5 shown in boxed wells. The established CTL clone raised against the peptide demonstrated the specific CTL activity against COS7 transfected both full length of CDH3 gene and HLA-A24 molecule (lower right graph). On the other hand, COS7 transfected full length of CDH3 but not HLA-A24 and COS7 transfected HLA-A24 but not full length of CDH3 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both CDH3 and HLA-A24. "g" depicts the CTL-inducing ability of CDH3-A24-10-655 (SEQ ID NO: 344). CDH3-A24-10-655 (SEQ ID NO: 344) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive well #1 shown in boxed wells. The established CTL clone raised against the peptide demonstrated the specific CTL activity against COS7 transfected both full length of CDH3 gene and HLA-A24 molecule (lower right graph). On the other hand, COS7 transfected full length of CDH3 but not HLA-A24 and COS7 transfected HLA-A24 but not full length of CDH3 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected

EP 2 465 864 B1

both CDH3 and HLA-A24.

[fig.2]Figure 2 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that Epha4-A24-9-453 (SEQ ID NO: 41), Epha4-A24-9-5 (SEQ ID NO: 44), Epha4-A24-9-420 (SEQ ID NO: 48), Epha4-A24-9-869 (SEQ ID NO: 46), Epha4-A24-10-24 (SEQ ID NO: 78) Epha4-A02-9-501 (SEQ ID NO: 376) and Epha4-A02-9-165 (SEQ ID NO: 379) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of Epha4-A24-9-453 (SEQ ID NO: 41). Epha4-A24-9-453 (SEQ ID NO: 41) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #3 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of Epha4-A24-9-5 (SEQ ID NO: 44). Epha4-A24-9-5 (SEQ ID NO: 44) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #2 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of Epha4-A24-9-420 (SEQ ID NO: 48). Epha4-A24-9-420 (SEQ ID NO: 48) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #6 shown in boxed wells in upper panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover CTL line that was established from the positive well #6 shown in boxed wells in middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of Epha4-A24-9-869 (SEQ ID NO: 46). Epha4-A24-9-869 (SEQ ID NO: 46) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "f" depicts the CTL-inducing ability of Epha4-A24-10-24 (SEQ ID NO: 78). Epha4-A24-10-24 (SEQ ID NO: 78) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "g" depicts the CTL-inducing ability of Epha4-A02-9-501 (SEQ ID NO: 376). Epha4-A02-9-501 (SEQ ID NO: 376) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone was established from the positive well #8 shown in boxed wells. Cytotoxic activity of the established CTL line against the target cells pulsed with the peptide was measured by Cr-release assay (CRA) (lower graph), and the CTL line had very potent specific cytotoxic activity against the target cells pulsed with the peptides. "h" depicts the CTL-inducing ability of Epha4-A02-9-165 (SEQ ID NO: 379). Epha4-A02-9-165 (SEQ ID NO: 379) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #3 shown in boxed wells. Cytotoxic activity of the established CTL line against target cells pulsed with peptide was measured by Cr-release assay (CRA) (right graph), and the CTL line had very potent specific cytotoxic activity against the target cells pulsed with the peptides.

[fig.3]Figure 3 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that ECT2-A24-9-515 (SEQ ID NO: 80), ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of ECT2-A24-9-515 (SEQ ID NO: 80). ECT2-A24-9-515 (SEQ ID NO: 80) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #5 and #7 shown in boxed wells in left panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line that was established from the positive well #7 shown in boxed wells in second panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Cytotoxic activity of the CTL line against cancer cell line, TE6 endogenously expressing ECT2 and HLA-A24 was measured by Cr-release assay (CRA), and the CTL clone had very potent cytotoxic activity against TE6. On the other hand, the effector cells did not demonstrate the cytotoxic activity of the CTL line against cancer cell line, TE5 expressing only ECT2 was not detected. "c" depicts the CTL-inducing ability of ECT2-A24-10-40 (SEQ ID NO: 100). ECT2-A24-10-40 (SEQ ID NO: 100) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive well #2 shown in boxed wells. The established CTL clone raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of ECT2 gene and HLA-A24 molecule. On the other hand, COS7 transfected full length of ECT2 but not HLA-A24, COS7 transfected HLA-A24 and URC10 gene as a substitute for full length of ECT2 and COS7 transfected HLA-A24 and pulsed with ECT2-10-101 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both ECT2 and HLA-A24. "d" depicts the CTL-inducing ability of ECT2-A24-10-101 (SEQ ID NO: 101). ECT2-A24-10-101 (SEQ ID NO: 101) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line were established from the positive well #1 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of ECT2 gene and

EP 2 465 864 B1

HLA-A24 molecule. COS7 transfected full length of ECT2 but not HLA-A24, COS7 transfected HLA-A24 and URLC10 gene as substitute for full length of ECT2 and COS7 transfected HLA-A24 and pulsed with ECT2-10-40 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both ECT2 and HLA-A24.

[fig.4-1]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HTG2-A24-1.0-18 (SEQ ID NO: 394), HIG2-A02-9-15 5 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of HIG2-A24-9-19 (SEQ ID NO: 110). HIG2-A24-9-19 (SEQ ID NO: 110) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #6 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of HIG2-A24-9-22 (SEQ ID NO: 111). HIG2-A24-9-22 (SEQ ID NO: 111) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that was established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of HIG2-A24-9-8 (SEQ ID NO: 387). HIG2-A24-9-8 (SEQ ID NO: 387) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of HIG2-A02-9-8 (SEQ ID NO: 114). HIG2-A02-9-8 (SEQ ID NO: 114) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrate specific CTL activity against 293T transfected both full length of HIG2 gene and HLA-A02 molecule. 293T transfected full length of HIG2 but not HLA-A02, 293Ts transfected HLA-A02 and FoxP3 gene as substitute for full length of HIG2 and 293Ts transfected HLA-A02 and pulsed with HTG2-9-15 were prepared for the negative control. The CTL line showed high specific CTL activity against 293T that transfected both HIG2 and HLA-A02.

[fig.4-2]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HTG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-AU2-9-4 (SEQ ID NO: 117) and HIG2-AU2-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of HIG2-A24-10-7 (SEQ ID NO: 112). HIG2-A24-10-7 (SEQ ID NO: 112) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines or clone, that were established from the positive well #1 and #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "g" depicts the CTL-inducing ability of HIG2-A24-10-18 (SEQ ID NO: 394). HIG2-A24-10-18 (SEQ ID NO: 394) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "h" depicts the CTL-inducing ability of HIG2-A02-9-15 (SEQ ID NO: 116). HIG2-A02-9-15 (SEQ ID NO: 116) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of HIG2 gene and HLA-A02 molecule. COS7 transfected full length of HIG2 but not HLA-A02 and COS7s transfected HLA-A02 and pulsed with HIG2-9-8 peptide were prepared for the negative control. The CTL line showed high specific CTL activity against COS7 that transfected both HIG2 and HLA-A02.

[fig.4-3]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-AU2-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "i" depicts the CTL-inducing ability of HIG2-A02-9-4 (SEQ ID NO: 117). HIG2-A02-9-4 (SEQ ID NO: 117) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone were established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of HIG2 gene and HLA-A02 molecule (middle graph). Also, COS7 transfected full length of HIG2 but not HLA-A02, COS7s transfected HLA-A02 and TTK gene as substitute for full length of HIG2 and COS7s transfected HLA-A02 and pulsed with HIG2-9-8 were prepared for the negative control. Cytotoxic activity of the CTL clone against 293T, transfected both full length of HIG2 gene and HLA-A02 molecule, and cancer cell line, Caki-1 endogenously expressing HIG2 and HLA-A02 was measured by Cr-release assay (CRA) (lower graphs), and the CTL clone had very potent cytotoxic activity against the transfectant with both

EP 2 465 864 B1

of HIG2 gene and HLA-A02, and Caki-1. On the other hand, the effector cells did not demonstrate the cytotoxic activity of the CTL line against 293T, transfected only HIG2 or only HLA-A02, and cancer cell line, A498 expressing only H1G2 was not detected. "j" depicts the CTL-inducing ability of HIG2-A02-10-8 (SEQ ID NO: 121). HIG2-A02-10-8 (SEQ ID NO: 121) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #9 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.5-1] Figure 5 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of INHBB-A24-9-180 (SEQ ID NO: 395). INHBB-A24-9-180 (SEQ ID NO: 395) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone was established from the positive well #7 shown in boxed wells. Cytotoxic activity of the established CTL clone against tumor cells, Miapaca2 expressing both of INHBB and HLA-A02 was measured by Cr-release assay (CRA), and the effector cells showed high specific cytotoxic activity against Miapaca2. On the other hand, it did not show significant specific cytotoxic activity against Caki-1 expressing INHBB but not HLA-A02. "c" depicts the CTL-inducing ability of INHBB-A24-10-180 (SEQ ID NO: 133). INHBB-A24-10-180 (SEQ ID NO: 133) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #3 shown in boxed wells. The established CTL line raised against the peptide demonstrated high specific CTL activity against 293T transfected both of full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but not HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-305 peptide were prepared for the negative control.

[fig.5-2] Figure 5 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) show potent IFN-gamma production. "d" depicts the CTL-inducing ability of INHBB-A24-10-305 (SEQ ID NO: 135). INHBB-A24-10-305 (SEQ ID NO: 135) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone were established from the positive well #2 shown in boxed wells. The established CTL clone raised against the peptide demonstrated high specific CTL activity against 293T transfected both full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-180 peptide were prepared for the negative control. "e" depicts the CTL-inducing ability of INHBB-A24-10-7 (SEQ ID NO: 137)). INHBB-A24-10-7 (SEQ ID NO: 137) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines were established from the positive well #8 shown in boxed wells in upper panel and #2 shown in boxed wells in lower panel. The CTL line from #8 well demonstrated specific CTL activity against 293T transfected both full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but not HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-40 peptide were prepared for the negative control. "f" depicts the CTL-inducing ability of INHBB-A24-10-212 (SEQ ID NO: 426). INHBB-A24-10-212 (SEQ ID NO: 426) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #1 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.6-1] Figure 6 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KIF20A-A24-10-304 (SEQ ID NO: 186), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-66 (SEQ ID NO: 194) and KIF20A-A24-9-305 (SEQ ID NO: 174) show potent IFN-gamma production, "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of KIF20A-A24-10-304 (SEQ ID NO: 186). KIF20A-A24-10-304 (SEQ ID NO: 186) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #5 shown in boxed wells in lower right panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line and clone, that were established from the positive well #5 shown in boxed wells in upper left panel, also demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL clone raised against the peptide demonstrated specific CTL activity against 24-LCL transfected full length of KIF20A gene. Also, A24-LCL transfected mock vector was prepared for the negative control. Cytotoxic activity of the CTL clone against tumor cells, Miapaca2 expressing both of KIF20A and HLA-A24 was measured by Cr-release assay (CRA), and the CTL clone had very potent specific cytotoxic activity against Miapaca2 (lower right graph). On the other hand, it did not show significant specific cytotoxic activity against PK59 expressing KIP20A but not HLA-A24. "c" depicts the CTL-inducing ability of KTF20A-A24-9-383 (SEQ ID NO: 178). KIF20A-A24-9-383 (SEQ ID NO: 178) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #3 and 4 shown in boxed wells in right panel demonstrated the specific response

against the target cells pulsed with the epitope peptide. Moreover, CTL line, that was established from the positive well #3 shown in boxed wells in left panel, also demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL line demonstrated high specific CTL activity against COS7 transfected both full length of KIF20A gene and HLA-A24 molecule. Also, COS7 transfected full length of KIF20A but not HLA-A24 and COS7s transfected HLA-A24 and pulsed with KIF20A-9-621 peptide were prepared for the negative control. [fig.6-2]Figure 6 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KIF20A-A24-10-304 (SEQ ID NO: 186), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-66 (SEQ ID NO: 194) and K1F20A-A24-9-305 (SEQ ID NO: 174) show potent IFN-gamma production. "d" depicts the CTL-inducing ability of KIF20A-A24-10-66 (SEQ ID NO: 194). KIF20A-A24-10-66 (SEQ ID NO: 194) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines, that were established from the positive well #6 shown in boxed wells in upper left panel and #3 shown in boxed wells in lower middle panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #6 well by limiting dilution demonstrated specific CTL activity against the target cells. The established CTL clone showed specific CTL activity against COS7 transfected both full length of KIF20A gene and HLA-A24 molecule. Also, COS7 transfected full length of KIF20A but not HLA-A24, COS7s transfected HLA-A24 and URLC10 gene as substitute for full length of KIF20A and COS7 transfected HLA-A24 and pulsed with KIF20A-10-308 peptide were prepared for the negative control. "e" depicts the CTL-inducing ability of KIF20A-A24-9-305 (SEQ ID NO: 174). KIF20A-A24-9-305 (SEQ ID NO: 174) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines, that were established from the positive well #2 shown in boxed wells in upper left panel and #6 shown in boxed wells in lower middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #2 well by limiting dilution demonstrated specific CTL activity against the target cells. Cytotoxic activity of the CTL clone against tumor cells, PK45P expressing both of KIF20A and HLA-A24 was measured by Cr-release assay (CRA), and the CTL clone had very potent cytotoxic activity against PK45P. On the other hand, it did not show significant specific cytotoxic activity against PK59 expressing KIF20A but not HLA-A24.

[fig.7-1]Figure 7 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210) KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214); KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) show potent IFN-gamma production, "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of KNTC2-A24-9-309 (SEQ ID NO: 196). KNTC2-A24-9-309 (SEQ ID NO: 196) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #8 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.. "c" depicts the CTL-inducing ability of KNTC2-A24-9-124 (SEQ ID NO: 202). KNTC2-A24-9-124 (SEQ ID NO: 202) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of KNTC2-A24-9-154 (SEQ ID NO: 210). KNTC2-A24-9-154 (SEQ ID NO: 210) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #5 shown in boxed wells demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of KNTC2-A24-9-150 (SEQ ID NO: 213). KNTC2-A24-9-150 (SEQ ID NO: 213) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.7-2]Figure 7 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210) KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214), KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of KNTC2-A24-10-452 (SEQ ID NO: 214). KNTC2-A24-10-452 (SEQ ID NO: 214) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines and clone, that were established from the positive well #4 shown in boxed wells in upper left panel and #5 shown in boxed wells in middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #5 well by limiting dilution demonstrated specific CTL activity against the target cells. The established CTL line from #4 well showed specific CTL activity against HEK293 transfected both full length of KNTC2 gene and HLA-A24 molecule. Also, HEK293 transfected full length of KNTC2 but not HLA-A24, HEK293 transfected HLA-A24 but full length of KNTC2 and HEK293 transfected HLA-A24 pulsed with KNTC-9-309 peptide were prepared for the negative control. "g" depicts the CTL-inducing ability of KNTC2-A24-10-227 (SEQ ID NO: 217). KNTC2-A24-10-227 (SEQ ID NO: 217) demonstrated potent IFN-gamma production as compared to the

EP 2 465 864 B1

control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #1 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "h" depicts the CTL-inducing ability of KNTC2-A24-10-273 (SEQ ID NO: 223). KNTC2-A24-10-273 (SEQ ID NO: 223) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #8 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.8-1]Figure 8 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462 (SEQ ID NO: 254), show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of TTK-A02-9-462 (SEQ ID NO: 227). TTK-A02-9-462 (SEQ ID NO: 227) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and two clones, that were established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL clone showed high specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 pulsed with TTK-9-547 peptide were prepared for the negative control. "c" depicts the CTL-inducing ability of TTK-A02-9-719 (SEQ ID NO: 233). TTK-A02-9-719 (SEQ ID NO: 233) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones were established from the positive well #1 shown in boxed wells. The established CTL line showed high specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02 and COS7s transfected HLA-A02 and HIG2 gene as substitute for full length of TTK were prepared for the negative control. [fig.8-2]Figure 8 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462 (SEQ ID NO: 254), show potent IFN-gamma production. "d" depicts the CTL-inducing ability of TTK-A02-9-547 (SEQ ID NO: 228). TTK-A02-9-547 (SEQ ID NO: 228) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones were established from the positive well #2 shown in boxed wells. The established CTL line showed specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 and pulsed with TTK-10-462 were prepared for the negative control.

[fig.8-3]Figure 8 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462, (SEQ ID NO: 254), show potent IFN-gamma production. "e" depicts the CTL-inducing ability of TTK-A02-10-462 (SEQ ID NO: 254). TTK-A02-10-462 (SEQ ID NO: 254) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and three clones were established from the positive well #8 shown in boxed wells. The established CTL clone showed specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 and pulsed with TTK-9-547 peptide were prepared for the negative control.

[fig.9-1] Figure 9 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that URLC10-A02-9-206 (SEQ ID NO: 271), URLC10-A02-9-212 (SEQ ID NO: 272) and URLC10-A02-10-211 (SEQ ID NO: 288) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of URLC10-A02-9-206 (SEQ ID NO: 271). URLC10-A02-9-206 (SEQ ID NO: 271) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of URLC10-A02-9-212 (SEQ ID NO: 272). URLC10-A02-9-212 (SEQ ID NO: 272) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #3 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of URLC10-A02-10-211 (SEQ ID NO: 288). URLC10-A02-10-211 (SEQ ID NO: 288) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones, that were established from the positive well #5 shown in boxed wells.

[fig.9-2]Figure 9 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that URLC10-A02-9-206 (SEQ ID NO: 271), URLC10-A02-9-212 (SEQ ID NO: 272) and URLC10-A02-10-211 (SEQ ID NO: 288) show potent IFN-gamma production. " Continuation of d" The established CTL clone showed high specific CTL activity against COS7, Hek293 and 293T which were transfected both full length of URLC10 gene and HLA-A02

EP 2 465 864 B1

molecule. Also, COS7, Hek293 or 293T which were transfected full length of URLC10 but not HLA-A02 and COS7s, Hek293s or 293Ts, which were transfected HLA-A02 and pulsed with URLC10-10-64, were prepared for the negative control. In this drawings, "+" means the peptide pulsed target, "-" means the no peptide pulsed target, "R" means Responder, "S" means Stimulator, "E" means Effector, and "T" means Target.

Detailed Description of the Invention

[0017] The words "a", "an", and "the" as used herein mean "at least one" unless otherwise specifically indicated.

[0018] Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs.

[0019] The present invention is based in part on the discovery of applicable targets of immunotherapy. Identification of new TAAs, particularly those that induce potent and specific anti-tumor immune responses, warrants further development of the clinical application of the peptide vaccination strategy in various types of cancer (Boon T et al., (1996) J Exp Med 183: 725-9.; van der Bruggen P et al., (1991) Science 254: 1643-7.; Brichard V et al., (1993) J Exp Med 178: 489-95.; Kawakami Y et al., (1994) J Exp Med 180: 347-52.; Shichijo S et al., (1998) J Exp Med 187:277-88.; Chen YT et al., (1997) Proc.Natl.Acd. Sci. USA, 94: 1914-8.; Harris CC, (1996) J Natl Cancer Inst 88:1442-55.; Butterfield LH et al., (1999) Cancer Res 59:3134-42.; Vissers JL et al., (1999) Cancer Res 59: 5554-9.; van der Burg SH et al., (1996) J. Immunol 156:3308-14.; Tanaka F et al., (1997) Cancer Res 57:4465-8.; Fujie T et al., (1999) Int J Cancer 80:169-72.; Kikuchi M et al., (1999) Int J Cancer 81 : 459-66.; Oiso M et al., (1999) Int J Cancer 81:387-94.). Because TAAs have often no immunogenicity, discovery of fitting targets is extremely important issue.

[0020] As noted above,

CDH3 (GenBank Accession No. NM_001793; SEQ ID Nos.1, 2),
EPHA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4),
ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6).
HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8)
INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9,10),
KIF20A (GenBank Accession No. NM_005733;SEQ ID Nos. 11, 12),
KNTC2 (GenBank Accession No. AF0177790; SEQ ID Nos.13, 14),
TTK (GenBank Accession No. NM_003318; SEQ ID Nows.15,16) and
URLC10 (GenBank Accession No. NM_017527; SEQ ID Nows. 17.18) were previously identified as over-expressed in various cancers using cDNA microarray technologies.

[0021] Herein, peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 are shown to be TAA epitopes restricted by HLA-A24 and HLA-A2, an HLA allele commonly found in the Japanese and Caucasian populations. Specifically, using their binding affinities to HLA-A24 or HLA-A2, candidates of HLA-A24 or HLA-A2 binding peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 were identified. After the in vitro stimulation of T-cells by dendritic cells (DCs) loaded with these peptides, CTLs were successfully established using the following peptides.

CDH3-A24-9-513 (SEQ ID NO: 19),
CDH3-A24-9-406 (SEQ ID NO: 22),
CDH3-A24-10-807 (SEQ ID NO: 30),
CDH3-A24-10-332 (SEQ ID NO: 34),
CDH3-A24-10-655 (SEQ ID NO: 344),
CDH3-A24-10-470 (SEQ ID NO: 358),
EphA4-A24-9-453 (SEQ ID NO: 41),
EphA4-A24-9-5 (SEQ ID NO: 44),
EphA4-A24-9-869 (SEQ ID NO: 46),
EphA4-A24-9-420 (SEQ ID NO: 48),
EphA4-A24-10-24 (SEQ ID NO: 78),
EphA4-A02-9-501 (SEQ ID NO: 376),
EphA4-A02-9-165 (SEQ ID NO: 379),
ECT2-A24-9-515 (SEQ ID NO: 80),
ECT2-A24-10-40 (SEQ ID NO: 100),
ECT2-A24-10-101 (SEQ ID NO: 101),
HIG2-A24-9-19 (SEQ ID NO: 110),
HIG2-A24-9-22 (SEQ ID NO: 111),

EP 2 465 864 B1

HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 5 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 10 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 15 KIF20A-A24-IU-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 20 KNTG2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 25 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 30 URLC-A02-10-211 (SEQ ID NO: 288)

[0022] These peptides are epitope peptides of each TAA restricted by HLA-A24 or HLA-A2. Since these antigens are over-expressed in most cancers and are associated with tumor cell proliferation, they find utility as immunotherapeutic targets against cancers. Exemplary cancers include, but are not limited to, bladder cancer, breast cancer, cervical cancer,
 35 cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0023] Accordingly, there are disclosed methods of treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers in a subject, such methods
 40 including the steps of administering to the subject an immunogenic peptide of less than about 40 amino acids, often less than about 20 amino acids, usually less than about 15 amino acids and having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 42.6, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288.

[0024] Alternatively, the immunogenic peptide may have an amino acid sequence as set forth in SEQ ID NOs: 19, 22,
 45 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 in which 1, 2, or several (e.g., up to 5) amino acids are substituted; deleted or added, provided the resulting variant peptide retains the immunogenic activity (i.e., the ability to induce CTLs specific to cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers).

[0025] The number of residues to be substituted, deleted, or added is generally 5 amino acids or less, preferably 4 amino acids or less, more preferably 3 amino acids or less, even more preferably one or two amino acids. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma,
 50 CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Furthermore there are disclosed methods for preventing post-surgery recurrence of these diseases mentioned above.

[0026] Variant peptides (i.e., peptides having an amino acid sequence modified by substituting, deleting, or adding one, two or several amino acid residues to an original amino acid sequence) are known to retain the original biological

activity (Mark DF et al., (1984) Proc Natl Acad Sci USA 81: 5662-6.; Zoller MJ and Smith M, (1982) Nucleic Acids Res 10:6487-500.; Dalbadie-McFarland G et al., (1982) Proc Natl Acad Sci USA 79: 6409-13.). In the context of the present invention, it is preferable that the amino acid modification results in conservation of the properties of the original amino acid side-chain (a process known as conservative amino acid substitution). Examples of properties of amino acid side chains include hydrophobic amino acids (A, I, L, M, F, P, W, Y, V), hydrophilic amino acids (R, D, N, C, E, Q, G, H, K, S, T), and side chains having the following functional groups or characteristics in common: an aliphatic side-chain (G, A, V, L, I, P); a hydroxyl group containing side-chain (S, T, Y); a sulfur atom containing side-chain (C, M); a carboxylic acid and amide containing side-chain (D, N, E, Q); a base containing side-chain (R, K, H); and an aromatic containing side-chain (H, F, Y, W). Note, the parenthetic letters indicate the one-letter codes of amino acids.

[0027] In preferred embodiments, the immunogenic peptide is a nonapeptide (9-mer) or a decapeptide (10-mer). There is also disclosed a method of inducing anti-tumor immunity for a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, in a subject, such a method including the steps of administering to the subject an immunogenic peptide of the present invention, namely one having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288, or a variant thereof (i.e., including 1, 2, or several (e.g., up to 5) amino acid substitutions, deletions, or additions) to the subject in need thereof. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0028] In the context of the present invention, the subject is preferably a mammal Exemplary mammals include, but are not limited to, e.g., a human, non-human primate, mouse, rat, dog, cat, horse, or cow.

[0029] In the present invention, the peptide can be administered to a subject via an in vivo or ex vivo protocol. Furthermore, there is also disclosed the use of nonapeptide or decapeptide selected from peptides having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 (and variants thereof) for manufacturing an immunogenic composition for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC 10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0030] Homology analyses of the following peptides demonstrate that they do not have significant homology with the peptides derived from any known human gene products.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),
 HIG2-A24-9-19 (SEQ ID NO: 110),
 HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),

HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 5 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 10 KIF20A-A24-10-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 15 KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 20 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 25 URLC-A02-10-211 (SEQ ID NO: 288)

[0031] Accordingly, the possibility of unknown or undesirable immune responses with immunotherapy against these molecules is significantly reduced.

[0032] Regarding HLA antigens, the data presented here demonstrate that the uses of A-24 type or A-2 type antigens
 30 (which are said to be highly expressed among the Japanese) are favorable for obtaining effective results. The uses of
 subtypes such as A-2402 and A-0201 are even more preferable. Typically, in the clinic, the type of HLA antigen of the
 patient requiring treatment is investigated in advance, which, in turn, enables the selection of appropriate peptides having
 high levels of binding affinity to the patient antigen, or having cytotoxic T cell (CTL) inducibility by antigen presentation.
 35 Furthermore, in order to obtain peptides having high binding affinity and CTL inducibility, substitution, deletion, or addition
 of 1, 2, or several (e.g., up to 5) amino acids may be performed based on the amino acid sequence of the naturally
 occurring CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 partial peptide. Herein, the term
 "several" means refers to 5 or less, more preferably 3 or less. Furthermore, in addition to peptides that are naturally
 displayed, since the regularity of the sequences of peptides displayed by binding to HLA antigens is already known
 40 (Kubo RT, et al., (1994) J. Immunol., 152, 3913-24.; Rammensee HG, et al., (1995) Immunogenetics. 41:178-228.;
 Kondo A, et al., (1995) J. Immunol. 155:4307-12.), modifications based on such regularity can be performed on the
 immunogenic peptides of the invention. For example, peptides possessing high HLA-24 binding affinity in which the
 second amino acid from the N terminus substituted with phenylalanine, tyrosine, methionine, or tryptophan may be
 favorably used. Likewise, peptides whose C-terminal amino acid is substituted with phenylalanine, leucine, isoleucine,
 tryptophan, or methionine may also be used favorably. On the other hand, peptides possessing high HLA-A2 binding
 45 affinity in which the second amino acid from the N terminus substituted with leucine or methionine, and peptides whose
 C-terminal amino acid is substituted with valine or leucine may be used favorably. The substitution is performed not only
 at the terminus amino acids but also at the position of potential TCR recognition of peptides. Several studies have
 demonstrated that amino acid sub-stitutions in a peptide can be equal to or better than the original, for example CAP1,
 p53 (264-272), Her-2/neu (369-377) or gp100 (209-217) (Zaremba et al. Cancer Res. 57, 4570-4577, 1997, T. K. Hoffmann
 50 et al. J Immunol. (2002) Feb 1;168(3):1338-47., S. O. Dionne et al. Cancer Immunol immunother, (2003) 52: 199-206
 and S. O. Dionne et al. Cancer Immunology, Immunotherapy (2004) 53, 307-314). Furthermore, 1 to 2 amino acids may
 be added to the N terminus and/or C terminus of the peptide.

[0033] However, when the peptide sequence is identical to a portion of the amino acid sequence of an endogenous
 or exogenous protein having a different function, side effects such as autoimmune disorders or allergic symptoms against
 55 specific substances may be induced. Therefore, it is preferable to avoid the situation wherein the immunogenic sequence
 matches the amino acid sequence of a known protein. This situation may be avoided by performing a homology search
 using available databases. If homology searches confirm that peptides in which 1, 2 or several different amino acids do
 not exist in nature, then the danger that modifications of the above-mentioned amino acid sequence that, for example,

increase the binding affinity with HLA antigens, and/or increase the CTL inducibility can be avoided.

[0034] Although peptides having high binding affinity to the HLA antigens as described above are expected to be highly effective as cancer vaccines, the candidate peptides, which are selected according to the presence of high binding affinity as an indicator, must be examined for the actual presence of CTL inducibility. CTL inducibility may be routinely confirmed by inducing antigen-presenting cells carrying human MHC antigens (for example, B-lymphocytes, macrophages, and dendritic cells), or more specifically dendritic cells derived from human peripheral blood mononuclear leukocytes, and, after stimulation with the peptide of interest, mixing with CD8-positive cells and measuring the cytotoxic activity against the target cells. As the reaction system, transgenic animals produced to express a human HLA antigen (for example, those described in BenMohamed L, et al., (2000) Hum. Immunol.; 61(8):764-79 Related Articles, Books, Linkout.) may be used. For example, the target cells can be radiolabeled with ⁵¹Cr and such, and cytotoxic activity can be calculated from radioactivity released from the target cells. Alternatively, it can be examined by measuring IFN-gamma produced and released by CTL in the presence of antigen-presenting cells that carry immobilized peptides, and visualizing the inhibition zone on the media using anti-IFN-gamma monoclonal antibodies.

[0035] As a result of examining the CTL inducibility of peptides as described above, it was discovered that those peptides having high binding affinity to an HLA antigen did not necessarily have high inducibility. However, nonapeptides or decapeptides selected from the group of peptides having the amino acid sequences indicated by the following peptides showed particularly high CTL inducibility.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),
 HIG2-A24-9-19 (SEQ ID NO: 110),
 HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 KIF20A-A24-10-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 ICNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),

KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 5 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

10 **[0036]** As noted above, there are disclosed peptides having cytotoxic T cell inducibility, namely those having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof (i.e., those in which 1, 2, or several amino acids are substituted, deleted, or added).

15 **[0037]** It is preferably that the amino acid sequences composed of 9 or 10 amino acids indicated in SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 8, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof do not match an amino acid sequence associated with another endogenous protein.

20 **[0038]** In particular, amino acid substitution to leucine or methionine at the second amino acid from the N terminus, amino acid substitution to valine or leucine at the C-terminal amino acid, and amino acid addition of 1 to 2 amino acids at the N terminus and/or C terminus are examples of preferred variants.

[0039] One of skill in the art will recognize that in addition to amino acid substitutions and additions, immunologically active fragments of the peptides may also be used in the methods of the invention. Methods for determining active fragments are well known in the art. CTL clones obtained by stimulation by these modified peptides can recognize the original peptides and cause damage for cells expressing the original peptides.

25 **[0040]** Peptides of the present invention can be prepared using well known techniques. For example, the peptides can be prepared synthetically, using either recombinant DNA technology or chemical synthesis. Peptides of the present invention may be synthesized individually or as longer polypeptides composed of two or more peptides. The peptides of the present invention are preferably isolated, i.e., substantially free of other naturally occurring host cell proteins and fragments thereof.

30 **[0041]** The peptides of the present invention may contain modifications, such as glycosylation, side chain oxidation, or phosphorylation; so long as the modifications do not destroy the biological activity of the peptides as described herein, namely the ability to binding to an HLA antigen and induce CTL. Other modifications include incorporation of D-amino acids or other amino acid mimetics that can be used, for example, to increase the serum half life of the peptides.

35 **[0042]** Moreover, there is disclosed a method of screening for a peptide which 1, 2, or several amino acids are substituted, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, said method comprising the steps of:

- 40 (a) conforming no significant sequence homology to the entire sequence of 1, 2 or several amino acids substitute;
 (b) measuring the CTL inducibility of the candidate substitute peptide; and
 (c) selecting the peptide which CTL inducibility is same to or higher than the original peptide.

45 **[0043]** For example, there is disclosed a method of identifying for a peptide having an ability to induce CTL against cells expressing at least one tumor-associated antigen, wherein the tumor-associated antigen is antigen selected from the group consisting of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, said method comprising the steps of:

- 50 (i) providing or generating at least one candidate sequence which consists of an amino acid sequence modified by substituting, deleting, or adding one, two or several amino acid residues to an original amino acid sequence, wherein the original amino acid sequence is selected from the group consisting of SEQ ID NO: SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223;
 (ii) selecting the candidate sequence that does not have substantial significant homology with the peptides derived from any known human gene products other than said tumor-associated antigens;
 55 (iii) contacting a peptide consisting of the candidate sequence selected in step (ii) with antigen presenting cells;
 (iv) contacting the antigen presenting cells of step (iii) with T-cells to evaluate the ability of the peptide to stimulate the T-cells; and
 (v) identifying the peptide of which CTL inducibility is same to or higher than a peptide consisting of the original

amino acid sequence.

[0044] Preferably, the amino acid is substituted for a different amino acid in which the properties of the amino acid side-chain are conserved (a process known as conservative amino acid substitution). Examples of properties of amino acid side chains are hydrophobic amino acids (A, I, L, M, F, P, W, Y, V), hydrophilic amino acids (R, D, N, C, E, Q, G, H, K, S, T), and side chains having the following functional groups or characteristics in common: an aliphatic side-chain (G, A, V, L, I, P); a hydroxyl group containing side-chain (S, T, Y); a sulfur atom containing side-chain (C, M); a carboxylic acid and amide containing side-chain (D, N, E, Q); a base containing side-chain (R, K, H); and an aromatic containing side-chain (H, F, Y, W). Note, the parenthetic letters indicate the one-letter codes of amino acids. In the present invention, substantial significant homology is, for example, more than 90%, preferably 95%, more preferably 99% or 100% identity with a known human gene product to be compared.

[0045] The peptides as disclosed herein can be prepared as a combination, which includes two or more of peptides as disclosed herein, for use as a vaccine for a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, IGF20A, KNTC2, TTK and/or URLC10, e.g. cancers, such a vaccine inducing CTL in vivo. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. The peptides may be in a cocktail or may be conjugated to each other using standard techniques. For example, the peptides can be expressed as a single polypeptide sequence. The peptides in the combination may be the same or different.

[0046] By administering the peptides as disclosed herein, the peptides are presented at a high density on the HLA antigens of antigen-presenting cells, which, in turn, induces CTLs that specifically react toward the complex formed between the displayed peptide and the HLA antigen. Alternatively, antigen-presenting cells having immobilized the peptides of this invention on their cell surface, obtained by removing dendritic cells from the subjects, may be stimulated by the peptides of this invention. Readministration of these cells to the respective subjects induces CTL, and, as a result, aggressiveness towards the target cells can be increased.

[0047] More specifically there are disclosed drugs for treating and/or preventing proliferation, metastasis, and such of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, which include one or more of peptides as disclosed herein, or a polynucleotide encoding the peptides. The peptides or polynucleotides as disclosed herein find particular utility in the treatment of a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0048] The peptides of this invention can be administered to a subject directly, as a pharmaceutical composition that has been formulated by conventional formulation methods. In such cases, in addition to the peptides of this invention, carriers, excipients, and such that are ordinarily used for drugs can be included as appropriate, without particular limitations. The immunogenic compositions as disclosed herein may be used for treatment and prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0049] The immunogenic compositions for treatment and/or prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIP20A, KNTC2, TTK and/or URLC10, e.g. cancers, which include as the active ingredient one or more peptides as disclosed, can further include an adjuvant so that cellular immunity will be established effectively. Alternatively, they may be administered with other active ingredients, such as anti-cancer agents.

[0050] The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Suitable formulations include granules. Suitable adjuvants are described in the literature (Johnson AG. (1994) *Clin Microbiol. Rev.*, 7:277-89).

[0051] Exemplary adjuvants include, but are not limited to, aluminum phosphate, aluminum hydroxide, and alum. Furthermore, Uposome-formulations, granular formulations in which the drug is bound to few-mc m diameter beads, and formulations in which a lipid is bound to the peptide may be conveniently used. The method of administration may be oral, intradermal, subcutaneous, intravenous injection, or such, and may include systemic administration or local administration to the vicinity of the targeted tumor.

[0052] The dose of the peptide(s) of this invention can be adjusted appropriately according to the disease to be treated, age of the patient, weight, method of administration, and such. Though the dosage is ordinarily 0.001 mg to 1000 mg, preferably 0.01 mg to 100 mg, more preferably 0.1 mg to 10 mg, preferably administered once in a few days to few months, one skilled in the art can readily select the appropriate dose and method of administration, as, the selection and optimization of these parameters is well within routine skill.

[0053] The present invention further provides intracellular vesicles called exosomes, which present complexes formed between the peptides of this invention and HLA antigens on their surface. Exosomes can be prepared, for example, by using the methods described in detail in Published Japanese Translation of International Publication Nos. Hei 11-510507 and 2000-512161, and are preferably prepared using antigen-presenting cells obtained from subjects who are targets of treatment and/or prevention. The exosomes of this invention can be inoculated as cancer vaccines, similarly to the peptides of this invention.

[0054] The type of HLA antigens used must match that of the subject requiring treatment and/or prevention. For example, in the Japanese population, HLA-A24 or HLA-A2, particularly HLA-A2402 or HLA-A0201, is often appropriate.

[0055] In some embodiments, the vaccine compositions of the present invention include a component which primes cytotoxic T lymphocytes. Lipids have been identified as agents capable of priming CTL in vivo against viral antigens. For example, palmitic acid residues can be attached to the epsilon-and alpha-amino groups of a lysine residue and then linked to an immunogenic peptide of the invention. The lipidated peptide can then be administered either directly, in a micelle or particle, incorporated into a liposome, or emulsified in an adjuvant. As another example of a lipid priming of CTL responses, E. coli lipoproteins, such as tripalmitoyl-S-glycerylcysteinylserine (P3CSS), can be used to prime CTL when covalently attached to an appropriate peptide (see, e.g., Deres K, et al., (1989) Nature 342:561-4.).

[0056] The immunogenic compositions of the present invention may also include nucleic acids encoding one or more of the immunogenic peptides disclosed here. See, e.g., Wolff JA et al., (1990) Science 247:1465-8; U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; and WO 98/04720. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivacaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

[0057] The immunogenic peptides of the invention can also be expressed by viral or bacterial vectors. Examples of suitable expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, e.g., as a vector to express nucleotide sequences that encode the peptide. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another suitable vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover CK, et al., (1991) Nature 351:456-60. A wide variety of other vectors useful for therapeutic administration or immunization e.g., adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, are known in the art. See, e.g., Shata MT, et al., (2000) Mol. Med. Today 6:66-71; Shedlock DJ and Weiner DB., et al., (2000) J. Leukoc. Biol. 68:793-806; and Hipp JD, et al., (2000) In Vivo 14:571-85.

[0058] The present invention also provides methods of inducing antigen-presenting cells using one or more peptides of this invention. The antigen-presenting cells can be induced by inducing dendritic cells from the peripheral blood monocytes and then contacting (stimulating) them with one or more peptides of this invention in vitro, ex vivo or in vivo. When peptides of the present invention are administered to the subjects, antigen-presenting cells that have the peptides of this invention immobilized to them are induced in the body of the subject. Alternatively, after immobilizing the peptides of this invention to the antigen-presenting cells, the cells can be administered to the subject as a vaccine. For example, the ex vivo administration may include the steps of:

a: collecting antigen-presenting cells from a subject, and

b: contacting the antigen-presenting cells of step a with a peptide of the present invention.

[0059] Alternatively, according to the present disclosure, use of the peptides of this invention for manufacturing a pharmaceutical composition inducing antigen-presenting cells is provided. Further, there is disclosed the peptide of the present invention for inducing antigen-presenting cells. It is disclosed that the antigen-presenting cells obtained by step b can be administered to the subject as a vaccine.

[0060] This invention also provides a method for inducing antigen-presenting cells having a high level of cytotoxic T cell inducibility, in which the method includes the step of transferring genes composed of polynucleotide(s) encoding one or more peptides of this invention to antigen-presenting cells in vitro. The introduced genes may be in the form of DNAs or RNAs. For the method of introduction, without particular limitations, various methods conventionally performed in this field, such as lipofection, electro-poration, and calcium phosphate method may be suitably used. More specifically, transfection may be performed as described in Reeves ME, et al., (1996) Cancer Res., 56:5672-7.; Butterfield LH, et al., (1998) J. Immunol., 161:5607-13.; Boczkowski D, et al., (1996) J. Exp. Med., 184:465-72.; Published Japanese Translation of International Publication No. 2000-509281. By transferring the gene into antigen-presenting cells, the

gene undergoes transcription, translation, and such in the cell, and then the obtained protein is processed by MHC Class I or Class II, and proceeds through a presentation pathway to present partial peptides.

[0061] The present invention further provides methods for inducing CTL using one or more peptides of this invention. It is disclosed that when the peptides of this invention are administered to a subject, CTL are induced in the body of the subject, and the strength of the immune system targeting the cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer cells in the tumor tissues is thereby enhanced.

[0062] The cancers contemplated include, but are not limited to bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate, cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Alternatively, it is disclosed that the peptides of the present invention may be used in the context of an ex vivo therapeutic method, in which subject-derived antigen-presenting cells and CD8-positive cells or peripheral blood mononuclear leukocytes are contacted (stimulated) with one or more peptides of this invention in vitro, and, after inducing CTL, the cells are returned to the subject. For example, the method may include the steps of:

- a: collecting antigen-presenting cells from a subject,
- b: contacting the antigen-presenting cells of step a with a peptide of the present invention,
- c: mixing the antigen-presenting cells of step b with CD⁸⁺ T cells and co-culturing so as to induce cytotoxic T-cells; and
- d: collecting CD⁸⁺ T cells from the co-culture of step c.

[0063] Alternatively, according to the present disclosure, use of the peptides of this invention for manufacturing a pharmaceutical composition inducing CTLs is provided. Further, there is disclosed the peptide of the present invention for inducing CTLs. It is disclosed that the CD⁸⁺ T cells having cytotoxic activity obtained by step d can be administered to the subject as a vaccine.

[0064] The present invention further provides isolated cytotoxic T cells induced using the peptides of this invention. The cytotoxic T cells, induced by stimulation with an antigen-presenting cell presenting one or more peptides of this invention, are preferably derived from subjects who are the target of treatment and/or prevention, and can be administered alone or in combination with other drugs, including one or more peptides of this invention or exosomes having anti-tumor activity. The obtained cytotoxic T cells act specifically against target cells presenting the peptides of this invention, or preferably the same peptide(s) used for induction. The target cells may be cells that express CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/ or URLC10 endogenously, or cells that are transfected with CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 genes. Cells that present the peptides of this invention on the cell surface, due to stimulation with these peptides, can also become targets of attack.

[0065] The present invention also provides antigen-presenting cells presenting complexes formed between HLA antigens and one or more peptides of this invention. It is disclosed that the antigen-presenting cells, obtained through contact with the peptides of this invention or the nucleotides encoding such peptides, are preferably derived from subjects who are the target of treatment and/or prevention, and can be administered as vaccines, alone or in combination with other drugs, including the peptides, exosomes, or cytotoxic T cells of the present invention.

[0066] There is also disclosed a composition composed of nucleic acids encoding polypeptides that are capable of forming a subunit of a T cell receptor (TCR), and methods of using the same. The TCR subunits have the ability to form TCRs that confer specificity to T cells for tumor cells presenting CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10. By using the known method in the art, the nucleic acids of alpha- and beta-chain as the TCR subunits of the CTL induced with one or more peptides of this invention may be identified (WO2007/032255 and Morgan et al., J Immunol, 171, 3288 (2003)). The derivative TCRs preferably bind target cells displaying the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide with high avidity, and optionally mediate efficient killing of target cells presenting the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide in vivo and in vitro.

[0067] The nucleic acids encoding the TCR subunits can be incorporated into suitable vectors e.g. retroviral vectors. These vectors are well known in the art. The nucleic acids or the vectors containing them usefully can be transferred into a T cell, which T cell is preferably from a patient. Advantageously, an off-the-shelf composition allowing rapid modification of a patient's own T cells (or those of another mammal) to rapidly and easily produce modified T cells having excellent cancer cell killing properties is disclosed.

[0068] Also, there is disclosed CTLs which are prepared by transduction with the nucleic acids encoding the TCR subunits polypeptides binding with CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide e.g. SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 in the context of HLA-A24 or HLA-A2. The transduced CTLs are capable of homing to cancer cells in vivo, and expanded by well known culturing method in vitro (e.g., Kawakami et al., J Immunol., 142,3452-3461 (1989)). The T

cells of the invention can be used to form an immunogenic composition useful in treating or preventing cancer in a patient in need of therapy or protection (WO2006/031221).

[0069] In the context of the present invention, the term "vaccine" (also referred to as an immunogenic composition) refers to a substance that induces anti-tumor immunity or suppresses cancers upon inoculation into animals. According to the present disclosure, polypeptides having the amino acid sequence of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223 were suggested to be HLA-A24 restricted epitope peptides and those of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288 were suggested to be HLA-A2 restricted epitope peptides that may induce potent and specific immune response against cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC 10, e.g. cancer cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10. The cancers contemplated include, but are not limited to bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma. SCLC, soft tissue tumor and testicular tumor.

[0070] Thus, there is disclosed a method of inducing anti-tumor immunity using polypeptides having the amino acid sequence of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof (i.e., including 1, 2, or several (e.g., up to 5) amino acid substitutions, deletions, or additions). In general, anti-tumor immunity includes immune responses such as follows:

- an induction of cytotoxic lymphocytes against tumors containing cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10,
- an induction of antibodies that recognize tumors containing cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, and
- an induction of anti-tumor cytokine production.

[0071] Therefore, when a certain peptide induces any one of these immune responses upon inoculation into an animal, the peptide is decided to have anti-tumor immunity inducing effect. The induction of the anti-tumor immunity by a peptide can be detected by observing in vivo or in vitro the response of the immune system in the host against the peptide.

[0072] For example, a method for detecting the induction of cytotoxic T lymphocytes is well known. A foreign substance that enters the living body is presented to T cells and B cells by the action of antigen-presenting cells (APCs). T cells that respond to the antigen presented by APC in antigen specific manner differentiate into cytotoxic T cells (also referred to as cytotoxic T lymphocytes or CTLs) due to stimulation by the antigen, and then proliferate; this process is referred to herein as "activation" of T cells. Therefore, CTL induction by a certain peptide can be evaluated by presenting the peptide to a T cell by APC, and detecting the induction of CTL. Furthermore, APCs have the effect of activating CD4+ T cells, CD8+ T cells, macrophages, eosinophils and NK cells. Since CD4+ T cells are also important in anti-tumor immunity, the anti-tumor immunity inducing action of the peptide can be evaluated using the activation effect of these cells as indicators.

[0073] A method for evaluating the inducing action of CTL using dendritic cells (DCs) as APC is well known in the art. DC is a representative APC having the strongest CTL inducing action among APCs. In this method, the test polypeptide is initially contacted with DC and then this DC is contacted with T cells. Detection of T cells having cytotoxic effects against the cells of interest after the contact with DC shows that the test polypeptide has an activity of inducing the cytotoxic T cells. Activity of CTL against tumors can be detected, for example, using the lysis of ⁵¹Cr-labeled tumor cells as the indicator. Alternatively, it is well known to evaluate the degree of tumor cell damage using 3H-thymidine uptake activity or LDH (lactose dehydrogenase)-release as the indicator. Furthermore, it can be also examined by measuring IFN-gamma produced and released by CTL in the presence of antigen-presenting cells that carry immobilized peptides by visualizing using anti-IFN-gamma antibodies, such as an ELISPOT assay.

[0074] Apart from DC, peripheral blood mononuclear cells (PBMCs) may also be used as the APC. The induction of CTL is reported to be enhanced by culturing PBMC in the presence of GM-CSF and IL-4. Similarly, CTL has been shown to be induced by culturing PBMC in the presence of keyhole limpet hemocyanin (KLH) and IL-7.

[0075] The test polypeptides confirmed to possess CTL inducing activity by these methods are polypeptides having DC activation effect and subsequent CTL inducing activity. Therefore, polypeptides that induce CTL against cells expressed CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 are useful as vaccines against diseases associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC 10, e.g. cancers. Furthermore, APC that have acquired the ability to induce CTL against a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, by contacting with the polypeptides are useful as vaccines against the disease. Furthermore, CTL that have acquired cytotoxicity due to presentation of the polypeptide antigens by APC can be also used as vaccines against a disease associating CDH3, EPHA4, ECT2,

HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. Such therapeutic methods for a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, using anti-tumor immunity due to APC and CTL, are referred to as cellular immunotherapy. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0076] Generally, when using a polypeptide for cellular immunotherapy, efficiency of the CTL-induction can be increased by combining a plurality of polypeptides having different structures and contacting them with DC. Therefore, when stimulating DC with protein fragments, it is advantageous to use a mixture of multiple types of fragments.

[0077] The induction of anti-tumor immunity by a polypeptide can be further confirmed by observing the induction of antibody production against tumors. For example, when antibodies against a polypeptide are induced in a laboratory animal immunized with the polypeptide, and when growth, proliferation and/or metastasis of tumor cells is suppressed by those antibodies, the polypeptide is determined to induce anti-tumor immunity.

[0078] Anti-tumor immunity can be induced by administering a vaccine as disclosed herein, and the induction of anti-tumor immunity enables treatment and prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. Therapy against or prevention of the onset of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, may include inhibition of the growth of cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer cells, involution of these cells and suppression of occurrence of these cells, e.g. cancer cells. Decrease in mortality of individuals having a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, decrease of the disease makers in the blood, alleviation of detectable symptoms accompanying the disease and such are also included in the therapy or prevention of the disease, e.g. cancers. Such therapeutic and preventive effects are preferably statistically significant, for example, observed at a significance level of 5% or less, wherein the therapeutic or preventive effect of a vaccine against a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, is compared to a control without vaccine administration. For example, Student's t-test, the Mann-Whitney U-test or ANOVA may be used for determining statistical significance.

[0079] In that there is disclosed a method for treating, or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, the therapeutic compounds or compositions may be administered prophylactically or therapeutically to subjects suffering from or at risk of (or susceptible to) developing the disease. Such subjects may be identified using standard clinical methods. In the context of the present invention, prophylactic administration occurs prior to the manifestation of overt clinical symptoms of disease, such that a disease or disorder is prevented or alternatively delayed in its progression. In the context of the field of medicine, the term "prevent" encompasses any activity which reduces the burden of mortality or morbidity from disease. Prevention can occur at primary, secondary and tertiary prevention levels. While primary prevention avoids the development of a disease, secondary and tertiary levels of prevention encompass activities aimed at preventing the progression of a disease and the emergence of symptoms as well as reducing the negative impact of an already established disease by restoring function and reducing disease-related complications.

[0080] In the context of cancer treatment, the term "efficacious" refers to a treatment that leads to a decrease in size, prevalence or metastatic potential of cancer in a subject. When a treatment is applied prophylactically, "efficacious" means that the treatment retards or prevents occurrence of non cancer or alleviates a clinical symptom of cancer. The assessment of cancer can be made using standard clinical protocols. Furthermore, the efficaciousness of a treatment may be determined in association with any known method for diagnosing or treating cancer. For example, cancer can be diagnosed histo-pathologically or by identifying symptomatic anomalies.

[0081] The above-mentioned peptide, having immunological activity, or a polynucleotide or vector encoding such a peptide, may be combined with an adjuvant. An adjuvant refers to a compound that enhances the immune response against the peptide when administered together (or successively) with the peptide having immunological activity. Examples of suitable adjuvants include cholera toxin, salmonella toxin, alum and such, but are not limited thereto. Furthermore, a vaccine of this invention may be combined appropriately with a pharmaceutically acceptable carrier. Examples of such carriers are sterilized water, physiological saline, phosphate buffer, culture fluid and such. Furthermore, the vaccine may contain as necessary, stabilizers, suspensions, preservatives, surfactants and such. The vaccine is administered systemically or locally. Vaccine administration may be performed by single administration or boosted by multiple administrations.

[0082] When using APC or CTL as the vaccine as disclosed herein, a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, can be treated or prevented, for example, by the ex vivo method. More specifically, PBMCs of the subject receiving treatment or prevention are collected, contacted ex vivo with a peptide of the present invention. Following the induction of APC or CTL, the cells may be administered to the subject. APC can be also induced by introducing a vector encoding the peptide into PBMCs

EP 2 465 864 B1

ex vivo. APC or CTL induced in vitro can be cloned prior to administration. By cloning and growing cells having high activity of damaging target cells, cellular immunotherapy can be performed more effectively. Furthermore, APC and CTL isolated in this manner may be used for cellular immunotherapy not only against individuals from whom the cells are derived, but also against similar types of diseases in other individuals.

[0083] Aspects of the present invention are described in the following examples, which are presented only to illustrate the present invention and to assist one of ordinary skill in making and using the same. The examples are not intended in any way to otherwise limit the scope of the invention.

[0084] Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below.

EXAMPLES

[0085] Hereinafter, the present invention is exemplified, but not restricted, by the following Examples. However, materials, methods and such described herein only illustrate aspects of the invention and in no way are intended to limit the scope of the present invention. As such, materials, methods and such similar or equivalent to those described therein may be used in the practice or testing of the present invention.

MATERIALS AND METHODS

Cell lines

[0086] A24-LCL cells (HLA-A24), human B-lymphoblastoid cell line, was established by transforming with Epstein-Barr virus. T2 cell, COS7, A498, Caki-2 and HEK 293 were purchased from ATCC. Caki-1 and MIAPaca-2 were purchased from JCRB. PK-45P, PK-59, TE-5 and TE-6 were purchased from TKG. 293 T was purchased from GenHunter.

Candidate selection of peptide derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10

[0087] 9-mer and 10-mer peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 that bind to HLA-A*2402 or HLA-A*0201 molecule were predicted using the binding prediction software "BIMAS" (http://bimas.dcrf.nih.gov/cgi-bin/molbio/ken_parker_comboform) (Parker KC, et al., (1994) J Immunol.;152(1):163-75.; Kuzushima K, et al., (2001) Blood.;98(6):1872-81.). These peptides were synthesized by Sigma (Sapporo, Japan) according to the standard solid phase synthesis method and purified by reversed phase HPLC. The purity (>90%) and the identity of the peptides were determined by analytical HPLC and mass spectrometry analysis, respectively. Peptides were dissolved in dimethylsulfoxide (DMSO) at 20 mg/ml and stored at -80 degrees C.

In vitro CTL Induction

[0088] Monocyte-derived dendritic cells (DCs) were used as antigen-presenting cells (APCs) to induce CTL responses against peptides presented on HLA. DCs were generated in vitro as described elsewhere (Nukaya, I et al., (1999) Int. J. Cancer 80, 92-7., Tsai V et al., (1997) J. Immunol 158:1796-802.). Briefly, peripheral blood mononuclear cells (PBMCs) isolated from a normal volunteer (HLA-A*2402 and/or HLA-A*0201) by Ficol-Paque (Pharmacia) solution were separated by adherence to a plastic tissue culture flask (Becton Dickinson) so as to enrich them for the monocyte fraction. The monocyte-enriched population was cultured in the presence of 1000 U/ml of GM-CSF (Genzyme) and 1000 U/ml of IL-4 (Genzyme) in AIM-V (Invitrogen) containing 2% heat-inactivated autologous serum (AS). After 7 days in the culture, the cytokine-generated DCs were pulsed with 20 micro g/ml of the synthesized peptides in the presence of 3 micro g/ml of beta 2-microglobulin for 4 hrs at 20 degrees C in AIM-V. These peptide-pulsed DCs were then inactivated by MMC (30micro g/ml for 30 mins) and mixed at a 1:20 ratio with autologous CD8⁺ T cells, obtained by positive selection with Dynabeads M-450 CD8 (Dyna) and DETACHa BEAD™ (Dyna). These cultures were set up in 48-well plates (Corning); each well contained 1.5x10⁴ peptide-pulsed DCs, 3x10⁵ CD8⁺ T cells and 10 ng/ml of IL-7 (Genzyme) in 0.5 ml of AIM-V/2% AS. Three days later, these cultures were supplemented with IL-2 (CHIRON) to a final concentration of 20 IU/ml. On day 7 and 14, the T cells were further restimulated with the autologous peptide-pulsed DCs. The DCs were prepared each time by the same way described above. CTL was tested against peptide-pulsed A24-LCL cells or T2 cells after the 3rd round of peptide stimulation on day 21.

CTL Expansion Procedure

[0089] CTLs were expanded in culture using the method similar to that described by Riddell SR, et al.. (Walker EA et al., (1995) N Engl J Med 333:1038-44.; Riddell SR, et al., (1996) Nature Med. 2:216-23.). A total 5x10⁴ of CTLs were

EP 2 465 864 B1

resuspended in 25 ml of AIM-V/5% AS with 2 kinds of human B-lymphoblastoid cell lines, inactivated by MMC, in the presence of 40 ng/ml of anti-CD3 monoclonal antibody (Pharmingen). One day after initiating the cultures, 120 IU/ml of IL-2 were added to the cultures. The cultures were fed with fresh AIM-V/5% AS containing 30 IU/ml of IL-2 on days 5, 8 and 11.

Establishment of CTL clones

[0090] The dilutions were made to have 0.3, 1, and 3 CTLs/well in 96 round-bottomed micro titer plate (Nalge Nunc International). CTLs were cultured with 7×10^4 cells/well of 2 kinds of human B-lymphoblastoid cell lines, 30 ng/ml of anti-CD3 antibody, and 125 U/ml of IL-2 in total of 150 μ l/well of AIM-V containing 5% AS. 50 μ l/well of IL-2 was added to the medium 10 days later so that IL-2 became 125 U/ml in the final concentration. CTL activity of CTLs was tested on the 14th day, and CTL clones were expanded using the same method above.

Specific CTL activity

[0091] To examine the specific CTL activity, IFN- γ ELISPOT assay and IFN- γ ELISA assay were performed.

[0092] Briefly, peptide-pulsed A24-LCL or T2 cell (1×10^4 /well) was prepared as stimulator cells. Cultured Cells in 48 wells or CTL clones after limiting dilution were used as responder cells. IFN- γ ELISPOT assay and ELISA assay were performed under manufacture procedure.

Establishment of the cells forcibly expressing either or both of the target gene and HLA-A02 or HLA-A24

[0093] The cDNA encoding an open reading frame of target genes or HLA-A02 or HLA-A24 was amplified by PCR. The PCR-amplified product was cloned into pCDNA3.1 myc-His vector (Invitrogen). The plasmids were transfected into the target cells, HLA-A02 and HLA-A24-null normal human cell line COS7 or 293T using lipofectamine (Invitrogen) according to the manufacturer's recommended procedures. Alternatively, the plasmid contained the target genes were transfected into A24-LCL by electro-poration using GenePulserII (Biorad). Briefly, 2.5×10^6 A24-LCL cells were pulsed with 10 μ g plasmid at 140V and 1000 μ F. After 2 days from transfection, the transfected cells were treated with Cell dissociation solution and used as the target cells for CTL activity assay.

Cytotoxicity Assay

[0094] Cytotoxic activity was evaluated by a four-hour ^{51}Cr release assay. The target cells were pulsed with a 20 μ g/ml concentration of peptide overnight. The target cells were labeled with 100 μ l of $\text{Na}_2^{51}\text{CrO}_4$ at 37 degrees C for one hour, and then washed three times with RPMI1640. The target cells (1×10^4 /100 μ l) and 100 μ l of effector cells at various numbers with a total volume of 200 μ l were placed into a round-bottomed 96-well microtiter plate (Corning), and cultured at 37 degrees C in a CO_2 incubator for four hours. After culturing, 100 μ l of the supernatant was collected from each well, and measured the radioactivity using a gamma counter. Spontaneous release was the radioactivity from the target cells with medium in the absence of effector cells, and maximum release was the radioactivity from the target cells with 1 M HCl.

[0095] The Percentage of specific cytotoxicity was determined by calculating as following formula:

$$\% \text{ Specific lysis} = \frac{[(\text{experimental release} - \text{spontaneous release}) / (\text{maximum release} - \text{spontaneous release})] \times 100.}$$

RESULTS

Enhanced CDH3, EPAA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 expression in cancers

[0096] The global gene expression profile data obtained from various cancers using cDNA-microarray revealed that the expression of the following genes was elevated.

CDH3 (GenBank Accession No. N_001793; SEQ ID Nos.1, 2),
EPAA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4),
ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6),
HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8),

EP 2 465 864 B1

INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9, 10),
 KTF20A (GenBank Accession No. NM_005733; SEQ ID Nos.11, 12),
 KNTC2 (GenBank Accession No. AF017790; SEQ ID Nos.13, 14),
 TTK (GenBank Accession No. NM_003318; SEQ ID Nos.15, 16) and
 URLC10 (GenBank Accession No. NM_017527; SEQ ID Nos.17,18)

CDH3 expression was validly elevated in the following cancers in comparison with corresponding normal tissue.

26 out of 34 bladder cancer,
 17 out of 19 cervical cancer,
 19 out of 19 cholangiocellular carcinoma,
 30 out of 34 colorectal cancer,
 20 out of 21 endometriosis,
 13 out of 20 gastric cancer;
 7 out of 8 diffuse-type gastric cancer,
 36 out of 37 NSCLC,
 16 out of 16 pancreatic cancer,
 21 out of 21 soft tissue tumor and
 10 out of 10 testicular tumor

[0097] EPHA4 expression was validly elevated in the following cancers in comparison with corresponding normal tissue.

14 out of 34 bladder cancer,
 8 out of 14 cervical cancer,
 10 out of 25 cholangiocellular carcinoma,
 5 out of 15 endometriosis,
 5 out of 8 diffuse-type gastric cancer,
 5 out of 5 ovarian cancer,
 14 out of 14 pancreatic cancer,
 20 out of 51 prostate cancer and
 14 out of 23 soft tissue tumor

[0098] ECT2 expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

17 out of 19 bladder cancer,
 5 out of 12 breast cancer,
 14 out of 14 cervical cancer,
 13 out of 13 cholangiocellular carcinoma,
 5 out of 5 CML,
 7 out of 8 colorectal cancer,
 12 out of 16 esophageal cancer,
 6 out of 16 NSCLC,
 8 out of 10 lymphoma,
 1 out of 1 pancreatic cancer,
 10 out of 13 prostate cancer,
 3 out of 6 renal carcinoma and
 12 out of 13 SCLC cancer

[0099] HIG2 expression was validly elevated in 19 out of 20 renal cancer and 7 out of 9 soft tissue tumor in comparing with corresponding normal tissue.

[0100] INHBB expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

10 out of 21 cholangiocellular carcinoma,
 12 out of 12 esophageal cancer,
 10 out of 13 NSCLC.
 22 out of 24 renal carcinoma,
 8 out of 14 SCLC cancer and
 45 out of 49 soft tissue tumor

[0101] KIF20A expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

EP 2 465 864 B1

31 out of 31 bladder cancer,
 38 out of 61 breast cancer,
 10 out of 11 cholangiocellular carcinoma,
 7 out of 19 esophageal cancer,
 5 21 out of 22 NSCLC,
 6 out of 6 ovarian cancer,
 17 out of 36 prostate cancer,
 6 out of 11 renal carcinoma and
 15 out of 15 SCLC

10 **[0102]** KNTC2 expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

30 out of 32 bladder cancer,
 47 out of 56 breast cancer,
 15 10 out of 10 cervical cancer,
 16 out of 22 cholangioncellular carcinoma,
 17 out of 37 CML,
 3 out of 10 colorectal cancer,
 11 out of 46 esophagus cancer,
 20 15 out of 19 NSCLC,
 7 out of 8 lymphoma,
 20 out of 24 osteosarcoma,
 3 out of 5 ovarian cancer,
 2 out of 2 pancreatic cancer,
 25 15 out of 37 prostate cancer,
 14 out of 19 renal carcinoma,
 15 out of 15 SCLC and
 40 out of 59 soft tissue tumor

30 **[0103]** TTK expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

27 out of 27 bladder cancer,
 25 out of 30 breast cancer,
 15 out of 16 cervical cancer,
 35 10 out of 10 cholangiocellular carcinoma,
 5 out of 7 CML,
 6 out of 10 colorectal cancer,
 24 out of 44 esophageal cancer,
 8 out of 15 liver cancer,
 40 12 out of 12 NSCLC,
 6 out of 6 lymphoma,
 13 out of 16 osteoblastoma,
 12 out of 17 prostate cancer,
 15 out of 15 SCLC and
 45 16 out of 33 soft tissue tumor

[0104] URLC10 expression was validly elevated in the following cancers in comparing with corresponding normal tissue

29 out of 29 bladder cancer,
 50 15 out of 16 cervical cancer,
 7 out of 7 cholangiocellular carcinoma,
 7 out of 19 esophageal cancer,
 3 out of 3 gastric cancer, 24 out of 27 NSCLC,
 15 out of 19 osteosarcoma,
 55 4 out of 5 pancreatic cancer,
 33 out of 43 soft tissue tumor.

[Table 1]

Ratio of cases observed up-regulation of *CDH3*, *EPHA4*, *ECT2*, *HIG2*, *INHBB*, *KIF20A*, *KNTC2*, *TTK* or *URLC10* in cancerous tissue as compared to normal corresponding tissue

	CDH3	EPHA4	ECT2	HIG2	INHBB
Bladder cancer	26/34	14/34	17/19	-	-
Breast cancer	-	-	5/12	-	-
Cervical cancer	17/19	8/14	14/14	-	-
Cholangiocellularcarcinoma	19/19	10/25	13/13	-	10/21
CML	-	-	5/5	-	-
Colectal cancer	30/34	-	7/8	-	-
Endometriosis	20/21	5/15	-	-	-
Esophageal cancer	-	-	12/16	-	12/12
Gastric cancer	13/20	-	-	-	-
Diffuse-type Gastric cancer	7/8	5/8	-	-	-
Liver cancer	-	-	-	-	-
non-small cell lung cancer	36/37	-	6/16	-	10/13
Lymphoma	-	-	8/10	-	-
Osteosarcoma	-	-	-	-	-
Ovarian cancer	-	5/5	-	-	-
Pancreatic cancer	16/16	14/14	1/1	-	-
Prostate cancer	-	20/51	10/13	-	-
Renal carcinoma	-	-	3/6	19/20	22/24
Small cell lung cancer	-	-	12/13	-	8/14
Soft tissue tumor	21/21	14/23	-	7/9	45/49
Testicular tumor	10/10	-	-	-	-

	KIF20A	KNTC2	TTK	URLC10
Bladder cancer	31/31	30/32	27/27	29/29
Breast cancer	38/61	47/56	25/30	-
Cervical cancer	-	10/10	15/16	15/16
Cholangiocellularcarcinoma	10/11	16/22	10/10	7/7
CML	-	17/37	5/7	-
Colectal cancer	-	3/10	6/10	-
Endometriosis	-	-	-	-
Esophageal cancer	7/19	11/46	24/44	7/19
Gastric cancer	-	-	-	3/3
Diffuse-type Gastric cancer	-	-	-	-
Liver cancer	-	-	8/15	-
non-small cell lung cancer	21/22	15/19	12/12	24/27
Lymphoma	-	7/8	6/6	-
Osteosarcoma	-	20/24	13/16	15/19
Ovarian cancer	-	3/5	-	-
Pancreatic cancer	6/6	2/2	-	4/5
Prostate cancer	17/36	15/37	12/17	-
Renal carcinoma	6/11	14/19	-	-
Small cell lung cancer	15/15	15/15	15/15	-
Soft tissue tumor	-	40/59	16/33	33/43
Testicular tumor	-	-	-	-

Prediction of HLA-A24 or HLA-A2 binding peptides derived from CDH3, EPHA4, ECT2, HIG2, TNHBB, KIF20A, KNTC2, TTK or URLC10

[0105] Table 2 sets forth the HLA-A*2402 binding peptides for CDH3 in order of binding affinity. Table 2A sets forth 9-mer peptides derived from CDH3 and Table 2B sets forth 10-mer peptides derived from CDH3.

[0106] Table 3 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for EPHA4 in order of binding affinity. Table 3A sets forth the HLA-A*2402 binding 9-mer peptides derived from EPHA4, Table 3B shows the HLA-A*2402 binding 10-mer peptides derived from EPHA4 and Table 3C sets forth the HLA-A*0201 binding 9-mer peptides derived from EPHA4.

[0107] Table 4 sets forth the HLA-A*2402 binding peptides for ECT2 in order of binding affinity. Table 4A sets forth 9-mer peptides derived from ECT2 and Table 4B shows 10-mer peptides derived from ECT2.

[0108] Table 5 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for HIG2, Table 5A sets forth the HLA-A*2402 binding 9-mer peptides derived from HIG2, Table 5B sets forth the HLA-A*2402 binding 10-mer peptides derived from HIG2, Table 5C sets forth the HLA-A*0201 binding 9-mer peptides derived from HIG2, and Table 5D sets forth HLA-A*0201 binding 10-mer peptides derived from HIG2.

[0109] Table 6 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for INHBB, Table 6A shows the HLA-A*2402 binding 9-mer peptides derived from INHBB, Table 6B sets forth the HLA-A*2402 binding 10-mer peptides derived from INHBB, Table 6C sets forth the HLA-A*0201 binding 9-mer peptides derived from INHBB, and Table 6D sets forth HLA-A*0201 binding 10-mer peptides derived from INHBB.

[0110] Table 7 sets forth the HLA-A*2402 binding peptides for KIF20A in order of binding affinity. Table 7A sets forth 9-mer peptides derived from KIF20A and Table 7B sets forth 10-mer peptides derived from KIF20A.

[0111] Table 8 sets forth the HLA-A*2402 binding peptides for KNTC2 in order of binding affinity. Table 8A sets forth 9-mer peptides derived from KNTC2 and Table 8B sets forth 10-mer peptides derived from KNTC2.

[0112] Table 9 sets forth the HLA-A*0201 binding peptides for TTK in order of binding affinity. Table 9A sets forth 9-mer peptides derived from TTK and Table 9B sets forth 10-mer peptides derived from TTK.

[0113] Table 10 sets forth the HLA-A*0201 binding peptides for URLC10 in order of binding affinity. Table 10A sets forth 9-mer peptides derived from URLC10 and Table 10B sets forth 10-mer peptides derived from URLC10.

Explanation and definition about the terms in tables

[0114] Start position indicates the number of amino acid from N-terminal.

[0115] Binding score is derived from "BIMAS" described in Materials and Methods.

[0116] Positive donor number indicates the number of donor whose CDS+-T-cells can be induced to the specific CTL by the ex vivo stimulation with antigen-presenting cells.

[0117] This is shown as (positive donor number / hole donor number).

[0118] Positive well number indicates the number of wells where specific IFN-gamma production can be detected by IFN-gamma ELISPOT assay. 4 to 8 wells can be prepared from one donor. This is shown as (positive wells number / the number of hole wells tested by IFN-gamma ELISPOT assay).

[0119] Positive CTL line indicates the number of CTL line established from positive wells.

[0120] The generation of CTL line is determined by ELISA. This is shown as (established CTL line number / the number of positive wells tested by IFN-gamma ELISPOT assay).

[0121] No positive donor is not defined by no detectable positive wells, but by no established CTL line.

[0122] The peptides showed by bold character in tables possesses the stimulation activity of the T cells.

[0123] No data at positive donor number, positive well number and positive CTL line indicating "-" means that the peptides can't be synthesized for any reason.

[Table 2A-1]

HLA-A*2402 binding 9-mer peptides derived from <i>CDH3</i>						
Strat position	Amino acid sequence	Binding Score	Positive donor number	Positive well number	Positive CTL line	SEQ ID NO.
513	IYEVMLAM	37.5	1/3			19
667	LFLLLVLLL	36	-	-	-	20
30	VFREAETVL	24	0/3	1/22	0/1	21
406	LYVEVTNEA	16.632	1/3			22

EP 2 465 864 B1

(continued)

HLA-A*2402 binding 9-mer peptides derived from <i>CDH3</i>						
Strat position	Amino acid sequence	Binding Score	Positive donor number	Positive well number	Positive CTL line	SEQ ID NO.
332	KYEAHVPEN	16.5	0/3	1/22	0/1	23
180	KYELFGHAV	15	0/3	1/22	0/1	24
85	RSLKERNPL	14.4	0/3	1/22	0/1	25
5	RGPLASLLL	12	0/3	2/22	0/2	26
652	KGGFILPVL	11.2	0/3	0/22	-	27
248	TYNGVVAYS	10.5	0/3	2/22	0/2	28
65	LFSTDNDFF	10	0/3	0/22	-	29
94	KIFPSKRIL	9.6	0/1	0/8	-	306
221	RGSVLEGVL	9.6	0/1	0/8	-	307
668	FLLLVLLLL	8.4	-	-	-	308
754	IGNFIENL	8.4	-	-	-	309
311	TAVAVVEIL	8.4	0/1	0/8	-	310
557	NQSPVRQVL	8.064	0/1	0/8	-	311
611	KQDTYDVHL	8	0/1	0/8	-	312
781	DYEGSGSDA	7.5	0/1	0/8	-	313
165	GWLLLNKPL	7.2	0/1	0/8	-	314

[Table 2A-2]

656	ILPVLGAVL	7.2	0/1	0/8	-	315
770	TAPPYDTLL	7.2	0/1	0/8	-	316
602	VVLSLKKFL	7.2	0/1	0/8	-	317
665	ALLFLLVL	7.2	-	-	-	318
410	VTNEAPFVL	7.2	0/1	0/8	-	319
662	AVLALLFLL	7.2	-	-	-	320
613	DTYDVHLSL	6.72	0/1	0/8	-	321
6	GPLASLLL	6	0/1	0/8	-	322
564	VLNITDKDL	6	0/1	0/8	-	323
159	AVEKETGWL	6	0/1	0/8	-	324
511	NNIYEVML	6	0/1	0/8	-	325
11	LLLLQVCWL	6	-	-	-	326
57	GCPGQEPAL	6	0/1	0/8	-	327
293	EYTLTIQAT	6	0/1	0/8	-	328
79	ETVQERRSL	6	0/1	0/8	-	329
475	SYRILRDPA	6	0/1	0/8	-	330
493	GQVTAVGTL	6	0/1	0/8	-	331
661	GAVLALLFL	6	0/1	0/8	-	332

EP 2 465 864 B1

(continued)

388	GILTTRKGL	6	0/1	0/8	-	333
382	HPESNQGIL	6	0/1	0/8	-	334
663	VLALLFLLL	5.76	-	-	-	335
598	EGDTWLSL	5.6	0/1	0/8	-	336
278	TISVISSGL	5-6	0/1	2/8	0/2	337
659	VLGAVLALL	5.6	0/1	0/8	-	338
811	EWGSRFKKL	5.28	0/1	0/8	-	339
445	KVVEVQEGI	5.04	0/1	0/8	-	340
614	TYDVHLSLS	5	0/1	0/8	-	341
142	FYSITGPGA	5	0/1	0/8	-	342
246	IYTYNGVVA	5	0/1	0/8	-	343

[Table 2B-1]

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
807	DYLN ^e WGSRF	150	1/3			30
248	TYNG ^v VAYSI	105	0/3	4/22	0/4	31
667	LFL ^l IVLLLL	42	-	-	-	32
397	DFEAKNQHTL	30	0/3	2/22	0/2	33
332	KYEA ^h VPENA	21	1/3			34
180	KYELFGHAVS	15	0/3	2/22	0/2	35
510	RNNIYEVML	12	0/3	4/22	0/4	36
5	RGPLASLLLL	12	0/3	1/22	0/1	37
477	RILRDPAGWL	12	0/3	1/22	0/1	38
556	CNQSPVRQVL	10.08	0/3	2/22	0/2	39
655	FILP ^v LGAVL	8.64	1/3			344
662	AVLAILFLLL	8.64	-	-	-	345

[Table 2B-2] .

277	GTIS ^v ISSGL	8.4	0/3	0/20	-	346
781	DYEG ^s GSDAA	7.5	0/3	0/20	-	347
601	TWL ^s LKKFL	7.2	0/3	3/20	0/3	348
158	FAVEKETGWL	7.2	0/3	0/20	-	349
665	ALLFILL VLL	7.2	-	-	-	350
259	SQEPKDPHDL	7.2	0/3	0/20	-	351
664	LALL ^l LLVL	7.2	-	-	-	352
42	GAEQ ^e PGQAL	7.2	0/3	1/20	0/1	353
661	GAVL ^a LLFLL	7.2	-	-	-	354
595	VNEE ^g DTVVL	7.2	0/2	0/12	-	355

EP 2 465 864 B1

(continued)

340	NAVGH _{EV} QRL	7.2	0/2	0/12	-	356
411	TNEA _{pFV} LKL	6.6	0/2	0/12	-	357
470	ENOKISYRIL	6	1/2			358
10	SLLLIQVCWL	6	0/2	1/12	0/1	359
721	GLEA _{rPE} VVL	6	0/2	2/12	0/2	360
345	EVQRITVTDL	6	0/2	4/12	0/4	361
2	GLPR _{gPL} ASL	6	0/2	3/12	0/3	362
657	LPVL _{gAV} LyL	6	-	-	-	363
563	QVLNITDKDL	6	0/2	1/12	0/1	364
159	AVEKE _{tGW} L	6	0/2	2/12	0/2	365
492	SGQV _{tAV} GT	6	0/2	-	-	366
387	QGIL _{tTR} KGL	6	0/2	-	-	367
525	SPPT _{tGT} GT	6	0/2	2/12	0/2	368
358	NSPA _{wRAT} YL	6	0/2	2/12	0/2	369
122	GPFP _{qRL} NQL	5.76	0/2	3/12	0/3	370
753	EIGN _{fII} ENL	5.6	0/2	1/12	0/1	371
310	TTA _{Va} VVEIL	5.6	-	-	-	372
246	IYTY _{nGV} VAY	5	0/2	2/12	0/2	373
805	DYDYINEWGS	5	0/2	0/12	-	374

[Table 3A]

HLA-A*2402 binding 9-mer peptides derived from <i>EPHA4</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
97	VYIEIKFTL	504	0/2	1/16	0/1	40
453	RYSVALAWL	400	2/3			41
25	VYPANEVTL	300	0/3	0/22	-	42
384	HYTPQQNGL	288	0/3	1/22	0/1	43
5	FYFALFSC L	288	1/2			44
519	GYGDFSEPL	240	0/3	3/22	0/3	45
869	KFGQIVNML	67.2	1/3			46
777	AYTTRGGKI	55	0/3	1/22	0/1	47
420	KYNPNPDQS	18	1/3			48
749	RNILVNSNL	16.8	0/3	1/22	0/1	49
734	KYLSDMSYV	15	0/3	0/22	-	50
879	KLIRNPNSL	14.4	0/3	0/22	-	51
926	RYKDNFTAA	14.4	0/3	0/22	-	52
834	KAIEEGYRL	14.4	0/3	0/22	-	53
574	KYSKAKQEA	13.2	0/3	0/22	-	54

EP 2 465 864 B1

(continued)

HLA-A*2402 binding 9-mer peptides derived from <i>EPHA4</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
184	AFQDVGACI	12.6	0/3	1/22	0/1	55
252	WLVPIGNCL	12.096	0/3	0/22	-	56
326	RPPSAPLNL	12	0/3	0/22	-	57
203	KCPLTVRNL	12	0/3	0/22	-	58
360	SYNVVCKKC	11.55	0/3	0/22	-	59

[Table 3B]

HLA-A*2402 binding 10-mer peptides derived from <i>EPHA4</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
25	VYPANEVTLL	300	0/3	0/22	-	60
244	MYCGADGEWL	200	0/3	1/22	0/1	61
657	GYTDKQRRDF	120	0/3	1/22	0/1	62
5	FYFAIFSCLF	100	-	-	-	63
102	KFTLRDCNSL	48	0/3	1/22	0/1	64
818	SYGERPYWDM	30	0/3	2/22	0/2	65
4	IFYFALFSCF	28.8	-	-	-	66
808	SYGIVMWEVM	25	-	-	-	67
630	EFGEVCSGRL	24	0/3	0/22	-	68
420	KYNPNPDQSV	21.6	0/3	0/22	-	69
930	NFTAAGYTTL	20	0/2	0/16	-	70
675	QFDHPNIIHL	20	0/3	0/22	-	71
708	AFLRKNDGRF	15	0/3	0/22	-	72
579	KQEADEEKHL	12	0/3	1/22	0/1	73
727	RGIGSGMKYL	12	0/3	0/22	-	74
96	RVYIEIKFTL	11.2	0/2	1/16	0/1	75
507	SYVFHVRART	10.5	0/3	1/22	0/1	76
251	EWLVPIGNCL	10.08	0/3	0/22	-	77
24	RVYPANEVTL	9.6	1/3			78
699	EYMENGSLDA	9	0/3	0/22	-	79

[Table 3C]

HLA-A*0201 binding 9-mer peptides derived from <i>EPHA4</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	ALFSCFLGI	514.942	-	-	-	375

EP 2 465 864 B1

(continued)

HLA-A*0201 binding 9-mer peptides derived from <i>EPHA4</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
501	GLNPLTSYV	382.536	1/1			376
12	CLFGICDAV	126.098	0/1	1/5	0/1	377
977	QMHGRMVPV	115.534	0/1	1/5	0/1	378
165	KLNTEIRDV	111.979	1/1			379
252	WLVPIGNCL	98.267	0/1	1/5	0/1	380
879	KLIRNPNSL	74.768	0/1	1/5	0/1	381
559	VVILIAAFV	56.902	-	-	-	382
812	VMWEVMSYG	39.386	0/1	0/5	-	383
728	GIGSGMKYL	37.157	0/1	0/5	-	384
750	NILVNSNLV	35.385	0/1	1/5	0/1	385
937	TTLEAVVHV	33.705	0/1	1/5	0/1	386

[Table 4A]

HLA-A*2402 binding 9-mer peptides derived from <i>ECT2</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
515	TYPPFVNFF	216	1/1			80
140	LYCTSMNML	200	0/1	0/8	-	81
298	LYVVKQEWf	150	0/1	0/8	-	82
435	NYVNILATI	105	0/1	0/8	-	83
773	IYTADPESF	100	0/1	0/8	-	84
110	LYKADCRVI	50	0/1	0/8	-	85
739	SFQMTSDEL	33	0/1	0/8	-	86
504	IFLKYSKDL	30	0/1	0/8	-	87
867	FFERRSHTL	30	0/1	0/8	-	88
178	DFNSKVTHL	30	0/1	0/8	-	89
61	KQEELIKAL	17.28	0/1	0/8	-	90
657	RGEQVTLFL	1.6.8	0/1	2/8	0/2	91
568	RLPSVALLL	16.8	0/1	0/8	-	92
550	KPECGRQSL	14.4	0/1	0/8	-	93
470	IFGSIPDIF	14	0/1	0/8	-	94
116	RVIGPPVVL	12	0/1	0/8	-	95
507	KYSKDLVKT	11	0/1	0/8	-	96
223	DFYAAVDDF	10	0/1	0/8	-	97

EP 2 465 864 B1

[Table 4B]

HLA-A*2402 binding 10-mer peptides derived from ECT2						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
322	LYEKaNTPEL	330	0/1	0/8	-	98
435	NYVNiLATII	90	0/1	0/8	-	99
40	SYVEeEMPQI	90	1/1			100
101	DFQDsVFNDL	72.576	1/1			101
866	FFERRSHTL	24	0/1	0/8	-	102
811	SFSKtPKRAL	20	0/1	1/8	0/1	103
268	KYLPiGDERC	18	0/1	0/8	-	104
84	EFEGIDSPEF	16.5	0/1	1/8	0/1	105
236	KVPPfQDCIL	14.4	0/1	0/8	-	106
728	RPPTeQANVL	14.4	0/1	0/8	-	107
507	KYSKdLVKTY	12	0/1	0/8	-	108
281	VVEEnIVKDL	10.08	0/1	0/8	-	109

[Table 5A]

HLA-A*2402 binding 9-mer peptides derived from HIG2						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
19	IFVRVMESL	42	1/3			110
22	RVMESLEGL	14.4	1/3			111
8	YLLGVVLTL	8.4	1/3			387
7	LYLLGVVLT	7.5	0/2	3/15	0/3	388
23	VMESLEGLL	7.2	0/2	0/16	-	389
9	LLGVVLTLL	5.6	-	-	-	390

[Table 5B]

Table 5B HLA-A*2402 bindings 10-mer peptides derived from HIG2						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
7	LYLLGVVLT	420	1/3			112
22	RVMESLEGLL	17.28	0/3	4/24	0/4	113
8	YLLGVVLTLL	8.4	-	-	-	391
5	LNLYLLGVVL	7.2	0/2	0/12	-	392
46	LANTEPTKGL	6	0/2	0/14	-	393
18	SIFVRVMESL	5.6	1/2			394

EP 2 465 864 B1

[Table 5C]

HLA-A*0201 binding 9-mer peptides derived from <i>HIG2</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	YLLGVVLTLL	836.253	1/1			114
13	VLTLISIFV	650.311	0/1	0/12	-	115
15	TLLSIFVRV	488.951	1/1			116
4	VLNLYLLGV	271.948	1/1			117
9	LLGWLTL	83.527	0/1	0/12	-	118
22	RVMSLEGL	31.957	0/1	0/12	-	119
6	NLYLLGVVL	28.027	0/1	0/12	-	120

[Table 5D]

HLA-A*0201 binding 10-mer peptides derived from <i>HIG2</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	YLLGvVLTL	836.253	1/1			121
12	VVLTLISIFV	210.538	-	-	-	122
29	GLLEsPSPGT	113.047	0/1	0/12	-	123
6	NLYLIGVVL	54.847	-	-	-	124
4	VLNLYLLGVV	14.495	0/1	0/12	-	125
15	TLLSIFVRVM	13.174	0/1	0/12	-	126
18	SIFVRVMESL	12.248	0/1	0/12	-	127
14	LTLLsIFVRV	11.545	-	-	-	128

[Table 6A]

HLA-A*2402 binding 9-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
383	LYFDDEYNI	60	0/3	0/20	-	129
238	LFERGERRL	30	0/3	1/19	0/1	130
7	RALGAACLL	12	0/3	0/21	-	131
388	EYNIVKRDV	10.5	0/3	0/18	-	132
180	LYLKLLPYV	9	1/2			395
163	ISNEGNQNL	8.64	0/1	0/8	-	396
223	RSGWHTFPL	8	0/1	0/6	-	397
176	ASLWLYLKL	7.92	0/1	0/7	-	398
338	AYLAGVPGS	7.5	0/1	1/7	0/1	399
213	NMVEKRVDL	7.2	0/1	0/8	-	400
102	AMVTALRKL	6.6	0/1	0/8	-	401

EP 2 465 864 B1

(continued)

HLA-A*2402 binding 9-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
250	VQCDSCQEL	6.336	0/1	0/8	-	402
369	NSCCIPTKL	6.16	0/1	0/8	-	403
330	NYCEGSCPA	6	0/1	0/7	-	404
172	FWQASLWL	6	0/1	0/8	-	405
355	VNQYRMRGL	6	0/1	0/8	-	406
307	QFFIDFRLI	6	0/1	0/7	-	407
14	LLLLAAGWL	6	-	-	-	408
306	QQFFIDFRL	5.6	0/1	0/6	-	409
170	NLFWQASL	5.6	0/1	0/7	-	410
327	YYGNYCEGS	5	0/1	1/8	0/1	411

[Table 6B]

HLA-A*2402 binding 10-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
180	LYLKLLPYVL	360	1/3			133
171	LFVVQASLWL	30	-	-	-	134
305	RQQFFTDfRL	16.8	1/3			135
73	DFLEAVKRHI	12.6	0/3	4/20	0/4	136
7	RALGAACLLL	12	1/3			137
273	RPFVVVQARL	11.2	0/3	1/20	0/1	138
338	AYLAGVPGSA	10	0/3	2/20	0/2	139
169	QNLFVWQASL	8.4	0/1	1/6	0/1	412
249	DVQCdSCQEL	7.92	0/1	4/6	0/4	413
173	WQAsLWLYL	7.2	0/1	0/6	-	414
383	LYFDDEYNIV	7.2	0/1	0/6	-	415
229	FPLTeAIQAL	7.2	0/1	1/6	0/1	416
299	RTNLcCRQQF	7.2	0/1	5/6	0/5	417
101	AAMVtALRKL	6.6	0/1	2/6	0/2	418
368	VNSCcIPTKL	6.16	0/1	2/6	0/2	419
13	CLLLIAAGWL	6	-	-	-	420
354	VVNQyRMRGL	6	0/1	0/6	-	421
150	DGLAsSRVRL	6	0/1	2/6	0/2	422
293	GLECdGRTNL	6	0/1	0/6		423
330	NYCEgSCPAY	6	0/1	1/6	0/1	424
176	ASLW1YLKLL	6	0/1	1/6	0/1	425

EP 2 465 864 B1

(continued)

HLA-A*2402 binding 10-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
212	WNMVcKRVDL	6	1/1			426
74	FLEAvKRHIL,	6	0/1	2/6	0/2	427
331	YCEG _s CPAYL	6	0/1	1/6	0/1	428
77	AVKRhILSRL	5.6	0/1	1/6	0/1	429
175	QASLwLYLKL	5.28	0/1	2/6	0/2	430
326	GYYGnYCEGS	5	0/1	1/6	0/1	431
159	LYFFISNEGN	5	0/1	4/6	0/4	432
327	YYGNyCEGSC	5	0/1	1/6	0/1	433

[Table 6C]

HLA-A*0201 binding 9-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
177	SLWLYLKLL	407.808	0/1	0/8		140
14	LLLLAAGWL	96.074	-	-	-	141
170	NLFVVQASL	79.041	0/1	0/8		142
213	NMVEKRVDL	63.256	0/1	0/8		143
172	FWQASLWL	47.291	0/1	0/8		144
306	QQFFIDFRL	46.48	0/1	0/8		145
281	RLGDSRHRI	42.774	0/1	0/8		146
174	VQASLWLYL	34.427	0/1	0/8		147
257	ELAWPVFV	28.69	0/1	1/8	0/1	148
313	RLIGWNDWI	28.116	0/1	1/8	0/1	149
139	RVSEIISFA	22.546	0/1	3/8	0/3	150
151	GLASSRVRL	21.362	0/1	0/8		151
8	ALGAACLLL	21.362	0/1	1/8	0/1	152
250	VQCDSCQEL	15.096	0/1	1/8	0/1	153

[Table 6D]

HLA-A*0201 binding 10-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
179	WLYLKLLPYV	12951.1	0/1	1/8	0/1	154
301	NLCCRQQFFI	332.806	0/1	0/8		155
237	ALFERGERRL	64.814	0/1	0/8		156
382	MLYFDDEYNI	56.754	0/1	0/8		157

EP 2 465 864 B1

(continued)

HLA-A*0201 binding 10-mer peptides derived from <i>INHBB</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
13	CLLLLAAGWL	56.514	-	-	-	158
8	ALGAACLILL	49.134	-	-	-	159
313	RLIGWNDWII	32.081	0/1	0/8		160
173	VVQASLWLYL	29.711	0/1	2/8	0/2	161
256	QELAVVPVFF	27.521	0/1	0/8		162
162	FISNEGNQNL	13.512	0/1	1/8	0/1	163
305	RQQFFIDFRL	12.562	0/1	0/8		164
362	GLNPGTVNSC	11.426	0/1	0/7		165
85	RLQMRGRPNI	10.433	0/1	1/8	0/1	166
69	RVDGDFLEAV	10.425	0/1	0/8		167

, [Table 7A]

HLA-A*2402 binding 9-mer peptides derived from <i>KIF20A</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
308	IYNELLYDL	432	0/2	0/14	-	168
621	MYEEKLNIL	432	0/2	0/14	-	169
67	VYLRVRPLL	420	0/2	0/14	-	170
499	KFSAIASQL	56	0/2	0/14	-	171
304	SFFEIYNEL	44.352	0/2	0/14	-	172
187	IFNSLQGQL	36	0/2	0/14	-	173
305	FFEIYNELL	30	1/2			174
23	MFESTAADL	30	0/2	0/14	-	175
256	SFDSGIAGL	20	0/2	0/14	-	176
298	RFSIWISFF	20	-	-	-	177
383	IFSIRILHL	20	1/2			178
647	KIEELEALL	17.28	0/2	0/14	-	179
625	KLNILKESL	14.4	0/2	0/14	-	180
695	KLQQCKAEL	13.2	0/2	0/14	-	181
726	FTIDVDKKL	11.088	0/2	0/14	-	182
688	QLQEVKAKL	11.088	0/2	0/14	-	183

EP 2 465 864 B1

[Table 7B]

HLA-A*2402 binding 10-mer peptides derived from <i>KIF20A</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
308	IYNEILYDLL	432	0/2	0/14	-	184
182	RSLAIFNSL	24.192	0/2	1/14	0/1	185
304	SFFEIYNELL	24	1/2			186
742	RLLRtELQKL	15.84	0/2	0/14	-	187
739	KNIRILRTEL	15.84	0/2	0/14	-	188
218	RQEEEmKKLSL	14.4	0/2	2/14	0/2	189
70	RVRPILPSEL	12.672	0/2	0/14	-	190
871	RILRsRRSPL	12	0/2	0/14	-	191
89	RIENvETLVL	12	0/2	1/14	0/1	192
364	KNQSfASTHL	12	0/2	0/14	-	193
66	KVYLrVRPLL	11.2	1/2			194
60	DSMEKVKVYL	10.08	0/2	0/14	-	195

[Table 8A]

HLA-A*2402 binding 9-mer peptides derived from <i>KNTC2</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
309	KYQAYMSNL	600	1/3			196
457	VYVPLKELL	432	0/3	0/18	-	197
414	EYHKLARKL	264	0/3	0/18	-	198
139	SYELPDTKF	165	0/3	0/18	-	199
629	KYEKKATLI	150	0/3	0/18	-	200
400	KYARGKEAI	100	0/3	1/18	0/1	201
124	DFLKFFFTFL	50.4	1/3			202
134	GFLCPSYEL	33	0/3	0/18	-	203
257	LFNVDAFKL	33	0/3	0/18	-	204
242	SFDEMNAEL	26.4	0/3	0/18	-	205
128	TFTFLYGFL	24	0/3	0/18	-	206
146	KFEEEVPRI	18	0/3	1/18	0/1	207
368	RINHERNEL	15.84	0/3	1/18	0/1	208
235	SFMSGADSF	15	0/3	0/18	-	209
154	IFKDLGYPF	14.4	1/3			210
563	EYQLWQTT	12.6	0/3	0/18	-	211
474	KALNKKMGL	12	0/3	1/18	0/1	212
150	EVPRIFKDL	10.08	1/3			213

EP 2 465 864 B1

[Table 8B]

HLA-A*2402 binding 10-mer peptides derived from <i>KNTC2</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
452	KYRAQVYVPL	560	2/3			214
610	EYEECMSEDL	360	0/3	1/18	0/1	215
360	KYSVADLERI	100	0/3	0/18	-	216
227	DYTIKCYESF	100	1/3			217
146	KFEEEVPRIF	50.4	0/3	0/18	-	218
90	AFIQQCIRQL	30	0/3	0/18	-	219
20	RSQDVNKQGL	17.28	0/3	1/18	0/1	220
501	RTLKEEVQKL	15.84	0/3	0/18	-	221
403	RGKEAIETQL	13.44	0/3	1/18	0/1	222
273	RALNEQIARL	12	1/3			223
563	EYQLVVQTTT	10.5	0/3	3/22	0/3	224
467	ETEEEINKAL	10.08	0/3	1/22	0/1	225
541	LLESTVNQGL	10.08	0/3	1/22	0/1	226

[Table 9A]

HLA-A*0201 binding 9-mer peptides derived from <i>TTK</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
462	YMSCFRTPV	878.055	1/1			227
547	KQIYAIKYV	312.2.18	1/1			228
630	NMLEAVHTI	262.897	0/1	1/8	0/1	229
278	LLNSPDCDV	118.238	0/1	1/8	0/1	230
498	ILATPLQNL	83.527	0/1	0/8	-	231
811	YVLGQLVGL	73.172	0/1	0/8	-	232
719	SLGCILYYM	62.845	1/2			233
670	QMCPDTSV	50.232	0/1	0/8	-	234
804	GTTEEMKYV	50.102	0/1	0/8	-	235
654	LIVDGMLKL	47.088	0/1	1/8	0/1	236
363	SLLAKLEET	31.074	0/1	0/8	-	237
790	YVQIQTHPV	27.995	0/1	0/8	-	238
785	LLAHPYVQI	26.604	0/1	0/8	-	239
86	KLIGRYSQA	26.082	0/1	0/8	-	240
186	NLNLQKKQL	21.362	0/1	0/8	-	241
671	MQPDTSVV	20.152	0/1	0/8	-	242
577	KLQQHSDKI	17.892	0/1	0/8	-	243
142	FAFVHISFA	14.856	0/1	0/8	-	244

EP 2 465 864 B1

(continued)

HLA-A*0201 binding 9-mer peptides derived from <i>TTK</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
322	CELRNLKSV	11.509	0/1	0/8	-	245
824	SILKAAKTL	10.868	0/1	0/8	-	246

[Table 9B]

HLA-A*0201 binding 10-mer peptides derived from <i>TTK</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
68	LLKLEKNSV	437.482	0/1	0/8	-	247
277	NLLNSPDCDV	257.342	0/1	0/8	-	248
653	FLIVDGMLKL	226.014	0/1	0/8	-	249
423	TTFEQPVFSV	195.487	0/1	0/8	-	250
542	VLNEKKQIYA	190.448	0/1	0/8	-	251
658	GMLKLIDFGI	161.697	0/1	0/8	-	252
194	LLSEEEKKNL	148.896	0/1	0/8	-	253
462	YMSCFRTPVV	94.738	1/1			254
57	MMANNPEDWL	70.685	0/1	0/8	-	255
600	MVMECGNIDL	48.205	0/1	0/8	-	256
689	YMPPEAIKDM	37.961	0/1	0/8	-	257
86	KLIGRYSQAI	36.515	0/1	0/8	-	258
669	NQMCPDTSV	26.092	0/1	1/8	0/1	259
497	QILATPLQNL	24.997	0/1	0/8	-	260
654	LIVDGMLKL1	22.997	0/1	0/8	-	261
186	NLNLQKKQLL	21.362	0/1	1/8	0/1	262
670	QMCPDTSVV	20.595	0/1	0/8	-	263
803	KGTEEMKYV	20.102	0/1	0/8	-	264
11	LTIDSIMNKV	15.486	0/1	0/8	-	265
577	KLQQHSDKII	14.971	0/1	0/8	-	266

[Table 10A]

HLA-A*0201 binding 9-mer peptides derived from <i>URLC10</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
131	KIFPRFFMV	1364.78	0/1	0/8	-	267
204	GLWLAILLL	407.808	0/1	0/8	-	268
65	LLVVALPRV	271.948	0/1	0/8	-	269
60	ALLALLLVV	242.674	-	-	-	270

EP 2 465 864 B1

(continued)

HLA-A*0201 binding 9-mer peptides derived from <i>URLC10</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
206	WLAILLLLA	52.561	1/1			271
212	LLASIAAGL	36.316	1/1			272
210	LLLLASIAA	31.249	0/1	0/8	-	273
137	FMVAKQCSA	16.505	0/1	2/8	0/2	274
58	TMALLALLL	15.428	0/1	2/8	0/2	275
59	MALLALLLV	13.975	0/1	2/8	0/2	276
209	ILLLLASIA	12.812	0/1	0/8	-	434
208	AILLLLASI	12.208	-	-	-	277
69	ALYRVWTD	8.446	0/1	0/8	-	278
197	SMGESCGGL	8.223	0/1	0/8	-	279
61	LLALLLVVA	7.964	-	-	-	280
67	VVALPRVWT	6.097	0/1	0/8	-	281
72	RVWTDANLT	5.412	0/1	0/8	-	282
160	FLLEEMPFP	5.2	0/1	1/8	0/1	283
62	LALLLVVAL	4.292	0/1	0/8	-	284
57	GTMALLALL	2.525	0/1	1/8	0/1	285

[Table 10B]

HLA-A*0201 binding 10-mer peptides derived from <i>URLC10</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
64	LLLVVALPRV	1006.21	0/1	0/8	-	286
204	GLWLAILLLL	407.808	0/1	1/8	0/1	287
211	LLLASIAAGL	134.369	1/1			288
258	TMALLALLLV	115.534	-	-	-	289
61	LLALLLVVAL	83.527	-	-	-	290
160	FLLEEMPFF	65.782	0/1	0/8	-	291
209	ILLLLASIAA	31.249	0/1	0/8	-	292
131	KIFPRFFMVA	26.186	0/1	0/8	-	293
60	ALLALLLVVA	17.334	-	-	-	294
66	LVVALPRVWT	6.097	0/1	0/8	-	295
59	MALLALLLVV	5.73	-	-	-	296
2	RLQRPRQAPA	4.968	0/1	1/8	0/1	297
112	CQNPRRCKWT	4.156	0/1	0/8	-	298
72	RVWTDANLTA	3.608	0/1	0/8	-	299
53	WAPLGTMALL	3.139	0/1	0/8	-	300

EP 2 465 864 B1

(continued)

HLA-A*0201 binding 10-mer peptides derived from <i>URLC10</i>						
strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
121	TEPYCVIAAV	3.111	0/1	0/8	-	301
162	LEEPMPFFYL	2.739	0/1	1/8	0/1	302
181	LEGPPINSSV	2.299	0/1	2/8	0/2	303
170	YLCCKIRYC	2.024	0/1	0/8	-	304
130	VKIFPRFFMV	1.81	0/1	0/8	-	305

Stimulation of the T cells using the predicted peptides from CDH3 restricted with HLA-A*2402 and establishment for CTL lines stimulated with CDH3 derived peptides

[0124] CTLs for those peptides derived from CDH3 were generated according to the protocols set forth in "Materials and Methods" section above. Resulting that CTLs having detectable specific CTL activity, as determined by IFN-gamma ELISPOT assay, are shown in Figure 1. In particular, CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30), CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-655 (SEQ ID NO: 344) and CDH3-A24-10-470 (SEQ ID NO: 358) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and the cells in the positive well number #5 stimulated with SEQ ID NO: 19, #2 with SEQ ID NO: 22, #5 with SEQ ID NO: 30, #4 with SEQ ID NO: 34, #1 with SEQ ID NO: 344 and #4 with SEQ ID NO: 358 were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 1. While, other peptides shown in table 2 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (CDH3-A24-10-248) were shown in Figure 1a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with CDH3 derived peptides

[0125] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from CDH3-A24-10-807 (SEQ ID NO: 30) #5 and CDH3-A24-10-655 (SEQ ID NO: 344) #1 CTL line are shown in Figure 1f and g. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing CDH3 and HLA-A*2402

[0126] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing CDH3 and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length CDH3 gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express CDH3 and HLA-A*2402, was tested using as effector cells the CTL lines raised by CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344). COS7 transfected with full length CDH3 but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length CDH3 were prepared as controls. The CTL clones demonstrating the highest specific CTL activity against COS7 was that transfected with both CDH3 and HLA-A2402 (Figure 1f and g).

[0127] These results clearly demonstrate that CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting CDH3 expressed tumors.

Stimulation of the T cells using the predicted peptides from EP4A4 restricted with HLA-A*2402 or HLA-A*0201, and establishment for CTL lines stimulated with EP4A4 derived peptides

[0128] CTLs for those peptides derived from EphA4 were generated by IFN-gamma ELISPOT assay. Resulting that CTLs having detectable specific CTL activity, as determined by IFN-gamma ELISPOT assay, are shown in Figure 2. In particular, EphA4-A24-9-453 (SEQ ID NO: 41), EphA4-A24-9-5 (SEQ ID NO: 44), EphA4-A24-9-869 (SEQ ID NO: 46), EphA4-A24-9-420 (SEQ ID NO: 48), EphA4-A24-10-24 (SEQ ID NO: 78), EphA4-A02-9-501 (SEQ ID NO: 376) and EphA4-A02-9-165 (SEQ ID NO: 379) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and

EP 2 465 864 B1

the cells in the positive well number #3 stimulated with EphA4-A24-9-453 (SEQ ID NO: 41), #2 with EphA4-A24-9-5 (SEQ ID NO: 44), #5 with EphA4-A24-9-869 (SEQ ID NO: 46), #6 with EphA4-A24-9-420 (SEQ ID NO: 48), #4 with EphA4-A24-10-24 (SEQ ID NO: 78), #8 with EphA4-A02-9-501 (SEQ ID NO: 376) and #3 with EphA4-A02-9-165 (SEQ ID NO: 379) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Especially, CTL lines stimulated with EphA4-A02-9-501 (SEQ ID NO: 376) and EphA4-A02-9-165 (SEQ ID NO: 379) were tested by 51Cr-release assay according to the protocols set forth in the "Materials and Methods" section above. Results are shown in Figure 2a-h. While, other peptides shown in table 3 could not establish the CTL lines despite possible binding activity with HLA-A*2402 or HLA-A*0201. For example, the typical negative peptide (EphA4-A24-9-384) were shown in Figure 2a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptides.

Stimulation of the T cells using the predicted peptides from ECT2 restricted with HLA-A*2402, and establishment for CTL lines stimulated with ECT2 derived peptides

[0129] CTLs for those peptides derived from ECT2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 3. In particular, ECT2-A24-9-515 (SEQ ID NO: 80), ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) showed potent IFN-gamma production, and the cells in the positive well number #7 stimulated with ECT2-A24-9-515 (SEQ ID NO: 80), #2 with ECT2-A24-10-40 (SEQ ID NO: 100) and #1 with ECT2-A24-10-101 (SEQ ID NO: 101) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 3a-d. While, other peptides shown in table 4 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (ECT2-A24-10-322, ECT2-A24-9-657 and ECT2-A24-10-811) were shown in Figure 3a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with ECT2 derived peptides

[0130] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from ECT2-A24-10-40 (SEQ ID NO: 100) #2 CTL line are shown in Figure 3c. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing ECT2 and HLA-A*2402

[0131] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing ECT2 and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length ECT2 gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express ECT2 and HLA-A*2402, was tested using as effector cells the CTL clone raised by ECT2-A24-10-40 (SEQ ID NO: 100) and the CTL line raised by ECT2-A24-10-101 (SEQ ID NO: 101). COS7 transfected with full length ECT2 but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length ECT2 (replaced other gene e.g. URLC10 or INHBB) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7 was that transfected with both ECT2 and HLA-A2402 (Figure 3c and d).

[0132] These results clearly demonstrate that ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting ECT2 expressed tumors.

Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and ECT2

[0133] Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 3b, CTL clone stimulated with ECT2-A24-9-515 (SEQ ID NO: 80) showed remarkably high cytotoxic effect towards HLA-A24-positive and ECT-positive cancer cell lines TE6, compared to that towards HLA-A24-negative and ECT-positive cancer cell lines TE5.

Stimulation of the T cells using the predicted peptides from HIG2 restricted with HLA-A*2402 or HLA-A*10201, and establishment for CTL lines stimulated with HIG2 derived peptides

[0134] CTLs for those peptides derived from HIG2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 4. In particular, HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #6 stimulated with HIG2-A24-9-19 (SEQ ID NO: 110), #7 with HIG2-A24-9-22 (SEQ ID NO: 111), #5 with HIG2-A24-9-8 (SEQ ID NO: 387), #1 with HIG2-A24-10-7 (SEQ ID NO: 112), #7 with HIG2-A24-10-18 (SEQ ID NO: 394), #10 with HIG2-A02-9-8 (SEQ ID NO: 114), #10 with HIG2-A02-9-15 (SEQ ID NO: 116), #10 with HIG2-A02-9-4 (SEQ ID NO: 117) and #9 with HIG2-A02-10-8 (SEQ ID NO: 121) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 4a-j. While, other peptides shown in table 5 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (HIG2-A24-9-7) were shown in Figure 4a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with HIG2 derived peptides

[0135] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from HIG2-A24-9-22 (SEQ ID NO: 111) #7 CTL line, HIG2-A24-9-8 (SEQ ID NO: 387) #5 CTL line, HIG2-A24-10-7 (SEQ ID NO: 112) #1 CTL line, HIG2-A24-10-18 (SEQ ID NO: 394) #7 CTL line and HIG2-A02-9-4 (SEQ ID NO: 117) #10 CTL line are shown in Figure 4c, e, f, g and i. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing HIG2 and HLA-A*0201

[0136] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing HIG2 and HLA-A*0201. Specific CTL activity against 293T or COS7 transfected with both full length HIG2 gene and the HLA-A*0201 molecule, which serves as a specific model for the target cells endogenously express HIG2 and HLA-A*0201, was tested using as effector cells the CTL lines raised by HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116) and the CTL clone raised by HIG2-A02-9-4 (SEQ ID NO: 117). 293T or COS7 transfected with full length ECT2 but not HLA-A*0201 and 293T or COS7 transfected with HLA-A*0201 but not full length ECT2 (or replaced other gene e.g. FoxP3 or TTK) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against 293T or COS7 was that transfected with both ECT2 and HLA-A*0201 (Figure 4e, h and i). **[0137]** These results clearly demonstrate that HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116) and HIG2-A02-9-4 (SEQ ID NO: 117) are naturally expressed on the target cell surface with HLA-A2402 or HLA-A0201 molecule and recognize CTL. Furthermore, these peptides are epitope peptides; which may serve as cancer vaccines targeting HIG2 expressed tumors.

Cytotoxic activity against cancer cell line endogenously expressing HLA-A *0201 and HIG2

[0138] Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 4i, CTL clone stimulated with HIG2-A02-9-4 (SEQ ID NO: 117) showed remarkably high cytotoxic effect towards HLA-A02-positive and HIG2-positive cancer cell lines CAki-1, compared to that towards HLA-A02-negative and HIG2-positive cancer cell lines A498.

Stimulation of the T cells using the predicted peptides from INHBB restricted with HLA-A*2402 or HLA-A *0201, and establishment for CTL lines stimulated with INHBB derived peptides

[0139] CTLs for those peptides derived from INHBB were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 5. In particular, INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive

EP 2 465 864 B1

well number #7 stimulated with INHBB-A24-9-180 (SEQ ID NO: 395), #3 with INHBB-A24-10-180 (SEQ ID NO: 133), #2 with INHBB-A24-10-305 (SEQ ID NO: 135), #8 and #2 with INHBB-A24-10-7 (SEQ ID NO: 137) and #1 with INHBB-A24-10-212 (SEQ ID NO: 426) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 5b-e. While, other peptides shown in table 6 could not establish the CTL lines despite possible binding activity with HLA-A*2402 and HLA*0201. For example, the typical negative peptide (INHBB-A24-9-238) were shown in Figure 5a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with INHBB derived peptides

[0140] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from INHBB-A24-9-180 (SEQ ID NO: 395) #7 CTL line, and INHBB-A24-10-305 (SEQ ID NO: 135) #2 CTL line are shown in Figure 5b and d. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing INHBB and HLA-A*2402

[0141] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing INHBB and HLA-A*2402. Specific CTL activity against 293T transfected with both full length INHBB gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express INHBB and HLA-A*2402, was tested using as effector cells the CTL lines raised by INHBB-A24-10-180 (SEQ ID NO: 133) and INHBB-A24-10-7 (SEQ ID NO: 137) and the CTL clone raised by INHBB-A24-10-305 (SEQ ID NO: 135), 293T transfected with full length INHBB but not HLA-A*2402 and 293T transfected with HLA-A*2402 but not full length INHBB were prepared as controls. The CTL line demonstrating the highest specific CTL activity against 293T was that transfected with both INHBB and HLA-A*2402 (Figure 5c, d and e).

[0142] These results clearly demonstrate that INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-180 (SEQ ID NO: 133) and INHBB-A24-10-7 (SEQ ID NO: 137) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting INHBB expressed tumors.

Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and INHBB

[0143] Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 5b, CTL clone stimulated with INHBB-A24-9-180 (SEQ ID NO: 395) showed remarkably high cytotoxic effect towards HLA-A24-positive and INHBB - positive cancer cell lines MIAPaca2, compared to that towards HLA-A24-negative and INHBB -positive cancer cell lines CAKi-2.

Stimulation of the T cells using the predicted peptides from KIF20A restricted with HLA-A*2402, and establishment for CTL lines stimulated with KIF20A derived peptides

[0144] CTLs for those peptides derived from KIF20A were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 6. In particular, KIF20A-A24-9-305 (SEQ ID NO: 174), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-304 (SEQ ID NO: 186) and KIF20A-A24-10-66 (SEQ ID NO: 194) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #2 stimulated with KIF20A-A24-9-305 (SEQ ID NO: 174), #3 with KIF20A-A24-9-383 (SEQ ID NO: 178), #5 with KIF20A-A24-10-304 (SEQ ID NO: 186) and #6 with KIF20A-A24-10-66 (SEQ ID NO: 194) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 6a-e. While, other peptides shown in table 7 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (KIF20A -A24-9-647 and KIF20A - A24-10-182) were shown in Figure 6a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with KIF20A derived peptides

[0145] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in

EP 2 465 864 B1

the "Materials and Methods" section above. The establishment of CTL clones from KIF20A-A24-9-305 (SEQ ID NO: 174) #2 CTL line, KIF20A-A24-10-304 (SEQ ID NO: 186) #5 CTL line and KIF20A-A24-10-66 (SEQ ID NO: 194) #6 CTL line are shown in Figure 6b, d and e. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing KIF20A and HLA-A*2402

[0146] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing KIF20A and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length KIF20A gene and the HLA-A*2402 molecule and A24-LCL transfected by electroporation with full length KIF20A gene, which serve as a specific model for the target cells endogenously express KIF20A and HLA-A*2402, was tested using as effector cells the CTL lines raised by KIF20A-A24-9-383 (SEQ ID NO: 178) and KIF20A-A24-10-304 (SEQ ID NO: 186) and the CTL clone raised by KIF20A-A24-10-66 (SEQ ID NO: 194). COS7 transfected with full length KIF20A but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length KIF20A (or replaced full length URLC10 gene), COS7 transfected with HLA-A*2402 and pulsed with KIF20A-10-308, and A24-LCL transfected with mock vector were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7 was that transfected with both KIF20A and HLA-A*2402 (Figure 6b, c and d). Alternatively, the CTL line stimulated with KIF20A-A24-10-304 (SEQ ID NO: 186) demonstrated against A24-LCL transfected with KIF20A.

[0147] These results clearly demonstrate that KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-304 (SEQ ID NO: 186) and KIF20A-A24-10-66 (SEQ ID NO: 194) is naturally expressed on the target cell surface with HLA-A*2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting KIF20A expressed tumors.

Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and KIF20A

[0148] Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 6b and e, CTL clone stimulated with KIF20A-A24-9-305 (SEQ ID NO: 174) or KIF20A-A24-10-304 (SEQ ID NO: 186) showed remarkably high cytotoxic effect towards HLA-A24-positive and KIF20A-positive cancer cell lines PK45P or MIAPaca2 respectively, compared to that towards HLA-A24-negative and KIF20A-positive cancer cell lines PK59.

Stimulation of the T cells using the predicted peptides from KNTC2 restricted with HLA-A*2402, and establishment for CTL lines stimulated with KNTC2 derived peptides

[0149] CTLs for those peptides derived from KNTC2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 7. In particular, KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210), KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214), KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #8 stimulated with KNTC2-A24-9-309 (SEQ ID NO: 196), #5 with KNTC2-A24-9-124 (SEQ ID NO: 202), #5 with KNTC2-A24-9-154 (SEQ ID NO: 210), #7 with KNTC2-A24-9-150 (SEQ ID NO: 213), #4 and #5 with KNTC2-A24-10-452 (SEQ ID NO: 214), #1 with KNTC2-A24-10-227 (SEQ ID NO: 217) and #8 with KNTC2-A24-10-273 (SEQ ID NO: 223) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 7a-h. While, other peptides shown in table 8 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (KNTC2-A24-10-610) were shown in Figure 7a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with KNTC2 derived peptides

[0150] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from KNTC2-A24-9-154 (SEQ ID NO: 210) #5 CTL line and KNTC2-A24-10-452 (SEQ ID NO: 214) #5 CTL line are shown in Figure 7d and f. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing KNTC22 and HLA-A*2402

[0151] The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing KNTC2 and HLA-A*2402. Specific CTL activity against HEK293 transfected with both full length KNTC2 gene and the HLA-A*2402 molecule which serves as a specific model for the target cells endogenously express KNTC2 and HLA-A*2402, was tested using as effector cells the CTL clones raised by KNTC2-A24-10-452 (SEQ ID NO: 214). HEK293 transfected with full length KNTC2 but not HLA-A*2402, HEK293 transfected with HLA-A*2402 but not full length KNTC2 and HEK293 transfected with HLA-A*2402 and pulsed with KNTC2-9-309 were prepared as controls. The CTL line demonstrating the highest specific CTL activity against HEK293 was that transfected with both KNTC2 and HLA-A*2402 (Figure 7f).

[0152] These results clearly demonstrate that KNTC2-A24-10-452 (SEQ ID NO: 214) is naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting KNTC2 expressed tumors.

Stimulation of the T cells using the predicted peptides from TTK restricted with HLA-A*0201, and establishment for CTL lines stimulated with TTK derived peptides

[0153] CTLs for those peptides derived from TTK were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 8. As depicted in Figure 8b-d, TTK-A2-9-462 (SEQ ID NO: 227), TTK-A2-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A2-10-462 (SEQ ID NO: 254) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #4 stimulated with TTK-A2-9-462 (SEQ ID NO: 227), #2 with TTK-A2-9-547 (SEQ ID NO: 228), #1 with TTK-A2-9-719 (SEQ ID NO: 233) and #8 with TTK-A2-10-462 (SEQ ID NO: 254) were expanded. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. While, other peptides shown in table 9 could not establish the CTL lines despite possible binding activity with HLA-A*0201. For example, the typical negative peptide (TTK-A2-9-278) were shown in Figure 8a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

Establishment for CTL clones stimulated with TTK derived peptides

[0154] Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from TTK-A2-9-462 (SEQ ID NO: 227) #4 CTL line, TTK-A2-9-547 (SEQ ID NO: 228) #2 CTL line, TTK-A2-9-719 (SEQ ID NO: 233) #1 CTL line and TTK-A2-10-462 (SEQ ID NO: 254) #8 CTL line were shown in Figure 8d, c, d and e. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

Specific CTL activity against the target cells expressing TTK and HLA-A*0201

[0155] The established CTL clone raised against these peptides were examined for their ability to recognize the target cells endogenously expressing TTK and HLA-A*0201. Specific CTL activity against COS7 transfected with both the full length TTK gene and the HLA-A*0201 molecule, which is a specific model for the target cells endogenously express TTK and HLA-A*0201, was tested using as effector cells the CTL clones raised by TTK-A2-9-462 (SEQ ID NO: 227), TTK-A2-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A2-10-462 (SEQ ID NO: 254). COS7 transfected with full length TTK but HLA-A*0201, COS7 transfected HLA-A*0201 but not full length of TTK (or replaced full length HIG2 gene) and COS7 transfected with HLA-A*0201 and pulsed with different target epitope peptide, were prepared as controls. The CTL Clone having the highest specific CTL activity against COS7 was that transfected with both TTK and HLA-A*0201 (Figure 8b, c, d and e).

[0156] These results clearly demonstrate that TTK-A2-9-462 (SEQ ID NO: 227), TTK-A2-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A2-10-462 (SEQ ID NO: 254) are naturally expressed on the target cell surface with HLA-A2 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting TTK expressed tumors.

Stimulation of the T cells using the predicted peptides from URLC10 restricted with HLA-A*0201, and establishment for CTL lines stimulated with URLC 10 derived peptides

[0157] CTLs for those peptides derived from URLC10 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by IFN-

EP 2 465 864 B1

gamma ELISPOT assay are shown in Figure 9. As shown in Figure 9b-d, URLC-A2-9-206 (SEQ ID NO: 271), URLC-A2-9-212 (SEQ ID NO: 272) and URLC-A2-10-211 (SEQ ID NO: 288) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #7 stimulated with URLC-A2-9-206 (SEQ ID NO: 271), #3 with URLC-A2-9-212 (SEQ ID NO: 272) and #5 with URLC-A2-10-211 (SEQ ID NO: 288) were expanded. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. While, other peptides shown in table 10 could not establish the CTL lines despite possible binding activity with HLA-A*0201. For example, the typical negative peptide (URLC-A2-9-58) were shown in Figure 9a. In this invention, the peptide which could establish CTL line were selected as potent CTL stimulation peptide.

Specific CTL activity against the target cells expressing URLC10 and HLA-A*0201

[0158] The established CTL line raised against these peptides were examined for their ability to recognize the target cells endogenously expressing URLC10 and HLA-A*0201. Specific CTL activity against COS7, Hek293 and 293T transfected with both full length URLC10 gene and the HLA-A*0201 molecule, which serves as a specific model for the target cells endogenously express URLC10 and HLA-A*0201, was tested using as effector cells the CTL line raised by URLC 10-A02-10-211. COS7, Hek293 or 293T transfected with full length URLC10 but not HLA-A*0201 (replaced HLA-A*2402), COS7, Hek293 or 293T transfected with HLA-A*0201 but not full length URLC10 and COS7 transfected with HLA-A*0201 and pulsed with different target epitope peptide (URLC10-A02-10-64) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7, Hek293 or 293T was that transfected with both URLC10 and HLA-A*0201 (Figure 9-2).

[0159] These results clearly demonstrate that URLC10-A02-10-211 is naturally expressed on the target cell surface with HLA-A*0201 molecule and recognizes CTL. Furthermore, this peptide was epitope peptides, which may utilize cancer vaccine targeting URLC 10 expressed tumors.

Homology analysis of the antigen peptides

[0160] The CTL clones established against the following peptides showed potent specific CTL activity.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),
 HIG2-A24-9-19 (SEQ ID NO: 110),
 HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),

INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 KIF20A-A24-10-304 (SEQ ID NO: 186),
 5 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 KNTC2-A24-9-150 (SEQ ID NO: 213),
 10 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 15 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

20 **[0161]** This suggests that the sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 are homologous to the peptides derived from other molecules, which are known to sensitize human immune system.

25 **[0162]** To exclude this possibility, homology analysis was performed with the peptide sequences as queries using BLAST algorithm (<http://www.ncbi.nlm.nih.gov/blast/blast.cgi>). No significant sequence homology was revealed.

[0163] These results suggest that the sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 are unique and thus possess a low risk of raising unintended immunologic response to any unrelated molecule.

DISCUSSION

35 **[0164]** Identification of new TAAs, particularly those that induce potent and specific anti-tumor immune responses, warrants further development of the clinical application of peptide vaccination strategies in various types of cancer (Boon T. et al., (1996) J Exp Med 183: 725-9.; van der Bruggen P et al., (1991) Science 254: 1643-7.; Brichard V et al., (1993) J Exp Med 178: 489-95.; Kawakami Y et al., (1994) J Exp Med 180: 347-52.; Shichijo S et al., (1998) J Exp Med 187:277-88.; Chen YT et al., (1997) Proc.Natl.Acad. Sci. USA, 94: 1914-8.; Harris CC., (1996) J Natl Cancer Inst 88:1442-5.; Butterfield LH et al., (1999) Cancer Res 59:3134-42.; Vissers JL et al., (1999) Cancer Res 59: 5554-9.; van der Burg SH et al., (1996) J. Immunol 156:3308-14.; Tanaka F et al., (1997) Cancer Res 57:4465-8.; Fujie T et al., (1999) Int J Cancer 80:169-72.; Kikuchi M et al., (1999) Int J Cancer 81 : 459-66.; Oiso M et al., (1999) Int J Cancer 81:387-94.).

40 **[0165]** cDNA microarray technologies can disclose comprehensive profiles of gene expression of malignant cells (Lin YM, et al., Oncogene. 2002 Jun 13;21:4120-8.; Kitahara O, et al., Cancer Res. 2001 May 1;61:3544-9.; Suzuki C, et al., Cancer Res. 2003 Nov 1;63:7038-41.; Ashida S, Cancer Res. 2004 Sep 1;64:5963-72.; Ochi K, et al., Int J Oncol. 2004 Mar;24(3):647-55.; Kaneta Y, et al., Int J Oncol. 2003 Sep;23:681-91.; Obama K, Hepatology. 2005 Jun;41:1339-48.; Kato T, et al., Cancer Res. 2005 Jul 1;65:5638-46.; Kitahara O, et al., Neoplasia. 2002 Jul-Aug;4:295-303.; Saito-Hisaminato A et al., DNA Res 2002, 9: 35-45.) and, find utility in the identification of potential TAAs. Among the transcripts that are up-regulated in various cancers, novel human genes, termed CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, were identified using these technologies.

50 **[0166]** As demonstrated above, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, are over-expressed in various cancers but show minimal expression in normal tissues. In addition, these genes have been shown to have a significant function related to cell proliferation. Thus, peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 can serve as TAA epitopes, which, in turn, can be used to induce significant and specific immune responses against cancer cells.

55 **[0167]** Thus, as CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 are novel TAAs, vaccines using these epitope. peptides find utility as immunotherapeutics against various carcinomas or other disease expressing these molecules.

Industrial Applicability

[0168] The present invention identifies new TAAs, particularly those which induce potent and specific anti-tumor immune responses. Such TAAs warrants further development as peptide vaccines against diseases associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or, URLC10 e.g. cancers.

[0169] While the invention has been described in detail and with reference to specific embodiments thereof, it is to be understood that the foregoing description is exemplary and explanatory in nature and is intended to illustrate the invention and its preferred embodiments. Through routine experimentation, one skilled in the art will readily recognize that various changes and modifications can be made therein.

[0170] Thus, the invention is intended to be defined not by the above description, but by the following claims and their equivalents.

[0171] Furthermore, the present application relates to the following items:

[1] An isolated peptide of less than about 15 amino acids selected from the group consisting of peptides comprising the amino acid sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223.

[2] A peptide having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, wherein 1, 2, or several amino acids are substituted, deleted, or added.

[3] The peptide of item 2, wherein the second amino acid from the N-terminus is phenylalanine, tyrosine, methionine, or tryptophan.

[4] The peptide of item 2 or 3, wherein the C-terminal amino acid is phenylalanine, leucine, isoleucine, tryptophan, or methionine.

[5] An isolated peptide of less than about 15 amino acids selected from the group consisting of peptides comprising the amino acid sequences of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288.

[6] A peptide having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288, wherein 1, 2, or several amino acids are substituted, deleted, or added.

[7] The peptide of item 6, wherein the second amino acid from the N-terminus is leucine or methionine.

[8] The peptide of item 6 or 7, wherein the C-terminal amino acid is valine or leucine.

[9] A pharmaceutical composition for treating or preventing a disease associated with over-expression of the genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 said composition comprising one or more peptides of item 1 to 8 or a polynucleotide encoding the peptides.

[10] A pharmaceutical composition of item 9, wherein the disease associating genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[11] A pharmaceutical composition of item 10, wherein the cancers include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[12] An exosome that presents on its surface a complex comprising a peptide of item 1-4 and an HLA antigen.

[13] The exosome of item 12, wherein the HLA antigen is HLA-A24.

[14] The exosome of item 13, wherein the HLA antigen is HLA-A2402.

[15] An exosome that presents on its surface a complex comprising a peptide of item 5-8 and an HLA antigen.

[16] The exosome of item 15, wherein the HLA antigen is HLA-A2.

[17] The exosome of item 16, wherein the HLA antigen is HLA-A0201.

[18] A method of inducing antigen-presenting cells having a high cytotoxic T cell inducibility comprising the step of contacting an antigen-presenting cell with a peptide of item 1-8.

[19] A method of inducing cytotoxic T cells by contacting a T cell with a peptide of item 1-8.

[20] A method of inducing antigen-presenting cells having high cytotoxic T cell inducibility, said method comprising the step of transferring a gene comprising a polynucleotide encoding a peptide of item 1 to 8 to an antigen-presenting cell.

[21] An isolated cytotoxic T cell, which is induced by contacting a T cell with a peptide of item 1-8 or which is transduced with the nucleic acids encoding the TCR subunits polypeptides binding with a peptide of any one items 1 to 8 in the context of HLA-A24 or HLA-A2.

[22] An antigen-presenting cell, which comprises a complex formed between an HLA antigen and a peptide of item 1 to 8.

[23] An antigen-presenting cell, induced by the method of item 18-20.

EP 2 465 864 B1

[24] A vaccine for inhibiting proliferation of cells expressing genes of 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 wherein the vaccine comprises a peptide of item 1-8 as the active ingredient.

[25] The vaccine of item 24, wherein the cells expressing genes of 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[26] The vaccine of item 25, wherein the cancers include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[27] The vaccine of item 26, formulated for administration to a subject whose HLA antigen is HLA-A24 or HLA-A2.

[28] A method of treating or preventing a disease associated with over-expression of the genes of 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 in a subject comprising administering to said subject a vaccine comprising a peptide of item 1-8, an immunologically active fragment thereof, or a polynucleotide encoding said peptide or immunologically active fragment.

[29] The method of item, 28, wherein the disease associating genes of 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[30] A method of treating or preventing cancers of item 29, wherein the cancer cells include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[31] A method of screening for a peptide which 1, 2, or several amino acids are substituted, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, said method comprising the steps of:

(a) conforming no significant sequence homology to the entire sequence of 1, 2 or several amino acids substitute;

(b) measuring the CTL inducibility of the candidate substitute peptide; and

(c) selecting the peptide which CTL inducibility is same to or higher than the original peptide.

SEQUENCE LISTING

[0172]

<110> ONCOTHERAPY SCIENCE, INC

<120> PEPTIDE VACCINES FOR CANCERS EXPRESSING TUMOR-ASSOCIATED ANTIGENS

<130> ONC-A0704P

<150> US 60/902,949

<151> 2007-02-21

<160> 434

<170> PatentIn version 3.4

<210> 1

<211> 3649

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (508)..(2997)

<400> 1

55

EP 2 465 864 B1

	agg aat cca ttg aag atc ttc cca tcc aaa cgt atc tta cga aga cac	822
	Arg Asn Pro Leu Lys Ile Phe Pro Ser Lys Arg Ile Leu Arg Arg His	
	90 95 100 105	
5	aag aga gat tgg gtg gtt gct cca ata tct gtc cct gaa aat ggc aag	870
	Lys Arg Asp Trp Val Val Ala Pro Ile Ser Val Pro Glu Asn Gly Lys	
	110 115 120	
10	ggc ccc ttc ccc cag aga ctg aat cag ctc aag tct aat aaa gat aga	918
	Gly Pro Phe Pro Gln Arg Leu Asn Gln Leu Lys Ser Asn Lys Asp Arg	
	125 130 135	
15	gac acc aag att ttc tac agc atc acg ggg ccg ggg gca gac agc ccc	966
	Asp Thr Lys Ile Phe Tyr Ser Ile Thr Gly Pro Gly Ala Asp Ser Pro	
	140 145 150	
20	cct gag ggt gtc ttc gct gta gag aag gag aca ggc tgg ttg ttg ttg	1014
	Pro Glu Gly Val Phe Ala Val Glu Lys Glu Thr Gly Trp Leu Leu Leu	
	155 160 165	
25	aat aag cca ctg gac cgg gag gag att gcc aag tat gag ctc ttt ggc	1062
	Asn Lys Pro Leu Asp Arg Glu Glu Ile Ala Lys Tyr Glu Leu Phe Gly	
	170 175 180 185	
30	cac gct gtg tca gag aat ggt gcc tca gtg gag gac ccc atg aac atc	1110
	His Ala Val Ser Glu Asn Gly Ala Ser Val Glu Asp Pro Met Asn Ile	
	190 195 200	
35	tcc atc atc gtg acc gac cag aat gac cac aag ccc aag ttt acc cag	1158
	Ser Ile Ile Val Thr Asp Gln Asn Asp His Lys Pro Lys Phe Thr Gln	
	205 210 215	
40	gac acc ttc cga ggg agt gtc tta gag gga gtc cta cca ggt act tct	1206
	Asp Thr Phe Arg Gly Ser Val Leu Glu Gly Val Leu Pro Gly Thr Ser	
	220 225 230	
45	gtg atg cag gtg aca gcc acg gat gag gat gat gcc atc tac acc tac	1254
	Val Met Gln Val Thr Ala Thr Asp Glu Asp Asp Ala Ile Tyr Thr Tyr	
	235 240 245	
50	aat ggg gtg gtt gct tac tcc atc cat agc caa gaa cca aag gac cca	1302
	Asn Gly Val Val Ala Tyr Ser Ile His Ser Gln Glu Pro Lys Asp Pro	
	250 255 260 265	
55	cac gac ctc atg ttc acc att cac cgg agc aca ggc acc atc agc gtc	1350
	His Asp Leu Met Phe Thr Ile His Arg Ser Thr Gly Thr Ile Ser Val	
	270 275 280	
60	atc tcc agt ggc ctg gac cgg gaa aaa gtc cct gag tac aca ctg acc	1398
	Ile Ser Ser Gly Leu Asp Arg Glu Lys Val Pro Glu Tyr Thr Leu Thr	
	285 290 295	
65	atc cag gcc aca gac atg gat ggg gac ggc tcc acc acc acg gca gtg	1446
	Ile Gln Ala Thr Asp Met Asp Gly Asp Gly Ser Thr Thr Ala Val	
	300 305 310	
70	gca gta gtg gag atc ctt gat gcc aat gac aat gct ccc atg ttt gac	1494
	Ala Val Val Glu Ile Leu Asp Ala Asn Asp Asn Ala Pro Met Phe Asp	
	315 320 325	
75	ccc cag aag tac gag gcc cat gtg cct gag aat gca gtg ggc cat gag	1542
	Pro Gln Lys Tyr Glu Ala His Val Pro Glu Asn Ala Val Gly His Glu	
	330 335 340 345	

EP 2 465 864 B1

	gtg cag agg ctg acg gtc act gat ctg gac gcc ccc aac tca cca gcg	1590
	Val Gln Arg Leu Thr Val Thr Asp Leu Asp Ala Pro Asn Ser Pro Ala	
	350 355 360	
5	tgg cgt gcc acc tac ctt atc atg ggc ggt gac gac ggg gac cat ttt	1638
	Trp Arg Ala Thr Tyr Leu Ile Met Gly Gly Asp Asp Gly Asp His Phe	
	365 370 375	
10	acc atc acc acc cac cct gag agc aac cag ggc atc ctg aca acc agg	1686
	Thr Ile Thr Thr His Pro Glu Ser Asn Gln Gly Ile Leu Thr Thr Arg	
	380 385 390	
	aag ggt ttg gat ttt gag gcc aaa aac cag cac acc ctg tac gtt gaa	1734
	Lys Gly Leu Asp Phe Glu Ala Lys Asn Gln His Thr Leu Tyr Val Glu	
	395 400 405	
15	gtg acc aac gag gcc cct ttt gtg ctg aag ctc cca acc tcc aca gcc	1782
	Val Thr Asn Glu Ala Pro Phe Val Leu Lys Leu Pro Thr Ser Thr Ala	
	410 415 420 425	
20	acc ata gtg gtc cac gtg gag gat gtg aat gag gca cct gtg ttt gtc	1830
	Thr Ile Val Val His Val Glu Asp Val Asn Glu Ala Pro Val Phe Val	
	430 435 440	
	cca ccc tcc aaa gtc gtt gag gtc cag gag ggc atc ccc act ggg gag	1878
	Pro Pro Ser Lys Val Val Glu Val Gln Glu Gly Ile Pro Thr Gly Glu	
	445 450 455	
25	cct gtg tgt gtc tac act gca gaa gac cct gac aag gag aat caa aag	1926
	Pro Val Cys Val Tyr Thr Ala Glu Asp Pro Asp Lys Glu Asn Gln Lys	
	460 465 470	
30	atc agc tac cgc atc ctg aga gac cca gca ggg tgg cta gcc atg gac	1974
	Ile Ser Tyr Arg Ile Leu Arg Asp Pro Ala Gly Trp Leu Ala Met Asp	
	475 480 485	
	cca gac agt ggg cag gtc aca gct gtg ggc acc ctc gac cgt gag gat	2022
	Pro Asp Ser Gly Gln Val Thr Ala Val Gly Thr Leu Asp Arg Glu Asp	
	490 495 500 505	
35	gag cag ttt gtg agg aac aac atc tat gaa gtc atg gtc ttg gcc atg	2070
	Glu Gln Phe Val Arg Asn Asn Ile Tyr Glu Val Met Val Leu Ala Met	
	510 515 520	
40	gac aat gga agc cct ccc acc act ggc acg gga acc ctt ctg cta aca	2118
	Asp Asn Gly Ser Pro Pro Thr Thr Gly Thr Gly Thr Leu Leu Leu Thr	
	525 530 535	
	ctg att gat gtc aat gac cat ggc cca gtc cct gag ccc cgt cag atc	2166
	Leu Ile Asp Val Asn Asp His Gly Pro Val Pro Glu Pro Arg Gln Ile	
	540 545 550	
45	acc atc tgc aac caa agc cct gtg cgc cag gtg ctg aac atc acg gac	2214
	Thr Ile Cys Asn Gln Ser Pro Val Arg Gln Val Leu Asn Ile Thr Asp	
	555 560 565	
50	aag gac ctg tct ccc cac acc tcc cct ttc cag gcc cag ctc aca gat	2262
	Lys Asp Leu Ser Pro His Thr Ser Pro Phe Gln Ala Gln Leu Thr Asp	
	570 575 580 585	
	gac tca gac atc tac tgg acg gca gag gtc aac gag gaa ggt gac aca	2310
	Asp Ser Asp Ile Tyr Trp Thr Ala Glu Val Asn Glu Glu Gly Asp Thr	
	590 595 600	
55	gtg gtc ttg tcc ctg aag aag ttc ctg aag cag gat aca tat gac gtg	2358

EP 2 465 864 B1

	Val	Val	Leu	Ser	Leu	Lys	Lys	Phe	Leu	Lys	Gln	Asp	Thr	Tyr	Asp	Val	
				605					610					615			
5	cac	ctt	tct	ctg	tct	gac	cat	ggc	aac	aaa	gag	cag	ctg	acg	gtg	atc	2406
	His	Leu	Ser	Leu	Ser	Asp	His	Gly	Asn	Lys	Glu	Gln	Leu	Thr	Val	Ile	
			620					625					630				
10	agg	gcc	act	gtg	tgc	gac	tgc	cat	ggc	cat	gtc	gaa	acc	tgc	cct	gga	2454
	Arg	Ala	Thr	Val	Cys	Asp	Cys	His	Gly	His	Val	Glu	Thr	Cys	Pro	Gly	
		635					640					645					
15	ccc	tgg	aag	gga	ggg	ttc	atc	ctc	cct	gtg	ctg	ggg	gct	gtc	ctg	gct	2502
	Pro	Trp	Lys	Gly	Gly	Phe	Ile	Leu	Pro	Val	Leu	Gly	Ala	Val	Leu	Ala	
		650				655					660				665		
20	ctg	ctg	ttc	ctc	ctg	ctg	gtg	ctg	ctt	ttg	ttg	gtg	aga	aag	aag	cgg	2550
	Leu	Leu	Phe	Leu	Leu	Val	Leu	Leu	Leu	Leu	Val	Arg	Lys	Lys	Arg		
				670				675						680			
25	aag	atc	aag	gag	ccc	ctc	cta	ctc	cca	gaa	gat	gac	acc	cgt	gac	aac	2598
	Lys	Ile	Lys	Glu	Pro	Leu	Leu	Leu	Pro	Glu	Asp	Asp	Thr	Arg	Asp	Asn	
			685					690					695				
30	gtc	ttc	tac	tat	ggc	gaa	gag	ggg	ggg	ggc	gaa	gag	gac	cag	gac	tat	2646
	Val	Phe	Tyr	Tyr	Gly	Glu	Glu	Gly	Gly	Gly	Glu	Glu	Asp	Gln	Asp	Tyr	
			700				705						710				
35	gac	atc	acc	cag	ctc	cac	cga	ggg	ctg	gag	gcc	agg	ccg	gag	gtg	gtt	2694
	Asp	Ile	Thr	Gln	Leu	His	Arg	Gly	Leu	Glu	Ala	Arg	Pro	Glu	Val	Val	
		715					720					725					
40	ctc	cgc	aat	gac	gtg	gca	cca	acc	atc	atc	ccg	aca	ccc	atg	tac	cgt	2742
	Leu	Arg	Asn	Asp	Val	Ala	Pro	Thr	Ile	Ile	Pro	Thr	Pro	Met	Tyr	Arg	
		730				735					740				745		
45	cct	cgg	cca	gcc	aac	cca	gat	gaa	atc	ggc	aac	ttt	ata	att	gag	aac	2790
	Pro	Arg	Pro	Ala	Asn	Pro	Asp	Glu	Ile	Gly	Asn	Phe	Ile	Ile	Glu	Asn	
				750				755							760		
50	ctg	aag	gcg	gct	aac	aca	gac	ccc	aca	gcc	ccg	ccc	tac	gac	acc	ctc	2838
	Leu	Lys	Ala	Ala	Asn	Thr	Asp	Pro	Thr	Ala	Pro	Pro	Tyr	Asp	Thr	Leu	
			765					770					775				
55	ttg	gtg	ttc	gac	tat	gag	ggc	agc	ggc	tcc	gac	gcc	gcg	tcc	ctg	agc	2886
	Leu	Val	Phe	Asp	Tyr	Glu	Gly	Ser	Gly	Ser	Asp	Ala	Ala	Ser	Leu	Ser	
			780				785						790				
60	tcc	ctc	acc	tcc	tcc	gcc	tcc	gac	caa	gac	caa	gat	tac	gat	tat	ctg	2934
	Ser	Leu	Thr	Ser	Ser	Ala	Ser	Asp	Gln	Asp	Gln	Asp	Tyr	Asp	Tyr	Leu	
		795					800					805					
65	aac	gag	tgg	ggc	agc	cgc	ttc	aag	aag	ctg	gca	gac	atg	tac	ggt	ggc	2982
	Asn	Glu	Trp	Gly	Ser	Arg	Phe	Lys	Lys	Leu	Ala	Asp	Met	Tyr	Gly	Gly	
		810				815				820			825				
70	ggg	gag	gac	gac	tag	gcggcctgcc	tcgagggctg	gggaccaaac	gtcagggccac								3037
	Gly	Glu	Asp	Asp													
75	agagcatctc	caaggggtct	cagttccccc	ttcagctgag	gacttcggag	cttgtcagga											3097
80	agtggccgta	gcaacttggc	ggagacaggc	tatgagctctg	acgttagagt	ggtggcttcc											3157
85	ttagcctttc	aggatggagg	aatgtgggca	gtttgacttc	agcactgaaa	acctctccac											3217

EP 2 465 864 B1

ctggggccagg gttgcctcag aggccaagtt tccagaagcc tcttacctgc cgtaaaatgc 3277
tcaaccctgt gtcctggggcc tgggcctgct gtgactgacc tacagtggac tttctctctg 3337
5 gaatggaacc ttcttaggcc tcctgggtgca acttaatttt tttttttaat gctatcttca 3397
aaacgtaga gaaagttctt caaaagtgc gcccagagct gctggggcca ctggccgtcc 3457
tgcatttctg gtttccagac cccaatgcct cccattcgga tggatctctg cgtttttata 3517
10 ctgagtgtgc ctaggttgcc ccttattttt tattttccct gttgcgttgc tatagatgaa 3577
gggtgaggac aatcgtgtat atgtactaga acttttttat taaagaaact tttccagaa 3637
aaaaaaaa aa 3649

<210> 2
<211> 829
<212> PRT
<213> Homo sapiens

<400> 2

Met Gly Leu Pro Arg Gly Pro Leu Ala Ser Leu Leu Leu Leu Gln Val
1 5 10 15

Cys Trp Leu Gln Cys Ala Ala Ser Glu Pro Cys Arg Ala Val Phe Arg
20 25 30

Glu Ala Glu Val Thr Leu Glu Ala Gly Gly Ala Glu Gln Glu Pro Gly
35 40 45

Gln Ala Leu Gly Lys Val Phe Met Gly Cys Pro Gly Gln Glu Pro Ala
50 55 60

Leu Phe Ser Thr Asp Asn Asp Asp Phe Thr Val Arg Asn Gly Glu Thr
65 70 75 80

Val Gln Glu Arg Arg Ser Leu Lys Glu Arg Asn Pro Leu Lys Ile Phe
85 90 95

Pro Ser Lys Arg Ile Leu Arg Arg His Lys Arg Asp Trp Val Val Ala
100 105 110

Pro Ile Ser Val Pro Glu Asn Gly Lys Gly Pro Phe Pro Gln Arg Leu
115 120 125

Asn Gln Leu Lys Ser Asn Lys Asp Arg Asp Thr Lys Ile Phe Tyr Ser
130 135 140

Ile Thr Gly Pro Gly Ala Asp Ser Pro Pro Glu Gly Val Phe Ala Val
145 150 155 160

Glu Lys Glu Thr Gly Trp Leu Leu Leu Asn Lys Pro Leu Asp Arg Glu

EP 2 465 864 B1

	165	170	175
5	Glu Ile Ala Lys Tyr Glu Leu Phe Gly His Ala Val Ser Glu Asn Gly 180 185 190		
	Ala Ser Val Glu Asp Pro Met Asn Ile Ser Ile Ile Val Thr Asp Gln 195 200 205		
10	Asn Asp His Lys Pro Lys Phe Thr Gln Asp Thr Phe Arg Gly Ser Val 210 215 220		
15	Leu Glu Gly Val Leu Pro Gly Thr Ser Val Met Gln Val Thr Ala Thr 225 230 235 240		
	Asp Glu Asp Asp Ala Ile Tyr Thr Tyr Asn Gly Val Val Ala Tyr Ser 245 250 255		
20	Ile His Ser Gln Glu Pro Lys Asp Pro His Asp Leu Met Phe Thr Ile 260 265 270		
25	His Arg Ser Thr Gly Thr Ile Ser Val Ile Ser Ser Gly Leu Asp Arg 275 280 285		
	Glu Lys Val Pro Glu Tyr Thr Leu Thr Ile Gln Ala Thr Asp Met Asp 290 295 300		
30	Gly Asp Gly Ser Thr Thr Thr Ala Val Ala Val Val Glu Ile Leu Asp 305 310 315 320		
35	Ala Asn Asp Asn Ala Pro Met Phe Asp Pro Gln Lys Tyr Glu Ala His 325 330 335		
	Val Pro Glu Asn Ala Val Gly His Glu Val Gln Arg Leu Thr Val Thr 340 345 350		
40	Asp Leu Asp Ala Pro Asn Ser Pro Ala Trp Arg Ala Thr Tyr Leu Ile 355 360 365		
45	Met Gly Gly Asp Asp Gly Asp His Phe Thr Ile Thr Thr His Pro Glu 370 375 380		
	Ser Asn Gln Gly Ile Leu Thr Thr Arg Lys Gly Leu Asp Phe Glu Ala 385 390 395 400		
50	Lys Asn Gln His Thr Leu Tyr Val Glu Val Thr Asn Glu Ala Pro Phe 405 410 415		
55	Val Leu Lys Leu Pro Thr Ser Thr Ala Thr Ile Val Val His Val Glu 420 425 430		

EP 2 465 864 B1

	Asp	Val	Asn	Glu	Ala	Pro	Val	Phe	Val	Pro	Pro	Ser	Lys	Val	Val	Glu	
			435					440					445				
5	Val	Gln	Glu	Gly	Ile	Pro	Thr	Gly	Glu	Pro	Val	Cys	Val	Tyr	Thr	Ala	
			450				455					460					
10	Glu	Asp	Pro	Asp	Lys	Glu	Asn	Gln	Lys	Ile	Ser	Tyr	Arg	Ile	Leu	Arg	
	465					470					475					480	
	Asp	Pro	Ala	Gly	Trp	Leu	Ala	Met	Asp	Pro	Asp	Ser	Gly	Gln	Val	Thr	
					485					490					495		
15	Ala	Val	Gly	Thr	Leu	Asp	Arg	Glu	Asp	Glu	Gln	Phe	Val	Arg	Asn	Asn	
				500					505					510			
20	Ile	Tyr	Glu	Val	Met	Val	Leu	Ala	Met	Asp	Asn	Gly	Ser	Pro	Pro	Thr	
			515					520					525				
	Thr	Gly	Thr	Gly	Thr	Leu	Leu	Leu	Thr	Leu	Ile	Asp	Val	Asn	Asp	His	
		530					535					540					
25	Gly	Pro	Val	Pro	Glu	Pro	Arg	Gln	Ile	Thr	Ile	Cys	Asn	Gln	Ser	Pro	
	545					550					555					560	
30	Val	Arg	Gln	Val	Leu	Asn	Ile	Thr	Asp	Lys	Asp	Leu	Ser	Pro	His	Thr	
					565					570					575		
	Ser	Pro	Phe	Gln	Ala	Gln	Leu	Thr	Asp	Asp	Ser	Asp	Ile	Tyr	Trp	Thr	
				580					585					590			
35	Ala	Glu	Val	Asn	Glu	Glu	Gly	Asp	Thr	Val	Val	Leu	Ser	Leu	Lys	Lys	
				595				600					605				
40	Phe	Leu	Lys	Gln	Asp	Thr	Tyr	Asp	Val	His	Leu	Ser	Leu	Ser	Asp	His	
		610					615					620					
45	Gly	Asn	Lys	Glu	Gln	Leu	Thr	Val	Ile	Arg	Ala	Thr	Val	Cys	Asp	Cys	
	625					630					635					640	
	His	Gly	His	Val	Glu	Thr	Cys	Pro	Gly	Pro	Trp	Lys	Gly	Gly	Phe	Ile	
					645					650					655		
50	Leu	Pro	Val	Leu	Gly	Ala	Val	Leu	Ala	Leu	Leu	Phe	Leu	Leu	Leu	Val	
					660				665						670		
55	Leu	Leu	Leu	Leu	Val	Arg	Lys	Lys	Arg	Lys	Ile	Lys	Glu	Pro	Leu	Leu	
					675			680					685				

EP 2 465 864 B1

Leu Pro Glu Asp Asp Thr Arg Asp Asn Val Phe Tyr Tyr Gly Glu Glu
690 695 700

5 Gly Gly Gly Glu Glu Asp Gln Asp Tyr Asp Ile Thr Gln Leu His Arg
705 710 715 720

10 Gly Leu Glu Ala Arg Pro Glu Val Val Leu Arg Asn Asp Val Ala Pro
725 730 735

Thr Ile Ile Pro Thr Pro Met Tyr Arg Pro Arg Pro Ala Asn Pro Asp
740 745 750

15 Glu Ile Gly Asn Phe Ile Ile Glu Asn Leu Lys Ala Ala Asn Thr Asp
755 760 765

20 Pro Thr Ala Pro Pro Tyr Asp Thr Leu Leu Val Phe Asp Tyr Glu Gly
770 775 780

Ser Gly Ser Asp Ala Ala Ser Leu Ser Ser Leu Thr Ser Ser Ala Ser
785 790 795 800

25 Asp Gln Asp Gln Asp Tyr Asp Tyr Leu Asn Glu Trp Gly Ser Arg Phe
805 810 815

30 Lys Lys Leu Ala Asp Met Tyr Gly Gly Gly Glu Asp Asp
820 825

<210> 3

<211> 3107

<212> DNA

35 <213> Homo sapiens

<220>

<221> CDS

<222> (34)..(2994)

40

<400> 3

45 aagcggcagg agcagcggtg gcaccggcga acc atg gct ggg att ttc tat ttc 54
Met Ala Gly Ile Phe Tyr Phe
1 5

gcc cta ttt tcg tgt ctc ttc ggg att tgc gac gct gtc aca ggt tcc 102
Ala Leu Phe Ser Cys Leu Phe Gly Ile Cys Asp Ala Val Thr Gly Ser
10 15 20

50 agg gta tac ccc gcg aat gaa gtt acc tta ttg gat tcc aga tct gtt 150
Arg Val Tyr Pro Ala Asn Glu Val Thr Leu Leu Asp Ser Arg Ser Val
25 30 35

55 cag gga gaa ctt ggg tgg ata gca agc cct ctg gaa gga ggg tgg gag 198
Gln Gly Glu Leu Gly Trp Ile Ala Ser Pro Leu Glu Gly Gly Trp Glu
40 45 50 55

gaa gtg agt atc atg gat gaa aaa aat aca cca atc cga acc tac caa 246

EP 2 465 864 B1

	Glu	Val	Ser	Ile	Met	Asp	Glu	Lys	Asn	Thr	Pro	Ile	Arg	Thr	Tyr	Gln	
				60					65						70		
5	gtg	tgc	aat	gtg	atg	gaa	ccc	agc	cag	aat	aac	tgg	cta	cga	act	gat	294
	Val	Cys	Asn	Val	Met	Glu	Pro	Ser	Gln	Asn	Asn	Trp	Leu	Arg	Thr	Asp	
				75					80					85			
10	tgg	atc	acc	cga	gaa	ggg	gct	cag	agg	gtg	tat	att	gag	att	aaa	ttc	342
	Trp	Ile	Thr	Arg	Glu	Gly	Ala	Gln	Arg	Val	Tyr	Ile	Glu	Ile	Lys	Phe	
				90				95					100				
15	acc	ttg	agg	gac	tgc	aat	agt	ctt	ccg	ggc	gtc	atg	ggg	act	tgc	aag	390
	Thr	Leu	Arg	Asp	Cys	Asn	Ser	Leu	Pro	Gly	Val	Met	Gly	Thr	Cys	Lys	
				105			110					115					
20	gag	acg	ttt	aac	ctg	tac	tac	tat	gaa	tca	gac	aac	gac	aaa	gag	cgt	438
	Glu	Thr	Phe	Asn	Leu	Tyr	Tyr	Tyr	Glu	Ser	Asp	Asn	Asp	Lys	Glu	Arg	
						125					130					135	
25	ttc	atc	aga	gag	aac	cag	ttt	gtc	aaa	att	gac	acc	att	gct	gct	gat	486
	Phe	Ile	Arg	Glu	Asn	Gln	Phe	Val	Lys	Ile	Asp	Thr	Ile	Ala	Ala	Asp	
					140				145						150		
30	gag	agc	ttc	acc	caa	gtg	gac	att	ggt	gac	aga	atc	atg	aag	ctg	aac	534
	Glu	Ser	Phe	Thr	Gln	Val	Asp	Ile	Gly	Asp	Arg	Ile	Met	Lys	Leu	Asn	
				155				160						165			
35	acc	gag	atc	cgg	gat	gta	ggg	cca	tta	agc	aaa	aag	ggg	ttt	tac	ctg	582
	Thr	Glu	Ile	Arg	Asp	Val	Gly	Pro	Leu	Ser	Lys	Lys	Gly	Phe	Tyr	Leu	
				170			175						180				
40	gct	ttt	cag	gat	gtg	ggg	gcc	tgc	atc	gcc	ctg	gta	tca	gtc	cgt	gtg	630
	Ala	Phe	Gln	Asp	Val	Gly	Ala	Cys	Ile	Ala	Leu	Val	Ser	Val	Arg	Val	
				185			190					195					
45	ttc	tat	aaa	aag	tgt	cca	ctc	aca	gtc	cgc	aat	ctg	gcc	cag	ttt	cct	678
	Phe	Tyr	Lys	Lys	Cys	Pro	Leu	Thr	Val	Arg	Asn	Leu	Ala	Gln	Phe	Pro	
					205						210					215	
50	gac	acc	atc	aca	ggg	gct	gat	acg	tct	tcc	ctg	gtg	gaa	gtt	cga	ggc	726
	Asp	Thr	Ile	Thr	Gly	Ala	Asp	Thr	Ser	Ser	Leu	Val	Glu	Val	Arg	Gly	
					220				225						230		
55	tcc	tgt	gtc	aac	aac	tca	gaa	gag	aaa	gat	gtg	cca	aaa	atg	tac	tgt	774
	Ser	Cys	Val	Asn	Asn	Ser	Glu	Glu	Lys	Asp	Val	Pro	Lys	Met	Tyr	Cys	
				235					240					245			
60	ggg	gca	gat	ggt	gaa	tgg	ctg	gta	ccc	att	ggc	aac	tgc	cta	tgc	aac	822
	Gly	Ala	Asp	Gly	Glu	Trp	Leu	Val	Pro	Ile	Gly	Asn	Cys	Leu	Cys	Asn	
				250				255					260				
65	gct	ggg	cat	gag	gag	cgg	agc	gga	gaa	tgc	caa	gct	tgc	aaa	att	gga	870
	Ala	Gly	His	Glu	Glu	Arg	Ser	Gly	Glu	Cys	Gln	Ala	Cys	Lys	Ile	Gly	
				265			270					275					
70	tat	tac	aag	gct	ctc	tcc	acg	gat	gcc	acc	tgt	gcc	aag	tgc	cca	ccc	918
	Tyr	Tyr	Lys	Ala	Leu	Ser	Thr	Asp	Ala	Thr	Cys	Ala	Lys	Cys	Pro	Pro	
						285					290					295	
75	cac	agc	tac	tct	gtc	tgg	gaa	gga	gcc	acc	tgc	tgc	acc	tgt	gac	cga	966
	His	Ser	Tyr	Ser	Val	Trp	Glu	Gly	Ala	Thr	Ser	Cys	Thr	Cys	Asp	Arg	
					300				305						310		
80	ggc	ttt	ttc	aga	gct	gac	aac	gat	gct	gcc	tct	atg	ccc	tgc	acc	cgt	1014
	Gly	Phe	Phe	Arg	Ala	Asp	Asn	Asp	Ala	Ala	Ser	Met	Pro	Cys	Thr	Arg	

EP 2 465 864 B1

	315	320	325	
5	cca cca tct gct ccc ctg aac ttg att tca aat gtc aac gag aca tct Pro Pro Ser Ala Pro Leu Asn Leu Ile Ser Asn Val Asn Glu Thr Ser 330 335 340	1062		
	gtg aac ttg gaa tgg agt agc cct cag aat aca ggt ggc cgc cag gac Val Asn Leu Glu Trp Ser Ser Pro Gln Asn Thr Gly Gly Arg Gln Asp 345 350 355	1110		
10	att tcc tat aat gtg gta tgc aag aaa tgt gga gct ggt gac ccc agc Ile Ser Tyr Asn Val Val Cys Lys Lys Cys Gly Ala Gly Asp Pro Ser 360 365 370 375	1158		
15	aag tgc cga ccc tgt gga agt ggg gtc cac tac acc cca cag cag aat Lys Cys Arg Pro Cys Gly Ser Gly Val His Tyr Thr Pro Gln Gln Asn 380 385 390	1206		
	ggc ttg aag acc acc aaa gtc tcc atc act gac ctc cta gct cat acc Gly Leu Lys Thr Thr Lys Val Ser Ile Thr Asp Leu Leu Ala His Thr 395 400 405	1254		
20	aat tac acc ttt gaa atc tgg gct gtg aat gga gtg tcc aaa tat aac Asn Tyr Thr Phe Glu Ile Trp Ala Val Asn Gly Val Ser Lys Tyr Asn 410 415 420	1302		
25	cct aac cca gac caa tca gtt tct gtc act gtg acc acc aac caa gca Pro Asn Pro Asp Gln Ser Val Ser Val Thr Val Thr Thr Asn Gln Ala 425 430 435	1350		
	gca cca tca tcc att gct ttg gtc cag gct aaa gaa gtc aca aga tac Ala Pro Ser Ser Ile Ala Leu Val Gln Ala Lys Glu Val Thr Arg Tyr 440 445 450 455	1398		
30	agt gtg gca ctg gct tgg ctg gaa cca gat cgg ccc aat ggg gta atc Ser Val Ala Leu Ala Trp Leu Glu Pro Asp Arg Pro Asn Gly Val Ile 460 465 470	1446		
35	ctg gaa tat gaa gtc aag tat tat gag aag gat cag aat gag cga agc Leu Glu Tyr Glu Val Lys Tyr Tyr Glu Lys Asp Gln Asn Glu Arg Ser 475 480 485	1494		
	tat cgt ata gtt cgg aca gct gcc agg aac aca gat atc aaa ggc ctg Tyr Arg Ile Val Arg Thr Ala Ala Arg Asn Thr Asp Ile Lys Gly Leu 490 495 500	1542		
40	aac cct ctc act tcc tat gtt ttc cac gtg cga gcc agg aca gca gct Asn Pro Leu Thr Ser Tyr Val Phe His Val Arg Ala Arg Thr Ala Ala 505 510 515	1590		
45	ggc tat gga gac ttc agt gag ccc ttg gag gtt aca acc aac aca gtg Gly Tyr Gly Asp Phe Ser Glu Pro Leu Glu Val Thr Thr Asn Thr Val 520 525 530 535	1638		
	cct tcc cgg atc att gga gat ggg gct aac tcc aca gtc ctt ctg gtc Pro Ser Arg Ile Ile Gly Asp Gly Ala Asn Ser Thr Val Leu Leu Val 540 545 550	1686		
50	tct gtc tcg ggc agt gtg gtg ctg gtg gta att ctc att gca gct ttt Ser Val Ser Gly Ser Val Val Leu Val Val Ile Leu Ile Ala Ala Phe 555 560 565	1734		
55	gtc atc agc cgg aga cgg agt aaa tac agt aaa gcc aaa caa gaa gcg Val Ile Ser Arg Arg Arg Ser Lys Tyr Ser Lys Ala Lys Gln Glu Ala 570 575 580	1782		

EP 2 465 864 B1

	gat gaa gag aaa cat ttg aat caa ggt gta aga aca tat gtg gac ccc	1830
	Asp Glu Glu Lys His Leu Asn Gln Gly Val Arg Thr Tyr Val Asp Pro	
	585 590 595	
5	ttt acg tac gaa gat ccc aac caa gca gtg cga gag ttt gcc aaa gaa	1878
	Phe Thr Tyr Glu Asp Pro Asn Gln Ala Val Arg Glu Phe Ala Lys Glu	
	600 605 610 615	
10	att gac gca tcc tgc att aag att gaa aaa gtt ata gga gtt ggt gaa	1926
	Ile Asp Ala Ser Cys Ile Lys Ile Glu Lys Val Ile Gly Val Gly Glu	
	620 625 630	
15	ttt ggt gag gta tgc agt ggg cgt ctc aaa gtg cct ggc aag aga gag	1974
	Phe Gly Glu Val Cys Ser Gly Arg Leu Lys Val Pro Gly Lys Arg Glu	
	635 640 645	
20	atc tgt gtg gct atc aag act ctg aaa gct ggt tat aca gac aaa cag	2022
	Ile Cys Val Ala Ile Lys Thr Leu Lys Ala Gly Tyr Thr Asp Lys Gln	
	650 655 660	
25	agg aga gac ttc ctg agt gag gcc agc atc atg gga cag ttt gac cat	2070
	Arg Arg Asp Phe Leu Ser Glu Ala Ser Ile Met Gly Gln Phe Asp His	
	665 670 675	
30	ccg aac atc att cac ttg gaa ggc gtg gtc act aaa tgt aaa cca gta	2118
	Pro Asn Ile Ile His Leu Glu Gly Val Val Thr Lys Cys Lys Pro Val	
	680 685 690 695	
35	atg atc ata aca gag tac atg gag aat ggc tcc ttg gat gca ttc ctc	2166
	Met Ile Ile Thr Glu Tyr Met Glu Asn Gly Ser Leu Asp Ala Phe Leu	
	700 705 710	
40	agg aaa aat gat ggc aga ttt aca gtc att cag ctg gtg ggc atg ctt	2214
	Arg Lys Asn Asp Gly Arg Phe Thr Val Ile Gln Leu Val Gly Met Leu	
	715 720 725	
45	cgt ggc att ggg tct ggg atg aag tat tta tct gat atg agc tat gtg	2262
	Arg Gly Ile Gly Ser Gly Met Lys Tyr Leu Ser Asp Met Ser Tyr Val	
	730 735 740	
50	cat cgt gat ctg gcc gca cgg aac atc ctg gtg aac agc aac ttg gtc	2310
	His Arg Asp Leu Ala Ala Arg Asn Ile Leu Val Asn Ser Asn Leu Val	
	745 750 755	
55	tgc aaa gtg tct gat ttt ggc atg tcc cga gtg ctt gag gat gat ccg	2358
	Cys Lys Val Ser Asp Phe Gly Met Ser Arg Val Leu Glu Asp Asp Pro	
	760 765 770 775	
60	gaa gca gct tac acc acc agg ggt ggc aag att cct atc cgg tgg act	2406
	Glu Ala Ala Tyr Thr Thr Arg Gly Gly Lys Ile Pro Ile Arg Trp Thr	
	780 785 790	
65	gcg cca gaa gca att gcc tat cgt aaa ttc aca tca gca agt gat gta	2454
	Ala Pro Glu Ala Ile Ala Tyr Arg Lys Phe Thr Ser Ala Ser Asp Val	
	795 800 805	
70	tgg agc tat gga atc gtt atg tgg gaa gtg atg tcg tac ggg gag agg	2502
	Trp Ser Tyr Gly Ile Val Met Trp Glu Val Met Ser Tyr Gly Glu Arg	
	810 815 820	
75	ccc tat tgg gat atg tcc aat caa gat gtg att aaa gcc att gag gaa	2550
	Pro Tyr Trp Asp Met Ser Asn Gln Asp Val Ile Lys Ala Ile Glu Glu	
	825 830 835	

EP 2 465 864 B1

	ggc tat cgg tta ccc cct cca atg gac tgc ccc att gcg ctc cac cag	2598
	Gly Tyr Arg Leu Pro Pro Met Asp Cys Pro Ile Ala Leu His Gln	
	840 845 850 855	
5	ctg atg cta gac tgc tgg cag aag gag agg agc gac agg cct aaa ttt	2646
	Leu Met Leu Asp Cys Trp Gln Lys Glu Arg Ser Asp Arg Pro Lys Phe	
	860 865 870	
10	ggg cag att gtc aac atg ttg gac aaa ctc atc cgc aac ccc aac agc	2694
	Gly Gln Ile Val Asn Met Leu Asp Lys Leu Ile Arg Asn Pro Asn Ser	
	875 880 885	
15	ttg aag agg aca ggg acg gag agc tcc aga cct aac act gcc ttg ttg	2742
	Leu Lys Arg Thr Gly Thr Glu Ser Ser Arg Pro Asn Thr Ala Leu Leu	
	890 895 900	
20	gat cca agc tcc cct gaa ttc tct gct gtg gta tca gtg ggc gat tgg	2790
	Asp Pro Ser Ser Pro Glu Phe Ser Ala Val Val Ser Val Gly Asp Trp	
	905 910 915	
25	ctc cag gcc att aaa atg gac cgg tat aag gat aac ttc aca gct gct	2838
	Leu Gln Ala Ile Lys Met Asp Arg Tyr Lys Asp Asn Phe Thr Ala Ala	
	920 925 930 935	
30	ggt tat acc aca cta gag gct gtg gtg cac gtg aac cag gag gac ctg	2886
	Gly Tyr Thr Thr Leu Glu Ala Val Val His Val Asn Gln Glu Asp Leu	
	940 945 950	
35	gca aga att ggt atc aca gcc atc acg cac cag aat aag att ttg agc	2934
	Ala Arg Ile Gly Ile Thr Ala Ile Thr His Gln Asn Lys Ile Leu Ser	
	955 960 965	
40	agt gtc cag gca atg cga acc caa atg cag cag atg cac ggc aga atg	2982
	Ser Val Gln Ala Met Arg Thr Gln Met Gln Gln Met His Gly Arg Met	
	970 975 980	
45	gtt ccc gtc tga gccagtactg aataaactca aaactcttga aattagttta	3034
	Val Pro Val	
	985	
50	cctcatccat gcactttaat tgaagaactg cactttttttt acttcgtctt cgccctctga	3094
	aattaaagaa atg	3107
55	<210> 4	
	<211> 986	
	<212> PRT	
	<213> Homo sapiens	
60	<400> 4	
65	Met Ala Gly Ile Phe Tyr Phe Ala Leu Phe Ser Cys Leu Phe Gly Ile	
	1 5 10 15	
70	Cys Asp Ala Val Thr Gly Ser Arg Val Tyr Pro Ala Asn Glu Val Thr	
	20 25 30	
75	Leu Leu Asp Ser Arg Ser Val Gln Gly Glu Leu Gly Trp Ile Ala Ser	
	35 40 45	
80	Pro Leu Glu Gly Gly Trp Glu Glu Val Ser Ile Met Asp Glu Lys Asn	

EP 2 465 864 B1

	50		55		60															
5	Thr	Pro	Ile	Arg	Thr	Tyr	Gln	Val	Cys	Asn	Val	Met	Glu	Pro	Ser	Gln	65	70	75	80
	Asn	Asn	Trp	Leu	Arg	Thr	Asp	Trp	Ile	Thr	Arg	Glu	Gly	Ala	Gln	Arg	85	90	95	
10	Val	Tyr	Ile	Glu	Ile	Lys	Phe	Thr	Leu	Arg	Asp	Cys	Asn	Ser	Leu	Pro	100	105	110	
15	Gly	Val	Met	Gly	Thr	Cys	Lys	Glu	Thr	Phe	Asn	Leu	Tyr	Tyr	Tyr	Glu	115	120	125	
	Ser	Asp	Asn	Asp	Lys	Glu	Arg	Phe	Ile	Arg	Glu	Asn	Gln	Phe	Val	Lys	130	135	140	
20	Ile	Asp	Thr	Ile	Ala	Ala	Asp	Glu	Ser	Phe	Thr	Gln	Val	Asp	Ile	Gly	145	150	155	160
25	Asp	Arg	Ile	Met	Lys	Leu	Asn	Thr	Glu	Ile	Arg	Asp	Val	Gly	Pro	Leu	165	170	175	
	Ser	Lys	Lys	Gly	Phe	Tyr	Leu	Ala	Phe	Gln	Asp	Val	Gly	Ala	Cys	Ile	180	185	190	
30	Ala	Leu	Val	Ser	Val	Arg	Val	Phe	Tyr	Lys	Lys	Cys	Pro	Leu	Thr	Val	195	200	205	
35	Arg	Asn	Leu	Ala	Gln	Phe	Pro	Asp	Thr	Ile	Thr	Gly	Ala	Asp	Thr	Ser	210	215	220	
	Ser	Leu	Val	Glu	Val	Arg	Gly	Ser	Cys	Val	Asn	Asn	Ser	Glu	Glu	Lys	225	230	235	240
40	Asp	Val	Pro	Lys	Met	Tyr	Cys	Gly	Ala	Asp	Gly	Glu	Trp	Leu	Val	Pro	245	250	255	
45	Ile	Gly	Asn	Cys	Leu	Cys	Asn	Ala	Gly	His	Glu	Glu	Arg	Ser	Gly	Glu	260	265	270	
	Cys	Gln	Ala	Cys	Lys	Ile	Gly	Tyr	Tyr	Lys	Ala	Leu	Ser	Thr	Asp	Ala	275	280	285	
50	Thr	Cys	Ala	Lys	Cys	Pro	Pro	His	Ser	Tyr	Ser	Val	Trp	Glu	Gly	Ala	290	295	300	
55	Thr	Ser	Cys	Thr	Cys	Asp	Arg	Gly	Phe	Phe	Arg	Ala	Asp	Asn	Asp	Ala	305	310	315	320

EP 2 465 864 B1

	Ala	Ser	Met	Pro	Cys	Thr	Arg	Pro	Pro	Ser	Ala	Pro	Leu	Asn	Leu	Ile	
					325					330					335		
5	Ser	Asn	Val	Asn	Glu	Thr	Ser	Val	Asn	Leu	Glu	Trp	Ser	Ser	Pro	Gln	
				340					345					350			
	Asn	Thr	Gly	Gly	Arg	Gln	Asp	Ile	Ser	Tyr	Asn	Val	Val	Cys	Lys	Lys	
10			355					360					365				
	Cys	Gly	Ala	Gly	Asp	Pro	Ser	Lys	Cys	Arg	Pro	Cys	Gly	Ser	Gly	Val	
		370					375					380					
15	His	Tyr	Thr	Pro	Gln	Gln	Asn	Gly	Leu	Lys	Thr	Thr	Lys	Val	Ser	Ile	
	385					390					395					400	
	Thr	Asp	Leu	Leu	Ala	His	Thr	Asn	Tyr	Thr	Phe	Glu	Ile	Trp	Ala	Val	
20					405					410					415		
	Asn	Gly	Val	Ser	Lys	Tyr	Asn	Pro	Asn	Pro	Asp	Gln	Ser	Val	Ser	Val	
				420					425					430			
25	Thr	Val	Thr	Thr	Asn	Gln	Ala	Ala	Pro	Ser	Ser	Ile	Ala	Leu	Val	Gln	
			435					440					445				
	Ala	Lys	Glu	Val	Thr	Arg	Tyr	Ser	Val	Ala	Leu	Ala	Trp	Leu	Glu	Pro	
30		450					455					460					
	Asp	Arg	Pro	Asn	Gly	Val	Ile	Leu	Glu	Tyr	Glu	Val	Lys	Tyr	Tyr	Glu	
	465					470					475					480	
35	Lys	Asp	Gln	Asn	Glu	Arg	Ser	Tyr	Arg	Ile	Val	Arg	Thr	Ala	Ala	Arg	
					485					490					495		
	Asn	Thr	Asp	Ile	Lys	Gly	Leu	Asn	Pro	Leu	Thr	Ser	Tyr	Val	Phe	His	
40				500					505					510			
	Val	Arg	Ala	Arg	Thr	Ala	Ala	Gly	Tyr	Gly	Asp	Phe	Ser	Glu	Pro	Leu	
45			515					520					525				
	Glu	Val	Thr	Thr	Asn	Thr	Val	Pro	Ser	Arg	Ile	Ile	Gly	Asp	Gly	Ala	
		530					535					540					
50	Asn	Ser	Thr	Val	Leu	Leu	Val	Ser	Val	Ser	Gly	Ser	Val	Val	Leu	Val	
	545					550					555					560	
	Val	Ile	Leu	Ile	Ala	Ala	Phe	Val	Ile	Ser	Arg	Arg	Arg	Ser	Lys	Tyr	
55					565					570					575		

EP 2 465 864 B1

	Ser	Lys	Ala	Lys	Gln	Glu	Ala	Asp	Glu	Glu	Lys	His	Leu	Asn	Gln	Gly	
				580					585					590			
5	Val	Arg	Thr	Tyr	Val	Asp	Pro	Phe	Thr	Tyr	Glu	Asp	Pro	Asn	Gln	Ala	
			595					600					605				
	Val	Arg	Glu	Phe	Ala	Lys	Glu	Ile	Asp	Ala	Ser	Cys	Ile	Lys	Ile	Glu	
10			610				615					620					
	Lys	Val	Ile	Gly	Val	Gly	Glu	Phe	Gly	Glu	Val	Cys	Ser	Gly	Arg	Leu	
			625			630					635					640	
15	Lys	Val	Pro	Gly	Lys	Arg	Glu	Ile	Cys	Val	Ala	Ile	Lys	Thr	Leu	Lys	
					645					650					655		
	Ala	Gly	Tyr	Thr	Asp	Lys	Gln	Arg	Arg	Asp	Phe	Leu	Ser	Glu	Ala	Ser	
20				660					665					670			
	Ile	Met	Gly	Gln	Phe	Asp	His	Pro	Asn	Ile	Ile	His	Leu	Glu	Gly	Val	
			675					680					685				
25	Val	Thr	Lys	Cys	Lys	Pro	Val	Met	Ile	Ile	Thr	Glu	Tyr	Met	Glu	Asn	
			690				695					700					
	Gly	Ser	Leu	Asp	Ala	Phe	Leu	Arg	Lys	Asn	Asp	Gly	Arg	Phe	Thr	Val	
30			705			710					715					720	
	Ile	Gln	Leu	Val	Gly	Met	Leu	Arg	Gly	Ile	Gly	Ser	Gly	Met	Lys	Tyr	
					725					730					735		
35	Leu	Ser	Asp	Met	Ser	Tyr	Val	His	Arg	Asp	Leu	Ala	Ala	Arg	Asn	Ile	
				740					745					750			
	Leu	Val	Asn	Ser	Asn	Leu	Val	Cys	Lys	Val	Ser	Asp	Phe	Gly	Met	Ser	
40			755					760					765				
	Arg	Val	Leu	Glu	Asp	Asp	Pro	Glu	Ala	Ala	Tyr	Thr	Thr	Arg	Gly	Gly	
45			770				775					780					
	Lys	Ile	Pro	Ile	Arg	Trp	Thr	Ala	Pro	Glu	Ala	Ile	Ala	Tyr	Arg	Lys	
			785			790					795					800	
50	Phe	Thr	Ser	Ala	Ser	Asp	Val	Trp	Ser	Tyr	Gly	Ile	Val	Met	Trp	Glu	
					805					810					815		
	Val	Met	Ser	Tyr	Gly	Glu	Arg	Pro	Tyr	Trp	Asp	Met	Ser	Asn	Gln	Asp	
55				820					825					830			

EP 2 465 864 B1

Val Ile Lys Ala Ile Glu Glu Gly Tyr Arg Leu Pro Pro Pro Met Asp
835 840 845

5 Cys Pro Ile Ala Leu His Gln Leu Met Leu Asp Cys Trp Gln Lys Glu
850 855 860

10 Arg Ser Asp Arg Pro Lys Phe Gly Gln Ile Val Asn Met Leu Asp Lys
865 870 875 880

Leu Ile Arg Asn Pro Asn Ser Leu Lys Arg Thr Gly Thr Glu Ser Ser
885 890 895

15 Arg Pro Asn Thr Ala Leu Leu Asp Pro Ser Ser Pro Glu Phe Ser Ala
900 905 910

20 Val Val Ser Val Gly Asp Trp Leu Gln Ala Ile Lys Met Asp Arg Tyr
915 920 925

Lys Asp Asn Phe Thr Ala Ala Gly Tyr Thr Thr Leu Glu Ala Val Val
930 935 940

25 His Val Asn Gln Glu Asp Leu Ala Arg Ile Gly Ile Thr Ala Ile Thr
945 950 955 960

30 His Gln Asn Lys Ile Leu Ser Ser Val Gln Ala Met Arg Thr Gln Met
965 970 975

Gln Gln Met His Gly Arg Met Val Pro Val
980 985

<210> 5
<211> 4349
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (445)..(3093)

<400> 5

tttttgaatc gggtgtggcg gccgcggcga ggaatggcgg tatttgtgag aggagtcggc 60

gtttgaagag gtggaactcc tagggctttt ttgagagtga cggagtctac ctcttgttac 120

ctagactgga gtgcagtggc acgatctcgg ctcaactgcaa cctctgcctc ccgggttcaa 180

gcgattctcc tgccctcagcc tcctgagtag ctgggattac aggtgcctgc caccaagccc 240

agctaatttt tgtattttta gtagagatgg ggtttcattg tgttggccag gctgggtctcg 300

aactcctgac ctcgatgatcc gccgccttg gcctcccaaa gtgctaggat tacaagtgtg 360

agccaccgcg tccggccttt caaatgggtat ttttgatttt cctcttccag tccttaaagc 420

EP 2 465 864 B1

	agctgattta gaagaatata aatc atg gct gaa aat agt gta tta aca tcc	471
	Met Ala Glu Asn Ser Val Leu Thr Ser	
	1 5	
5	act act ggg agg act agc ttg gca gac tct tcc att ttt gat tct aaa	519
	Thr Thr Gly Arg Thr Ser Leu Ala Asp Ser Ser Ile Phe Asp Ser Lys	
	10 15 20 25	
10	gtt act gag att tcc aag gaa aac tta ctt att gga tct act tca tat	567
	Val Thr Glu Ile Ser Lys Glu Asn Leu Leu Ile Gly Ser Thr Ser Tyr	
	30 35 40	
15	gta gaa gag atg cct cag att gaa aca aga gtg ata ttg gtt caa gaa	615
	Val Glu Glu Met Pro Gln Ile Glu Thr Arg Val Ile Leu Val Gln Glu	
	45 50 55	
15	gct gga aaa caa gaa gaa ctt ata aaa gcc tta aag gac att aaa gtg	663
	Ala Gly Lys Gln Glu Glu Leu Ile Lys Ala Leu Lys Asp Ile Lys Val	
	60 65 70	
20	ggc ttt gta aag atg gag tca gtg gaa gaa ttt gaa ggt ttg gat tct	711
	Gly Phe Val Lys Met Glu Ser Val Glu Glu Phe Glu Gly Leu Asp Ser	
	75 80 85	
25	ccg gaa ttt gaa aat gta ttt gta gtc acg gac ttt cag gat tct gtc	759
	Pro Glu Phe Glu Asn Val Phe Val Val Thr Asp Phe Gln Asp Ser Val	
	90 95 100 105	
25	ttt aat gac ctc tac aag gct gat tgt aga gtt att gga cca cca gtt	807
	Phe Asn Asp Leu Tyr Lys Ala Asp Cys Arg Val Ile Gly Pro Pro Val	
	110 115 120	
30	gta tta aat tgt tca caa aaa gga gag cct ttg cca ttt tca tgt cgc	855
	Val Leu Asn Cys Ser Gln Lys Gly Glu Pro Leu Pro Phe Ser Cys Arg	
	125 130 135	
35	ccg ttg tat tgt aca agt atg atg aat cta gta cta tgc ttt act gga	903
	Pro Leu Tyr Cys Thr Ser Met Met Asn Leu Val Leu Cys Phe Thr Gly	
	140 145 150	
35	ttt agg aaa aaa gaa gaa cta gtc agg ttg gtg aca ttg gtc cat cac	951
	Phe Arg Lys Lys Glu Glu Leu Val Arg Leu Val Thr Leu Val His His	
	155 160 165	
40	atg ggt gga gtt att cga aaa gac ttt aat tca aaa gtt aca cat ttg	999
	Met Gly Gly Val Ile Arg Lys Asp Phe Asn Ser Lys Val Thr His Leu	
	170 175 180 185	
45	gtg gca aat tgt aca caa gga gaa aaa ttc agg gtt gct gtg agt cta	1047
	Val Ala Asn Cys Thr Gln Gly Glu Lys Phe Arg Val Ala Val Ser Leu	
	190 195 200	
45	ggg act cca att atg aag cca gaa tgg att tat aaa gct tgg gaa agg	1095
	Gly Thr Pro Ile Met Lys Pro Glu Trp Ile Tyr Lys Ala Trp Glu Arg	
	205 210 215	
50	cgg aat gaa cag gat ttc tat gca gca gtt gat gac ttt aga aat gaa	1143
	Arg Asn Glu Gln Asp Phe Tyr Ala Ala Val Asp Asp Phe Arg Asn Glu	
	220 225 230	
55	ttt aaa gtt cct cca ttt caa gat tgt att tta agt ttc ctg gga ttt	1191
	Phe Lys Val Pro Pro Phe Gln Asp Cys Ile Leu Ser Phe Leu Gly Phe	
	235 240 245	
55	tca gat gaa gag aaa acc aat atg gaa gaa atg act gaa atg caa gga	1239

EP 2 465 864 B1

	Ser	Asp	Glu	Glu	Lys	Thr	Asn	Met	Glu	Glu	Met	Thr	Glu	Met	Gln	Gly	
	250					255					260					265	
5	ggt	aaa	tat	tta	ccg	ctt	gga	gat	gaa	aga	tgc	act	cac	ctt	gta	gtt	1287
	Gly	Lys	Tyr	Leu	Pro	Leu	Gly	Asp	Glu	Arg	Cys	Thr	His	Leu	Val	Val	
					270					275					280		
10	gaa	gag	aat	ata	gta	aaa	gat	ctt	ccc	ttt	gaa	cct	tca	aag	aaa	ctt	1335
	Glu	Glu	Asn	Ile	Val	Lys	Asp	Leu	Pro	Phe	Glu	Pro	Ser	Lys	Lys	Leu	
				285					290					295			
15	tat	gtt	gtc	aag	caa	gag	tgg	ttc	tgg	gga	agc	att	caa	atg	gat	gcc	1383
	Tyr	Val	Val	Lys	Gln	Glu	Trp	Phe	Trp	Gly	Ser	Ile	Gln	Met	Asp	Ala	
			300					305					310				
20	cga	gct	gga	gaa	act	atg	tat	tta	tat	gaa	aag	gca	aat	act	cct	gag	1431
	Arg	Ala	Gly	Glu	Thr	Met	Tyr	Leu	Tyr	Glu	Lys	Ala	Asn	Thr	Pro	Glu	
		315					320					325					
25	ctc	aag	aaa	tca	gtg	tca	atg	ctt	tct	cta	aat	acc	cct	aac	agc	aat	1479
	Leu	Lys	Lys	Ser	Val	Ser	Met	Leu	Ser	Leu	Asn	Thr	Pro	Asn	Ser	Asn	
	330					335					340					345	
30	cgc	aaa	cga	cgt	cgt	tta	aaa	gaa	aca	ctt	gct	cag	ctt	tca	aga	gag	1527
	Arg	Lys	Arg	Arg	Arg	Leu	Lys	Glu	Thr	Leu	Ala	Gln	Leu	Ser	Arg	Glu	
				350						355					360		
35	aca	gac	gtg	tca	cca	ttt	cca	ccc	cgt	aag	cgc	cca	tca	gct	gag	cat	1575
	Thr	Asp	Val	Ser	Pro	Phe	Pro	Pro	Arg	Lys	Arg	Pro	Ser	Ala	Glu	His	
				365					370					375			
40	tcc	ctt	tcc	ata	ggg	tca	ctc	cta	gat	atc	tcc	aac	aca	cca	gag	tct	1623
	Ser	Leu	Ser	Ile	Gly	Ser	Leu	Leu	Asp	Ile	Ser	Asn	Thr	Pro	Glu	Ser	
			380					385					390				
45	agc	att	aac	tat	gga	gac	acc	cca	aag	tct	tgt	act	aag	tct	tct	aaa	1671
	Ser	Ile	Asn	Tyr	Gly	Asp	Thr	Pro	Lys	Ser	Cys	Thr	Lys	Ser	Ser	Lys	
		395					400					405					
50	agc	tcc	act	cca	gtt	cct	tca	aag	cag	tca	gca	agg	tgg	caa	gtt	gca	1719
	Ser	Ser	Thr	Pro	Val	Ser	Lys	Gln	Ser	Ala	Arg	Trp	Gln	Val	Ala		
	410					415				420					425		
55	aaa	gag	ctt	tat	caa	act	gaa	agt	aat	tat	gtt	aat	ata	ttg	gca	aca	1767
	Lys	Glu	Leu	Tyr	Gln	Thr	Glu	Ser	Asn	Tyr	Val	Asn	Ile	Leu	Ala	Thr	
					430					435					440		
60	att	att	cag	tta	ttt	caa	gta	cca	ttg	gaa	gag	gaa	gga	caa	cgt	ggt	1815
	Ile	Ile	Gln	Leu	Phe	Gln	Val	Pro	Leu	Glu	Glu	Glu	Gly	Gln	Arg	Gly	
				445					450					455			
65	gga	cct	atc	ctt	gca	cca	gag	gag	att	aag	act	att	ttt	ggt	agc	atc	1863
	Gly	Pro	Ile	Leu	Ala	Pro	Glu	Glu	Ile	Lys	Thr	Ile	Phe	Gly	Ser	Ile	
			460					465					470				
70	cca	gat	atc	ttt	gat	gta	cac	act	aag	ata	aag	gat	gat	ctt	gaa	gac	1911
	Pro	Asp	Ile	Phe	Asp	Val	His	Thr	Lys	Ile	Lys	Asp	Asp	Leu	Glu	Asp	
		475					480					485					
75	ctt	ata	gtt	aat	tgg	gat	gag	agc	aaa	agc	att	ggt	gac	att	ttt	ctg	1959
	Leu	Ile	Val	Asn	Trp	Asp	Glu	Ser	Lys	Ser	Ile	Gly	Asp	Ile	Phe	Leu	
	490					495					500					505	
80	aaa	tat	tca	aaa	gat	ttg	gta	aaa	acc	tac	cct	ccc	ttt	gta	aac	ttc	2007
	Lys	Tyr	Ser	Lys	Asp	Leu	Val	Lys	Thr	Tyr	Pro	Pro	Phe	Val	Asn	Phe	

EP 2 465 864 B1

					510					515					520																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
--	--	--	--	--	-----	--	--	--	--	-----	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

EP 2 465 864 B1

	gaa tcc ttt gaa gta aat aca aaa gat atg gac agt aca ttg agt aga	2823
	Glu Ser Phe Glu Val Asn Thr Lys Asp Met Asp Ser Thr Leu Ser Arg	
	780 785 790	
5	gca tca aga gca ata aaa aag act tca aaa aag gtt aca aga gca ttc	2871
	Ala Ser Arg Ala Ile Lys Lys Thr Ser Lys Lys Val Thr Arg Ala Phe	
	795 800 805	
10	tct ttc tcc aaa act cca aaa aga gct ctt cga agg gct ctt atg aca	2919
	Ser Phe Ser Lys Thr Pro Lys Arg Ala Leu Arg Arg Ala Leu Met Thr	
	810 815 820 825	
15	tcc cac ggc tca gtg gag gga aga agt cct tcc agc aat gat aag cat	2967
	Ser His Gly Ser Val Glu Gly Arg Ser Pro Ser Ser Asn Asp Lys His	
	830 835 840	
20	gta atg agt cgt ctt tct agc aca tca tca tta gca ggt atc cct tct	3015
	Val Met Ser Arg Leu Ser Ser Thr Ser Ser Leu Ala Gly Ile Pro Ser	
	845 850 855	
25	ccc tcc ctt gtc agc ctt cct tcc ttc ttt gaa agg aga agt cat acg	3063
	Pro Ser Leu Val Ser Leu Pro Ser Phe Phe Glu Arg Arg Ser His Thr	
	860 865 870	
30	tta agt aga tct aca act cat ttg ata tga agcggttacca aaatcttaaa	3113
	Leu Ser Arg Ser Thr Thr His Leu Ile	
	875 880	
35	ttatagaaat gtatagacac ctcatactca aataagaaac tgacttaaatt ggtacttgta	3173
	attagcacgt tgggtgaaagc tggaaggaag ataaataaca cttaaactatg ctattttgatt	3233
40	tttcttcttg aaagagtaag gtttacctgt tacatttttca agttaattca tgtaaaaaat	3293
	gatagtgtt ttgatgtaat ttatctcttg tttgaatctg tcattcaaag gccataaatt	3353
	taagttgcta tcagctgata ttagtagctt tgcaaccctg atagagttaa taaattttat	3413
45	gggtgggtgc caaatactgc tgtgaatcta tttgtatagt atccatgaat gaattttatgg	3473
	aaatagatat ttgtgcagct caatttatgc agagattaaa tgacatcata atactggatg	3533
	aaaacttgca tagaattctg attaaatagt gggctctgttt cacatgtgca gtttgaagta	3593
50	tttaaataac cactcctttc acagtttatt ttcttctcaa gcgttttcaa gatctagcat	3653
	gtggatttta aaagatttgc cctcatatac aagaataaca tttaaaggag attgtttcaa	3713
	aatatttttg caaattgaga taaggacaga aagattgaga aacattgtat attttgcaaa	3773
55	aacaagatgt ttgtagctgt ttcagagaga gtacgggtata tttatggtaa ttttatccac	3833
	tagcaaatct tgatttagtt tgatagtcgt cgtcggaatt ttattttgaa ggataagacc	3893
	atgggaaaat tgtggtaaag actgtttgta cccttcatga aataattctg aagttgccat	3953
60	cagttttact aatcttctgt gaaatgcata gatatgcgca tgttcaactt tttattgtgg	4013
	tcttataatt aaatgtaaaa ttgaaaattc atttgctgtt tcaaagtgtg atatctttca	4073
	caatagcctt tttatagtca gtaattcaga ataataaagt tcatatggat aaatgcattt	4133
65	ttatttccta tttcttttagg gagtgctaca aatgtttgtc acttaaattt caagtttctg	4193

EP 2 465 864 B1

ttttaatagt taactgacta tagattgttt tctatgccat gtatgtgcca cttctgagag 4253
 tagtaaatga ctctttgcta cattttaaaa gcaattgtat tagtaagaac tttgtaaata 4313
 5 aatacctaaa acccaagtgt aaaaaaaaaa aaaaaa 4349

<210> 6

<211> 882

<212> PRT

10 <213> Homo sapiens

<400> 6

15 Met Ala Glu Asn Ser Val Leu Thr Ser Thr Thr Gly Arg Thr Ser Leu
 1 5 10 15
 Ala Asp Ser Ser Ile Phe Asp Ser Lys Val Thr Glu Ile Ser Lys Glu
 20 20 25 30
 25 Asn Leu Leu Ile Gly Ser Thr Ser Tyr Val Glu Glu Met Pro Gln Ile
 35 40 45
 30 Glu Thr Arg Val Ile Leu Val Gln Glu Ala Gly Lys Gln Glu Glu Leu
 50 55 60
 Ile Lys Ala Leu Lys Asp Ile Lys Val Gly Phe Val Lys Met Glu Ser
 65 70 75 80
 35 Val Glu Glu Phe Glu Gly Leu Asp Ser Pro Glu Phe Glu Asn Val Phe
 85 90 95
 Val Val Thr Asp Phe Gln Asp Ser Val Phe Asn Asp Leu Tyr Lys Ala
 100 105 110
 40 Asp Cys Arg Val Ile Gly Pro Pro Val Val Leu Asn Cys Ser Gln Lys
 115 120 125
 Gly Glu Pro Leu Pro Phe Ser Cys Arg Pro Leu Tyr Cys Thr Ser Met
 130 135 140
 45 Met Asn Leu Val Leu Cys Phe Thr Gly Phe Arg Lys Lys Glu Glu Leu
 145 150 155 160
 50 Val Arg Leu Val Thr Leu Val His His Met Gly Gly Val Ile Arg Lys
 165 170 175
 Asp Phe Asn Ser Lys Val Thr His Leu Val Ala Asn Cys Thr Gln Gly
 180 185 190
 55 Glu Lys Phe Arg Val Ala Val Ser Leu Gly Thr Pro Ile Met Lys Pro
 195 200 205

EP 2 465 864 B1

Glu Trp Ile Tyr Lys Ala Trp Glu Arg Arg Asn Glu Gln Asp Phe Tyr
 210 215 220

5 Ala Ala Val Asp Asp Phe Arg Asn Glu Phe Lys Val Pro Pro Phe Gln
 225 230 235 240

10 Asp Cys Ile Leu Ser Phe Leu Gly Phe Ser Asp Glu Glu Lys Thr Asn
 245 250 255

Met Glu Glu Met Thr Glu Met Gln Gly Gly Lys Tyr Leu Pro Leu Gly
 260 265 270

15 Asp Glu Arg Cys Thr His Leu Val Val Glu Glu Asn Ile Val Lys Asp
 275 280 285

20 Leu Pro Phe Glu Pro Ser Lys Lys Leu Tyr Val Val Lys Gln Glu Trp
 290 295 300

Phe Trp Gly Ser Ile Gln Met Asp Ala Arg Ala Gly Glu Thr Met Tyr
 305 310 315 320

25 Leu Tyr Glu Lys Ala Asn Thr Pro Glu Leu Lys Lys Ser Val Ser Met
 325 330 335

30 Leu Ser Leu Asn Thr Pro Asn Ser Asn Arg Lys Arg Arg Arg Leu Lys
 340 345 350

Glu Thr Leu Ala Gln Leu Ser Arg Glu Thr Asp Val Ser Pro Phe Pro
 355 360 365

35 Pro Arg Lys Arg Pro Ser Ala Glu His Ser Leu Ser Ile Gly Ser Leu
 370 375 380

40 Leu Asp Ile Ser Asn Thr Pro Glu Ser Ser Ile Asn Tyr Gly Asp Thr
 385 390 395 400

Pro Lys Ser Cys Thr Lys Ser Ser Lys Ser Ser Thr Pro Val Pro Ser
 405 410 415

45 Lys Gln Ser Ala Arg Trp Gln Val Ala Lys Glu Leu Tyr Gln Thr Glu
 420 425 430

50 Ser Asn Tyr Val Asn Ile Leu Ala Thr Ile Ile Gln Leu Phe Gln Val
 435 440 445

Pro Leu Glu Glu Glu Gly Gln Arg Gly Gly Pro Ile Leu Ala Pro Glu
 450 455 460

55

EP 2 465 864 B1

Glu Ile Lys Thr Ile Phe Gly Ser Ile Pro Asp Ile Phe Asp Val His
465 470 475 480

5 Thr Lys Ile Lys Asp Asp Leu Glu Asp Leu Ile Val Asn Trp Asp Glu
485 490 495

10 Ser Lys Ser Ile Gly Asp Ile Phe Leu Lys Tyr Ser Lys Asp Leu Val
500 505 510

Lys Thr Tyr Pro Pro Phe Val Asn Phe Phe Glu Met Ser Lys Glu Thr
515 520 525

15 Ile Ile Lys Cys Glu Lys Gln Lys Pro Arg Phe His Ala Phe Leu Lys
530 535 540

20 Ile Asn Gln Ala Lys Pro Glu Cys Gly Arg Gln Ser Leu Val Glu Leu
545 550 555 560

Leu Ile Arg Pro Val Gln Arg Leu Pro Ser Val Ala Leu Leu Leu Asn
565 570 575

25 Asp Leu Lys Lys His Thr Ala Asp Glu Asn Pro Asp Lys Ser Thr Leu
580 585 590

30 Glu Lys Ala Ile Gly Ser Leu Lys Glu Val Met Thr His Ile Asn Glu
595 600 605

Asp Lys Arg Lys Thr Glu Ala Gln Lys Gln Ile Phe Asp Val Val Tyr
610 615 620

35 Glu Val Asp Gly Cys Pro Ala Asn Leu Leu Ser Ser His Arg Ser Leu
625 630 635 640

40 Val Gln Arg Val Glu Thr Ile Ser Leu Gly Glu His Pro Cys Asp Arg
645 650 655

Gly Glu Gln Val Thr Leu Phe Leu Phe Asn Asp Cys Leu Glu Ile Ala
660 665 670

45 Arg Lys Arg His Lys Val Ile Gly Thr Phe Arg Ser Pro His Gly Gln
675 680 685

50 Thr Arg Pro Pro Ala Ser Leu Lys His Ile His Leu Met Pro Leu Ser
690 695 700

Gln Ile Lys Lys Val Leu Asp Ile Arg Glu Thr Glu Asp Cys His Asn
705 710 715 720

55 Ala Phe Ala Leu Leu Val Arg Pro Pro Thr Glu Gln Ala Asn Val Leu

EP 2 465 864 B1

725

730

735

5 Leu Ser Phe Gln Met Thr Ser Asp Glu Leu Pro Lys Glu Asn Trp Leu
740 745 750

Lys Met Leu Cys Arg His Val Ala Asn Thr Ile Cys Lys Ala Asp Ala
755 760 765

10 Glu Asn Leu Ile Tyr Thr Ala Asp Pro Glu Ser Phe Glu Val Asn Thr
770 775 780

15 Lys Asp Met Asp Ser Thr Leu Ser Arg Ala Ser Arg Ala Ile Lys Lys
785 790 795 800

20 Thr Ser Lys Lys Val Thr Arg Ala Phe Ser Phe Ser Lys Thr Pro Lys
805 810 815

Arg Ala Leu Arg Arg Ala Leu Met Thr Ser His Gly Ser Val Glu Gly
820 825 830

25 Arg Ser Pro Ser Ser Asn Asp Lys His Val Met Ser Arg Leu Ser Ser
835 840 845

30 Thr Ser Ser Leu Ala Gly Ile Pro Ser Pro Ser Leu Val Ser Leu Pro
850 855 860

Ser Phe Phe Glu Arg Arg Ser His Thr Leu Ser Arg Ser Thr Thr His
865 870 875 880

35 Leu Ile

<210> 7

<211> 1372

<212> DNA

40 <213> Homo sapiens

<220>

<221> CDS

<222> (206)..(397)

45 <400> 7

gcacgagggc gcttttgtct ccggtgagtt ttgtggcggg aagcttctgc gctggtgctt 60

50 agtaaccgac tttcctccgg actcctgcac gacctgctcc tacagccggc gatccactcc 120

cggctgttcc cccggagggt ccagaggcct ttcagaagga gaaggcagct ctgtttctct 180

gcagaggagt agggtccttt cagcc atg aag cat gtg ttg aac ctc tac ctg 232

Met Lys His Val Leu Asn Leu Tyr Leu
1 5

tta ggt gtg gta ctg acc cta ctc tcc atc ttc gtt aga gtg atg gag 280

EP 2 465 864 B1

Leu Gly Val Val Leu Thr Leu Leu Ser Ile Phe Val Arg Val Met Glu
 10 15 20 25
 5 tcc cta gaa ggc tta cta gag agc cca tcg cct ggg acc tcc tgg acc 328
 Ser Leu Glu Gly Leu Leu Glu Ser Pro Ser Pro Gly Thr Ser Trp Thr
 30 35 40
 10 acc aga agc caa cta gcc aac aca gag ccc acc aag ggc ctt cca gac 376
 Thr Arg Ser Gln Leu Ala Asn Thr Glu Pro Thr Lys Gly Leu Pro Asp
 45 50 55
 cat cca tcc aga agc atg tga taagacctcc ttccatactg gccatatttt 427
 His Pro Ser Arg Ser Met
 60
 15 ggaacactga cctagacatg tccagatggg agtcccattc ctagcagaca agctgagcac 487
 cgttgtaacc agagaactat tactaggcct tgaagaacct gtctaactgg atgetcattg 547
 cctgggcaag gcctgttttag gccggttgcg gtggctcatg cctgtaatcc tagcactttg 607
 20 ggaggctgag gtgggtggat cacctgaggt caggagttcg agaccagcct cgccaacatg 667
 gcgaaacccc atctctacta aaaatacaaa agttagctgg gtgtggtggc agaggcctgt 727
 aatcccagtt ccttgggagg ctgaggcggg agaattgctt gaacccgggg acggaggttg 787
 25 cagtgaaccg agatcgact gctgtaccca gcctgggcca cagtgaaga ctccatctca 847
 aaaaaaaaaa gaaaagaaaa agcctgttta atgcacaggt gtgagtggat tgcttatggc 907
 tatgagatag gttgatctcg cccttacccc ggggtctggt gtatgctgtg ctttcctcag 967
 30 cagtatggct ctgacatctc ttagatgtcc caacttcagc tgttgggaga tggatgatatt 1027
 ttcaacccta cttcctaaac atctgtctgg gggttccttta gtcttgaatg tcttatgtc 1087
 aattatttgg tgttgagcct ctcttcaca agagctcctc catgtttgga tagcagttga 1147
 35 agaggttgtg tgggtgggct gttgggagt aggatggagt gttcagtgcc catctctcat 1207
 ttacatattt aaagtcttc ctccaacata gtgtgtattg gtctgaaggg ggtgggtggga 1267
 tgccaaagcc tgetcaagtt atggacattg tggccaccat gtggcttaaa tgattttttc 1327
 40 taactaataa agtggaatat atatttcaaa aaaaaaaaaa aaaaa 1372

<210> 8

<211> 63

45 <212> PRT

<213> Homo sapiens

<400> 8

50 Met Lys His Val Leu Asn Leu Tyr Leu Leu Gly Val Val Leu Thr Leu
 1 5 10 15
 Leu Ser Ile Phe Val Arg Val Met Glu Ser Leu Glu Gly Leu Leu Glu
 20 25 30
 55 Ser Pro Ser Pro Gly Thr Ser Trp Thr Thr Arg Ser Gln Leu Ala Asn
 35 40 45

EP 2 465 864 B1

Thr Glu Pro Thr Lys Gly Leu Pro Asp His Pro Ser Arg Ser Met
50 55 60

<210> 9
<211> 3516
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (767)..(1990)

<400> 9

15 ggatcctgga gacaactttg ccgtgtgacg cgccgggagg actgcagggc ccgcggccga 60
gggctcggcg ccgcctgtga gcgggcccgc gcggccggct ctcccgggca ccaagcttgc 120
tccgcgccac tgcccgcgcg cccgcggcga ggacgacctg cccgtctccg ccgcgggcgg 180
20 cccttcctgg cgcgaggcag tgagggcgag gcgctcaggt gcgagcgcg ggccccgcgc 240
cagcgcccgc cgcagcgccg cgccaagccg cgcccggtc cgctccgggg ggctccagcg 300
ccttcgcttc cgtctcagcc aagtgtcgtg gaccgcgtct ttcgccacct tccccagccg 360
25 ccggccgaac cgccgctccc actgacgctg ctttcgcttc acccgaaccg gggtcgccgg 420
gcccccgacg cggaaggat ggggagaagg ctgcagatgc cgaggcgccc cgagacgccc 480
30 gtgcggcagt gaccgcgac ctccgccccg cccggcgcg ccctcgggcc cccggggccc 540
tcggcgcccc ttccctgccg cgcggaacc cccgaggccc ggccggcccc ctccccctgc 600
gagccggcgg cagccctccc ggcgggcggg cgggcgagg cccgggcggg cgcgggcgcg 660
35 ggcggggggcg gggcgggggcg gcgcgcccgg agcccgagc cccggccctgc gtcgggctcg 720
actcggtcgc cctcgcgggc ggcgccctcg tcgccagcgg cgcacc atg gac ggg 775
Met Asp Gly
1
40 ctg ccc ggt cgg gcg ctg ggg gcc gcc tgc ctt ctg ctg ctg gcg gcc 823
Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu Ala Ala
5 10 15
ggc tgg ctg ggg cct gag gcc tgg ggc tca ccc acg ccc ccg ccg acg 871
45 Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro Pro Pro Thr
20 25 30 35
cct gcc gcg ccg ccg cca ccc ccg cca ccc gga gcc ccg ggt ggc tcg 919
Pro Ala Ala Pro Pro Pro Pro Pro Pro Gly Ala Pro Gly Gly Ser
40 45 50
50 cag gac acc tgt acg tcg tgc ggc ggc ttc cgg cgg cca gag gag ctc 967
Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro Glu Glu Leu
55 60 65
ggc cga gtg gac ggc gac ttc ctg gag gcg gtg aag cgg cac atc ttg 1015
55 Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg His Ile Leu
70 75 80

EP 2 465 864 B1

	agc cgc ctg cag atg cgg ggc cgg ccc aac atc acg cac gcc gtg cct	1063
	Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His Ala Val Pro	
	85 90 95	
5	aag gcc gcc atg gtc acg gcc ctg cgc aag ctg cac gcg gcc aag gtg	1111
	Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala Gly Lys Val	
	100 105 110 115	
10	cgc gag gac gcc cgc gtg gag atc ccg cac ctc gac gcc cac gcc agc	1159
	Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly His Ala Ser	
	120 125 130	
15	ccg gcc gcc gac gcc cag gag cgc gtt tcc gaa atc atc agc ttc gcc	1207
	Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile Ser Phe Ala	
	135 140 145	
20	gag aca gat gcc ctc gcc tcc tcc cgg gtc cgc cta tac ttc ttc atc	1255
	Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr Phe Phe Ile	
	150 155 160	
25	tcc aac gaa gcc aac cag aac ctg ttt gtg gtc cag gcc agc ctg tgg	1303
	Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala Ser Leu Trp	
	165 170 175	
30	ctt tac ctg aaa ctc ctg ccc tac gtc ctg gag aag gcc agc cgg cgg	1351
	Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly Ser Arg Arg	
	180 185 190 195	
35	aag gtg cgg gtc aaa gtg tac ttc cag gag cag gcc cac ggt gac agg	1399
	Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His Gly Asp Arg	
	200 205 210	
40	tgg aac atg gtg gag aag agg gtg gac ctc aag cgc agc gcc tgg cat	1447
	Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser Gly Trp His	
	215 220 225	
45	acc ttc cca ctc acg gag gcc atc cag gcc ttg ttt gag cgg gcc gag	1495
	Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu Arg Gly Glu	
	230 235 240	
50	cgg cga ctc aac cta gac gtg cag tgt gac agc tgc cag gag ctg gcc	1543
	Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln Glu Leu Ala	
	245 250 255	
55	gtg gtg ccg gtg ttc gtg gac cca gcc gaa gag tgc cac cga ccc ttt	1591
	Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His Arg Pro Phe	
	260 265 270 275	
60	gtg gtg gtg cag gct cgg ctg gcc gac agc agg cac cgc att cgc aag	1639
	Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg Ile Arg Lys	
	280 285 290	
65	cga gcc ctg gag tgc gat gcc cgg acc aac ctc tgt tgc agg caa cag	1687
	Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys Arg Gln Gln	
	295 300 305	
70	ttc ttc att gac ttc cgc ctc atc gcc tgg aac gac tgg atc ata gca	1735
	Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp Ile Ile Ala	
	310 315 320	
75	ccc acc gcc tac tac gcc aac tac tgt gag gcc agc tgc cca gcc tac	1783
	Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys Pro Ala Tyr	
	325 330 335	
80	ctg gca ggg gtc ccc gcc tct gcc tcc tcc ttc cac acg gct gtg gtg	1831

EP 2 465 864 B1

	Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr Ala Val Val	
	340 345 350 355	
5	aac cag tac cgc atg cgg ggt ctg aac ccc ggc acg gtg aac tcc tgc Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val Asn Ser Cys	1879
	360 365 370	
10	tgc att ccc acc aag ctg agc acc atg tcc atg ctg tac ttc gat gat Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr Phe Asp Asp	1927
	375 380 385	
	gag tac aac atc gtc aag cgg gac gtg ccc aac atg att gtg gag gag Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile Val Glu Glu	1975
	390 395 400	
15	tgc ggc tgc gcc tga cagtgcgaagg cagggggcacg gtgggtggggc acggaggggca Cys Gly Cys Ala	2030
	405	
	gtccccgggtg ggcttcttcc agccccccgc gggaacggggg tacacgggtgg gctgagtaca	2090
20	gtcattctgt tgggctgtgg agatagtgcc aggggtgcggc ctgagatatt tttctacagc	2150
	ttcatagagc aaccagtcaa aaccagagcg agaaccctca actgacatga aatactttaa	2210
	aatgcacacg tagccacgca cagccagacg catcctgccca cccacacagc agcctccagg	2270
25	ataccagcaa atggatgcgg tgacaaatgg cagcttagct acaaatgcct gtcagtcgga	2330
	gagaatgggg tgagcagcca ccattccacc agctggcccg gccacgtctc gaagttgcgc	2390
	cttcccggagc acacataaaa gcacaaagac agagacgcag agagagagag agagccacgg	2450
30	agaggaaaag cagatgcagg ggtggggagc gcagctcggc ggaggctgcg tgtgccccgt	2510
	ggcttttacc aggcctgctc tgcctggctc gatgtctgct tcttcccagc ctgggaccc	2570
	tcgtgcttca aggcctgggg agcctgtcct tccatgccct tgtcgaggga aagagaccca	2630
35	gaaaggacac aaccctcag agacctggga gcaggggcaa tgaccgtttg actgtttgtg	2690
	gcttgggcct ctgacatgac ttatgtgtgt gtgtgtttttt ggggtgggga gggagggaga	2750
	gaagaggggg cttaaatttga tgctttaact gatctccaac agttgacagg tcatccttgc	2810
40	cagttgtata actgaaaaag gacttttcta ccaggtatga ccttttaagt gaaaatctga	2870
	attgttctaa atggaaagaa aaaaagttgc aatctgtgcc cttcattggg gacattcctc	2930
45	taggactggt ttggggacgg gtgggaatga cccctaggca aggggatgag accgcaggag	2990
	gaaatggcgg ggaggtggca ttcttgaact gctgaggatg ggggggtgtcc cctcagcgga	3050
	ggccaaggga ggggagcagc ctagttggtc ttggagagat ggggaaggct ttcagctgat	3110
50	ttgcagaagt tgcccatgtg ggcccaacca tcagggctgg ccgtggacgt ggccctgcc	3170
	cactcacctg cccgcctgcc cgcccgcccg catagcactt gcagacctgc ctgaacgcac	3230
	atgacatagc acttgccgat ctgcgtgtgc ccagaagtgg cccttggccg agcgccgaac	3290
55	tcgctcgccc tctagatgtc caagtgccac gtgaactatg caattttaaag gggtgacca	3350
	cactagacga aactggactc gtacgactct ttttatatatt tttataacttg aaatgaaatc	3410

ctttgcttct tttttaagcg aatgattgct tttaatgttt gcactgattt agttgcatga 3470
ttagtcagaa actgccattt gaaaaaaaaag ttatttttat agcagc 3516

5
<210> 10
<211> 407
<212> PRT
<213> Homo sapiens
10
<400> 10

15

20

25

30

35

40

45

50

55

EP 2 465 864 B1

Met Asp Gly Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu
 1 5 10 15
 5 Leu Ala Ala Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro
 20 25 30
 10 Pro Pro Thr Pro Ala Ala Pro Pro Pro Pro Pro Pro Gly Ala Pro
 35 40 45
 Gly Gly Ser Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro
 50 55 60
 15 Glu Glu Leu Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg
 65 70 75 80
 20 His Ile Leu Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His
 85 90 95
 Ala Val Pro Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala
 100 105 110
 25 Gly Lys Val Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly
 115 120 125
 30 His Ala Ser Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile
 130 135 140
 Ser Phe Ala Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr
 145 150 155 160
 35 Phe Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala
 165 170 175
 40 Ser Leu Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly
 180 185 190
 Ser Arg Arg Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His
 195 200 205
 45 Gly Asp Arg Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser
 50
 55

EP 2 465 864 B1

	210	215	220
5	Gly Trp His Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu 225 230 235 240		
	Arg Gly Glu Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln 245 250 255		
10	Glu Leu Ala Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His 260 265 270		
15	Arg Pro Phe Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg 275 280 285		
20	Ile Arg Lys Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys 290 295 300		
	Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp 305 310 315 320		
25	Ile Ile Ala Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys 325 330 335		
30	Pro Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr 340 345 350		
	Ala Val Val Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val 355 360 365		
35	Asn Ser Cys Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr 370 375 380		
40	Phe Asp Asp Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile 385 390 395 400		
	Val Glu Glu Cys Gly Cys Ala 405		

45 <210> 11
 <211> 2972
 <212> DNA
 <213> Homo sapiens

50 <220>
 <221> CDS
 <222> (28)..(2700)

55 <400> 11

tcttcggacc taggctgccc tgccgtc atg tcg caa ggg atc ctt tct ccg cca	54
Met Ser Gln Gly Ile Leu Ser Pro Pro	
1 5	

EP 2 465 864 B1

	gcg ggc ttg ctg tcc gat gac gat gtc gta gtt tct ccc atg ttt gag	102
	Ala Gly Leu Leu Ser Asp Asp Asp Val Val Val Ser Pro Met Phe Glu	
	10 15 20 25	
5	tcc aca gct gca gat ttg ggg tct gtg gta cgc aag aac ctg cta tca	150
	Ser Thr Ala Ala Asp Leu Gly Ser Val Val Arg Lys Asn Leu Leu Ser	
	30 35 40	
10	gac tgc tct gtc gtc tct acc tcc cta gag gac aag cag cag gtt cca	198
	Asp Cys Ser Val Val Ser Thr Ser Leu Glu Asp Lys Gln Gln Val Pro	
	45 50 55	
15	tct gag gac agt atg gag aag gtg aaa gta tac ttg agg gtt agg ccc	246
	Ser Glu Asp Ser Met Glu Lys Val Lys Val Tyr Leu Arg Val Arg Pro	
	60 65 70	
20	ttg tta cct tca gag ttg gaa cga cag gaa gat cag ggt tgt gtc cgt	294
	Leu Leu Pro Ser Glu Leu Glu Arg Gln Glu Asp Gln Gly Cys Val Arg	
	75 80 85	
25	att gag aat gtg gag acc ctt gtt cta caa gca ccc aag gac tcg ttt	342
	Ile Glu Asn Val Glu Thr Leu Val Leu Gln Ala Pro Lys Asp Ser Phe	
	90 95 100 105	
30	gcc ctg aag agc aat gaa cgg gga att ggc caa gcc aca cac agg ttc	390
	Ala Leu Lys Ser Asn Glu Arg Gly Ile Gly Gln Ala Thr His Arg Phe	
	110 115 120	
35	acc ttt tcc cag atc ttt ggg cca gaa gtg gga cag gca tcc ttc ttc	438
	Thr Phe Ser Gln Ile Phe Gly Pro Glu Val Gly Gln Ala Ser Phe Phe	
	125 130 135	
40	aac cta act gtg aag gag atg gta aag gat gta ctc aaa ggg cag aac	486
	Asn Leu Thr Val Lys Glu Met Val Lys Asp Val Leu Lys Gly Gln Asn	
	140 145 150	
45	tgg ctc atc tat aca tat gga gtc act aac tca ggg aaa acc cac acg	534
	Trp Leu Ile Tyr Thr Tyr Gly Val Thr Asn Ser Gly Lys Thr His Thr	
	155 160 165	
50	att caa ggt acc atc aag gat gga ggg att ctc ccc cgg tcc ctg gcg	582
	Ile Gln Gly Thr Ile Lys Asp Gly Gly Ile Leu Pro Arg Ser Leu Ala	
	170 175 180 185	
55	ctg atc ttc aat agc ctc caa ggc caa ctt cat cca aca cct gat ctg	630
	Leu Ile Phe Asn Ser Leu Gln Gly Gln Leu His Pro Thr Pro Asp Leu	
	190 195 200	
60	aag ccc ttg ctc tcc aat gag gta atc tgg cta gac agc aag cag atc	678
	Lys Pro Leu Leu Ser Asn Glu Val Ile Trp Leu Asp Ser Lys Gln Ile	
	205 210 215	
65	cga cag gag gaa atg aag aag ctg tcc ctg cta aat gga ggc ctc caa	726
	Arg Gln Glu Glu Met Lys Lys Leu Ser Leu Leu Asn Gly Gly Leu Gln	
	220 225 230	
70	gag gag gag ctg tcc act tcc ttg aag agg agt gtc tac atc gaa agt	774
	Glu Glu Glu Leu Ser Thr Ser Leu Lys Arg Ser Val Tyr Ile Glu Ser	
	235 240 245	
75	cgg ata ggt acc agc acc agc ttc gac agt ggc att gct ggg ctc tct	822
	Arg Ile Gly Thr Ser Thr Ser Phe Asp Ser Gly Ile Ala Gly Leu Ser	
	250 255 260 265	

EP 2 465 864 B1

	tct atc agt cag tgt acc agc agt agc cag ctg gat gaa aca agt cat	870
	Ser Ile Ser Gln Cys Thr Ser Ser Ser Gln Leu Asp Glu Thr Ser His	
	270 275 280	
5	cga tgg gca cag cca gac act gcc cca cta cct gtc ccg gca aac att	918
	Arg Trp Ala Gln Pro Asp Thr Ala Pro Leu Pro Val Pro Ala Asn Ile	
	285 290 295	
10	cgc ttc tcc atc tgg atc tca ttc ttt gag atc tac aac gaa ctg ctt	966
	Arg Phe Ser Ile Trp Ile Ser Phe Phe Glu Ile Tyr Asn Glu Leu Leu	
	300 305 310	
15	tat gac cta tta gaa ccg cct agc caa cag cgc aag agg cag act ttg	1014
	Tyr Asp Leu Leu Glu Pro Pro Ser Gln Gln Arg Lys Arg Gln Thr Leu	
	315 320 325	
20	cgg cta tgc gag gat caa aat ggc aat ccc tat gtg aaa gat ctc aac	1062
	Arg Leu Cys Glu Asp Gln Asn Gly Asn Pro Tyr Val Lys Asp Leu Asn	
	330 335 340 345	
25	tgg att cat gtg caa gat gct gag gag gcc tgg aag ctc cta aaa gtg	1110
	Trp Ile His Val Gln Asp Ala Glu Glu Ala Trp Lys Leu Leu Lys Val	
	350 355 360	
30	ggt cgt aag aac cag agc ttt gcc agc acc cac ctc aac cag aac tcc	1158
	Gly Arg Lys Asn Gln Ser Phe Ala Ser Thr His Leu Asn Gln Asn Ser	
	365 370 375	
35	agc cgc agt cac agc atc ttc tca atc agg atc cta cac ctt cag ggg	1206
	Ser Arg Ser His Ser Ile Phe Ser Ile Arg Ile Leu His Leu Gln Gly	
	380 385 390	
40	gaa gga gat ata gtc ccc aag atc agc gag ctg tca ctc tgt gat ctg	1254
	Glu Gly Asp Ile Val Pro Lys Ile Ser Glu Leu Ser Leu Cys Asp Leu	
	395 400 405	
45	gct ggc tca gag cgc tgc aaa gat cag aag agt ggt gaa cgg ttg aag	1302
	Ala Gly Ser Glu Arg Cys Lys Asp Gln Lys Ser Gly Glu Arg Leu Lys	
	410 415 420 425	
50	gaa gca gga aac att aac acc tct cta cac acc ctg ggc cgc tgt att	1350
	Glu Ala Gly Asn Ile Asn Thr Ser Leu His Thr Leu Gly Arg Cys Ile	
	430 435 440	
55	gct gcc ctt cgt caa aac cag cag aac cgg tca aag cag aac ctg gtt	1398
	Ala Ala Leu Arg Gln Asn Gln Gln Asn Arg Ser Lys Gln Asn Leu Val	
	445 450 455	
60	ccc ttc cgt gac agc aag ttg act cga gtg ttc caa ggt ttc ttc aca	1446
	Pro Phe Arg Asp Ser Lys Leu Thr Arg Val Phe Gln Gly Phe Phe Thr	
	460 465 470	
65	ggc cga ggc cgt tcc tgc atg att gtc aat gtg aat ccc tgt gca tct	1494
	Gly Arg Gly Arg Ser Cys Met Ile Val Asn Val Asn Pro Cys Ala Ser	
	475 480 485	
70	acc tat gat gaa act ctt cat gtg gcc aag ttc tca gcc att gct agc	1542
	Thr Tyr Asp Glu Thr Leu His Val Ala Lys Phe Ser Ala Ile Ala Ser	
	490 495 500 505	
75	cag ctt gtg cat gcc cca cct atg caa ctg gga ttc cca tcc ctg cac	1590
	Gln Leu Val His Ala Pro Pro Met Gln Leu Gly Phe Pro Ser Leu His	
	510 515 520	
80	tcg ttc atc aag gaa cat agt ctt cag gta tcc ccc agc tta gag aaa	1638

EP 2 465 864 B1

	Ser	Phe	Ile	Lys	Glu	His	Ser	Leu	Gln	Val	Ser	Pro	Ser	Leu	Glu	Lys	
				525					530						535		
5	ggg	gct	aag	gca	gac	aca	ggc	ctt	gat	gat	gat	att	gaa	aat	gaa	gct	1686
	Gly	Ala	Lys	Ala	Asp	Thr	Gly	Leu	Asp	Asp	Asp	Ile	Glu	Asn	Glu	Ala	
			540					545					550				
10	gac	atc	tcc	atg	tat	ggc	aaa	gag	gag	ctc	cta	caa	gtt	gtg	gaa	gcc	1734
	Asp	Ile	Ser	Met	Tyr	Gly	Lys	Glu	Glu	Leu	Leu	Gln	Val	Val	Glu	Ala	
			555				560					565					
15	atg	aag	aca	ctg	ctt	ttg	aag	gaa	cga	cag	gaa	aag	cta	cag	ctg	gag	1782
	Met	Lys	Thr	Leu	Leu	Leu	Lys	Glu	Arg	Gln	Glu	Lys	Leu	Gln	Leu	Glu	
	570					575					580					585	
20	atg	cat	ctc	cga	gat	gaa	att	tgc	aat	gag	atg	gta	gaa	cag	atg	caa	1830
	Met	His	Leu	Arg	Asp	Glu	Ile	Cys	Asn	Glu	Met	Val	Glu	Gln	Met	Gln	
					590					595					600		
25	cag	cgg	gaa	cag	tgg	tgc	agt	gaa	cat	ttg	gac	acc	caa	aag	gaa	cta	1878
	Gln	Arg	Glu	Gln	Trp	Cys	Ser	Glu	His	Leu	Asp	Thr	Gln	Lys	Glu	Leu	
				605					610					615			
30	ttg	gag	gaa	atg	tat	gaa	gaa	aaa	cta	aat	atc	ctc	aag	gag	tca	ctg	1926
	Leu	Glu	Glu	Met	Tyr	Glu	Glu	Lys	Leu	Asn	Ile	Leu	Lys	Glu	Ser	Leu	
				620				625					630				
35	aca	agt	ttt	tac	caa	gaa	gag	att	cag	gag	cgg	gat	gaa	aag	att	gaa	1974
	Thr	Ser	Phe	Tyr	Gln	Glu	Glu	Ile	Gln	Glu	Arg	Asp	Glu	Lys	Ile	Glu	
			635				640					645					
40	gag	cta	gaa	gct	ctc	ttg	cag	gaa	gcc	aga	caa	cag	tca	gtg	gcc	cat	2022
	Glu	Leu	Glu	Ala	Leu	Leu	Gln	Glu	Ala	Arg	Gln	Gln	Ser	Val	Ala	His	
						655					660					665	
45	cag	caa	tca	ggg	tct	gaa	ttg	gcc	cta	cgg	cgg	tca	caa	agg	ttg	gca	2070
	Gln	Gln	Ser	Gly	Ser	Glu	Leu	Ala	Leu	Arg	Arg	Ser	Gln	Arg	Leu	Ala	
					670					675					680		
50	gct	tct	gcc	tcc	acc	cag	cag	ctt	cag	gag	gtt	aaa	gct	aaa	tta	cag	2118
	Ala	Ser	Ala	Ser	Thr	Gln	Gln	Leu	Gln	Glu	Val	Lys	Ala	Lys	Leu	Gln	
					685				690					695			
55	cag	tgc	aaa	gca	gag	cta	aac	tct	acc	act	gaa	gag	ttg	cat	aag	tat	2166
	Gln	Cys	Lys	Ala	Glu	Leu	Asn	Ser	Thr	Thr	Glu	Glu	Leu	His	Lys	Tyr	
				700				705					710				
60	cag	aaa	atg	tta	gaa	cca	cca	ccc	tca	gcc	aag	ccc	ttc	acc	att	gat	2214
	Gln	Lys	Met	Leu	Glu	Pro	Pro	Pro	Ser	Ala	Lys	Pro	Phe	Thr	Ile	Asp	
							720					725					
65	gtg	gac	aag	aag	tta	gaa	gag	ggc	cag	aag	aat	ata	agg	ctg	ttg	cgg	2262
	Val	Asp	Lys	Lys	Leu	Glu	Glu	Gly	Gln	Lys	Asn	Ile	Arg	Leu	Leu	Arg	
						735					740					745	
70	aca	gag	ctt	cag	aaa	ctt	ggg	gag	tct	ctc	caa	tca	gca	gag	aga	gct	2310
	Thr	Glu	Leu	Gln	Lys	Leu	Gly	Glu	Ser	Leu	Gln	Ser	Ala	Glu	Arg	Ala	
					750					755					760		
75	tgt	tgc	cac	agc	act	ggg	gca	gga	aaa	ctt	cgt	caa	gcc	ttg	acc	act	2358
	Cys	Cys	His	Ser	Thr	Gly	Ala	Gly	Lys	Leu	Arg	Gln	Ala	Leu	Thr	Thr	
					765				770					775			
80	tgt	gat	gac	atc	tta	atc	aaa	cag	gac	cag	act	ctg	gct	gaa	ctg	cag	2406
	Cys	Asp	Asp	Ile	Leu	Ile	Lys	Gln	Asp	Gln	Thr	Leu	Ala	Glu	Leu	Gln	

EP 2 465 864 B1

	780	785	790	
5	aac aac atg gtg cta gtg Asn Asn Met Val Leu Val 795	aaa ctg gac ctt cgg Lys Leu Asp Leu Arg 800	aag aag gca gca tgt Lys Lys Ala Ala Cys 805	2454
10	att gct gag cag tat cat Ile Ala Glu Gln Tyr His 810	act gtg ttg aaa ctc Thr Val Leu Lys Leu 815	caa ggc cag gtt tct Gln Gly Gln Val Ser 820 825	2502
15	gcc aaa aag cgc ctt ggt Ala Lys Lys Arg Leu Gly 830	acc aac cag gaa aat Thr Asn Gln Glu Asn 835	cag caa cca aac caa Gln Gln Pro Asn Gln 840	2550
20	caa cca cca ggg aag aaa Gln Pro Pro Gly Lys Lys 845	cca ttc ctt cga aat tta Pro Phe Leu Arg Asn 850	ctt ccc cga aca Leu Leu Pro Arg Thr 855	2598
25	cca acc tgc caa agc tca Pro Thr Cys Gln Ser Ser 860	aca gac tgc agc cct Thr Asp Cys Ser Pro 865	tat gcc cgg atc cta Tyr Ala Arg Ile Leu 870	2646
30	cgc tca cgg cgt tcc cct Arg Ser Arg Arg Ser Pro 875	tta ctc aaa tct ggg Leu Leu Lys Ser Gly Pro 880	cct ttt ggc aaa aag Pro Phe Gly Lys Lys 885	2694
35	tac taa ggctgtgggg Tyr 890	aaagagaaga gcagtcattg 890	ccctgaggtg ggtcagctac 890	2750
40	tctcctgaag aaataggtct 890	cttttatgct ttacatata 890	tcaggaatta tatccaggat 890	2810
45	gcaataactca gacactagct 890	tttttctcac ttttgtatta 890	taaccaccta tgtaattctca 890	2870
50	tgttgtgtgt tttttttatt 890	tacttatatg atttctatgc 890	acacaaaaac agttatatta 890	2930
55	aagatattat tgttcacatt 890	ttttattgaa aaaaaaaaaa 890	aa 890	2972
60	<210> 12 <211> 890 <212> PRT <213> Homo sapiens			
65	Met Ser Gln Gly Ile Leu Ser Pro Pro 1 5 10	Ala Gly Leu Leu Ser Asp Asp 15		
70	Asp Val Val Val Ser Pro Met Phe 20 25	Glu Ser Thr Ala Ala Asp Leu Gly 30		
75	Ser Val Val Arg Lys Asn Leu Leu Ser 35 40	Asp Cys Ser Val Val Ser Thr 45		
80	Ser Leu Glu Asp Lys Gln Gln Val Pro 50 55	Ser Glu Asp Ser Met Glu Lys 60		
85	Val Lys Val Tyr Leu Arg Val Arg Pro 65 70	Leu Leu Pro Ser Glu Leu Glu 75 80		

EP 2 465 864 B1

	Arg	Gln	Glu	Asp	Gln	Gly	Cys	Val	Arg	Ile	Glu	Asn	Val	Glu	Thr	Leu	
					85					90					95		
5	Val	Leu	Gln	Ala	Pro	Lys	Asp	Ser	Phe	Ala	Leu	Lys	Ser	Asn	Glu	Arg	
				100					105					110			
10	Gly	Ile	Gly	Gln	Ala	Thr	His	Arg	Phe	Thr	Phe	Ser	Gln	Ile	Phe	Gly	
			115					120					125				
	Pro	Glu	Val	Gly	Gln	Ala	Ser	Phe	Phe	Asn	Leu	Thr	Val	Lys	Glu	Met	
		130					135					140					
15	Val	Lys	Asp	Val	Leu	Lys	Gly	Gln	Asn	Trp	Leu	Ile	Tyr	Thr	Tyr	Gly	
	145					150					155					160	
20	Val	Thr	Asn	Ser	Gly	Lys	Thr	His	Thr	Ile	Gln	Gly	Thr	Ile	Lys	Asp	
					165					170					175		
	Gly	Gly	Ile	Leu	Pro	Arg	Ser	Leu	Ala	Leu	Ile	Phe	Asn	Ser	Leu	Gln	
				180					185					190			
25	Gly	Gln	Leu	His	Pro	Thr	Pro	Asp	Leu	Lys	Pro	Leu	Leu	Ser	Asn	Glu	
			195					200					205				
30	Val	Ile	Trp	Leu	Asp	Ser	Lys	Gln	Ile	Arg	Gln	Glu	Glu	Met	Lys	Lys	
	210						215					220					
	Leu	Ser	Leu	Leu	Asn	Gly	Gly	Leu	Gln	Glu	Glu	Glu	Leu	Ser	Thr	Ser	
	225					230					235					240	
35	Leu	Lys	Arg	Ser	Val	Tyr	Ile	Glu	Ser	Arg	Ile	Gly	Thr	Ser	Thr	Ser	
					245					250					255		
40	Phe	Asp	Ser	Gly	Ile	Ala	Gly	Leu	Ser	Ser	Ile	Ser	Gln	Cys	Thr	Ser	
				260					265					270			
	Ser	Ser	Gln	Leu	Asp	Glu	Thr	Ser	His	Arg	Trp	Ala	Gln	Pro	Asp	Thr	
45			275					280					285				
	Ala	Pro	Leu	Pro	Val	Pro	Ala	Asn	Ile	Arg	Phe	Ser	Ile	Trp	Ile	Ser	
		290					295					300					
50	Phe	Phe	Glu	Ile	Tyr	Asn	Glu	Leu	Leu	Tyr	Asp	Leu	Leu	Glu	Pro	Pro	
	305					310					315					320	
	Ser	Gln	Gln	Arg	Lys	Arg	Gln	Thr	Leu	Arg	Leu	Cys	Glu	Asp	Gln	Asn	
55					325					330					335		

EP 2 465 864 B1

	Gly	Asn	Pro	Tyr	Val	Lys	Asp	Leu	Asn	Trp	Ile	His	Val	Gln	Asp	Ala	
				340					345					350			
5	Glu	Glu	Ala	Trp	Lys	Leu	Leu	Lys	Val	Gly	Arg	Lys	Asn	Gln	Ser	Phe	
			355					360					365				
	Ala	Ser	Thr	His	Leu	Asn	Gln	Asn	Ser	Ser	Arg	Ser	His	Ser	Ile	Phe	
10			370				375					380					
	Ser	Ile	Arg	Ile	Leu	His	Leu	Gln	Gly	Glu	Gly	Asp	Ile	Val	Pro	Lys	
	385					390					395					400	
15	Ile	Ser	Glu	Leu	Ser	Leu	Cys	Asp	Leu	Ala	Gly	Ser	Glu	Arg	Cys	Lys	
				405						410					415		
	Asp	Gln	Lys	Ser	Gly	Glu	Arg	Leu	Lys	Glu	Ala	Gly	Asn	Ile	Asn	Thr	
20				420					425					430			
	Ser	Leu	His	Thr	Leu	Gly	Arg	Cys	Ile	Ala	Ala	Leu	Arg	Gln	Asn	Gln	
			435					440						445			
25	Gln	Asn	Arg	Ser	Lys	Gln	Asn	Leu	Val	Pro	Phe	Arg	Asp	Ser	Lys	Leu	
	450						455					460					
	Thr	Arg	Val	Phe	Gln	Gly	Phe	Phe	Thr	Gly	Arg	Gly	Arg	Ser	Cys	Met	
30	465				470						475					480	
	Ile	Val	Asn	Val	Asn	Pro	Cys	Ala	Ser	Thr	Tyr	Asp	Glu	Thr	Leu	His	
				485						490					495		
35	Val	Ala	Lys	Phe	Ser	Ala	Ile	Ala	Ser	Gln	Leu	Val	His	Ala	Pro	Pro	
			500						505					510			
	Met	Gln	Leu	Gly	Phe	Pro	Ser	Leu	His	Ser	Phe	Ile	Lys	Glu	His	Ser	
40			515					520					525				
	Leu	Gln	Val	Ser	Pro	Ser	Leu	Glu	Lys	Gly	Ala	Lys	Ala	Asp	Thr	Gly	
	530						535					540					
45	Leu	Asp	Asp	Asp	Ile	Glu	Asn	Glu	Ala	Asp	Ile	Ser	Met	Tyr	Gly	Lys	
	545				550					555						560	
	Glu	Glu	Leu	Leu	Gln	Val	Val	Glu	Ala	Met	Lys	Thr	Leu	Leu	Leu	Lys	
50				565						570					575		
	Glu	Arg	Gln	Glu	Lys	Leu	Gln	Leu	Glu	Met	His	Leu	Arg	Asp	Glu	Ile	
			580						585					590			
55	Cys	Asn	Glu	Met	Val	Glu	Gln	Met	Gln	Gln	Arg	Glu	Gln	Trp	Cys	Ser	

EP 2 465 864 B1

595

600

605

5

Glu His Leu Asp Thr Gln Lys Glu Leu Leu Glu Glu Met Tyr Glu Glu
610 615 620

10

Lys Leu Asn Ile Leu Lys Glu Ser Leu Thr Ser Phe Tyr Gln Glu Glu
625 630 635 640

15

Ile Gln Glu Arg Asp Glu Lys Ile Glu Glu Leu Glu Ala Leu Leu Gln
645 650 655

Glu Ala Arg Gln Gln Ser Val Ala His Gln Gln Ser Gly Ser Glu Leu
660 665 670

20

Ala Leu Arg Arg Ser Gln Arg Leu Ala Ala Ser Ala Ser Thr Gln Gln
675 680 685

Leu Gln Glu Val Lys Ala Lys Leu Gln Gln Cys Lys Ala Glu Leu Asn
690 695 700

25

Ser Thr Thr Glu Glu Leu His Lys Tyr Gln Lys Met Leu Glu Pro Pro
705 710 715 720

30

Pro Ser Ala Lys Pro Phe Thr Ile Asp Val Asp Lys Lys Leu Glu Glu
725 730 735

Gly Gln Lys Asn Ile Arg Leu Leu Arg Thr Glu Leu Gln Lys Leu Gly
740 745 750

35

Glu Ser Leu Gln Ser Ala Glu Arg Ala Cys Cys His Ser Thr Gly Ala
755 760 765

40

Gly Lys Leu Arg Gln Ala Leu Thr Thr Cys Asp Asp Ile Leu Ile Lys
770 775 780

Gln Asp Gln Thr Leu Ala Glu Leu Gln Asn Asn Met Val Leu Val Lys
785 790 795 800

45

Leu Asp Leu Arg Lys Lys Ala Ala Cys Ile Ala Glu Gln Tyr His Thr
805 810 815

50

Val Leu Lys Leu Gln Gly Gln Val Ser Ala Lys Lys Arg Leu Gly Thr
820 825 830

Asn Gln Glu Asn Gln Gln Pro Asn Gln Gln Pro Pro Gly Lys Lys Pro
835 840 845

55

Phe Leu Arg Asn Leu Leu Pro Arg Thr Pro Thr Cys Gln Ser Ser Thr
850 855 860

EP 2 465 864 B1

Asp Cys Ser Pro Tyr Ala Arg Ile Leu Arg Ser Arg Arg Ser Pro Leu
 865 870 875 880

5 Leu Lys Ser Gly Pro Phe Gly Lys Lys Tyr
 885 890

<210> 13
 <211> 2150
 10 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 15 <222> (105)..(2033)

<400> 13

20 ctcgagccac gaaggccccg ctgtcctgtc tagcagatac ttgcacgggt tacagaaatt 60
 cggtcacctgg gtcgtgtcag gaaactggaa aaaaggtcat aagc atg aag cgc agt 116
 Met Lys Arg Ser
 1
 25 tca gtt tcc agc ggt ggt gct ggc cgc ctc tcc atg cag gag tta aga 164
 Ser Val Ser Ser Gly Gly Ala Gly Arg Leu Ser Met Gln Glu Leu Arg
 5 10 15 20
 30 tcc cag gat gta aat aaa caa ggc ctc tat acc cct caa acc aaa gag 212
 Ser Gln Asp Val Asn Lys Gln Gly Leu Tyr Thr Pro Gln Thr Lys Glu
 25 30 35
 aaa cca acc ttt gga aag ttg agt ata aac aaa ccg aca tct gaa aga 260
 Lys Pro Thr Phe Gly Lys Leu Ser Ile Asn Lys Pro Thr Ser Glu Arg
 40 45 50
 35 aaa gtc tcg cta ttt ggc aaa aga act agt gga cat gga tcc cgg aat 308
 Lys Val Ser Leu Phe Gly Lys Arg Thr Ser Gly His Gly Ser Arg Asn
 55 60 65
 40 agt caa ctt ggt ata ttt tcc agt tct gag aaa atc aag gac ccg aga 356
 Ser Gln Leu Gly Ile Phe Ser Ser Ser Glu Lys Ile Lys Asp Pro Arg
 70 75 80
 cca ctt aat gac aaa gca ttc att cag cag tgt att cga caa ctc tgt 404
 Pro Leu Asn Asp Lys Ala Phe Ile Gln Gln Cys Ile Arg Gln Leu Cys
 85 90 95 100
 45 gag ttt ctt aca gaa aat ggt tat gca cat aat gtg tcc atg aaa tct 452
 Glu Phe Leu Thr Glu Asn Gly Tyr Ala His Asn Val Ser Met Lys Ser
 105 110 115
 50 cta caa gct ccc tct gtt aaa gac ttc ctg aag atc ttc aca ttt ctt 500
 Leu Gln Ala Pro Ser Val Lys Asp Phe Leu Lys Ile Phe Thr Phe Leu
 120 125 130
 tat ggc ttc ctg tgc ccc tca tac gaa ctt cct gac aca aag ttt gaa 548
 Tyr Gly Phe Leu Cys Pro Ser Tyr Glu Leu Pro Asp Thr Lys Phe Glu
 135 140 145
 55 gaa gag gtt cca aga atc ttt aaa gac ctt ggg tat cct ttt gca cta 596
 Glu Glu Val Pro Arg Ile Phe Lys Asp Leu Gly Tyr Pro Phe Ala Leu

EP 2 465 864 B1

	150		155		160																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
--	-----	--	-----	--	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

EP 2 465 864 B1

	aaa tta aaa ctt att cct aaa ggt gct gag aat tcc aaa ggt tat gac	1412
	Lys Leu Lys Leu Ile Pro Lys Gly Ala Glu Asn Ser Lys Gly Tyr Asp	
	425 430 435	
5	ttt gaa att aag ttt aat ccc gag gct ggt gcc aac tgc ctt gtc aaa	1460
	Phe Glu Ile Lys Phe Asn Pro Glu Ala Gly Ala Asn Cys Leu Val Lys	
	440 445 450	
10	tac agg gct caa gtt tat gta cct ctt aag gaa ctc ctg aat gaa act	1508
	Tyr Arg Ala Gln Val Tyr Val Pro Leu Lys Glu Leu Leu Asn Glu Thr	
	455 460 465	
15	gaa gaa gaa att aat aaa gcc cta aat aaa aaa atg ggt ttg gag gat	1556
	Glu Glu Glu Ile Asn Lys Ala Leu Asn Lys Lys Met Gly Leu Glu Asp	
	470 475 480	
20	act tta gaa caa ttg aat gca atg ata aca gaa agc aag aga agt gtg	1604
	Thr Leu Glu Gln Leu Asn Ala Met Ile Thr Glu Ser Lys Arg Ser Val	
	485 490 495 500	
25	aga act ctg aaa gaa gaa gtt caa aag ctg gat gat ctt tac caa caa	1652
	Arg Thr Leu Lys Glu Glu Val Gln Lys Leu Asp Asp Leu Tyr Gln Gln	
	505 510 515	
30	aaa att aag gaa gca gag gaa gag gat gaa aaa tgt gcc agt gag ctt	1700
	Lys Ile Lys Glu Ala Glu Glu Glu Asp Glu Lys Cys Ala Ser Glu Leu	
	520 525 530	
35	gag tcc ttg gag aaa cac aag cac ctg cta gaa agt act gtt aac cag	1748
	Glu Ser Leu Glu Lys His Lys His Leu Leu Glu Ser Thr Val Asn Gln	
	535 540 545	
40	ggg ctc agt gaa gct atg aat gaa tta gat gct gtt cag cgg gaa tac	1796
	Gly Leu Ser Glu Ala Met Asn Glu Leu Asp Ala Val Gln Arg Glu Tyr	
	550 555 560	
45	caa cta gtt gtg caa acc acg act gaa gaa aga cga aaa gtg gga aat	1844
	Gln Leu Val Val Gln Thr Thr Thr Glu Glu Arg Arg Lys Val Gly Asn	
	565 570 575 580	
50	aac ttg caa cgt ctg tta gag atg gtt gct aca cat gtt ggg tct gta	1892
	Asn Leu Gln Arg Leu Leu Glu Met Val Ala Thr His Val Gly Ser Val	
	585 590 595	
55	gag aaa cat ctt gag gag cag att gct aaa gtt gat aga gaa tat gaa	1940
	Glu Lys His Leu Glu Glu Gln Ile Ala Lys Val Asp Arg Glu Tyr Glu	
	600 605 610	
60	gaa tgc atg tca gaa gat ctc tcg gaa aat att aaa gag att aga gat	1988
	Glu Cys Met Ser Glu Asp Leu Ser Glu Asn Ile Lys Glu Ile Arg Asp	
	615 620 625	
65	aag tat gag aag aaa gct act cta att aag tct tct gaa gaa tga	2033
	Lys Tyr Glu Lys Lys Ala Thr Leu Ile Lys Ser Ser Glu Glu	
	630 635 640	
70	agataaaatg ttgatcatgt atatatatcc atagtgaata aaattgtctc agtaaaaaaa	2093
75	aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa	2150

<210> 14

<211> 642

<212> PRT

<213> Homo sapiens

EP 2 465 864 B1

<400> 14

5 Met Lys Arg Ser Ser Val Ser Ser Gly Gly Ala Gly Arg Leu Ser Met
 1 5 10 15
 Gln Glu Leu Arg Ser Gln Asp Val Asn Lys Gln Gly Leu Tyr Thr Pro
 20 25 30
 10 Gln Thr Lys Glu Lys Pro Thr Phe Gly Lys Leu Ser Ile Asn Lys Pro
 35 40 45
 15 Thr Ser Glu Arg Lys Val Ser Leu Phe Gly Lys Arg Thr Ser Gly His
 50 55 60
 Gly Ser Arg Asn Ser Gln Leu Gly Ile Phe Ser Ser Ser Glu Lys Ile
 65 70 75 80
 20 Lys Asp Pro Arg Pro Leu Asn Asp Lys Ala Phe Ile Gln Gln Cys Ile
 85 90 95
 25 Arg Gln Leu Cys Glu Phe Leu Thr Glu Asn Gly Tyr Ala His Asn Val
 100 105 110
 Ser Met Lys Ser Leu Gln Ala Pro Ser Val Lys Asp Phe Leu Lys Ile
 115 120 125
 30 Phe Thr Phe Leu Tyr Gly Phe Leu Cys Pro Ser Tyr Glu Leu Pro Asp
 130 135 140
 35 Thr Lys Phe Glu Glu Glu Val Pro Arg Ile Phe Lys Asp Leu Gly Tyr
 145 150 155 160
 Pro Phe Ala Leu Ser Lys Ser Ser Met Tyr Thr Val Gly Ala Pro His
 165 170 175
 40 Thr Trp Pro His Ile Val Ala Ala Leu Val Trp Leu Ile Asp Cys Ile
 180 185 190
 45 Lys Ile His Thr Ala Met Lys Glu Ser Ser Pro Leu Phe Asp Asp Gly
 195 200 205
 Gln Pro Trp Gly Glu Glu Thr Glu Asp Gly Ile Met His Asn Lys Leu
 210 215 220
 50 Phe Leu Asp Tyr Thr Ile Lys Cys Tyr Glu Ser Phe Met Ser Gly Ala
 225 230 235 240
 55 Asp Ser Phe Asp Glu Met Asn Ala Glu Leu Gln Ser Lys Leu Lys Asp

EP 2 465 864 B1

	245	250	255
5	Leu Phe Asn Val Asp Ala Phe Lys Leu Glu Ser Leu Glu Ala Lys Asn 260 265 270		
10	Arg Ala Leu Asn Glu Gln Ile Ala Arg Leu Glu Gln Glu Arg Glu Lys 275 280 285		
15	Glu Pro Asn Arg Leu Glu Ser Leu Arg Lys Leu Lys Ala Ser Leu Gln 290 295 300		
20	Gly Asp Val Gln Lys Tyr Gln Ala Tyr Met Ser Asn Leu Glu Ser His 305 310 315 320		
25	Ser Ala Ile Leu Asp Gln Lys Leu Asn Gly Leu Asn Glu Glu Ile Ala 325 330 335		
30	Arg Val Glu Leu Glu Cys Glu Thr Ile Lys Gln Glu Asn Thr Arg Leu 340 345 350		
35	Gln Asn Ile Ile Asp Asn Gln Lys Tyr Ser Val Ala Asp Ile Glu Arg 355 360 365		
40	Ile Asn His Glu Arg Asn Glu Leu Gln Gln Thr Ile Asn Lys Leu Thr 370 375 380		
45	Lys Asp Leu Glu Ala Glu Gln Gln Lys Leu Trp Asn Glu Glu Leu Lys 385 390 395 400		
50	Tyr Ala Arg Gly Lys Glu Ala Ile Glu Thr Gln Leu Ala Glu Tyr His 405 410 415		
55	Lys Leu Ala Arg Lys Leu Lys Leu Ile Pro Lys Gly Ala Glu Asn Ser 420 425 430		
	Lys Gly Tyr Asp Phe Glu Ile Lys Phe Asn Pro Glu Ala Gly Ala Asn 435 440 445		
	Cys Leu Val Lys Tyr Arg Ala Gln Val Tyr Val Pro Leu Lys Glu Leu 450 455 460		
	Leu Asn Glu Thr Glu Glu Glu Ile Asn Lys Ala Leu Asn Lys Lys Met 465 470 475 480		
	Gly Leu Glu Asp Thr Leu Glu Gln Leu Asn Ala Met Ile Thr Glu Ser 485 490 495		
	Lys Arg Ser Val Arg Thr Leu Lys Glu Glu Val Gln Lys Leu Asp Asp 500 505 510		

EP 2 465 864 B1

	Leu Tyr Gln Gln Lys Ile Lys Glu Ala Glu Glu Glu Asp Glu Lys Cys	
	515 520 525	
5	Ala Ser Glu Leu Glu Ser Leu Glu Lys His Lys His Leu Leu Glu Ser	
	530 535 540	
10	Thr Val Asn Gln Gly Leu Ser Glu Ala Met Asn Glu Leu Asp Ala Val	
	545 550 555 560	
	Gln Arg Glu Tyr Gln Leu Val Val Gln Thr Thr Thr Glu Glu Arg Arg	
	565 570 575	
15	Lys Val Gly Asn Asn Leu Gln Arg Leu Leu Glu Met Val Ala Thr His	
	580 585 590	
20	Val Gly Ser Val Glu Lys His Leu Glu Glu Gln Ile Ala Lys Val Asp	
	595 600 605	
	Arg Glu Tyr Glu Glu Cys Met Ser Glu Asp Leu Ser Glu Asn Ile Lys	
	610 615 620	
25	Glu Ile Arg Asp Lys Tyr Glu Lys Lys Ala Thr Leu Ile Lys Ser Ser	
	625 630 635 640	
30	Glu Glu	
	<210> 15	
	<211> 2984	
	<212> DNA	
	<213> Homo sapiens	
35	<220>	
	<221> CDS	
	<222> (75)..(2648)	
40	<400> 15	
	ggaaattcaa acgtgtttgc ggaaaggagt ttgggttcca tcttttcatt tccccagegc	60
45	agctttctgt agaa atg gaa tcc gag gat tta agt ggc aga gaa ttg aca	110
	Met Glu Ser Glu Asp Leu Ser Gly Arg Glu Leu Thr	
	1 5 10	
	att gat tcc ata atg aac aaa gtg aga gac att aaa aat aag ttt aaa	158
	Ile Asp Ser Ile Met Asn Lys Val Arg Asp Ile Lys Asn Lys Phe Lys	
50	15 20 25	
	aat gaa gac ctt act gat gaa cta agc ttg aat aaa att tct gct gat	206
	Asn Glu Asp Leu Thr Asp Glu Leu Ser Leu Asn Lys Ile Ser Ala Asp	
	30 35 40	
55	act aca gat aac tcg gga act gtt aac caa att atg atg atg gca aac	254
	Thr Thr Asp Asn Ser Gly Thr Val Asn Gln Ile Met Met Met Ala Asn	

EP 2 465 864 B1

	45		50		55		60		
	aac cca gag gac tgg ttg agt ttg ttg ctc aaa cta gag aaa aac agt								302
5	Asn Pro Glu Asp Trp Leu Ser Leu Leu Leu Lys Leu Glu Lys Asn Ser	65		70		75			
	gtt ccg cta agt gat gct ctt tta aat aaa ttg att ggt cgt tac agt								350
	Val Pro Leu Ser Asp Ala Leu Leu Asn Lys Leu Ile Gly Arg Tyr Ser	80		85		90			
10	caa gca att gaa gcg ctt ccc cca gat aaa tat ggc caa aat gag agt								398
	Gln Ala Ile Glu Ala Leu Pro Pro Asp Lys Tyr Gly Gln Asn Glu Ser	95		100		105			
	ttt gct aga att caa gtg aga ttt gct gaa tta aaa gct att caa gag								446
15	Phe Ala Arg Ile Gln Val Arg Phe Ala Glu Leu Lys Ala Ile Gln Glu	110		115		120			
	cca gat gat gca cgt gac tac ttt caa atg gcc aga gca aac tgc aag								494
	Pro Asp Asp Ala Arg Asp Tyr Phe Gln Met Ala Arg Ala Asn Cys Lys	125		130		135			140
20	aaa ttt gct ttt gtt cat ata tct ttt gca caa ttt gaa ctg tca caa								542
	Lys Phe Ala Phe Val His Ile Ser Phe Ala Gln Phe Glu Leu Ser Gln	145		150		155			
	ggg aat gtc aaa aaa agt aaa caa ctt ctt caa aaa gct gta gaa cgt								590
25	Gly Asn Val Lys Lys Ser Lys Gln Leu Leu Gln Lys Ala Val Glu Arg	160		165		170			
	gga gca gta cca cta gaa atg ctg gaa att gcc ctg cgg aat tta aac								638
	Gly Ala Val Pro Leu Glu Met Leu Glu Ile Ala Leu Arg Asn Leu Asn	175		180		185			
30	ctc caa aaa aag cag ctg ctt tca gag gag gaa aag aag aat tta tca								686
	Leu Gln Lys Lys Gln Leu Leu Ser Glu Glu Glu Lys Lys Asn Leu Ser	190		195		200			
	gca tct acg gta tta act gcc caa gaa tca ttt tcc ggt tca ctt ggg								734
35	Ala Ser Thr Val Leu Thr Ala Gln Glu Ser Phe Ser Gly Ser Leu Gly	205		210		215			220
	cat tta cag aat agg aac aac agt tgt gat tcc aga gga cag act act								782
	His Leu Gln Asn Arg Asn Asn Ser Cys Asp Ser Arg Gly Gln Thr Thr	225		230		235			
40	aaa gcc agg ttt tta tat gga gag aac atg cca cca caa gat gca gaa								830
	Lys Ala Arg Phe Leu Tyr Gly Glu Asn Met Pro Pro Gln Asp Ala Glu	240		245		250			
	ata ggt tac cgg aat tca ttg aga caa act aac aaa act aaa cag tca								878
45	Ile Gly Tyr Arg Asn Ser Leu Arg Gln Thr Asn Lys Thr Lys Gln Ser	255		260		265			
	tgc cca ttt gga aga gtc cca gtt aac ctt cta aat agc cca gat tgt								926
	Cys Pro Phe Gly Arg Val Pro Val Asn Leu Leu Asn Ser Pro Asp Cys	270		275		280			
50	gat gtg aag aca gat gat tca gtt gta cct tgt ttt atg aaa aga caa								974
	Asp Val Lys Thr Asp Asp Ser Val Val Pro Cys Phe Met Lys Arg Gln	285		290		295			300
	acc tct aga tca gaa tgc cga gat ttg gtt gtg cct gga tct aaa cca								1022
55	Thr Ser Arg Ser Glu Cys Arg Asp Leu Val Val Pro Gly Ser Lys Pro	305		310		315			

EP 2 465 864 B1

	agt gga aat gat tcc tgt gaa tta aga aat tta aag tct gtt caa aat	1070
	Ser Gly Asn Asp Ser Cys Glu Leu Arg Asn Leu Lys Ser Val Gln Asn	
	320 325 330	
5	agt cat ttc aag gaa cct ctg gtg tca gat gaa aag agt tct gaa ctt	1118
	Ser His Phe Lys Glu Pro Leu Val Ser Asp Glu Lys Ser Ser Glu Leu	
	335 340 345	
10	att att act gat tca ata acc ctg aag aat aaa acg gaa tca agt ctt	1166
	Ile Ile Thr Asp Ser Ile Thr Leu Lys Asn Lys Thr Glu Ser Ser Leu	
	350 355 360	
15	cta gct aaa tta gaa gaa act aaa gag tat caa gaa cca gag gtt cca	1214
	Leu Ala Lys Leu Glu Glu Thr Lys Glu Tyr Gln Glu Pro Glu Val Pro	
	365 370 375 380	
20	gag agt aac cag aaa cag tgg caa tct aag aga aag tca gag tgt att	1262
	Glu Ser Asn Gln Lys Gln Trp Gln Ser Lys Arg Lys Ser Glu Cys Ile	
	385 390 395	
25	aac cag aat cct gct gca tct tca aat cac tgg cag att ccg gag tta	1310
	Asn Gln Asn Pro Ala Ala Ser Ser Asn His Trp Gln Ile Pro Glu Leu	
	400 405 410	
30	gcc cga aaa gtt aat aca gag cag aaa cat acc act ttt gag caa cct	1358
	Ala Arg Lys Val Asn Thr Glu Gln Lys His Thr Thr Phe Glu Gln Pro	
	415 420 425	
35	gtc ttt tca gtt tca aaa cag tca cca cca ata tca aca tct aaa tgg	1406
	Val Phe Ser Val Ser Lys Gln Ser Pro Pro Ile Ser Thr Ser Lys Trp	
	430 435 440	
40	ttt gac cca aaa tct att tgt aag aca cca agc agc aat acc ttg gat	1454
	Phe Asp Pro Lys Ser Ile Cys Lys Thr Pro Ser Ser Asn Thr Leu Asp	
	445 450 455 460	
45	gat tac atg agc tgt ttt aga act cca gtt gta aag aat gac ttt cca	1502
	Asp Tyr Met Ser Cys Phe Arg Thr Pro Val Val Lys Asn Asp Phe Pro	
	465 470 475	
50	cct gct tgt cag ttg tca aca cct tat ggc caa cct gcc tgt ttc cag	1550
	Pro Ala Cys Gln Leu Ser Thr Pro Tyr Gly Gln Pro Ala Cys Phe Gln	
	480 485 490	
55	cag caa cag cat caa ata ctt gcc act cca ctt caa aat tta cag gtt	1598
	Gln Gln Gln His Gln Ile Leu Ala Thr Pro Leu Gln Asn Leu Gln Val	
	495 500 505	
60	tta gca tct tct tca gca aat gaa tgc att tcg gtt aaa gga aga att	1646
	Leu Ala Ser Ser Ser Ala Asn Glu Cys Ile Ser Val Lys Gly Arg Ile	
	510 515 520	
65	tat tcc att tta aag cag ata gga agt gga ggt tca agc aag gta ttt	1694
	Tyr Ser Ile Leu Lys Gln Ile Gly Ser Gly Ser Ser Lys Val Phe	
	525 530 535 540	
70	cag gtg tta aat gaa aag aaa cag ata tat gct ata aaa tat gtg aac	1742
	Gln Val Leu Asn Glu Lys Lys Gln Ile Tyr Ala Ile Lys Tyr Val Asn	
	545 550 555	
75	tta gaa gaa gca gat aac caa act ctt gat agt tac cgg aac gaa ata	1790
	Leu Glu Glu Ala Asp Asn Gln Thr Leu Asp Ser Tyr Arg Asn Glu Ile	
	560 565 570	

EP 2 465 864 B1

	gct tat ttg aat aaa cta caa caa cac agt gat aag atc atc cga ctt	1838
	Ala Tyr Leu Asn Lys Leu Gln Gln His Ser Asp Lys Ile Ile Arg Leu	
	575 580 585	
5	tat gat tat gaa atc acg gac cag tac atc tac atg gta atg gag tgt	1886
	Tyr Asp Tyr Glu Ile Thr Asp Gln Tyr Ile Tyr Met Val Met Glu Cys	
	590 595 600	
10	gga aat att gat ctt aat agt tgg ctt aaa aag aaa aaa tcc att gat	1934
	Gly Asn Ile Asp Leu Asn Ser Trp Leu Lys Lys Lys Lys Ser Ile Asp	
	605 610 615 620	
15	cca tgg gaa cgc aag agt tac tgg aaa aat atg tta gag gca gtt cac	1982
	Pro Trp Glu Arg Lys Ser Tyr Trp Lys Asn Met Leu Glu Ala Val His	
	625 630 635	
20	aca atc cat caa cat ggc att gtt cac agt gat ctt aaa cca gct aac	2030
	Thr Ile His Gln His Gly Ile Val His Ser Asp Leu Lys Pro Ala Asn	
	640 645 650	
25	ttt ctg ata gtt gat gga atg cta aag cta att gat ttt ggg att gca	2078
	Phe Leu Ile Val Asp Gly Met Leu Lys Leu Ile Asp Phe Gly Ile Ala	
	655 660 665	
30	aac caa atg caa cca gat aca aca agt gtt gtt aaa gat tct cag gtt	2126
	Asn Gln Met Gln Pro Asp Thr Thr Ser Val Val Lys Asp Ser Gln Val	
	670 675 680	
35	ggc aca gtt aat tat atg cca cca gaa gca atc aaa gat atg tct tcc	2174
	Gly Thr Val Asn Tyr Met Pro Pro Glu Ala Ile Lys Asp Met Ser Ser	
	685 690 695 700	
40	tcc aga gag aat ggg aaa tct aag tca aag ata agc ccc aaa agt gat	2222
	Ser Arg Glu Asn Gly Lys Ser Lys Ser Lys Ile Ser Pro Lys Ser Asp	
	705 710 715	
45	gtt tgg tcc tta gga tgt att ttg tac tat atg act tac ggg aaa aca	2270
	Val Trp Ser Leu Gly Cys Ile Leu Tyr Tyr Met Thr Tyr Gly Lys Thr	
	720 725 730	
50	cca ttt cag cag ata att aat cag att tct aaa tta cat gcc ata att	2318
	Pro Phe Gln Gln Ile Ile Asn Gln Ile Ser Lys Leu His Ala Ile Ile	
	735 740 745	
55	gat cct aat cat gaa att gaa ttt ccc gat att cca gag aaa gat ctt	2366
	Asp Pro Asn His Glu Ile Glu Phe Pro Asp Ile Pro Glu Lys Asp Leu	
	750 755 760	
60	caa gat gtg tta aag tgt tgt tta aaa agg gac cca aaa cag agg ata	2414
	Gln Asp Val Leu Lys Cys Cys Leu Lys Arg Asp Pro Lys Gln Arg Ile	
	765 770 775 780	
65	tcc att cct gag ctc ctg gct cat ccc tat gtt caa att caa act cat	2462
	Ser Ile Pro Glu Leu Leu Ala His Pro Tyr Val Gln Ile Gln Thr His	
	785 790 795	
70	cca gtt aac caa atg gcc aag gga acc act gaa gaa atg aaa tat gtt	2510
	Pro Val Asn Gln Met Ala Lys Gly Thr Thr Glu Glu Met Lys Tyr Val	
	800 805 810	
75	ctg ggc caa ctt gtt ggt ctg aat tct cct aac tcc att ttg aaa gct	2558
	Leu Gly Gln Leu Val Gly Leu Asn Ser Pro Asn Ser Ile Leu Lys Ala	
	815 820 825	
80	gct aaa act tta tat gaa cac tat agt ggt ggt gaa agt cat aat tct	2606

EP 2 465 864 B1

	Ala	Lys	Thr	Leu	Tyr	Glu	His	Tyr	Ser	Gly	Gly	Glu	Ser	His	Asn	Ser	
	830						835					840					
5	tca	tcc	tcc	aag	act	ttt	gaa	aaa	aaa	agg	gga	aaa	aaa	tga			2648
	Ser	Ser	Ser	Lys	Thr	Phe	Glu	Lys	Lys	Arg	Gly	Lys	Lys				
	845					850					855						
	tttgcag	tta	ttcgta	aatgt	caaata	ccac	ctataaa	aata	tattgg	actg	ttatact	ctt					2708
10	gaatcc	cctgt	ggaaat	ctac	atttga	agac	aacatc	actc	tgaagt	gtta	tcagca	aaaaa					2768
	aaattc	agta	gattat	cttt	aaaagaa	aac	tgtaaaa	aata	gcaacc	actt	atggt	actgt					2828
	atatatt	gta	gacttg	tttt	ctctgt	tttta	tgtctct	tgtg	taatct	actt	gacatc	atctt					2888
15	tactctt	gga	atagt	gggtg	gatag	caagt	atattc	tataa	aaacttt	gta	aataaa	agttt					2948
	tgtggc	tataa	atgacac	tataa	aaaaaaaa	aaaaaa											2984
20	<210> 16																
	<211> 857																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 16																
30																	
35																	
40																	
45																	
50																	
55																	

EP 2 465 864 B1

Met Glu Ser Glu Asp Leu Ser Gly Arg Glu Leu Thr Ile Asp Ser Ile
 1 5 10 15
 5 Met Asn Lys Val Arg Asp Ile Lys Asn Lys Phe Lys Asn Glu Asp Leu
 20 25 30
 10 Thr Asp Glu Leu Ser Leu Asn Lys Ile Ser Ala Asp Thr Thr Asp Asn
 35 40 45
 Ser Gly Thr Val Asn Gln Ile Met Met Met Ala Asn Asn Pro Glu Asp
 50 55 60
 15 Trp Leu Ser Leu Leu Leu Lys Leu Glu Lys Asn Ser Val Pro Leu Ser
 65 70 75 80
 20 Asp Ala Leu Leu Asn Lys Leu Ile Gly Arg Tyr Ser Gln Ala Ile Glu
 85 90 95
 Ala Leu Pro Pro Asp Lys Tyr Gly Gln Asn Glu Ser Phe Ala Arg Ile
 100 105 110
 25 Gln Val Arg Phe Ala Glu Leu Lys Ala Ile Gln Glu Pro Asp Asp Ala
 115 120 125
 30 Arg Asp Tyr Phe Gln Met Ala Arg Ala Asn Cys Lys Lys Phe Ala Phe
 130 135 140
 Val His Ile Ser Phe Ala Gln Phe Glu Leu Ser Gln Gly Asn Val Lys
 145 150 155 160
 35
 40
 45
 50
 55

EP 2 465 864 B1

	Lys	Ser	Lys	Gln	Leu	Leu	Gln	Lys	Ala	Val	Glu	Arg	Gly	Ala	Val	Pro	
					165					170					175		
5	Leu	Glu	Met	Leu	Glu	Ile	Ala	Leu	Arg	Asn	Leu	Asn	Leu	Gln	Lys	Lys	
				180					185					190			
	Gln	Leu	Leu	Ser	Glu	Glu	Glu	Lys	Lys	Asn	Leu	Ser	Ala	Ser	Thr	Val	
10			195					200					205				
	Leu	Thr	Ala	Gln	Glu	Ser	Phe	Ser	Gly	Ser	Leu	Gly	His	Leu	Gln	Asn	
		210					215					220					
15	Arg	Asn	Asn	Ser	Cys	Asp	Ser	Arg	Gly	Gln	Thr	Thr	Lys	Ala	Arg	Phe	
	225					230					235					240	
	Leu	Tyr	Gly	Glu	Asn	Met	Pro	Pro	Gln	Asp	Ala	Glu	Ile	Gly	Tyr	Arg	
20					245					250					255		
	Asn	Ser	Leu	Arg	Gln	Thr	Asn	Lys	Thr	Lys	Gln	Ser	Cys	Pro	Phe	Gly	
				260					265					270			
25	Arg	Val	Pro	Val	Asn	Leu	Leu	Asn	Ser	Pro	Asp	Cys	Asp	Val	Lys	Thr	
			275					280					285				
	Asp	Asp	Ser	Val	Val	Pro	Cys	Phe	Met	Lys	Arg	Gln	Thr	Ser	Arg	Ser	
30		290					295					300					
	Glu	Cys	Arg	Asp	Leu	Val	Val	Pro	Gly	Ser	Lys	Pro	Ser	Gly	Asn	Asp	
35		305				310					315					320	
	Ser	Cys	Glu	Leu	Arg	Asn	Leu	Lys	Ser	Val	Gln	Asn	Ser	His	Phe	Lys	
					325					330					335		
40	Glu	Pro	Leu	Val	Ser	Asp	Glu	Lys	Ser	Ser	Glu	Leu	Ile	Ile	Thr	Asp	
			340						345					350			
	Ser	Ile	Thr	Leu	Lys	Asn	Lys	Thr	Glu	Ser	Ser	Leu	Leu	Ala	Lys	Leu	
45			355					360					365				
	Glu	Glu	Thr	Lys	Glu	Tyr	Gln	Glu	Pro	Glu	Val	Pro	Glu	Ser	Asn	Gln	
		370					375					380					
50	Lys	Gln	Trp	Gln	Ser	Lys	Arg	Lys	Ser	Glu	Cys	Ile	Asn	Gln	Asn	Pro	
	385					390					395					400	
	Ala	Ala	Ser	Ser	Asn	His	Trp	Gln	Ile	Pro	Glu	Leu	Ala	Arg	Lys	Val	
55					405					410					415		

EP 2 465 864 B1

	Asn	Thr	Glu	Gln	Lys	His	Thr	Thr	Phe	Glu	Gln	Pro	Val	Phe	Ser	Val	
				420					425					430			
5	Ser	Lys	Gln	Ser	Pro	Pro	Ile	Ser	Thr	Ser	Lys	Trp	Phe	Asp	Pro	Lys	
			435				440					445					
	Ser	Ile	Cys	Lys	Thr	Pro	Ser	Ser	Asn	Thr	Leu	Asp	Asp	Tyr	Met	Ser	
10		450					455					460					
	Cys	Phe	Arg	Thr	Pro	Val	Val	Lys	Asn	Asp	Phe	Pro	Pro	Ala	Cys	Gln	
	465					470					475					480	
15	Leu	Ser	Thr	Pro	Tyr	Gly	Gln	Pro	Ala	Cys	Phe	Gln	Gln	Gln	Gln	His	
					485					490						495	
	Gln	Ile	Leu	Ala	Thr	Pro	Leu	Gln	Asn	Leu	Gln	Val	Leu	Ala	Ser	Ser	
20				500					505					510			
	Ser	Ala	Asn	Glu	Cys	Ile	Ser	Val	Lys	Gly	Arg	Ile	Tyr	Ser	Ile	Leu	
			515					520					525				
25	Lys	Gln	Ile	Gly	Ser	Gly	Gly	Ser	Ser	Lys	Val	Phe	Gln	Val	Leu	Asn	
		530					535					540					
	Glu	Lys	Lys	Gln	Ile	Tyr	Ala	Ile	Lys	Tyr	Val	Asn	Leu	Glu	Glu	Ala	
30		545				550					555					560	
	Asp	Asn	Gln	Thr	Leu	Asp	Ser	Tyr	Arg	Asn	Glu	Ile	Ala	Tyr	Leu	Asn	
					565					570					575		
35	Lys	Leu	Gln	Gln	His	Ser	Asp	Lys	Ile	Ile	Arg	Leu	Tyr	Asp	Tyr	Glu	
					580				585					590			
	Ile	Thr	Asp	Gln	Tyr	Ile	Tyr	Met	Val	Met	Glu	Cys	Gly	Asn	Ile	Asp	
40			595					600					605				
	Leu	Asn	Ser	Trp	Leu	Lys	Lys	Lys	Lys	Ser	Ile	Asp	Pro	Trp	Glu	Arg	
45		610					615					620					
	Lys	Ser	Tyr	Trp	Lys	Asn	Met	Leu	Glu	Ala	Val	His	Thr	Ile	His	Gln	
	625					630					635					640	
50	His	Gly	Ile	Val	His	Ser	Asp	Leu	Lys	Pro	Ala	Asn	Phe	Leu	Ile	Val	
					645					650					655		
	Asp	Gly	Met	Leu	Lys	Leu	Ile	Asp	Phe	Gly	Ile	Ala	Asn	Gln	Met	Gln	
55				660					665					670			

EP 2 465 864 B1

Pro Asp Thr Thr Ser Val Val Lys Asp Ser Gln Val Gly Thr Val Asn
675 680 685

5 Tyr Met Pro Pro Glu Ala Ile Lys Asp Met Ser Ser Ser Arg Glu Asn
690 695 700

10 Gly Lys Ser Lys Ser Lys Ile Ser Pro Lys Ser Asp Val Trp Ser Leu
705 710 715 720

Gly Cys Ile Leu Tyr Tyr Met Thr Tyr Gly Lys Thr Pro Phe Gln Gln
725 730 735

15 Ile Ile Asn Gln Ile Ser Lys Leu His Ala Ile Ile Asp Pro Asn His
740 745 750

20 Glu Ile Glu Phe Pro Asp Ile Pro Glu Lys Asp Leu Gln Asp Val Leu
755 760 765

Lys Cys Cys Leu Lys Arg Asp Pro Lys Gln Arg Ile Ser Ile Pro Glu
770 775 780

25 Leu Leu Ala His Pro Tyr Val Gln Ile Gln Thr His Pro Val Asn Gln
785 790 795 800

30 Met Ala Lys Gly Thr Thr Glu Glu Met Lys Tyr Val Leu Gly Gln Leu
805 810 815

Val Gly Leu Asn Ser Pro Asn Ser Ile Leu Lys Ala Ala Lys Thr Leu
820 825 830

35 Tyr Glu His Tyr Ser Gly Gly Glu Ser His Asn Ser Ser Ser Ser Lys
835 840 845

40 Thr Phe Glu Lys Lys Arg Gly Lys Lys
850 855

<210> 17
<211> 1735
45 <212> DNA
<213> Homo sapiens

<220>
<221> CDS
50 <222> (242)..(913)

<400> 17

55 gttatcagag gtgagcccggt gctcttcagc ggagaagatc ccctacctgg ccgccggcca 60
ctttctgtgg gccgtggggc cctcaaggag acggcccttg ggctcagggg ctgcgtttcc 120
acacgcgcct ttcccagggc tcccgcgccc gttcctgcct ggccgcgggc cgctccaaca 180

EP 2 465 864 B1

gcagcacaag gcgggactca gaaccggcgt tcagggccgc cagcgccgc gaggcctga 240

g atg agg etc caa aga ccc cga cag gcc ccg gcg ggt ggg agg cgc gcg 289
Met Arg Leu Gln Arg Pro Arg Gln Ala Pro Ala Gly Gly Arg Arg Ala
1 5 10 15

ccc cgg ggc ggg cgg ggc tcc ccc tac cgg cca gac ccg ggg aga ggc 337
Pro Arg Gly Gly Arg Gly Ser Pro Tyr Arg Pro Asp Pro Gly Arg Gly
20 25 30

gcg cgg agg ctg cga agg ttc cag aag ggc ggg gag ggg gcg ccg cgc 385
Ala Arg Arg Leu Arg Arg Phe Gln Lys Gly Gly Glu Gly Ala Pro Arg
35 40 45

gct gac cct ccc tgg gca ccg ctg ggg acg atg gcg ctg ctc gcc ttg 433
Ala Asp Pro Pro Trp Ala Pro Leu Gly Thr Met Ala Leu Leu Ala Leu
50 55 60

ctg ctg gtc gtg gcc cta ccg cgg gtg tgg aca gac gcc aac ctg act 481
Leu Leu Val Val Ala Leu Pro Arg Val Trp Thr Asp Ala Asn Leu Thr
65 70 75 80

gcg aga caa cga gat cca gag gac tcc cag cga acg gac gag ggt gac 529
Ala Arg Gln Arg Asp Pro Glu Asp Ser Gln Arg Thr Asp Glu Gly Asp
85 90 95

aat aga gtg tgg tgt cat gtt tgt gag aga gaa aac act ttc gag tgc 577
Asn Arg Val Trp Cys His Val Cys Glu Arg Glu Asn Thr Phe Glu Cys
100 105 110

cag aac cca agg agg tgc aaa tgg aca gag cca tac tgc gtt ata gcg 625
Gln Asn Pro Arg Arg Cys Lys Trp Thr Glu Pro Tyr Cys Val Ile Ala
115 120 125

gcc gtg aaa ata ttt cca cgt ttt ttc atg gtt gcg aag cag tgc tcc 673
Ala Val Lys Ile Phe Pro Arg Phe Phe Met Val Ala Lys Gln Cys Ser
130 135 140

gct ggt tgt gca gcg atg gag aga ccc aag cca gag gag aag cgg ttt 721
Ala Gly Cys Ala Ala Met Glu Arg Pro Lys Pro Glu Glu Lys Arg Phe
145 150 155 160

ctc ctg gaa gag ccc atg ccc ttc ttt tac ctc aag tgt tgt aaa att 769
Leu Leu Glu Glu Pro Met Pro Phe Phe Tyr Leu Lys Cys Cys Lys Ile
165 170 175

cgc tac tgc aat tta gag ggg cca cct atc aac tca tca gtg ttc aaa 817
Arg Tyr Cys Asn Leu Glu Gly Pro Pro Ile Asn Ser Ser Val Phe Lys
180 185 190

gaa tat gct ggg agc atg ggt gag agc tgt ggt ggg ctg tgg ctg gcc 865
Glu Tyr Ala Gly Ser Met Gly Glu Ser Cys Gly Gly Leu Trp Leu Ala
195 200 205

atc ctc ctg ctg ctg gcc tcc att gca gcc ggc ctc agc ctg tct tga 913
Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu Ser Leu Ser
210 215 220

gccacgggac tgccacagac tgagccttcc ggagcatgga ctgcctccag accgttgtca 973

cctgttgtcat taaacttgtt ttctgttgat tacctcttgg tttgacttcc cagggtcttg 1033

ggatgggaga gtggggatca ggtgcagttg gctcttaacc ctcaagggtt ctttaactca 1093

cattcagagg aagtccagat ctctgagta gtgattttgg tgacaagttt ttctcttga 1153

20	<210> 18
	<211> 223
	<212> PRT
	<213> Homo sapiens
25	<400> 18

106

EP 2 465 864 B1

Ala Gly Cys Ala Ala Met Glu Arg Pro Lys Pro Glu Glu Lys Arg Phe
 145 150 155 160

5 Leu Leu Glu Glu Pro Met Pro Phe Phe Tyr Leu Lys Cys Cys Lys Ile
 165 170 175

10 Arg Tyr Cys Asn Leu Glu Gly Pro Pro Ile Asn Ser Ser Val Phe Lys
 180 185 190

Glu Tyr Ala Gly Ser Met Gly Glu Ser Cys Gly Gly Leu Trp Leu Ala
 195 200 205

15 Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu Ser Leu Ser
 210 215 220

<210> 19
 <211> 9
 <212> PRT
 <213> artificial

25 <220>
 <223> An artificially synthesized peptide sequence

<400> 19

30 Ile Tyr Glu Val Met Val Leu Ala Met
 1 5

<210> 20
 <211> 9
 <212> PRT
 35 <213> artificial

<220>
 <223> An artificially synthesized peptide sequence

40 <400> 20

Leu Phe Leu Leu Leu Val Leu Leu Leu
 1 5

45 <210> 21
 <211> 9
 <212> PRT
 <213> artificial

50 <220>
 <223> An artificially synthesized peptide sequence

<400> 21

55 Val Phe Arg Glu Ala Glu Val Thr Leu
 1 5

<210> 22

EP 2 465 864 B1

<211> 9
 <212> PRT
 <213> artificial

5 <220>
 <223> An artificially synthesized peptide sequence
 <400> 22

10 **Leu Tyr Val Glu Val Thr Asn Glu Ala**
1 5

<210> 23
 <211> 9
 15 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 20 <400> 23

Lys Tyr Glu Ala His Val Pro Glu Asn
1 5

25 <210> 24
 <211> 9
 <212> PRT
 <213> Artificial

30 <220>
 <223> An artificially synthesized peptide sequence
 <400> 24

35 **Lys Tyr Glu Leu Phe Gly His Ala Val**
1 5

40 <210> 25
 <211> 9
 <212> PRT
 <213> Artificial

45 <220>
 <223> An artificially synthesized peptide sequence
 <400> 25

50 **Arg Ser Leu Lys Glu Arg Asn Pro Leu**
1 5

55 <210> 26
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

EP 2 465 864 B1

<400> 26

Arg Gly Pro Leu Ala Ser Leu Leu Leu
1 5

5

<210> 27

<211> 9

<212> PRT

<213> Artificial

10

<220>

<223> An artificially synthesized peptide sequence

<400> 27

15

Lys Gly Gly Phe Ile Leu Pro Val Leu
1 5

<210> 28

20

<211> 9

<212> PRT

<213> Artificial

<220>

25

<223> An artificially synthesized peptide sequence

<400> 28

Thr Tyr Asn Gly Val Val Ala Tyr Ser
1 5

30

<210> 29

<211> 9

<212> PRT

35

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 29

40

Leu Phe Ser Thr Asp Asn Asp Asp Phe
1 5

45

<210> 30

<211> 10

<212> PRT

<213> Artificial

50

<220>

<223> An artificially synthesized peptide sequence

<400> 30

55

Asp Tyr Leu Asn Glu Trp Gly Ser Arg Phe
1 5 10

<210> 31

<211> 10
<212> PRT
<213> Artificial

5 <220>
<223> An artificially synthesized peptide sequence

<400> 31

¹⁰

Thr	Tyr	Asn	Gly	Val	Val	Ala	Tyr	Ser	Ile
1				5					10

<210> 32
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 32

Leu Phe Leu Leu Leu Val Leu Leu Leu Leu
1 5 10

<210> 33
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 33

Asp Phe Glu Ala Lys Asn Gln His Thr Leu
1 5 10

40

<210>	34
<211>	10
<212>	PRT
<213>	Artificial

<220>
45 <223> An artificially synthesized peptide sequence

<400> 34

50 Lys Tyr Glu Ala His Val Pro Glu Asn Ala
1 5 10

55 <210> 35
 <211> 10
 <212> PRT
 <213> Artificial

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 35

Lys Tyr Glu Leu Phe Gly His Ala Val Ser

1 5 10

<210> 36

$\langle 211 \rangle$ 10

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 36

Arg Asn Asn Ile Tyr Glu Val Met Val Leu
1 5 10

20

<210> 37

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 37

30

Arg Gly Pro Leu Ala Ser Leu Leu Leu Leu
1 5 10

<210> 38

35

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 38

Arg Ile Leu Arg Asp Pro Ala Gly Trp Leu
1 5 10

45

<210> 39

 $\langle 211 \rangle$ 10

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 39

Cys Asn Gln Ser Pro Val Arg Gln Val Leu
1 5 10

EP 2 465 864 B1

<210> 40
 <211> 9
 <212> PRT
 <213> Artificial

5

<220>
 <223> An artificially synthesized peptide sequence

<400> 40

10

Val Tyr Ile Glu Ile Lys Phe Thr Leu

15

1

5

<210> 41
 <211> 9
 <212> PRT
 <213> Artificial

20

<220>
 <223> An artificially synthesized peptide sequence

25

<400> 41

Arg Tyr Ser Val Ala Leu Ala Trp Leu
 1 5

30

<210> 42
 <211> 9
 <212> PRT
 <213> Artificial

35

<220>
 <223> An artificially synthesized peptide sequence

<400> 42

40

Val Tyr Pro Ala Asn Glu Val Thr Leu
 1 5

<210> 43
 <211> 9
 <212> PRT
 <213> Artificial

45

<220>
 <223> An artificially synthesized peptide sequence

50

<400> 43

His Tyr Thr Pro Gln Gln Asn Gly Leu
 1 5

55

<210> 44
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 44

Phe Tyr Phe Ala Leu Phe Ser Cys Leu
1 5

10

<210> 45

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 45

20

Gly Tyr Gly Asp Phe Ser Glu Pro Leu
1 5

<210> 46

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 46

Lys Phe Gly Gln Ile Val Asn Met Leu
1 5

35

<210> 47

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 47

Ala Tyr Thr Thr Arg Gly Gly Lys Ile
1 5

50

<210> 48

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 48

EP 2 465 864 B1

Lys Tyr Asn Pro Asn Pro Asp Gln Ser
1 5

5 <210> 49
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 49

Arg Asn Ile Leu Val Asn Ser Asn Leu
1 5

<210> 50
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 50

Lys Tyr Leu Ser Asp Met Ser Tyr Val
1 5

30 <210> 51
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 51

Lys Leu Ile Arg Asn Pro Asn Ser Leu
1 5

<210> 52
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 52

Arg Tyr Lys Asp Asn Phe Thr Ala Ala
1 5

55 <210> 53
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 53

Lys Ala Ile Glu Glu Gly Tyr Arg Leu
1 5

10

<210> 54

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 54

20

Lys Tyr Ser Lys Ala Lys Gln Glu Ala
1 5

<210> 55

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 55

Ala Phe Gln Asp Val Gly Ala Cys Ile
1 5

35

<210> 56

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 56

Trp Leu Val Pro Ile Gly Asn Cys Leu
1 5

50

<210> 57

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 57

EP 2 465 864 B1

Arg Pro Pro Ser Ala Pro Leu Asn Leu
1 5

5 <210> 58
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 58

Lys Cys Pro Leu Thr Val Arg Asn Leu
1 5

<210> 59
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 59

Ser Tyr Asn Val Val Cys Lys Lys Cys
1 5

30 <210> 60
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 60

Val Tyr Pro Ala Asn Glu Val Thr Leu Leu
1 5 10

<210> 61
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 61

Met Tyr Cys Gly Ala Asp Gly Glu Trp Leu
1 5 10

55 <210> 62
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 62

Gly	Tyr	Thr	Asp	Lys	Gln	Arg	Arg	Asp	Phe
1				5					10

10

<210> 63

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 63

20

Phe	Tyr	Phe	Ala	Leu	Phe	Ser	Cys	Leu	Phe
1				5					10

25

<210> 64

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 64

Lys	Phe	Thr	Leu	Arg	Asp	Cys	Asn	Ser	Leu
1				5					10

35

<210> 65

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 65

Ser	Tyr	Gly	Glu	Arg	Pro	Tyr	Trp	Asp	Met
1				5					10

50

<210> 66

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 66

EP 2 465 864 B1

Ile Phe Tyr Phe Ala Leu Phe Ser Cys Leu
 1 5 10

5 <210> 67
 <211> 10
 <212> PRT
 <213> Artificial

10 <220>
 <223> SYGIVMWEVM

<400> 67

15 Ser Tyr Gly Ile Val Met Trp Glu Val Met
 1 5 10

20 <210> 68
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 68

Glu Phe Gly Glu Val Cys Ser Gly Arg Leu
 1 5 10

30 <210> 69
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 69

40 Lys Tyr Asn Pro Asn Pro Asp Gln Ser Val
 1 5 10

45 <210> 70
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 70

Asn Phe Thr Ala Ala Gly Tyr Thr Thr Leu
 1 5 10

55 <210> 71
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 71

10

Gln	Phe	Asp	His	Pro	Asn	Ile	Ile	His	Leu
1				5					10

<210> 72

<211> 10

<212> PRT

15

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

20

<400> 72

Ala	Phe	Leu	Arg	Lys	Asn	Asp	Gly	Arg	Phe
1				5					10

25

<210> 73

<211> 10

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 73

35

Lys	Gln	Glu	Ala	Asp	Glu	Glu	Lys	His	Leu
1				5					10

40

<210> 74

<211> 10

<212> PRT

<213> Artificial

45

<220>

<223> An artificially synthesized peptide sequence

<400> 74

50

Arg	Gly	Ile	Gly	Ser	Gly	Met	Lys	Tyr	Leu
1				5					10

55

<210> 75

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

EP 2 465 864 B1

<400> 75

Arg	Val	Tyr	Ile	Glu	Ile	Lys	Phe	Thr	Leu
1				5					10

5

<210> 76

<211> 10

<212> PRT

<213> Artificial

10

<220>

<223> An artificially synthesized peptide sequence

<400> 76

15

Ser	Tyr	Val	Phe	His	Val	Arg	Ala	Arg	Thr
1				5					10

<210> 77

20

<211> 10

<212> PRT

<213> Artificial

<220>

25

<223> An artificially synthesized peptide sequence

<400> 77

Glu	Trp	Leu	Val	Pro	Ile	Gly	Asn	Cys	Leu
1				5					10

30

<210> 78

<211> 10

<212> PRT

35

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 78

40

Arg	Val	Tyr	Pro	Ala	Asn	Glu	Val	Thr	Leu
1				5					10

45

<210> 79

<211> 10

<212> PRT

<213> Artificial

50

<220>

<223> An artificially synthesized peptide sequence

<400> 79

55

Glu	Tyr	Met	Glu	Asn	Gly	Ser	Leu	Asp	Ala
1				5					10

<210> 80

<211> 9
<212> PRT
<213> Artificial

5 <220>
 <223> An artificially synthesized peptide sequence
 <400> 80

10 Thr Tyr Pro Pro Phe Val Asn Phe Phe
 1 5

<210> 81
<211> 9
<212> PRT
<213> Artificial

20

<220>
<223> An artificially synthesized peptide sequence
<400> 81

Leu Tyr Cys Thr Ser Met Met Asn Leu
1 5

<210> 82
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 82

Leu Tyr Val Val Lys Gln Glu Trp Phe
1 5

40 <210> 83
 <211> 9
 <212> PRT
 <213> Artificial

45 <220>
<223> An artificially synthesized peptide sequence
<400> 83

Asn Tyr Val Asn Ile Leu Ala Thr Ile
1 5

55 <210> 84
 <211> 9
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

EP 2 465 864 B1

<400> 84

Ile Tyr Thr Ala Asp Pro Glu Ser Phe
1 5

5

<210> 85

<211> 9

<212> PRT

<213> Artificial

10

<220>

<223> An artificially synthesized peptide sequence

<400> 85

15

Leu Tyr Lys Ala Asp Cys Arg Val Ile
1 5

<210> 86

<211> 9

<212> PRT

<213> Artificial

20

<220>

<223> An artificially synthesized peptide sequence

25

<400> 86

Ser Phe Gln Met Thr Ser Asp Glu Leu
1 5

30

<210> 87

<211> 9

<212> PRT

<213> Artificial

35

<220>

<223> An artificially synthesized peptide sequence

40

<400> 87

Ile Phe Leu Lys Tyr Ser Lys Asp Leu
1 5

45

<210> 88

<211> 9

<212> PRT

<213> Artificial

50

<220>

<223> An artificially synthesized peptide sequence

<400> 88

55

Phe Phe Glu Arg Arg Ser His Thr Leu
1 5

<210> 89

<211> 9
<212> PRT
<213> Artificial

5 <220>
 <223> An artificially synthesized peptide sequence
 <400> 89

10 Asp Phe Asn Ser Lys Val Thr His Leu
1 5

<210> 90
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 90

Lys Gln Glu Glu Leu Ile Lys Ala Leu
1 5

<210> 91
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 91

Arg Gly Glu Gln Val Thr Leu Phe Leu
1 5

40

<210>	92
<211>	9
<212>	PRT
<213>	Artificial

45 <220>
<223> An artificially synthesized peptide sequence
<400> 92

50 Arg Leu Pro Ser Val Ala Leu Leu Leu
1 5

55

<210>	93
<211>	9
<212>	PRT
<213>	Artificial

<220>
<223> An artificially synthesized peptide sequence

EP 2 465 864 B1

<400> 93

Lys Pro Glu Cys Gly Arg Gln Ser Leu
1 5

5

<210> 94

<211> 9

<212> PRT

<213> Artificial

10

<220>

<223> An artificially synthesized peptide sequence

<400> 94

15

Ile Phe Gly Ser Ile Pro Asp Ile Phe
1 5

<210> 95

20

<211> 9

<212> PRT

<213> Artificial

<220>

25

<223> An artificially synthesized peptide sequence

<400> 95

Arg Val Ile Gly Pro Pro Val Val Leu
1 5

30

<210> 96

<211> 9

<212> PRT

35

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 96

40

Lys Tyr Ser Lys Asp Leu Val Lys Thr
1 5

45

<210> 97

<211> 9

<212> PRT

<213> Artificial

50

<220>

<223> An artificially synthesized peptide sequence

<400> 97

55

Asp Phe Tyr Ala Ala Val Asp Asp Phe
1 5

<210> 98

<211> 10
<212> PRT
<213> Artificial

5 <220>
 <223> An artificially synthesized peptide sequence
 <400> 98

¹⁰

	Leu	Tyr	Glu	Lys	Ala	Asn	Thr	Pro	Glu	Leu
	1				5					10

<210> 99
<211> 10
<212> PRT
<213> Artificial

20

<220>
<223> An artificially synthesized peptide sequence
<400> 99

Asn Tyr Val Asn Ile Leu Ala Thr Ile Ile
1 5 10

<210> 100
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 100

Ser Tyr Val Glu Glu Glu Met Pro Gln Ile
1 5 10

40

<210>	101
<211>	10
<212>	PRT
<213>	Artificial

<220>
45 <223> An artificially synthesized peptide sequence

<400> 101

Asp Phe Gln Asp Ser Val Phe Asn Asp Leu
1 5 10

55 <210> 102
 <211> 10
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

EP 2 465 864 B1

<400> 102

Ser	Phe	Phe	Glu	Arg	Arg	Ser	His	Thr	Leu
1				5					10

5

<210> 103

<211> 10

<212> PRT

<213> Artificial

10

<220>

<223> An artificially synthesized peptide sequence

<400> 103

15

Ser	Phe	Ser	Lys	Thr	Pro	Lys	Arg	Ala	Leu
1				5					10

<210> 104

<211> 10

<212> PRT

<213> Artificial

20

<220>

<223> An artificially synthesized peptide sequence

25

<400> 104

Lys	Tyr	Leu	Pro	Leu	Gly	Asp	Glu	Arg	Cys
1				5					10

30

<210> 105

<211> 10

<212> PRT

<213> Artificial

35

<220>

<223> An artificially synthesized peptide sequence

<400> 105

40

Glu	Phe	Glu	Gly	Leu	Asp	Ser	Pro	Glu	Phe
------------	------------	------------	------------	------------	------------	------------	------------	------------	------------

45

1**5****10**

<210> 106

<211> 10

<212> PRT

<213> Artificial

50

<220>

<223> An artificially synthesized peptide sequence

55

<400> 106

EP 2 465 864 B1

Lys Val Pro Pro Phe Gln Asp Cys Ile Leu
1 5 10

5 <210> 107
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 107

Arg Pro Pro Thr Glu Gln Ala Asn Val Leu
1 5 10

15 <210> 108
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 108

Lys Tyr Ser Lys Asp Leu Val Lys Thr Tyr
1 5 10

30 <210> 109
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 109

Val Val Glu Glu Asn Ile Val Lys Asp Leu
1 5 10

40 <210> 110
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 110

Ile Phe Val Arg Val Met Glu Ser Leu
1 5

55 <210> 111
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 111

Arg Val Met Glu Ser Leu Glu Gly Leu
1 5

10

<210> 112

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 112

20

Leu Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5 10

25

<210> 113

<211> 10

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 113

35

Arg Val Met Glu Ser Leu Glu Gly Leu Leu
1 5 10

40

<210> 114

<211> 9

<212> PRT

<213> Artificial

45

<220>

<223> An artificially synthesized peptide sequence

<400> 114

Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5

50

<210> 115

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 115

EP 2 465 864 B1

Val Leu Thr Leu Leu Ser Ile Phe Val
1 5

5 <210> 116
<211> 9
<212> PRT
<213> Artificial

<220>
10 <223> An artificially synthesized peptide sequence

<400> 116

15 Thr Leu Leu Ser Ile Phe Val Arg Val
1 5

<210> 117
<211> 9
<212> PRT
20 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

25 <400> 117

Val Leu Asn Leu Tyr Leu Leu Gly Val
1 5

30 <210> 118
<211> 9
<212> PRT
<213> Artificial

35 <220>
<223> An artificially synthesized peptide sequence

<400> 118

40 Leu Leu Gly Val Val Leu Thr Leu Leu
1 5

<210> 119
<211> 9
45 <212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

50 <400> 119

Arg Val Met Glu Ser Leu Glu Gly Leu
1 5

55 <210> 120
<211> 9
<212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 120

Asn Leu Tyr Leu Leu Gly Val Val Leu
 1 5

10

<210> 121

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 121

20

Tyr Leu Leu Gly Val Val Leu Thr Leu Leu
 1 5 10

25

<210> 122

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 122

Val Val Leu Thr Leu Leu Ser Ile Phe Val
 1 5 10

35

<210> 123

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 123

Gly Leu Leu Glu Ser Pro Ser Pro Gly Thr
 1 5 10

50

<210> 124

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 124

EP 2 465 864 B1

Asn Leu Tyr Leu Leu Gly Val Val Leu Thr
1 5 10

5 <210> 125
<211> 10
<212> PRT
<213> Artificial

<220>
10 <223> An artificially synthesized peptide sequence

<400> 125

15 Val Leu Asn Leu Tyr Leu Leu Gly Val Val
1 5 10

<210> 126
<211> 10
<212> PRT
20 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

25 <400> 126

Thr Leu Leu Ser Ile Phe Val Arg Val Met
1 5 10

30 <210> 127
<211> 10
<212> PRT
<213> Artificial

35 <220>
<223> An artificially synthesized peptide sequence

<400> 127

40 Ser Ile Phe Val Arg Val Met Glu Ser Leu
1 5 10

<210> 128
<211> 10
45 <212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

50 <400> 128

Leu Thr Leu Leu Ser Ile Phe Val Arg Val
1 5 10

55 <210> 129
<211> 9
<212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 129

Leu Tyr Phe Asp Asp Glu Tyr Asn Ile
1 5

10

<210> 130

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 130

20

Leu Phe Glu Arg Gly Glu Arg Arg Leu
1 5

25

<210> 131

<211> 9

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 131

Arg Ala Leu Gly Ala Ala Cys Leu Leu
1 5

35

<210> 132

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 132

Glu Tyr Asn Ile Val Lys Arg Asp Val
1 5

50

<210> 133

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 133

EP 2 465 864 B1

Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu
1 5 10

5 <210> 134
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 134

Leu Phe Val Val Gln Ala Ser Leu Trp Leu
1 5 10

15 <210> 135
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 135

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5 10

30 <210> 136
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> DFLEAVKRHI

<400> 136

Asp Phe Leu Glu Ala Val Lys Arg His Ile
1 5 10

40 <210> 137
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 137

Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu
1 5 10

55 <210> 138
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 138

Arg Pro Phe Val Val Val Gln Ala Arg Leu
1 5 10

10

<210> 139

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 139

20

Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala
1 5 10

25

<210> 140

<211> 9

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 140

35

Ser Leu Trp Leu Tyr Leu Lys Leu Leu
1 5

<210> 141

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 141

Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5

50

<210> 142

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 142

EP 2 465 864 B1

Asn Leu Phe Val Val Gln Ala Ser Leu
1 5

5 <210> 143
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 143

Asn Met Val Glu Lys Arg Val Asp Leu
1 5

15 <210> 144
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 144

Phe Val Val Gln Ala Ser Leu Trp Leu
1 5

30 <210> 145
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 145

Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5

40 <210> 146
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 146

Arg Leu Gly Asp Ser Arg His Arg Ile
1 5

55 <210> 147
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 147

Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5

10

<210> 148

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 148

20

Glu Leu Ala Val Val Pro Val Phe Val
1 5

<210> 149

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 149

Arg Leu Ile Gly Trp Asn Asp Trp Ile
1 5

35

<210> 150

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 150

Arg Val Ser Glu Ile Ile Ser Phe Ala
1 5

50

<210> 151

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 151

EP 2 465 864 B1

Gly Leu Ala Ser Ser Arg Val Arg Leu
1 5

5 <210> 152
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 152

Ala Leu Gly Ala Ala Cys Leu Leu Leu
1 5

<210> 153
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 153

Val Gln Cys Asp Ser Cys Gln Glu Leu
1 5

30 <210> 154
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 154

Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val
1 5 10

<210> 155
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 155

Asn Leu Cys Cys Arg Gln Gln Phe Phe Ile
1 5 10

55 <210> 156
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 156

Ala	Leu	Phe	Glu	Arg	Gly	Glu	Arg	Arg	Leu
1				5					10

10

<210> 157

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 157

20

Met	Leu	Tyr	Phe	Asp	Asp	Glu	Tyr	Asn	Ile
1				5					10

25

<210> 158

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 158

Cys	Leu	Leu	Leu	Leu	Ala	Ala	Gly	Trp	Leu
1				5					10

35

<210> 159

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 159

Ala	Leu	Gly	Ala	Ala	Cys	Leu	Leu	Leu	Leu
1				5					10

50

<210> 160

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 160

EP 2 465 864 B1

Val Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5 10

5 <210> 161
<211> 10
<212> PRT
<213> Artificial

<220>
10 <223> An artificially synthesized peptide sequence

<400> 161

Arg Leu Ile Gly Trp Asn Asp Trp Ile Ile
1 5 10

15 <210> 162
<211> 10
<212> PRT
20 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

25 <400> 162

Gln Glu Leu Ala Val Val Pro Val Phe Val
1 5 10

30 <210> 163
<211> 10
<212> PRT
<213> Artificial

35 <220>
<223> An artificially synthesized peptide sequence

<400> 163

40 Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu
1 5 10

<210> 164
<211> 10
45 <212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

50 <400> 164

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5 10

55 <210> 165
<211> 10
<212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 165

Gly	Leu	Asn	Pro	Gly	Thr	Val	Asn	Ser	Cys
1				5					10

10

<210> 166

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 166

20

Arg	Leu	Gln	Met	Arg	Gly	Arg	Pro	Asn	Ile
1				5					10

25

<210> 167

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 167

Arg	Val	Asp	Gly	Asp	Phe	Leu	Glu	Ala	Val
1				5					10

35

<210> 168

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 168

Ile	Tyr	Asn	Glu	Leu	Leu	Tyr	Asp	Leu
1				5				

50

<210> 169

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> MYEERLNIL

<400> 169

EP 2 465 864 B1

Met Tyr Glu Glu Lys Leu Asn Ile Leu
1 5

5 <210> 170
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 170

15 **Val Tyr Leu Arg Val Arg Pro Leu Leu**
1 5

20 <210> 171
 <211> 9
 <212> PRT
 <213> Artificial

25 <220>
 <223> An artificially synthesized peptide sequence
 <400> 171

30 **Lys Phe Ser Ala Ile Ala Ser Gln Leu**
1 5

35 <210> 172
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 40 <400> 172

45 **Ser Phe Phe Glu Ile Tyr Asn Glu Leu**
1 5

<210> 173
 <211> 9
 <212> PRT
 50 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 55 <400> 173

Ile Phe Asn Ser Leu Gln Gly Gln Leu
1 5

<210> 174
<211> 9
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 174

10

Phe Phe Glu Ile Tyr Asn Glu Leu Leu
1 5

<210> 175
<211> 9
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 175

25

Met Phe Glu Ser Thr Ala Ala Asp Leu
1 5

<210> 176
<211> 9
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 176

35

Ser Phe Asp Ser Gly Ile Ala Gly Leu
1 5

<210> 177
<211> 9
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 177

50

Arg Phe Ser Ile Trp Ile Ser Phe Phe
1 5

<210> 178
<211> 9
<212> PRT
<213> Artificial

55

 $\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 178

5 Ile Phe Ser Ile Arg Ile Leu His Leu
1 5

<210> 179

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 179

Lys Ile Glu Glu Leu Glu Ala Leu Leu
1 5

20

$\langle 210 \rangle$ 180

<211> 9

<212> PRT

<213> Artificial

25

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 180

30

Lys Leu Asn Ile Leu Lys Glu Ser Leu
1 5

<210> 181

35

$\langle 211 \rangle$ 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 181

Lys Leu Gln Gln Cys Lys Ala Glu Leu
1 5

45

<210> 182

<211> 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 182

Phe Thr Ile Asp Val Asp Lys Lys Leu
1 5

EP 2 465 864 B1

<210> 183
 <211> 9
 <212> PRT
 <213> Artificial

5

<220>
 <223> An artificially synthesized peptide sequence

<400> 183

10

Gln Leu Gln Glu Val Lys Ala Lys Leu
1 5

<210> 184
 <211> 10
 <212> PRT
 <213> Artificial

15

<220>
 <223> An artificially synthesized peptide sequence

20

<400> 184

Ile Tyr Asn Glu Leu Leu Tyr Asp Leu Leu
1 5 10

25

<210> 185
 <211> 10
 <212> PRT
 <213> Artificial

30

<220>
 <223> An artificially synthesized peptide sequence

35

<400> 185

Arg Ser Leu Ala Leu Ile Phe Asn Ser Leu
1 5 10

40

<210> 186
 <211> 10
 <212> PRT
 <213> Artificial

45

<220>
 <223> An artificially synthesized peptide sequence

<400> 186

50

Ser Phe Phe Glu Ile Tyr Asn Glu Leu Leu
1 5 10

55

<210> 187
 <211> 10
 <212> PRT
 <213> Artificial

EP 2 465 864 B1

<220>

<223> An artificially synthesized peptide sequence

<400> 187

5

Arg	Leu	Leu	Arg	Thr	Glu	Leu	Gln	Lys	Leu
1				5					10

<210> 188

10

<211> 10

<212> PRT

<213> Artificial

<220>

15

<223> An artificially synthesized peptide sequence

<400> 188

20

Lys	Asn	Ile	Arg	Leu	Leu	Arg	Thr	Glu	Leu
1				5					10

<210> 189

<211> 10

<212> PRT

25

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

30

<400> 189

Arg	Gln	Glu	Glu	Met	Lys	Lys	Leu	Ser	Leu
1				5					10

35

<210> 190

<211> 10

<212> PRT

<213> Artificial

40

<220>

<223> An artificially synthesized peptide sequence

<400> 190

45

Arg	Val	Arg	Pro	Leu	Leu	Pro	Ser	Glu	Leu
1				5					10

<210> 191

<211> 10

50

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 191

EP 2 465 864 B1

Arg Ile Leu Arg Ser Arg Arg Ser Pro Leu
1 5 10

5
 <210> 192
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 192

Arg Ile Glu Asn Val Glu Thr Leu Val Leu
1 5 10

15
 <210> 193
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 193

Lys Asn Gln Ser Phe Ala Ser Thr His Leu
1 5 10

30
 <210> 194
 <211> 10
 <212> PRT
 <213> Artificial

35
 <220>
 <223> An artificially synthesized peptide sequence

<400> 194

Lys Val Tyr Leu Arg Val Arg Pro Leu Leu
1 5 10

40
 <210> 195
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 195

Asp Ser Met Glu Lys Val Lys Val Tyr Leu
1 5 10

55
 <210> 196
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 196

Lys Tyr Gln Ala Tyr Met Ser Asn Leu
1 5

10

<210> 197

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 197

20

Val Tyr Val Pro Leu Lys Glu Leu Leu
1 5

<210> 198

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 198

Glu Tyr His Lys Leu Ala Arg Lys Leu
1 5

35

<210> 199

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 199

Ser Tyr Glu Leu Pro Asp Thr Lys Phe
1 5

50

<210> 200

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 200

EP 2 465 864 B1

Lys Tyr Glu Lys Lys Ala Thr Leu Ile
1 5

5 <210> 201
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 201

Lys Tyr Ala Arg Gly Lys Glu Ala Ile
1 5

15 <210> 202
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 202

Asp Phe Leu Lys Ile Phe Thr Phe Leu
1 5

30 <210> 203
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 203

Gly Phe Leu Cys Pro Ser Tyr Glu Leu
1 5

40 <210> 204
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 204

Leu Phe Asn Val Asp Ala Phe Lys Leu
1 5

55 <210> 205
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 205

Ser Phe Asp Glu Met Asn Ala Glu Leu
1 5

10

<210> 206

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 206

20

Ile Phe Thr Phe Leu Tyr Gly Phe Leu
1 5

25

<210> 207

<211> 9

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 207

Lys Phe Glu Glu Glu Val Pro Arg Ile
1 5

35

<210> 208

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 208

Arg Ile Asn His Glu Arg Asn Glu Leu
1 5

50

<210> 209

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 209

EP 2 465 864 B1

Ser Phe Met Ser Gly Ala Asp Ser Phe
1 5

5 <210> 210
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 210

Ile Phe Lys Asp Leu Gly Tyr Pro Phe
1 5

15 <210> 211
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 211

Glu Tyr Gln Leu Val Val Gln Thr Thr
1 5

30 <210> 212
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 212

Lys Ala Leu Asn Lys Lys Met Gly Leu
1 5

40 <210> 213
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 213

Glu Val Pro Arg Ile Phe Lys Asp Leu
1 5

55 <210> 214
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 214

Lys	Tyr	Arg	Ala	Gln	Val	Tyr	Val	Pro	Leu
1				5					10

10

<210> 215

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 215

20

Glu	Tyr	Glu	Glu	Cys	Met	Ser	Glu	Asp	Leu
1				5					10

25

<210> 216

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 216

Lys	Tyr	Ser	Val	Ala	Asp	Ile	Glu	Arg	Ile
1				5					10

35

<210> 217

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 217

Asp	Tyr	Thr	Ile	Lys	Cys	Tyr	Glu	Ser	Phe
1				5					10

50

<210> 218

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 218

EP 2 465 864 B1

Lys Phe Glu Glu Glu Val Pro Arg Ile Phe
1 5 10

5 <210> 219
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 219

Ala Phe Ile Gln Gln Cys Ile Arg Gln Leu
1 5 10

<210> 220
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 220

Arg Ser Gln Asp Val Asn Lys Gln Gly Leu
1 5 10

30 <210> 221
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 221

Arg Thr Leu Lys Glu Glu Val Gln Lys Leu
1 5 10

<210> 222
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 222

Arg Gly Lys Glu Ala Ile Glu Thr Gln Leu
1 5 10

55 <210> 223
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 223

Arg	Ala	Leu	Asn	Glu	Gln	Ile	Ala	Arg	Leu
1				5					10

10

<210> 224

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 224

20

Glu	Tyr	Gln	Leu	Val	Val	Gln	Thr	Thr	Thr
1				5					10

25

<210> 225

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 225

Glu	Thr	Glu	Glu	Glu	Ile	Asn	Lys	Ala	Leu
1				5					10

35

<210> 226

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 226

Leu	Leu	Glu	Ser	Thr	Val	Asn	Gln	Gly	Leu
1				5					10

50

<210> 227

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 227

EP 2 465 864 B1

Tyr Met Ser Cys Phe Arg Thr Pro Val
1 5

5 <210> 228
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 228

Lys Gln Ile Tyr Ala Ile Lys Tyr Val
1 5

<210> 229
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 229

Asn Met Leu Glu Ala Val His Thr Ile
1 5

30 <210> 230
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 230

Leu Leu Asn Ser Pro Asp Cys Asp Val
1 5

<210> 231
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 231

Ile Leu Ala Thr Pro Leu Gln Asn Leu
1 5

55 <210> 232
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 232

Tyr Val Leu Gly Gln Leu Val Gly Leu
1 5

10

<210> 233

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 233

20

Ser Leu Gly Cys Ile Leu Tyr Tyr Met
1 5

<210> 234

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 234

Gln Met Gln Pro Asp Thr Thr Ser Val
1 5

35

<210> 235

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 235

Gly Thr Thr Glu Glu Met Lys Tyr Val

50

1

5

<210> 236

<211> 9

55

<212> PRT

<213> Artificial

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 236

5 Leu Ile Val Asp Gly Met Leu Lys Leu
 1 5

<210> 237

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 237

Ser Leu Leu Ala Lys Leu Glu Glu Thr
1 5

20

<210> 238

<211> 9

<212> PRT

<213> Artificial

25

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 238

30

Leu Phe Glu Arg Gly Glu Arg Arg Leu
1 5

<210> 239

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 239

Leu Leu Ala His Pro Tyr Val Gln Ile
1 5

45

<210> 240

<211> 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 240

Lys Leu Ile Gly Arg Tyr Ser Gln Ala
1 5

EP 2 465 864 B1

<210> 241
<211> 9
<212> PRT
<213> Artificial
5
<220>
<223> An artificially synthesized peptide sequence

<400> 241
10
Asn Leu Asn Leu Gln Lys Lys Gln Leu
1 5

<210> 242
15
<211> 9
<212> PRT
<213> Artificial

<220>
20
<223> An artificially synthesized peptide sequence

<400> 242

Met Gln Pro Asp Thr Thr Ser Val Val
25
1 5

<210> 243
30
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 243
35

Lys Leu Gln Gln His Ser Asp Lys Ile
1 5

<210> 244
40
<211> 9
<212> PRT
<213> Artificial

<220>
45
<223> An artificially synthesized peptide sequence

<400> 244

Phe Ala Phe Val His Ile Ser Phe Ala
50
1 5

<210> 245
55
<211> 9
<212> PRT
<213> Artificial

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 245

5 Cys Glu Leu Arg Asn Leu Lys Ser Val
1 5

<210> 246

10 <211> 9

<212> PRT

<213> Artificial

<220>

15 <223> An artificially synthesized peptide sequence

<400> 246

20 Ser Ile Leu Lys Ala Ala Lys Thr Leu
1 5

<210> 247

$\langle 211 \rangle$ 10

<212> PRT

25 <213> Artificial

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

30 <400> 247

Leu Leu Leu Lys Leu Glu Lys Asn Ser Val
1 5 10

35 <210> 248

 $\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

40 <220>

<223> An artificially synthesized peptide sequence

<400> 248

45 Asn Leu Leu Asn Ser Pro Asp Cys Asp Val
 1 5 10

<210> 249

 $\langle 211 \rangle$ 10

50 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

EP 2 465 864 B1

Phe Leu Ile Val Asp Gly Met Leu Lys Leu
1 5 10

5 <210> 250
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 250

Thr Thr Phe Glu Gln Pro Val Phe Ser Val
1 5 10

<210> 251
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 251

Val Leu Asn Glu Lys Lys Gln Ile Tyr Ala
1 5 10

30 <210> 252
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 252

Gly Met Leu Lys Leu Ile Asp Phe Gly Ile
1 5 10

<210> 253
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 253

Leu Leu Ser Glu Glu Glu Lys Lys Asn Leu
1 5 10

55 <210> 254
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 254

Tyr	Met	Ser	Cys	Phe	Arg	Thr	Pro	Val	Val
1				5					10

10

<210> 255

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 255

20

Met	Met	Ala	Asn	Asn	Pro	Glu	Asp	Trp	Leu
1				5					10

25

<210> 256

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 256

Met	Val	Met	Glu	Cys	Gly	Asn	Ile	Asp	Leu
1				5					10

35

<210> 257

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 257

Tyr	Met	Pro	Pro	Glu	Ala	Ile	Lys	Asp	Met
1				5					10

50

<210> 258

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 258

EP 2 465 864 B1

Lys Leu Ile Gly Arg Tyr Ser Gln Ala Ile
1 5 10

5 <210> 259
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 259

Asn Gln Met Gln Pro Asp Thr Thr Ser Val
1 5 10

<210> 260
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 260

Gln Ile Leu Ala Thr Pro Leu Gln Asn Leu
1 5 10

30 <210> 261
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 261

Leu Ile Val Asp Gly Met Leu Lys Leu Ile
1 5 10

<210> 262
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 262

Asn Leu Asn Leu Gln Lys Lys Gln Leu Leu
1 5 10

55 <210> 263
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 263

10

Gln Met Gln Pro Asp Thr Thr Ser Val Val
1 5 10

<210> 264

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 264

20

Lys Gly Thr Thr Glu Glu Met Lys Tyr Val
1 5 10

<210> 265

25

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequenc

<400> 265

35

Leu Thr Ile Asp Ser Ile Met Asn Lys Val
1 5 10

<210> 266

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 266

Lys Leu Gln Gln His Ser Asp Lys Ile Ile
1 5 10

50

<210> 267

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 267

EP 2 465 864 B1

Lys Ile Phe Pro Arg Phe Phe Met Val
1 5

5 <210> 268
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 268

Gly Leu Trp Leu Ala Ile Leu Leu Leu
1 5

<210> 269
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 269

Leu Leu Val Val Ala Leu Pro Arg Val
1 5

30 <210> 270
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 270

Ala Leu Leu Ala Leu Leu Leu Val Val
1 5

<210> 271
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 271

Trp Leu Ala Ile Leu Leu Leu Leu Ala
1 5

55 <210> 272
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 272

Leu Leu Ala Ser Ile Ala Ala Gly Leu
1 5

10

<210> 273

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 273

20

Leu Leu Leu Leu Ala Ser Ile Ala Ala
1 5

<210> 274

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 274

Phe Met Val Ala Lys Gln Cys Ser Ala
1 5

35

<210> 275

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 275

Thr Met Ala Leu Leu Ala Leu Leu Leu
1 5

50

<210> 276

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 276

EP 2 465 864 B1

Met Ala Leu Leu Ala Leu Leu Leu Val
1 5

5 <210> 277
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence
 <400> 277

Ala Ile Leu Leu Leu Leu Ala Ser Ile
1 5

<210> 278
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 25 <400> 278

Ala Leu Pro Arg Val Trp Thr Asp Ala
1 5

30 <210> 279
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence
 <400> 279

Ser Met Gly Glu Ser Cys Gly Gly Leu
1 5

<210> 280
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence
 50 <400> 280

Leu Leu Ala Leu Leu Leu Val Val Ala
1 5

55 <210> 281
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 281

Val Val Ala Leu Pro Arg Val Trp Thr
1 5

10

<210> 282

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 282

20

Arg Val Trp Thr Asp Ala Asn Leu Thr
1 5

<210> 283

25

<211> 9

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 283

Phe Leu Leu Glu Glu Pro Met Pro Phe
1 5

35

<210> 284

<211> 9

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 284

Leu Ala Leu Leu Leu Val Val Ala Leu
1 5

50

<210> 285

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 285

EP 2 465 864 B1

Gly Thr Met Ala Leu Leu Ala Leu Leu
1 5

5 <210> 286
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 286

Leu Leu Leu Val Val Ala Leu Pro Arg Val
1 5 10

15 <210> 287
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 287

Gly Leu Trp Leu Ala Ile Leu Leu Leu Leu
1 5 10

30 <210> 288
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 288

Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu
1 5 10

40 <210> 289
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 289

Thr Met Ala Leu Leu Ala Leu Leu Leu Val
1 5 10

55 <210> 290
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 290

10

Leu Leu Ala Leu Leu Leu Val Val Ala Leu
1 5 10

<210> 291

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 291

20

Phe Leu Leu Glu Glu Pro Met Pro Phe Phe
1 5 10

<210> 292

25

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 292

35

Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala
1 5 10

<210> 293

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 293

Lys Ile Phe Pro Arg Phe Phe Met Val Ala
1 5 10

50

<210> 294

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 294

EP 2 465 864 B1

Ala Leu Leu Ala Leu Leu Leu Val Val Ala
1 5 10

5 <210> 295
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 295

Leu Val Val Ala Leu Pro Arg Val Trp Thr
1 5 10

<210> 296
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 296

Met Ala Leu Leu Ala Leu Leu Leu Val Val
1 5 10

30 <210> 297
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 297

Arg Leu Gln Arg Pro Arg Gln Ala Pro Ala
1 5 10

<210> 298
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 298

Cys Gln Asn Pro Arg Arg Cys Lys Trp Thr
1 5 10

55 <210> 299
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 299

Arg	Val	Trp	Thr	Asp	Ala	Asn	Leu	Thr	Ala
1				5					10

10

<210> 300

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 300

20

Trp	Ala	Pro	Leu	Gly	Thr	Met	Ala	Leu	Leu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

25

1				5					10
---	--	--	--	---	--	--	--	--	----

<210> 301

<211> 10

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 301

35

Thr	Glu	Pro	Tyr	Cys	Val	Ile	Ala	Ala	Val
1				5					10

40

<210> 302

<211> 10

<212> PRT

<213> Artificial

45

<220>

<223> An artificially synthesized peptide sequence

<400> 302

50

Leu	Glu	Glu	Pro	Met	Pro	Phe	Phe	Tyr	Leu
1				5					10

<210> 303

<211> 10

<212> PRT

<213> Artificial

55

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 303

Leu Glu Gly Pro Pro Ile Asn Ser Ser Val
1 5 10

<210> 304

$\langle 211 \rangle$ 10

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 304

Tyr Leu Lys Cys Cys Lys Ile Arg Tyr Cys
1 5 10

20

<210> 305

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

25

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 305

30

Val Lys Ile Phe Pro Arg Phe Phe Met Val
1 5 10

<210> 306

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 306

Lys Ile Phe Pro Ser Lys Arg Ile Leu
1 5

45

<210> 307

<211> 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 307

Arg Gly Ser Val Leu Glu Gly Val Leu
1 5

EP 2 465 864 B1

<210> 308
 <211> 9
 <212> PRT
 <213> Artificial

5

<220>
 <223> An artificially synthesized peptide sequence

<400> 308

10

Phe Leu Leu Leu Val Leu Leu Leu Leu
1 5

<210> 309
 <211> 9
 <212> PRT
 <213> Artificial

15

<220>
 <223> An artificially synthesized peptide sequence

20

<400> 309

Ile Gly Asn Phe Ile Ile Glu Asn Leu
1 5

25

<210> 310
 <211> 9
 <212> PRT
 <213> Artificial

30

<220>
 <223> An artificially synthesized peptide sequence

35

<400> 310

Thr Ala Val Ala Val Val Glu Ile Leu
1 5

40

<210> 311
 <211> 9
 <212> PRT
 <213> Artificial

45

<220>
 <223> An artificially synthesized peptide sequence

<400> 311

50

Asn Gln Ser Pro Val Arg Gln Val Leu
1 5

<210> 312
 <211> 9
 <212> PRT
 <213> Artificial

55

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 312

5 Lys Gln Asp Thr Tyr Asp Val His Leu
 1 5

<210> 313

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 313

Asp Tyr Glu Gly Ser Gly Ser Asp Ala
1 5

20

<210> 314

<211> 9

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 314

30

Gly Trp Leu Leu Leu Asn Lys Pro Leu
1 5

<210> 315

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 315

Ile Leu Pro Val Leu Gly Ala Val Leu
1 5

45

<210> 316

$\langle 211 \rangle$ 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 316

Thr Ala Pro Pro Tyr Asp Thr Leu Leu
1 5

EP 2 465 864 B1

<210> 317
<211> 9
<212> PRT
<213> Artificial
5
<220>
<223> An artificially synthesized peptide sequence

<400> 317
10
Val Val Leu Ser Leu Lys Lys Phe Leu
1 5

<210> 318
15
<211> 9
<212> PRT
<213> Artificial

<220>
20
<223> An artificially synthesized peptide sequence

<400> 318
25
Ala Leu Leu Phe Leu Leu Leu Val Leu
1 5

<210> 319
30
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 319
35
Val Thr Asn Glu Ala Pro Phe Val Leu
1 5

<210> 320
40
<211> 9
<212> PRT
<213> Artificial

<220>
45
<223> An artificially synthesized peptide sequence

<400> 320
50
Ala Val Leu Ala Leu Leu Phe Leu Leu
1 5

<210> 321
55
<211> 9
<212> PRT
<213> Artificial

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 321

5 Asp Thr Tyr Asp Val His Leu Ser Leu
1 5

<210> 322

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 322

Gly Pro Leu Ala Ser Leu Leu Leu Leu
1 5

20

<210> 323

<211> 9

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 323

30

Val Leu Asn Ile Thr Asp Lys Asp Leu
1 5

<210> 324

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 324

Ala Val Glu Lys Glu Thr Gly Trp Leu
1 5

45

<210> 325

<211> 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 325

Asn Asn Ile Tyr Glu Val Met Val Leu
1 5

<210> 326
<211> 9
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 326

10

Leu Leu Leu Leu Gln Val Cys Trp Leu
1 5

<210> 327
<211> 9
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 327

25

Gly Cys Pro Gly Gln Glu Pro Ala Leu
1 5

<210> 328
<211> 9
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 328

35

Glu Tyr Thr Leu Thr Ile Gln Ala Thr
1 5

<210> 329
<211> 9
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 329

50

Glu Thr Val Gln Glu Arg Arg Ser Leu
1 5

<210> 330
<211> 9
<212> PRT
<213> Artificial

55

 $\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 330

5 **Ser Tyr Arg Ile Leu Arg Asp Pro Ala**
 1 5

<210> 331

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 331

Gly Gln Val Thr Ala Val Gly Thr Leu
 1 5

20

<210> 332

<211> 9

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 332

30

Gly Ala Val Leu Ala Leu Leu Phe Leu
 1 5

<210> 333

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 333

45 **Gly Ile Leu Thr Thr Arg Lys Gly Leu**
 1 5

<210> 334

<211> 9

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 334

His Pro Glu Ser Asn Gln Gly Ile Leu
 1 5

<210> 335
<211> 9
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 335

10

Val Leu Ala Leu Leu Phe Leu Leu Leu
1 5

<210> 336
<211> 9
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 336

25

Glu Gly Asp Thr Val Val Leu Ser Leu
1 5

<210> 337
<211> 9
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 337

35

Thr Ile Ser Val Ile Ser Ser Gly Leu
1 5

<210> 338
<211> 9
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 338

50

Val Leu Gly Ala Val Leu Ala Leu Leu
1 5

<210> 339
<211> 9
<212> PRT
<213> Artificial

55

$\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 339

5 Glu Trp Gly Ser Arg Phe Lys Lys Leu
 1 5

<210> 340

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 340

Lys Val Val Glu Val Gln Glu Gly Ile
1 5

20

<210> 341

<211> 9

<212> PRT

<213> Artificial

25

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 341

30

Thr Tyr Asp Val His Leu Ser Leu Ser
1 5

<210> 342

35

<211> 9

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 342

Phe Tyr Ser Ile Thr Gly Pro Gly Ala
1 5

45

<210> 343

<211> 9

<212> PRT

50

<213> Artificial

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

55

<400> 343

Ile Tyr Thr Tyr Asn Gly Val Val Ala
1 5

<210> 344
<211> 10
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 344

10

Phe Ile Leu Pro Val Leu Gly Ala Val Leu
1 5 10

<210> 345
<211> 10
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 345

25

Ala Val Leu Ala Leu Leu Phe Leu Leu Leu
1 5 10

<210> 346
<211> 10
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 346

35

Gly Thr Ile Ser Val Ile Ser Ser Gly Leu
1 5 10

<210> 347
<211> 10
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 347

50

Asp Tyr Glu Gly Ser Gly Ser Asp Ala Ala
1 5 10

<210> 348
<211> 10
<212> PRT
<213> Artificial

55

$\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 348

5 **Thr Val Val Leu Ser Leu Lys Lys Phe Leu**
 1 5 10

<210> 349

<211> 10

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 349

Phe Ala Val Glu Lys Glu Thr Gly Trp Leu
 1 5 10

20

<210> 350

<211> 10

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 350

30

Ala Leu Leu Phe Leu Leu Leu Val Leu Leu
 1 5 10

<210> 351

35

<211> 10

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

<400> 351

45 **Ser Gln Glu Pro Lys Asp Pro His Asp Leu**
 1 5 10

<210> 352

<211> 10

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 352

Leu Ala Leu Leu Phe Leu Leu Leu Val Leu
 1 5 10

EP 2 465 864 B1

<210> 353
 <211> 10
 <212> PRT
 <213> Artificial

5

<220>
 <223> An artificially synthesized peptide sequence

<400> 353

10

Gly Ala Glu Gln Glu Pro Gly Gln Ala Leu
1 5 10

<210> 354
 <211> 10
 <212> PRT
 <213> Artificial

15

<220>
 <223> An artificially synthesized peptide sequence

20

<400> 354

Gly Ala Val Leu Ala Leu Leu Phe Leu Leu
1 5 10

25

<210> 355
 <211> 10
 <212> PRT
 <213> Artificial

30

<220>
 <223> An artificially synthesized peptide sequence

35

<400> 355

Val Asn Glu Glu Gly Asp Thr Val Val Leu
1 5 10

40

<210> 356
 <211> 10
 <212> PRT
 <213> Artificial

45

<220>
 <223> An artificially synthesized peptide sequence

<400> 356

50

Asn Ala Val Gly His Glu Val Gln Arg Leu
1 5 10

<210> 357
 <211> 10
 <212> PRT
 <213> Artificial

55

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 357

5 Thr Asn Glu Ala Pro Phe Val Leu Lys Leu
 1 5 10

<210> 358

$\langle 211 \rangle$ 10

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 358

Glu Asn Gln Lys Ile Ser Tyr Arg Ile Leu
1 5 10

20

<210> 359

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 359

30

Ser Leu Leu Leu Leu Gln Val Cys Trp Leu
1 5 10

<210> 360

35

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

<220>

40

<223> An artificially synthesized peptide sequence

$\langle 400 \rangle$ 360

Gly Leu Glu Ala Arg Pro Glu Val Val Leu
1 5 10

45

<210> 361

$\langle 211 \rangle$ 10

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 361

Glu Val Gln Arg Leu Thr Val Thr Asp Leu
1 5 10

EP 2 465 864 B1

<210> 362
 <211> 10
 <212> PRT
 <213> Artificial

5

<220>
 <223> An artificially synthesized peptide sequence

<400> 362

10

Gly Leu Pro Arg Gly Pro Leu Ala Ser Leu
1 5 10

<210> 363
 <211> 10
 <212> PRT
 <213> Artificial

15

<220>
 <223> An artificially synthesized peptide sequence

20

<400> 363

Leu Pro Val Leu Gly Ala Val Leu Ala Leu
1 5 10

25

<210> 364
 <211> 10
 <212> PRT
 <213> Artificial

30

<220>
 <223> An artificially synthesized peptide sequence

35

<400> 364

Gln Val Leu Asn Ile Thr Asp Lys Asp Leu
1 5 10

40

<210> 365
 <211> 10
 <212> PRT
 <213> Artificial

45

<220>
 <223> An artificially synthesized peptide sequence

<400> 365

50

Ala Val Glu Lys Glu Thr Gly Trp Leu Leu

1 5 10

55

<210> 366
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 366

Ser Gly Gln Val Thr Ala Val Gly Thr Leu
1 5 10

10

<210> 367

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 367

20

Gln Gly Ile Leu Thr Thr Arg Lys Gly Leu
1 5 10

25

<210> 368

<211> 10

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 368

35

Ser Pro Pro Thr Thr Gly Thr Gly Thr Leu
1 5 10

40

<210> 369

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 369

Asn Ser Pro Ala Trp Arg Ala Thr Tyr Leu
1 5 10

50

<210> 370

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 370

5 Gly Pro Phe Pro Gln Arg Leu Asn Gln Leu
1 5 10

<210> 371

$\langle 211 \rangle$ 10

<212> PRT

10 <213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15 <400> 371

Glu Ile Gly Asn Phe Ile Ile Glu Asn Leu
1 5 10

20 <210> 372

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

25 <220>

<223> An artificially synthesized peptide sequence

<400> 372

30 Thr Thr Ala Val Ala Val Val Glu Ile Leu
1 5 10

<210> 373

$\langle 211 \rangle$ 10

35 <212> PRT

<213> Artificial

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

40

<400> 373

Ile Tyr Thr Tyr Asn Gly Val Val Ala Tyr
1 5 10

45

<210> 374

 $\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

50

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 374

55

Asp Tyr Asp Tyr Leu Asn Glu Trp Gly Ser
1 5 10

<210> 375
<211> 9
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 375

10

Ala Leu Phe Ser Cys Leu Phe Gly Ile
1 5

<210> 376
<211> 9
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 376

25

Gly Leu Asn Pro Leu Thr Ser Tyr Val
1 5

<210> 377
<211> 9
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 377

35

Cys Leu Phe Gly Ile Cys Asp Ala Val
1 5

<210> 378
<211> 9
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 378

50

Gln Met His Gly Arg Met Val Pro Val
1 5

<210> 379
<211> 9
<212> PRT
<213> Artificial

55

 $\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 379

5 Lys Leu Asn Thr Glu Ile Arg Asp Val
 1 5

<210> 380

$\langle 211 \rangle$ 9

10 <212> PRT

<213> Artificial

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

15

<400> 380

Trp Leu Val Pro Ile Gly Asn Cys Leu
1 5

20

<210> 381

$\langle 211 \rangle$ 9

<212> PRT

<213> Artificial

25

$\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 381

30

Lys Leu Ile Arg Asn Pro Asn Ser Leu
1 5

<210> 382

35

$\langle 211 \rangle$ 9

<212> PRT

<213> Artificial

 $\langle 220 \rangle$

40

<223> An artificially synthesized peptide sequence

<400> 382

Val Val Ile Leu Ile Ala Ala Phe Val
1 5

45

<210> 383

$\langle 211 \rangle$ 9

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 383

Val Met Trp Glu Val Met Ser Tyr Gly
1 5

<210> 384
<211> 9
<212> PRT
<213> Artificial

5

<220>
<223> An artificially synthesized peptide sequence

<400> 384

10

Gly Ile Gly Ser Gly Met Lys Tyr Leu
1 5

<210> 385
<211> 9
<212> PRT
<213> Artificial

15

<220>
<223> An artificially synthesized peptide sequence

<400> 385

25

Asn Ile Leu Val Asn Ser Asn Leu Val
1 5

<210> 386
<211> 9
<212> PRT
<213> Artificial

30

<220>
<223> An artificially synthesized peptide sequence

<400> 386

35

Thr Thr Leu Glu Ala Val Val His Val
1 5

<210> 387
<211> 9
<212> PRT
<213> Artificial

40

<220>
<223> An artificially synthesized peptide sequence

<400> 387

50

Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5

<210> 388
<211> 9
<212> PRT
<213> Artificial

55

 $\langle 220 \rangle$

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 388

5 Leu Tyr Leu Leu Gly Val Val Leu Thr
 1 5

<210> 389

 $\langle 211 \rangle$ 9

10 <212> PRT

<213> Artificial

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

15

<400> 389

Val Met Glu Ser Leu Glu Gly Leu Leu
1 5

20

<210> 390

$\langle 211 \rangle$ 9

<212> PRT

<213> Artificial

25

 $\langle 220 \rangle$

<223> An artificially synthesized peptide sequence

<400> 390

30

Leu Leu Gly Val Val Leu Thr Leu Leu
1 5

<210> 391

35

$\langle 211 \rangle$ 10

<212> PRT

<213> Artificial

 $\langle 220 \rangle$

40

<223> An artificially synthesized peptide sequence

<400> 391

Tyr Leu Leu Gly Val Val Leu Thr Leu Leu
1 5 10

45

<210> 392

$\langle 211 \rangle$ 10

<212> PRT

50

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 392

Leu Asn Leu Tyr Leu Leu Gly Val Val Leu
1 5 10

<210> 393
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 393

Leu Ala Asn Thr Glu Pro Thr Lys Gly Leu
1 5 10

<210> 394
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 394

Ser Ile Phe Val Arg Val Met Glu Ser Leu
1 5 10

<210> 395
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 395

Leu Tyr Leu Lys Leu Leu Pro Tyr Val
1 5

<210> 396
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 396

Ile Ser Asn Glu Gly Asn Gln Asn Leu
1 5

<210> 397
<211> 9
<212> PRT
<213> Artificial

<220>

EP 2 465 864 B1

<223> An artificially synthesized peptide sequence

<400> 397

5 **Arg Ser Gly Trp His Thr Phe Pro Leu**
 1 5

<210> 398

<211> 9

10 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

15

<400> 398

Ala Ser Leu Trp Leu Tyr Leu Lys Leu
 1 5

20

<210> 399

<211> 9

<212> PRT

<213> Artificial

25

<220>

<223> An artificially synthesized peptide sequence

<400> 399

30

Ala Tyr Leu Ala Gly Val Pro Gly Ser
 1 5

35

<210> 400

<211> 9

<212> PRT

<213> Artificial

40

<220>

<223> An artificially synthesized peptide sequence

<400> 400

45

Asn Met Val Glu Lys Arg Val Asp Leu
 1 5

<210> 401

<211> 9

50 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

55

<400> 401

EP 2 465 864 B1

Ala Met Val Thr Ala Leu Arg Lys Leu
1 5

5 <210> 402
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 402

15 **Val Gln Cys Asp Ser Cys Gln Glu Leu**
1 5

<210> 403
 <211> 9
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 403

Asn Ser Cys Cys Ile Pro Thr Lys Leu
1 5

30 <210> 404
 <211> 9
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 404

40 **Asn Tyr Cys Glu Gly Ser Cys Pro Ala**
1 5

<210> 405
 <211> 9
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 405

Phe Val Val Gln Ala Ser Leu Trp Leu
1 5

55 <210> 406
 <211> 9
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 406

Val Asn Gln Tyr Arg Met Arg Gly Leu
1 5

10

<210> 407

<211> 9

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 407

20

Gln Phe Phe Ile Asp Phe Arg Leu Ile
1 5

25

<210> 408

<211> 9

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 408

35

Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5

40

<210> 409

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 409

Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5

50

<210> 410

<211> 9

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 410

EP 2 465 864 B1

Asn Leu Phe Val Val Gln Ala Ser Leu
1 5

5 <210> 411
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 411

15 **Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser**
1 5

<210> 412
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 412

Gln Asn Leu Phe Val Val Gln Ala Ser Leu
1 5 10

30 <210> 413
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 413

40 **Asp Val Gln Cys Asp Ser Cys Gln Glu Leu**
1 5 10

<210> 414
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 414

Val Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5 10

55 <210> 415
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 415

Leu	Tyr	Phe	Asp	Asp	Glu	Tyr	Asn	Ile	Val
1				5					10

10

<210> 416

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 416

20

Phe	Pro	Leu	Thr	Glu	Ala	Ile	Gln	Ala	Leu
1				5					10

25

<210> 417

<211> 10

<212> PRT

<213> Artificial

30

<220>

<223> An artificially synthesized peptide sequence

<400> 417

35

Arg	Thr	Asn	Leu	Cys	Cys	Arg	Gln	Gln	Phe
1				5					10

<210> 418

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 418

Ala	Ala	Met	Val	Thr	Ala	Leu	Arg	Lys	Leu
1				5					10

50

<210> 419

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 419

EP 2 465 864 B1

Val Asn Ser Cys Cys Ile Pro Thr Lys Leu
1 5 10

5 <210> 420
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 420

Cys Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5 10

<210> 421
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 421

Val Val Asn Gln Tyr Arg Met Arg Gly Leu
1 5 10

30 <210> 422
 <211> 10
 <212> PRT
 <213> Artificial

35 <220>
 <223> An artificially synthesized peptide sequence

<400> 422

Asp Gly Leu Ala Ser Ser Arg Val Arg Leu
1 5 10

<210> 423
 <211> 10
 45 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

50 <400> 423

Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu
1 5 10

55 <210> 424
 <211> 10
 <212> PRT

EP 2 465 864 B1

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

5

<400> 424

Asn	Tyr	Cys	Glu	Gly	Ser	Cys	Pro	Ala	Tyr
1				5					10

10

<210> 425

<211> 10

<212> PRT

<213> Artificial

15

<220>

<223> An artificially synthesized peptide sequence

<400> 425

20

Ala	Ser	Leu	Trp	Leu	Tyr	Leu	Lys	Leu	Leu
1				5					10

25

<210> 426

<211> 10

<212> PRT

<213> Artificial

<220>

30

<223> An artificially synthesized peptide sequence

<400> 426

Trp	Asn	Met	Val	Glu	Lys	Arg	Val	Asp	Leu
1				5					10

35

<210> 427

<211> 10

<212> PRT

40

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

45

<400> 427

Phe	Leu	Glu	Ala	Val	Lys	Arg	His	Ile	Leu
1				5					10

50

<210> 428

<211> 10

<212> PRT

<213> Artificial

55

<220>

<223> An artificially synthesized peptide sequence

<400> 428

EP 2 465 864 B1

Tyr Cys Glu Gly Ser Cys Pro Ala Tyr Leu
1 5 10

5 <210> 429
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 10 <223> An artificially synthesized peptide sequence

<400> 429

Ala Val Lys Arg His Ile Leu Ser Arg Leu
1 5 10

15 <210> 430
 <211> 10
 <212> PRT
 20 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

25 <400> 430

Gln Ala Ser Leu Trp Leu Tyr Leu Lys Leu

30 **1 5 10**

<210> 431
 <211> 10
 35 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

40 <400> 431

Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser
1 5 10

45 <210> 432
 <211> 10
 <212> PRT
 <213> Artificial

50 <220>
 <223> An artificially synthesized peptide sequence

<400> 432

Leu Tyr Phe Phe Ile Ser Asn Glu Gly Asn
1 5 10

EP 2 465 864 B1

5

<210> 433

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 433

10

Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys

1 5 10

15

<210> 434

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 434

20

Ile Leu Leu Leu Leu Ala Ser Ile Ala

1 5

25

Patentkrav

1. Peptid på mindre end 15 aminosyrer med cytotoxisk T-celle-inducerbarhed, hvor peptidet omfatter aminosyresekvensen af SEQ ID NO: 376 eller 379.
- 5 2. Peptid på mindre end 15 aminosyrer med cytotoxisk T-celle-inducerbarhed, hvor peptidet omfatter en aminosyresekvens valgt fra gruppen bestående af SEQ ID No: 376 og 379 i hvilke 1 eller 2 aminosyrer er substituerede, hvor peptidet inducerer en cytotoxisk T-celle der er specifik til en celle der udtrykker EphA4.
- 10 3. Peptidet ifølge krav 2, hvor den anden aminosyre fra den N-terminale ende af aminosyresekvensen af SEQ ID NO:376 eller 379 er substitueret med leucin eller methionin.
4. Peptidet ifølge krav 2 eller 3, hvor den C-terminale aminosyre af aminosyresekvensen af
15 SEQ ID NO:376 eller 379 er substitueret med valin eller leucin.
5. Peptidet ifølge krav 1, hvor peptidet består af aminosyresekvensen af SEQ ID NO: 376 eller 379.
- 20 6. Peptid på mindre end 15 aminosyrer med cytotoxisk T-celle-inducerbarhed, hvor peptidet omfatter aminosyresekvensen valgt fra gruppen bestående af SEQ ID No: 41, 44, 46, 48, og 78.
7. Peptid på mindre end 15 aminosyrer med cytotoxisk T-celle-inducerbarhed, hvor
25 peptidet omfatter en aminosyresekvens valgt fra gruppen bestående af SEQ ID No: 41, 44, 46, 48, og 78 hvor en aminosyre er substitueret, idet peptidet inducerer en cytotoxisk T-celle der er specifik til en celle der udtrykker EphA4.
8. Peptid på mindre end 15 aminosyrer med cytotoxisk T-celle-inducerbarhed, hvor
30 peptidet omfatter en aminosyresekvens i hvilken den anden aminosyre fra den N-terminale ende af aminosyresekvensen af SEQ ID NO: 41, 44, 46, 48 eller 78 er substitueret med phenylalanin, tyrosin, methionin, eller tryptophan og/eller den C-terminale aminosyre af aminosyresekvensen af SEQ ID NO: 41, 44, 46, 48 eller 78 er substitueret med phenylalanin, leucin, isoleucin, tryptophan, eller methionin, hvor peptidet inducerer en
35 cytotoxisk T-celle der er specifik til en celle der udtrykker EphA4.

- 9.** Peptidet ifølge krav 6, hvor peptidet består af aminosyresekvensen af SEQ ID NO: 41, 44, 46, 48 eller 78.
- 10.** Farmaceutisk sammensætning til anvendelse i behandling eller forebyggelse af cancer,
- 5 hvilken sammensætning omfatter mindst ét peptid ifølge et hvilket som helst af kravene 1 til 9 eller et polynukleotid der koder for peptidet.
- 11.** Exosom der på sin overflade udviser et kompleks omfattende et peptid ifølge et hvilket som helst af kravene 6 til 9 og et HLA-antigen.
- 10 **12.** Exosom ifølge krav 11, hvor HLA-antigenet er HLA-A24.
- 13.** Exosom ifølge krav 12, hvor HLA-antigenet er HLA-A2402.
- 15 **14.** Exosom der på sin overflade udviser et kompleks omfattende et peptid ifølge et hvilket som helst af kravene I to 5 og et HLA-antigen.
- 15.** Exosom ifølge krav 14, hvor HLA-antigenet er HLA-A2.
- 20 **16.** Exosom ifølge krav 15, hvor HLA-antigenet er HLA-A0201.
- 17.** In vitro-fremgangsmåde til at inducere en antigen-præsenterende celle med cytotoksisk T-celle-inducerbarhed, omfattende trinnet at:
- 25 (a) bringe en antigen-præsenterende celle i kontakt med et peptid ifølge et hvilket som helst af kravene 1 til 9, eller
- (b) overføre et gen omfattende et polynukleotid der koder for et peptid ifølge et hvilket som helst af kravene 1 til 9 til en antigen-præsenterende celle.
- 30 **18.** In vitro-fremgangsmåde til at inducere en cytotoksisk T-celle- ved at bringe en T-celle i kontakt med et peptid ifølge et hvilket som helst af kravene 1 til 9.
- 19.** In vitro-fremgangsmåde til at inducere en cytotoksisk T-celle, omfattende trinnene at:

(i) bringe en antigen-præsenterende celle i kontakt med et peptid ifølge et hvilket som helst af kravene 1 til 9,
og

5 (ii) blande den antigen-præsenterende celle fra trin (i) med en CD8+ T-celle og co-kultivere.

20. Isoleret cytotoxisk T-celle, der er induceret ved fremgangsmåden ifølge krav 18 eller 19 eller som er transduceret med nukleinsyrerne der koder for TCR-underenheds-polypeptider der binder med et peptid ifølge et hvilket som helst af kravene 1 til 9 i
10 konteksten af HLA-A24 eller HLA-A2.

21. Antigen-præsenterende celle, der omfatter et kompleks dannet mellem et HLA-antigen og et peptid ifølge et hvilket som helst af kravene 1 til 9, eller induceret ved fremgangsmåden ifølge krav 17.
15

22. Vaccine til anvendelse til inhibering af proliferation af celler der udtrykker et gen af SEQ ID NO: 3, hvor vaccinen omfatter mindst ét peptid ifølge et hvilket som helst af kravene 1 til 9 som den aktive bestanddel.

20 **23.** Vaccine ifølge krav 22, hvor cellerne der udtrykker et gen af SEQ ID NO: 3 er cancerceller.

24. Peptid ifølge et hvilket som helst af kravene 1 til 9, eller et polynukleotid der koder for dette peptid, til anvendelse i behandling eller forebyggelse af cancer.
25

25. Farmaceutisk sammensætning ifølge krav 10, vaccine ifølge krav 23, eller peptidet eller polynukleotidet ifølge krav 24, hvor canceren er valgt fra gruppen bestående af blærecancer, brystcancer, cervikalcancer, cholangiocellulær carcinom, CML, colorektal cancer, endometriose, øsofagealcancer, mavecancer; diffuse typer mavecancer,
30 levercancer, NSCLC, lymphom, osteosarcom, ovariecancer, bugspytcancer, prostatacancer, nyrecarcinom, SCLC, blødvævs-tumor og testikel-tumor.


26. Vaccine ifølge krav 25, formuleret til administration til et individ hvis HLA-antigen er HLA-A24 eller HLA-A2.
35

27. Fremgangsmåde til at identificere et peptid der har evne til at inducere en cytotoxisk T-celle mod en celle der udtrykker EphA4, hvilken fremgangsmåde omfattende trinnene at:


- (i) tilvejebringe mindst en kandidatsekvens der består af en aminosyresekvens modificeret ved at erstatte en eller to aminosyregrupper i en original aminosyresekvens, hvor den originale aminosyresekvens er valgt fra gruppen bestående af SEQ ID No: 41, 44, 46, 48, og 78;
- 5 (ii) vælge kandidatsekvensen der ikke har signifikant homologi med peptiderne afledt af hvilke som helst humane genprodukter andre end EphA4;
- (iii) bringe et peptid bestående af kandidatsekvensen valgt i trin (ii) i kontakt med en antigen præsenterende celle;
- 10 (iv) bringe den antigen-præsenterende celle fra trin (iii) i kontakt med en T-celle for at evaluere evnen af peptidet til at simulere T-cellen; og
- (v) identificere peptidet fra hvilket den cytotoxiske T-celles inducerbarhed er den samme som eller højere end et peptid bestående af den originale aminosyresekvens.

[Fig. 1-1]


a CDH3-A24-10-248




b CDH3-A24-10-332




c CDH3-A24-10-470



d CDH3-A24-9-513









e CDH3-A24-9-406




2/18

[Fig. 1-2]

f CDH3-A24-10-807CTL clone
CDH3-A24-10-807 #5 L.D.88CDH3-A24-10-807
(COS7 transfectant)**g** CDH3-A24-10-655CTL clone
CDH3-A24-10-655 #1 L.D.50CDH3-A24-10-655
(COS7 transfectant)


3/18

[Fig. 2]




4/18

[Fig. 3]




5/18

[Fig. 4-1]




6/18

[Fig. 4-2]




7/18

[Fig. 4-3]




8/18

[Fig. 5-1]




9/18

[Fig. 5-2]




10/18

[Fig. 6-1]




11/18

[Fig. 6-2]




12/18

[Fig. 7-1]




13/18

[Fig. 7-2]



14/18


[Fig. 8-1]



15/18


[Fig. 8-2]

d TTK-A02-9-547




16/18

[Fig. 8-3]



17/18

[Fig. 9-1]



18/18

[Fig. 9-2]

Continuation of d**CTL line stimulated by URLC10-A02-10-211 recognized endogenously URLC10 expressed target cells with HLA-A02**