



US00D787112S

(12) **United States Design Patent** (10) **Patent No.:** **US D787,112 S**
Samson (45) **Date of Patent:** **** May 16, 2017**

(54) **COVE LIGHTING FIXTURE**
(71) Applicant: **Moda LLC**, Las Vegas, NV (US)
(72) Inventor: **Mark Samson**, Las Vegas, NV (US)
(73) Assignee: **MODA LLC**, Las Vegas, NV (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/534,744**
(22) Filed: **Jul. 30, 2015**
(51) **LOC (10) Cl.** **26-05**
(52) **U.S. Cl.**
USPC **D26/138**
(58) **Field of Classification Search**
USPC D26/26–28, 60–66, 72–76, 81–82, 106,
D26/109, 113, 118, 138–139, 142;
D13/107, 108, 110, 123, 133, 135, 137,
D13/138, 199; 174/53–54, 101;
362/269, 274; D8/377; D25/119–122
CPC . H01R 25/14; H01R 25/00; F16J 1/16; H01L
27/14618; H01L 27/14601; H01L
27/14634; G06F 1/1637; E04C
2003/0408; E04C 2003/0421; E04C
2003/043; E04C 2003/0434; E04C
2003/0465
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,123,938 A * 1/1915 Shaffer B60Q 1/1438
160/132
2,282,875 A * 5/1942 Mueller H01R 33/0836
439/159
4,432,043 A * 2/1984 Yuen F21L 7/00
200/60
D349,173 S * 7/1994 Fellingner D26/85
5,510,965 A * 4/1996 Teakell F21S 8/00
362/223

5,676,458 A * 10/1997 Shemitz F21V 3/00
362/269
5,911,498 A * 6/1999 Shemitz F21V 3/00
362/217.07
D440,941 S * 4/2001 Parekh D13/134
RE40,619 E * 1/2009 Knoble F21S 2/00
362/147
D603,079 S * 10/2009 Toot D26/118
D612,533 S * 3/2010 Kim D26/138
D643,960 S * 8/2011 Waldmann D26/74
D647,241 S * 10/2011 Takahashi D26/72
D650,506 S * 12/2011 Kaule D26/72
D662,245 S * 6/2012 Steffy D26/75
8,235,539 B2 * 8/2012 Thomas F21V 15/013
362/92
8,439,522 B2 * 5/2013 Kim F21V 21/30
362/249.03
8,444,292 B2 * 5/2013 Ivey B29C 39/10
156/60
D709,636 S * 7/2014 Murata D26/72
D710,725 S * 8/2014 Laarman D10/114.2

(Continued)

Primary Examiner — Garth Rademaker
Assistant Examiner — Christopher J Matthews
(74) *Attorney, Agent, or Firm* — Weide & Miller, Ltd.


(57) **CLAIM**

The ornamental design for a cove lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cove lighting fixture showing the new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.
The broken lines indicate unclaimed portions of the article and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,926,126	B2 *	1/2015	Ronen		F21V 15/013
					362/225
D724,249	S *	3/2015	Maxik		D26/76
9,033,542	B2 *	5/2015	Peck		F21S 4/28
					362/217.05
9,045,688	B2 *	6/2015	Li		C09K 11/0883
9,157,813	B2 *	10/2015	Maier		H05B 37/03
9,222,645	B2 *	12/2015	Breslow		A47F 3/001
D747,228	S *	1/2016	Fiedler		D10/104.1
D750,308	S *	2/2016	Rodgers		D26/76
2008/0037239	A1 *	2/2008	Thomas		F21V 15/013
					362/92
2008/0198598	A1 *	8/2008	Ward		F21K 9/00
					362/249.01
2010/0208458	A1 *	8/2010	Weimer		F21S 4/28
					362/235
2015/0159818	A1 *	6/2015	Dong		H05B 33/0854
					315/151

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7