



US00D613647S

(12) **United States Design Patent**
Gundlach et al.

(10) **Patent No.:** **US D613,647 S**

(45) **Date of Patent:** **** Apr. 13, 2010**

(54) **HITCH MOUNTED VEHICLE LIGHT**

DESCRIPTION

(76) Inventors: **Gary Gundlach**, 12 Treasure Island Rd., Plainville, MA (US) 02762; **Gary Avila**, 16 Chainey St., Seekonk, MA (US) 02771

FIG. 1 is a perspective view of a first embodiment of the hitch mounted vehicle light showing our new design;

FIG. 2 is a top view of the hitch mounted vehicle light of FIG. 1;

(**) Term: **14 Years**

FIG. 3 is a bottom view of the hitch mounted vehicle light of FIG. 1;

(21) Appl. No.: **29/312,996**

FIG. 4 is a left side view of the hitch mounted vehicle light of FIG. 1;

(22) Filed: **Nov. 28, 2008**

FIG. 5 is a right side view of the hitch mounted vehicle light of FIG. 1;

(51) **LOC (9) Cl.** **12-16**

FIG. 6 is a front view of the hitch mounted vehicle light of FIG. 1;

(52) **U.S. Cl.** **D12/162**

(58) **Field of Classification Search** D12/106, D12/161-162, 199, 400, 420; D26/28-36; 224/512, 519-521; 280/186, 402-404, 405.1, 280/405.2, 407.1, 416.2, 511-513, 491.5
See application file for complete search history.

FIG. 7 is a back view of the hitch mounted vehicle light of FIG. 1;

FIG. 8 is a perspective view of the hitch mounted vehicle light of FIG. 1, showing a representative vehicle onto which the new design may be mounted in phantom;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D441,472	S	*	5/2001	Torname	D26/28
D474,294	S	*	5/2003	Smith et al.	D26/37
6,561,686	B1		5/2003	Neubauer		
D475,472	S	*	6/2003	Hipp et al.	D26/28
6,783,266	B2	*	8/2004	McCoy et al.	362/485
D499,823	S	*	12/2004	Reiss et al.	D26/28
D509,919	S		9/2005	Durgan		
D585,795	S	*	2/2009	Gundlach et al.	D12/162
D586,930	S	*	2/2009	Gundlach et al.	D26/28
2003/0012029	A1		1/2003	McCoy		
2004/0156205	A1		8/2004	Pisciotti		

FIG. 9 is a perspective view of a second embodiment of the hitch mounted vehicle light of FIG. 1, showing the lip portion of the center light in phantom;

FIG. 10 is a top view of the hitch mounted vehicle light of FIG. 9;

FIG. 11 is a bottom view of the hitch mounted vehicle light of FIG. 9;

FIG. 12 is a left side view of the hitch mounted vehicle light of FIG. 9;

FIG. 13 is a right side view of the hitch mounted vehicle light of FIG. 9;

* cited by examiner

FIG. 14 is a front view of the hitch mounted vehicle light of FIG. 9; and,

FIG. 15 is a rear view of the hitch mounted vehicle light of FIG. 9.

Primary Examiner—T. Chase Nelson

Assistant Examiner—Kathleen M Sims



The broken lines are for illustrative purposes and form no part of the claimed invention.

The Cutaway portions illustrate indeterminate length.

(57) **CLAIM**

The ornamental design for a hitch mounted vehicle light, as shown and described.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15