

(12) **United States Design Patent** (10) **Patent No.:** **US D766,784 S**
Arroba (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **REAR BUMPER FOR AUTOMOBILE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama,
Kanagawa (JP)
(72) Inventor: **Giovanny Arroba**, London (GB)
(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/522,540**
(22) Filed: **Mar. 31, 2015**

JP	D1208669 S	6/2004
JP	D1274030 S	6/2006
JP	D1317981 S	12/2007
JP	D1329974 S	5/2008
JP	D1329975 S	5/2008
JP	D1444803 S	6/2012
JP	D1457892 S	12/2012
JP	D1461048 S	2/2013
JP	D1468207 S	5/2013
JP	D1474813 S	7/2013
JP	D1486325 S	12/2013
JP	D1480997 S	1/2014
JP	D1489383 S	2/2014
JP	D1472543 S	6/2014

(Continued)

(30) **Foreign Application Priority Data**

Oct. 1, 2014 (JP) 2014-021881
(51) **LOC (10) Cl.** **12-16**
(52) **U.S. Cl.**
USPC **D12/169**
(58) **Field of Classification Search**
USPC D12/169, 216, 90-92, 86, 171, 196,
D12/163; 293/102, 113, 115, 117, 120;
296/180.1, 180.2
CPC B60R 19/52; B60R 2019/25; B62D
25/0845
See application file for complete search history.

Primary Examiner — Melody N Brown

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a rear bumper for an automobile,
as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a rear bumper for an
automobile showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational thereof;
FIG. 6 is a top, front and right side perspective view thereof;
and,
FIG. 7 is a bottom, front and left side perspective view
thereof.


The rear view of the rear bumper forms no part of the
claimed design. In addition, the rear bumper is configured to
be mounted to an automobile. The rear surfaces, visible in
FIGS. 2, 3, 6, and 7 of the rear bumper, form no part of the
claimed design since the rear surfaces are hidden when the
rear bumper is mounted to the automobile.

1 Claim, 7 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D683,282 S	5/2013	Fuchigami	
D698,712 S *	2/2014	Sato	D12/169
D699,167 S *	2/2014	Sato	D12/169
D714,196 S *	9/2014	Mays	D12/169
D718,678 S	12/2014	Ishizuka et al.	
D740,728 S *	10/2015	Gunnarson	D12/169
D748,549 S *	2/2016	Battams	D12/190
D750,539 S *	3/2016	Iwauchi	D12/169



US D766,784 S

Page 2

(56)

References Cited

JP	D1504008 S	8/2014
JP	D1511275 S	11/2014
JP	D1513119 S	12/2014

FOREIGN PATENT DOCUMENTS

JP	D1499545 S	6/2014
JP	D1446730 S	7/2014

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7