



US00D501643S

(12) **United States Design Patent**
Strand et al.

(10) **Patent No.:** US D501,643 S

(45) **Date of Patent:** ** Feb. 8, 2005

(54) **TRANSMITTER FOR A MONITOR FOR A MOVABLE BARRIER**

(75) Inventors: **Erik W. Strand**, Plainfield, IL (US);
Jonathan Wierengo, Glenview, IL (US)

(73) Assignee: **The Chamberlain Group, Inc.**,
Elmhurst, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/205,849**

(22) Filed: **May 21, 2004**

Related U.S. Application Data

(62) Division of application No. 29/172,567, filed on Dec. 13, 2002.

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/104**; D14/240; D14/358

(58) **Field of Search** D10/104, 106,
D10/116; 340/545.1, 540, 547, 686.1, 545.2,
545.3, 686.6, 539.22, 571, 693.5, 693.6;
D14/240, 358, 159; 336/83; D15/199

(56) **References Cited**

U.S. PATENT DOCUMENTS

D168,149 S	*	11/1952	Edwards et al.	D10/106
3,975,723 A	*	8/1976	Bowling et al.	340/547
4,278,968 A	*	7/1981	Arnett et al.	340/686.6
D315,527 S	*	3/1991	Kulikowski et al.	D10/108
5,402,105 A	*	3/1995	Doyle et al.	340/539.22
D357,201 S	*	4/1995	Novack	D10/104
5,471,195 A	*	11/1995	Rickman	340/550
D379,993 S	*	6/1997	Devitt et al.	D14/240
D383,687 S	*	9/1997	Conrado et al.	D10/104
5,689,236 A	*	11/1997	Kister	340/545.1
D393,859 S	*	4/1998	Nguyen et al.	D14/191
5,798,681 A	*	8/1998	Chang	336/83
D399,155 S	*	10/1998	Roberts	D10/106
5,883,579 A	*	3/1999	Schreiner et al.	340/686.1
D415,743 S	*	10/1999	Inukai	D14/425
D415,769 S	*	10/1999	Waldner	D14/240
D424,065 S	*	5/2000	Soo	D14/240

D429,238 S	*	8/2000	Kolinen	D14/240
D432,551 S	*	10/2000	Luke	D15/199
D435,041 S	*	12/2000	Coker et al.	D14/240
D438,199 S	*	2/2001	Arpe	D14/240
D438,533 S	*	3/2001	Arpe	D14/240
6,225,913 B1	*	5/2001	Slomowitz et al.	340/686.1
6,310,548 B1	*	10/2001	Stephens et al.	340/540
D465,215 S	*	11/2002	Hill et al.	D14/240
D470,839 S	*	2/2003	Tuhkanen	D14/240
D470,852 S	*	2/2003	Kim	D14/439
6,522,258 B1	*	2/2003	Lott	340/686.1
D473,220 S	*	4/2003	Smith et al.	D14/240
D473,221 S	*	4/2003	Gargani et al.	D14/240
6,597,291 B2	*	7/2003	Tsui	340/686.1
D478,605 S	*	8/2003	Guzman et al.	D15/199
D484,120 S	*	12/2003	Yin et al.	D14/240
D485,551 S	*	1/2004	Mikkola et al.	D14/240

OTHER PUBLICATIONS

Chamberlain LiftMaster Professional, 915LM Garage door monitor, 999LM Remote light control, at www.liftmaster.com, site visited Aug. 4, 2003 and revisited Sep. 21, 2004.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery


(57) **CLAIM**

I claim the ornamental design for a transmitter for a monitor for a movable barrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a transmitter for a monitor for a movable barrier showing our new design; FIG. 2 is a front elevational view of the transmitter of FIG. 1; FIG. 3 is a rear elevational view of the transmitter of FIG. 1; FIG. 4 is a right side elevational view of the transmitter of FIG. 1; FIG. 5 is a left side elevational view of the transmitter of FIG. 1. FIG. 6 is a top plan view of the transmitter of FIG. 1; and, FIG. 7 is a bottom plan view of the transmitter of FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7