

(10) International Publication Number  
**WO 2014/022249 A1**(43) International Publication Date  
6 February 2014 (06.02.2014)

## (51) International Patent Classification:

*H04N* 7/14 (2006.01) *H04N* 7/15 (2006.01)  
*H04L* 12/18 (2006.01) *H04L* 29/06 (2006.01)

## (21) International Application Number:

PCT/US2013/052440

## (22) International Filing Date:

29 July 2013 (29.07.2013)

## (25) Filing Language:

English

## (26) Publication Language:

English

## (30) Priority Data:

13/561,917 30 July 2012 (30.07.2012) US

(71) Applicant: MICROSOFT CORPORATION [US/US];  
 One Microsoft Way, Redmond, Washington 98052-6399  
 (US).

(72) Inventors: TANDON, Ankit; c/o Microsoft Corporation,  
 LCA - International Patents, One Microsoft Way, Red-  
 mond, Washington 98052-6399 (US). VERTHEIN, Willi-  
 am; c/o Microsoft Corporation, LCA - International Pat-  
 ents, One Microsoft Way, Redmond, Washington 98052-  
 6399 (US). VELAYUTHAM, Senthil; c/o Microsoft Cor-  
 poration, LCA - International Patents, One Microsoft Way,  
 Redmond, Washington 98052-6399 (US). CUTLER,  
 Ross; c/o Microsoft Corporation, LCA - International Pat-

ents, One Microsoft Way, Redmond, Washington 98052-  
 6399 (US).

(81) Designated States (unless otherwise indicated, for every  
 kind of national protection available): AE, AG, AL, AM,  
 AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,  
 BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,  
 DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
 HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR,  
 KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,  
 MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,  
 OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC,  
 SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,  
 TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every  
 kind of regional protection available): ARIPO (BW, GH,  
 GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,  
 UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,  
 TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,  
 EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,  
 MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,  
 TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,  
 KM, ML, MR, NE, SN, TD, TG).

## Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a  
 patent (Rule 4.17(ii))

[Continued on next page]

## (54) Title: COLLABORATION ENVIRONMENTS AND VIEWS

**FIGURE 1**

(57) Abstract: Provided herein are systems, methods, and software for fa-  
 cilitating collaboration environments. In at least one implementation, a  
 presentation of an initial view of a collaboration scene is presented within a  
 collaboration environment. A portion of the collaboration scene is identi-  
 fied that corresponds to an object of interest selected for separate viewing.  
 A separate presentation within the collaboration environment is initiated  
 related to the portion of the scene corresponding to the object of interest.



- 
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*
- Published:**
- *with international search report (Art. 21(3))*

## COLLABORATION ENVIRONMENTS AND VIEWS

### TECHNICAL FIELD

[0001] Aspects of the disclosure are related to computer hardware and software technologies and in particular to collaboration applications and environments.

5

### TECHNICAL BACKGROUND

[0002] Collaboration applications and environments allow session participants that may be remote from each other to interact online in a variety of ways or exchange a variety of communications. For instance, collaboration participants may engage in video exchanges, voice calls, instant messaging, white board presentations, and desktop views, or any combination or variation thereof. Microsoft® Lync® is an example application program suitable for providing such collaboration environments.

[0003] As the feasibility of collaborating online has increased, so too have the technologies with which collaboration environments can be delivered. For example, collaboration participants may engage in a video conference, voice call, or instant messaging session using traditional desktop or laptop computers, as well as tablets, mobile phones, gaming systems, dedicated collaboration systems, or any other suitable communication device. Different architectures can be employed to deliver collaboration environments including centrally managed and peer-to-peer architectures.

[0004] Many collaboration environments allow for emphasizing the presentation of some communications relative to others. In an example scenario involving multiple speakers in a video conference, video associated with the person presently speaking may be visually emphasized over video of other participants, and may in fact occur automatically. In addition to these aspects, many environments allow visual preferences and emphasis to be set manually. For example, a user may designate video from one remote scene to be emphasized within an environment over video sourced from another remote scene.

### OVERVIEW

[0005] Provided herein are systems, methods, and software for facilitating collaboration environments. In at least one implementation, a presentation of an initial view of a collaboration scene is presented within a collaboration environment. A portion of the collaboration scene is identified that corresponds to an object of interest selected for

separate viewing. A separate presentation within the collaboration environment is initiated related to the portion of the scene corresponding to the object of interest.

[0006] This Overview is provided to introduce a selection of concepts in a simplified form that are further described below in the Technical Disclosure. It should be understood that this Overview is not intended to identify key features or essential features of the claimed subject matter, nor is it intended to be used to limit the scope of the claimed subject matter.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0007] Many aspects of the disclosure can be better understood with reference to the following drawings. While several implementations are described in connection with these drawings, the disclosure is not limited to the implementations disclosed herein. On the contrary, the intent is to cover all alternatives, modifications, and equivalents.

[0008] Figure 1 illustrates an operational scenario involving a collaboration environment in an implementation.

[0009] Figure 2 illustrates a collaboration process in an implementation.

[0010] Figure 3 illustrates a computing system in an implementation.

[0011] Figure 4 illustrates a collaboration architecture in an implementation.

[0012] Figure 5 illustrates an operational scenario involving a collaboration environment in an implementation.

[0013] Figure 6 illustrates an operational scenario involving a collaboration environment in an implementation.

[0014] Figure 7 illustrates an operational sequence involving a collaboration session in an implementation.

[0015] Figure 8 illustrates an operational sequence involving a collaboration session in an implementation.

#### TECHNICAL DISCLOSURE

[0016] Implementations described herein provide for separate views of objects of interest within collaboration environments. In at least one implementation, a collaboration environment may include a view, such as a video presentation window, through which a scene may be viewed by a collaboration participant. The collaboration environment may include other collaboration views, such as an instant message presentation window, that allow the collaboration participant to engage in a collaboration session by way of a variety of communication techniques. Upon an object of interest being identified for separate viewing, a separate view may be presented with the object of interest displayed therein.

The object of interest may be identified in a variety of ways, such as by a mouse click, a hover operation, a touch, or the drawing of a region of interest that includes the object.

[0017] The object of interest may be a collaboration participant in a collaboration session with other collaboration participants. In some scenarios, video may be captured of a collaboration scene that includes multiple collaboration participants. A remote attendee to the collaboration session, experiencing a single view of the multiple collaboration participants, may wish to focus on one of the collaboration participants. By way of a suitable user input mechanism, a collaboration participant may be identified in the view as of-interest for separate viewing. A separate view of the collaboration participant may then be generated and presented to the remote attendee.

[0018] In various implementation scenarios, an initial view of a collaboration scene may be modified, and the modified view of the scene presented simultaneously with the separate view. For example, the separate view may presented within a viewing area in a visual emphasize manner, while the modified view may be a relatively smaller view of the collaboration scene than the initial view. In some scenarios, a second portion of a collaboration scene corresponding to a second object of interest may also be selected for separate viewing and presented in a second separate view. A remote view of another remote attendee or attendees may also be presented along with the separate view.

[0019] Figure 1 illustrates an operational scenario 100 involving collaboration environment 101 in an embodiment. In operational scenario 100, an initial state of collaboration environment 101 is depicted at T1. Next, collaboration environment 101 is depicted in a different state at time T2. In particular, collaboration environment 101 initially presents view 103 of a scene. Upon an object of interest in the scene being identified for separate viewing, as will be discussed in more detail below, collaboration environment 101 transitions to a different state whereby view 117 and view 119 are presented.

[0020] View 103 includes object 109, object 111, and object 113. Objects 109, 111, and 113 may be any objects in a scene captured within video of the scene, such as people, equipment, displays, or other objects. For example, a video capture device (not shown) may be configured to capture the scene having the objects 109, 111, and 113 positioned or otherwise stationed therein. In some scenarios, the scene may be a conference room or other gathering space suitable for hosting a collaboration session, such as a group meeting.

[0021] Collaboration environment 101 also includes instant messaging views 105 and 107. Instant messaging views 105 and 107 are provided merely as examples of other

communication modalities, in addition to view 103, that may be provided by a collaboration application capable of presenting view 103. Other communication modalities that may be presented along with view 103 include voice calling, white board sharing, and desktop sharing modalities. One such collaboration application is Lync® from Microsoft®.

[0022] In operation, a selection 115 or other similar indication of an object of interest may be made with respect to any of the objects in view 103. In this example, object 111 is identified as an object of interest by way of selection 115. Selection 115 may be accomplished using any of a number of well-known selection mechanisms, such as a mouse click or a touch. In addition, a region of interest may be drawn around the object of interest using a mouse, a touch, or other suitable input.

[0023] An object of interest having been identified, collaboration environment 101 is transitioned to a different state at time T2. In this subsequent state, view 117 is presented with a focus given to object 111, previously identified as the object of interest. In addition, view 119 is presented including objects 109, 111, and 113. View 119 is a modified view of the scene initially presented within view 103. Objects 109, 111, and 113 are presented in view 119 as proportionally smaller than as presented in view 103 to demonstrate that view 119 may present a reduced view of the scene relative to view 103. View 119 is optional and is provided merely for illustrative purposes.

[0024] Figure 2 illustrates a collaboration process 200 that may be implemented using a suitable computing system, such as computing system 300 discussed below with respect to Figure 3 to facilitate the presentation of collaboration environments. The following discussion of collaboration process 200 will proceed with respect to Figure 1.

[0025] To begin, an initial view of a scene is presented within collaboration environment 101 (step 201). As discussed above, the scene may include a variety of objects, such as people, equipment, or any other type of object. In one example, the scene may be a conference room or other similar meeting environment in which people may gather for a collaboration session. The scene may be captured by way of a video capture device or other similar equipment and provided for presentation within collaboration environment 101.

[0026] Next, a portion of the scene corresponding to an object of interest is identified (step 203). Identifying the portion of the scene corresponding to the object of interest may occur in response to the object itself being identified. Optionally, a region of interest surrounding or otherwise related to the object of interest may be identified. Determining

which portion of the scene corresponds to the object of interest may be accomplished based on any number of well-known video processing factors, rules, and procedures.

[0027] In step 205, a view 117 of the previously identified portion of the scene is presented within collaboration environment 101. View 117 may be considered a separate  
5 view in that it is a new view of the scene relative to view 103. A modified view of view 103 may optionally be presented simultaneously with view 117, exemplified by view 119 in operational scenario 100.

[0028] Note that while collaboration process 200 refers generally to presenting views within a collaboration environment, initiating the presentation of such views may be  
10 considered within the scope of the disclosure. Thus, a variation of collaboration process 200 may include initiating a presentation, within the collaboration environment, of an initial view of a collaboration scene captured in a video stream, identifying a portion of the collaboration scene corresponding to an object of interest in the collaboration scene selected for separate viewing, and initiating a separate presentation, within the  
15 collaboration environment, of a separate view comprising the portion of the collaboration scene corresponding to the object of interest.

[0029] Referring now to Figure 3, computing system 300 is generally representative of any computing system or systems on which collaboration process 200 or variations thereof may be suitably implemented. Optionally, computing system 300 may also be suitable for  
20 implementing collaboration environment 101. Examples of computing system 300 include server computers, client computers, virtual machines, distributed computing systems, personal computers, mobile computers, media devices, Internet appliances, desktop computers, laptop computers, tablet computers, notebook computers, mobile phones, smart phones, gaming devices, and personal digital assistants, as well as any combination  
25 or variation thereof.

[0030] Computing system 300 includes processing system 301, storage system 303, software 305, and communication interface 307. Computing system 300 also includes user interface 309, although user interface 309 is optional. Processing system 301 is operatively coupled with storage system 303, communication interface 307, and user  
30 interface 309. Processing system 301 loads and executes software 305 from storage system 303. When executed by computing system 300 in general, and processing system 301 in particular, software 305 directs computing system 300 to operate as described herein for collaboration process 200 or variations thereof. Computing system 300 may

optionally include additional devices, features, or functionality not discussed here for purposes of brevity and clarity.

[0031] Referring still to Figure 3, processing system 301 may comprise a microprocessor and other circuitry that retrieves and executes software 305 from storage system 303. Processing system 301 may be implemented within a single processing device but may also be distributed across multiple processing devices or sub-systems that cooperate in executing program instructions. Examples of processing system 301 include general purpose central processing units, application specific processors, and logic devices, as well as any other type of processing device, combinations of processing devices, or variations thereof.

[0032] Storage system 303 may comprise any storage media readable by processing system 301 and capable of storing software 305. Storage system 303 may include volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information, such as computer readable instructions, data structures, program modules, or other data. Storage system 303 may be implemented as a single storage device but may also be implemented across multiple storage devices or sub-systems. Storage system 303 may comprise additional elements, such as a controller, capable of communicating with processing system 301.

[0033] Examples of storage media include random access memory, read only memory, magnetic disks, optical disks, flash memory, virtual memory, and non-virtual memory, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and that may be accessed by an instruction execution system, as well as any combination or variation thereof, or any other type of storage media. In some implementations, the storage media may be a non-transitory storage media. In some implementations, at least a portion of the storage media may be transitory. It should be understood that in no case is the storage media a propagated signal.

[0034] Software 305 may be implemented in program instructions and among other functions may, when executed by computing system 300, direct computing system 300 to initiate a presentation, within a collaboration environment, of an initial view of a collaboration scene captured in a video stream, identify a portion of the collaboration scene corresponding to an object of interest in the collaboration scene selected for separate viewing, and initiate a separate presentation, within the collaboration environment, of a separate view including the portion of the collaboration scene corresponding to the object



of interest. Software 305 may include additional processes, programs, or components, such as operating system software or other application software. Software 305 may also comprise firmware or some other form of machine-readable processing instructions executable by processing system 301.

5    **[0035]**   In general, software 305 may, when loaded into processing system 301 and executed, transform processing system 301, and computing system 300 overall, from a general-purpose computing system into a special-purpose computing system customized to facilitate a collaboration session as described herein for each implementation. Indeed, encoding software 305 on storage system 303 may transform the physical structure of  
10   storage system 303. The specific transformation of the physical structure may depend on various factors in different implementations of this description. Examples of such factors may include, but are not limited to the technology used to implement the storage media of storage system 303 and whether the computer-storage media are characterized as primary or secondary storage.

15   **[0036]**   For example, if the computer-storage media are implemented as semiconductor-based memory, software 305 may transform the physical state of the semiconductor memory when the program is encoded therein. For example, software 305 may transform the state of transistors, capacitors, or other discrete circuit elements constituting the semiconductor memory. A similar transformation may occur with respect to magnetic or  
20   optical media. Other transformations of physical media are possible without departing from the scope of the present description, with the foregoing examples provided only to facilitate this discussion.

**[0037]**   It should be understood that computing system 300 is generally intended to represent a computing system with which software 305 is deployed and executed in order  
25   to implement collaboration process 200 (and variations thereof) and optionally render collaboration environment 101. However, computing system 300 may also represent any computing system on which software 305 may be staged and from where software 305 may be distributed, transported, downloaded, or otherwise provided to yet another computing system for deployment and execution, or yet additional distribution.

30   **[0038]**   Referring again to Figure 1, through the operation of computing system 300 employing software 305, transformations may be performed with respect to collaboration environment 101. As an example, collaboration environment 101 could be considered transformed from one state to another when subject to collaboration process 200 or variations thereof. In a first state, collaboration environment 101 includes view 103 of

scene. Upon identifying an object of interest in the scene, a corresponding portion of the scene is presented via view 117, thereby collaboration environment 101 to a second, different state.

[0039] Referring again to Figure 3, communication interface 307 may include

5 communication connections and devices that allow for communication between computing system 300 other computing systems not shown over a communication network or collection of networks (not shown). Examples of connections and devices that together allow for inter-system communication include network interface cards, antennas, power amplifiers, RF circuitry, transceivers, and other communication circuitry. The  
10 aforementioned network, connections, and devices are well known and need not be discussed at length here.

[0040] User interface 309 may include a mouse, a voice input device, a touch input device for receiving a gesture from a user, a motion input device for detecting non-touch gestures and other motions by a user, and other comparable input devices and associated

15 processing elements capable of receiving user input from a user. Output devices such as a display, speakers, printer, haptic devices, and other types of output devices may also be included in user interface 309. The aforementioned user input devices are well known in the art and need not be discussed at length here. User interface 309 may also include associated user interface software executable by processing system 301 in support of the  
20 various user input and output devices discussed above. Separately or in conjunction with each other and other hardware and software elements, the user interface software and devices may provide a graphical user interface, a natural user interface, or any other kind of user interface.

[0041] Figure 4 illustrates collaboration architecture 400 in an implementation.

25 Collaboration architecture 400 is representative of any computing and communications architecture suitable for facilitating collaboration sessions for users. Collaboration architecture 400 includes client device 411, client device 413, client device 417, and client device 419. Collaboration architecture 400 also includes video capture system 415 and collaboration system 416. Note that client devices 411, 413, 417, and 419 are illustrated  
30 for exemplary purposes and not all need be present within collaboration architecture 400.

[0042] Client devices 411, 413, 417, and 419 are representative of any device or devices capable of presenting collaboration environments. Examples of client devices 411, 413, 417, and 419 include desktop or laptop computers, as well as tablets, mobile phones,

gaming systems, dedicated collaboration systems, and any other suitable communication and computing devices.

[0043] Collaboration applications 421, 423, 427, and 429 are representative of any applications or application components executable entirely or in part by client devices 411, 5 413, 417, and 419 respectively to at least initiate the presentation of collaboration environments and possibly present them, such as Microsoft® Lync®. A variety of application models may be used to implement collaboration applications 421, 423, 427, and 427, including locally installed models, hosted or web-based models, hybrid models, and streaming models, as well as any combination or variation thereof.

10 [0044] Video capture system 415 is representative of any system or sub-system capable of capturing scenes and providing captured video of the scenes to other systems. Video capture system 415 may be a stand-alone device, as illustrated in Figure 4, but may also be integrated within or distributed across other devices, such as client devices 417 and 419.

[0045] Collaboration system 416 is representative of any communication system capable 15 of managing collaboration sessions. Collaboration system 416 may perform various collaboration functions, such as session registration, communication routing, and video routing. Collaboration system 416 may be implemented as a stand-alone system, as illustrated in Figure 4, but may also be integrated with or distributed across other devices.

[0046] Communication network 430 is representative of any network or collection of 20 networks capable of facilitating or otherwise allowing for communication between the various elements of collaboration architecture 400.

[0047] In operation, collaboration architecture 400 allows users to engage in collaboration sessions from various locations, possibly remote from each other. With respect to Figure 4, an implementation scenario is illustrated whereby users 401 and 403 25 engage in a collaboration session with user 407 and user 409. In this implementation, it is assumed for exemplary purposes that user 401 and user 403 are co-located and may be considered part of collaboration scene 431. User 407 is illustrated as located remotely from users 401 and 403 and may be considered part of remote scene 433. Similarly, user 409 may be considered part of remote scene 435.

30 [0048] As collaboration scene 431 is captured by video capture system 415, video information is generated and communicated to collaboration system 416 for distribution to other devices that may have registered on the session. Similarly, client device 417 captures remote scene 433 and communicates associated video information to

collaboration system 416. Client device 419 captures remote scene 435 and also communicates associated video information to collaboration system 416.

[0049] Collaboration system 416 then distributes the video to client devices registered or otherwise joined to the collaboration session for presentation within collaboration environments. Figure 5 presents one example operational scenario that may be experienced from the perspective of user 409 by way of client device 419 and collaboration application 429. Figure 5 presents another example operational scenario that may be experience from the perspective of user 407 and user 409 by way of client device 417 and client device 419 respectively, and collaboration application 427 and collaboration application 429 respectively.

[0050] Referring now to Figure 5, operational scenario 500 is illustrated. In operational scenario 500, an initial state of collaboration environment 501 is depicted at time T1. Collaboration environment 501 is then depicted in a different state at time T2. Initially, collaboration environment 501 includes view 503 of collaboration scene 431. Upon objects of interest in the scene being identified for separate viewing, as will be discussed in more detail below, collaboration environment 501 transitions to a different state whereby separate views are newly presented.

[0051] In particular, view 503 within collaboration environment 501 includes user 401, user 403, object 404 and object 406. While not earlier presented as part of collaboration scene 431, object 404 and object 406 may be representative of any objects that may be captured within collaboration scene 431, such as a white board or other such presentation tools. Collaboration environment 501 also includes view 505 of remote scene 433, including user 407. As mentioned, operational scenario 500 is discussed from the vantage point of user 409. Thus, remote scene 435 is not presented within collaboration environment 501, although it would be possible to present remote scene 435 within collaboration environment 501.

[0052] Collaboration environment 501 also includes instant messaging views 507 and 509. Instant messaging views 507 and 509 are provided merely as examples of other communication modalities that may be provided by collaboration application 429, in addition to views 503 and 505. Rather, a variety of communication modalities that may be presented along with views 503 and 505, including voice calling, white board sharing, and desktop sharing modalities.

[0053] In operation, a selection or other similar indication of an object of interest may be made with respect to any of the objects in view 503 or view 505. In this example

scenario, user 403 is identified as an object of interest by way of selection 511. In addition, object 406 is identified as an object of interest by way of selection 513.

Selections 511 and 513 may be accomplished using any of a number of well-known selection mechanisms, such as a mouse click or a touch. In addition, a region of interest  
5 may be drawn around the object of interest using a mouse, a touch, or other suitable input.

[0054] An object of interest having been identified, collaboration environment 501 is transitioned to a different state at time T2. In this subsequent state, view 515 is presented with a focus given to user 403, previously identified as the object of interest. View 517 is also presented with a focus given to object 406, also previously identified as an object of  
10 interest. View 505 remains presented within collaboration environment 501, allowing user 409 to maintain a view of remote scene 433.

[0055] In addition, collaboration environment 501 includes view 521 of collaboration scene 431. Collaboration scene 431 includes user 401, user 403, object 404, and object 406. View 521 is a modified view of collaboration scene 431 as initially presented within  
15 view 503. For example, user 401, user 403, object 404, and object 406 are presented in view 521 as proportionally smaller than as presented in view 503 to demonstrate that view 521 may present a reduced view of the scene relative to view 503. View 521 is optional and is provided merely for illustrative purposes.

[0056] Referring now to Figure 6, another operational scenario 600 is illustrated  
20 involving collaboration environment 601 as may be experienced by user 409 operating client device 419, and also involving collaboration environment 631 as may be experienced by user 407 operating client device 417. In fact, the interaction of user 409 with collaboration environment 601 may potentially drive what content is presented within collaboration environment 631, and thus what content is experienced by user 407.

[0057] User 409 may configure collaboration environment 601 in a variety of ways, layouts, and the like. In operational scenario 600, it is assumed for illustrative purposes that user 403 and object 406 have been selected for separate viewing. One such operational example is discussed above with respect to Figure 5. Thus, collaboration environment 601 includes view 603 presenting user 403 and view 605 presenting object  
30 406. Collaboration environment 601 also includes view 607 of user 407, as well as view 609 of collaboration scene 431. Instant messaging views 611 and 613 are also included in collaboration environment 601.

[0058] In operation, collaboration options may be surfaced with respect to an object of interest presented within a view at time T1. In operational scenario 600, collaboration

option menu 615 is surfaced with respect to object 406. This may occur in response to a hover operation, a right-click operation, a touch, or some other suitable selection mechanism. Collaboration option menu 615 includes a publish option 617, a share option 618, and a save option 619. The options illustrated as included in collaboration option menu 615 are representative of any option related to a separate view, such as views 603 and 605, allowing for collaboration functions to be initiated with respect to the separate view.

[0059] Further in operational scenario 600, it is assumed for illustrative purposes that user 409 has selected share option 418, allowing view 605 to be shared with other collaboration participants. It is further assumed that user 409 elects to share view 605 with user 407. Towards that end, user 407 may be presented with a suggested view in response to share option 618 being selected. Communicating the particular portion of the video corresponding to the share option may be considered a collaboration function.

[0060] With respect to user 407, collaboration environment 631 is representative of an environment that may be experienced by user 407 when engaged in a collaboration session. Similar to collaboration environment 601, collaboration environment 631 includes a view 633 of collaboration scene 431, including user 401, user 403, object 404, and object 406. Collaboration environment 631 also includes view 635 of user 409 in remote scene 435. Instant messaging views 637 and 639 are also included in collaboration environment 631.

[0061] In operation, it is assumed for illustrative purposes that user 407 as identified user 403 and user 409 as objects of interest at time T2, as represented by selections 641 and 643 respectively. At time T3, collaboration environment 631 has changed to reflect the selections made by user 407. For example, at time T3, collaboration environment 631 includes view 645 of user 403 and view 647 of user 409. In addition, collaboration environment 631 includes view 649 of collaboration scene 431, which may be a reduced version of view 633 presented earlier at time T1.

[0062] Finally, at time T3 collaboration environment 631 includes view 651. View is representative of a view suggested by user 409 by way of share option 618 selected at time T1 and discussed above. View 651 includes object 406, selected earlier by user 409 to be shared with other collaboration participants. In this manner, user 409 is able to present to user 407 a suggested view of a portion of collaboration scene 431. User 407 may also be able to interact with collaboration environment 631 to present user 409 with suggested views through collaboration environment 601.

- [0063] Figure 7 illustrates in operational sequence involving a collaboration session involving some of the elements of collaboration architecture 400 illustrated in Figure 4. In operation, video capture system 415 captures video of collaboration scene 431 and responsively generates and transfers corresponding video information to collaboration system 416 for distribution on the session. At the same time, or nearly simultaneously, client device 419 may also capture video, of remote scene 435, and generate and transfer corresponding video information to collaboration system 416 for distribution on the session. Client device 417 also captures and delivers video of remote scene 433 to collaboration system 416.
- [0064] Collaboration system 416 transmits the video information, possibly as separate video streams but also possibly as an integrated video stream, to client device 419, for presentation within a collaboration environment. Collaboration environment 501 and collaboration environment 601, discussed with respect to Figure 5 and Figure 6, are representative of such collaboration environments. Upon selection of an object of interest, client device 419 communicates the identity of the object of interest in a scene to collaboration system 416. Collaboration system 416 responsively identifies a portion of the video corresponding to the object of interest and transfers the portion of the video to client device 419. Client device 419 may then present a separate view of the object of interest within the collaboration environment.
- [0065] User 409 may optionally determine to share a view with other collaboration participants, such as user 407 discussed above with respect to Figure 6. In such a case, client device 419 may communicate the share option to collaboration system 416. Collaboration system 416 may then provide the corresponding portion of the video to client device 417 for presentation within a separate view.
- [0066] Figure 8 illustrates another operational sequence involving a collaboration session involving some of the elements of collaboration architecture 400 illustrated in Figure 4. In operation, video capture system 415 captures video of collaboration scene 431 and responsively generates and transfers corresponding video information to collaboration system 416 for distribution on the session. At the same time, or nearly simultaneously, client device 419 may also capture video, of remote scene 435, and generate and transfer corresponding video information to collaboration system 416 for distribution on the session. Client device 417 also captures and delivers video of remote scene 433 to collaboration system 416.

[0067] Collaboration system 416 transmits the video information, possibly as separate video streams but also possibly as an integrated video stream, to client device 419, for presentation within a collaboration environment. Collaboration system 416 may also transmit the video information to client device 417 for presentation within a collaboration environment. Collaboration environments 501, 601, and 631, discussed with respect to Figure 5 and Figure 6, are representative of such a collaboration environment.

[0068] Upon selection of an object of interest, client device 419 responsively identifies a portion of the video corresponding to the object of interest and presents a separate view of the object of interest within the collaboration environment. User 409 may optionally determine to share a view with other collaboration participants, such as user 407 discussed above with respect to Figure 6. In such a case, client device 419 may communicate the share option to client device 417. Client device 417 may then identify the portion of the video corresponding to the object of interest and may present the portion of the video within a separate view.

[0069] Various implementations discussed above and illustrated in the drawings involve computing software that may be delivered according to a variety of models, such as locally installed, hosted, and streaming models. In addition to the delivery model, the functionality provided by the software may be distributed according to a server-client model. In such implementations, some functions may be embodied in server software and implemented by a server computer system, while other functions may be embodied in client software and may be implemented in a client computer system.

[0070] In one server-client implementation, a collaboration process may be implemented in program instructions executable by one or multiple computing systems to facilitate collaboration environments. The program instructions may include server program instructions that when executed direct a server computing system to at least transfer for delivery to a client device video information for presentation within a collaboration environment. The video information that includes a collaboration scene captured by a collaboration capture device and a remote scene captured by a remote capture device. The server program instructions may also direct the server computing system to identify a portion of the collaboration scene corresponding to an object of interest identified by the client device for separate viewing within the collaboration environment and transfer for delivery to the client device separate video information including the portion of the collaboration scene corresponding to the object of interest.



[0071] The program instructions may also include client program instructions that when executed direct a client device to at least receive the video information and present an initial view of the collaboration scene. The client program instructions may also direct the client device to receive an indication of the object of interest, identify the object of interest  
5 to the server computing system, and receive the separate video information. The client device may present within the collaboration environment a separate view including the portion of the collaboration scene corresponding to the object of interest.

[0072] The functional block diagrams, operational sequences, and flow diagrams provided in the Figures are representative of exemplary architectures, environments, and  
10 methodologies for performing novel aspects of the disclosure. While, for purposes of simplicity of explanation, the methodologies included herein may be in the form of a functional diagram, operational sequence, or flow diagram, and may be described as a series of acts, it is to be understood and appreciated that the methodologies are not limited by the order of acts, as some acts may, in accordance therewith, occur in a different order  
15 and/or concurrently with other acts from that shown and described herein. For example, those skilled in the art will understand and appreciate that a methodology could alternatively be represented as a series of interrelated states or events, such as in a state diagram. Moreover, not all acts illustrated in a methodology may be required for a novel implementation.

[0073] The included descriptions and figures depict specific implementations to teach  
20 those skilled in the art how to make and use the best mode. For the purpose of teaching inventive principles, some conventional aspects have been simplified or omitted. Those skilled in the art will appreciate variations from these implementations that fall within the scope of the invention. Those skilled in the art will also appreciate that the features  
25 described above can be combined in various ways to form multiple implementations. As a result, the invention is not limited to the specific implementations described above, but only by the claims and their equivalents.

## CLAIMS

1. A method for facilitating a collaboration environment, the method comprising:
  - presenting within the collaboration environment an initial view of a collaboration scene captured in a video stream;
  - identifying a portion of the collaboration scene corresponding to an object of interest in the collaboration scene selected for separate viewing;
  - presenting within the collaboration environment a separate view comprising the portion of the collaboration scene corresponding to the object of interest;
  - modifying the initial view of the collaboration scene to a modified view; and
  - presenting the modified view of the collaboration environment simultaneously with the separate view of the collaboration environment.
2. The method of claim 1 further comprising receiving a selection of the object of interest, wherein identifying the portion of the collaboration scene corresponding to the object of interest occurs in response to receiving the selection.
3. The method of claim 2 further comprising identifying a second portion of the collaboration scene corresponding to a second object of interest in the scene also selected for separate viewing and presenting a second separate view simultaneously with the separate view, the second separate view comprising the second portion of the collaboration scene.
4. The method of claim 3 further comprising presenting a remote view simultaneously with the separate view, the remote view comprising a scene remote from the collaboration scene.
5. The method of claim 9 wherein the object of interest comprises a participant in a collaboration session with a plurality of other participants, wherein the initial view comprises a video presentation window, and wherein the collaboration environment comprises the video presentation window and an instant message presentation window.
6. One or more computer readable media having stored thereon program instructions executable by one or more computing systems to facilitate a collaboration environment, the program instructions comprising:
  - server program instructions that, when executed by a server computing system, direct the server computing system to at least:

transfer for delivery to a client device video information for presentation within the collaboration environment, the video information comprising a collaboration scene captured by a collaboration capture device and a remote scene captured by a remote capture device;

identify a portion of the collaboration scene corresponding to an object of interest identified by the client device for separate viewing within the collaboration environment; and

transfer for delivery to the client device separate video information comprising the portion of the collaboration scene corresponding to the object of interest.

7. The one or more computer readable media of claim 6 wherein the program instructions further comprise:

client program instructions that, when executed by the client device, direct the client device to at least:

receive the video information and present an initial view of the collaboration scene;

receive an indication of the object of interest and identify the object of interest to the server computing system; and

receive the separate video information and present within the collaboration environment a separate view comprising the portion of the collaboration scene corresponding to the object of interest.

8. The one or more computer readable media of claim 7 wherein the client program instructions, when further executed by the client device, direct the client device to:

modify the initial view of the collaboration scene to a modified view; and

present the modified view of the collaboration environment simultaneously with the separate view of the collaboration environment.

9. The one or more computer readable media of claim 7 wherein the initial view comprises a video presentation window and wherein the collaboration environment comprises the video presentation window and an instant message presentation window.

10. The one or more computer readable media of claim 6 wherein the object of interest comprises a participant in a collaboration session with a plurality of other participants depicted in the collaboration scene.




FIGURE 2




FIGURE 1




FIGURE 3




FIGURE 4




FIGURE 5





FIGURE 6





# INTERNATIONAL SEARCH REPORT

International application No  
PCT/US2013/052440

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> INV. H04N7/14 H04L12/18 H04N7/15 H04L29/06 ADD.		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) H04N H04L		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EPO-Internal, WPI Data		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 816 626 B1 (FADEL CHARLES K [US]) 9 November 2004 (2004-11-09) abstract figures 1,3 column 3, line 17 - line 65 column 4, line 61 - column 5, line 54 -----	1-10
A	US 6 677 979 B1 (WESTFIELD WILLIAM CHOPS [US]) 13 January 2004 (2004-01-13) abstract figures 5-10 column 5, line 24 - column 8, line 4 ----- <div style="text-align: right;">-/--</div>	1-10
<div style="display: flex; justify-content: space-between;"> <span><input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C.</span> <span><input checked="" type="checkbox"/> See patent family annex.</span> </div>		
<div style="display: flex;"> <div style="flex: 1;"> <p>* Special categories of cited documents :</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="flex: 1;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&amp;" document member of the same patent family</p> </div> </div>		
Date of the actual completion of the international search	Date of mailing of the international search report	
24 September 2013	07/10/2013	
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer  Sery, Franck	

## INTERNATIONAL SEARCH REPORT

International application No

PCT/US2013/052440

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2011/151751 A1 (FRINGLAND LTD [IL]; NERST ALEX [IL]; SHECHTER AVI [IL]) 8 December 2011 (2011-12-08) abstract figure 1 page 1, line 28 - page 4, line 15 -----	5,9
A	EP 0 572 277 A1 (CANON KK [JP]) 1 December 1993 (1993-12-01) abstract column 2, line 32 - column 3, line 12 figures 4-13 column 9, line 28 - column 17, line 30 -----	1-10

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2013/052440

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6816626	B1	09-11-2004	US 6816626 B1 09-11-2004
			US 6970181 B1 29-11-2005
-----			
US 6677979	B1	13-01-2004	NONE
-----			
WO 2011151751	A1	08-12-2011	US 2013162750 A1 27-06-2013
			WO 2011151751 A1 08-12-2011
-----			
EP 0572277	A1	01-12-1993	DE 69320867 D1 15-10-1998
			DE 69320867 T2 04-03-1999
			EP 0572277 A1 01-12-1993
			JP H05336516 A 17-12-1993
			US 5673079 A 30-09-1997
-----			