



US00D818655S

(12) **United States Design Patent**
Salita et al.

(10) **Patent No.:** **US D818,655 S**

(45) **Date of Patent:** **** May 22, 2018**

(54) **SADDLE PAD**

D602,654 S * 10/2009 Millett D30/134
D676,616 S * 2/2013 Bates D30/134
D777,994 S * 1/2017 Benetti D30/134

(71) Applicant: **LESA Equine Products LLC**,
Malvern, PA (US)

(72) Inventors: **Laurie A Salita**, Malvern, PA (US);
Bernadette T Thompson, Malvern, PA (US)

(73) Assignee: **LESA Equine Products LLC**,
Malvern, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/583,255**

(22) Filed: **Nov. 3, 2016**

(51) **LOC (11) Cl.** **30-01**

(52) **U.S. Cl.**
USPC **D30/134**

(58) **Field of Classification Search**
USPC D30/134–135, 145
CPC B68C 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 40,129 A * 9/1863 Spencer B68C 1/12
54/66
- 4,695,496 A * 9/1987 Lee B32B 5/24
428/95
- D329,308 S * 9/1992 Millikin D30/134
- 5,363,631 A * 11/1994 Garrison B68C 1/12
54/66
- D376,226 S * 12/1996 Podolny D30/134
- 6,421,989 B1 * 7/2002 Leson B68C 1/12
54/66
- D477,744 S * 7/2003 Kelly D6/603
- D542,983 S * 5/2007 Italiano D30/134
- 7,395,647 B2 * 7/2008 Hense B68C 1/12
54/66

OTHER PUBLICATIONS

Tad Coffin Leather Half Pad (Medium), Saddle Pad, <https://mdtackexchange.com/product/tad-coffin-leather-half-pad-medium/>, 2 pages, drawn from the internet on Feb. 3, 2017.

Tad Coffin Performance Saddles, Saddle Pads, <http://www.tadcoffinsaddles.com/saddles/accessories/>, 1 page, drawn from the internet on Feb. 3, 2017.

Dover Saddlery, Tad Coffin Leather Performance Half Pad, <http://www.doversaddlery.com/tad-coffin-thin-leather-performance-half-pad/>, 2 pages, drawn from the internet on Feb. 3, 2017.

* cited by examiner

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Jennifer L Watkins

(74) *Attorney, Agent, or Firm* — Dicke, Billig & Czaja, PLLC

(57) **CLAIM**

The ornamental design for a saddle pad, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a saddle pad showing the new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7