




(86) Date de dépôt PCT/PCT Filing Date: 2000/05/25  
 (87) Date publication PCT/PCT Publication Date: 2000/12/21  
 (45) Date de délivrance/Issue Date: 2009/10/13  
 (85) Entrée phase nationale/National Entry: 2001/12/10  
 (86) N° demande PCT/PCT Application No.: US 2000/014309  
 (87) N° publication PCT/PCT Publication No.: 2000/076568  
 (30) Priorité/Priority: 1999/06/16 (US09/333,682)

(51) Cl.Int./Int.Cl. *A61M 16/06* (2006.01),  
*A62B 18/08* (2006.01)  
 (72) Inventeurs/Inventors:  
HANSEN, GARY L., US;  
BLOOM, NICOLE DENISE, US  
 (73) Propriétaire/Owner:  
MALLINCKRODT INC., US  
 (74) Agent: RIDOUT & MAYBEE LLP

(54) Titre : MASQUE RESPIRATOIRE PLIANT  
 (54) Title: PLIABLE RESPIRATORY MASK



(57) Abrégé/Abstract:

A pliable respiratory mask (100) is provided according to the invention. The pliable respiratory mask (100) includes a mask shell (104) adapted to fit over a portion of a face of a person, the mask shell (104) being formed of a pliable material selected from the

(57) **Abrégé(suite)/Abstract(continued):**

group consisting of a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material, a hose connector (112) extending through the pliable material of the mask shell (104) and fastened to the pliable material, and an attachment (109) for securing the shell (104) over a portion of the person's face.

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
21 December 2000 (21.12.2000)


PCT

(10) International Publication Number  
**WO 00/76568 A1**

- (51) International Patent Classification<sup>7</sup>: A61M 16/06, A62B 18/08
- (21) International Application Number: PCT/US00/14309
- (22) International Filing Date: 25 May 2000 (25.05.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
09/333,682 16 June 1999 (16.06.1999) US
- (71) Applicant: MALLINCKRODT INC. [US/US]; 675 McDonnell Blvd., P.O. Box 5840, St. Louis MO 63134 (US).
- (72) Inventors: HANSEN, Gary, L.; 19085 Pheasant Circle, Eden Prairie, MN 55346 (US). BLOOM, Nicole, Denise; 925 Guerrero Street, #11, San Francisco, CA 94110 (US).
- (74) Agents: REPPER, George, R. et al.; Rothwell, Figg, Ernst & Manbeck, Suite 701 East, 555 13th Street N.W., Columbia Square, Washington, D.C. 20004 (US).
- (81) Designated States (*national*): CA, JP.
- (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
- Published: — *With international search report.*

[Continued on next page]

(54) Title: PLIABLE RESPIRATORY MASK



(57) Abstract: A pliable respiratory mask (100) is provided according to the invention. The pliable respiratory mask (100) includes a mask shell (104) adapted to fit over a portion of a face of a person, the mask shell (104) being formed of a pliable material selected from the group consisting of a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material, a hose connector (112) extending through the pliable material of the mask shell (104) and fastened to the pliable material, and an attachment (109) for securing the shell (104) over a portion of the person's face.



100

WO 00/76568 A1

**WO 00/76568 A1**



---

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**PLIABLE RESPIRATORY MASK**

## BACKGROUND OF THE INVENTION

## 1. Field of the Invention

The present invention relates generally to the field of  
5 respiratory masks.

## 2. Description of the Background Art

A respiratory mask is a device used to deliver a gas or  
gases to a person. In its simplest form, the respiratory mask  
includes a shell, an attaching means, and a gas supply hose. The  
10 respiratory mask may be used to deliver any variety of gases,  
including air or oxygen, and a variety of medicines or  
treatments.

The shell is fitted over a nose portion of the face of the  
person in order to supply a gas to a respiratory system of the  
15 person. Related art masks typically have been constructed with  
the shell being formed of a relatively rigid material.

However, the respiratory mask of the related art has several  
drawbacks. First, the rigid shell may form a poor seal with the  
face of the person. Leakage of the supplied gas may be critical  
20 in applications where a specific amount of gas must be measured  
and delivered. Second, the rigid shell may not accommodate  
differences in the shape or size of features, causing gas leakage  
and a painful or uncomfortable fit. This may include undesirable  
pressure points. Third, the rigid shell of the related art is  
25 moisture impermeable, and therefore may trap and retain moisture

such as perspiration or exhaled vapor. The trapped moisture may contribute to a perception of hotness of the mask, and may lead to discomfort. In addition, any perspiration generated under the edges of the mask is not transported away, and may lead to slipping  
5 of the mask or chafing and irritation. Fourth, the related art respiratory mask employs a vent hole by which a constant pressure is maintained in the mask by allowing exhaled air to be vented and flushed out by the supplied gas. This may create a jet of air that may cause discomfort for nearby persons, as well as for the  
10 mask wearer.

Therefore, there remains a need in the art for an improved respiratory mask.

#### SUMMARY OF THE INVENTION

A pliable respiratory mask is provided according to a first  
15 aspect of the invention. The pliable respiratory mask comprises a mask shell adapted to fit over a respiratory orifice on a portion of a face of a person, the mask shell being formed of a pliable material having a permeability allowing venting of exhaled air, excess supplied gas and moisture, the pliable material being  
20 selected from the group consisting of a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material, a hose connector extending through the pliable material of the mask shell and fastened to the pliable material, and an attaching means.

A pliable respiratory mask is provided according to a second  
25 aspect of the invention. The pliable respiratory mask comprises a mask shell adapted to fit over a portion of a face of a person,

the mask shell being formed of a pliable material selected from the group consisting of a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material, a hose connector extending through the pliable material of the mask shell and  
5 fastened to the pliable material, an impermeable coating over a predetermined portion of the mask shell, and an attaching means.

The above and other features and advantages of the present invention will be further understood from the following description of the preferred embodiment thereof, taken in  
10 conjunction with the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a respiratory mask of the present invention;  
and

FIG. 2 shows a cross-section of the respiratory mask.

#### 15 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 shows a respiratory mask 100 of the present invention. The respiratory mask includes a mask shell 104, an attaching means 109, a hose connector 112, and an impermeable coating 115 extending over a predetermined portion or portions of  
20 the mask shell 104.

The mask shell 104 is constructed from a permeable material, including, for example, a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material (such as foam rubber). The woven or non-woven fabric includes natural fabrics

such as cotton and man-made fabrics such as polyester. The mask shell 104 is of a suitable size to surround and enclose the nose area, but could alternatively be of a size to enclose the mouth area, or both the nose and mouth. Due to the pliable nature of the material, the mask shell 104 conforms to the face of the person, regardless of the shape or size of the person's features. The permeability of the material of the mask shell 104 allows venting of exhaled air and venting of excess supplied gas and expired CO<sub>2</sub>. The vented air forms a diffuse pattern that is less annoying than a jet of air from a small vent hole. The permeability of the material of the mask shell 104 also allows moisture to pass through. This is significant because moisture or humidity buildup in a respiratory mask often causes the wearer to feel hot. In addition, the permeability of the material may transport moisture, such as perspiration, away from the skin of the wearer. This prevents further discomfort by the wearer.

The attaching means 109 in the preferred embodiment is a pair of elastic straps 109. Alternatively, one such strap may be used if desired, but two straps form a more stable positioning of the mask 100 on the face of the person.

The hose connector 112 extends through the mask shell 104 and is attached thereto. The hose connector 112 is essentially a stub of pipe, to which a gas supply hose may be attached.

The impermeable coating 115 extends over a predetermined portion or portions of the mask shell 104. In the preferred embodiment, the impermeable coating is a flexible plastic. The

impermeable coating 115 reduces the available venting area of the mask shell 104, in exchange for some rigidity in the mask 100.

In the preferred embodiment, the attaching means 109 is affixed to the mask shell 104 at areas covered by the impermeable coating 115. The pattern shown in the figure is only illustrative, and it is desired to claim any conceivable pattern of the impermeable coating 115.

FIG. 2 shows a cross-section of the mask 100, illustrating the vent portions 119 through which exhaled air or a supplied gas may escape from the mask 100. It can be seen that the periphery of the mask shell 104 in the preferred embodiment comprises vent portions 119 and is not coated by the impermeable coating 115.

While the invention has been described in detail above, the invention is not intended to be limited to the specific embodiments as described. It is evident that those skilled in the art may now make numerous uses and modifications of and departures from the specific embodiments described herein without departing from the inventive concepts.

**CLAIMS**

1. A pliable respiratory mask, comprising:

a mask shell adapted to fit over a respiratory orifice on a portion of a face of a person, said mask shell being formed of a pliable gas permeable material selected from the group consisting of a woven fabric, a non-woven fabric, a non-woven paper, or a pliable foam material, said pliable gas permeable material defining a vent portion through which exhaled air may escape from the mask, said vent portion being the only form of vent;

a hose connector extending through said pliable material of said mask shell and fastened to said pliable material;

at least one attaching member for securing the mask shell over a portion of the person's face; and

a gas impermeable coating extending over a portion of said mask shell, wherein portions of said pliable gas permeable shell material are left uncoated to define vent portions through which exhaled air may escape from said mask.

2. The respiratory mask of claim 1, wherein said attaching member comprises at least one elastic strap.

3. The respiratory mask of claim 1 wherein the portion of the person's face that the mask shell is adapted to fit over is a nose.

4. A pliable respiratory mask, comprising:

a mask shell adapted to fit over a portion of a face of a person, said mask shell being formed of a pliable gas permeable material selected from the group consisting of a woven fabric, a non-woven fabric, a non-woven paper, and a pliable foam material;

a hose connector extending through said pliable material of said mask shell and fastened to said pliable material;

a gas impermeable coating over a predetermined portion of said mask shell; and

at least one attaching member for securing the mask shell over a portion of the person's face.

5. The respiratory mask of claim 4, wherein said attaching member comprises at least one elastic strap.

6. The respiratory mask of claim 4 wherein the portion of the person's face that the mask shell is adapted to fit over is a nose.

7. The respiratory mask of claim 4 wherein said hose connector extends through a portion of said mask shell coated with said gas impermeable coating.

8. The respiratory mask of claim 4 wherein said attaching member is affixed to said mask at areas coated with said gas impermeable coating.




FIG. 1




FIG. 2

