



US011235237B2

(12) **United States Patent**
Lockton et al.

(10) **Patent No.:** **US 11,235,237 B2**

(45) **Date of Patent:** ***Feb. 1, 2022**

(54) **METHODOLOGY FOR EQUALIZING
SYSTEMIC LATENCIES IN TELEVISION
RECEPTION IN CONNECTION WITH
GAMES OF SKILL PLAYED IN
CONNECTION WITH LIVE TELEVISION
PROGRAMMING**

(58) **Field of Classification Search**

CPC A63F 13/50

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,831,105 A 4/1958 Parker
3,562,650 A 2/1971 Gossard et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2252074 11/1997
CA 2252021 11/1998

(Continued)

OTHER PUBLICATIONS

Two Way TV Patent and Filing Map www.twowaytv.com/version4/technologies/tech_patents.asp.

(Continued)

(71) Applicant: **Winview, Inc.**, Redwood City, CA (US)

(72) Inventors: **David B. Lockton**, Redwood City, CA (US); **Mark K. Berner**, Santa Clara, CA (US); **Mark J. Micheli**, San Francisco, CA (US); **David Lowe**, Foster City, CA (US)

(73) Assignee: **Winview, Inc.**, Redwood City, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/133,366**

(22) Filed: **Dec. 23, 2020**

(65) **Prior Publication Data**

US 2021/0113920 A1 Apr. 22, 2021

Related U.S. Application Data

(60) Continuation of application No. 16/177,118, filed on Oct. 31, 2018, now Pat. No. 10,874,942, which is a (Continued)

(51) **Int. Cl.**

A63F 13/358 (2014.01)

A63F 13/335 (2014.01)

(Continued)

(52) **U.S. Cl.**

CPC **A63F 13/358** (2014.09); **A63F 13/216** (2014.09); **A63F 13/22** (2014.09);


(Continued)

(57)

ABSTRACT

A method of and system for handling latency issues encountered in producing real-time entertainment such as games of skill synchronized with live or taped televised events is described herein. There are multiple situations that are dealt with regarding latencies in receiving a television signal with respect to real-time entertainment based on the unfolding games played along with the telecasts. Systemic delays, arbitrarily imposed delays of a broadcast signal and variances in the precise broadcast times of taped television programs have to be equalized so as to provide fair entertainment.

119 Claims, 5 Drawing Sheets



Related U.S. Application Data		4,386,377 A	5/1983	Hunter, Jr.	
continuation of application No. 15/900,438, filed on		4,496,148 A	1/1985	Morstain et al.	
Feb. 20, 2018, now Pat. No. 10,150,031, which is a		4,521,803 A	6/1985	Glittinger	
continuation of application No. 15/648,101, filed on		4,592,546 A *	6/1986	Fascenda	A63F 3/064
Jul. 12, 2017, now Pat. No. 9,919,211, which is a					463/29
continuation of application No. 15/263,186, filed on		4,816,904 A	3/1989	McKenna et al.	
Sep. 12, 2016, now Pat. No. 9,744,453, which is a		4,918,603 A	4/1990	Hughes et al.	
division of application No. 14/172,571, filed on Feb.		4,930,010 A	5/1990	MacDonald	
4, 2014, now Pat. No. 9,604,140, which is a contin-		5,013,038 A	5/1991	Luvenberg	
uation of application No. 13/681,172, filed on Nov.		5,018,736 A	5/1991	Pearson et al.	
19, 2012, now Pat. No. 8,699,168, which is a division		5,035,422 A	7/1991	Berman	
of application No. 13/403,845, filed on Feb. 23, 2012,		5,073,931 A	12/1991	Audebert et al.	
now Pat. No. 8,717,701, which is a continuation of		5,083,271 A	1/1992	Thatcher et al.	
application No. 11/786,992, filed on Apr. 12, 2007,		5,083,800 A	1/1992	Lockton	
now Pat. No. 8,149,530.		5,119,295 A	6/1992	Kapur	
		5,120,076 A	6/1992	Luxenberg et al.	
		5,213,337 A	5/1993	Sherman	
		5,227,874 A	7/1993	Von Kohom	
		5,256,863 A	10/1993	Ferguson	
		5,263,723 A	11/1993	Pearson et al.	
(60) Provisional application No. 60/791,793, filed on Apr.		5,283,734 A	2/1994	Von Kohom	
12, 2006.		5,327,485 A	7/1994	Leaden	
		5,343,236 A	8/1994	Koppe et al.	
(51) Int. Cl.		5,343,239 A	8/1994	Lappington et al.	
<i>A63F 13/332</i> (2014.01)		5,417,424 A	5/1995	Snowden	
<i>A63F 13/216</i> (2014.01)		5,462,275 A	10/1995	Lowe et al.	
<i>A63F 13/795</i> (2014.01)		5,479,492 A	12/1995	Hofstee et al.	
<i>A63F 13/338</i> (2014.01)		5,488,659 A	1/1996	Millani	
<i>H04N 21/472</i> (2011.01)		5,519,433 A	5/1996	Lappington	
<i>H04N 21/61</i> (2011.01)		5,530,483 A	6/1996	Cooper	
<i>H04N 5/04</i> (2006.01)		5,553,120 A	9/1996	Katz	
<i>H04N 21/436</i> (2011.01)		5,566,291 A	10/1996	Boulton et al.	
<i>H04N 21/27</i> (2011.01)		5,585,975 A	12/1996	Bliss	
<i>H04N 21/43</i> (2011.01)		5,586,257 A	12/1996	Perlman	
<i>H04N 21/435</i> (2011.01)		5,589,765 A	12/1996	Ohmart et al.	
<i>H04N 21/478</i> (2011.01)		5,594,938 A	1/1997	Engel	
<i>A63F 13/22</i> (2014.01)		5,618,232 A	4/1997	Martin	
<i>A63F 13/92</i> (2014.01)		5,628,684 A	5/1997	Jean-Etienne	
<i>H04N 21/2385</i> (2011.01)		5,636,920 A	6/1997	Shur et al.	
<i>H04N 21/258</i> (2011.01)		5,638,113 A	6/1997	Lappington	
<i>H04N 21/442</i> (2011.01)		5,643,088 A	7/1997	Vaughn et al.	
<i>H04N 21/45</i> (2011.01)		5,663,757 A	9/1997	Morales	
<i>A63F 13/32</i> (2014.01)		5,759,101 A	6/1998	Won Kohom	
<i>A63F 13/285</i> (2014.01)		5,761,606 A	6/1998	Wolzien	
<i>A63F 13/50</i> (2014.01)		5,762,552 A	6/1998	Young et al.	
<i>H04N 21/24</i> (2011.01)		5,764,275 A	6/1998	Lappington et al.	
		5,794,210 A	8/1998	Goldhaber et al.	
		5,805,230 A	9/1998	Staron	
		5,813,913 A *	9/1998	Berner	A63F 13/10
					463/40
		5,818,438 A	10/1998	Howe et al.	
(52) U.S. Cl.		5,828,843 A	10/1998	Grimm	
CPC <i>A63F 13/285</i> (2014.09); <i>A63F 13/32</i>		5,838,774 A	11/1998	Weiser, Jr.	
(2014.09); <i>A63F 13/332</i> (2014.09); <i>A63F</i>		5,838,909 A	11/1998	Roy	
<i>13/335</i> (2014.09); <i>A63F 13/338</i> (2014.09);		5,846,132 A	12/1998	Junkin	
<i>A63F 13/50</i> (2014.09); <i>A63F 13/795</i>		5,848,397 A	12/1998	Marsh et al.	
(2014.09); <i>A63F 13/92</i> (2014.09); <i>H04N 5/04</i>		5,860,862 A	1/1999	Junkin	
(2013.01); <i>H04N 21/2385</i> (2013.01); <i>H04N</i>		5,894,556 A	4/1999	Grimm	
<i>21/24</i> (2013.01); <i>H04N 21/25866</i> (2013.01);		5,916,024 A	6/1999	Von Kohom	
<i>H04N 21/27</i> (2013.01); <i>H04N 21/4302</i>		5,870,683 A	9/1999	Wells et al.	
(2013.01); <i>H04N 21/435</i> (2013.01); <i>H04N</i>		5,970,143 A	10/1999	Schneider et al.	
<i>21/43615</i> (2013.01); <i>H04N 21/44209</i>		5,971,854 A	10/1999	Pearson et al.	
(2013.01); <i>H04N 21/4508</i> (2013.01); <i>H04N</i>		5,987,440 A	11/1999	O'Neil et al.	
<i>21/4781</i> (2013.01); <i>H04N 21/47217</i> (2013.01);		6,009,458 A	12/1999	Hawkins et al.	
<i>H04N 21/6131</i> (2013.01); <i>A63F 2300/406</i>		6,015,344 A	1/2000	Kelly et al.	
(2013.01); <i>A63F 2300/407</i> (2013.01); <i>A63F</i>		6,016,337 A	1/2000	Pykalisto	
<i>2300/409</i> (2013.01); <i>A63F 2300/534</i> (2013.01)		6,038,599 A	3/2000	Black	
		6,042,477 A	3/2000	Addink	
		6,064,449 A	5/2000	White	
		6,104,815 A	8/2000	Alcorn et al.	
		6,110,041 A	8/2000	Walker et al.	
		6,117,013 A	9/2000	Elba	
(56) References Cited		6,126,543 A	10/2000	Friedman	
U.S. PATENT DOCUMENTS		6,128,660 A	10/2000	Grimm	
4,141,548 A *		6,135,881 A	10/2000	Abbott et al.	
2/1979 Everton		6,174,237 B1	1/2001	Stephenson	
A63F 7/06		6,182,084 B1	1/2001	Cockrell et al.	
463/36		6,193,610 B1	2/2001	Junkin	
4,270,755 A		6,222,642 B1	4/2001	Farrell et al.	
6/1981 Willhide et al.					

(56)

References Cited

U.S. PATENT DOCUMENTS

6,233,736 B1	5/2001	Wolzien	7,035,626 B1	4/2006	Luciano, Jr.
6,251,017 B1	6/2001	Leason et al.	7,035,653 B2	4/2006	Simon et al.
6,263,447 B1	7/2001	French	7,058,592 B1	6/2006	Heckerman et al.
6,267,670 B1	7/2001	Walker	7,076,434 B1	7/2006	Newman et al.
6,287,199 B1	9/2001	McKeown et al.	7,085,552 B2	8/2006	Buckley
6,293,868 B1	9/2001	Bernard	7,116,310 B1	10/2006	Evans et al.
6,312,336 B1	11/2001	Handelman et al.	7,117,517 B1	10/2006	Milazzo et al.
6,343,320 B1	1/2002	Fairchild	7,120,924 B1	10/2006	Katcher et al.
6,345,297 B1	2/2002	Grimm	7,124,410 B2	10/2006	Berg
6,371,855 B1	4/2002	Gavriloff	7,125,336 B2	10/2006	Anttila et al.
6,373,462 B1	4/2002	Pan	7,136,871 B2	11/2006	Ozer et al.
6,411,969 B1	6/2002	Tam	7,144,011 B2	12/2006	Asher et al.
6,416,414 B1	7/2002	Stadelmann	7,169,050 B1	1/2007	Tyler
6,418,298 B1	7/2002	Sonnenfeld	7,187,658 B2	3/2007	Koyanagi
6,425,828 B2	7/2002	Walker et al.	7,191,447 B1	3/2007	Ellis et al.
6,434,398 B1	8/2002	Inselberg	7,192,352 B2	3/2007	Walker et al.
6,446,262 B1	9/2002	Malaure et al.	7,194,758 B1	3/2007	Waki et al.
6,470,180 B1	10/2002	Kotzin et al.	7,228,349 B2	6/2007	Barone, Jr. et al.
6,475,090 B2	11/2002	Gregory	7,231,630 B2	6/2007	Acott et al.
6,524,189 B1	2/2003	Rautila	7,233,922 B2	6/2007	Asher et al.
6,527,641 B1	3/2003	Sinclair et al.	7,240,093 B1	7/2007	Danieli et al.
6,530,082 B1	3/2003	Del Sesto et al.	7,244,181 B2	7/2007	Wang et al.
6,536,037 B1	3/2003	Guheen et al.	7,249,367 B2	7/2007	Bove, Jr. et al.
6,578,068 B1	6/2003	Bowma-Amuah	7,254,605 B1	8/2007	Strum
6,594,098 B1	7/2003	Sutardja	7,260,782 B2	8/2007	Wallace et al.
6,604,997 B2	7/2003	Saidakovsky et al.	RE39,818 E	9/2007	Slifer
6,610,953 B1	8/2003	Tao et al.	7,283,830 B2	10/2007	Buckley
6,648,760 B1	11/2003	Nicastro	7,288,027 B2	10/2007	Overton
6,659,860 B1	12/2003	Yamamoto et al.	7,341,517 B2	3/2008	Asher et al.
6,659,861 B1	12/2003	Faris	7,343,617 B1	3/2008	Kartcher et al.
6,659,872 B1	12/2003	Kaufman et al.	7,347,781 B2	3/2008	Schultz
6,690,661 B1	2/2004	Agarwal et al.	7,351,149 B1	4/2008	Simon et al.
6,697,869 B1	2/2004	Mallart	7,367,042 B1	4/2008	Dakss et al.
6,718,350 B1	4/2004	Karbowski	7,379,705 B1	5/2008	Rados et al.
6,752,396 B2	6/2004	Smith	7,389,144 B1	6/2008	Osorio
6,758,754 B1	7/2004	Lavanchy et al.	7,430,718 B2	9/2008	Garipey-Viles
6,758,755 B2	7/2004	Kelly et al.	7,452,273 B2	11/2008	Amaitis et al.
6,760,595 B2	7/2004	Insellberg	7,460,037 B2	12/2008	Cattone et al.
6,763,377 B1	7/2004	Balknap et al.	7,461,067 B2	12/2008	Dewing et al.
6,766,524 B1	7/2004	Matheny et al.	7,502,610 B2	3/2009	Maher
6,774,926 B1	8/2004	Ellis et al.	7,510,474 B2	3/2009	Carter, Sr.
6,785,561 B1	8/2004	Kim	7,517,282 B1	4/2009	Pryor
6,801,380 B1	10/2004	Saturdja	7,534,169 B2	5/2009	Amaitis et al.
6,806,889 B1	10/2004	Malaure et al.	7,543,052 B1	6/2009	Cesa Klein
6,807,675 B1	10/2004	Millard et al.	7,562,134 B1	7/2009	Fingerhut et al.
6,811,482 B2	11/2004	Letovsky	7,602,808 B2	10/2009	Ullmann
6,811,487 B2	11/2004	Sengoku	7,610,330 B1	10/2009	Quinn
6,816,628 B1	11/2004	Sarachik et al.	7,614,944 B1	11/2009	Hughes et al.
6,817,947 B2	11/2004	Tanskanen	7,630,986 B1	12/2009	Herz et al.
6,824,469 B2	11/2004	Allibhoy et al.	7,693,781 B2	4/2010	Asher et al.
6,837,789 B2	1/2005	Garahi et al.	7,699,707 B2	4/2010	Bahou
6,837,791 B1	1/2005	McNutt et al.	7,702,723 B2	4/2010	Dyl
6,840,861 B2	1/2005	Jordan et al.	7,711,628 B2	5/2010	Davie et al.
6,845,389 B1	1/2005	Sen	7,729,286 B2	6/2010	Mishra
6,846,239 B2	1/2005	Washio	7,753,772 B1	7/2010	Walker
6,857,122 B1	2/2005	Takeda et al.	7,753,789 B2	7/2010	Walker et al.
6,863,610 B2	3/2005	Vancraeynest	7,780,528 B2	8/2010	Hirayama
6,870,720 B2	3/2005	Iwata et al.	7,828,661 B1	11/2010	Fish
6,871,226 B1	3/2005	Ensley et al.	7,835,961 B2	11/2010	Davie et al.
6,873,610 B1	3/2005	Noever	7,860,993 B2	12/2010	Chintala
6,884,166 B2	4/2005	Leen et al.	7,886,003 B2	2/2011	Newman
6,884,172 B1	4/2005	Lloyd et al.	7,907,211 B2	3/2011	Oostveen et al.
6,887,159 B2	5/2005	Leen et al.	7,907,598 B2	3/2011	Anisimov
6,888,929 B1	5/2005	Saylor	7,925,756 B1	4/2011	Riddle
6,893,347 B1	5/2005	Zilliacus et al.	7,926,810 B2	4/2011	Fisher et al.
6,898,762 B2	5/2005	Ellis et al.	7,937,318 B2	5/2011	Davie et al.
6,899,628 B2	5/2005	Leen et al.	7,941,482 B2	5/2011	Bates
6,903,681 B2	6/2005	Faris	7,941,804 B1	5/2011	Herington
6,908,389 B1	6/2005	Puskala	7,976,389 B2	7/2011	Cannon et al.
6,942,574 B1	9/2005	LeMay et al.	8,002,618 B1	8/2011	Lockton et al.
6,944,228 B1	9/2005	Dakss et al.	8,006,314 B2	8/2011	Wold
6,960,088 B1	11/2005	Long	8,025,565 B2	9/2011	Leen et al.
6,978,053 B1	12/2005	Sarachik et al.	8,028,315 B1	9/2011	Barber
7,001,279 B1	2/2006	Barber et al.	8,082,150 B2	12/2011	Wold
7,029,394 B2	4/2006	Leen et al.	8,086,445 B2	12/2011	Wold et al.
			8,086,510 B2	12/2011	Amaitis et al.
			8,092,303 B2	1/2012	Amaitis et al.
			8,105,141 B2	1/2012	Leen et al.
			8,107,674 B2	1/2012	Davis et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,109,827 B2	2/2012	Cahill et al.	9,498,724 B2	11/2016	Lockton et al.
8,128,474 B2	3/2012	Amaitis et al.	9,501,904 B2	11/2016	Lockton
8,147,313 B2	4/2012	Amaitis et al.	9,504,922 B2	11/2016	Lockton et al.
8,147,373 B2	4/2012	Amaitis et al.	9,511,287 B2	12/2016	Lockton et al.
8,149,530 B1	4/2012	Lockton et al.	9,526,991 B2	12/2016	Lockton et al.
8,155,637 B2	4/2012	Fujisawa	9,536,396 B2	1/2017	Amaitis et al.
8,162,759 B2	4/2012	Yamaguchi	9,556,991 B2	1/2017	Furuya
8,176,518 B1	5/2012	Junkin et al.	9,604,140 B2	3/2017	Lockton et al.
8,186,682 B2	5/2012	Amaitis et al.	9,652,937 B2	5/2017	Lockton
8,204,808 B2	6/2012	Amaitis et al.	9,662,576 B2	5/2017	Lockton et al.
8,219,617 B2	7/2012	Ashida	9,662,577 B2	5/2017	Lockton et al.
8,240,669 B2	8/2012	Asher et al.	9,672,692 B2	6/2017	Lockton
8,246,048 B2	8/2012	Amaitis et al.	9,687,738 B2	6/2017	Lockton et al.
8,267,403 B2	9/2012	Fisher et al.	9,687,739 B2	6/2017	Lockton et al.
8,342,924 B2	1/2013	Leen et al.	9,707,482 B2	7/2017	Lockton et al.
8,342,942 B2	1/2013	Amaitis et al.	9,716,918 B1	7/2017	Lockton et al.
8,353,763 B2*	1/2013	Amaitis G07F 17/3288 463/28	9,724,603 B2	8/2017	Lockton et al.
8,376,855 B2	2/2013	Lockton et al.	9,744,453 B2	8/2017	Lockton et al.
8,396,001 B2*	3/2013	Jung H04W 4/021 370/252	9,805,549 B2	10/2017	Asher et al.
8,397,257 B1	3/2013	Barber	9,821,233 B2	11/2017	Lockton et al.
8,465,021 B2	6/2013	Asher et al.	9,878,243 B2	1/2018	Lockton et al.
8,473,393 B2	6/2013	Davie et al.	9,881,337 B2	1/2018	Jaycob et al.
8,474,819 B2	7/2013	Asher et al.	9,901,820 B2	2/2018	Lockton et al.
8,535,138 B2	9/2013	Amaitis et al.	9,908,053 B2	3/2018	Lockton et al.
8,538,563 B1	9/2013	Barber	9,919,210 B2	3/2018	Lockton
8,543,487 B2	9/2013	Asher et al.	9,919,211 B2	3/2018	Lockton et al.
8,555,313 B2	10/2013	Newman	9,919,221 B2	3/2018	Lockton et al.
8,556,691 B2	10/2013	Leen et al.	9,978,217 B2	5/2018	Lockton
8,585,490 B2	11/2013	Amaitis et al.	9,993,730 B2	6/2018	Lockton et al.
8,622,798 B2	1/2014	Lockton et al.	9,999,834 B2	6/2018	Lockton et al.
8,632,392 B2	1/2014	Shore et al.	10,052,557 B2	8/2018	Lockton et al.
8,638,517 B2	1/2014	Lockton et al.	10,089,815 B2	10/2018	Asher et al.
8,641,511 B2	2/2014	Ginsberg et al.	10,096,210 B2	10/2018	Amaitis et al.
8,659,848 B2	2/2014	Lockton et al.	10,137,369 B2	11/2018	Lockton et al.
8,672,751 B2	3/2014	Leen et al.	10,150,031 B2	12/2018	Lockton et al.
8,699,168 B2	4/2014	Lockton et al.	10,165,339 B2	12/2018	Huske et al.
8,705,195 B2	4/2014	Lockton	10,186,116 B2	1/2019	Lockton
8,708,789 B2	4/2014	Asher et al.	10,195,526 B2	2/2019	Lockton et al.
8,717,701 B2	5/2014	Lockton et al.	10,226,698 B1	3/2019	Lockton et al.
8,727,352 B2	5/2014	Amaitis et al.	10,226,705 B2	3/2019	Lockton et al.
8,734,227 B2	5/2014	Leen et al.	10,232,270 B2	3/2019	Lockton et al.
8,737,004 B2	5/2014	Lockton et al.	10,248,290 B2	4/2019	Galfond
8,738,694 B2	5/2014	Huske et al.	10,279,253 B2	5/2019	Lockton
8,771,058 B2	7/2014	Alderucci et al.	10,653,955 B2	5/2020	Lockton
8,780,482 B2	7/2014	Lockton et al.	10,695,672 B2	6/2020	Lockton et al.
8,805,732 B2	8/2014	Davie et al.	10,709,987 B2	7/2020	Lockton et al.
8,813,112 B1	8/2014	Cibula et al.	10,721,543 B2	7/2020	Huske et al.
8,814,664 B2	8/2014	Amaitis et al.	2001/0004609 A1	6/2001	Walker et al.
8,817,408 B2	8/2014	Lockton et al.	2001/0005670 A1	6/2001	Lahtinen
8,837,072 B2	9/2014	Lockton et al.	2001/0013067 A1	8/2001	Koyanagi
8,849,225 B1	9/2014	Choti	2001/0013125 A1	8/2001	Kitsukawa et al.
8,849,255 B2	9/2014	Choti	2001/0020298 A1	9/2001	Rector, Jr. et al.
8,858,313 B1	10/2014	Selfors	2001/0032333 A1	10/2001	Flickinger
8,870,639 B2	10/2014	Lockton et al.	2001/0036272 A1	11/2001	Hirayama
8,935,715 B2	1/2015	Cibula et al.	2001/0036853 A1	11/2001	Thomas
9,056,251 B2	6/2015	Lockton	2001/0044339 A1	11/2001	Cordero
9,067,143 B2	6/2015	Lockton et al.	2001/0054019 A1	12/2001	de Fabrega
9,069,651 B2	6/2015	Barber	2002/0010789 A1	1/2002	Lord
9,076,303 B1	7/2015	Park	2002/0018477 A1	2/2002	Katz
9,098,883 B2	8/2015	Asher et al.	2002/0026321 A1	2/2002	Faris
9,111,417 B2	8/2015	Leen et al.	2002/0029381 A1	3/2002	Inselberg
9,205,339 B2	12/2015	Cibula et al.	2002/0035609 A1	3/2002	Lessard
9,233,293 B2	1/2016	Lockton	2002/0037766 A1	3/2002	Muniz
9,258,601 B2	2/2016	Lockton et al.	2002/0069265 A1	3/2002	Bountour
9,270,789 B2	2/2016	Huske et al.	2002/0042293 A1	4/2002	Ubale et al.
9,289,692 B2	3/2016	Barber	2002/0046099 A1	4/2002	Frengut et al.
9,306,952 B2	4/2016	Burman et al.	2002/0054088 A1	5/2002	Tanskanen et al.
9,314,686 B2	4/2016	Lockton	2002/0055385 A1	5/2002	Otsu
9,314,701 B2	4/2016	Lockton et al.	2002/0056089 A1	5/2002	Houston
9,355,518 B2	5/2016	Amaitis et al.	2002/0059094 A1	5/2002	Hosea et al.
9,406,189 B2	8/2016	Scott et al.	2002/0059623 A1	5/2002	Rodriguez et al.
9,430,901 B2	8/2016	Amaitis et al.	2002/0069076 A1	6/2002	Faris
9,457,272 B2	10/2016	Lockton et al.	2002/0076084 A1	6/2002	Tian
			2002/0078176 A1	6/2002	Nomura et al.
			2002/0083461 A1	6/2002	Hutcheson
			2002/0091833 A1	7/2002	Grimm
			2002/0095333 A1	7/2002	Jokinen et al.
			2002/0097983 A1	7/2002	Wallace et al.
			2002/0099709 A1	7/2002	Wallace

References Cited

H04N 21/8173
725/133

2004/0139482	A1	7/2004	Hale	
2004/0148638	A1	7/2004	Weisman et al.	
2004/0152517	A1	8/2004	Haedisty	
2004/0152519	A1	8/2004	Wang	
2004/0158855	A1	8/2004	Gu et al.	
2004/0162124	A1	8/2004	Barton et al.	
2004/0166873	A1	8/2004	Simic	
2004/0176162	A1	9/2004	Rothschild	
2004/0178923	A1	9/2004	Kuang	
2004/0183824	A1	9/2004	Benson	
2004/0185881	A1	9/2004	Lee	
2004/0190779	A1	9/2004	Sarachik et al.	
2004/0198495	A1	10/2004	Cisneros et al.	
2004/0201626	A1	10/2004	Lavoie	
2004/0203667	A1	10/2004	Shroder	
2004/0203898	A1	10/2004	Bodin et al.	
2004/0210507	A1	10/2004	Asher et al.	
2004/0215756	A1	10/2004	VanAntwerp	
2004/0216161	A1	10/2004	Barone, Jr. et al.	
2004/0216171	A1	10/2004	Barone, Jr. et al.	
2004/0224750	A1	11/2004	Ai-Ziyoud	
2004/0242321	A1	12/2004	Overton	
2004/0266513	A1	12/2004	Odom	
2005/0005303	A1	1/2005	Barone, Jr. et al.	
2005/0021942	A1	1/2005	Diehl et al.	
2005/0026699	A1	2/2005	Kinzer et al.	
2005/0028208	A1	2/2005	Ellis	
2005/0043094	A1	2/2005	Nguyen et al.	
2005/0076371	A1	4/2005	Nakamura	
2005/0077997	A1	4/2005	Landram	
2005/0060219	A1	5/2005	Ditering et al.	
2005/0097599	A1	5/2005	Potnick et al.	
2005/0101309	A1	5/2005	Croome	
2005/0113164	A1	5/2005	Buecheler et al.	
2005/0003878	A1	6/2005	Updike	
2005/0131984	A1	6/2005	Hofmann et al.	
2005/0138668	A1	6/2005	Gray et al.	
2005/0144102	A1	6/2005	Johnson	
2005/0155083	A1	7/2005	Oh	
2005/0177861	A1	8/2005	Ma et al.	
2005/0210526	A1	9/2005	Levy et al.	
2005/0216838	A1	9/2005	Graham	
2005/0235043	A1	10/2005	Teodosiu et al.	
2005/0239551	A1	10/2005	Griswold	
2005/0255901	A1	11/2005	Kreutzer	
2005/0256895	A1	11/2005	Dussault	
2005/0266869	A1	12/2005	Jung	
2005/0267969	A1	12/2005	Poikselka et al.	
2005/0273804	A1	12/2005	Preisman	
2005/0283800	A1	12/2005	Ellis et al.	
2005/0288080	A1	12/2005	Lockton et al.	
2005/0288101	A1	12/2005	Lockton et al.	
2005/0288812	A1	12/2005	Cheng	
2006/0020700	A1	1/2006	Qiu	
2006/0025070	A1	2/2006	Kim et al.	
2006/0046810	A1	3/2006	Tabata	
2006/0047772	A1	3/2006	Crutcher	
2006/0053390	A1	3/2006	Garipey-Viles	
2006/0058103	A1	3/2006	Danieli	
2006/0059161	A1	3/2006	Millett et al.	
2006/0063590	A1	3/2006	Abassi et al.	
2006/0082068	A1	4/2006	Patchen	
2006/0087585	A1	4/2006	Seo	
2006/0089199	A1	4/2006	Jordan et al.	
2006/0094409	A1 *	5/2006	Inselberg	G06Q 30/02 455/414.1
2006/0111168	A1	5/2006	Nguyen	
2006/0135253	A1	6/2006	George et al.	
2006/0148569	A1	7/2006	Beck	
2006/0156371	A1	7/2006	Maetz et al.	
2006/0174307	A1	8/2006	Hwang et al.	
2006/0183547	A1	8/2006	Mc Monigle	
2006/0183548	A1	8/2006	Morris et al.	
2006/0190654	A1	8/2006	Joy	
2006/0205483	A1	9/2006	Meyer et al.	
2006/0205509	A1	9/2006	Hirota	
2006/0205510	A1	9/2006	Lauper	
2006/0217198	A1	9/2006	Johnson	
2006/0236352	A1	10/2006	Scott, III	

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0248553	A1	11/2006	Mikkelsen et al.	2011/0306428	A1	12/2011	Lockton et al.
2006/0248564	A1	11/2006	Zinevitch	2012/0058808	A1	3/2012	Lockton
2006/0256865	A1	11/2006	Westerman	2012/0115585	A1	5/2012	Goldman
2006/0256868	A1	11/2006	Westerman	2012/0157178	A1	6/2012	Lockton
2006/0269120	A1	11/2006	Nehmadi et al.	2012/0264496	A1	10/2012	Behrman et al.
2006/0285586	A1	12/2006	Westerman	2012/0282995	A1	11/2012	Allen et al.
2007/0004516	A1	1/2007	Jordan et al.	2012/0295686	A1	11/2012	Lockton
2007/0013547	A1	1/2007	Boaz	2013/0005453	A1	1/2013	Nguyen et al.
2007/0019826	A1	1/2007	Horbach et al.	2013/0072271	A1	3/2013	Lockton et al.
2007/0028272	A1	2/2007	Lockton	2013/0079081	A1	3/2013	Lockton et al.
2007/0037623	A1	2/2007	Romik	2013/0079092	A1	3/2013	Lockton et al.
2007/0054695	A1	3/2007	Huske et al.	2013/0079093	A1	3/2013	Lockton et al.
2007/0078009	A1	4/2007	Lockton et al.	2013/0079135	A1	3/2013	Lockton et al.
2007/0083920	A1	4/2007	Mizoguchi et al.	2013/0079150	A1	3/2013	Lockton et al.
2007/0086465	A1	4/2007	Paila et al.	2013/0079151	A1	3/2013	Lockton et al.
2007/0087832	A1	4/2007	Abbott	2013/0196774	A1	8/2013	Lockton et al.
2007/0093296	A1	4/2007	Asher	2013/0225285	A1	8/2013	Lockton
2007/0101358	A1	5/2007	Ambady	2013/0225299	A1	8/2013	Lockton
2007/0106721	A1	5/2007	Schloter	2014/0031134	A1	1/2014	Lockton et al.
2007/0107010	A1	5/2007	Jolna et al.	2014/0100011	A1	4/2014	Gingher
2007/0129144	A1	6/2007	Katz	2014/0106832	A1	4/2014	Lockton et al.
2007/0147870	A1	7/2007	Nagashima et al.	2014/0128139	A1	5/2014	Shuster et al.
2007/0162328	A1	7/2007	Reich	2014/0155130	A1	6/2014	Lockton et al.
2007/0183744	A1	8/2007	Koizumi	2014/0155134	A1	6/2014	Lockton
2007/0197247	A1*	8/2007	Inselberg	2014/0206446	A1	7/2014	Lockton et al.
		 G06Q 30/02	2014/0237025	A1	8/2014	Huske et al.
			455/517	2014/0248952	A1	9/2014	Cibula et al.
2007/0210908	A1	9/2007	Putterman et al.	2014/0256432	A1	9/2014	Lockton et al.
2007/0219856	A1	9/2007	Ahmad-Taylor	2014/0279439	A1	9/2014	Brown
2007/0222652	A1	9/2007	Cattone et al.	2014/0287832	A1	9/2014	Lockton et al.
2007/0226062	A1	9/2007	Hughes et al.	2014/0335961	A1	11/2014	Lockton et al.
2007/0238525	A1	10/2007	Suomela	2014/0335962	A1	11/2014	Lockton et al.
2007/0243936	A1	10/2007	Binenstock et al.	2014/0378212	A1	12/2014	Sims
2007/0244570	A1	10/2007	Speiser et al.	2015/0011310	A1	1/2015	Lockton et al.
2007/0244585	A1	10/2007	Speiser et al.	2015/0067732	A1	3/2015	Howe et al.
2007/0244749	A1	10/2007	Speiser et al.	2015/0148130	A1	5/2015	Cibula et al.
2007/0265089	A1	11/2007	Robarts	2015/0238839	A1	8/2015	Lockton
2007/0294410	A1	12/2007	Pandya	2015/0238873	A1	8/2015	Arnone et al.
2008/0005037	A1	1/2008	Hammad	2015/0258452	A1	9/2015	Lockton et al.
2008/0013927	A1	1/2008	Kelly et al.	2015/0356831	A1	12/2015	Osibodu
2008/0051201	A1	2/2008	Lore	2016/0023116	A1	1/2016	Wire
2008/0066129	A1	3/2008	Katcher et al.	2016/0045824	A1	2/2016	Lockton et al.
2008/0076497	A1	3/2008	Kiskis et al.	2016/0049049	A1	2/2016	Lockton
2008/0104630	A1	5/2008	Bruce	2016/0054872	A1	2/2016	Cibula et al.
2008/0146337	A1	6/2008	Halonon	2016/0082357	A1	3/2016	Lockton
2008/0169605	A1	7/2008	Shuster et al.	2016/0121208	A1	5/2016	Lockton et al.
2008/0222672	A1	9/2008	Piesing	2016/0134947	A1	5/2016	Huske et al.
2008/0240681	A1	10/2008	Fukushima	2016/0217653	A1	7/2016	Meyer
2008/0248865	A1	10/2008	Tedesco	2016/0271501	A1	9/2016	Balsbaugh
2008/0270288	A1	10/2008	Butterly et al.	2016/0361647	A1	12/2016	Lockton et al.
2008/0288600	A1	11/2008	Clark	2016/0375362	A1	12/2016	Lockton et al.
2009/0011781	A1	1/2009	Merrill et al.	2017/0036110	A1	2/2017	Lockton et al.
2009/0094632	A1	4/2009	Newman et al.	2017/0036117	A1	2/2017	Lockton et al.
2009/0103892	A1	4/2009	Hirayama	2017/0043259	A1	2/2017	Lockton et al.
2009/0186676	A1	7/2009	Amaitis et al.	2017/0053498	A1	2/2017	Lockton
2009/0163271	A1	9/2009	George et al.	2017/0065891	A1	3/2017	Lockton et al.
2009/0228351	A1	9/2009	Rijsenbrij	2017/0098348	A1	4/2017	Odom
2009/0234674	A1	9/2009	Wurster	2017/0103615	A1	4/2017	Theodosopoulos
2009/0264188	A1	10/2009	Soukup	2017/0128840	A1	5/2017	Croci
2009/0271512	A1	10/2009	Jorgensen	2017/0221314	A1	8/2017	Lockton
2010/0099421	A1	4/2010	Patel et al.	2017/0225071	A1	8/2017	Lockton et al.
2010/0099471	A1	4/2010	Feeney et al.	2017/0225072	A1	8/2017	Lockton et al.
2010/0107194	A1	4/2010	McKissick et al.	2017/0232340	A1	8/2017	Lockton
2010/0120503	A1	5/2010	Hoffman et al.	2017/0243438	A1	8/2017	Merati
2010/0137057	A1	6/2010	Fleming	2017/0249801	A1	8/2017	Malek
2010/0203936	A1	8/2010	Levy	2017/0252649	A1	9/2017	Lockton et al.
2010/0279764	A1	11/2010	Allen et al.	2017/0259173	A1	9/2017	Lockton et al.
2010/0296511	A1	11/2010	Prodan	2017/0264961	A1	9/2017	Lockton
2011/0016224	A1	1/2011	Riley	2017/0282067	A1	10/2017	Lockton et al.
2011/0053681	A1	3/2011	Goldman	2017/0296916	A1	10/2017	Lockton et al.
2011/0065490	A1	3/2011	Lutnick	2017/0304726	A1	10/2017	Lockton et al.
2011/0081958	A1	4/2011	Herman	2017/0345260	A1	11/2017	Strause
2011/0116461	A1	5/2011	Holt	2018/0025586	A1	1/2018	Lockton
2011/0130197	A1	6/2011	Bythar et al.	2018/0071637	A1	3/2018	Baazov
2011/0227287	A1	9/2011	Reabe	2018/0104582	A1	4/2018	Lockton et al.
2011/0269548	A1	11/2011	Barclay et al.	2018/0104596	A1	4/2018	Lockton et al.
				2018/0117464	A1	5/2018	Lockton et al.
				2018/0140955	A1	5/2018	Lockton et al.
				2018/0154255	A1	6/2018	Lockton

(56)

References Cited**U.S. PATENT DOCUMENTS**

2018/0169523	A1	6/2018	Lockton et al.
2018/0190077	A1	7/2018	Hall
2018/0236359	A1	8/2018	Lockton et al.
2018/0243652	A1	8/2018	Lockton et al.
2018/0264360	A1	9/2018	Lockton et al.
2018/0300988	A1	10/2018	Lockton
2018/0318710	A1	11/2018	Lockton et al.
2019/0054375	A1	2/2019	Lockton et al.
2019/0060750	A1	2/2019	Lockton et al.

FOREIGN PATENT DOCUMENTS


CA	2279069	7/1999
CA	2287617	10/1999
EP	0649102 A3	6/1996
GB	2364485	1/2002
JP	11-46356	2/1999
JP	11-239183	8/1999
JP	2000-165840	6/2000
JP	2000-217094	8/2000
JP	2000-358255	12/2000
JP	2001-28743	1/2001
JP	2000-209563	7/2008
NZ	330242	10/1989
WO	01/039506 A2	5/2001
WO	01/65743 A1	9/2001
WO	02/03698 A1	10/2002
WO	2005064506 A1	7/2005
WO	2006004855	1/2006
WO	2006004856	1/2006
WO	2007002284	1/2007
WO	2007016575	2/2007
WO	2007041667	4/2007
WO	2008027811 A2	3/2008
WO	2008115858 A1	9/2008


OTHER PUBLICATIONS


'Ark 4.0 Standard Edition, Technical Overview' www.twowaytv.com/version4/technologies/tech_ark_professionals.asp.
 "Understanding the Interactivity Between Television and Mobile commerce", Robert Davis and David Yung, Communications of the ACM, Jul. 2005, vol. 48, No. 7, pp. 103-105.

"Re: Multicast Based Voting System" www.ripe.net/ripe/maillists/archives/mbone-eu-op/1997/msg00100.html.
 "IST and Sportal.com: Live on the Internet Sep. 14, 2004 by Clare Spoonheim", www.isk.co.usk/NEWS/dotcom/ist_sportal.html.
 "Modeling User Behavior in Networked Games by Tristan Henderson and Saleem Bhatti", www.woodworm.cs.uml.edu/rprice/ep/henderson.
 "SMS Based Voting and Survey System for Meetings", www.abbit.be/technology/SMSSURVEY.html.
 "PurpleAce Launches 3GSM Ringtone Competition", www.wirelessdevnet.com/news/2005/jan/31/news6.html.
 "On the Performance of Protocols for collecting Responses over a Multiple-Access Channel", Mostafa H. Ammar and George N. Rouskas, IEEE INCOMFORM '91, pp. 1490-1499, vol. 3, IEEE, New York, NY.
 Meriam-Webster, "Game" definition, <<http://www.merriam-webster.com/dictionary/agme.pg.1>>.
 Ducheneaut et al., "The Social Side of Gaming: A Study of Interaction Patterns in a Massively Multiplayer Online Game", Palo Alto Research Center, Nov. 2004, vol. 6, Issue 4, pp. 360-369. <http://help.yahoo.com/help/us/tourn/tourn-03.html>.
 Pinnacle, "The basics of reverse line movement," Jan. 19, 2018, Retrieved on Jan. 22, 2020, <http://www.pinnacle.com/en/betting-articles/educational/basics-of-reverse-line-movement/QAH26XGGQSQS7M3GD>.
 Gambling Commission, "Virtual currencies, eSports and social casino gaming-position paper," Mar. 2017, Retrieved on Jan. 22, 2020, <http://gamblingcommission.gov.uk/PDF/Virtual-currencies-eSports-and-social-casino-gaming.pdf>.
 Sipko et al., "Machine learning for the prediction of professional tennis matches," In: MEng computing-final year project, Imperial College London, Jun. 15, 2015, <http://www.doc.ic.ac.uk/teaching/distinguished-projects/2015/m.sipko.pdf>.
 Winview Game Producer, "Live TV Sports Play Along App WinView Games Announces Sponsorship With PepsiCo To Start This Holiday Season," In Winview Games. Dec. 21, 2016, Retrieved on Jan. 21, 2020 from, <http://www.winviewgames.com/press-release/live-tv-sports-play-along-app-winview-games-announces-sponsorship-pepsico-start-holiday-season/>.
 The International Search Report and The Written Opinion for the PCT/US2019/054859 dated Feb. 4, 2020.
 The International Preliminary Report dated Apr. 22, 2021 for the application PCT/US2019/054859.

* cited by examiner

**Fig. 1**

**Fig. 2**

**Fig. 3**





Fig. 4

**Fig. 5**

1

**METHODOLOGY FOR EQUALIZING
SYSTEMIC LATENCIES IN TELEVISION
RECEPTION IN CONNECTION WITH
GAMES OF SKILL PLAYED IN
CONNECTION WITH LIVE TELEVISION
PROGRAMMING**

RELATED APPLICATION(S)

This Patent Application is a continuation application of co-pending U.S. patent application Ser. No. 16/177,118, filed Oct. 31, 2018, titled "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING", which is a continuation application of U.S. patent application Ser. No. 15/900,438, filed Feb. 20, 2018, titled "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING", which is a continuation of U.S. patent application Ser. No. 15/648,101, filed Jul. 12, 2017, titled "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which is a continuation application of U.S. patent application Ser. No. 15/263,186, filed Sep. 12, 2016, titled, "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which is a divisional application of U.S. patent application Ser. No. 14/172,571, filed Feb. 4, 2014, titled, "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which is a continuation of U.S. patent application Ser. No. 13/681,172, filed Nov. 19, 2012, titled, "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which is a divisional of U.S. patent application Ser. No. 13/403,845, filed Feb. 23, 2012, titled, "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which is a continuation of U.S. patent application Ser. No. 11/786,992, filed Apr. 12, 2007, (now U.S. Pat. No. 8,149,530), titled, "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," which claims priority under 35 U.S.C. § 119(e) of the co-owned United States Provisional Patent Application No. 60/791,793, filed Apr. 12, 2006, and titled "A METHODOLOGY FOR EQUALIZING SYSTEMIC LATENCIES IN TELEVISION RECEPTION IN CONNECTION WITH GAMES OF SKILL PLAYED IN CONNECTION WITH LIVE TELEVISION PROGRAMMING" which are also all hereby incorporated by reference in their entireties.

2

FIELD OF THE INVENTION

The present invention relates to the field of distributed gaming. More specifically, the present invention relates to the field of distributed gaming utilizing a mobile device.

BACKGROUND OF THE INVENTION

In the United States alone there are over 170 million registered cellular phones. With the expiration of the U.S. Pat. No. 4,592,546 to Fascenda and Lockton, companies are able to now use the cellular phone and other mobile communication devices utilizing a multicast network to control television viewers in games of skill based upon predicting, for example, what the quarterback may call on the next play within a football game. Both prime time and programs syndicated on a market-by-market basis lend themselves to games of skill. In addition, games of skill with a common start time can be conducted simultaneously among cellular phone owners, based on classic card, dice, trivia, and other games. In order to avoid the anti-gaming laws in the various states, the winners must be determined by the relative skill, experience and practice of the player in each discrete game.

U.S. Pat. No. 5,813,913 ('913) to Berner and Lockton provides for a central computing system which includes a means of grouping participants having similar skill levels together in simultaneous, but separate, levels of competition playing an identical game. The relative performances are communicated to only those participants competing at the same skill level. The '913 patent also provides for a wireless receiving device to permanently store the specific skill level for each participant for each type of common event such as those based on televised sports or game shows. The '913 patent provides for a telephonic link at the completion of the game to collect information and update the skill level of the participants of a particular game. When a person achieves sufficient points or meets other objective criteria to graduate into another skill level, a method is provided for accomplishing this in the central computer and then transmitting an alert to the participant notifying them of their promotion. The '913 patent describes awarding prizes and providing recognition for the members of each discreet skill level in a common game. All users, no matter what level they are on, receive the same number of questions and thus the possibility of earning the same number of points. Thus direct comparisons between users at different levels, although not encouraged are possible. Such comparisons between players of disparate skills can lead to user discouragement.

Games of skill and chance have an intrinsic excitement and entertainment value. Any game is greatly enhanced by a participant's ability to know how their performance compares in relation to other participants and/or to historical performance for the game throughout the contest. As with any game of skill, competition among friends, or with strangers of similar experience, or the ability at ones option, sometimes for an extra consideration, to compete in a separate team or individual contest, offers the opportunity of increased enjoyment and prizes.

Games of skill that rely on participation by watching an event on a television have potential latency issues since television signal reception is not synchronized nationwide. For example, a participant in Texas using a satellite dish network may experience a 3 second delay compared to an individual in California using a cable network. Also, there are delays between individuals attending a game live and those watching the game live on television. Furthermore, for taped programs, both those shown to viewers in time zones

or those syndicated on a market-by-market basis, there are potential delay issues as experienced with the live broadcasts in addition to other possible differences in timing of the broadcasts. Therefore, to maintain user enjoyment and fairness for all participants, these delays must be neutralized.

SUMMARY OF THE INVENTION

A method of and system for handling latency issues encountered in producing real-time entertainment such as games of skill synchronized with live or taped televised events is described herein. There are multiple situations that are dealt with regarding latencies in receiving a television signal with respect to real-time entertainment based on the unfolding games played along with the telecasts. Systemic delays, arbitrarily imposed delays of a broadcast signal and variances in the precise broadcast times of taped television programs have to be equalized so as to provide fair entertainment.

In one aspect, a method of equalizing effects of latency differences in a game of skill comprises grouping participants into a set of cohorts viewing a telecast delivered by identical transmission and reception systems, determining an amount of delay for each cohort in the set of cohorts and substantially equalizing the set of cohorts through adjustment of the amount of delay. The method further comprises determining how each participant receives a television signal. How each participant receives a television signal is selected from the group consisting of an over the air broadcast, a cable system and a satellite system. The participants are grouped based on how the participants receive a television signal. The method further comprises determining if there is additional processing of a television signal in a reception location. The additional processing occurs within a participant's location selected from the group consisting of a public place, a home, an office and a bar. Since each cable system may impose different delay at their head-ends, the specific cable provider is identified. Determining the amount of delay comprises one or more of requiring the participants to answer questions related to their television system service, requiring the participants to mark on a game playing client device, a precise time that a predetermined audio or visual event is viewed on a television program, utilizing a GPS function in a cellular phone to determine a physical location of each of the participants, utilizing an employee of a game producer who is a member of each cohort in the set of cohorts to determine the amount of delay, inserting an artifact in the telecast in which the participants respond to, and establishing the amount of delay through an automated system which samples an audio or video track of a satellite, cable or over the air broadcast television signal, linked to a game server, to provide information related to a precise arrival of an underlying television picture. An average is taken when requiring participants to mark the precise time the predetermined audio or visual event is viewed on the television program. Equalizing the set of cohorts comprises at least one of time stamping the amount of delay on a game lock out signal, imposing the amount of delay on an entire game data stream and sending game control data to the participant cohorts at the same time where client software delays presentation of game data based on a precise time of reception of the telecast by the group.

In another aspect, a method of preventing a first set of participants at a live event from having an advantage over a second set of participants watching the live event on television comprises determining a cellular site that serves a set of cellular phones at a venue site, determining the set of

cellular phones that are utilizing the cellular site of the venue site, determining a subset of cellular phones within the set of cellular phones that are located within the venue site and generating separate groups of competitions based on the subset of cellular phones within the set of cellular phones that are located within the venue site. A first group within the separate groups of competitions includes only the first set of participants and a second group within the separate groups of competitions includes only the second set of participants. An application on a server determines the cellular site, the set of cellular phones utilizing the cellular site and the subset of cellular phones located within the venue site. An application on each cellular phone within the subset of cellular phones determines if the cellular phone is located within the venue site.

In another aspect, a method of equalizing effects of latency issues with a taped television broadcast comprises storing a set of data files on a server, determining one or more start times and transmitting the set of files from the server to each mobile device at a transmission time corresponding to an appropriate start time for the mobile device. An application starts using the set of files at the one or more start times. The set of data files are game data files. Determining the one or more start times includes at least one of utilizing an employee of a game provider based on visual observation of a telecast, utilizing at least one of an audio and video recognition system with online access to the broadcast for each separate market which provides real-time tracking of the broadcast to the server, adding at least one of an audio and video event in the television broadcast which is recognizable at a starting point, designating at least one of the audio and video event in the television broadcast which is recognizable as the starting point, utilizing an audio signal, inserted within the broadcast recognizable by an audio receiver of the mobile device, and using a vertical blanking interval.

In yet another aspect, a system for equalizing effects of latency issues for a game of skill comprises a mobile device and a server coupled to the mobile device wherein the server sends a lockout signal at an appropriate time based on a measured amount of delay to prevent a user from submitting a response after they see the outcome. The mobile device is within a group of mobile devices. The server determines which group the mobile device is in. The server stores game control data and transmits the game control data to the mobile device. The game control data includes delay information for implementing the lockout signal. The server contains a location determination application for determining the location of the mobile device. The mobile device contains a location determination application for determining the location of the mobile device. Variances in delays in receiving the television signal determine delays in transmitting applicable data files within a television signal reception path.

In another aspect, a device for equalizing effects of latency issues for a game of skill comprises a storage device and a set of applications contained within the storage device for sending a lockout signal at an appropriate time based on a measured amount of delay to prevent a user from submitting a response after they see the outcome. The set of applications determines which group mobile devices coupled to the device are in. The device stores game control data and transfers the game control data to mobile devices. The game control data includes delay information for implementing the lockout signal. The set of applications includes a location application for determining the location of mobile

devices. The amount of delay accounts for delays within a television signal reception path.

A network of devices comprises a plurality of mobile devices and a server coupled to the mobile devices wherein the server groups the plurality of mobile devices into a set of cohorts and wherein the server sends a lockout signal at an appropriate time based on an amount of delay to prevent users from submitting a response after they see the outcome. Each cohort within the set of cohorts is based on a signal reception path. The signal reception path is selected from the group consisting of an over the air network, a cable network and a satellite network. The server stores game control data and transfers the game control data to each mobile device within the plurality of mobile devices. The game control data is specific for each cohort within the set of cohorts. The game control data includes delay information for equalizing the lockout signal. The amount of delay accounts for delays within a television signal reception path.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a flowchart of a process of preventing latency issues from giving an advantage to some participants.

FIG. 2 illustrates a flowchart of a process of preventing participants at a live event from having an unfair advantage over participants watching on television.

FIG. 3 illustrates a flowchart of a process of handling latency issues for taped programs.

FIG. 4 illustrates a graphical representation of an embodiment of the present invention.

FIG. 5 illustrates a graphical representation of a network of devices of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

U.S. Provisional Patent Application No. 60/692,356, filed Jun. 20, 2005, and entitled "SYSTEMS AND METHODS-LOGIES ENABLING A CELL PHONE BASED SUBSCRIPTION SERVICE OFFERING A VARIETY OF SCHEDULED GAMES IN CONNECTION WITH LIVE TELEVISION PROGRAMMING," is incorporated by reference herein.

The present invention addresses three separate classes of latency issues for the length of time it takes a television signal to reach a viewer in producing real-time entertainment such as games of skill synchronized with television programming. The latency issues are: 1) systemic propagation delays in the delivery of a television signal to a receiver, 2) arbitrarily imposed delays of a broadcast television signal and 3) variances in precise broadcast times of segments of taped television programs between local and national commercials, sold through syndication to individual television stations.

Systemic Propagation Delays

There are specific challenges facing a service comprised of games or other entertainment played by remote participants utilizing cellular phones or the Internet, in connection with a live or taped telecast. Examples are live baseball, basketball and football games, taped game shows such as Wheel of Fortune™ and Jeopardy™ or other television programming such as predicting the winners of the Oscars. In a game of skill, for example, fair competition necessitates that a fast paced game, based on the unfolding television action has a level playing field for all participants regardless of how they receive their television signal. Propagation

delays result from, among other things, the number of satellite hops required to deliver the signal, the method of processing and rebroadcasting the signal after it is received by cable systems head ends or an over the air broadcast television station, and whether or not the signal is further processed for high definition television. Furthermore, digital television recording systems (DVRs) such as TiVo™ are also able to generate delays in the viewing of the picture after receipt via satellite or cable. These delays are able to result in a difference between the first signal received and the last received of more than several seconds.

People have an unsatisfactory experience and/or others are able to gain a potential competitive advantage from the variances in the exact time one viewer sees an event on their television versus another competitor who receives their television signal through a different delivery path. In the U.S., the 120 million television homes receive their signal either through an over the air broadcast, cable system or via satellite delivery. Each delivery system can impose propagation delays of various time lengths. If the delay between the time a viewer with the least amount of delay and the person receiving the signal with the greatest amount of delay exceeds several seconds, some inequalities in game experience and play are able to result.

One example is a game is based upon a football telecast, wherein competitors predict the play that the coaches and/or quarterback call prior to the snap of the ball. The competitor's prediction is based among other things on their observation of the down, distance and the offensive and defensive formations on the field and tendencies of the teams in these situations. Such a game utilizes a "lock out" signal, as described in the U.S. Pat. No. 4,592,546 to Fascenda, entitled "Game of Skill Playable by Remote Participants in Conjunction with a Live Event," which is incorporated by reference herein, to prohibit the entry of predictions after the competitor sees the play begin to unfold, at the snap of the ball. The time stamped "lock out" signal is generated by a game producer also viewing the same telecast from a different location. If the game producer is viewing a television signal several seconds before some competitors and generating a time stamp based on that event, an advantage is able to result if the difference in the time stamp and the receipt of the "lock out" signal is more than several seconds earlier in relation to another competitor's television signal which is delayed. During this period of time, for example, on a first or second down situation, a competitor receives the "lock out" just as the quarterback receives the snap and the corresponding television signal at the same time as the game producer while another competitor with a delayed television signal, receives a "lock out" signal while the quarterback is approaching the line of scrimmage. In another example, if the game producer is viewing a signal after a viewer, a competitor might see the quarterback start to drop back into a "shot gun" formation, making the likelihood of a pass considerably higher. This latter player might have time to change his prediction from, "run" to "pass" before receiving a "lock out" generated at the snap of the ball. A person consistently receiving a "lock out" later than another competitor might, through the course of the game, gain some competitive advantage.

While it is not clear that sufficient enough competitive advantage is gained between a competitor receiving his "lock out" signal precisely at the snap of the ball and one who is locked out a few seconds prior to the snap of the ball, this discrepancy could present the appearance of a playing field that is not level, and one of the primary benefits of the

system addressed in the present invention is to ensure the competitors feel they are on equal footing.

The present invention solves the above described issue through a system and method to effectively equalize systemic propagation delay variances to a required level dictated by the demands and rules of a particular game, so that a material competitive advantage is not obtained and the user experience is optimized for all players.

The solution first relies on the determination of how each viewer is receiving their television signal (e.g. via an over the air broadcast in a metropolitan area, via a particular cable system or a particular satellite system). All subscribers to a particular service provider or who are receiving an over the air broadcast in a specific metropolitan area will receive the signal at their location at the same time. It is also able to be determined if there is further processing of the signal within the homes, office, bar and others, which could further increase the total length of the propagation delay. Examples would be the use of a DVR, such as TiVo™. The present invention relies on a variety of methodologies which are able to be utilized to determine the time difference between the reception of the television picture being utilized by the central game production facility where “lock out” signals are generated and each separate group of viewers around the country or around the world.

For this system, the total viewing population for a telecast is divided into segments or blocks of viewers referred to as “cohorts.” For example, the 2 million inhabitants of the San Francisco Bay Area would be divided into approximately 1 over the air broadcast, 3 satellite independent providers and several cable “head ends” or central broadcast points serving a “cohort.” This information would be gathered at a central game server, and all players registered to play in a particular contest would be assigned to a specific cohort of viewers.

The following are some methodologies for determining the delays experienced by various cohorts which are able to be used in combination or separately.

In one methodology, upon joining the service and prior to initial game play, subscribers and competitors are required to identify the method by which they receive their television signal and identify the cable or satellite service provider and answer questions relative to whether or not they subscribe to an analog or digital high definition service or utilize a DVR. This information is able to be verified by sending questions to their cellular phones concerning commercials, station breaks and the precise time they are viewed or utilizing other information only seen by members of that cohort.

In another methodology, a routine is established upon entry into the game where the individual viewer is asked to mark the precise time a predetermined audio or visual event in the television program occurs, such as the initial kickoff, which would establish the deviation of their receipt of their television picture from the television signal utilized by the game producers. While some viewers might attempt to cheat by delaying their input, the earliest entries from the cohorts in this group would be averaged to establish the accurate delta between the receipt of the telecast by the production crew and those in each discrete sub group of viewers.

In another methodology, the GPS function in the cellular phone is used to determine the physical location of a viewer which is matched to a database of cable lead ends or over the air broadcast stations available to a consumer in that precise location.

In another methodology, employees of the game producer who are members of the subgroups which constitute the competitors/viewers, e.g. a subscriber to Comcast Cable in San Francisco, are utilized by the game service provider.

These individuals would provide the current propagation delay information sent to the game server utilizing their identification of a recognizable event they observe on their television set, such as the initial snap of the ball.

In another methodology, audio or video artifacts or information done in cooperation with the television signal provider are inserted which must be immediately responded to by the competitor to verify the source of their television signal or monitored at cooperative viewers’ television sets.

In another methodology, the various delays through an automated system linked to the game server, which continuously samples the audio or video track of the underlying satellite, cable or over the air broadcast television signals are established around the country to provide the information of the precise arrival of the underlying television picture.

Utilizing software resident in the game control server, game control data for each set of viewers/competitors of the game in progress who are receiving their television picture through the same source are batched together by the game control server, and the appropriate delay is either time stamped on the game “lock out” signals, or is imposed on the entire data stream so that competitors receiving their television information slightly behind or ahead of others gain no material competitive advantage. Another method is for the game control server to send all the game control data to all of the viewers/competitors of the game at the same time, and the client software is able to delay the presentation of the game data based on the viewers’ cohort.

Utilizing these methodologies to measure the delays in each cohort, each cohort of viewers would have artificial time delays on the game control information imposed by the game control server, which would substantially equalize the receipt of “lock out” data relative to the event triggering the “lock out,” based on the underlying television programming, for example, the snap of the football. Players receiving the television signals in advance of the one with the slowest receipt of the television signal would receive “lock out” signals slightly delayed or time stamped with a slightly later time as described in U.S. Pat. No. 4,592,546. By providing a correspondingly delayed lock out to a viewer receiving their signal later, a potential advantage is mitigated.

Alternatively, this time equalization from cohort to cohort could, for example, involve artificially delaying the transmission of the game control data stream sent to all competitors cell phones or other mobile devices by the appropriate amount of seconds, to sufficiently minimize the advantage a player with a few more seconds of television based information would have. For example, by time stamping the “lock out” signal at an earlier event, such as when the team breaks from the huddle, the chance of some cohorts seeing the actual beginning of the play is eliminated and the discrepancy in propagation delay provides little or no advantage.

FIG. 1 illustrates a flowchart of a process of preventing latency issues from giving an advantage to some participants. In the step 100, it is determined how each viewer receives a television signal, where possibilities include an over the air broadcast, a particular cable system or a particular satellite system. In the step 102, it is determined if there is additional processing of the television signal when after the signal enters a viewer/participant’s house, office, bar or other location from an item such as a DVR. In the step 104, the viewers/participants are grouped into groups also referred to as cohorts. In the step 106, a delay amount is determined for each group. The delay amount is able to be determined by the one or more methods as described above. In the step 108, the viewers/participants are equalized. The

methods of equalization vary, but some examples include time stamping on the game “lock out” signals, imposing a time stamp on the entire data stream so that competitors receiving their television information is slightly behind or ahead of others gain no material competitive advantage. Another method is for the game control server to send all the game control data to all of the viewers/participants of the game at the same time, and the client software is able to delay the presentation of the game data based on the viewers’ group.

Arbitrarily Imposed Delays on the Broadcast of the Signal and the Physically Present Competitor

As a result of the Janet Jackson half time show episode at the 2004 Super Bowl, some networks have announced their intentions to impose up to a 7 second delay on telecasts of live sporting events. More recently an obscenity uttered by a competitor at the conclusion of a live NASCAR race has resulted in another network announcing it may impose a 5-7 second delay on future broadcasts of NASCAR races. These arbitrarily imposed delays are a significantly longer duration than those resulting from the above described propagation delays of the broadcast television or cellular network control information.

A distinct advantage is able to arise for a game player who is physically present at an event being televised which is the basis of a contest of skill in the home, or other location, separate from the live game venue. This is because in certain instances they will receive “lock out” signals generated for competitors among the television viewing audience, particularly if the game producer is not physically present at the venue, but producing by viewing a telecast. This discrepancy would permit prediction entry as much as 7 seconds later than those watching an artificially delayed television picture. This magnitude of delay can result in a significant competitive advantage for the game player who is physically present. For example, a soccer or hockey contest of skill might contain an element where a competitor is given a limited number of opportunities to predict if there will be a “shot on goal” within the next 5 seconds. The 5 second advantage to the competitor physically present would be significant, because the receipt of a lockout signal generated for the huge television audience could occur after a shot had occurred.

In a contest based on a football game, a competitor present at the stadium would receive their “lock out” signals after the play was underway and could often determine whether the play was a pass or a run prior to receipt of the lockout signal. It is also likely that other live televised events such as The Oscars, Grammy’s, beauty contests and other television programming that can support games of skill would impose delays on the telecast for the same or different reasons, also providing the opportunity for a competitive advantage for those who are attending the event in person.

The cellular telephone system currently has methodologies to determine a user’s physical location. The 911 emergency laws mandate the cellular systems to have the capability of determining the location of a 911 emergency caller within 150 feet. More sophisticated approaches combine cellular site location technology with geosynchronous positioning satellite capabilities. Companies like Qualcomm™ have implemented various location technologies such as Snaptrack, SnapSmart and Snapcore, which provide a cellular phone’s physical location within a matter of yards.

For each televised live event, the physical venue for this event would be known by the organizer of a game of skill in advance. Therefore, it is possible to determine for each contest of skill the specific cellular sites which will serve

cellular phone owners physically present at that venue. A methodology is employed to identify all of the cellular phones logging into the game server registering to play the game of skill which are co-located within cellular sites servicing the stadium or auditorium where the televised live event is taking place. The present invention is also able to involve a communication methodology between the cellular carrier and the game control computer software contained in the game application resident on a game competitor’s phone, which would identify the cellular phone physically in the stadium.

Before the start of the contest of skill, the system informs the central computer of the game selected to be played by each competitor, for example, the San Francisco 49ers versus the New York Giants. The central game control server’s software would hold current information on the physical location of the stadium of each game, for example, Candlestick Park in South San Francisco, and the cellular sites covering this location. The software resident on the cellular phone or on the server then identifies the phone as one located physically at the telecast game’s venue.

To ensure that potential competitors at the live venue are able to also compete in a contest of skill, the central game server will separate the scoring data and game control data for competitors using these cellular phones in this specific location from the general pool of competitors who are not so located, but watching the game via television. A separate contest is then generated and scored for those competitors who have the advantage of viewing the event live, and a separate prize pool is awarded. This separate game would be produced though the observation of the actual game physically at the venue or through the operation of a non-delayed satellite feed.

If it is ultimately determined that certain groups of television viewers, as opposed to live event attendees, who are competitors in these games of skill are gaining sufficient enough competitive advantage, segregating those players at the extreme ends of the propagation delays, into two or more separate contests with separate sets of prizes, may also be employed as described above. For example, separate contests for satellite viewers versus cable and over the air viewers are able to be generated.

FIG. 2 illustrates a flowchart of a process of preventing participants at a live event from having an unfair advantage over participants watching on television. In the step 200, a cellular site that serves cellular phones at a venue site is determined for each contest of skill. For example, if a game of skill is played for a game between the San Francisco 49ers and the Oakland Raiders at Candlestick Park in South San Francisco, a specific cellular site serves the cellular phones in that location. In the step 202, the cellular phones that are utilizing the cellular site of the venue site and are participating in the game of skill for that event are determined. For example, if there are 1,000 cellular phone users in Candlestick Park who register to play in a game of skill involving the 49ers and the Raiders, they are detected by the system. In the step 204, it is determined if the cellular phone is located within the venue site. The determination is made by comparing the current cellular information with information stored on a server indicating the location of each venue such as Candlestick Park. Based on the determination in the step 204, separate groups are generated in the step 206. A group is generated for users that are located at the live venue, and a group is generated for those players that are watching live on television. Therefore, the live players who do not expe-

rience any delay compete against each other, and television viewers compete with others television viewers who have a delay.

In addition to implementing the above-mentioned solutions to latency issues, additional groups are able to be generated if the delays between signal providers are not resolved. For example, all viewers with satellite television signals compete against each other, and all cable television viewers compete against each other, with no cross competition.

Taped and Syndicated Television Programs

A separate but related latency problem arises in the case of syndicated television shows, which are by necessity pre-taped. Examples are game shows like Wheel of Fortune™ and Jeopardy™. These pre-recorded television game shows are generally syndicated, meaning they are sold to a specific television station on an exclusive lease for the local television market served by the station's signal. The television stations generally air these half hour episodes at various times in "prime time access," which is generally considered between 6-8 pm. Therefore, with 3 different time zones in the United States, the start times will differ from market to market. In addition, the precise time each commercial bracketed television show segment that is broadcast is able to vary by a few seconds based on the time each station's engineering personnel starts the show's segments after the insertion of local and national commercials. Thus, for a show like Jeopardy™, there might be over 100 separate slightly different broadcasts from a time standpoint for a single episode of Jeopardy™ on a given day. In addition, these syndicated telecasts can also experience the same propagation delays as described above.

Contests of skill on cellular phones around these syndicated telecasts are produced with the cooperation of the game show producers, and game data files are produced which are precisely time-synchronized to the final video tape of the television game show. These files must be precisely synchronized and a delay of just a few seconds could give an unfair competitive advantage to a viewer who is receiving their "lock out" signal later than another competitor in a fast paced game like Jeopardy™. The game data files must be synchronized with the television show at the beginning of the program and again as the show returns to the game competition from each commercial break.

This solution addresses the separate, but related problems of synchronizing game data files with the broadcast of prerecorded and syndicated games, entertainment, reality or other television programming that is aired in different time zones at the choice of the purchasing television station. As opposed to live sporting events, the game production for this genre of programming is not done live through real-time observation of the unfolding telecast but is produced in advance with the cooperation of the show producer as a time synchronized file utilizing the final edited for broadcast, television program.

In general, the game data files are divided into separate "segments" which comprise the entire television program and aired between the insertion of national, regional and local advertising. As the television program returns from the opening commercials, the initial game or entertainment segment is launched by the game producer, synchronized to the playing of the television tape, and the data files for this segment would end with the first commercial break. The other game "chapters" are resynchronized as each segment of the telecast resumes from commercial break. The local telecasts might have variations of anywhere from 1 to 5 seconds, or more, resulting from the use of different com-

mercials by different stations, and the variances in the local production by the engineering management of the syndicated telecasts.

This invention protects a system which first determines all of the separate and unique television markets where the cellular phone service will be offered in connection with a syndicated, taped version of an underlying television program, for example, Jeopardy™. Network broadcasts usually air in three separate time zones. This information is available from the shows syndicator, for example, Jeopardy™, the syndicator King World™ or Sony™, the show's licensor. This information is also publicly available through the various television guides. The game production servers hold the pre-produced game data files to be broadcast to the cellular phones of the participating subscribers, containing, for example, the correct answers and possibly some intentionally wrong multiple choice answers in the case of Jeopardy™ or other multiple choice based game shows. The server begins the broadcast of its time synchronized files for each discrete telecast of a single television program at a precise start point for each "segment" or chapter. With knowledge of the precise timing of the discrete segments of the broadcast, for each separate syndicated market, the server transmits the pre-recorded files in most cases, at a slightly separate and different time to each viewer who is viewing the telecast in a particular market via a particular broadcast, satellite or cable signal.

The precise start times of the beginning episode of a game show and the start times of the other segments, beginning as the show resumes after a national and local commercial are delivered to the server through various methodologies.

One methodology requires the cooperation of an employee of the game provider based on visual observation of the telecast for that market, utilizing a personal computer and the Internet, or by utilizing their local cellular phone, all coupled to the game server.

Another methodology includes utilizing an audio or video recognition system with online access to the broadcast of the underlying television program for each separate market which provides real-time tracking of the television broadcast to the game control server, ensuring the game data file is able to be precisely synchronized to the television picture. Information is also able to be inserted in a Vertical Banking Interval (VBI) of the taped syndicated show and tracked online in real time by the game control server. For remote telecasts and online connection from a remote device, reading data embedded in the VBI via a high speed connection to the central game server is utilized. Utilizing some of the procedures outlined above, the propagation delays in the receipt of the cellular transmissions are also monitored and the game server adjusts the data files containing the "lock outs" to accommodate the systemic delay in the delivery of the game data on the cellular networks.

Another methodology, with the cooperation of the producers of game shows, precise audio or video events in the telecast could either be added to the video, such as a visible count down, or existing events in the telecast identified by the producers as synchronization points which the competitors could utilize as start points for the previously downloaded data files at the press of an appropriate button on their cellular phone. This would trigger the launch of a program previously downloaded to the phone's RAM. Then, time synchronization would be launched.

One more methodology uses an audio signal, possibly sub-audible to humans, which is inserted into the taped audio track recognizable by the audio receiver in a cellular phone which would be utilized to start and/or continually

13

keep the pre-produced data files resident on the cellular phone in synchronization with the telecast.

FIG. 3 illustrates a flowchart of a process of handling latency issues for taped programs. In the step 300, pre-produced game data files are stored in servers; preferably, game production servers. The game data files include information required to participate in a game such as questions and answers for a trivia game like Jeopardy™. In the step 302, start times are determined for each discrete telecast of a show. The start times are determined as described above, such as with the cooperation of a game provider employee, utilizing an audio/video recognition system, using a visible count down or a recognizable signal which is able to be recognized by a cellular phone. Other ways of determining start times are possible as well. In the step 304, the game data files are transmitted at appropriate times based on the start times for each separate market. Furthermore, if additional delays are recognized, such as those delays described above, that is able to be accounted for.

FIG. 4 illustrates a graphical representation of an embodiment of the present invention. A server 400 contains applications 402 and a storage mechanism 404. The applications 402 include an application to generate and modify game control data. The game control data is eventually transferred to users' cellular phones. If necessary the game control data is synchronized and time-stamped for each group, so that, as described previously, there are no unfair advantages for the competitors. A location application stored on the server 400 is able to determine which cellular phones are logged into the server 400 and what their location is. A grouping application is able to separate information such as scoring data and game control data into different groups. The grouping application also separates the cellular phones into groups or cohorts as described above. The storage mechanism 404 is utilized for storing the applications 402 in addition to selections and results. The storage mechanism 404 preferably includes a database for organizing the data including the selections, results, standings and groups amongst other data needed for executing the competitions. The server 400 is part of a network 406. A device 408 couples to the server 400 through the network 406. In some embodiments the network 406 includes the Internet. In some embodiments, the network 406 includes a cellular network. Also, in some embodiments, the network 406 includes both the Internet and a cellular network. The device 408 is preferably a cellular phone. In other embodiments a PDA, a computer, a laptop or any other device capable of communicating with the server 400 is possible. The device 408 stores a variety of applications 410. A game application is stored on the device 408. In some embodiments, software to identify the physical location of the device 408 is stored on the device 408. The device 408 also receives the game control data which ensures no competitors have an unfair advantage using the methodologies described above. Furthermore, the device 408 receives game data which is used to play the games. An example of game data includes Jeopardy™ multiple choice answers. Additional applications are able to be included on the server 400 and on the device 408, as necessary, for smooth operation of the games. Although some of the applications are described separately above, in some embodiments, the applications are included in one large application.

FIG. 5 illustrates a graphical representation of a network of devices of the present invention. A server 400 is coupled to many devices through a network 406. The devices are grouped into groups or cohorts as described above. For example, Group 1 of devices 500 includes a set of devices

14

that receive a television signal through cable with a delay time of x. Group 2 of devices 502 includes a set of devices that receive a television signal through satellite with a delay time of y. Group 3 of devices 504 includes a set of devices that receive a television signal over the air with a delay time of z. Then, based on the delay times of each group, steps need to be taken to ensure these delays do not affect the ability of users to play a game of skill which corresponds to a live event shown on television. As described above, a lockout signal is sent at the appropriate time depending on the delay, or a lockout signal is sent, but included with the lockout signal is information for the lockout not to be implemented until the delay is accounted for. This ensures that users with different delays based on their television signal reception path do not receive advantages or disadvantages. Furthermore, in addition to the delays being related to the type of signal reception path such as cable versus satellite, the delays could also be related to other aspects of the signal reception path such as the location of the receiving television or the type of equipment that one television company uses versus another.

To utilize the present invention, for the most part, a participant in a game of skill playing on his/her mobile device does not have to perform any different actions when playing a standard game of skill without the present invention. The user simply plays as usual except that with the present invention, users with faster or slower connections do not receive any advantages or disadvantages. In embodiments which require user input, the user performs an action, such as recognizing an event to synchronize the game with a live or taped event. For game producers, implementing the present invention is able to be automated or performed manually. Automation includes technology to automatically determine the start of an event such as automatically detecting the start of a football game. Manual implementation requires a person to watch an event and respond to that event such as watching a football game and noting when the first play occurs in order to synchronize the "lock out" signal appropriately.

In operation, the present invention is able to synchronize separate games of skill which have different latencies based on television signal reception differences, random delays and/or other delays. For live events where all of the participants are watching the event on television and participating in a game of skill corresponding to that live event, delays related to the television signal reception differences have to be handled. Television signal reception differences occur because some televisions receive the live event signal via satellite, while others have cable and still others have something else. The signals do not arrive at the participants at the same time. Therefore, to ensure fair competition, participants are separated into groups or cohorts based on delivery system type, location and other parameters that affect the timing of the signal. Then, using a mechanism described above, the delay for each group is determined. Based on that determined delay, the game of skill is able to be configured with the appropriate timing for a lock out signal, so that each participant has the same amount of time to select an answer and also sees the same amount of the live event as others before the lock out occurs.

For games of skill where there are both participants attending the event live and watching it on television which typically has a few seconds delay, the participants are separated into different competitive groups wherein the attending participants are in one group and the television viewing participants are in another group.

15

For games of skill using tape recorded events like game shows, the important aspect is ensuring the game of skill corresponds with the televised recorded event. For example, if the game of skill were off by a few seconds, participants could receive multiple choice answers to the wrong ques- 5 tions. Therefore, the present invention ensures that the game of skill is synchronized with the taped televised event even when there are different latencies depending on how and where the television signal is being displayed.

Furthermore, although the methods of handling latency 10 have been described above as handling a specific scenario such as delays in television signal reception, the methods are able to be used in conjunction with each other as well. For example, when participants are separated into attending and televised groups because some participants are actually attending an event while others watch it on television, for those watching it on television there will still be issues from location to location and based on the television signal reception, so the latency balancer which handles that aspect of latency is also able to be implemented. 20

The present invention has been described in terms of specific embodiments incorporating details to facilitate the understanding of principles of construction and operation of the invention. Such reference herein to specific embodiments and details thereof is not intended to limit the scope of the claims appended hereto. It will be readily apparent to one skilled in the art that other various modifications may be made in the embodiment chosen for illustration without departing from the spirit and scope of the invention as defined by the claims.

What is claimed is:

1. A method of equalizing effects of latency issues in synchronization of display of data files on an Internet coupled device with a live event, wherein a game of skill or chance or entertainment is run in conjunction with the live event and wherein the game of skill or chance or entertain- 35 ment comprises data files, the method comprising:

- a. storing the data files on a server which relate to the live event;
- b. determining one or more game elements in the live event; and
- c. transmitting the files from the server to each of a plurality of Internet coupled devices corresponding to the one or more game elements; and
- d. sending a lockout signal to prevent users from submitting a response to the game of skill or chance or other entertainment after a result of the game element has been revealed within the live event, wherein determining a time of the lockout signal includes utilizing a person observing a television feed located remotely from the live event. 40

2. The method as claimed in claim 1 wherein an application on the Internet coupled device starts using the data files at one or more start times.

3. The method as claimed in claim 1 wherein the data files are television broadcast related files.

4. The method as claimed in claim 2 wherein determining the one or more start times includes at least one of:

- a. utilizing a signal originating from the venue to syn- 60 chronize data files based on visual observation of a telecast;
- b. utilizing an individual in physical attendance at a venue corresponding to the live event;
- c. utilizing a computer generated signal based on real time computer analysis of a data feed originating from the live event; 65

16

d. utilizing at least one of an audio and video recognition system with online access to the live event for each separate market which provides real-time tracking of the live event to the server;

e. inserting at least one of an audio and video event in the live event which is recognizable at a starting point;

f. designating at least one of the audio and video event in the live event which is recognizable as the starting point;

g. utilizing an audio signal, inserted within the live event recognizable by an audio receiver of the Internet coupled device; and

h. using a vertical blanking interval.

5. The method of claim 1 wherein the live event comprises commercials.

6. The method of claim 5 wherein questions or information related to the commercials to be displayed at precise times before, during and after the commercials are sent to the Internet coupled device in synchronization with the live event. 20

7. The method of claim 6 wherein an incentive is awarded for answering the questions on the Internet coupled device in synchronization with the live event of the commercials.

8. The method of claim 1 wherein existing game elements in the live event are used as synchronization points as start points for previously downloaded data files to an Internet coupled device.

9. The method of claim 1 wherein a synchronization point is a visible or audible event located within the live event, and the synchronization point is used to synchronize the live event and the set of data files. 30

10. The method of claim 1 wherein information is inserted in a Vertical Blanking Interval (VBI) or equivalent of a show and tracked online in real-time.

11. The method of claim 1 wherein information is embedded in the live event and tracked online in real-time.

12. The method of claim 2 wherein determining the one or more start times of the live event includes using a recognizable signal recognizable by the Internet coupled devices. 40

13. The method of claim 1 further comprising delivering a start time of a commercial using a recognizable signal recognizable by the Internet coupled device.

14. The method of claim 1 wherein the data files comprise pre-produced data files. 45

15. The method of claim 14 wherein the pre-produced data files comprise real-time entertainment sent simultaneously to the Internet coupled devices.

16. The method of claim 14 wherein a plurality of synchronization points are used by the Internet coupled devices to continuously check to ensure the pre-produced data files are synchronized with the live event.

17. The method of claim 14 wherein inserted audio or video in the live event is used to continuously check to ensure the pre-produced data files are precisely synchronized on the client with the live event. 50

18. The method of claim 17 wherein the inserted audio or video is used by a client to continuously check to ensure the pre-produced data files are precisely synchronized on the client with the live event.

19. The method of claim 17 wherein the inserted audio or video is used by a server to periodically check to ensure the pre-produced data files are precisely synchronized on the client with the live event.

20. The method of claim 1 wherein an artifact is inserted into the live event recognizable by an audio receiver in an Internet coupled device which is utilized to start and con-

17

tinually keep a game of skill or chance or entertainment synchronized with the live event.

21. The method of claim 1 wherein the game of skill or chance ends when the live event ends.

22. The method of claim 1 wherein the server sends the game of skill or chance or entertainment to an application resident on the Internet coupled device.

23. The method of claim 1 wherein the game of skill or chance or entertainment is stored in a memory of the Internet coupled device.

24. The method of claim 1 wherein the game of skill or chance or entertainment is stored in random access memory of the Internet coupled device.

25. The method of claim 1 further comprising displaying the game of skill or chance or entertainment on the Internet coupled device.

26. The method of claim 1 wherein an earliest receipt of a television signal by participants is utilized for equalizing locking out all participants receiving the live event later.

27. The method of claim 1 further comprising establishing a delay between reception of a broadcast of the live event and the live event.

28. The method of claim 27 wherein establishing the delay results in synchronization of reception of the broadcast of the live event and presentation of game-related data on the Internet coupled device allowing the presented game-related data to coincide with the game elements in the live event.

29. The method of claim 1 further comprising determining a shortest delay experienced by participants in receiving a broadcast of the live event and applying lockouts to the participants based on the shortest delay.

30. The method of claim 1 wherein participants comprise ad hoc or preexisting groups of friends competing in a separate competition from disparate physical locations.

31. The method of claim 9 wherein the synchronization points are the audio or video data for the live event residing on the server online with the Internet coupled device.

32. The method of claim 1 wherein participants constitute ad hoc or existing groups of geographically dispersed friends participating in a separate game of chance or skill or entertainment.

33. The method of claim 32 wherein the participants are ad hoc or previously organized groups of friends competing against each other in a separate contest.

34. The method of claim 33 wherein equalizing the participants comprises time stamping an amount of delay on game-related data.

35. The method of claim 1 wherein the live event is recorded and stored on a digital video recorder.

36. The method of claim 1 further comprising determining if there is additional processing of a broadcast of the live event increasing a total length of delay.

37. The method of claim 1 wherein a delay includes a digital video recorder delay wherein the live event is recorded on the digital video recorder.

38. The method of claim 1 further comprising equalizing a delay wherein equalizing incorporates time stamping the amount of delay on a game lock out signal, imposing the amount of delay on an entire game data stream and sending game control data to the participant cohorts at the same time where client software delays presentation of game data based on a precise viewing time of the live event.

39. The method of claim 1 wherein a client used in connection with viewing a time shifted telecast of a previously recorded program utilizes automatic content recognition to synchronize preproduced game data files to precisely synchronize game data files with the recorded telecast.

18

40. The method of claim 1 wherein a client used in connection with viewing a delayed program utilizes automatic content recognition to synchronize preproduced game data files to precisely synchronize game data files with the recorded telecast.

41. The method of claim 1 wherein determining comprises establishing an amount of delay through an automated system linked to a server, which samples an audio track of a satellite or over the air broadcast signal, to provide information related to a precise arrival of a broadcast of the live event.

42. The method of claim 1 wherein the live event is recorded on a digital video recorder.

43. The method of claim 1 further comprising equalizing latency issues comprising determining an amount of delay for an earliest arriving broadcast of the live event, imposing the amount of delay on an entire game data stream, and sending game control data to one or more participants at a same time relative to receipt of a broadcast of the live event.

44. The method of claim 43 wherein client software delays presentation of game data based on a precise time of reception of the broadcast by a group.

45. The method of claim 43 wherein the server delays presentation of game data based on a precise time of reception of the broadcast by a group.

46. The method of claim 1 further comprising determining an amount of delay, imposing the amount of delay on a game data stream, sending game control data to one or more participants taking into account the amount of delay and grouping users into one or more cohorts, wherein a first amount of delay is imposed on participants in a first cohort and a second amount of delay is imposed on participants in a second cohort.

47. The method of claim 1 wherein the live event and the data files are presented on a same screen.

48. The method of claim 1 wherein the live event and the data files are presented on different screens.

49. The method of claim 1 wherein electronics receiving and displaying the live event on a first screen coupled to a game server via the Internet provide control information to a second screen.

50. The method of claim 1 wherein the live event and the data files are synchronized utilizing one or more start signals generated by a game producer.

51. The method of claim 1 wherein the live event and the data files are synchronized utilizing a signal sent from a game server at a predetermined time.

52. The method of claim 1 wherein the person is an employee of a game or related service provider.

53. The method of claim 1 wherein determining the time of the lockout signal includes utilizing a person based on physical attendance at a venue corresponding to the live event.

54. The method of claim 53 wherein the venue comprises a physical venue for an event.

55. The method of claim 54 wherein the person observes the event at the physical venue.

56. The method of claim 1 wherein the lockout is sent immediately before competitors are able to see a play unfold.

57. The method of claim 1 wherein the lockout is sent immediately before competitors are able to hear a play unfold.

58. The method of claim 1 wherein the lockout is sent immediately before a scoring chance in an event.

59. The method of claim 1 wherein the lockout signal applies for a limited amount of time.

19

60. The method of claim 1 wherein the lockout signal applies for an action lasting a limited amount of time.

61. The method of claim 1 wherein the time of the lockout signal is automated by software utilizing a live data feed originating from the live event.

62. The method of claim 1 wherein the television feed observed by the person has a predetermined amount of latency from the live event.

63. The method of claim 1 wherein the data files are continuously produced based on unfolding action within the live event.

64. A method of equalizing effects of latency issues in synchronization of display of data files on an Internet coupled device with a live event, wherein a game of skill or chance or entertainment is run in conjunction with the live event and wherein the game of skill or chance or entertainment comprises data files, the method comprising:

- a. storing the data files on a server which relate to the live event;
- b. determining one or more game elements in the live event; and
- c. transmitting the data files from the server to each of a plurality of Internet coupled devices corresponding to the one or more game elements;
- d. sending a lockout signal to prevent users from submitting a response to the game of skill or chance or other entertainment after a result of the game element has been revealed within the live event; and
- e. equalizing latency issues comprising determining an amount of delay, imposing the amount of delay on a game data stream and sending game control data to one or more participants taking into account the amount of delay.

65. The method of claim 64 wherein the amount of delay is imposed on the entire game data stream.

66. The method of claim 64 further comprising grouping participants into one or more cohorts, wherein a first amount of delay is imposed on participants in a first cohort and a second amount of delay is imposed on participants in a second cohort.

67. The method of claim 64 wherein client software delays presentation of game data based on a precise time of reception of a broadcast of the live event by a group.

68. The method of claim 67 wherein the server delays presentation of game data based on a precise time of reception of a broadcast of the live event by a group.

69. The method of claim 67 wherein sending the lockout signal comprises utilizing a person based on physical attendance at a venue corresponding to the live event.

70. The method of claim 64 wherein an application on the Internet coupled device starts using the set of files at one or more start times.

71. The method of claim 64 wherein the live event comprises commercials.

72. The method of claim 71 wherein questions or information related to the commercials to be displayed at precise times before, during and after the commercials are sent to the Internet coupled device in synchronization with the live event.

73. The method of claim 72 wherein an incentive is awarded for answering the questions on the Internet coupled device in synchronization with the live event of the commercials.

74. The method of claim 64 wherein existing game elements in the live event are used as synchronization points as start points for previously downloaded data files to an Internet coupled device.

20

75. The method of claim 64 wherein a synchronization point is a visible or audible event located within the live event, and the synchronization point is used to synchronize the live event and the set of data files.

76. The method of claim 64 wherein information is inserted in a Vertical Blanking Interval (VBI) or equivalent of a show and tracked online in real-time.

77. The method of claim 64 wherein information is embedded in the live event and tracked online in real-time.

78. The method of claim 70 wherein determining the one or more start times of the live event includes using a recognizable signal recognizable by the Internet coupled devices.

79. The method of claim 64 further comprising delivering a start time of a commercial using a recognizable signal recognizable by the Internet coupled device.

80. The method of claim 64 wherein a game of skill or chance or entertainment is run in conjunction with the live event and wherein the game of skill or chance or entertainment comprises pre-produced data files.

81. The method of claim 80 wherein the pre-produced data files comprise real-time entertainment sent simultaneously to the Internet coupled devices.

82. The method of claim 80 wherein a plurality of synchronization points are used by the Internet coupled devices to continuously check to ensure the pre-produced data files are synchronized with the live event.

83. The method of claim 80 wherein inserted audio or video in the live event is used to continuously check to ensure the pre-produced data files are precisely synchronized on the client with the live event.

84. The method of claim 83 wherein the inserted audio or video is used by a client to continuously check to ensure the pre-produced data files are precisely synchronized on the client with the live event.

85. The method of claim 83 wherein the inserted audio or video is used by a server to periodically check to ensure the pre-produced data files are precisely synchronized on the client with the live event.

86. The method of claim 64 wherein an artifact is inserted into the live event recognizable by an audio receiver in an Internet coupled device which is utilized to start and continually keep a game of skill or chance or entertainment synchronized with the live event.

87. The method of claim 64 wherein the game of skill or chance ends when the live event ends.

88. The method of claim 64 wherein the server sends the game of skill or chance or entertainment to the Internet coupled device.

89. The method of claim 64 wherein the game of skill or chance or entertainment is stored in a memory of the Internet coupled device.

90. The method of claim 64 wherein the game of skill or chance or entertainment is stored in random access memory of the Internet coupled device.

91. The method of claim 64 further comprising displaying the game of skill or chance or entertainment on the Internet coupled device.

92. The method of claim 64 wherein an earliest receipt of a television signal by participants is utilized for equalizing locking out all participants receiving the live event later.

93. The method of claim 64 further comprising determining the amount of delay between reception of a broadcast of the live event and the live event.

94. The method of claim 93 wherein determining the amount of delay results in synchronization of reception of the broadcast of the live event and presentation of game-

21

related data on the Internet coupled device allowing the presented game-related data to coincide with the game elements in the live event.

95. The method of claim 64 further comprising determining a shortest delay experienced by participants in receiving a broadcast of the live event and applying lockouts to the participants based on the shortest delay.

96. The method of claim 64 wherein participants comprise ad hoc or preexisting groups of friends competing in a separate competition from disparate physical locations.

97. The method of claim 75 wherein the synchronization points are the audio or video data for the live event residing on the server online with the Internet coupled device.

98. The method of claim 64 wherein participants constitute ad hoc or existing groups of geographically dispersed friends participating in a separate game of chance or skill or entertainment.

99. The method of claim 98 wherein the participants are ad hoc or previously organized groups of friends competing against each other in a separate contest.

100. The method of claim 99 wherein equalizing the participants comprises time stamping an amount of delay on game-related data.

101. The method of claim 64 wherein the live event is recorded and stored on a digital video recorder.

102. The method of claim 64 further comprising determining if there is additional processing of a broadcast of the live event increasing a total length of delay.

103. The method of claim 64 wherein a delay includes a digital video recorder delay wherein the live event is recorded on the digital video recorder.

104. The method of claim 64 further comprising equalizing a delay wherein equalizing incorporates time stamping the amount of delay on a game lock out signal, imposing the amount of delay on an entire game data stream and sending game control data to the participant cohorts at the same time where client software delays presentation of game data based on a precise viewing time of the live event.

105. The method of claim 64 wherein a client used in connection with viewing a time shifted telecast of a previously recorded program utilizes automatic content recognition to synchronize preproduced game data files to precisely synchronize game data files with the recorded telecast.

22

106. The method of claim 64 wherein a client used in connection with viewing a delayed program utilizes automatic content recognition to synchronize preproduced game data files to precisely synchronize game data files with the recorded telecast.

107. The method of claim 64 wherein determining comprises determining the amount of delay through an automated system linked to a server, which samples an audio track of a satellite or over the air broadcast signal, to provide information related to a precise arrival of a broadcast of the live event.

108. The method of claim 64 wherein the live event and the data files are presented on a same screen.

109. The method of claim 64 wherein the live event and the data files are presented on different screens.

110. The method of claim 64 wherein electronics receiving and displaying the live event on a first screen coupled to a game server via the Internet provide control information to a second screen.

111. The method of claim 64 wherein the live event and the data files are synchronized utilizing one or more start signals generated by a game producer.

112. The method of claim 64 wherein the live event and the data files are synchronized utilizing a signal sent from a game server at a predetermined time.

113. The method of claim 64 wherein the lockout is sent immediately before competitors are able to see a play unfold.

114. The method of claim 64 wherein the lockout is sent immediately before competitors are able to hear a play unfold.

115. The method of claim 64 wherein the lockout is sent immediately before a scoring chance in an event.

116. The method of claim 64 wherein the lockout signal applies for a limited amount of time.

117. The method of claim 64 wherein the lockout signal applies for an action lasting a limited amount of time.

118. The method of claim 64 wherein sending the lockout signal is automated by software utilizing a live data feed originating from the live event.

119. The method of claim 64 wherein the data files are continuously produced based on unfolding action within the live event.

* * * * *