



(86) Date de dépôt PCT/PCT Filing Date: 2009/04/14

(87) Date publication PCT/PCT Publication Date: 2009/10/22

(45) Date de délivrance/Issue Date: 2013/01/08

(85) Entrée phase nationale/National Entry: 2010/10/08

(86) N° demande PCT/PCT Application No.: AU 2009/000453

(87) N° publication PCT/PCT Publication No.: 2009/126992

(30) Priorités/Priorities: 2008/04/14 (AU2008901838);
2008/12/24 (AU2008906651)

(51) Cl.Int./Int.Cl. *A23G 3/54* (2006.01)


(72) Inventeur/Inventor:
ANG, JANE HUI CHING, AU

(73) Propriétaire/Owner:
CADBURY ENTERPRISES PTE LIMITED, SG

(74) Agent: BERESKIN & PARR LLP/S.E.N.C.R.L.,S.R.L.

(54) Titre : CONFISERIE A BASE DE GELEE

(54) Title: JELLY CONFECTIONERY



(57) Abrégé/Abstract:

The invention relates to methods of producing jelly confectionery products, and to jelly confectionery products themselves. The centre- filled jelly confectionery comprises - a centre filling, - a casing, and - a backing layer, wherein the backing layer has a

(57) Abrégé(suite)/Abstract(continued):

different visual appearance compared to the casing. According to one embodiment, the centre filling is coloured, the casing comprises a colouring agent, and the backing layer comprises said colouring agent of the casing, at a concentration that is greater than in the casing. According to another embodiment, the centre filling is coloured, the casing is uncoloured, and the backing layer is coloured. There is also provided a method for making a centre- filled jelly confectionery, the method comprising: (a) preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent, (b) cooking the liquid jelly confectionery composition, (c) depositing the liquid jelly confectionery composition into a mould, (d) depositing the centre filling into a mould so that the liquid jelly confectionery composition deposited in (c) forms a casing around the centre filling to produce a casing containing a centre filling, and (e) applying a backing layer to the casing containing a centre filling, wherein the backing layer provides a different visual appearance compared to the casing, to form the centre-filled jelly. Steps (c) and (d) can be preformed by co- depositing the liquid jelly confectionery composition and centre filling into the mould.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
22 October 2009 (22.10.2009)

PCT

(10) International Publication Number
WO 2009/126992 A1(51) International Patent Classification:
A23G 3/54 (2006.01)(21) International Application Number:
PCT/AU2009/000453(22) International Filing Date:
14 April 2009 (14.04.2009)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2008901838 14 April 2008 (14.04.2008) AU
2008906651 24 December 2008 (24.12.2008) AU(71) Applicant (for all designated States except US): **CAD-BURY ENTERPRISES PTE LIMITED** [SG/SG]; 346 Jalan Boon Lay, Jurong 619528 (SG).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **ANG, Jane Hui Ching** [AU/AU]; c/-323-351 Canterbury Road, Ringwood, Victoria 3134 (AU).(74) Agent: **GRIFFITH HACK**; 509 St Kilda Road, Melbourne, Victoria 3004 (AU).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: JELLY CONFECTIONERY




Figure 21

(57) **Abstract:** The invention relates to methods of producing jelly confectionery products, and to jelly confectionery products themselves. The centre-filled jelly confectionery comprises - a centre filling, - a casing, and - a backing layer, wherein the backing layer has a different visual appearance compared to the casing. According to one embodiment, the centre filling is coloured, the casing comprises a colouring agent, and the backing layer comprises said colouring agent of the casing, at a concentration that is greater than in the casing. According to another embodiment, the centre filling is coloured, the casing is uncoloured, and the backing layer is coloured. There is also provided a method for making a centre-filled jelly confectionery, the method comprising: (a) preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent, (b) cooking the liquid jelly confectionery composition, (c) depositing the liquid jelly confectionery composition into a mould, (d) depositing the centre filling into a mould so that the liquid jelly confectionery composition deposited in (c) forms a casing around the centre filling to produce a casing containing a centre filling, and (e) applying a backing layer to the casing containing a centre filling, wherein the backing layer provides a different visual appearance compared to the casing, to form the centre-filled jelly. Steps (c) and (d) can be preformed by co-depositing the liquid jelly confectionery composition and centre filling into the mould.

- 1 -

Jelly ConfectioneryField

5 The present application relates to new jelly confectionery compositions, and methods of making them.

Background

10 Jelly confectionery is a broad expression used to refer to a class of confectionery made from a bulk sweetener such as sugar, glucose, a sugar-substitute or a mixture thereof, and a hydrocolloid gelling system which imparts setting properties on the confection. Typical
15 hydrocolloids include pectin, agar-agar, gelatine, gum, starch and combinations thereof.

 Jelly confectionery is typically prepared by cooking the ingredients (with the exception of acids, colour and
20 flavour) to the required temperature or the required solids content, cooling the hot fluid composition to a deposition temperature, adding acid, colour and flavour, depositing the jelly confectionery into a mould and cooling and conditioning the moulded product.

25 Deposition of the jelly confectionery involves pumping a measured quantity of the hot jelly into a mould. One problem that arises during deposition of the hot jelly confectionery material is that the flow of material can be
30 difficult to stop, which leads to "tailing". This can be a particular problem if higher solids are used during jelly confectionery depositing, or if low depositing temperatures are used. Higher solids contents and lower temperatures tend to make the liquid confectionery
35 material more viscous. As well as creating poorly shaped products due to tailing, higher solids contents can also give rise to processing difficulties, including premature

- 2 -

gelling in the case of some gelling agents and possible blockage of lines in the depositor or other process equipment.

5 Centre-filled jelly confectionery is prepared by co-depositing a centre filling within an outer jelly shell in a "one-shot depositor" or similar equipment. The problems of tailing and processing difficulties described above can be even greater in the production of centre-filled jelly
10 confectionery from two different confectionery materials, each of which can be subject to tailing and processing difficulties.

One problem that can arise with the production of
15 centre-filled jelly confectionery is that "leakers" can be produced, if the inner filling has a tail that extends through the outer jelly shell. Current techniques for preventing this problem from occurring include reducing the viscosities of the outer confectionery material and
20 centre-filling, and depositing the centre-filling in a position so that it sinks or rises to be located in the centre of the shell, to avoid leakage. It is also known to match the density of the two components. However, reducing the viscosity by reducing the solids content
25 increases the time taken to dry and condition the product. Such controls are not always sufficient to avoid leakage, and there is a need for new techniques to address this problem.

30 There is also an interest in the confectionery industry to develop new and interesting confectioneries.

Summary of the Invention

35 According to one embodiment, there is provided a centre-filled jelly confectionery comprising:
- a centre filling,

- 3 -

- a jelly casing, and
- a jelly backing layer overlying one side or one section of the casing, wherein the jelly backing layer has a different visual appearance compared to the jelly casing.

5

According to this embodiment, the jelly casing and the jelly backing layer have a different visual appearance, such as a different colour, a different colour intensity, or another form of "visual effect" (such as shimmer, shine, sparkle or pearlescence) compared to each other. The visual appearance may be a combination of these. Such a product provides new and interesting visual effects.

15

The application of an additional layer of the jelly confectionery material as a backing layer provides an additional layer to seal any pathway (eg. tail) of the coloured centre filling through the jelly casing.

20

According to one embodiment, there is provided a centre-filled jelly confectionery comprising:

- a coloured centre filling,
- a jelly casing comprising a colouring agent, and
- a jelly backing layer overlying one side or one section of the casing comprising said colouring agent of the jelly casing, wherein the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing.

30

According to another embodiment, there is provided a centre-filled jelly confectionery comprising:

- a coloured centre filling,
- an uncoloured jelly casing, and
- a coloured jelly backing layer overlying one side or one section of the casing.

35

According to this embodiment, the coloured backing

- 4 -

layer contains colour, but is translucent, rather than opaque. The coloured backing layer is applied to one side of the uncoloured casing. It has been found by the applicant that by applying only a layer of coloured jelly confectionery material to the product over an uncoloured, colourless or substantially colourless casing, an attractive luminescence or coloured sheen is provided to the product. Moreover, the application of an additional layer of the outer jelly confectionery material (coloured) provides an additional layer to seal any pathway (eg. tail) of the coloured centre filling through the casing.

According to one embodiment, there is also provided a method for making a centre-filled jelly confectionery comprising:

- a centre filling,
- a jelly casing, and
- a jelly backing layer, wherein the jelly backing layer has a different visual appearance compared to the jelly casing, the method comprising:
 - (a) preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
 - (b) cooking the liquid jelly confectionery composition,
 - (c) depositing the liquid jelly confectionery composition into a mould,
 - (d) depositing the centre filling into a mould so that the liquid jelly confectionery composition deposited in (c) forms a jelly casing around the centre filling to produce a jelly casing containing a centre filling, and
 - (e) applying a backing layer to an exposed surface of the jelly casing containing a centre filling, wherein the backing layer provides a different visual appearance compared to the jelly casing, to form the centre-filled jelly confectionery.

According to one embodiment, (c) and (d) are

- 5 -

performed by co-depositing the liquid jelly confectionery composition and centre filling into the mould. Thus, the method in this case comprises:

- preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
- cooking the liquid jelly confectionery composition,
- co-depositing the liquid jelly confectionery composition with a centre filling into a mould, with the liquid jelly confectionery composition forming a jelly casing around the centre filling, and
- applying a backing layer to an exposed surface of the jelly casing containing a centre filling to form the centre-filled jelly, wherein the backing layer is a jelly backing layer and is of a different composition and provides a different visual appearance compared to the liquid jelly confectionery composition forming the jelly casing.

According to another embodiment, there is provided a method for making a centre-filled jelly confectionery comprising:

- a coloured centre filling,
- a jelly casing comprising a colouring agent, and
- a jelly backing layer comprising said colouring agent of the jelly casing, in which the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing;

the method comprising:

- preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
- cooking the liquid jelly confectionery composition, and
- co-depositing the liquid jelly confectionery composition with a coloured centre filling into a mould, with the liquid jelly confectionery composition forming a jelly casing around the coloured centre filling, and

- 6 -

- applying a backing layer to an exposed surface of the casing to the co-deposited product to form the centre-filled jelly confectionery.

5 According to another embodiment, there is provided a method for making the centre-filled jelly confectionery, the method comprising:

- preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
- 10 - cooking the liquid jelly confectionery composition, and
- co-depositing the liquid jelly confectionery composition with a coloured centre filling into a mould, with the liquid jelly confectionery composition forming an
- 15 uncoloured jelly casing around the coloured centre filling, and
- applying a coloured jelly backing layer to an exposed surface of the co-deposited product to form the centre-filled jelly confectionery.

20

 In each of these methods the co-deposition step can be performed as two separate depositing steps, with the deposition of the centre filling resulting in the formation of a jelly casing around the centre filling.

25

 According to a further embodiment, there is provided a method for making a jelly confectionery comprising:

- preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
- 30 - cooking the liquid jelly confectionery composition, and
- depositing the liquid jelly confectionery composition into a mould,
- wherein the viscosity of the liquid jelly confectionery composition is temporarily modified for a period of time
- 35 commencing prior to deposition of the liquid jelly confectionery into a mould.

- 6a -

The temporary modification of the viscosity suitably persists during the time of deposition of the liquid jelly confectionery composition into the mould. The temporary modification of the viscosity is suitably a temporary
5 reduction in the viscosity. The temporary modification or reduction in viscosity is suitably based on a specific solids content of the liquid jelly confectionery composition, without change of the solids content of the liquid jelly confectionery composition. Changing the

10

- 7 -

solids content is to be understood as resulting in a non-temporary change in the viscosity of the liquid jelly confectionery composition. The modification of the viscosity also needs to take place without disturbing the functionality of the hydrocolloid gelling agents.

The application of ultrasound frequency vibrational energy to the liquid jelly confectionery composition, referred to briefly as "ultrasonic treatment", is a suitable technique for modifying the viscosity of the liquid jelly confectionery composition. The ultrasonic treatment provides a temporary change in viscosity, such as a reduction in viscosity, which can be utilised to manage the viscosity of the liquid at suitable times in the method for making jelly confectionery. This technology allows for higher solids depositing based on a temporary viscosity reduction. Further, it has been found that this can be achieved on jelly confectionery compositions containing hydrocolloid gelling agents without the ultrasonic energy disturbing the functionality of the hydrocolloid.

Thus, according to another embodiment, there is provided a method for making a jelly confectionery comprising:

- preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
- cooking the liquid jelly confectionery composition, and
- depositing the liquid jelly confectionery composition into a mould,

wherein ultrasound frequency vibrational energy is applied to the liquid jelly confectionery composition prior to deposition.

35

With the centre-filled jelly, ultrasonic frequency vibrational energy may be applied to the liquid jelly

- 8 -

confectionery composition forming the outer shell of the centre-filled jelly confectionery, however it may also be applied to the centre filling composition prior to deposition.

5

According to a further embodiment, there is also provided a method of managing the viscosity of a liquid jelly confectionery composition used to form a jelly confectionery, the method comprising applying ultrasonic frequency vibrational energy to the liquid jelly confectionery composition for at least a portion of time during jelly confectionery manufacture.

10

Brief Description of the Figures

15

The present invention will now be described in further detail with reference to the accompanying figures, in which:

20

Figure 1 illustrates schematically the process steps for making a jelly confectionery according to one embodiment of the invention;

25

Figure 2 illustrates schematically the process steps for making a jelly confectionery according to a second embodiment of the invention;

30

Figure 3 illustrates schematically the process steps for making a jelly confectionery according to a third embodiment of the invention;

35

Figure 4 illustrates schematically the process steps for making a jelly confectionery according to a fourth embodiment of the invention;

Figure 5 illustrates schematically the process steps for making a jelly confectionery according to a

- 9 -

fifth embodiment of the invention;

Figure 6 illustrates schematically the process steps for making a jelly confectionery according to a
5 sixth embodiment of the invention;

Figure 7 illustrates schematically the process steps for making a jelly confectionery according to a
seventh embodiment of the invention;

10

Figure 8 illustrates schematically the process steps for making a jelly confectionery according to an eighth embodiment of the invention;

15

Figure 9 illustrates schematically the process steps for making a jelly confectionery according to a ninth embodiment of the invention;

Figure 10 illustrates schematically the process
20 steps for making a jelly confectionery according to a tenth embodiment of the invention;

Figure 11 illustrates schematically the process steps for making a jelly confectionery according to an
25 eleventh embodiment of the invention;

Figure 12 illustrates schematically the process steps for making a jelly confectionery according to a
twelfth embodiment of the invention;

30

Figure 13 illustrates schematically the process steps for making a jelly confectionery according to a thirteenth embodiment of the invention;

35 Figure 14 illustrates schematically the process steps for making a jelly confectionery according to a fourteenth embodiment of the invention;

- 10 -

Figure 15 illustrates schematically the process steps for making a jelly confectionery according to a fifteenth embodiment of the invention;

5

Figure 16 illustrates schematically the process steps for making a jelly confectionery according to a sixteenth embodiment of the invention;

10

Figure 17 illustrates schematically the process steps for making a jelly confectionery according to a seventeenth embodiment of the invention;

Figure 18 illustrates schematically the process steps for making a jelly confectionery according to an eighteenth embodiment of the invention;

15

Figure 19 illustrates schematically the process steps for making a jelly confectionery according to a nineteenth embodiment of the invention;

20

Figure 20 illustrates schematically the process steps for making a jelly confectionery according to a twentieth embodiment of the invention; and

25

Figure 21 is an illustration of a centre-filled jelly confectionery according to one embodiment of the invention.

30 Detailed Description of the Invention

The new products of the present invention provide a new and unique visual appearance. The method for making the jelly confectionery of some embodiments of the invention is beneficial as it enables jelly confectionery pieces to be made in a new way that preserves the desired final jelly texture qualities, whilst minimising or

35

- 11 -

avoiding production problems such as blocking of passageways in the production equipment.

The new products of the present invention can be made using any suitable processes known in the art for forming a centre-filled confectionery. In the following detailed description some specific new techniques involving viscosity reduction that can be used to form the confectionery are described. However, it is noted that the centre-filled jelly confectionery compositions are not limited to the use of the viscosity reduction techniques. It is also noted that for the embodiments where a viscosity reduction technique is not used, the remaining description (ignoring the references to viscosity reduction and sonication) apply to such embodiments.

According to one aspect, there is provided a method for making a jelly confectionery which involves a temporary modification of the viscosity of the liquid jelly confectionery composition for a period of time commencing prior to deposition of the liquid jelly confectionery into a mould. This can be achieved by the application of ultrasound frequency vibrational energy to the liquid jelly confectionery composition prior to deposition, or by other suitable techniques.

A temporary modification in viscosity refers to a modification that persists for a limited time period, following which the viscosity returns at least partly to the pre-modified viscosity level. The time period during which the viscosity remains in the modified state will depend on the conditions applied, but could be a time period of at least 15 minutes, such as at least 20 minutes. The maximum time period will also depend on the conditions applied, and the time period desired to achieve the benefits of viscosity reduction, and could be a maximum of 5 hours, 3 hours, 2 hours, 1 hour or otherwise.

- 12 -

Ultrasound frequency vibrational energy refers to the application of mechanical vibrations to the liquid jelly confectionery, where the frequency of the vibrations is in the ultrasound frequency range. The ultrasound frequency range generally covers frequencies of about 20kHz or more. The frequency range can generally be between 20kHz and 400MHz, although the frequency can be within the narrower ranges of between 20kHz and 100kHz, or 20 - 40kHz.

The core component of a device for applying ultrasound frequency vibrational energy is a sonicator. Sonicators are known devices in the field of ultrasonics which vibrate (mechanically) at a frequency that is in the ultrasound range. Contact of the sonicator with a fluid causes the vibrational energy to pass from the sonicator to the fluid, which causes molecules making up that fluid to vibrate at the same frequency. This molecular vibration of the molecules making up the fluid results in changes to the properties of the fluid, such as changes in the viscosity of the fluid. However, at the same time, there is a need to ensure that the ultrasound frequency vibrational energy does not disturb or destroy the functionality of the molecules making up the fluid. For example, in the case of hydrocolloid gelling agents, if the ultrasound frequency vibrations applied to the hydrocolloid molecules was to damage or change the hydrocolloid gelling agent in such a way that it was no longer capable of gelling, then this would prevent the use of ultrasonics in this application. It has been found by the applicant that rather than damaging or changing the functionality of the hydrocolloid gelling agent, improvements in viscosity are obtained, such as a reduction in the viscosity, that assist in the production of jelly confectionery, and there is no damage or change to the gelling characteristics.

- 13 -

The application of ultrasound frequency vibrational energy may be effected by providing a generator that generates electrical oscillations of ultrasound frequency, a transducer that converts the electrical oscillations into mechanical vibrations, and the sonotrode which is placed in contact with the fluid. The sonotrode is caused to vibrate by the transducer, thus transmitting the vibrational energy to the fluid.

Sonotrode

A range of different types of sonotrodes can be used to apply the ultrasound frequency vibrational energy to the liquid jelly confectionery material, including probe sonotrodes, nozzle plate sonotrodes and sonication chamber-type sonotrodes. In the case of a probe-type sonotrode, this may comprise a probe that is inserted into (immersed in) the flow of jelly confectionery material, which transmits the mechanical vibrations in the ultrasonic frequency range to the jelly confectionery material. This may be in a flow passageway, line, vessel, chamber, tank or any other component of the jelly manufacturing line. In the case of a nozzle plate sonotrode, this can be located at any location where the liquid jelly confectionery material needs to flow through one or a series of openings, or nozzles, such as at the point of deposition, in a depositor. In the case of sonication chamber sonotrodes, an existing chamber or vessel in the jelly confectionery manufacturing line can be constructed as a sonication chamber that vibrates at a frequency in the ultrasound frequency range, or an additional chamber may be inserted into the manufacturing line to provide this function.

The sonotrode may be located in any vessel, line or location in the jelly confectionery manufacturing line,

- 14 -

such as in a batching tank, hopper, holding tank or flow passageway, line, or otherwise.

Ultrasound frequency vibrational energy is
5 suitably applied to the liquid jelly confectionery material at a level of between 0.5 and 20 W.s.ml⁻¹ (watt.seconds per millilitre). Care needs to be taken to ensure that the amount of energy applied is appropriate for allowing the viscosity of a given quantity of liquid
10 jelly confectionery material to be modified/reduced for the desired period of time. This time period should be long enough for the reduced viscosity liquid jelly confectionery material to pass through the stages of the process where viscosity modification or reduction is
15 advantageous, but short enough so that it can "relax" and returns at least partly or completely to the pre-modified viscosity levels to allow the cooling and conditioning of the deposited product take place without any adverse impact.

20

Suitably conditions for the application of ultrasound frequency vibrational energy are a power rating of between 0.1 and 20 kW, such as between 0.5 and 10 kW, and amplitude of between 50 - 100%.

25

The viscosity of the jelly confectionery material can be reduced by at least 10%, such as between 10% and 30%, and up to 50%, on the application of the ultrasound frequency vibrational energy.

30

Location

The ultrasonic frequency vibrational energy may be applied at any suitable location, and may be applied at
35 more than one location. It may be applied prior to or following cooking of the jelly confectionery composition, but is preferably applied following cooking and before the

- 15 -

point of deposition.

Typically, acid, and optionally colour and/or flavour are added to the cooked liquid jelly confectionery composition prior to deposition. According to one embodiment the ultrasonic frequency vibrational energy is applied after addition of acid, colour and/or flavour. In this situation, the ultrasonic frequency vibrational energy aids mixing of the added ingredients with the cooked liquid jelly confectionery composition. The viscosity improvements also continue to remain for a sufficient time following application of the ultrasonic energy at this point until deposition.

According to one embodiment, the jelly confectionery is a centre-filled jelly confectionery. The ultrasonic frequency vibrational energy can be applied to the liquid jelly confectionery composition forming the outer shell of the centre-filled jelly confectionery, and it can be applied to the centre filling composition prior to deposition. Production of a centre-filled product is suitably performed with a one-shot depositor.

Viscosity improvements

25

The application of ultrasonic energy reduces the viscosity of the liquid jelly confectionery composition, and allows for higher solids depositing based on a temporary viscosity reduction. This allows a reduction in time taken for cooling and conditioning of the deposited product.

The use of ultrasonics allows the jelly confectionery composition to contain a higher solids content than is otherwise possible, while still avoiding or minimising tailing. The solids content level is broadly above 71%, and may be in the range of about 71% -

- 16 -

82%, such as 73% - 78%, or 78% - 82% solids. Depositing at above 73% solids is an option for starch/gelatine jellies. Previously, jellies with a total solids % of greater than 72% have been very difficult to deposit, and
5 therefore 70 +/-1% solids is typically used for starch/gelatine jellies.

Drying/stoving

10 The ability to effectively deposit higher solids jellies provides a significant economic benefit to manufacturers as stoving cycles can be substantially reduced, or even eliminated.

15 Stoving refers to the stage of drying (otherwise referred to as cooling and conditioning) during which the liquid jelly confectionery composition solidifies. This typically takes place in a drying room with controlled temperature and humidity conditions.

20

Reduction in stoving cycle time of at least 30% has been achieved with the use of the viscosity modification techniques, compared to the stoving cycle time for a confectionery made by the same process and from the same
25 composition but without viscosity reduction during depositing. The stoving can be completely eliminated when the solids content of the jelly composition is sufficiently high (such as above 80%), or can be reduced by as much as 55% if a more conventional solids content of
30 the jelly composition is used (around 70% to 80%, such as 70% - 77%). A stoving cycle time refers to the time taken for jelly confectionery deposited into moulds to dry in the drying room. A shorter cycle reduces the energy input required to achieve drying, and then frees up the drying
35 room for further product to be dried. This reduction in product stoving cycle time can result in greater throughput and therefore reduce the need for new drying

- 17 -

rooms to be installed to achieve a greater throughput. There is also an energy saving from depositing at higher solids due to the reduced amount of moisture that needs to be removed to reach final product solids.

5

Jelly compositions

The term "jelly confectionery" is used broadly to refer to those confectioneries known as jellies, gummys, jubes, pastilles, gelatines and similar. Jelly confectionery is made with bulk sweetener which may be a sugar-based sweetener, a sugarless sweetener or a mixture thereof, and a hydrocolloid gelling agent. The hydrocolloid gelling agent imparts setting properties on the confectionery.

Sugar-based bulk sweeteners generally include saccharides. Suitable sugar sweeteners include mono-saccharides, di-saccharides and poly-saccharides such as but not limited to, sucrose (sugar), dextrose, maltose, dextrin, xylose, ribose, glucose, mannose, galactose, fructose (levulose), lactose, invert sugar, fructo oligo saccharide syrups, partially hydrolyzed starch, corn syrup solids, such as high fructose corn syrup, and mixtures thereof.

According to one embodiment a combination of sugar and glucose is used. The relative amounts by weight of sugar and glucose may be between 20:80 and 80:20.

30

Suitable sugarless bulk sweetening agents include sugar alcohols (or polyols) such as, but not limited to, sorbitol, xylitol, mannitol, galactitol, maltitol, hydrogenated isomaltulose (isomalt), lactitol, erythritol, hydrogenated starch hydrolysate, and mixtures thereof.

35

The amount of bulk sweetener in the jelly

- 18 -

confectionery composition at the stage of cooking is about 45% to 85% by weight.

Suitable hydrocolloid gelling agents include pectin,
5 agar-agar, gelatin, starch, xanthan gum, locust bean gum, carageenan, gum arabic and combinations thereof. The hydrocolloid may comprise a combination of gelling agents, such as a combination of gelatin and starch.

10 The amount of gelling agent is suitably between 3% and 18% of the jelly confectionery composition at deposition, such as between 5% and 16%.

Some hydrocolloids such as starch and gelatin will
15 be pre-mixed with water prior to being combined with the bulk sweetener.

The bulk sweetener and hydrocolloid is combined with water in a batching tank which measures in the required
20 quantities of ingredients.

The liquid jelly confectionery composition may further comprise other ingredients such as acid, flavour, colour, high intensity sweetener, flavour modulators,
25 flavour potentiators, coolants, warming agents, fruit juice concentrate, mouth moisteners, humectants, oral care agents, medicaments, botanicals, health-promotion agents and so forth. Those ingredients that are not heat stable should be added to the liquid jelly confectionery
30 composition after cooking. Thus, acid, flavours and colours are commonly added after cooking. The ingredients that are stable to the cooking temperatures may be added to the jelly confectionery composition in the batching tank, or they may be pre-mixed with the bulk sweetener or
35 the hydrocolloid.

Colours suitable for use in jelly confectionery

- 19 -

compositions include any of the commercially available food grade colours, pigments or visual effect agents known in the art. Suitable colours are available from CHR Hansen, Tate & Lyle, Merck, G.N.T, Sensient Technologies, Quest or Givaudan. Colours may be natural and artificial, water soluble and oil soluble. Colour is used broadly to refer to ingredients that provide a colour effect, or any other applied visual effect such as shine, shimmer or sparkle. "Colour pigment" is used to refer to the specific use of a colour agent that provides colour only and not another visual effect. Some agents provide a visual effect other than just colour. Examples of pigments that provide shine, shimmer, sparkle, luminescence, or a pearl-effect are those pigments available under the trade marks Candurin, Colorona, Timiron, Dichrona, Biron, Xirona, Iriodin, Colourstream and Xirallie ranges from Merck. Candurin and Colorona are notable examples. Another agent that can be used to give a visual effect different to that provided by a standard colour pigment is microencapsulated flavour beads. Such beads appear to be coloured particles and can be distributed in the liquid jelly confectionery composition (for a casing and/or the backing layer, in the case of a centre-filled composition) to provide a speckled colour effect, in addition to the flavour effect that they provide.

The colour can be selected to be appropriate for a given flavour, but colours that do not reflect the flavour may also be used. The amount of colour should be appropriate to achieve the desired depth of colour. Suitable colours include yellow, orange, red, green, purple, peach, pink, black, violet, brown, silver, blue, gold, bronze, copper, pink and combinations thereof. Silver, gold and other metallic effect colours can be provided in the form of satin, silk or brilliant shines, and glitter effects.

- 20 -

Flavours suitable for use in jelly compositions include any of the commercially available food grade flavours known in the art, available from suppliers to the food industry such as Sensient Technologies, Firmenich, Givaudan, Essential Flavours and Ingredients, Selesia/Orica, Kerry Ingredients, International Flavours and Fragrances and Quest International. Suitable flavours include natural, artificial and nature-identical flavours, water soluble and oil soluble flavours. The choice of flavour is generally based on the desired flavour for the product, and the amount is generally based on the strength of the flavour itself (natural flavours tend to be less strong per unit volume or weight), and the desired strength of flavour in the product. Suitable flavours include fruit flavours, floral and herbal flavours, tea-based flavours, mints, chocolate, vanilla, aniseed and so forth. Suitable flavours include apricot, aniseed, apple, banana, blackcurrant, chrysanthemum, elderflower, feijoa, guava, grapefruit, green tea, honeydew, kiwi, lavender, lemon, lemon balm, lime, lychee, mandarin, orange, passionfruit, peach, pear, pineapple, raspberry, strawberry, vanilla, watermelon, white tea and so forth.

Suitable high-intensity sweeteners include, but are not limited to:

(a) water-soluble sweetening agents such as dihydrochalcones, monellin, steviosides and stevia derived compounds such as but not limited to rebaudiocide A, isomogroside V and the like, lo han quo and lo han quo derived compounds, glycyrrhizin, dihydroflavenol, and sugar alcohols such as sorbitol, mannitol, maltitol, xylitol, erythritol, and L-aminodicarboxylic acid aminoalkenoic acid ester amides, such as those disclosed in U.S. Pat. No. 4,619,834, which disclosure is incorporated herein by reference, and mixtures thereof;

(b) water-soluble artificial sweeteners such as

- 21 -

soluble saccharin salts, i.e., sodium or calcium saccharin salts, cyclamate salts, the sodium, ammonium or calcium salt of 3,4-dihydro-6-methyl-1,2,3-oxathiazine-4-one-2,2-dioxide, the potassium salt of 3,4-dihydro-6-methyl-1,2,3-oxathiazine-4-one-2,2-dioxide (Acesulfame-K), the free
5 acid form of saccharin, and mixtures thereof;

(c) dipeptide based sweeteners, such as L-aspartic acid derived sweeteners, such as L-aspartyl-L-phenylalanine methyl ester (Aspartame), N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine 1-methyl
10 ester (Neotame), and materials described in U.S. Pat. No. 3,492,131, L-alphaaspartyl-N-(2,2,4,4-tetramethyl-3-thietanyl)-D-alaninamide hydrate (Alitame), methyl esters of L-aspartyl-L-phenylglycerine and L-aspartyl-L-2,5-dihydrophenyl-glycine, L-aspartyl-2,5-dihydro-L-phenylalanine; L-aspartyl-L-(1-cyclohexen)-alanine, and
15 mixtures thereof;

(d) water-soluble sweeteners derived from naturally occurring water-soluble sweeteners, such as
20 chlorinated derivatives of ordinary sugar (sucrose), e.g. chlorodeoxysugar derivatives such as derivatives of chlorodeoxysucrose or chlorodeoxygalactosucrose, known, for example, under the product designation of Sucralose or Splenda(tm); examples of chlorodeoxysucrose and
25 chlorodeoxygalactosucrose derivatives include but are not limited to: 1-chloro-1'-deoxysucrose; 4-chloro-4-deoxy-alpha-D-galactopyranosyl-alpha-D-fructofuranoside, or 4-chloro-4-deoxygalactosucrose; 4-chloro-4-deoxy-alpha-D-galactopyranosyl-1-chloro-1-deoxy-beta-D-fructo-f
30 uranoside, or 4,1'-dichloro-4,1'-dideoxygalactosucrose; 1',6'-dichloro-1',6'-dideoxysucrose; 4-chloro-4-deoxy-alpha-D-galactopyranosyl-1,6-dichloro-1,6-dideoxy-beta-D-fructofuranoside, or 4,1',6'-trichloro-4,1',6'-trideoxygalactosucrose; 4,6-dichloro-4,6-dideoxy-alpha-D-galactopyranosyl-6-chloro-6-deoxy-beta-D-
35 fructofuranoside, or 4,6,6'-trichloro-4,6,6'-trideoxygalactosucrose; 6,1',6'-trichloro-6,1',6'-

- 22 -

trideoxysucrose; 4,6-dichloro-4,6-dideoxy-alpha-D-galacto-
pyranosyl-1,6-dichloro-1,6-dideoxy-beta-D-
fructofuranoside, or 4,6,1',6'-tetrachloro-4,6,1',6'-
tetraideoxygalacto-sucrose; and 4,6,1',6'-tetraideoxy-
5 sucrose, and mixtures thereof;

(e) protein based sweeteners such as miraculin,
extracts and derivatives of extracts of *Synseplum*
dulcificum, mabinlin, curculin, monellin, brazzein,
pentadin, extracts and derivatives of extracts of
10 *Pentadiplandra brazzeana*, thaumatin, thaumaococcus
danielli (Thaumatin I and II) and talin;

(f) the sweetener monatin (2-hydroxy-2-(indol-3-
ylmethyl)-4-aminoglutaric acid) and its derivatives or
isomers; and

15 (g) the sweetener Lo han guo (sometimes also
referred to as "Lo han kuo").

The intense sweetening agents may be used in many
distinct physical forms well-known in the art to provide
20 an initial burst of sweetness and/or a prolonged sensation
of sweetness. Without being limited thereto, such
physical forms include free forms, spray dried forms,
powdered forms, beaded forms, encapsulated forms, and
mixtures thereof. In one embodiment, the sweetener is a
25 high intensity sweetener such as aspartame, sucralose, and
acesulfame potassium (e.g. Ace-K or acesulfame-K).

In some confectionery compositions it is desirable
to include one or more ingredients having a health-related
30 function, such as oral care agents, medicaments,
botanicals and other health-promotion agents. Examples
include green tea extract, calcium-containing compounds
for oral care, analgesics, antibacterial agents, cough
suppressants and herb or botanical extracts (such as green
35 tea extract). These ingredients may be in the liquid
jelly confectionery composition forming the casing. Where
the confectionery is a centre-filled confectionery, these

- 23 -

ingredients may be in one, two or all of the casing, the centre filling and the backing layer.

Process of making jelly and depositing

5

Depending on the identity of the hydrocolloid, the bulk sweetener, hydrocolloid and optionally other ingredients may be combined with water in a batching tank or mixing tank which measures in the required quantities of ingredients. Where pectin is the hydrocolloid gelling agent, then this is mixed in the required amount with sugar, water and acid, and other ingredients are added in the required quantities following cooking of this preliminary pectin solution.

15

The batching tank may contain a sonicator for applying ultrasound frequency vibrational energy to the liquid jelly confectionery composition in this location. The sonicator may additionally, or alternatively, be located in the other positions described herein.

20

From the batching tank, the liquid jelly confectionery composition, or a combination of some of the ingredients for forming the liquid jelly confectionery composition, are passed through fluid conduits to a cooker in which the liquid jelly confectionery composition or first mixture of ingredients (without the heat-sensitive ingredients such as acid, colour and flavour) is cooked to the required temperature or the required solids content. This may be preceded by a pre-heating stage to raise the temperature of the liquid jelly confectionery composition or first mixture of ingredients prior to cooking. Preheating may be effected by an in-line heating device such as a shell-in-tube heating device, a plate heat exchanger, heating in the mixing tank, a combination of these processes or otherwise. Cooking can be conducted in any suitable equipment such as a coil cooker, microfilm

25
30
35

- 24 -

cooker, microwave, jet cooker or otherwise.

Following cooking, the solids content may be in the range of about 71% - 82%, such as 73% - 78%, or 78% - 82% solids. Depositing at above 73% solids is an option for starch/gelatine jellies. When viscosity reduction techniques are not used, the solids content may be about 68 - 78%, such as 69 - 72%, with one example being 70 +/- 1% solids for starch/gelatine jellies.

10

Where pectin is the hydrocolloid, after cooking of the pectin solution, the remaining ingredients of the liquid jelly confectionery composition are mixed with the cooked pectin solution.

15

The hot, cooked jelly confectionery composition may then be cooled to the deposition temperature or a temperature that is closer to the deposition temperature (for example, within 5°C of the deposition temperature). The cooling may be effected by an equivalent heat exchanger, a vacuum vessel or otherwise. Cooling may not be required. For example, cooling is not required and is to be avoided when carageenan is the hydrocolloid gelling agent, to prevent premature gelling of the composition.

25

A sonicator for applying ultrasound frequency vibrational energy to the liquid jelly confectionery composition may be located following cooling.

Prior to deposition, the heat-sensitive ingredients such as acid, visual effect agent such as colour and flavour (where desired) are added and mixed with the liquid jelly confectionery composition. In the following description "colour" is used as the specific example of a visual effect agent. Typically acid and flavour are added at this stage, and depending on the desired colour of the jelly, colour may also be added. These ingredients may be

35

- 25 -

added to the liquid jelly confectionery composition in a vessel or in-line in a fluid conduit. These may be added individually or in combination. The stream of liquid jelly confectionery composition may also be divided into multiple streams, and different combinations of acid colour and/or flavour can be added as required for that stream.

A sonicator for applying ultrasonic frequency vibrational energy to the liquid jelly confectionery composition may be located following addition of the acid and flavour, and any colour that may be added. The sonicator may comprise a probe, which may be oriented vertically, or otherwise. The application of ultrasonic frequency vibrational energy (sonication) at this location provides the secondary effect of mixing of the acid and other ingredients with the rest of the liquid jelly confectionery composition. Another advantage is that this location is close to the point of deposition, and the improvements in viscosity obtained from sonication persist for a sufficient period of time to enable the liquid jelly confectionery composition to be deposited prior to the viscosity increasing again. The increase in viscosity may return the viscosity to a level approaching the pre-sonication viscosity, or may return the viscosity completely to the pre-sonication viscosity.

Depositing of the jelly confectionery composition is suitably conducted in a conventional jelly depositor for single component jellies. Such depositors comprise a holding tank, which holds the liquid jelly composition ready for depositing. In the case of centre-filled jellies, the depositor is suitably a one-shot depositor. This is described in further detail below. The jelly depositor may comprise separate hoppers for jelly confectionery compositions of different colours and flavours, to allow for multiple colour/flavour lines to be

- 26 -

produced at the one time. The jelly depositor may be a depositor for producing confectionery products which contain two colours and/or flavours in a pattern, such as a "starlight" pattern.

5

The liquid jelly confectionery composition is deposited at a temperature that is appropriate for the particular hydrocolloid present in the liquid jelly confectionery composition. This will generally be between
10 about 60°C and 95°C. For gelatin alone as the hydrocolloid, the temperature will tend to be at the lower end of this range - from 60°C to 85°C. For agar-agar, pectin and gelatin, gelatin and starch, starch and gums (such as xanthan and locust bean gum), the temperature
15 will tend to be at the upper end, from about 80°C to 95°C, pectin and carrageenan can be as high as 105°C.

The scale of manufacture of the jelly confectionery composition may be lab-scale, pilot-plant scale or
20 commercial scale. Commercial scale operations are particularly suited to the method of manufacture. This applies particularly to the depositor. Commercial scale depositors are a significant component of equipment on which the method is performed. In these depositors,
25 batches of liquid jelly confectionery (at a temperature close to the depositing temperature) are fed into holding tanks (or hoppers) of the depositor which hold the liquid jelly confectionery, from which the liquid is drawn on to be pumped through the depositing head. The batches of
30 liquid jelly confectionery fed into the holding tanks can be between 50kg and 800kg in size, such as between 50kg - 200kg, 50kg - 300kg, 100kg - 300kg, 100kg - 400kg, 100kg - 200kg, 200kg - 400kg, 300kg - 400kg, 300kg - 500kg, 300kg - 600kg, 400kg - 600kg, 400kg - 700kg, 500kg - 700kg,
35 500kg - 800kg, 600kg - 800kg. It generally follows that the larger the batch size, the longer the time period during which the liquid jelly confectionery composition

- 27 -

remains in the holding tank, and the longer the time progresses from the point of addition of heat-sensitive ingredients, and commencement of the viscosity reduction/ultrasonic treatment. The time period between the point of commencement of ultrasonic treatment and deposition, and/or the time period between the point of addition of heat-sensitive ingredients and deposition is suitably between 10 minutes and 4 hours (240 minutes). The time period may be a maximum of between 10 - 120 minutes, 10 - 80 minutes, 15 - 80 minutes, 15 - 60 minutes, 15 - 100 minutes, 15 - 120 minutes, 15 - 30 minutes, 20 - 120 minutes, 30 - 120 minutes, 30 - 180 minutes, 40 - 180 minutes, 60 - 180 minutes, 40 - 240 minutes, 60 - 240 minutes, 80 - 240 minutes, 80 - 180 minutes, 120 - 240 minutes, 120 - 180 minutes, or 150 - 240 minutes. Jelly in the holding tank which remains after the maximum time period has passed should be rejected.

The vessel size, batch size, the time period during which liquid jelly confectionery material remains in the holding tank, line speeds, ultrasound settings and the time period during which the viscosity reduction persists in the liquid jelly confectionery material, should be controlled or taken into account when ensuring the viscosity reduction persists during deposition.

Centre-filled jellies

The centre-filling of a centre-filled jelly may be of a wide range of compositions. The centre-filling may be a thin or "runny" liquid, a viscous liquid, a thickened liquid, a gelled liquid, a jelly, solid, particulate, chocolate or otherwise.

According to one embodiment, the centre-filling is a gelled liquid that exhibits thermo-reversible gelling properties. By way of explanation, the centre filling is

- 28 -

in gel form at room temperature, liquefies (becomes more fluid) on heating, and returns to the gel form again on cooling.

5 According to one embodiment, the centre-filling is a thickened liquid containing a thickening agent. The thickened liquid filling suitably comprises a thickener, in an amount sufficient to provide thickening without complete gelling of the centre-filling.

10

 According to one embodiment, the centre-filling provides a textural difference to the outer jelly shell of the centre-filled jelly that can be detected on the tongue.

15

 The centre filling may comprise more than one centre filling material, such as two different immiscible liquids or two fillings having one or more differing characteristics such as colour, flavour, texture,
20 viscosity, or a combination thereof.

 The centre filling suitably comprises a bulk sweetener of one of the types mentioned previously, a thickener, a humectant, water, acid, flavour and colour,
25 and optionally other ingredients. The optional additional ingredients may be any of the optional ingredients identified above for the jelly confectionery composition.

 For the preparation of centre-filled jellies a one-
30 shot depositor can be used. One shot depositors are well known in the confectionery industry and are available from a range of suppliers.

 One-shot depositors comprise a holding tank for the
35 outer shell (which is prepared from the liquid jelly confectionery material) and a holding tank for the centre-filling. The depositor may further comprise additional

- 29 -

holding tanks for outer shells of different compositions -
such as two different outer shell compositions of
different colours and flavours, which can be used to make
single-colour casings, or "starlight" casings. The
5 holding tanks are typically jacketed and can be
independently temperature controlled. The holding tank
for the outer shell is held at the desired depositing
temperature for the outer shell, and the holding tank for
the centre-filling is held at the desired depositing
10 temperature for the centre-filling. Suitable depositing
temperatures for the outer shell prepared from the liquid
jelly confectionery composition are as described
previously. Suitably depositing temperatures for the
centre filling range from 40°C to 95°C. The temperature
15 will typically be similar to the depositing temperature
for the outer shell, but may be lower or higher than this.

According to another embodiment, there is provided a
centre-filled jelly confectionery comprising:

- 20 - a centre filling,
- a jelly casing, and
- a jelly backing layer overlying one side or one section
of the casing, wherein the jelly backing layer has a
different visual appearance compared to the jelly casing.

25

According to this embodiment, the casing and the
coloured backing layer have a different colour, visual
appearance or different colour intensity. The difference
may be a combination of these. Such a product provides
30 new and interesting visual effects. As an example, a non-
colour based visual effect agent, such as a shimmering
agent, can be used in either the casing or in the backing
layer. When the confectionery piece is bitten, a new,
interesting design with a shimmer in either the casing or
35 the backing layer will be observed. In another variant,
the casing may be a foamed jelly casing, and the backing
layer is a coloured, translucent jelly backing layer,

PCT/AU2009/000453
Received 14 May 2010

- 29a -

providing an interesting opaque appearance with a glossy
coloured area

- 30 -

on one side. When bitten, the coloured filling is also observed coming out of the opaque casing. In a further variant, the casing may be coloured to a light colour intensity, and the backing layer may be coloured to a deeper intensity of the same colour, a close colour, or a different colour. This provides yet another interesting visual effect, providing a distinctive, rich and luxurious product. In yet a further variant, the casing may be in the form of a "starlight" pattern, and the backing layer can be in a different, non-starlight design (such as a single colour, or a glitter effect).

According to one embodiment, the jelly backing layer is not a foamed jelly backing layer.

The different colour, visual effect and/or colour intensities for the different parts of the centre-filled confectionery can be achieved by appropriate selection of the agent(s) for producing the desired effect and the amount. Thus, suitable combinations can be as follows:

Casing component	Backing component
Colour pigment at a concentration to give a light colour	Same colour pigment as for the casing, but at a greater concentration to give a darker intensity of the same colour.
Colour pigment at a concentration to give a light colour	Different colour agent compared to the casing, of the same or similar colour, at a concentration that provides a darker colour intensity.
Shine, shimmer or sparkle agent (such as one selected from the list above available from Merck)	A colour pigment that gives a colour effect only, at a concentration to give the desired colour intensity.

- 31 -

A colour pigment that gives a colour effect only, at a concentration to give the desired colour intensity.	Shine, shimmer or sparkle agent (such as one selected from the list above available from Merck)
Micro-encapsulated flavour beads	A colour pigment that gives a colour effect only, at a concentration to give the desired colour intensity.
A colour pigment that gives a colour effect only, at a concentration to give the desired colour intensity.	Micro-encapsulated flavour beads
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	One of the two pigments, at the same concentration or a different concentration as used to produce the starlight effect in the casing.
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	A different pigment compared to the two pigments used to produce the starlight effect, at a concentration to produce the desired colour intensity.
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	Shine, shimmer or sparkle agent (such as one selected from the list above available from Merck)
No pigment, but use of foaming to create a white opaque case	Colour pigment at a concentration to give the desired colour intensity
No pigment, but use of	Shine, shimmer or sparkle

- 32 -

foaming to create a white opaque case	agent (such as one selected from the list above available from Merck)
A colour pigment and the use of foaming to create a coloured opaque casing of the desired depth of colour.	Colour pigment at a concentration to give the desired colour intensity.
A combination of a colour pigment and a shimmer, pearl or sparkle agent, at concentrations to give the desired depth of colour and "non-colour visual effect"	A colour pigment of the same colour and concentration as in the casing.
A combination of a colour pigment and a shimmer, pearl or sparkle agent, at concentrations to give the desired depth of colour and "non-colour visual effect"	A different colour pigment, and of a different colour compared to the casing, at a concentration to give the desired colour intensity.
A colour pigment at a concentration to give the desired depth of that colour	A combination of the same colour pigment as in the casing and a shimmer, pearl or sparkle agent, at concentrations to give the desired depth of colour and "non-colour visual effect".
A colour pigment at a concentration to give the desired depth of that colour	A combination of a different colour pigment compared to the casing and a shimmer, pearl or sparkle agent, at concentrations to give the desired depth of colour and "non-colour visual effect".
A colour pigment and the use of foaming to create a coloured opaque casing of the desired depth of colour.	A colour pigment and the use of foaming to create a coloured opaque backing of the desired depth of colour.

- 33 -

A colour pigment and the use of foaming to create a coloured opaque casing of the desired depth of colour.	Shine, shimmer or sparkle agent (such as one selected from the list above available from Merck)
Colour pigment and the use of foaming at a concentration to give a light colour	Same colour pigment as for the casing, but at a greater concentration to give a darker intensity of the same colour with the use of foaming.
Colour pigment and the use of foaming at a concentration to give a light colour	Different colour pigment as for the casing, but at a greater concentration to give a darker intensity of the same colour with the use of foaming.
A colour pigment and the use of foaming to create a coloured opaque casing of the desired depth of colour.	Micro-encapsulated flavour beads

Combinations or different permutations of the above casing and backing components can also be used.

- 5 According to one embodiment, there is provided a centre-filled jelly confectionery comprising:
- a coloured centre filling,
 - a jelly casing comprising a colouring agent, and
 - a jelly backing layer overlying one side or one section
- 10 of the casing comprising said colouring agent of the jelly casing, wherein the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing.

- 15 According to this embodiment, the coloured backing layer contains the "same colour", or the same colouring agent as the casing, but is present in a greater

- 34 -

concentration. The concentration in the backing layer may be such as to produce a product which appears to have a deeper coloured base compared to the upper surface. Generally it is desired for the filling to be visible
5 through the coloured casing, although it may not be visible through the backing layer, which is deeper in colour.

According to one variant, the centre-filled jelly
10 comprises:
- a coloured centre filling,
- an uncoloured jelly casing, and
- a coloured jelly backing layer overlaying one side or one section of the casing.

15 It has been found by the applicant that by applying a layer of coloured jelly confectionery material onto one side of the product over an uncoloured casing, a distinctive and attractive appearance is provided to the
20 product. The appearance is a luminescent effect or luminescent appearance.

In all of these centre-filled, backed confectionery jelly products, the application of an additional layer of
25 the outer jelly confectionery material on the exposed surface after one-shot deposition of the preliminary product comprising a centre filling and the casing, provides an additional layer to seal in the centre filling. Centre fillings in centre-filled confectionery
30 compositions are subject to the risk of leakage. For this reason, many centre-filled jelly confectionery products are packaged in rigid plastic containers, rather than thin plastic films, particularly for liquid or non-set centre fillings. By applying a second jelly backing layer to the
35 confectionery composition, this provides an additional degree of protection from leakage of the centre filling.

PCT/AU2009/000453
Received 14 May 2010

- 34a -

The casing, or outer shell, is formed from a liquid
jelly confectionery composition (which may be uncoloured

- 35 -

in the case of the uncoloured casing variant) which encases a centre filling. The jelly backing layer (which may be coloured, as in the case of one variant) is formed from a liquid jelly confectionery composition which is applied over one section, or one side of the casing that encases the centre filling.

"Uncoloured" or similarly "colourless or substantially colourless" refers to the absence of a specific colouring agent. Thus, the jelly confectionery material used to form an uncoloured casing will not contain a specific colouring agent. The casing or jelly may have a slight opacity or cloudiness which may appear slightly creamy or yellowish in appearance, depending on the gelling agent, however this is not to be considered to constitute colouring. The casing is relatively clear and translucent. For the avoidance of any confusion, if another ingredient in the liquid jelly confectionery composition included for another purpose, such as a fruit juice concentrate for flavour, also has the effect of colouring the composition, then this should be considered to be a "colouring agent" and to produce a "coloured" product. The degree of colouring is assessed independently of the purpose for the addition of the ingredient.

When a coloured backing layer is applied, the colouring of the backing layer is provided by the inclusion of a colouring agent in the backing layer. Thus, the liquid jelly confectionery composition forming the backing layer comprises a colouring agent. The coloured backing layer contains colour, but is translucent, rather than opaque.

The liquid jelly confectionery composition used to form the backing layer may be the same as that used to form the casing that encases the centre filling, but for

- 36 -

the differences in the colouring agent, colour pigment, or any other visual effect pigment which may or may not be present in the backing and casing, respectively. Using the example of the variant where the casing is uncoloured and the backing layer is coloured, in manufacture, a single liquid jelly confectionery composition may be produced and divided into two streams, one of which is directed to the holding tank for the formation of the casing (for instance, in a one-shot depositor), and the second of which is directed to a separate holding tank for the deposition of a backing layer. In one embodiment, the centre filling and casing (which may be uncoloured according to some embodiments) are deposited into a mould using a one-shot depositor. The deposited product of the centre filling and casing then passes beneath a second depositing station where the backing layer is deposited on top of the exposed surface of the previously-deposited product comprising the casing and centre-filling.

In an alternative embodiment, the liquid jelly confectionery composition used for forming the backing layer may be of a different composition to that forming the casing.

According to another variation, the centre-filled jelly confectionery comprises:

- a coloured centre filling,
- a jelly casing comprising a colouring agent, and
- a jelly backing layer overlying one side or one section of the casing comprising said colouring agent of the jelly casing, wherein the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing.

According to this variation, the coloured backing layer contains the "same colour", or the same colouring agent as the casing, but is present in a greater

PCT/AU2009/000453
Received 14 May 2010

- 36a -

concentration. The concentration in the backing layer may be such as to produce a product which appears to have a

- 37 -

deeper coloured base, and a lighter coloured upper surface. Generally it is desired for the filling to be visible through the coloured casing, although it may not be visible through the backing layer, which is deeper in colour. This product can be prepared through the same techniques as described above for the product having an uncoloured case.

According to further embodiments, the same liquid jelly confectionery composition is used to form the casing and the backing layer, with the same colouring agent and concentration for each. In production, a stream of liquid jelly confectionery composition is directed to the holding tank for the casing composition, and another stream is directed to the holding tank for the backing layer. According to some embodiments, the colouring agent is present at a concentration that results in a dark coloured shell through which the centre filling is difficult to see.

20

Mould

The jelly confectionery product, which may be a centre-filled jelly confectionery product, is deposited into a mould. The mould may be a starch mould or a starchless mould. Such mould types are well known in the art.

25

Shapes

30

The shape of the mould may be of any desired configuration, such as a fruit-shape, a character-shape, or otherwise. In the case of centre-filled products, the mould should contain a sufficiently large central volume to enable the deposition of a central volume of the centre-filling, which can be completely encased in the casing material.

35

Examples

Various embodiments will now be described with
5 reference to the following non-limiting examples and
figures which illustrate processes for the production of
jelly confectionery products according to various
embodiments of the invention.

10 In Figures 1 to 20, the given reference numerals
refer as follows:

1. Weigh & Mix
2. Cooking
- 15 2a. Pre- Cook (2 step operation)
3. Cooling
4. Application of ultrasonic frequency vibrational
energy to jelly stream
- 4'. Application of ultrasonic frequency vibrational
20 energy to centre filling
5. Addition to jelly of acid, and fruit juice
concentrate when used
6. Addition to jelly of flavour + acid, and fruit juice
concentrate when used
- 25 6a. Addition to jelly of flavour
7. Addition to jelly of colour + flavour + acid, and
fruit juice concentrate, when used
- 7a. Flavour and/or colour addition to jelly
8. Centre filling supply hopper
- 30 9. Centre filling depositor hopper 1
10. Centre filling depositor hopper 2
11. Shell depositor hopper 1
12. Shell depositor hopper 2
13. Backing off depositor hopper 1
- 35 14. Backing off depositor hopper 2
15. Jelly aeration unit (Mondo Mix)
16. Starlight nozzle plate

- 39 -

17. Co-depositing nozzle plate
18. Starch moulding mogul tray
19. Single deposit nozzle plate

5 Formulations for the liquid jelly confectionery material, used to form the casing and the backing layer in the case of centre-filled products, or for forming the non-centre-filled product as the case may be, are outlined in Table 1. Formulations for the centre filling are
10 outlined in Table 2, where the product is a centre filled jelly.

 According to some embodiments, the confectionery product is a centre-filled jelly of the type illustrated
15 schematically in Figure 21, comprising a coloured centre filling 20, an uncoloured casing 21, and a coloured backing layer 22. As illustrated schematically, the centre filling 20 and casing 21 include a slight tail, and in some cases the tail for the centre filling can extend
20 through the casing. By applying a backing layer, the possible leakage point of the tail of centre filling 20 is covered. The coloured backing layer 22 of the product represented in Figure 21 provides a luminescent glow to the product, particularly when viewed from above through
25 the clear outer casing 21.

 According to other embodiments, the confectionery product comprises a centre filling 20, a casing 21a and a backing layer 22a, in which the casing and backing layers
30 have different visual effects. This product has the same general arrangement of layers as illustrated in Figure 21, but for the use of different colour or visual effect agents (or the use of varying amounts of such agents) in each of the casing and backing layer.

35

 The visual effect of the casing of some examples are:

- 40 -

- a single colour (light or dark),
- a starlight design of two colours or effects,
- a visual effect pigment providing a shimmer, sparkle, shine or pearlescent effect,
- 5 - a foamed, opaque casing.

The visual effect of the backing layer of some examples are:

- a single colour darker than in the casing,
- 10 - a visual effect pigment providing a shimmer, sparkle, shine or pearlescent effect,
- colour pigment and a visual effect pigment,
- a single colour that is different to the colour of the casing.

15

According to other embodiments, the confectionery product comprises a coloured centre filling 20, a casing which is coloured through the use of a colouring agent, and a backing layer which is coloured through the use of
20 the same colouring agent as the casing, but is present in a greater concentration to give a deeper colour of base. This product has the same general arrangement of layers as illustrated in Figure 21, but for the presence of colouring agent in the casing 21.

Table 1

Example No.	Base Recipe Ingredients	%	Cooking Temp (°C)	Depositing Temp (°C)	Process Flow Diagram Options	Outline of Jelly Making Process
1	Sugar (refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Fruit Juice Concentrate Water	30.82 36.05 4.78 4.93 0.42 22.99	137 Range: 134-140	Range: 85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
2	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Water	43.98 35.45 14.72 5.85	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
3	Sugar (refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Fruit Juice Concentrate Water	30.11 35.22 4.67 4.81 0.45 24.73	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
4	Starch Glucose Syrup HM43 Sugar (Refined) Water	6.37 43.63 30.81 19.19	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).

5	Sugar (refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Fruit Juice Concentrate Water	24.36 46.75 6.96 1.57 20.36	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
6	Sugar (Refined) Glucose Syrup HM43 Agar Water	33.33 21.05 1.18 44.44	110 Range: 107-113	85-90	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 110°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
7	Sugar (Refined) Glucose Syrup HM43 Agar Water	32.00 16.00 1.50 50.50	110 Range: 107-113	85-90	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Heat up to 110°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
8	Glucose Syrup HM43 Sugar (Refined) Gelatine (250 Bloom) Water Invert Sugar	26.55 39.68 6.00 15.87 11.90	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
9	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Invert Sugar Water	33.12 33.12 6.00 15.87 11.90	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for

10	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Invert Sugar Water	35.00 31.23 6.00 15.87 11.90	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only). Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
11	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Water	62.50 16.88 6.87 13.75	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only). Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
12	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Water	71.17 13.52 4.63 10.68	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only). Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
13	Sugar (Refined) Glucose Syrup HM43 Invert Sugar Pectin (150 slow set) Carrageenan (X8302) Water	37.94 36.14 4.52 1.04 0.32 20.04	113 Range: 110-116	104-106	Fig 14 Fig 16	Mix and heat all sugar ingredients + water 75-80°C - Part 1 Premix all hydrocolloids with some sugar, and slowly add to Part 1 1 High shear mix for 6-8 minutes. Cook up to 113°C+/-2°C. * No cooling for carrageenan formulations. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).

14	Sugar (Refined) Glucose Syrup HM43 Pectin (LM 102 AS) Carrageenan (X8302) Water Sodium citrate	31.47 39.30 0.43 1.90 26.47 0.43	111 Range: 108-114	104-106	Fig 14 Fig 16	Mix and heat glucose + water to 80-83°C - Part 1. Premix all hydrocolloids with ~10% of total pwd sugar, and slowly add to Part 1. High shear mix for 12 mins and add sodium citrate and hold 1 min. Add remaining sugar and mix for 5 mins. to form even slurry. Cook up to 113°C+/-2°C. * No cooling for carageenan formulations. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
15	Sugar (Refined) Glucose Syrup 41De Pectin (DD very slow set) Glycerol monostearate (GMS) Invert Sugar Sodium citrate Anhydrous citric acid Gelatine (250 Bloom) Water	33.40 34.30 0.75 0.03 3.20 0.11 0.03 9.10 19.08	111 Range: 108-114	83-85	Fig 2, 3, 6, 7, 17, 18	Make up Pectin soln. with hot water @ 80-82°C add Anhy. Citric and NaCitrate - Part 1. Mix all sugars with GMS and pectin soln. (Part 1) and cook to 108°C. Cool to 92°C. Add Gelatine 250 soln. and mix. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
16	Sugar (Refined) Glucose Syrup HM43 Starch Xanthan Gum Locust Bean gum Fruit Juice Concentrate Water	30.11 45.00 6.00 0.2 0.2 4.45 14.04	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
17	Sugar (Refined) Glucose Syrup HM43 Starch Xanthan Gum Locust Bean gum Fruit Juice Concentrate Water	19.50 29.10 6.00 0.2 0.2 4.5 40.5	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
18	Sugar (Refined) Glucose Syrup HM43	14.80 56.50	110	85-90	Fig 1, 4, 5, 8, 9, 10, 11, 12,	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle.

	Agar Fruit Juice Concentrate Water	2.40 3.70 22.60	Range: 107-113		13, 15, 20	Pre-heat up to 80°C+/-2°C. Heat up to 110°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
19	Sugar (Refined) Glucose Syrup 41De Invert Sugar Agar Fruit Juice Concentrate Water	18.60 28.20 5.70 2.00 4.00 41.50	110 Range: 107-113	85-90	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 110°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
20	Sugar (Refined) Glucose Syrup 41De Pectin (DD very slow set) Invert Sugar Sodium citrate Anhydrous citric acid Gelatine (250 Bloom) Water	42.00 14.00 0.75 3.41 0.11 0.03 9.10 30.6	111 Range: 108-114	83-85	Fig 2, 3, 6, 7, 17, 18	Make up Pectin soln. with hot water @ 80-82°C add Anhy. Citric and NaCitrate - Part 1. Mix all sugars with GMS and pectin soln. (Part 1) and cook to 108°C. Cool to 92°C. Add Gelatine 250 soln. and mix. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
21	Sugar (Refined) Glucose Syrup 41De Agar Sodium citrate Gelatine (250 Bloom) Water	43.00 25.00 2.50 0.11 9.10 20.29	111 Range: 108-114	85-90	Fig 2, 3, 6, 7, 17, 18	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 110°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
22	Sugar (Refined) Glucose Syrup 41De Gelatine (250 Bloom) Nutriose FB06 Water	19.00 46.00 7.50 7.50 20.00	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for

23	Maltitol syrup (75% DS) Gelatine (250 Bloom) Nutriose FB06 Water	57.00 8.70 14.30 20.00	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
24	Sugar (Refined) Glucose Syrup 41De Starch Gum Arabic Fruit Juice Concentrate Water	35.00 35.00 5.00 5.00 4.45 15.55	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
25	Sugar (Refined) Glucose Syrup 41De Starch Invert sugar Gum Arabic Fruit Juice Concentrate Water	34.00 41.00 3.55 3.00 2.00 4.45 12.00	137 Range: 134-140	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
26	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Fruit Juice Concentrate Water	45.30 36.50 4.50 0.20 13.50	106 Range: 103-109	69-71	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 90°C+/-2°C. Heat up to 106°C+/-3°C. Cool to 70°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).

27	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Fruit Juice Concentrate Water	31.30 36.60 3.20 7.880 0.40 20.70	106 Range: 103-109	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
28	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Fruit Juice Concentrate Water	31.10 35.20 2.00 10.00 0.40 21.30	106 Range: 103-109	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).
29	Sugar (Refined) Glucose Syrup HM43 Gelatine (250 Bloom) Starch Water	30.60 35.80 3.10 7.60 22.90	106 Range: 103-109	85-95	Fig 1, 4, 5, 8, 9, 10, 11, 12, 13, 15, 20	Weigh, mix and heat all ingredients except fruit juice concentrate to 55°C in a mixing kettle. Pre-heat up to 80°C+/-2°C. Heat up to 137°C+/-3°C. Cool to 90°C. Add acids @ 1.0 - 3.0% rate and add flavour. Colour is added for single-deposit products, or to a stream of the jelly for backing layer for centre-filled products. Pump stream or streams into holding tank(s) for depositing. Convey filling into holding tank for depositing (Centre Frill only).

Table 2

SAMPLE NUMBER	FILLING DETAILS
CF_1A	Blackcurrant Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600032847
CF_1B	Blackcurrant Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0315
CF_1C	Blackcurrant Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Blackcurrant Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_1D	Blackcurrant Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC.

	3. Add pectin/sugar solution to fruit preparation and boil to 76Brix. 4. Add citric acid solution, color and flavour. 5. Pump to depositing tank.
CF_2A	Mandarin Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600040061
CF_2B	Mandarin Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0321
CF_2C	Mandarin Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Mandarin Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_2D	Mandarin Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC. 3. Add pectin/sugar solution to fruit preparation and boil to 76Brix.

	4. Add citric acid solution, color and flavour. 5. Pump to depositing tank.
CF_3A	Passionfruit Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600040845
CF_3B	Passionfruit Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0324
CF_3C	Passionfruit Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Passionfruit Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_3D	Passionfruit Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC. 3. Add pectin/sugar solution to fruit preparation and boil to 76Brix. 4. Add citric acid solution, color and flavour.

	5. Pump to depositing tank.
CF_4A	Pineapple Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600040846
CF_4B	Pineapple Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0327
CF_4C	Pineapple Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Pineapple Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_4D	Pineapple Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC. 3. Add pectin/sugar solution to fruit preparation and boil to 76Brix. 4. Add citric acid solution, color and flavour. 5. Pump to depositing tank.

CF_5A	Raspberry Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600032847
CF_5B	Raspberry Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0328
CF_5C	Raspberry Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Raspberry Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_5D	Raspberry Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC. 3. Add pectin/sugar solution to fruit preparation and boil to 76Brix. 4. Add citric acid solution, color and flavour. 5. Pump to depositing tank.

CF_6A	Strawberry Fruit Preparation Supplier: Rudolf Wild GmbH & Co.KG Sample Code: 600036779
CF_6B	Strawberry Fruit Filling Supplier: Sensient Technologies Pty Ltd Sample Code: CS0329
CF_6C	Strawberry Fruit Juice Filling Ingredients: 45% Glucose Syrup, 20% Sucrose, 19% Water, 13% Pineapple Juice Concentrate, 1% Pectin, 0.5% Sodium citrate, 0.5% Citric Acid, Flavour, Color. Method: 1. Heat glucose syrup, water and fruit juice concentrate in a jacketed pan to 65C with consistent stirring. 2. Add 15% sucrose and cook to 80C. 3. Blend 5% sucrose with pectin and add to boiling mixture in jacketed hopper. 4. Cook to 95C and hold for 5 minutes, then cool to 70C. 5. Add Citric Acid, Sodium Citrate, color and flavour prior to pumping to depositing tank.
CF_6D	Strawberry Fruit Pulp Filling Ingredients: 45% Sucrose, 20% Fruit Pulp, 17% Glucose Syrup, 16% Water, 0.5% Pectin, 1% Citric Acid, Color, Flavour. Method: 1. Blend pectin with 5% sugar, stir into water and heat to 90degC. 2. Mix fruit pulp, glucose syrup and sugar in a jacketed pan and heat to 90degC. 3. Add pectin/sugar solution to fruit preparation and boil to 76Brix. 4. Add citric acid solution, color and flavour. 5. Pump to depositing tank.

Table 3 - Acid Solutions Used

Solution ID	ACIDS/SALTS USED	Ratio
A	Citric	100%
B	Malic	100%
C	Citric/Malic	90%: 10%
D	Citric/Malic	80% : 20%
E	Citric/Malic	70%: 30%
F	Citric/Malic	60% : 40%
G	Citric/Malic	50% : 50%
H	Citric/Sodium citrate	80% : 20%
I	Citric/Sodium citrate	70%: 30%
J	Citric/Sodium citrate	60% : 40%

The liquid jelly confectionery composition is prepared from the formulations outlined in Table 1 using the procedures described in Table 1, and as illustrated in the process flow diagrams. Further details that apply to the Examples and processes illustrated schematically in the Figures are as follows:

Gelling agents that can be pre-mixed with water, such as gelatine and starch, may be pre-mixed with water and held in solution or suspension form, at room temperature or at an elevated temperature, prior to mixing with the other ingredients. In this situation, the calculation of the water in the base recipe is the total water added, including the water component of the gelatine solution or starch slurry, and any water added separately.

The % amounts of ingredients in Table 1 are to several decimal places, based on the weight of ingredient used in the recipe, converted to a % of total ingredients. In practice, the actual amount of ingredients added are not measured to this level of accuracy, and can vary reasonably widely, for example by up to 5%. Thus, these numbers should not be read as requiring a high precision in measuring, and actual test products made to these

- 55 -

formulations will have varying amounts of the given ingredients, at amounts within about 5% of the target levels.

The process step referred to as process step 1 in the Figures is a weighing and mixing step. Where there is only one weighing and mixing step at the outset, all ingredients in the base recipe listed (with the optional exception of the fruit juice concentrate, which may be added with the acid, colour and/or flavour) are weighed in appropriate amounts, and mixed. This step may also involve pre-heating, for instance pre-heating to a temperature in the range of about 40 - 100°C. Pre-heating may be conducted in a single stage, or in multiple stages. As one example, the product may be pre-heated to a temperature in the range of 40 - 60°C in a mixing vessel where the raw ingredients are weighed in and mixed, and further pre-heating may occur to bring the temperature to a temperature in the range of 50°C to 100°C in a pre-heating vessel, such as a heat exchanger.

Where two mixing/weighing steps 1 are indicated, then some ingredients are weighed and mixed at one stage, prior to a pre-cooking 2a of those ingredients, and then further ingredients are added in the required amounts and mixed in, in a second stage of mixing/weighing, followed by a final cooking stage. Pre-heating can additionally take place prior to pre-cooking or final cooking.

Where pre-cooking is not indicated, the cooking process may involve single-stage cooking in one operation, or it may comprise pre-cooking followed by a final cooking stage. Cooking can be conducted by any suitable means.

Cooling 3 is conducted in any suitable device such as a vacuum chamber. Where carrageenan is the gelling agent, then cooling tends not to take place, as the liquid

- 56 -

jelly composition needs to remain quite high in temperature to avoid premature gelling.

In each Figure which shows the inclusion of a process step in which ultrasonic frequency vibrational energy is applied to the jelly stream, a range of different application techniques were explored. These include locating the sonotrode in a holding vessel containing the jelly confectionery composition, locating the sonotrode in a fluid conduit, such as a vertically-oriented fluid conduit, and locating the sonotrode in one of the other process components, such as a mixing chamber or vessel. Where the sonotrode is in a fluid conduit, the sonotrode may be operated only for periods of time required while the liquid jelly confectionery composition is flowing through that conduit.

Where acid addition is referred to, the acid composition is selected from the range of acids referred to in Table 3, at the % level indicated in Table 1. The choice of acid depends on the desired acid profile. It is noted that fruit juice concentrate, where present, can be added with the acid.

Where colour addition is referred to, the colour was selected from commercially available food grade colour known in the art, available from Christian Hansen, Tate & Lyall, Merck, G.N.T, Sensient Technologies, Quest or Givaudan. Colours used have been natural and artificial, water soluble and oil soluble. Other colours may contain agents for shine shimmer or sparkle. The colour is generally selected to be appropriate for a given flavour, but colours that do not reflect the flavour may also be used. The amount of colour used was appropriate to achieve the desired depth of colour. According to several embodiments, the colour addition was to the backing layer only. According to other embodiments, the selected

- 57 -

colouring agent was added to both the casing composition and the backing layer. For some products the same confectionery composition was used for the casing and the backing layer, with the same identity and amount of colouring agent used in each. For some other products, additional colouring agent was used for the backing layer to produce a deeper shade of the same colour.

Where flavour addition is referred to, the flavour was selected from commercially available food grade flavours known in the art, available from Sensient Technologies, Firmenich, Givaudan, Essential Flavours and Ingredients, Selesia/Orica, Kerry Ingredients, International Flavours and Fragrances and Quest International. The Flavours used have been natural, artificial and nature-identical, water soluble and oil soluble. The choice of flavour was selected based on the desired flavour for the product, and the amount was based on the strength of the flavour itself (natural flavours tend to be less strong per unit volume or weight), and the desired strength of flavour in the product. In the case of centre-filled confectionery products, the casing flavour was on occasion selected to be consistent with the flavour of the centre filling (i.e. raspberry flavour for the casing was used when the filling was raspberry in flavour) and on other occasions selected to be different (e.g. lemon for casing and raspberry for filling).

In each Example that correlates to a process flow diagram which illustrates a centre filling supply hopper 8, from which a centre filling can be delivered to a centre-filling hopper 9 of the depositor, the centre fillings are as outlined in Table 2. A range of different centre fillings, of different flavours and consistencies, are used in producing a range of flavoured and coloured filled and unfilled products within each Example. In the experiments performed, the centre fillings were deposited

- 58 -

at a range of temperatures suitable to the consistency of the filling, and compatible with the temperatures of the outer shell depositing temperatures. The temperatures utilised were between 40°C and 85°C. Several examples prepared with a centre filling were performed with a centre filling deposition temperature within the range of 50 to 65 °C.

In the production of one range of test products within each Example, the liquid jelly confectionery materials outlined in the Table of Casing Formulations (Table 1) were left uncoloured for forming the outer casing, and were coloured with up to 4% of a colouring agent to form the backing layer. The centre filling is one of the centre fillings outlined in Table 2. In another range of test products produced within the Examples, the casing was coloured. In a third range of test products, the casing was coloured with a colouring agent, and the same colouring agent was added at a greater concentration to the backing layer. In further test products produced within the Examples, the jelly composition was not centre-filled, and in this case the liquid jelly composition had acid, colour and flavour added. In other product lines within the Examples, the casing is a foamed casing, with a centre filling. In yet a further product line, the casing and backing contain the following agents:

Casing component	Backing component
Colour pigment at a concentration to give a light colour	Same colour pigment as for the casing, but at a greater concentration to give a darker intensity of the same colour.
Colour pigment at a concentration to give a light colour	Different colour agent compared to the casing, of a similar colour, at a

- 59 -

	concentration that provides a darker colour intensity.
Candurin [®] (Merck) silver fine (satin shine) pigment	A colour pigment that gives a colour effect only.
A colour pigment that gives a colour effect only.	Candurin [®] (Merck) gold lustre (gold pearl effect) pigment
Micro-encapsulated flavour beads	A colour pigment that gives a colour effect only.
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	One of the two pigments, at the same concentration or a different concentration as used to produce the starlight effect in the casing.
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	A different pigment compared to the two pigments used to produce the starlight effect, at a concentration to produce the desired colour intensity.
Two pigments used to colour two different confectionery streams, to produce a starlight effect, each being used at a concentration to give the desired colour intensity for each stream.	Candurin [®] (Merck) red lustre (red pearl effect) pigment
No pigment, but use of foaming to create a white opaque case	Colour pigment at a concentration to give the desired colour intensity
No pigment, but use of foaming to create a white opaque case	Colour pigment and Candurin [®] (Merck) Silver Sheen (silk shine) pigment

- 60 -

A colour pigment and the use of foaming to create a coloured opaque casing of the desired depth of colour.	Colour pigment at a concentration to give the desired colour intensity.
Colour pigment and Candurin [®] (Merck) Silver Lustre (brilliant shine) pigment	A colour pigment of the same colour and concentration as in the casing, but no Candurin Silver Lustre pigment
Colour pigment and Candurin [®] (Merck) Silver Sheen (silk shine) pigment	A different colour pigment, and of a different colour compared to the casing, at a concentration to give the desired colour intensity.
A colour pigment at a concentration to give the desired depth of that colour	A combination of the same colour pigment as in the casing and Candurin [®] (Merck) Silver Fine (satin shine) pigment.
A colour pigment at a concentration to give the desired depth of that colour	A combination of a different colour pigment compared to the casing and Candurin [®] (Merck) Silver Fine (satin shine) pigment.

After addition of the acid to the liquid jelly confectionery composition, the liquid jelly confectionery composition was transferred to one or more of hoppers 11, 12, 13 and 14. The temperature of the hoppers are held at the set deposition temperature for that stream of liquid jelly confectionery material, as indicated in Table 1. The liquid jelly confectionery composition was held in the relevant hopper over a range of sample time periods following the application of ultrasonic energy and addition of acid, as described in the detailed description. The time taken for the liquid jelly

- 61 -

confectionery composition to pass to the hoppers after addition of acid and/or ultrasonic energy application was relatively quick, such as less than 15 minutes, or less than 5 minutes. The majority of the time period between application of acid and/or application of ultrasound frequency vibrational energy and deposition is time spent in the hopper. The hopper for the centre filling is generally held at a temperature corresponding to its deposition temperature.

Where centre-filled jellies are produced, these are produced in a standard one-shot depositor including a one-shot nozzle plate 17 into a starch moulding mogul tray 18 imprinted with the desired product shape. In other embodiments, a "starlight" nozzle plate 16 is utilised to produce unfilled jellies from two different coloured liquid jelly compositions with a star-shaped pattern. In other embodiments, a standard single depositing nozzle plate 19 is utilised to deposit a single liquid jelly confectionery composition to produce an unfilled, standard jelly product.

The use of two shell depositor hoppers enables the manufacturer to produce two different flavoured and/or coloured product lines at the same time, through depositing liquid jelly confectionery composition from one hopper 11 into half of the moulds, and from the other hopper 12 into the other half of the moulds at the same time. Where the product is a centre-filled product, the centre filling can be two different centre fillings (deposited from hoppers 9 and 10, respectively), or they can be the same filling.

After depositing of the centre-filling encased by the casing or shell into the starch mould, this product in the starch moulding mogul tray 18 passes under a second depositing station beneath a bottoming (or backing off)

- 62 -

depositor hopper 13 and/or 14. A coloured backing layer jelly confectionery composition is deposited onto the one-shot deposited product. According to some examples, the backing layer is uncoloured, but foamed. Two hoppers may be employed, so that backing off layers of confectionery material of different compositions can be applied to half of the products in the mogul tray at the same time.

Sonication results

In-line sonication of the jelly formulations tested (as outlined in Table 1) with an amplitude of between 50-100%, using a 1kW sonotrode system, 24kHz frequency, resulted in viscosity reductions of 30-60% (cP) on products of around 69-74% total solids. This was achieved at a product flow rate of approximately 30kg/min. It is noted that in commercial scale operations, it is likely that a higher powered sonotrode would be used, to allow for a higher throughput of liquid jelly confectionery composition, whilst applying the same energy of between 0.5 and 20 W.s.ml⁻¹. It is noted that liquid jelly confectionery compositions tend to weigh between 1.3 - 1.4 g/ml, thus enabling this calculation to be converted into W.s.g⁻¹.

Of the three sonotrode systems trialed (e.g. nozzle plate, immersion in hopper, in line system) the in-line system appears to offer the most practical solution for continuous jelly production systems. 75% solids were the highest solids achieved in one trial with complete starch gelatinization, although higher solids were achieved with incomplete starch gelatinisation. Typical manufacturing starting total solids (%) is 71, finishing at 81% TS and bagging (sealing of the product in a container, such as a bag) at 85%.

The viscosity reduction in jellies that is obtained

- 63 -

with the use of ultrasonics is seen to hold for about 30 minutes post its application of the ultrasonic energy. After this time period the jelly viscosity reverts back to its original higher value.

78% total solids jellies have been achieved using a standard flowcell, radial sonotrode, with no booster and no backpressure (product flow 2kg/min), 100% amplitude. The measured viscosity was equivalent to non-sonicated jelly of 73% total solids.

The product stream sonication points depicted in the Figures are only examples of the potential sonication points. It is also possible to employ a sonotrode in batch or mixing tank(s) and/or slurry tanks - such as a starch slurry tank, where the gelling agent is starch.

Sonication can also be applied during the cooking process. The advantages of using ultrasonics include the reduction in heat required to initiate gelling leading to possible improved product quality. As previously stated the advantages of higher solids processing derives from savings at the drying stage hence drier programs and technology (downstream processing) was investigated for reasons that included understanding the drying time to solids relationship.

It will be understood to persons skilled in the art of the invention that many modifications may be made to the embodiments and examples described without departing from the spirit and scope of the invention.

CLAIMS:

1. A centre-filled jelly confectionery comprising
 - a centre filling,
 - a jelly casing, and
 - a jelly backing layer overlying one side or one section of the casing, wherein the jelly backing layer has a different visual appearance compared to the jelly casing.
2. The centre-filled jelly confectionery of claim 1, wherein the jelly casing and jelly backing layer comprise different visual effect agents, or different amounts of the same visual effect agent, to produce a different visual effect.
3. The centre-filled jelly confectionery of claim 1 or claim 2, wherein the centre filling and jelly casing are prepared by co-deposition from a one-shot depositor into a mould, and depositing the backing layer onto the exposed surface of the co-deposited product.
4. The centre-filled jelly confectionery of any one of claims 1 to 3, wherein the jelly backing layer comprises the same composition as the jelly casing, other than for the identity or amount of the visual effect agent.
5. The centre-filled jelly confectionery of any one of claims 1 to 4, wherein the jelly casing and the jelly backing layer comprise a bulk sweetener and a hydrocolloid.
6. The centre-filled jelly confectionery of any one of claims 1 to 4, wherein the centre-filling comprises a bulk sweetener, a thickener, a humectant, water, acid, flavour and colour.

7. The centre-filled jelly confectionery of any one of claims 1 to 6, wherein:

- the centre filling is coloured,
- the jelly casing comprises a colouring agent, and
- the jelly backing layer overlying one side or one section of the casing comprises said colouring agent of the jelly casing, wherein the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing.

8. A centre-filled jelly confectionery of any one of claims 1 to 6, wherein:

- the centre filling is coloured,
- the jelly casing is uncoloured, and
- the jelly backing layer overlying one side or one section of the casing is coloured.

9. A method for making a centre-filled jelly confectionery comprising

- a centre filling,
- a jelly casing, and
- a jelly backing layer, wherein the jelly backing layer has a different visual appearance compared to the jelly casing, the method comprising:
 - (a) preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent,
 - (b) cooking the liquid jelly confectionery composition,
 - (c) depositing the liquid jelly confectionery composition into a mould,
 - (d) depositing the centre filling into a mould so that the liquid jelly confectionery composition deposited in (c) forms a jelly casing around the centre filling to produce a jelly casing containing a centre filling, and
 - (e) applying a backing layer to the jelly casing containing a centre filling, wherein the backing layer is provides a different visual appearance compared to the

jelly casing, to form the centre-filled jelly.

10. The method of claim 9, wherein (c) and (d) are preformed by co-depositing the liquid jelly confectionery composition and centre filling into the mould.

11. The method of claim 9 or claim 10, wherein the cooked liquid jelly confectionery composition is divided into at least two streams, including a first stream being used to form the jelly casing, and a second stream being used to form the jelly backing layer, and wherein either (i) each stream has a different visual effect agent, or different amount of the same visual effect agent, added prior to deposition, or (ii) one stream has a visual effect agent and the other of the streams has no visual effect agent added.

12. The method of any one of claims 9 to 11, wherein the deposition step comprises depositing the liquid jelly confectionery composition at a solids content of greater than 71% solids.

13. The method of any one of claims 9 to 12, wherein the step of preparing a liquid jelly confectionery composition comprising bulk sweetener and a hydrocolloid gelling agent comprises mixing a hydrocolloid selected from the group consisting of pectin, agar-agar, gelatin, starch, gum arabic, xanthan gum, carageenan and combinations thereof with the bulk sweetener.

14. The method of any one of claims 9 to 13, wherein acid and flavour are added to the liquid jelly confectionery composition after cooking.

15. The method of any one of claims 9 to 14, wherein the hot, cooked jelly confectionery composition is cooled to the deposition temperature or a temperature within

about 5°C of the deposition temperature prior to deposition.

16. The method of any one of claims 9 to 15, wherein acid is added to the cooked liquid jelly confectionery composition.

17. The method of any one of claims 9 to 16, wherein the centre-filled jelly confectionery comprise:

- a coloured centre filling,
- a jelly casing comprising a colouring agent, and
- a jelly backing layer comprising said colouring agent of the jelly casing, in which the concentration of said colouring agent in the jelly backing layer is greater than in the jelly casing;

and wherein steps (c) to (e) comprise:

- co-depositing the liquid jelly confectionery composition with a coloured centre filling into a mould, with the liquid jelly confectionery composition forming a jelly casing around the coloured centre filling, and
- applying a backing layer to the co-deposited product to form the centre-filled jelly confectionery.

18. The method of claim 17, wherein the cooked liquid jelly confectionery composition is divided into at least two streams, a first stream being coloured by a colouring agent and used to form the jelly casing, and a second stream having the same colour as used in the jelly casing added to produce a stream of greater colour concentration, and used to form the backing layer.

19. The method of any of claims 9 to 16, wherein the centre-filled jelly confectionery comprises:

- a coloured centre filling,
- an uncoloured jelly casing, and
- a coloured jelly backing layer, applied to one side of the colourless jelly casing;

and wherein steps (c) to (e) of the method comprise:

- co-depositing the liquid jelly confectionery composition with a coloured centre filling into a mould, with the liquid jelly confectionery composition forming an uncoloured jelly casing around the coloured centre filling, and
- applying a coloured jelly backing layer to the co-deposited product to form the centre-filled jelly confectionery.

20. The method of claim 19, wherein the cooked liquid jelly confectionery composition is divided into at least two streams, a first stream being uncoloured and used to form the uncoloured jelly casing, and a second stream having colour added and used to form the coloured jelly backing layer.

1/21




Figure 1

2/21




Figure 2

3/21




Figure 3

4/21




Figure 4

5/21




Figure 5

6/21




Figure 6

7/21




Figure 7

8/21




Figure 8

9/21




Figure 9

10/21




Figure 10

11/21




Figure 11

12/21




Figure 12

13/21




Figure 13

14/21




Figure 14

15/21




Figure 15

16/21




Figure 16

17/21




Figure 17

18/21




Figure 18

19/21




Figure 19

20/21




Figure 20




Figure 21

