

(12) **United States Design Patent** (10) **Patent No.:** **US D863,669 S**
Payne (45) **Date of Patent:** **** Oct. 15, 2019**

(54) **LIGHTER**

(71) Applicant: **Knox Pty Ltd**, Engadine NSW (AU)

(72) Inventor: **Charles Arthur Payne**, Redfern (AU)

(73) Assignee: **Knox Pty Ltd**, Engadine (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/599,615**

(22) Filed: **Apr. 5, 2017**

(30) **Foreign Application Priority Data**

Mar. 15, 2017 (AU) 201711497

(51) **LOC (12) Cl.** **27-05**

(52) **U.S. Cl.**
 USPC **D27/156**

(58) **Field of Classification Search**

USPC D27/156, 152, 153, 154, 157, 159, 160,
 D27/139, 141, 142; 431/273, 274, 277,
 431/350, 353

CPC F23Q 2/00; F23Q 2/02; F23Q 2/16; F23Q
 2/161; F23Q 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D244,783 S * 6/1977 O'Brien D27/159
 D314,837 S * 2/1991 Nitta D27/154
 D320,467 S * 10/1991 Ichikawa D27/159
 D339,209 S * 9/1993 Ichikawa D27/157
 6,506,046 B1 * 1/2003 Luo F23Q 2/164
 431/153
 6,565,353 B2 * 5/2003 Yang F23Q 2/164
 431/153

(Continued)

Primary Examiner — Manpreet S Matharu

Assistant Examiner — Rebecca Tsehaye

(74) *Attorney, Agent, or Firm* — Seed Intellectual
 Property Law Group LLP

(57)

CLAIM

The ornamental design for a lighter, as shown and described.

DESCRIPTION

FIG. 1 is a top front left side view of a lighter showing my new design in a closed configuration.

FIG. 2 is a top rear right side view of a lighter in a closed configuration showing a new design.

FIG. 3 is a top front right side view thereof.

FIG. 4 is a top rear left side view thereof.

FIG. 5 is a bottom front left side view thereof.

FIG. 6 is a bottom rear left side view thereof.

FIG. 7 is a bottom front right side view thereof.

FIG. 8 is a bottom rear right side view thereof.

FIG. 9 is a front view thereof.

FIG. 10 is a rear view thereof.

FIG. 11 is a left side view thereof.

FIG. 12 is a right side view thereof.

FIG. 13 is a top front left side view of the lighter of FIG. 1 in an open configuration.

FIG. 14 is a top rear left side view thereof.

FIG. 15 is a top front right side view thereof.

FIG. 16 is a top rear right side view thereof.

FIG. 17 is a bottom front left side view thereof.

FIG. 18 is a bottom rear left side view thereof.

FIG. 19 is a bottom front right side view thereof.

FIG. 20 is a bottom rear right side view thereof.

FIG. 21 is a front view thereof.

FIG. 22 is a rear view thereof.

FIG. 23 is a left side view thereof.



FIG. 24 is a right side view thereof.

FIG. 25 is a top view thereof; and,

FIG. 26 is a bottom view thereof.

The broken lines in the drawings depict portions of the lighter that form no part of the claimed design.

1 Claim, 23 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,699,033	B2 *	3/2004	Xu		F23Q 2/287 431/255
D536,480	S *	2/2007	Park		D27/143
D548,396	S *	8/2007	Chen		D27/157
7,335,017	B2 *	2/2008	Wong		F23Q 2/162 431/277
D625,466	S *	10/2010	Martin		D27/159
D629,154	S *	12/2010	Sung		D27/154
D716,997	S *	11/2014	Freeland		D23/367
9,046,267	B2 *	6/2015	Muste		F23Q 2/287
D736,455	S *	8/2015	Liu		D27/189
D736,995	S *	8/2015	Recio		D27/141
D818,637	S *	5/2018	Ringel		D27/141
D822,897	S *	7/2018	Almsberger		D27/141

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26