



- (51) **International Patent Classification:**
H04M 3/42 (2006.01) *H04M 3/487* (2006.01)
- (21) **International Application Number:**
PCT/MD2012/000001
- (22) **International Filing Date:**
17 January 2012 (17.01.2012)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
s 2011 0195 17 March 2011 (17.03.2011) MD
- (72) **Inventor; and**
- (71) **Applicant : NICOLAESCU, Gheorghe** [MD/MD]; str. Biruinta 4, com. Lozova, Strasenii, 3721 (MD).
- (74) **Agent: GLAZACEVA, Galina;** Grenoble str. 209, ap. 17, Chisinau, 2060 (MD).
- (81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,

HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Declarations under Rule 4.17:

- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
- *of inventorship (Rule 4.17(iv))*

Published:

- *with international search report (Art. 21(3))*

(54) **Title:** METHOD FOR NOTIFICATION OF A CALLED SUBSCRIBER IN THE ABSENCE OF SUFFICIENT CREDIT OF THE CALLING PARTY



(57) **Abstract:** The invention relates to telephone communication, in particular to methods for notification of the called subscriber in the communication networks, namely in the absence of the calling party's valid credit account, and can be used in existing mobile telecommunications systems, including GSM, 3 GSM, 3G, CDMA, WCDMA, and others. In the method each subscriber of the network is provided with an opportunity to get network access for outgoing calls, regardless of the status of his/her account, and to accept the call and/or receive the calling subscriber's messages without the pre-paid credit account. The calling subscriber dials the phone number of the called subscriber; the operator of the calling subscriber determines his solvency; upon initiation of a call by the calling subscriber, who does not have a valid credit account, for its transmission to the called subscriber the outgoing call is directed through the operator serving the calling subscriber to a forwarding and controlling server and at its command disconnects the calling subscriber. The forwarding and controlling server processes the

obtained information and forms a transit call, by the transit call through the operator serving the calling subscriber is transferred an outgoing call to the operator's network serving the called subscriber as an information call, notifying of the missed call. A notification about the missed call is created for the called subscriber, providing information about the calling subscriber, and the information call is disconnected after its receipt by the called subscriber. The result, obtained by means of the claimed method, consists in increasing the reliability and ease of communication between subscribers in an irregular situation, namely upon insolvency of the calling subscriber.

METHOD FOR PERFORMING INFORMATION TELEPHONE CALLS

The invention relates to telephone communication, in particular to methods for notification of the called subscriber in the communication networks, namely in the absence of the calling party's valid credit account, and can be used in existing mobile telecommunications systems, including GSM, 3GSM, 3G, CDMA, WCDMA, and others.

The widespread use of mobile communication is an undeniable evidence of its convenience to users and causes the ever-increasing need to expand services provided by mobile operators.

For example, of great importance in the implementation of mobile communications is the ability to transfer a call from the calling party to the called party.

As a rule, the need for such a service arises in standard situations, when the called party's phone is turned off, is out of service or busy, for example, the subscriber answers another call.

However, in practice quite often the impossibility to establish a contact with the called subscriber is connected with the absence of a valid credit account of the calling subscriber, which can lead to the loss of an important call.

At present, some methods are developed that prevent the loss of such calls by transferring them from the called subscriber, thanks to his notification of the held call, to the calling subscriber. In such cases the burden of payment falls on the called party, which in this case acts as a calling party.

It is known a method for announcement of a call from an insolvent calling subscriber to transfer a call by dialing a certain pre-determined set of digits and signs [1]. According to provided information the dialed number is in the form of: *111* called subscriber's phone number #ok. In this case the called subscriber receives an SMS with a request to call and the phone number for communication.

This method is inconvenient because the calling subscriber must dial a new, often unfamiliar sequence of digits and signs that not everyone knows, and in critical situations of emergency call even knowing users cannot simply remember it.

In addition, this embodiment of call is valid only in the network of one offering it operator, which considerably limits the possibility of using the described method.

The closest by the technical essence to the claimed method is a method for managing the telephone communication, as set out in the Russian patent № 2361369 [2].

According to the known method for the implementation of calls in the mobile communication network each network subscriber is provided an opportunity to get network access for outgoing calls, regardless of the status of his/her account and accept the call and/or receive calling subscriber's messages without the prepaid credit account, at the same time the calling subscriber dials the phone number of the called subscriber, the operator of the calling subscriber determines his solvency, for the called subscriber is created a notification about the missed call with the representation of information about the calling subscriber.

In determining by the operator of the fact that the calling subscriber is a user who does not have a valid credit account, it is send a call over the network to the operator serving the called subscriber. It is passed the call to the called subscriber. The unpaid outgoing calls past over the network are disconnect, after the predetermined number of rings, at the entrance of the called subscriber's mobile phone. As stated in the patent, the used network is set up so that calls outgoing from a calling subscriber's telephone are disconnected after one ring.

The system that implements this method represents a network configured with the possibility of getting network access for outgoing calls, regardless of the state of the subscriber's account and receipt by the subscribers' phones of calls and/or messages from calling subscribers. The call outgoing from a mobile phone passes through the operator of the calling subscriber, schematically shown by a base station, mobile communications switching center and relocation register, and goes directly to the operator of the called subscriber having a similar circuitry and associated with the mobile phone of his subscriber.

In accordance with the patented method and system over the network to the mobile phone of the called subscriber pass all calls: paid and unpaid, the latter are automatically disconnected at the input of the calling subscriber's phone, passing one ring. According to the invention, that is sufficient for a notification to appear in the phone about the missed call.

However, in the description of the invention there is no information on the action and, accordingly, the apparatus module in the proposed configuration of the network with which the network is disconnected at the input of the called subscriber's mobile phone.

In reality, the hardware solution of the mobile communication network, providing for the disconnection of calls at the input of the called subscriber's phone, is currently insufficiently worked on. On the other hand, there may be a situation of technical failures in the network, as a result of which a connection is established in the passing call and the called subscriber answers. In this case, the burden of payment will be on the calling subscriber and he will receive a bond from his operator.

Thus, the expected result will not be achieved.

All this will considerably reduce the reliability of the method for managing the telephone communication described in the patent № 2361369.

The problem, to be solved by the proposed invention, is to create a reliable and user-friendly method for performing information telephone calls, realizing the possibility for the calling subscriber, in the absence of a valid credit account to pay for a call, to inform the called subscriber of the calling attempt in real time in various mobile telecommunication systems.

The problem is solved by the fact that the in the method for performing information telephone calls, performed in a mobile communication network, in which each subscriber of the network is provided with an opportunity to get network access for outgoing calls, regardless of the status of his/her account, and to accept the call and/or receive the calling subscriber's messages without the pre-paid credit account, the calling subscriber dials the phone number of the called subscriber, the operator of the calling subscriber determines his solvency, a notification about the missed call is created for the called subscriber, providing information about the calling subscriber, upon initiation of a call by the calling subscriber, who does not have a valid credit account, for its transmission to the called subscriber the outgoing call is directed through the operator serving the calling subscriber to a forwarding and controlling server and at its command disconnects the calling subscriber, the forwarding and controlling server processes the obtained information and forms a transit call, by the transit call through the operator serving the calling subscriber is transferred an outgoing call to the operator's network serving the called subscriber as an information call, notifying of the missed call, the information call is disconnected after its receipt by the called subscriber.

At the same time, upon disconnection the operator servicing the calling subscriber sends him a notification of the absence of the valid credit account.

The result, obtained by means of the claimed method, consists in increasing the reliability and ease of communication between subscribers in an irregular situation, namely upon insolvency of the calling subscriber.

This result is ensured by the fact that the proposed method, unlike the prototype, is based on a different ideological approach to the implementation of the communication. According to the known method over the network to the phone of the called subscriber pass both the paid and unpaid call, whereas in the proposed invention the paid call passes over the network, and the unpaid call is disconnected. At the same time an information call is sent to the called subscriber as a signal to feedback.

In the proposed method are eliminated the random connections of the calling and called subscribers for unpaid calls, as such a call from the operator enters the forwarding and

controlling server. Introduced into the architecture of the telecommunications network the new node - server – monitors and routes both incoming and outgoing calls.

Over the network from the forwarding and control server through one operator to another is directed the transit call formed in the server, transmitting to the called subscriber an outgoing call as an information one, containing the data of the calling subscriber, at the same time the calling subscriber is disconnected.

As a result, the information call incoming to the called subscriber cannot connect him with the calling subscriber, and, therefore, are excluded the conversations that must be paid by the insolvent network user. The called subscriber, receiving the information about calling him person calls back, thus taking on the burden of payment.

The implementation of this method will allow not only reliably connect subscribers in a created irregular situation, but also establish a connection using the familiar operation of dialing the desired number.

Thus, the proposed method for performing information telephone calls is reliable and convenient in operation, which ultimately improves the quality of mobile communication services.

Summary of the invention is explained in the following description and drawings.

The claimed method is implemented as follows.

Each network subscriber is provided with an opportunity to get network access for outgoing calls, regardless of the status of his account and accept the call and/or receive the calling subscriber's messages without the prepaid credit account. The calling subscriber dials the phone number of the called subscriber; the operator of the calling subscriber determines his solvency; upon initiation of a call by the calling subscriber who does not have a valid credit account, for its transmission to the called subscriber the outgoing call is directed through the operator serving the calling subscriber to a forwarding and controlling server and at its command disconnects the calling subscriber; the forwarding and controlling server processes the information and forms a transit call; by the transit call through the operator serving the calling subscriber is transferred an outgoing call to the network operator serving the called subscriber as an information call notifying of the missed call; for the calling subscriber is created a notification of the missed call, providing information about the calling subscriber; the information call is disconnected after its receipt by the called party.

Upon disconnection the operator servicing the calling subscriber sends him a notification of the absence of the valid credit account.

The above steps of the method are carried out by means of a hardware support.

The drawing schematically illustrates the telephone network, through which the proposed method is carried out.

The mobile phone 1 of the calling subscriber A maintains contact with the switch 2 of the operator serving the given subscriber. The switch 2 is made with the possibility to redirect a call coming from the subscriber A. The switch 2 is connected to a service forwarding and controlling server 3, made with the possibility of receiving the outgoing call of the subscriber A, processing the received information and forming the transit call signal. The switch 2 is also connected to the switch 4 of the operator serving the called subscriber B, having a mobile phone 5. The switch 4 is made with the possibility of receiving and transferring calls to the mobile phone 5.

In the process of implementation of this method for performing information telephone calls subscriber A, the credit account of which is not valid and outgoing calls are restricted, from his mobile phone makes a call, entering the switch 2. The switch 2 receives the call of subscriber A and verifies his solvency. In the case of establishing the fact of insolvency of the subscriber A the switch 2 redirects the outgoing call to the forwarding and controlling server 3. The server 3 processes the received information, generates a command for the switch 2 to disconnect the mobile phone 1 and forms a transit call, which it sends to the switch 2. The switch 2 determines the received signal as a transit call, serving as an information call, and transfers it to the switch 4 in the network of the called subscriber B. The server 3 controls the passage of the information call and disconnects it after its entry into the mobile phone 5. At the same time the called subscriber B receives a message about the missed call, providing details of the calling subscriber A.

The communication between the switch 2 and the server 3 can be arranged both through a protocol such as IN (Intelligent Network) and a protocol ISUP (Integrated Services User Part).

The described method, implemented by the scheme shown in the drawing, refers to a situation when subscriber A and subscriber B are served by different operators.

In the case where subscribers A and B are served by one operator, the transit call goes directly to the subscriber B.

In the process of implementation of the method are used conventional for mobile communication, widely described in the special literature and well known to those skilled in the art hardware and software tools.

Exemplary embodiment

The proposed method has been used in the process of experimental communication between two subscribers A and B, the first of which had no money on the credit account. Both subscribers were the owners of mobile phones Nokia X3.

In the formation of a telecommunication network, implementing this method, as a switch serving the subscriber A and a switch serving the subscriber B, has been used a switch of the type MSC (Mobile Service Switching Center) with a node GMSSC (Gateway Mobile Service Switching Center) included therein, executed on the module Ericsson AXE10. At the same time GMSSC is the gateway mobile service switching center and configures the routing of telephone connections.

As a forwarding and control server was used the Beep SCS server (Service Controlling Server) graded Giness BSCS v1.4.

Initiated by the subscriber A the call of subscriber B enters the MSC, which checks the type of subscriber and requests through the protocol INAP (Intelligent Network Application Protocol) in the IN SCP (Service Control Point) an authorization for the service. In the absence of the valid credit account of the subscriber A SCP rejects the call, sending the corresponding disconnection code. By using the MSC/SSF service switching function, MSC redirects the call - initial address message (ISUP_IAM) - through GMSSC in Beep SCS (Service Controlling Server).

In this server from the message is extracted the phone numbers of the calling and called subscribers, and the call is disconnected, using a pre-configured code. Call processing is complete and the GMSSC at the Beep SCS command disconnects the call received from the MSC/SSF, and the MSC/SSF, in turn, in accordance with the service switching function disconnects the calling subscriber A.

Then Beep SCS forms a call in accordance with the initial address message, using the numbers of previously registered calling and called subscribers. Thus, in the network is created an outgoing call, formed in Beep SCS (service forwarding and controlling server) and performing the function of information call. Beep SCS sends this call through the GMSC of MSC switch, serving the calling subscriber A, by appointment, in accordance with the phone number of subscriber B, to the MSC switch, serving the called subscriber B.


In turn, this switch through the GMSC sends to Beep SCS (ISUP_ACM) or (ISUP_CPG) a message on the receipt by subscriber B telephone of the complete number of subscriber A. In response to the received message Beep SCS instantly disconnects the information call, so that the called subscriber receives only a short call and an information missed call message on the mobile phone screen.

As seen from the process for performing in a mobile network an information telephone call minutely described in the exemplary embodiment, in the forwarding and controlling server the outgoing call ends and the information call is formed.

The direct communication between the subscriber A and subscriber B is absent and consequently excluded even the casual possibility of conversation at the expense of the insolvent calling subscriber, which confirms the solution in the invention of the undertaken task.

CLAIMS

1. Method for performing information telephone calls, performed in a mobile communication network, in which each subscriber of the network is provided with an opportunity to get network access for outgoing calls, regardless of the status of his/her account and accept the call and/or receive the calling subscriber's messages without the pre-paid credit account, the calling subscriber dials the phone number of the called subscriber, the operator of the calling subscriber determines his solvency, for the called subscriber is created a notification about the missed call, providing information about the calling subscriber, **characterized in that** upon initiation of a call by the calling subscriber, who does not have a valid credit account, for its transmission to the called subscriber the outgoing call is directed through the operator serving the calling subscriber to a forwarding and controlling server and at its command disconnects the calling subscriber, the forwarding and controlling server processes the obtained information and forms a transit call, by the transit call through the operator serving the calling subscriber is transferred an outgoing call to the operator's network serving the called subscriber as an information call, notifying of the missed call, the information call is disconnected after its receipt by the called subscriber.
2. Method as set forth in claim 1, wherein upon disconnection the operator servicing the calling subscriber sends him a notification of the absence of the valid credit account.



INTERNATIONAL SEARCH REPORT

International application No
PCT/MD2012/000001

A. CLASSIFICATION OF SUBJECT MATTER
INV. H04M3/42 H04M3/487
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2003/231753 A1 (CASACCIA LORENZO [US]) 18 December 2003 (2003-12-18) paragraphs [0059], [0082] - [0084], [0088] - [0093] -----	1,2
A	WO 2004/100521 A1 (KAHN ARI [ZA]) 18 November 2004 (2004-11-18) page 5, paragraph 4th -----	1,2
A	WO 2004/107795 A1 (KAHN ARI [ZA]) 9 December 2004 (2004-12-09) page 3, paragraph 6th -----	1,2
A	WO 2009/136407 A2 (ONMOBILE GLOBAL LTD [IN]; ROHITH KORANAPALLI NAGARAJU [IN]; VINAY NANJ) 12 November 2009 (2009-11-12) pages 10,11 page 15, paragraph 2 ----- -/-	1,2



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

20 June 2012

Date of mailing of the international search report

27/06/2012

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Punte, Guus

INTERNATIONAL SEARCH REPORT

International application No

PCT/MD2012/000001

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2008/013437 A1 (TELEXPRTISE DE MEXICO S A DE [MX]; MIJARES VALLES CARLOS [MX]; MEDRAN) 31 January 2008 (2008-01-31) page 8, line 6 - page 17, line 11 -----	1,2

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/MD2012/000001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2003231753	A1	18-12-2003	AU 2003236544 A1 31-12-2003
			BR 0311876 A 15-03-2005
			CN 1663226 A 31-08-2005
			CN 101715175 A 26-05-2010
			EP 1514397 A1 16-03-2005
			EP 2271061 A1 05-01-2011
			JP 2005530406 A 06-10-2005
			JP 2010158017 A 15-07-2010
			TW I325266 B 21-05-2010
			US 2003231753 A1 18-12-2003
			US 2007093251 A1 26-04-2007
			WO 03107633 A1 24-12-2003
WO 2004100521	A1	18-11-2004	AT 532326 T 15-11-2011
			BR PI0410424 A 13-06-2006
			CA 2528452 A1 18-11-2004
			CN 1817026 A 09-08-2006
			EP 1623564 A1 08-02-2006
			RU 2341908 C2 20-12-2008
			US 2008139170 A1 12-06-2008
			WO 2004100521 A1 18-11-2004
			ZA 200509020 A 27-02-2008
WO 2004107795	A1	09-12-2004	AT 396596 T 15-06-2008
			AU 2004244435 A1 09-12-2004
			BR PI0410879 A 04-07-2006
			CA 2527653 A1 09-12-2004
			CN 1817058 A 09-08-2006
			DK 1632101 T3 01-09-2008
			EP 1632101 A1 08-03-2006
			EP 1942647 A2 09-07-2008
			ES 2305773 T3 01-11-2008
			IL 172288 A 16-06-2010
			JP 4392860 B2 06-01-2010
			JP 2006526347 A 16-11-2006
			NO 328560 B1 22-03-2010
			OA 13175 A 13-12-2006
			PT 1632101 E 04-08-2008
			RU 2361369 C2 10-07-2009
			US 2007091869 A1 26-04-2007
			WO 2004107795 A1 09-12-2004
			ZA 200509696 A 26-11-2008
WO 2009136407	A2	12-11-2009	NONE
WO 2008013437	A1	31-01-2008	NONE