

(12) **United States Design Patent** (10) **Patent No.:** **US D825,531 S**
Nokuo (45) **Date of Patent:** **** Aug. 14, 2018**

(54) **CONTROLLER FOR ELECTRONIC DEVICE**

(71) Applicant: **SONY COMPUTER ENTERTAINMENT INC.**, Tokyo (JP)

(72) Inventor: **Taichi Nokuo**, Tokyo (JP)

(73) Assignee: **SONY COMPUTER ENTERTAINMENT INC.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,078**

(22) Filed: **Mar. 15, 2016**

(30) **Foreign Application Priority Data**

Feb. 12, 2016 (JP) 2016-002982

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
 USPC **D14/218**

(58) **Field of Classification Search**
 USPC D14/218; D13/168; D21/566; D10/104,
 D10/106
 CPC G05D 1/0038; G08C 23/04; G08C 17/02;
 H04N 5/23203; H04N 7/142; H03G 9/02;
 H03G 3/001; H03G 1/02; H03G 3/04
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,176 S *	9/1931	Garretson	D14/218
D121,962 S *	8/1940	Meuer	D13/168
D168,442 S *	12/1952	Gast	D14/218
D170,648 S *	10/1953	Mazzola	D13/168
2,680,794 A *	6/1954	Ballou	H01H 13/10 200/294
D270,441 S *	9/1983	Moldenhauer	D13/168
D272,339 S *	1/1984	Penland	D13/168
D310,202 S *	8/1990	Suck	D13/164

D326,655 S *	6/1992	Iribe	D14/192
D344,524 S *	2/1994	Taniguchi	D14/205
5,645,277 A *	7/1997	Cheng	A63F 13/06 273/148 B
D458,230 S *	6/2002	Hand	D13/164
D496,031 S *	9/2004	Ma	D10/104.1
D535,952 S *	1/2007	Fekete	D14/299
D539,782 S *	4/2007	Lee	D14/188
D554,112 S *	10/2007	Brisben	D14/240
D596,163 S *	7/2009	Madonna	D14/218
D625,294 S *	10/2010	Wada	D14/218
D671,505 S *	11/2012	Clark et al.	
D714,739 S *	10/2014	Rantala	D13/168
D716,268 S *	10/2014	Yamamoto	D14/218
D726,831 S *	4/2015	Lee	D13/168
D731,456 S *	6/2015	Dahlberg	D14/205
D740,369 S *	10/2015	Cho	D21/333

(Continued)

OTHER PUBLICATIONS

Taiwan Official Action—105301334—dated Sep. 7, 2016.

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Young & Thompson


(57) **CLAIM**

The ornamental design for the controller for electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of front, bottom and right side of a controller for electronic device showing my new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof. The broken lines in the figures depict portions of the article that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D743,381	S	*	11/2015	Pi		D14/218
D761,742	S	*	7/2016	Landerholm		D13/168
D784,287	S	*	4/2017	Murray		D14/168
D785,598	S	*	5/2017	Ikonen		D14/218
D811,371	S	*	2/2018	Meyer		D14/218
D812,038	S	*	3/2018	Nakajima		D14/205
2004/0224717	A1	*	11/2004	Hertzberg		H04M 1/22 455/550.1

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7

