




- (51) International Patent Classification:
G10H 1/00 (2006.01)
- (21) International Application Number:
PCT/US2013/076789
- (22) International Filing Date:
20 December 2013 (20.12.2013)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
61/740,803 21 December 2012 (21.12.2012) US
- (71) Applicant: JAMHUB CORPORATION [US/US]; One Main Street, Whitinsville, Massachusetts 01588 (US).
- (72) Inventors: SKILLINGS, Steve; 250 Clover Hill Road, Whitinsville, Massachusetts 01588 (US). KASHA, John; 1464 Madera Road, Simi Valley, California 93065 (US).
- (74) Agent: LICHAUCO, Faustino A.; Occhiuti & Rohlicek LLP, 321 Summer Street, Boston, Massachusetts 02210 (US).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: TRACK TRAPPING AND TRANSFER



(57) Abstract: An apparatus includes an input for receiving session tracks, an audio converter for converting the first and second data into one of a plurality of audio formats, thereby generating converted session tracks; a storage medium for storing the converted session tracks; a session-track vectorization unit for packaging the converted session tracks into a session vector for transmission to the distributed music collaboration system, and a session-track transfer unit for effecting transfer of the session vector to the distributed music collaboration system.

WO 2014/100531 A1

Published:

— with international search report (Art. 21(3))

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

TRACK TRAPPING AND TRANSFER

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of the priority date of U.S. Provisional Application No. 61/740,803, filed December 21, 2012. The content of the aforementioned application is incorporated herein in its entirety.

FIELD OF DISCLOSURE

This disclosure relates to capturing analog audio from musical instruments and microphones for storage and re-distribution.

BACKGROUND

Data representative of music has long been editable on a computer. Music editors for this function are capable of starting with raw files and processing them to create various mixes. A difficulty that arises however is that of capturing performed music on a track-by-track basis for further processing.

In general, effective editing of audio requires discrete tracks, with one track for each music source. For example, a performance by a four piece band with three singers would preferably be saved in seven discrete tracks, one for each music source. This track-by-track storage facilitates mixing by a sound editor.

Known audio-capture devices for track-based capture are typically integrated with a complete mixing console that is operated by a sound engineer at the site of the performance. A complete mixing console is an expensive, large, and unwieldy apparatus that requires considerable training to operate correctly.

SUMMARY

The invention features a stand-alone portable apparatus that allows audio to be captured in discrete tracks for later editing.

In one aspect, the invention features an apparatus for providing a distributed music collaboration system with a session vector including session tracks associated with a session, each of the session tracks containing data representative of music created by a music source during the session. Such an apparatus includes an input for receiving the session tracks, an audio converter for converting the first and second data into one of a

plurality of audio formats, thereby generating converted session tracks, a storage medium for storing the converted session tracks, a session-track vectorization unit for packaging the converted session tracks into a session vector for transmission to the distributed music collaboration system, and a session-vector transfer unit for effecting transfer of the
5 session vector to the distributed music collaboration system.

In one embodiment, the session-vector transfer unit is configured to modulate an electromagnetic wave to carry information representative of the session vector. Among these embodiments are those in which the session-vector transfer unit includes a transmission line interface and is further configured to launch the modulated
10 electromagnetic wave onto the transmission line for transmission to the distributed music collaboration system. In another embodiment, the session-vector transfer unit includes a free-space electrical interface and is configured to generate current on the free-space electrical interface to launch the modulated electromagnetic wave for transmission to the distributed music collaboration system.

15 In additional embodiments, the input is configured to connect to a session hub for receiving data from music sources and to retrieve session tracks from the session hub.

Among the embodiments are those in which the input includes a plurality of jacks, each of which receives one session track from one music source.

20 Yet other embodiments include those having an input level indicator to indicate whether audio input is within an optimal dynamic range, and those having a status indicator to indicate presence or absence of a connection to the distributed music collaboration system.

The invention also includes an apparatus having any combination of some of all the foregoing features.

25 These and other features of the invention will be apparent from the following detailed description and the accompanying figures, in which:

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 shows a session hub with its output session vector;

FIG. 2 shows a collaboration system to which the session hub of FIG. 1 is connected;

FIG. 3 shows a time-line view of a user-interface for the collaboration system of FIG. 2;

5 FIG. 4 shows an annotation view of a user-interface for the collaboration system of FIG. 2;

FIG. 5 shows a mixing view of a user-interface for the collaboration system of FIG. 2;

FIG. 6 shows an editing view of a user-interface for the collaboration system of FIG. 2;

FIG. 7 shows a music view of a user-interface for the collaboration system of FIG. 2; and

10 FIG. 8 shows a trapper for providing session vectors to the collaboration system of FIG. 2.

DETAILED DESCRIPTION

Groups of musicians often come together to rehearse at a “session.” A session hub **10**, shown in FIG. 1 and described in U.S. Patent Publ. 2009/0282967, the contents of which are herein incorporated by reference, accepts input from a musician **12** and
15 generates one or more tracks **14** corresponding to what that musician played during a session. Each of these tracks **14** is referred to herein as a “session track.” In a typical session, there will be multiple session tracks **14**.

The set of session tracks **14** concurrently obtained during a particular session
20 defines a “session vector **16**.” The number of elements in the session vector **16** is greater than or equal to the number of musicians. Each session vector **16** contains data representative of music played by one or more of the musicians.

Referring now to FIG. 2, a distributed music collaboration system **18** features a server **20** remotely connected to the session hub **10** via a wide area network **22**. The
25 server **20** receives session vectors **16** from the session hub **10** and creates session data **24**

that includes, in addition to the session vectors **16**, session metadata **26**. The session metadata **26** includes server-generated metadata **28** and user-generated metadata **30**.

To provide more convenient communication with the music collaboration system **18**, one embodiment of a session hub **10** connects to a track trapper **90** shown in FIG. 8
5 that captures multiple session tracks of analog audio and converts them into a selected digital audio format.

The illustrated track trapper **90** includes a multi-track input interface **92** having a variety of input receptacles for receiving analog session tracks. Examples of input receptacles include those that accommodate DB 25 jacks, TS and TRS jacks, both in
10 eighth inch and quarter inch diameters, XLR jacks, USB jacks and mini-jacks, Thunderbolt jacks, and DisplayPort jacks. Embodiments of an input interface **92** include 2^n -track interfaces for $n=1$ to 4. Other embodiments include 2^n -track interfaces for $n=5$ to 6. In fact, there is no particular upper limit on the number of inputs.

The input interface **92** provides analog audio to an audio converter **94** having
15 access to a program memory **96** that includes software for converting the analog audio into any one of a plurality of digital audio formats selected by the user. After converting the audio into a suitable digital format, the audio converter **94** causes it to be stored in a storage medium **98** as separate converted session tracks **14**. The storage medium **98** can be a permanent on-board storage medium or a removable storage medium, such as an SD
20 card, a removable hard-drive, a removable solid-state memory, or any combination of the foregoing.

A session track vectorization unit **100** retrieves the converted session tracks **14**, combines them into a session vector **16**, and provides the session vector **16** to a session vector transfer unit **102** for transmission to the music collaboration system **18**, typically
25 by modulating an electromagnetic wave to carry information representative of the session vector **16**.

The session vector transfer unit **102** includes a network interface for providing communication with a wide-area network, via either a transmission line interface, such as

an Ethernet cable, or a free-space electrical interface, such as a WiFi interface for launching the modulated electromagnetic wave for transmission to the distributed music collaboration system.

A status indicator **104** includes an interface, such as LEDs or a screen, that indicates the operating status of the trapper **90** such as whether it is connected to a network, whether it is transmitting data, whether its memory is close to full, the extent of remaining charge in a battery, for those embodiments that have a battery as a power source, whether the input dynamic range is within acceptable limits, and any combination of the foregoing.

When connected to the session hub **10**, the input interface **92** of the track-trapper **90** connects to buses within the session hub **10**, each of which carries a track associated with a particular music source **12**. In other embodiments, the input interface includes inputs that can be connected directly to individual music sources **12** without the need for a separate session hub **10**. Examples of music sources **12** to which the input interface **92** connects are the output of a mixing board, or instrument cables and/or microphones associated with individual musicians. Using this feature in conjunction with a WiFi network, the track-trapper **90** can capture a live performance and stream it in essentially real-time to the distributed music collaboration system **18**. A sound editor can then quickly carry out suitable editing and mixing steps and create an audio file of the performance for wireless distribution and/or sale shortly after the end of the performance at the site of the performance itself.

Server-generated metadata **28** includes the date and time of the session, and if available, the identities of the musicians participating in the session. User-generated metadata **30** is provided by one or more users **32** accessing the collaboration system **18** using one of a corresponding plurality of clients **34**. Such a user **32** generally maintains an account with the collaboration system **18**. Through such an account, the user **32** can access session data **24** and create, alter, inspect or otherwise manipulate user-generated metadata **30**.

One way for a user **32** to create user-generated metadata **30** is to perform custom editing or mixing of the session vectors **16**. For example, a user **32** may want to alter relative volumes of session tracks **14**, either in their entirety or within selected sections. Or the user **32** may want to alter the underlying time base either entirely or in sections,
5 thus manipulating the tempo of the music. Or a user **32** may wish to cut and paste selected portions of session tracks **14**.

Rather than alter the underlying session vector **16**, the user's various editing and mixing commands are saved as a session transform **38**. A filtering streamer **40** accepts a session transform **38** and a session vector **16** as inputs and outputs audio that can be
10 listened to at a user's client **34**.

A user **32** who wishes to hear the music as it was recorded during the session causes the filtering streamer **40** to accept that session vector **16** as a first input, and uses an identity session transform **38** as a second input. This results in the original music being streamed to the client **34**. On the other hand, a user **32** who wishes to hear the result of
15 his own editing and mixing or that carried out by another, specifies the session vector **16** as a first input and a particular session transform **38** as the second input. This causes the filtering streamer **40** to stream, to the client **34**, the music from that session as modified by the selected session transform **38**.

A user **32** can create several different session transforms **38** corresponding to
20 different mixes. In doing so, the session vector **16** serves as a common foundation for all the different mixes. In addition, a user **32** can authorize other users to listen to the session vector **16** as modified by any session transform **38** by, for example, sending a link either to the session transform **38** or to a filtering streamer **40** having the appropriate session vector **16** and session transform **38** as inputs.

25 In addition to session transforms **38**, session metadata **26** can also include annotations **42** linked to specified time points or time intervals in one or more session tracks **14** of a session vector **16**. A user **32** on one client **34** can thus make comments pertaining to a particular session track **14** or portion thereof. These comments are saved as user-generated metadata **30** available to a user's collaborator. The collaborator may

then add his own comments either in response to the user's comments or pertaining to another session track **14** or portion thereof.

The collaboration system **18** described herein thus permits a musician to collaborate with other musicians in connection with a session and to do so without creating multiple edited copies of the session data **24**.

A representative user-interface encountered by a user **32** who accesses a server hosting the collaborative music system **18** is shown in FIG. 3. The user-interface includes a view button **40** that allows the user **32** to switch between different views. These views include a time-line view **42**, shown in FIG. 3, an annotation view **44**, shown in FIG. 4, a mixing view **46**, shown in FIG. 5, an editing view **48**, shown in FIG. 6, and a human-readable music view **50**, shown in FIG. 7.

The time-line view **42**, shown in FIG. 3, features a scrollable time-line **52** having nodes **54A-54B** corresponding to each session that the user **32** is authorized to access. These nodes **54A, 54B** are ordered by the time at which the session occurred. Each node **54A-54B** is associated with a metadata field **56A, 56B** showing the metadata **24** associated with that session. A metadata field **56A** in some embodiments appears when a user **32** clicks on or hovers over its corresponding node **54A**. The user's identity is identified in a user-ID field **58** at the top of the time-line view **42**. A top row **60** of the time-line view **42**, as well as the other views, features three buttons that reveal corresponding metadata for a currently selected session. These buttons include a first button **64** for accessing a list of musicians associated with the session, a second button **62** for accessing user-generated metadata, and a third button **66** for accessing server-generated metadata.

Clicking the first button **64** causes display of a window that shows musicians associated with the session and invites the user **32** to modify the information. Information concerning musicians can be tied to an account associated with the musician. However, this need not be the case.

Clicking the second button **62** causes display of a window that shows tags associated with the selected session and invites the user **32** to edit or add searchable information about the session. For example, the user **32** may enter information identifying the genre, or the key, or the names and/or composers of songs rehearsed
5 during the session.

Clicking the third button **66** causes display of a window that shows date and time stamps, file size, and similar server-generated data that is also user searchable.

The annotation view **44**, shown in FIG. 4, provides features to facilitate collaboration with other users. In the annotation view **44**, a portion of the window shows
10 session tracks **14**, or combinations thereof, in graphical form. The user **32** can introduce marker points **68** to mark selected points in one or more session tracks **14**. In the illustrated interface, these marker points **68** are triangles having a vertex resting on the graphical representation of the session track **14**. The location of the marker point **68** indicates the time relative to some fixed point in the session track **14**, which is usually the
15 beginning of the session track **14**.

Associated with each marker point **68** is an annotation window **70** in which the user **32** can enter his observations about the session track **14**, both for himself and to share with other users. Upon clicking on a marker point **68**, the annotation window **70** opens and reveals any comments either by the user or by his collaborators. In some
20 embodiments, the annotation window **70** has different colors corresponding to different collaborating users.

A useful feature in certain embodiments is a play-loop that enables a relevant portion of the session track **14** to be played so that a comment concerning that portion can be readily understood in its musical context.

25 The mixing view **46**, shown in FIG. 5, provides a way to see, for each of several sessions **72A-72E** the various session transforms **74A-74C** that have been saved by the user **32** or by his collaborators. In the particular example shown, three session transforms **74A-74C** have been saved for the first session **72A**. When the user **32** selects a session

transform **74A**, the server **20** passes the session tracks **14** and the selected session transform **74A** to the filtering streamer **40** to be streamed to the user **32**.

The editing view **48**, shown in FIG. 6, provides an interface to enable users to cut, copy, and paste selections **76** within and between session tracks **14**, play, pause, fast
5 forward, rewind, or otherwise position a play head **78**, and change levels within a specified interval **80**, either overall or for selected frequencies.

The music view **50**, shown in FIG. 7, includes a scrollable-time-line **82** similar to that shown in the time-line view **42** in which each node **84** corresponds to a session track
10 **14**. In this view, clicking on a node **84** causes display of a window **86** showing a title, lyrics, notes, or chords associated with the session track **14**.

The principles described herein, and the advantages thereof, are also applicable to the case in which no network is contemplated. For example, when implemented on a stand-alone system, a user can experiment with different mixes on the fly in the same manner described above by applying user-generated metadata to existing session data.

15 Having described the invention and a preferred embodiment thereof, what I claim as new and secured by letters patent is:

CLAIMS

1. An apparatus for providing a distributed music collaboration system with a session vector comprising session tracks associated with a session, each of said session tracks containing data representative of music created by a music source during said session, said apparatus comprising an input for receiving said session tracks, an audio converter for converting said first and second data into one of a plurality of audio formats, thereby generating converted session tracks, a storage medium for storing said converted session tracks, a session-track vectorization unit for packaging said converted session tracks into a session vector for transmission to said distributed music collaboration system, and a session-vector transfer unit for effecting transfer of said session vector to said distributed music collaboration system.

5

10
2. The apparatus of claim 1, wherein said session-vector transfer unit is configured to modulate an electromagnetic wave to carry information representative of said session vector.

15
3. The apparatus of claim 2, wherein said session-vector transfer unit comprises a transmission line interface, said session-vector transfer unit being further configured to launch said modulated electromagnetic wave onto said transmission line for transmission to said distributed music collaboration system.

20
4. The apparatus of claim 2, wherein said session-vector transfer unit comprises a free-space electrical interface, said session-vector transfer unit being further configured to generate current on said free-space electrical interface to launch said modulated electromagnetic wave for transmission to said distributed music collaboration system.

25

5. The apparatus of claim 1, wherein said input is configured to connect to a session hub for receiving data from music sources, and to retrieve session tracks from said session hub.
6. The apparatus of claim 1, wherein said input comprises a plurality of
5 jacks, each of which receives one session track from one music source.
7. The apparatus of claim 1, further comprising an input level indicator to indicate whether audio input is within an optimal dynamic range.
8. The apparatus of claim 1, further comprising a status indicator to indicate
10 presence or absence of a connection to said distributed music collaboration system.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7



6/6

FIG. 8

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US2013/076789

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - G10H 1/00 (2014.01)

USPC - 84/1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8) - G08B 17/00; G10H 1/00, 1/18 (2014.01)

USPC - 84/1, 742; 340/500; 709/231

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

CPC - G08B 17/00; G10H 1/00, 1/18 (2014.02)

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Google, Orbit, Google Patents

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2002/0091847 A1 (CURTIN) 11 July 2002 (11.07.2002) entire document	1-8
Y	US 2010/0013643 A1 (LONTKA et al) 21 January 2010 (21.01.2010) entire document	1-8
Y	US 2009/0282967 A1 (SKILLINGS) 19 November 2009 (19.11.2009) entire document	2-8
A	US 2009/0068943 A1 (GRANDINETTI et al.) 12 March 2009 (12.03.2009) entire document	1-8

Further documents are listed in the continuation of Box C.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

08 May 2014

Date of mailing of the international search report

23 MAY 2014

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, Virginia 22313-1450
Facsimile No. 571-273-3201

Authorized officer:

Blaine R. Copenheaver

PCT Helpdesk: 571-272-4300
PCT OSP: 571-272-7774