



(12) **United States Design Patent**  
**Sunil et al.**

(10) **Patent No.:** **US D881,908 S**  
(45) **Date of Patent:** **\*\* Apr. 21, 2020**

(54) **DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE FOR NETWORK STATUS**

(71) Applicants: **Rinu Sunil**, Bangalore (IN); **Rajesh Kallolikar**, Bangalore (IN)

(72) Inventors: **Rinu Sunil**, Bangalore (IN); **Rajesh Kallolikar**, Bangalore (IN)

(73) Assignee: **Unisys Corporation**, Blue Bell, PA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/607,234**

(22) Filed: **Jun. 12, 2017**

(51) **LOC (12) Cl.** ..... **14-04**

(52) **U.S. Cl.** ..... **D14/486**  
USPC ..... **D14/486**

(58) **Field of Classification Search**  
USPC ..... D14/485-495

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D574,390 S \* 8/2008 Lee ..... D14/486  
D616,450 S \* 5/2010 Simons ..... D14/486

(Continued)

**OTHER PUBLICATIONS**

“現行システムを Wagby に移行するためのストーリー” Nov. 24, 2015, Hatena Blog, site visited Feb. 7, 2019: <http://yoshinorinie.hatenablog.com/entry/2015/11/24/103225>.\*

(Continued)

*Primary Examiner* — Jack Reickel

(57) **CLAIM**

The ornamental design for a display screen with graphical user interface for network status, as shown and described.

**DESCRIPTION**

FIG. 1 is a display screen with a graphical user interface for network status

FIG. 2 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 3 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 4 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 5 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 6 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 7 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 8 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 9 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 10 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 11 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 12 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 13 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 14 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 15 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

(Continued)




FIG. 16 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 17 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity; and,

FIG. 18 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

The evenly spaced broken lines in the FIGS. 1-18 depict portions of the graphical user interface for network status and are part of the claimed design.

The dot dash lines represent a boundary of the claimed design, and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**

(58) **Field of Classification Search**

CPC .... G06F 3/048; G06F 3/0481; G06F 3/04817;  
 G06F 3/0482; G06F 3/0483; G06F  
 3/04842; G06F 3/0485; G06F 3/04855;  
 G06F 3/0486; G06F 3/0488; G06F  
 3/04886; G06F 9/4443; G06F 17/211;  
 G06F 17/212

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D619,602 S \* 7/2010 Ehrler ..... D14/486  
 7,818,689 B2 \* 10/2010 Wada ..... G06F 16/58  
 715/853

D640,264 S \* 6/2011 Fujii ..... D14/486  
 D642,187 S \* 7/2011 Pearson ..... D14/486  
 D642,190 S \* 7/2011 Pearson ..... D14/486  
 8,028,243 B1 \* 9/2011 O’Riordan ..... G06F 9/451  
 715/765  
 D656,508 S \* 3/2012 Makhoulf ..... D14/486  
 D661,313 S \* 6/2012 Nenoki ..... D14/487  
 D681,048 S \* 4/2013 Freiburger ..... D14/486  
 D691,626 S \* 10/2013 Philopoulos ..... D14/486  
 D704,721 S \* 5/2014 Sassoon ..... D14/486  
 2004/0250211 A1 \* 12/2004 Wakita ..... G11B 27/034  
 715/723  
 2009/0043907 A1 \* 2/2009 Peterson ..... G06F 3/0236  
 709/231  
 2011/0191688 A1 \* 8/2011 Hasegawa ..... G06F 15/00  
 715/738  
 2014/0282256 A1 \* 9/2014 Fish ..... G06F 3/04886  
 715/835

OTHER PUBLICATIONS

“TortoiseSVN’s Settings” Nov. 28, 2015, Wayback Machine, site visited Dec. 4, 2019: [http://web.archive.org/web/20151128210043/http://tortoisesvn.net/docs/release/TortoiseSVN\\_en/tsvn-dug-settings.html](http://web.archive.org/web/20151128210043/http://tortoisesvn.net/docs/release/TortoiseSVN_en/tsvn-dug-settings.html) (Year: 2015).\*

“Amiga Workbench 3.1 Customisation Guide” Jul. 21, 2018, devtty.io, site visited Dec. 4, 2019: <https://devtty.io/2018/07/computing/how-to-setup-commodore-amiga-workbench-os/> (Year: 2018).\*

\* cited by examiner






FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 4




FIG. 7




FIG. 8




FIG. 11




FIG. 9




FIG. 12




FIG. 10




FIG. 13




FIG. 14




FIG. 17




FIG. 15




FIG. 18




FIG. 16