



US00D878784S

(12) **United States Design Patent**
Hurford

(10) **Patent No.:** **US D878,784 S**

(45) **Date of Patent:** **** Mar. 24, 2020**

- (54) **CHAIR**
- (71) Applicant: **Okamura Corporation**, Yokohama-shi, Kanagawa (JP)
- (72) Inventor: **Alexander Hurford**, Yokohama (JP)
- (73) Assignee: **Okamura Corporation**, Yokohama-shi, Kanagawa (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/641,901**
- (22) Filed: **Mar. 26, 2018**
- (30) **Foreign Application Priority Data**

Sep. 26, 2017 (JP) 2017-020919
 Sep. 26, 2017 (JP) 2017-020920
 Sep. 26, 2017 (JP) 2017-020921

- (51) **LOC (12) Cl.** **06-01**
- (52) **U.S. Cl.**
USPC **D6/365**

- (58) **Field of Classification Search**
USPC D6/356, 360, 364, 365, 335, 366, 367, D6/375, 716, 719; D21/521, 533, 548
CPC A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35; B60N 2/0252; B60N 2/99; B64D 11/064; B64D 11/0646; B64D 33/0021; B64D 33/00
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS

D138,511 S * 8/1944 Dreyfuss 297/445.1
 D298,491 S * 11/1988 Haukvik D6/365

D316,936 S *	5/1991	Ekornes	D6/365
D508,787 S *	8/2005	Natuzzi	D6/364
D531,420 S *	11/2006	Kita	D6/364
D600,033 S *	9/2009	Natuzzi	D6/364
D611,263 S *	3/2010	Werner	D6/366
D672,975 S *	12/2012	Rashid	D6/335
D677,918 S *	3/2013	Citterio	D6/366
D684,785 S *	6/2013	Hwangbo	D6/367
D698,162 S *	1/2014	Kita	D6/335
D701,719 S *	4/2014	Haase	D6/719
D704,465 S *	5/2014	Massaud	D6/364
D704,466 S *	5/2014	Massaud	D6/364
D704,488 S *	5/2014	Massaud	D6/716
D717,555 S *	11/2014	Massaud	D6/364
D763,589 S *	8/2016	Mion	D6/375
D799,844 S *	10/2017	Aamodt	D6/366
9,828,101 B2 *	11/2017	Shih	B64D 11/0646
D824,185 S *	7/2018	Wang	D6/367
D824,689 S *	8/2018	Jongerijs	D6/375

(Continued)

Primary Examiner — Michael C Stout
Assistant Examiner — Paul D Bohannon
 (74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a chair, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a chair showing my new design;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a right side view thereof, the left side view being a mirror image thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.
 The broken lines shown in the drawings illustrate portions of the chair that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,081,285	B2 *	9/2018	Kaneda	B60N 2/99
10,144,312	B2 *	12/2018	Akaike	B64D 11/0639
D839,622	S *	2/2019	Oyama	D6/356
D848,162	S *	5/2019	Yin	D6/335

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

