



US 20110201088A1

(19) **United States**

(12) **Patent Application Publication**
Beall et al.

(10) **Pub. No.: US 2011/0201088 A1**

(43) **Pub. Date: Aug. 18, 2011**

(54) **PRODUCTION OF RAAV IN VERO CELLS
USING PARTICULAR ADENOVIRUS
HELPERS**

(60) Provisional application No. 61/049,257, filed on Apr. 30, 2008.

(75) Inventors: **Clifford J. Beall**, Gahanna, OH
(US); **Kelly R. Clark**, Columbus,
OH (US); **Philip R. Johnson, JR.**,
Wynnewood, PA (US)

Publication Classification

(51) **Int. Cl.**
C12N 7/00 (2006.01)

(73) Assignee: **NATIONWIDE CHILDREN'S
HOSPITAL INC.**, Columbus, OH
(US)

(52) **U.S. Cl. 435/235.1**

(21) Appl. No.: **13/081,169**

(22) Filed: **Apr. 6, 2011**

(57) **ABSTRACT**

Related U.S. Application Data

(63) Continuation of application No. 12/433,876, filed on
Apr. 30, 2009, now Pat. No. 7,943,379.

The present invention relates to methods and materials for recombinant adeno-associated virus production. More particularly, in some embodiments the invention contemplates the use of an adenovirus known as Simian Adenovirus 13 (SAdV-13) and Vero cells for production of recombinant adeno-associated virus (rAAV).





Figure 1

**Figure 2**




Figure 3




Figure 4

PRODUCTION OF RAAV IN VERO CELLS USING PARTICULAR ADENOVIRUS HELPERS

STATEMENT OF GOVERNMENT INTEREST

[0001] This invention was made with government support under N01-AI-50008 awarded by The National Institute of Allergy and Infectious Diseases (NIAID). The government has certain rights in the invention.

FIELD OF THE INVENTION

[0002] The present invention relates to methods and materials for recombinant adeno-associated virus production. More particularly, the invention contemplates the use of an adenovirus known as Simian Adenovirus 13 (SAdV-13) and Vero cells for production of infectious recombinant adeno-associated virus (rAAV).

BACKGROUND

[0003] Infectious recombinant AAV are being developed as gene transfer vehicles for an ever-widening array of human applications such as for use as vaccines and gene therapy vectors. The intense interest in rAAV has been fueled by the finding that these simple vectors can efficiently transduce a variety of post-mitotic cells when administered in vivo. Promising data from animal models has resulted in the initiation of several ongoing human clinical trials. While these advances are encouraging, obstacles remain for the general implementation of rAAV as a universal gene transfer vehicle.

[0004] Adeno-associated virus (AAV) is a replication-deficient parvovirus, the single-stranded DNA genome of which is about 4.7 kb in length including 145 nucleotide inverted terminal repeat (ITRs). The nucleotide sequence of the AAV serotype 2 (AAV2) genome is presented in Srivastava et al., J. Virol., 45: 555-564 (1983) as corrected by Ruffing et al., J. Gen. Virol., 75: 3385-3392 (1994). Cis-acting sequences directing viral DNA replication (rep), encapsidation/packaging and host cell chromosome integration are contained within the ITRs. Three AAV promoters, p5, p19, and p40 (named for their relative map locations), drive the expression of the two AAV internal open reading frames encoding rep and cap genes. The two rep promoters (p5 and p19), coupled with the differential splicing of the single AAV intron (at nucleotides 2107 and 2227), result in the production of four rep proteins (Rep 78, Rep 68, Rep 52, and Rep 40) from the rep gene. Rep 78 and Rep 68, are respectively expressed from unspliced and spliced transcripts initiating at the p5 promoter, while Rep 52 and Rep 40, are respectively expressed from unspliced and spliced transcripts initiating at the p19 promoter. Rep proteins possess multiple enzymatic properties which are ultimately responsible for replicating the viral genome. Rep 78 and 68 appear to be involved in AAV DNA replication and in regulating AAV promoters, while Rep 52 and 40 appear to be involved in formation of single-stranded AAV DNA. The cap gene is expressed from the p40 promoter and it encodes the three capsid proteins VP1, VP2, and VP3. Alternative splicing and non-consensus translational start sites are responsible for the production of the three related capsid proteins. A single consensus polyadenylation site is located at map position 95 of the AAV genome. The life cycle and genetics of AAV are reviewed in Muzyczka, Current Topics in Microbiology and Immunology, 158: 97-129 (1992).

[0005] When wild type AAV infects a human cell in culture, the viral genome can integrate into chromosome 19 resulting in latent infection of the cell. Production of infectious virus does not occur unless the cell is infected with a helper virus (for example, adenovirus or herpesvirus). In the case of adenovirus, genes E1A, E1B, E2A, E4 and VA provide helper functions. Upon infection with a helper virus, the AAV provirus is rescued and amplified, and both AAV and adenovirus are produced.

[0006] AAV possesses unique features that make it attractive for delivering DNA to cells in a clinical application, for example, as a gene therapy vector or an immunization vector. AAV infection of cells in culture is noncytopathic, and natural infection of humans and other animals is silent and asymptomatic. Moreover, AAV infects many mammalian cells allowing the possibility of targeting many different tissues in vivo. The AAV proviral genome is infectious as cloned DNA in plasmids which makes construction of recombinant genomes feasible. Furthermore, because the signals directing AAV replication, genome encapsidation and integration are contained within the ITRs of the AAV genome, some or all of the internal approximately 4.3 kb of the genome (encoding replication and structural capsid proteins, rep-cap) may be replaced with foreign DNA such as a gene cassette containing a promoter, a DNA of interest and a polyadenylation signal. The rep and cap proteins may be provided in trans. Another significant feature of AAV is that it is an extremely stable and hearty virus. It easily withstands the conditions used to inactivate adenovirus (56° to 65° C. for several hours), making cold preservation of AAV-vectors less critical. AAV may even be lyophilized. Finally, AAV-infected cells are not resistant to superinfection.

[0007] Production of rAAV requires the AAV rep78/68, rep52/40 and capsid genes and expression of their gene products, a DNA of interest flanked by AAV ITRs, helper functions provided by an adenovirus or herpesvirus helper virus, and a cell line comprising these components that is permissive for AAV replication. Examples of helper virus functions are adenovirus genes E1a, E1b, E2A, E4 and VA RNA [Carter, Adeno-associated virus helper functions in "Handbook of Parvoviruses" Vol I (P. Tjissen, Ed.) CRC Press, Boca Raton, pp 255-282 (1989)]. Wild type AAV (wt AAV) has one of the largest burst sizes of any virus following infection of cells with AAV and adenovirus. This may be well in excess of 100,000 particles per cell [Aitken et al., Hum Gene Therapy, 12:1907-1916 (2001)], while some rAAV production systems have been reported to achieve greater than 10³ particles per cell. Rep proteins are absolutely required for both wt AAV and rAAV replication and assembly of intact infectious particles, as summarized in Carter et al., AAV vectors for gene therapy, in "Gene and Cell Therapy: Therapeutic Mechanisms and Strategies", Second Edition (Ed. N. Templeton-Smith), pp 53-101, Marcel Dekker, New York (2004).

[0008] A requirement for the clinical use of recombinant AAV for DNA delivery is a highly efficient scheme for production of infectious recombinant virus that is reproducible and commercially scalable. One popular mechanism of producing rAAV is to transiently transfect cells with one or more plasmids containing adenoviral helper genes, rep and cap genes, and a recombinant AAV genome. Such transfection methods are difficult to scale up, which has led to development of stable cell line methods.

[0009] Two types of stable cell lines have been developed. In one type (producer cells), both the rAAV genome and the

rep-cap genes are stably integrated into the cell DNA, while helper functions are provided by a wild-type adenovirus. As used herein, “producer cells” are those cells that are stably transformed with a rAAV genome and AAV rep/cap genes. In the second type (packaging cells), the rep and cap genes are integrated, while the rAAV genome is provided by infection with a recombinant adenovirus or herpes virus containing the rAAV genome (termed herein a “rAd/AAV hybrid” or “rHerpes/AAV hybrid”), and the helper functions are provided by a wild type adenovirus. As used herein, “packaging cells” are those cells that are stably transformed with AAV rep/cap genes.

[0010] The most common forms of these scalable systems use HeLa cells. Other cell substrates have also been used to produce AAV. One such cell substrate is a Vero cell. See, for example, U.S. Patent Application US20040224411 published Nov. 11, 2004; Handa et al., *Journal of Biological Chemistry* 254(14): 6603-6610 (1979); Richardson et al., *Proc Natl Acad Sci USA* 77(2): 931-935 (1980); and Liu et al., *Journal of Virology* 80(4): 1672-1679 (2006). Vero cells are derived from African green monkey kidney cells, and were identified as a cell line substrate for viral vector production. Vero cells have been used as a cell line substrate for the production of numerous human vaccines, including poliovirus (both oral and inactivated) and rabies. The safety of the cell line is attested to by pharmacovigilance of more than 20 million doses of rabies vaccine and more than 1 billion of OPV.

[0011] Vero cells have been readily adapted for growth in bioreactors on microcarriers and provide consistently high yields of viruses such as polio and rabies viruses. This allows for vaccine purity (less contaminating cell debris), large lots of vaccine (i.e., greater vaccine availability), and more economic production of vaccine. The issues of yield and adaptability to growth in bioreactors are grounds for use of Vero cells that have been provided to the Center for Biologics Evaluation and Research (CBER) division of the FDA by most manufacturers who propose to use them for vaccine production.

[0012] There remains a need in the art for new methods for scalable high titer production of rAAV from mammalian non-transformed cancer cells.

SUMMARY OF THE INVENTION

[0013] The present invention provides methods and materials useful for producing infectious recombinant AAV (rAAV). Compared to previous methods and materials, the methods and materials of the invention allow for much higher titers of rAAV to be produced and/or allow for high titer production of rAAV in mammalian cells other than transformed cancer cells.

[0014] The present invention achieves scalable high titer rAAV production using Vero cell substrates combined with simian adenovirus 13 (SAdV-13) helper virus. A particular SAdV-13 clone provided by the invention is SAdV-13 PME-12. The sequence of the clone is set out in SEQ ID NO: 16. The invention contemplates that other helper viruses like SAdV-13 or SAdV-13-like helper plasmids may also be used in the methods of the invention. A “SAdV-13-like” helper virus or helper plasmid according to the invention may be a naturally-occurring helper virus (i.e., not made by recombinant DNA techniques), or a recombinant helper virus or recombinant helper plasmid encoding one or more helper virus functions. Techniques to make recombinant helper viruses and helper plasmids are known in the art. Helper

viruses of AAV are known in the art and include, for example, viruses from the family Adenoviridae and the family Herpesviridae. In some embodiments of the invention, the “SAdV-13-like” helper virus is from the Adenoviridae family including, but not limited to, a simian or human adenovirus.

[0015] In one embodiment of the invention, an “SAdV-13-like” helper virus may be a helper virus, the use of which allows rAAV production in Vero cells at a titer about equal to, equal to, or greater than the titer obtained with SAdV-13 in the assay of Example 2.

[0016] In another embodiment of the invention, an “SAdV-13-like” helper virus may be a helper virus that induces AAV rep gene amplification in a Vero cell that is about equal to, equal to, or greater than the amplification obtained when SAdV-13 is used. Adenovirus-dependent rep gene amplification can be readily determined by qPCR as previously described [Liu et al., *Mol Ther* 2:394-403 (2000)].

[0017] In yet another embodiment of the invention, an “SAdV-13-like” helper virus may be a helper virus that upregulates the expression of AAV rep, or AAV rep and cap genes, in a Vero cell so that AAV rep gene expression is about equal to, equal to, or greater than that obtained when SAdV-13 is used. Rep gene expression can be measured, for example, with a Western blot assay using anti-rep monoclonal antibody (such as clone 226.7, American Research Products).

[0018] In still other embodiment, a “SAdV-13-like” helper virus according to the invention may be a helper virus that exhibits a delayed cytopathic effect (CPE) relative to other helper viruses. These may be identified by carrying out the assay in Example 3 in Vero cells and selecting those helper viruses that take “time to reach maximal CPE about that of SAdV-13” wherein SAdV-13 and the other helper viruses are used at MOI=10. A “time to reach maximal CPE about that of SAdV-13” is a period of greater than 1 day, 2 days, 3 days, 4 days, 5 days or more than the maximal CPE of human adenovirus 5 (MOI=10) in the assay. In one embodiment, the “time to reach maximal CPE about that of SAdV-13” is a period of at least 1 day more than the maximal CPE of human adenovirus 5 (MOI=10) in the assay. Alternatively, a “time to reach maximal CPE about that of SAdV-13” may be a period that is at least about 80%, 90%, 95%, 96%, 97%, 98%, 99%, 100% or greater than the time to reach maximal CPE of SAdV-13 in the assay. Other adenoviruses that are reported to have delayed cytopathic effect include human Ad-8 and -19 [Schwartz et al., *Invest Ophthalmol Vis Sci* 18(9):956-63 (1979)] and mouse adenovirus 1 [Nguyen et al, *Gene Therapy* 6, 1291-1297 (1999)].

[0019] CPE is a change in cellular morphology that occurs following viral infection. The nature of the change varies somewhat between viruses but for adenoviruses is generally recognizable by rounding of the cells and detachment from the substrate in cell culture. This causes the cell boundary to be more refractile when observed by phase contrast microscopy. Maximal CPE can be defined as a state where a vast majority of cells (i.e. >95%) display a rounded shape.

[0020] Those of skill in the art will understand that the multiplicity of infection (MOI) used in these CPE assays does not necessarily mirror what would be used in method of the invention for production of rAAV. The invention contemplates that variation in host cell, helper virus and culturing conditions may necessitate using a MOI that differs from that utilized in a CPE assay, and would not require undue experimentation by one of ordinary skill in the art to determine. The MOI to be utilized in rAAV production methods of the inven-

tion is from about 1 to about 20, or from about 1 to about 100, when a naturally-occurring adenovirus is used as the helper virus. The MOI to be utilized when recombinant adenovirus is used as the helper virus is from about 1 to about 20, about 30, about 40, about 50, or about 70.

[0021] In yet another embodiment of the invention, an "SAdV-13-like" helper virus may be a helper virus that, when used in methods of the invention, results in production of a titer of at least about: 2×10^4 DNase resistant particles (DRP) per cell, 2.5×10^4 DRP per cell, 3×10^4 DRP per cell, 3.5×10^4 DRP per cell, 4×10^4 DRP per cell, 4.5×10^4 DRP per cell, 5×10^4 DRP per cell, 5.5×10^4 DRP per cell, 6×10^4 DRP per cell, 6.5×10^4 DRP per cell, 7×10^4 DRP per cell, 7.5×10^4 DRP per cell, 8×10^4 DRP per cell, 8.5×10^4 DRP per cell, 9×10^4 DRP per cell, 9.5×10^4 DRP per cell, 1×10^5 DRP per cell, 1.5×10^5 DRP per cell, 2×10^5 DRP per cell, or 2.5×10^5 DRP per cell.

[0022] In an embodiment, the invention provides methods for increasing rAAV production in a Vero cell line of at least 2-fold in comparison to use of human adenovirus 5 (HuAd5) helper virus and Vero cells. In other embodiments, the invention provides methods of increasing rAAV production in a Vero cell line of at least 3-fold, at least 3.5-fold, at least 4-fold, at least 4.5-fold, at least 5-fold, at least 10-fold, at least 20-fold or at least 50-fold.

[0023] In an embodiment of the invention, a method of producing rAAV is provided, comprising the steps of infecting a Vero producer cell with SAdV-13 and culturing the cell. See, for example, methods based on stable HeLa cell lines described in Clark et al., *Hum. Gene Ther* 6:1329-1341 (1995), and Tamayose et al., *Hum Gene Ther* 7:507-513 (1996).

[0024] In another embodiment of the invention, a method of producing rAAV is provided comprising the steps of introducing a rAAV genome into a Vero packaging cell, infecting the cell with SAdV-13 and culturing the cell. The rAAV genome may be introduced by a rAd/AAV hybrid. Vero packaging cell lines may be generated that express rep-cap genes upon adenovirus infection. rAAV is produced by infecting the packaging cell line with a recombinant adenovirus harboring a rAAV vector genome in the adenovirus E1 region or adenovirus E3 region (rAd/AAV hybrid). The corresponding E1 or E3 helper gene products are also provided for robust Ad/AAV hybrid replication. See, for example, Liu et al., *Gene Ther* 6:293-299 (1999); Inoue et al., *J Virol* 72:7024-7031 (1998); Gao et al., *Hum Gene Ther* 9:2353-2362 (1998); Conway et al., *Gene Ther* 6:986-993 (1999); Vincent et al., *Vaccine* 90:353-359 (1990); Clark et al., *Hum Gene Ther* 10:1031-1039 (1999); Thrasher et al., *Gene Ther* 2:481-485 (1995); Fisher et al., *Hum Gene Ther* 7:2079-2087 (1996); and Gao et al., *Mol Ther* 5:644-649 (2002). Upon co-infection, the rAAV vector is excised from the adenovirus genome, replicated, and packaged into infectious virions.

[0025] In still another embodiment of the invention, a method of producing rAAV is provided comprising the steps of introducing a rAAV genome and AAV rep/cap genes into a Vero cell, infecting the cell with SAdV-13 helper virus and culturing the cell. The introduction of the rAAV genome and AAV rep/cap genes into a Vero cell may occur concurrently with the infection of the cell with helper virus. Alternatively, the Vero cell may be a packaging cell. rAAV is commonly generated in cell culture by plasmid DNA transfection of mammalian cells. The plasmid components are: an AAV vector plasmid, an AAV rep-cap expressing plasmid, and an

adenovirus helper plasmid or wild-type adenovirus infection. See, for example, Vincent et al., *J Virol* 71:1897-1905 (1997); Ogasawara et al., *Microbiol Immunol* 42:177-185 (1998); Li et al., *J Virol* 71:5236-5243 (1997); Grimm et al., *Hum Gene Ther* 9:2745-2760 (1998); Ferrari et al., *J Virol* 70:3227-3234 (1996); Xiao et al., *J Virol* 72:2224-2232 (1998); Collaco et al., *Gene* 238:397-405 (1999); Matsushita et al., *Gene Ther* 5:938-945 (1998); and Salvetti et al., *Hum Gene Ther* 9:695-706 (1998). The methods that may be utilized to introduce rep and cap genes into a cell are well known to those of ordinary skill in the art. These may include, e.g., use of a virus that encodes rep and/or cap genes to infect a cell, or use of a plasmid that encodes rep and/or cap genes to transiently transfect a cell.

[0026] In an embodiment of the invention, a method of producing rAAV is contemplated comprising the steps of infecting a Vero producer cell with a SAdV-13-like adenovirus helper virus and culturing the cell.

[0027] In another embodiment of the invention, a method of producing rAAV is provided comprising the steps of introducing a rAAV genome into a Vero packaging cell, infecting the cell with a SAdV-13-like adenovirus helper virus and culturing the cell. The rAAV genome may be introduced by a rAd/AAV hybrid.

[0028] In yet another embodiment of the invention, a method of producing rAAV is provided comprising the steps of introducing a rAAV genome and AAV rep/cap genes into a Vero cell, infecting the cell with a SAdV-13-like helper virus and culturing the cell. The introduction of a rAAV genome and AAV rep/cap genes into a Vero cell may occur concurrently with the infection of the cell with a SAdV-13-like helper virus. Alternatively, the Vero cell may be a packaging cell.

[0029] In embodiments of the invention, the rAAV produced by the methods of the invention is isolated.

[0030] In a further embodiment of the invention, methods are provided that comprise infecting a Vero packaging cell with helper virus of the invention and then with an Ad/AAV hybrid virus encoding the rAAV genome. In some embodiments, the Vero cell may be infected with the Ad/AAV hybrid virus about 16 to 24 hours after helper virus infection.

[0031] In yet another embodiment of the invention, a method is provided for producing infectious recombinant adeno-associated virus (rAAV), the improvement comprising infecting a Vero cell with SAdV-13 helper virus.

[0032] In still another embodiment of the invention, a method is provided for producing infectious recombinant adeno-associated virus (rAAV), the improvement comprising infecting a Vero cell with a SAdV-13-like adenovirus helper virus.

[0033] In an embodiment of the invention, a method of producing infectious rAAV is provided comprising culturing a Vero producer cell under conditions permissive for rAAV production, wherein the Vero producer cell comprises simian adenovirus 13 (SAdV-13) helper virus.

[0034] In another embodiment of the invention, a method of producing infectious rAAV is provided comprising culturing a Vero producer cell under conditions permissive for rAAV production, wherein the Vero producer cell comprises simian adenovirus 13-like (SAdV-13-like) helper virus.

[0035] Methods of the invention produce rAAV titers of at least about: 2×10^4 DNase resistant particles (DRP) per cell, 2.5×10^4 DRP per cell, 3×10^4 DRP per cell, 3.5×10^4 DRP per cell, 4×10^4 DRP per cell, 4.5×10^4 DRP per cell, 5×10^4 DRP

per cell, 5.5×10^4 DRP per cell, 6×10^4 DRP per cell, 6.5×10^4 DRP per cell, 7×10^4 DRP per cell, 7.5×10^4 DRP per cell, 8×10^4 DRP per cell, 8.5×10^4 DRP per cell, 9×10^4 DRP per cell, 9.5×10^4 DRP per cell, 1×10^5 DRP per cell, 1.5×10^5 DRP per cell, 2×10^5 DRP per cell, or 2.5×10^5 DRP per cell. In methods of the invention, Vero cells are cultured under conditions permissive for rAAV production.

[0036] The invention contemplates that any rAAV serotype (including, but not limited to, AAV1, AAV2, AAV5, AAV6, AAV7, AAV8, AAV9, and variants thereof), pseudotype or chimera may be produced by methods of the invention.

[0037] The invention also contemplates that any rAAV genome that can be packaged in an infectious recombinant AAV (rAAV) may be used in the methods described herein. Numerous appropriate rAAV genomes are described in the art and may be used in the invention. rAAV genomes usually comprise one or more DNAs of interest flanked by AAV ITRs, or comprise an expression cassette (one or more DNAs of interest operatively linked to a promoter and polyadenylation signal for expression) flanked by AAV ITRs. The DNAs of interest may encode a protein or an RNA, as is understood in the art. In embodiments of the invention, there are no AAV rep and cap genes between the AAV ITRs of rAAV genomes.

[0038] The present invention provides for a Vero producer cell or Vero cell producer cell substrate (as used interchangeably herein) wherein the Vero producer cell comprises an rAAV ITR flanking a polynucleotide of therapeutic interest (rAAV genome) and AAV rep and cap genes. In some embodiment both the rAAV genome and the rep-cap genes are stably integrated into the Vero cell. In some embodiments either or both the rAAV genome and the AAV rep-cap genes are introduced into the Vero cell via infection with a recombinant adenovirus or recombinant herpes virus wherein the either the rep-cap genes or rAAV genome respectively is a stably integrated into the Vero cell.

BRIEF DESCRIPTION OF THE DRAWINGS

[0039] FIG. 1 depicts production of rAAV following various helper virus infections of VeroC2 cells. Cells were infected with the indicated virus at MOI=10 and rAAV DRP was quantified by DRP using qPCR. Real time PCR with primer/probe sets detecting the CMV promoter (blue) and the eGFP coding region (red) are shown.

[0040] FIG. 2 depicts infectious rAAV titers produced by VeroC2 cells upon infection with various helper viruses. Lysates were produced as described and then used for co-infection of HeLa C12 cells with human Ad5. Lysates produced with SAdV-2, 3, 10, 11, 16 or mock-infected did not produce any detectable infectious rAAV (<100 IU/ml).

[0041] FIG. 3 depicts the BamHI restriction pattern of four fosmid clones compared to SAdV-13 infected cell Flirt DNA showing an identical banding pattern consistent with isolation of an SAdV-13 molecular clone.

[0042] FIG. 4 depicts phylogenetic trees for hexon and penton protein sequences from various simian (SAdV) and human (HuAdV) adenoviruses. Bovine adenovirus sequence (BoAdA) was used to root the tree and the position of SAdV-13 is marked with arrows.

DETAILED DESCRIPTION

[0043] The present invention is illustrated by the following examples relating to the production of increased titers of rAAV using a VeroC2 cell line and SAdV-13. Example 1

describes experiments in which VeroC2 cells are infected with simian adenoviruses. Example 2 describes the level of production of rAAV as measured by a DNase-resistant particle (DRP) assay. Example 3 describes a CPE assay used to determine the maximal CPE of various adenovirus helper viruses. Example 4 describes the production of rAAV in Vero cells. Example 5 demonstrates the development of Vero lines that could be used to produce rAAV by an alternative, scalable method. Example 6 describes rAAV production using Vero packaging cells and the Ad/AAV hybrid system with SAdV-13 helper virus. Example 7 describes the cloning and sequencing of a particular SAdV-13 helper virus named SAdV-13 (PME12). Example 8 describes the development of a qPCR assay to quantitate SAdV-13.

Example 1

[0044] The effect of use of various simian adenovirus helper viruses on rAAV expression of a heterologous gene in Vero cells was examined.

[0045] Simian adenoviruses were obtained from the American Type Culture Collection (ATCC, Manassas, Va.) and propagated by infecting LLC-MK2 cells (ATCC) in DMEM with 2% supplemented calf serum (Cosmic Calf Serum, HyClone, Logan Utah). Cleared cell lysates were prepared by four rounds of freezing and thawing followed by centrifugation to remove particulates. Virus samples were checked for the presence of wild type AAV by a PCR assay with degenerate primers as described in Chen et al., J Virol 79: 14781-14792 (2005). Viral samples that showed the presence of contaminating wild type AAV were processed by plaque purifying virus in the presence of anti-AAV1 rabbit antiserum. The PCR assay was then repeated on the new viral stocks. Viruses were titered by the TCID₅₀ method on LLC-MK2 cells as described in the Adeno-X expression system 1 User Manual, pages 46-47 (August 2007 version, protocol PT3414, version PR7823350), Clontech Laboratories, Inc. (Mountain View, Calif.).

[0046] A producer AAV cell line was derived from the standard Vero line distributed by ATCC (Cat #CCL-81) by methods generally described in U.S. Pat. No. 5,658,785. The producer cell line named VeroC2 has three elements stably integrated in the genomic DNA: (1) the rep and cap genes of AAV2; (2) a recombinant AAV genome with a green fluorescent protein (GFP) gene; and (3) the neomycin resistance gene. The cell line was plated at 20,000 cells per well in a 24 well plate. After one day the cells were infected with a panel of monkey adenoviruses. The adenovirus was used at a multiplicity of infection (MOI) of 10. The cells were examined 1-2 days later using a fluorescent microscope that detects GFP expression as a result of recombinant genome replication and transgene expression. Simian adenoviruses that were tested were SAdV-2, 3, 5, 8, 10, 11, 13, 16, 19 and 20.

[0047] Results showed highest GFP expression in VeroC2 cells infected with SAdV-13. Lower GFP expression was noted for VeroC2 cells infected with SAdV-5, -8, and -19. GFP expression was barely detectable for VeroC2 cells infected with SAdV-2, 3, 10, 11, 16 and 20.

Example 2

[0048] The effect of use of various simian adenovirus helper viruses on rAAV particle production in Vero cells was also examined.

[0049] The level of production of rAAV was measured by the DNase-resistant particle (DRP) assay. Vero C2 cells were infected at an MOI of 10 with SAdV-2, -3, -5, -8, -10, -11, -0.13, -16, -19, or -20. When infected cells showed maximal cytopathic effect (CPE) (evidenced by rounding and detachment) they were harvested and subjected to 4 freeze thaw cycles to lyse the cells and release the virus. Heat treatment was used to inactivate residual Ad5 (55° C. for 30 min). The samples were then diluted 1:1,000 in 50 mM KCl, 10 mM Tris pH 8.0, 5 mM MgCl₂ and 50 µl of the diluted lysate was treated with DNase I for 30 min at 37° C. The DNase was heat inactivated at 95° C. for 10 minutes and 10 rig of Proteinase K was added and allowed to digest the rAAV capsid for 1 hr at 50° C. and then the Proteinase K was inactivated by heating at 95° C. for 20 minutes. The net effect of the two treatments is to first remove any DNA that is not packaged into viral particles, and then to degrade the viral capsid proteins and release the encapsidated viral genomes. Viral DNA was quantified by real-time qPCR using "Taqman" chemistry in a ABI 7000 real time instrument (Applied Biosystems). Two primer/probe sets were utilized, one set that detects the CMV promoter, and a second set that detects the eGFP gene. A complete list of primer/probe sets that are used in this disclosure are shown in Table 1. The probes were labeled with 6-FAM at the 5' end and TAMRA at the 3' end. The Ad5 E4 sequences used were taken from Sagawa et al., 2004, Mol. Therapy 10, 1043.

TABLE 1

Sequence detected	Primer 1 sequence	Primer 2 sequence	Probe sequence
CMV-IE promoter	TGGAAATCCC CGTGAGTCAA SEQ ID NO 1	CATGGTGATGC GGTTTGG SEQ ID NO 2	CCGCTATCCACG CCCATTGATG SEQ ID NO 3
eGFP	CCACTACCTG AGCACCCAGTC SEQ ID NO 4	TCCAGCAGGA CCATGTGATC SEQ ID NO 5	TGAGCAAAGACCC CAACGAGAAGCG SEQ ID NO 6
Beta gal	TGGTGAGT GCGATCTTC SEQ ID NO 7	CGTGCATCTG CCAGTTTGA SEQ ID NO 8	TGAGGCCGATAC TGTCGTCGTCCC SEQ ID NO 9
Ad5E4	GGAGTGGAGC CGAGACAAC SEQ ID NO 10	ACTACGTCCG GCGTTCCAT SEQ ID NO 11	TGGCATGACACTAC GACCAACACGATCT SEQ ID NO 12

[0050] By comparing the results for unknown samples with a standard curve generated with known quantities of plasmid DNA, the number of copies of a sequence in the sample were determined. The numbers were converted to the numbers of rAAV genomes produced per cell (FIG. 1).

[0051] The overall results indicated that SAdV-13 was the best helper virus tested. Importantly, using SAdV-13 as the helper levels of rAAV per cell were generated that were comparable to levels attainable with HeLa-based lines. Although vector yields depend on a number of factors, the highest producing HeLa lines for any given construct tend to produce 10⁴-10⁵ particles per cell.

Example 3

[0052] The CPE of various helper viruses was examined.

[0053] The time to reach maximum CPE was examined for various viruses by infecting cells at MOI 10, then examining their morphology daily by phase contrast microscopy with an

inverted microscope. The time to maximal CPE was defined as the first day at which at least 95% of the cells show definite rounding.

[0054] For simian adenoviruses 1, 2, 3, 5, 7, 8, 10, 11, 16, 19, and 20 on Vero cells, the time to maximal CPE was 2-3 days. For HuAd5 on Vero cells the time to maximal CPE was 3-4 days, while for HuAd5 on HeLa cells it was 2 days. For SAdV-13 on Vero cells the time to maximal CPE was 5 days.

Example 4

[0055] Recombinant AAV was produced in Vero cells.

[0056] Vero cell lysates (from Vero cells infected with SAdV-5, -8, -13, -19 and -20) were applied to HeLa-derived C12 cells that had simultaneously been infected with Ad5. HeLa C12 cells are an "indicator" line that contains the AAV2 rep and cap genes. Upon co-infection with rAAV and Ad5, the rAAV genome is massively amplified (10⁴-10⁵ logs) due to the presence and activity of the rep gene. Therefore, vector genome and transgene amplification are sensitive readouts for rAAV infection. Accordingly, serial dilutions (10⁻¹ to 10⁻⁸) of VeroC2 cell lysates infected with various adenoviruses were generated and used to infect C12 cells also infected with Ad5 to stimulate rep dependent rAAV vector genome replication. Twenty hr. post-infection the wells were examined in the inverted fluorescent microscope. The total number of green cells were counted in wells with fewer than 50, and those numbers were used to generate an infectious rAAV titer (FIG. 2).

[0057] These data further confirm that SAdV-13 was the most effective helper to produce functional rAAV from the VeroC2 cell line.

Example 5

[0058] Vero lines were also developed that could be used to produce rAAV by an alternative, scalable method. In this system, AAV rep and cap genes are integrated into the Vero cellular DNA, but the rAAV genome is delivered by an adenovirus-AAV hybrid, where an rAAV genome is integrated into the E1 region of an adenovirus vector and packaged in the adenovirus capsid. The cells are also concurrently infected with a wild type adenovirus that provides helper functions for rAAV production and also allows for replication of the Ad/AAV hybrid by providing E1 gene products that are deleted in the Ad/AAV hybrid virus. Control experiments (not shown) had demonstrated that E1 products from SAdV-13 could allow replication by an E1 deleted HuAd5 in Vero cells.

[0059] To adapt such an Ad/AAV hybrid packaging system to Vero cells, cell lines were first selected that contained the AAV rep and cap genes. All these lines were derived from the World Health Organization (WHO) certified stock of Vero cells, which was provided by the ATCC with a release from the FDA. Two constructs were used to make the stable cell lines. Both have neomycin resistance genes for selection and the rep gene from AAV2, while one has the cap gene from AAV1 (rep2cap1neo) and the other has the cap gene from AAV2 (rep2cap2neo). The two constructs were transfected into WHO Vero cells and selected for stable integration with 600 µg/ml G418. A total of 387 rep2cap1 lines and 338 rep2cap2 lines were selected. Previous experience with rAAV producer cell lines indicated that robust rep gene amplification was key to high-titer cell line. Since this is amenable to high throughput screening, an initial screen based on this property was performed. Cells were infected with SAdV-13,

then after 5 days, they were lysed by the addition of 1/10th volume of 4 M NaOH, 50 mM EDTA, and 10 µg/ml herring sperm DNA. The denatured cell lysate was transferred to a positively charged nylon membrane by using a "dot blot" filtration device. The level of rep DNA amplification was determined by using a rep radiolabeled hybridization probe. The cell lines corresponding to the most highly radioactive spots were selected for further analysis. There were ten rep2cap1 and 8 rep2cap2 lines that were subjected to further characterization. These were co-infected with SAdV-13 and an Ad/AAV hybrid virus to determine rAAV vector yields using this second production platform.

[0060] Five rep2cap1 packaging cell lines and five rep2cap2 cell lines were co-infected with SAdV-13 and an Ad/AAV hybrid virus (Ad/AAV β-gal) that contained a rAAV genome harboring the β-galactosidase gene integrated into the E1 region of human Ad5. The test packaging cell lines were infected with SAdV-13 at a MOI of 1 and 20 hr later infected with Ad/AAV β-gal at a MOI of 3. After 5 days, cells were lysed by 4 rounds of rapid freezing and thawing and clarified lysates generated by centrifugation and heat treatment to inactivate residual adenovirus. A DRP assay was performed using a primer/probe combination that is specific to the β-galactosidase transgene (Table 1). The productivity for the highest producing cell lines identified in this experiment. rAAV production by Vero rep2cap 1 and rep2cap2 cell lines co-infected with SAdV-β and Ad/AAV β-gal hybrid virus are shown in Table 2.

TABLE 2

Cell line	AAV Capsid gene source	rAAV DRP/cell
R2C1.SF.1B1	Serotype 1	1706
R2C2.CA.1D3	Serotype 2	2316
R2C2.SF.1B1	Serotype 2	2286

[0061] An additional control experiment was done to show that there was no residual adenovirus present that could be making β-gal sequences DNase resistant. Recombinant adenovirus containing the β-gal transgene should have been denatured by the 56° C. heating step, and to confirm this the DRP assay was repeated but with a human Ad5 E4 primer probe set. The numbers of copies of adenovirus present by using this qPCR primer/probe set were at least 10-fold lower than the β-gal copies present in the lysates, indicating that the vast majority of the DRP values were being contributed by rAAV/β-gal particles.

[0062] This initial experiment provided proof of concept that the Ad/AAV hybrid packaging type cell line could be adapted to Vero cells. The approach has been further optimized by selecting a somewhat more productive line (R2C1.CA.8C4) for production of rAAV1. Three other simian adenoviruses were additionally tested that had shown some activity with Vero C2 cells (SAdV-5, 8 and 19) in Example 1. These helper viruses had sub-detectable levels of rAAV production in this rAd/AAV hybrid system. A key aspect of this packaging system as opposed to the producer cells is that one needs only a single cell line to produce multiple different rAAV vectors of the same serotype. This could increase efficiency and reduce cost since it would not be necessary to qualify a new cell line for each rAAV vector produced.

Example 6

[0063] An additional rAd/AAV hybrid virus encoding a heterologous protein smaller than β-galactosidase and more

similar in size to proteins used for therapeutic purposes was used to optimize production parameters. The rAd/AAV hybrid virus contained the enhanced green fluorescent protein (eGFP) transgene. This gene was contemplated to package more efficiently and yield greater levels of rAAV.

[0064] Two Vero derived AAV packaging cell lines were isolated following plasmid DNA transfection. The R2C1.CA.8C3 line contains the rep gene from AAV2 and the cap gene from AAV1, while the R2C2.CA.1D3 line contains both rep and cap from AAV2. To evaluate the packaging ability of Vero-derived cells with the eGFP containing rAd/AAV hybrid, the cell lines were co-infected with the rAd/AAV hybrid virus and SAdV-13 at variable timing. The rAd/AAV hybrid virus was used at 100 vector genomes per cell, while SAdV-13 was used at 1 TCID₅₀ per cell.

[0065] Timing of infection was varied to look at the effects on rAAV yield. Infection with the rAd/AAV hybrid virus occurred at the following times relative to the SAdV-13: 4 hours before, at the same time, or 4-24 hours after at 4 hour intervals. To determine yield, cells were harvested at maximal cytopathic effect (5 days for SAdV-13), lysed by 4 freeze thaw cycles and the lysates were then diluted 1:2000. They were then treated sequentially with DNase and Proteinase K, and assayed by real time PCR. rAAV present in the clarified cell lysate was achieved by qPCR to measure DNase resistant vector genomes as described previously. The levels for SAdV-13 are shown in Tables 3 and 4.

[0066] Table 3 depicts AAV1 GFP production while Table 4 depicts AAV2 eGFP production.

TABLE 3

AAV1 eGFP Production	
Timing of Ad hybrid addition (hours)	SAdV-13 DRP/Cell
-4	3555
0	9216
+4	7966
+8	12427
+12	11634
+16	16272
+20	7262
+24	8522

TABLE 4

AAV2 eGFP Production	
Timing of Ad hybrid addition (hours)	SAdV-13 DRP/Cell
-4	86561
0	73977
+4	58256
+8	83783
+12	62963
+16	60230
+20	149504
+24	98333

[0067] The data indicates that high levels of rAAV productivity are possible with this system. Up to 150,000 DNase resistant particles per cell were documented for the rAAV2. eGFP vector. Optimal production conditions for infection

varied between cell lines, with the most effective timing being rAd/AAV hybrid virus infection 16-24 hours after SAdV-13 virus infection.

Example 7

[0068] A SAdV-13 was molecularly cloned and sequenced as follows.

[0069] Low molecular weight DNA was isolated from SAdV-13 infected Vero cells by a modified Hirt DNA extraction procedure [Hirt et al., Journal of Molecular Biology, 26(2): 365-369 (1967)], and then the terminal protein was removed by treatment with Klenow fragment in the presence of three of the four dNTPs followed by S1 nuclease [Berkner et al., Nucleic Acids Res 11(17): 6003-20 (1983)]. The SAdV-13 virus genomes were then cloned into a fosmid vector (Epicentre Copy Control System) and resulting clones analyzed by digestion with BamHI restriction enzyme for an identical restriction pattern as that observed for the bulk Hirt DNA. Four clones were identified with the expected pattern (FIG. 3). Clone #3 (SAdV13-PME12) was subsequently selected for high-throughput 454 deep sequencing.

[0070] Several clones were selected and the terminal sequences determined. Sequence of the inverted terminal repeats (ITRs) for six independent clones was obtained and shared significant homology to other published adenovirus ITR sequences. Two kinds of heterogeneity in the clones' ITR sequence was observed that were otherwise identical except for orientation. The first was that there were variable numbers of nucleotides (4-18) missing from the terminal repeat ends. Secondly, in some cases short duplications of 100-400 bp of sequence was appended to intact ITRs.

[0071] Clone SAdV13-PME12 was selected for complete sequencing and possessed a 4 bp deletion at the 5' end and a 12 bp deletion at the 3' end. A portion of the resulting sequence matched exactly the previously reported VA RNA gene sequence [Kidd et al., Virology 207(1): 32-45 (1995)] supporting that this sequence is SAdV-13. Translation of the virus sequence resulted in the clear delineation of identity between this novel isolate and previously published adenoviral genomes. SAdV-13 is clearly related to other primate adenoviruses without being notably similar to any other previously published adenovirus genomes. Phylogenetic analysis of the deduced amino acid sequences of the hexon and penton proteins is shown in FIG. 4 and the complete virus genome sequence provided as SEQ ID NO: 16. This sequence, along with the putative protein sequences expressed therefrom, are depicted in Table 5 below.

TABLE 5

SEQ ID NO:	Description
16	SAdV-13 Viral Genome
17	E4 orf 2
18	E4 orf 3
19	E4 orf 4
20	E4 34K
21	Fiber
22	E3 14.7 (15.3)
23	U exon
24	E3 RID-beta
25	E3 RID-alpha
26	E3 CR1 beta1
27	E3 CR1-alpha1
28	E3 12.5K
29	pVIII

TABLE 5-continued

SEQ ID NO:	Description
30	33K?
31	22K
32	100K
33	DBP
34	Protease
35	Hexon
36	pVI
27	V
38	pX?
39	pVII
40	III (penton base)
41	pTP
42	po1
43	pIIIa
44	52K
45	IVa2 C-terminus
46	IX
47	E1B 55K
48	E1B 19K
49	E1A
50	E4 orf 1

Example 8

[0072] The DNA sequence of the SAdV-13 (PME-12) clone enabled the development of a quantitative real-time PCR assay to detect SAdV-13 genomes. This assay is useful for the rapid, sensitive and precise measurement of the SAdV-13 and permits rapid optimization of virus infection conditions for increased rAAV production in this production platform.

[0073] Specifically, samples are quantitated by dilution of the sample 100 to 10,000-fold in 50 mM KCl, 10 mM Tris pH 8.0, and 5 mM MgCl₂. Samples are then digested in a 50 µl volume with 175 U of DNase I at 37° C. for 30 minutes to remove non-encapsidated viral DNA. After heating at 95° C. for 10 minutes to inactivate DNase I, the sample is treated with 200 µg/ml proteinase K at 50° C. for 1 hour to degrade the viral capsid and other cellular proteins. After treatment at 95° C. for 30 min to inactivate Proteinase K, the viral genomes are quantitated by real time PCR with a Taqman® primer probe set as follows:

Forward primer: (SEQ ID NO: 13)
 5'-CTTGAAGCCACGCAAGTTTA-3'

Reverse primer: (SEQ ID NO: 14)
 5'-TGCAAATAATCCAGCAAAGC-3'

Probe: (SEQ ID NO: 15)
 6-FAM-CATGTTTGCTCATCGCCCGG-TAMRA

[0074] Quantitation is carried out by comparison with a plasmid standard curve.

[0075] While the present invention has been described in terms of various embodiments and examples, it is understood that variations and improvements will occur to those skilled in the art. Therefore, only such limitations as appear in the claims should be placed on the invention.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 50

<210> SEQ ID NO 1
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 1

tggaatccc cgtgagtcaa 20

<210> SEQ ID NO 2
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 2

catggtgatg cggttttgg 19

<210> SEQ ID NO 3
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic probe

<400> SEQUENCE: 3

ccgctatcca cgccattga tg 22

<210> SEQ ID NO 4
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 4

ccactacctg agcaccagt c 21

<210> SEQ ID NO 5
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 5

tccagcagga ccatgtgatc 20

<210> SEQ ID NO 6
<211> LENGTH: 25
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic probe

<400> SEQUENCE: 6

tgagcaaaga cccaacgag aagcg 25

-continued

<210> SEQ ID NO 7
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 7

tggctggagt gcgatcttc

19

<210> SEQ ID NO 8
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 8

cgtgcatctg ccagtttga

19

<210> SEQ ID NO 9
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic probe

<400> SEQUENCE: 9

tgaggccgat actgtcgtcg tccc

24

<210> SEQ ID NO 10
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 10

ggagtggagc cgagacaac

19

<210> SEQ ID NO 11
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 11

actacgtccg gcgttccat

19

<210> SEQ ID NO 12
<211> LENGTH: 28
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic probe

<400> SEQUENCE: 12

tggcatgaca ctacgaccaa cacgatct

28

<210> SEQ ID NO 13
<211> LENGTH: 20
<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 13
cttgaagcca cgcaagttaa 20

<210> SEQ ID NO 14
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic primer

<400> SEQUENCE: 14
tgcaaataat ccagcaaagc 20

<210> SEQ ID NO 15
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic probe

<400> SEQUENCE: 15
catgtttgct catcgcccgg 20

<210> SEQ ID NO 16
<211> LENGTH: 32938
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polynucleotide
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: SAdV-13 Viral Genome

<400> SEQUENCE: 16
catcatcaat aatatacctt acaatgtaaa cagaagttaa tatgcaaatg agatgggcgt 60
gtccacaact gtgattggcc gtgacgtcaa tgggcgggcc ggtgggcggt tcgggcgggg 120
cgcgtcgtgg gaaaattacg caattattag tcattaggga tgggctgacc gcacgtgcgt 180
catatgcgga agtgcggaat ttttaactgt ttgcatgtta aatttactgt gtattgggca 240
aattttgaac gcggaagtgt ttattaaaaa aattaccggg tgacgaatgg gtggaatatt 300
taccgagggc cggggagact ttgacctatt acgtgtggta tcggggcgta ttttttttg 360
tcacgtttcc gcgaagggtc aaaagtccc ttttattgct ctcagtcagg tgattgtcag 420
ggtatttaaa ccggagcaga acgtcaagag gccactcttg agtgccagcg agaagagttt 480
tctctcggg ctcttcagtt gacttgaaga agataagaaa aaatgagaac tccgcttggtg 540
gaggagata ttcccgttcg gttcgcggcg gagctgttgg ctgctttggc agaagaggta 600
tttgccgatg tggaacctcc acgggcggtt gaagatgtgt ctctgcatga tttatttgat 660
ttagatgtgg aagatagaga agatccagct caagatgcgg tagatatgct gtttccagag 720
tctctgttgc ttgctgcgga ggagggtata gatatactc gagacactcc acctcctttg 780
gagcctccga tgggtgtaag tccactcagt cagcagcagc aggatatgcc tgatttaact 840
gtgggcgatg tgaatttact gtgttctgaa agtagcttct ccagtttggg ggaatatgag 900
ctggagaggt gtatggcaga actggccgct agcgggtgtg caagcgtacg ggagcaggaa 960

-continued

agggaagaaa	tgtcaggtag	gccgtttaat	ttggactatc	cagaaatgcc	tggtctatgga	1020
tgcaagtcct	gtcagtagca	tcgtgagcag	actggggagg	ctgatatttt	atgttctttg	1080
tgttacctga	gacgtaatgg	cgtgtttgtt	tacagtaagt	tgtggaccac	ctggtggtgg	1140
ggagggaaca	tgtgtgtgtg	tggttagatt	ttaatgtttt	ttttaatttt	aaggctcctgt	1200
gtcagaggcg	gaagtagatg	agcctgatac	aactactgat	gatcaggggc	gtgcgcagtc	1260
tccaccaag	ctgaccagg	atgcacctgt	taatgttatt	agacctcgtc	ctattaggcc	1320
atcgtcacgt	cgcaggaatg	ctgtagacag	cttggaatcg	ctgctggaag	atgatgactg	1380
tgaacctttg	gacttgacct	ttaaacgtgc	cagatattag	gcgttactgt	ttgtgtaatt	1440
aaacgtgcc	ggcgttgctg	tatttatgtt	ctgtgagtca	tgtgtaata	aagattaagt	1500
actgtgtaaa	tagttattgg	gtcattgttt	gaatagaaga	gtgggaggga	ttaagtgttt	1560
gttataagag	caatgaagag	gcctgtggct	gcagaagtcc	aatggagct	tgacaggctg	1620
ttagagaatt	ataacagctt	aagaagggtt	ttagaagagg	cgtctgaaga	tacttcagtt	1680
tggtggcgca	agttgtttgg	gtgtagagtt	agtcagttag	tagttcaggc	taaagttgaa	1740
tataaggaag	aatttgagaa	acttttttca	gaggtgctcg	gacttgtgga	ctctctaaat	1800
ttttgccatc	acgctttttt	ttacgagaag	gttatttgcg	gcttgatttt	ttgcaactccc	1860
ggacgcacta	ttgcagcttt	ggcctttttg	gcttttattt	tagataagtg	gaataaggag	1920
actcatctca	gtaaaggata	tacttttagat	tacattagtt	tgacgctatg	gaaggcttac	1980
atgaggaagg	ggaagatcta	caccttctcg	caggggcccgc	ggcgcgtgcc	gcagcgggtg	2040
cggaggcggt	tggggttcaa	gacagaggac	caaacgcgct	tgctggaggc	caggaggag	2100
cccagggcgg	ggacggatcc	cccagcggag	acttgagtga	cgaccaggag	gtgcccgctg	2160
cgggtggggc	tattccggac	ccttttctcg	agctgcgtag	acatttgttg	cgttctctcg	2220
gtcgggggct	ggaagaagat	cctggggaag	gggggagtgg	agaacaaaga	gggattaaga	2280
gacctagaga	gggacggaag	gtggaaggca	taatgagcga	gttgacttta	agtttgatga	2340
ctagaaagag	gacagaaaac	aagtggctca	gtgagatatg	ggatgagttt	agaactggtg	2400
atatgtatct	tcagacaaag	tacacttttg	agcagggttt	taccaagtgg	ttaaattccag	2460
aagatgattg	ggaagacgct	ttaacgcgtt	atggaaagg	ggctttaagg	cccgatacaa	2520
agtatcgttt	gactaaaaaa	gtggaactca	gaagctgtgc	ttatgttatt	ggaaacgggg	2580
ctcaggtaga	agtggacatg	caggaaacggg	tggcgtttgc	ctgtaacatg	gtcaatatgg	2640
gtccggggat	agtggggatg	ggtgggatta	tttttcacaa	tgaagattt	tatggagaca	2700
attttaacgg	gatggttata	atggcaaaaca	ctacggtgct	tttgcattga	tgctactttt	2760
ttgggtttaa	taacacgggt	ttggaagtgt	ggggtcatag	caaggttagg	gggtgtactt	2820
tttacggatg	ttggaaggcc	attgcttcta	gacctaaag	tgaattttct	gtaaaaaagt	2880
gtttgtttga	aagatgtaca	ttgggagtct	gtgtggaagg	gaaaggacgg	atatttaata	2940
atgtggtctc	ggaaaatgga	tgttttgctt	tgattaaggg	ctttgccgct	ttaaagtata	3000
atatgatttg	tggccagtct	cctaccgaga	gaacatacca	gatgttaaca	tgtgcagatg	3060
gaaatgtaca	tttgttaaag	acggtgcata	ttactgggtca	tgcaaaaaag	ccctggcctt	3120
tgtttgagca	taatgtgctt	actagatgtt	ctgtgcattt	gggtccctcg	cgggggattt	3180
ttattccaca	ccagtgtaat	tttagccata	caaattgtgt	ggtggaaacc	gaagctgtaa	3240

-continued

cccgtttttc	gttaacgggt	gtgtttgata	tgtctgtggt	gatttataaa	atcctgcggg	3300
atgaggaaac	aaaagctaga	tgtcgctgct	gtgagtgcgg	tggaaagcat	ttgagaaatc	3360
agcctgtgat	tgtggatgtc	actgaagaag	tgaggatgga	tcatatgcag	cattcttgcg	3420
ccccggctga	ttattctacg	gatgaagata	cgaataggt	gagtatgaga	ggggcggggg	3480
tataaaaagt	tataaaagct	ggctctaaaac	aaaaaaat	ttatgttgca	gcgctcatca	3540
tgagtgggac	aacgtctggt	tccgtcactt	tcgatggagg	agtgtacagt	ccttttctga	3600
catcgcgcc	tccgaactgg	gctggagtgc	gtcagaatgt	tatgggatca	actgtggagg	3660
ggcatcctgt	attaccttct	aattctgctt	ctatgcgcta	cgctacaatc	ggatcttctt	3720
cgctggacac	cgccgcgcgc	gcagcagctt	cagccgcagc	gtccgccact	cgtgttcttg	3780
cagctgattt	tggcttggat	ggcaatttca	ctcccgtgc	cgtacccgc	actgttcaag	3840
atgacagctt	actgactgtg	ctgactaagt	tggacaat	aacgcagcag	ctgggggagc	3900
tttctcgtcg	ggtagctgag	ttggccgaag	aaagaacggg	ttaaaaaata	aaatgcaata	3960
aattcaagtt	taaaaaat	tttattgtct	gttttttttg	tgataagctc	gggaccacct	4020
ttctctgtca	ttcaaaactt	tgtgaat	ttccattaca	cgatagagat	gggtttgaat	4080
gttaaggtac	atgggcatga	gtccatctt	ggggtggaga	taagaccact	gaagggett	4140
gtgttcgggg	gtggtattat	atattatcca	gtcatatgag	ttacgttggg	cgtgatgttg	4200
aaagatgtct	ttcaacaaga	gggtgatagc	tactggaagg	cctttagtgt	aagtgttaat	4260
aaaccgatta	agttgggagg	ggtgcatg	gggggacatg	atatgcagtt	tagactggat	4320
ttttagggtg	gatatgtttc	cgcctaggtc	tctacggggg	ttcatgttgt	gcagtactac	4380
caggacggta	tatccgtac	atttgggaaa	cttatcgtga	agcttagaag	ggaaagcgtg	4440
gaaaaatttg	gagatccctt	tatgaccg	taggttttcc	atgcattcat	ccataataat	4500
agctatgggg	ccctggacgg	cggctcgagc	gaagacgttt	ctgggatccg	ttacatcata	4560
attatagtct	tgggtgagct	cgtcatagga	cattttatga	aaccgagggt	ttaaggtacc	4620
tgattgggga	actagggtgc	cttctggccc	ggctctgaag	ttctctcgc	agatttgcat	4680
ctccaggtct	ttaatttctg	cagggggaat	catatctacc	tgtggagcaa	taaaaaaac	4740
tgtttcgggg	gctggagaaa	ttagctgggt	ggacagcagg	tttcgcagca	attgggattt	4800
gccgtgcgcg	gtggggccgt	agattacggc	aataaccggc	tgtaatgggt	agtttaggga	4860
ggtacagctt	ccatcgtctg	caagaagggg	agcaacctcg	ttcatcatgt	cctgaacatg	4920
caaattttcc	tgcaacta	ctcgcaaca	acgtggctct	cagagcgaaa	gcagttctctg	4980
aaagggatgca	aattttttta	aagggttttag	accttccg	aaaggcatat	tttgcaaaga	5040
ttgacataac	agttgtaagc	ggtccagag	ttctgtgacg	tgttctacgg	catctcgatc	5100
cagtagattt	cctggtttct	tgggttgggt	tggctgttgc	tgttaaggaac	cagccggttg	5160
gcgtccagag	gtgtcagcgt	catgtccttc	caggggcgga	gggttctcgt	gagtgtggtc	5220
tccgttacgg	tgaagggtg	tgctccgggt	tgggcgcttg	ctagggtgcg	cttcaaactc	5280
atccgactcg	tggagaactg	ttcgtttcct	ccctggtagt	cggcaaggta	acatttcact	5340
aaaaggctcg	agctgaggga	ctctgccgcg	tgacccttgg	ctcgaagt	tcctttggag	5400
acgtgtccgc	agcggggaca	gtacagacat	tgaaggcgt	aaagtttttg	ggctagaaaa	5460
actgattcgg	gcgcataggc	gtccgcgcgc	cacttttcac	acaccgtttc	gcattcaacc	5520

-continued

agccaagtta gttcgggggtg ggaggggtca aaaaccagcc tccctccgtt ttttttgatt	5580
cttttcttac cttttgtttc catgagttgg tgtcccaaat ctgtcacgaa aaggctgtca	5640
gtgtctccgt acacggattt caggggtcgc tcagagagag gtgtgccgcg atcctcttcg	5700
tagagaaact ctgaccattc tgagacgaaa gcacgagtcc aagccaacac aaaggatgcg	5760
atctgagaag gatagcggtc gttgtcaatt aggggggtcgg tattttccaa cgtgtgaaga	5820
cacaggtctg tttcttccgc atccaaaaa atgattgggt tgtaagtga tgcacgtgg	5880
ctttgggggt cctgcgggtg gctataaaag gggggattcc accgttcttc gtcactttct	5940
tccggttcgc tgtccacgag cgctagctct ttgggtgagt aaacacgttg gaaagaaggc	6000
aacacttcgc cgctgaggtt gtcagtttct ataaaagagg aggatgtgat attaatgtgc	6060
ccacttgcta tcccttttaa ggttttatcg tcaagttggt cagaaaaac agttttttta	6120
ttgtccagtt tggtagcgaa ggagccgtat agggcgttgg aaagcagttt tgcaatggat	6180
ctcagcgttt gatttttgtc tttgtcggt ttttctttgg cggcgatgtt gagctgcaca	6240
tattccctgg ctacgcattt ccactgagga aaaacggtag tgcgttcac tggaaatcaac	6300
cgcactttcc agcctcgggt gtgcaagggt accatgtcga tactggtagc cacttcccct	6360
cgcaaacggt cattttgtcca gcagaggcgc ccccccttc gtgagcaaaa agggggcagg	6420
atgtctagca agttttcgtc ggggggggtcc gcgtctattg taaaaatgcc gggcaaaagc	6480
aaagcgtcaa agtaggatat tttggaagag ctgttttagag cgtcctgcca gtttttggtc	6540
gctagggctc tttcgaacgg gttaagggga ggacccaag gcatgggatg agtaagagca	6600
gatgctgaca ttccacagat gtcatacaca tacaggggtt cggtgagtac tccgagatag	6660
gtgggatagc atcttctccc ccggtatctg cttcgcacgt aatcgtacag ttcgtgggag	6720
ggagcaagga agttaggccc caagtttgtt ttctgtggtc gctgggcggt gtagagaatt	6780
tggcgaata ttgctgaga attagaagag atgggtgggac gttggaagac attgaagcag	6840
ctgttgctgt aaccaacggt ttcgcggtat aactgtgcgt aggaagaaaa aagtttgtca	6900
acaagcgcgg ctgtgacgat gacgtccagc gcgcaatatt ctaaggtttc ttcgatgagg	6960
ttgtaatgag gtttgttttt tgttttccac agttcgcggt tgaggaggta ctgggcttcg	7020
tctttccagt aatttcggag cggaaccgg tcagcgggtg cttggtaaga acccagcatg	7080
taaaactcat tgactgctct gtagggacag catccttttt ccactggaag ggcgtacgct	7140
tgagctgcct ttcttaaaga tgtgtgagtt aattgaaagg tgtctctaac catgactttc	7200
aaaaattggt ttttaaaatc tgagtcgtca cagtttctct gttccacag cgtaaaatct	7260
ttcgttgtt tgtatttttg gttgggcaga gataaggtaa cgtcgtaaaa aaggattttt	7320
cctgcccgag ggataaaatt tcgagagatt ttgaatggag ccggcacgtc ggtgcgggtg	7380
tcaatgactt gcgcggccaa tactatttcg tcaaaacat tgatgtgtg accgacgata	7440
tacaactcta aaaactgggg ggagcctcta agttccgggg ccgcgaccag ttggtcatat	7500
gtaagtccct tggggtcaca aaggcctaag gtttgttgac accagaagg tagatgaggg	7560
tttctgtctg cgaaagtgtt ccacatgtgg tcacagagaa ccgattgcag tttgtctctg	7620
aagcagcgga actgttttcc gataaccatt ttctctgggg taattaagta aaaggtagtg	7680
gggtctgcgt gccacctgtt ccactgtagc tcgacggcca aattgactgc tgttttaacc	7740
agctgggctt ggctgtgaa tttcattacc aacatgaaag gaaccagttg cttaccaaag	7800

-continued

gaacccatcc aggtgtaggt ttctacatcg taggtgacga acagtctttg aactgccgga	7860
tgcgagccaa tgggaaaaaa ctgaatttga cgccaccatt gtgaagattg aacggctacg	7920
tgatggaagt agaagtcctt tcgacgcgcg gtgcactggt gttgatgctt gtaaaatcgg	7980
gcacagtatt cgcactctcg catgggtgtt acgtcttgaa tgagataggc tttgcgtccg	8040
cgtatcaaga aacggagagg aaaggggagt ggcacgcggg atgggctgtt gggctggggc	8100
tgtttgcttt cgtctgttgt gctttgattt tggccgtcgg ttgggaggac ggcaccttg	8160
acagcgcccc gggaaatgca agtccaaatt tcggcgaagg aaggcctcag acgagcaacg	8220
agtcgttgga cgtcgttcgt tccgcaagtg tccggcagtg tgcagaggtc agctggaaat	8280
cggagtaaat gaatttcaaa gaggcgttgt agggcgggaa gcagggtgaag gtggtatttg	8340
agttctacag gactgtgtgc tcgcgtgtca atagcgtgta tcaagccgtg agcgcgagaa	8400
gcaaccacgg tccccgtaa acttttttcc agtgtcggcg acggggtcgg gcgccggggg	8460
gcaggggagg ctcggcgcgc gcgggcagta ctgggagatc tacgtcggcg tgagactctg	8520
gcaacggtag gtgctgggac ctacgccggc tggcatgagc caccactcgg cgattcatgt	8580
tctgtatgcg ttgacgtgtg gtaaacacca ctgggtccgt tactttgaac ctgaaagaga	8640
gttcgacaga gtcaatgtct gcatcattga tggcggcctg gcgaagaatt tcgtgaacat	8700
cgccggagtt gtccctggaaa gcaatttcgg tcataagttg atcaatttct tcctcttgga	8760
gctcgcctcg tcctgtcgtg tctaccgtcg cagccaagtc gttagaaatg cgtcctatga	8820
gctgcgaaaa agcgcgcgaga ccgttttctg tccacacgcg gctgtagact acggccccgt	8880
cgtcgtcgcg ggcccgcagt actacctgcg ccagattgag ttcgacgtgt cgactgaaaa	8940
ccggatagtt cctcagacgt tgaaaaagat agttaagggt ggtggcaatg tgctcggtaa	9000
caaagaaata catgatccat ctgcgtaagg tggactcgtt aatgtcgcgc acggcttcca	9060
ggcgtcccat ggcttcgtaa aagtcaatgg caaaattgaa gaactgggag tttcgagcag	9120
atactgtgag ttcttcttcc aagaggcgaa taaggtcggc cacggtggct ctcaactctt	9180
cctcaaacgt acgcggtggc acctcttctt cttcctcggc ttccattacc ggagcctcaa	9240
cttocacagg aactcgtctt cgacgtctgc gaatgggcag acgatctaca aatctctcta	9300
tcatttcgce tctgcgtcga cgcattgttt ccgtcaccgc gcggccatcc tctcgcgggc	9360
gcagctcgaa tacgcctcct cgtaggccgc ttccttgaag cagattagct tgtctggggg	9420
tatttgga caatagggc ctgacaatac attttattaa tgtctgcaca gataacccgc	9480
gcagagttct aagcatcgtt agatccacgg gatcagcaaa gcgttcgaga aaggcgtcga	9540
tccagtcaca gtcgcaaggt aagctaagaa ccgcttcggg gggcagttcc gggcttacgg	9600
cgtgctaat gatgaaatta aaaaaggcgg actttaaacg gcgaatgggt gagaggagca	9660
caacgtcttt gggctcagct tgctgaatgc gcaaacggtc ggccatgccc caagcttctc	9720
cctggcaccg tctgagatcc ttgtagtaat cttgcatgag agtttcaacc gacacctctc	9780
ggctgtccat tcgggtggcc ccgaatcccc tgaagggttc cagtaaggca agatcggcta	9840
ccacacgttc cataagaatg gcttggtgta tttgcgtgag ggtgttttga aagtctcca	9900
ggtaacaaaa gcggtgatag gctccggtgt tgatgggtga agtgcagttg gccatgactg	9960
accagttgac gggttggtga cccggtgcga gggtttcccg atattttaga cgggaatagg	10020
cacgcgtttc aaacacgtag tcgttgacgc tccataaccag gtactggtaa cccacaagaa	10080

-continued

gatgaggagg	gggcagacga	aagagcggcc	atccccgggt	ggcaggggcg	ttgggcgaca	10140
ggtcttctaa	cataagacga	tggtatccgt	agaggtatcg	cgacatccaa	gatatacccg	10200
ctacggtggt	agctgccctc	gtaaactcct	gcacctatt	ccaaatgttg	cgtagcggta	10260
aaaagaagtc	tacggtagga	acgctttgtc	ccgtaagccg	ggcgcagtct	tgcacgtctc	10320
ggagtgggaag	aagagaaaaa	acagtacgcg	taaacggctc	ttctccgtgg	tctagtggaa	10380
aatttgcaat	ggtatgttgg	cggagctcac	gggttcgaaa	cccgccggct	ctgccagcat	10440
cggggtgatt	ggtcgtcacg	tctcgaacct	agccggcgaa	ccctagatac	ggaggagagt	10500
cttttgtttt	cagatgcctc	cgggtgttacg	acaaatgcga	ccctcaaaca	gcgggtcccg	10560
gaccaccgct	gcgggagcag	tgtgtcaggc	cggcgcagga	aatccgttgg	aggaagtgtc	10620
ggacatagaa	gagggcgagg	gcttggcgag	actgggcgcg	cactcgcttg	agaggcacc	10680
tcgtgttcag	ctgaaaaagg	attccagtga	agcttatatt	ccaccccgta	acttatttag	10740
agaacgaagc	ggggaggagg	cggaagaaat	gagggactcg	cggtttagag	cgggtagaga	10800
gttaaaaaaa	gggttgga	gggagcgcct	tttgcgaccg	gaggattttg	aagcccgaga	10860
cagaacgggc	gtcagcgcgt	ccagggcaca	cgtggctgcg	gccgacttag	tgacggctta	10920
cgaacaaacc	gtgaaagaag	aaatgaactt	tcaaaaaagc	tttaataacc	acgtgcgaac	10980
tttgatagca	agggaggagg	tggcaatagg	actaatgcat	ctttgggatt	ttttggaggc	11040
gtatgttcag	aatcccacca	gcaagccgct	gaccgtcaa	cttttcttaa	ttgtgcaaca	11100
cagcagagac	aacgagacat	ttagagatgc	gcttttaaac	atagcagaac	cagaaggacg	11160
gtggttgcta	gacttgatta	acattcttca	gagcatagtg	gtacaggaac	gtagcctgag	11220
tttggccgac	aaggttgccg	ccattaacta	ctccatgtta	agtttgggaa	agttttacgc	11280
gcgtaaaatt	tacaagaccc	cttacgtgcc	cattgacaaa	gaagtaaaaa	ttgatagtgt	11340
ttacatgaga	atggccttga	aagtgtctaac	cctcagcgac	gacttgggca	tctaccggaa	11400
cgatcgcat	cacaaggcgg	tcagcgccag	ccgccgtcgg	gagttgagtg	acagagaatt	11460
gatgtacagt	ttgcagcggg	cgctgacggg	aactggacac	ggacaggatg	aaaatctctt	11520
tgacgtggg	gcagatttaa	agtggcaacc	cagtagaagg	gcgtggcagg	cagccggtac	11580
ctatttagaa	agcatagagg	aggacgaaga	cgaagaccg	gagaacgagc	ccattgacta	11640
gccaattttt	ttagatgcaa	aggcccgccg	cgatggcttc	caccgaaacc	gaacctatgg	11700
accccgttgt	tcgggcggct	ctccaaagtc	agccctcggg	tgtggctccc	tcggacgatt	11760
ggtctgtctc	tatggaccga	ataatggctt	taactgcccg	aaattctgaa	gcgttttcggc	11820
agcaacccca	agcgaacagg	ttttcgga	ttttggaagc	cgtggtagct	tctcgtccta	11880
atcctacgca	tgagaaagta	ctggccatcg	taaacgcttt	agctgaaaac	cgagctattc	11940
gccctgatga	ggcaggccag	atatacaacg	ctctgctgga	gagagtggcc	agatacaaca	12000
gcaccaatgt	tcagagcaac	ctagaccgtt	tggtgaccga	cgttaggagg	gcgggttccc	12060
aaaggagag	gttccacaaa	gacgccaatc	tggggtccat	ggtggctttg	aatgcctttc	12120
tcagttcact	tccagctaac	gttccgcgag	gtcaggagga	ctacactaac	tttatcagcg	12180
ccctccgtct	catggtagcc	gaggtgcctc	aaagcgaggt	ttacatgtcc	ggacccagtt	12240
actattttca	aacttccagg	cagggtctac	aaaccgtaaa	tttgtcccaa	gctttcaaaa	12300
acttgaag	tctgtggggc	gtaaaagctc	cattaggcga	ccgggctacc	gtttccagtc	12360

-continued

tggtgacgcc taacaccccg ctggtgctcc tgctaategc tccgtttact gacagcggga	12420
gcatttcgcg ggactcgtat ttgggtcatt taataacttt gtaccgagaa gccattgggc	12480
agtctcgcgt ggacgaacac acgtatcagg aaattacaga tgtagtcgc gccatgggtc	12540
aggaggacac ttctagtttg caagctactc tgaactactt gcttaccaat cgtcgtcaga	12600
gaatcccccc acagttttca ctgtctccag aggaggagag aatccttaga tacgttcagc	12660
agtctgtcag ttgtatttta atgagggaa gggacggccc cagtgtgct ctggacttaa	12720
ccgcacgaaa tatggaaccc ggtctgtact ccactaacg ggctttcatt aaccgtctga	12780
tggattatct gcaccgcgcg gcggcgctta atcccgaata ctttaacaac gccgtgctga	12840
atccgcactg gctgcgcct ccgggctttt acacgggaga gtttgacttg cctgaagcaa	12900
atgacggctt tatttgggac gacgacacta gtgttttttc gcccatgcaa aagaaagaag	12960
gaggagacgc ccagagtcaa cgggtttcct tagccagcat gggcgctct gtagcgagtc	13020
ccctgcctag ttttctgctg gcttcacagc cggccggacg cgttaatagg ccccggtgt	13080
ctggggaac ggattattta aatgatctc tcatgcgtcc cgtcgggca aaaaattttc	13140
ccaacaatgg gatcgagagt ttggtagaca aaatgtccag atggaaaact tacgcgcagg	13200
agcagaggga gtgggaggaa cagcaaccgc gaccctaata tccccacac cgtggtaacc	13260
gtgcgcggcg tcaggatatg gggccctatc gcgtaccctt ggatcccgaa gactcggccg	13320
acgacagcag cgttctagat ctggggggaa gtggcaaccc ttttgcgcat ttacgcccgc	13380
agggcagaat aggcaagtgg taactaaata aaatacttac caaggccata gcgtggtgtg	13440
cgtcctgttt tttctagcgc gatgctccga cgtggaatac ccccggtggc cgttgcgga	13500
ggtccaccgc cgtctttaga gagcgtgatg gcagcggcgg cgttgagggt tcttttggtg	13560
gctccttatg tgccgcgcg gtacctaggg ccacagagg gaagaaacag catccgttac	13620
tcggaatttg ctctcttta cgacaccacg cgtctttatt tggtaggcaa caaatcggcc	13680
gatattgctt ctcttaacta tcagaacgat cacagtaatt ttctgaccac cgtgggtcag	13740
aataacgatt atacccccgc cgaagccgga acccaaacga taaactttga cgaccgttcc	13800
cgatggggag gggaaatgaa gactattttg cacaccaaca tgcccaacat taacgcctat	13860
atgtttacaa ataagttcag ggctaaatta atgacggccc atgaaactga caaagatccc	13920
gtgtacgagt gggtagattt ggttctccct gagggaaact tttctgaaac tatgactata	13980
gatttgatga ataacgctat agtgatcac tacttactag taggacgtca aatggagtg	14040
aaggaaagcg agataggagt gaaatttgac accagaaact ttcggctcgg ttgggatccc	14100
gaaaccacgc tggtaatgcc cggagtgtac actaacgagg cgttcacccc cgatattgtt	14160
ttgcttcagg gctgcggggt ggactttacc aacagcaggc tcaacaatct tctgggcatt	14220
cgcaagcgcc agcgtttca ggaaggtttt caaatcttgt acgaagacct cgtcggcgga	14280
aatatccccg ccctcctaga cgtcacgcgt tatgaaaaca gcacgcgggg ccaaccgccc	14340
acaattcagc ccgttacgga ggacgctaaa aaccgaagct ataacgtgtt acctggaacc	14400
aacaataaccg cttatcgag ctggtacctc gcttataatt acggagacga cacgggtata	14460
cgttctccca ctttactgac agcgcgcgat gtcacctgtg ggtcggaaca gatttactgg	14520
tcaatgcctg atatgatgca agaccgggtg acctttagga gtteccaaca gaccagcaac	14580
ctgcccgtcg tgggcacaga gttgcttct atgtacgcta aaagttttta caatgatcaa	14640

-continued

```

gcagtttatt ctcagcttat tcgtcagctt accgctctta cccacgtggt taatcgtttt 14700
ccccaaaatc agatactggt gcgacgcgcc gccctacta tcaccaccgt tagtgaaaac 14760
gttcccgcctc ttacagacca cggaaacgtg ccgctgcaaa acagcatccg gggagttcag 14820
cgagtgacca tcaactgacgc caggcgccgt acctgtcctt acgtgtacaa agctttgggt 14880
gtagtggctc ccaaggtttt atcaagtcgc actttttaag acaatgtcca tccttatctc 14940
acctagcaac aataccgggt ggggtcttgg cgtgaataaa atgtacggag gagccaaaca 15000
caggtcaacc cagcaccgcg tgcgggtgcg tggtcattac agggcaccct ggggcgcata 15060
caagcgcaac agacgggtag ccgaacgcac tacctgggac gacgtaattg actccgtggt 15120
agcggacgca cgcaactacg tgccccacgc cgttcccgtt gccgctgcat ccacagtgga 15180
tgcaattata gatagcgtgg tggcagatgc aagagcctac gctcgtcaga agcgcagaca 15240
acgacgagcc cgtcgttctt tggctcgacc taccgcgccc atgcgcgcgc cccgaaacct 15300
gcttcgaagg gcaaggcgca ccagcacacg cgccatggcg aggcagatta gggccggctc 15360
gaccagacga agggcgcgcc aacaggccgc ggcggccata gccagccttg cggcgcccag 15420
aagaggcaac gtttattggg tccgtgacgc cagcggagtt agagtgcgcg ttcgtactcg 15480
tctgcgcgc gtgtgattaa aagaaaaaat aaaaaccgca tccaacgctt aaaagtgaag 15540
actgagtgtc ctgttatata ttcagcgtcg gcgccatgac caaacgcaaa ttcaaggagg 15600
agctgcttca ggccattgca cctgaaatct atgccccgtt aacggatccc gatgttaaac 15660
ccgacgtgaa gcctcgccgt ctaaaaaggg ttaagaagca ggagacaaaa aaagagggaag 15720
cattagacac cgaggggggt gagtttgtgc gttcttttgc tccccgaaga cgcgtgcaat 15780
ggaaaggcag acgctgacgc cgccttctta ggcgggggac cgcagtgggt tttaccccg 15840
gagagcgctc ctcccgact tacaagcgtt cgtacgacga ggtctacgcg gatgaggata 15900
ttttggaaca ggccctggag cagagcggag agttcgcta cggcaaaaga gcccgaaatg 15960
aagttgctct tcccctggac gaaagcaatc ccaccccag tttaaaaccg gtgactctgc 16020
agcaggttct tcccgtcaa agcacgggag aaagcaaaag gggaaattaa agagaggcag 16080
tggagctgca acccaccatg caattaatgg tcccaaaacg tcaaaagttg gaggatgtcc 16140
tggatttaat gacggtggac ccttcagtac aaccgcagc aaaaattagg ccatttaaag 16200
aagtggctcc cggtttggga gtgcaaacgg tagacattca aattccgta gaaagcatgg 16260
atgtgaaaaa gccgaagcgc accgcgtgg acatggcagt gcaaacgcac cctggggcgc 16320
gtgtcccggt tagagccgca agcgcattc gcaaccgcgc ccgctacggt ccgcgcagtt 16380
cgctcatgcc agattacgct ttgcatcctt ccattcattc cagccctggt tatcggggac 16440
aggtctttcg cagacgatac tccgcccag ctagacgctc tactaggcgt agacgcagaa 16500
ggcgagacac tctcccgcgc agagtaaggc gcgtaaccac gcgtcgagga cggacattaa 16560
ctctccccac agtccgttac catcccacga ttgtttaaca cgtaccacc tactttacag 16620
atcatggccc taacctgtcg tctccgatt cccgttcccg gttaccgagg aagacgcgc 16680
cacgggaagg gcttcagggg tagcggttta acccgacatc ggcgtcggcg ggcggtgcgc 16740
ggacgcatga aggggggcat tctccctgct ttgattccta ttatagccgc ggcaatcggc 16800
gctattccgg gaattgcctc agtgccgta caagcctccc aaagacaata attaaacca 16860
ggcgccgctg tctttcttac gcagtgtatt atggaagacg tgaatttttc gtccctggcc 16920

```

-continued

ccgcgacatg	gtacccggcc	ctacctgggc	acttggaaacg	atatcggcac	cagtcagctg	16980
aacggggggcg	ccttcaactg	gagtagcatc	tggagcgggt	tgaaaaattt	tggttcaacc	17040
ataaagtctt	acggaaacag	ggcttggaa	agcagcacgg	gtcagctgct	gcgcgataag	17100
ctcaaagacc	agaattttca	acagaaggtg	gtagacggct	tggcgcccg	cattaatggg	17160
gtcgtagaca	ttgctaacca	ggcggttcag	cgcgagataa	acaaccgtct	agatccgcgt	17220
ccagtagagg	aggagctacc	cgctttagaa	aggcaacctc	aggcgaaaa	gcgtccgcgg	17280
cccgatttgg	aagaaacgct	tgtaacggaa	gaacctcctt	cttacgagga	agccgtaaag	17340
ggagcgccct	cggtggctct	taaaccggtc	acctatccac	tcacaaaacc	cataatgagc	17400
atggctacgc	cggttgggga	cgctccaatg	gtagtagacc	ttctccacc	accgcaggg	17460
atgaccactc	caacggtccc	cgttcccat	gctccgcccg	tttcgcgtcc	cgccatccgc	17520
ccggttgccg	tggaacacc	ccgttatacg	cgcacaaaca	actggcaaaa	cacactgaac	17580
agcatcgtgg	gcctgggagt	caaaactctg	aaacgccgca	gatgctacta	ttaaacgctt	17640
tttaaccctc	cgtcttgtgt	atacgctgt	tgtgtcagt	aaaagaagag	ccgcggattc	17700
gccgccgtcc	tcgttgcaa	gatggccacc	ccatcgatga	tgcgcgagt	gtcgtacatg	17760
cacattgccg	ggcaggatgc	ctcggagtac	ctcagtcccg	gcttggttca	gtttgctcga	17820
gccaccgata	cctacttcac	actgggaac	aagtttagaa	atcccaccgt	ggccccacc	17880
cacgacgtca	ctactgatcg	gtcccagcgt	cttactttgc	gatttgtgcc	ggtagacagg	17940
gaagacactg	cctatgctta	caaagcccga	ttcaccctgt	ccgtgggtga	taacagagt	18000
ctggacatgg	ccagtaccta	ctttgatata	cggggagtaa	tagaccgagg	tcccagtttc	18060
aagccgtatt	ccggtaccgc	ttataatgct	ttggctccaa	aaggggcgcc	taacaacagt	18120
cagtggcaca	ccgttaacga	ggacaaccag	aatttcctga	tgcacacata	tgcccaggcc	18180
ccatttgaga	gcgaatttgt	ggctaacaac	ggcaacattg	gtattcaagt	gggagtgagt	18240
gacaccaaca	ctcccatttt	ggcggatccg	acatatcagc	cggaaaccaca	ggacggagaa	18300
ccgcagtggc	agagtctaaa	agcgcaagag	aagctagaac	atgcagggag	agcgcgtgaag	18360
tataccactc	ccatgaaaac	ctgctacggg	tcctacgctc	gccccaccaa	cgcgcagggc	18420
ggacaaggga	taattgacga	acaaactgga	gaaacagatg	cgacggaaat	tacccaaaac	18480
tactttgcgc	tgtcaacggc	gaccacggac	ttcacgccaa	aagtgggtgct	gtacacggaa	18540
gatgtttact	tgcaaacccc	agatactcat	ttggtgtaca	ctccgtcggc	cacggaaggc	18600
agcactcagg	atatgctggg	ccagcaagcc	gccccgaatc	gccctaacta	cattgggttc	18660
agggacaact	tcattgggct	aatgtactac	aacagcaccg	gaaacatggg	agtgttggcg	18720
ggccaggcct	cgcagctgaa	cgcggtggta	gacttgcaag	accgaaatac	cgaactatcc	18780
taccagctca	tgctggatgc	tctgagcgat	cgcacaagat	acttctccat	gtggaatcag	18840
gcggtagaca	gttacgaccc	tgatgtgcga	attatagaga	atcacgggg	ggaggatgag	18900
ctccctacgt	actgttttcc	actttccgga	gtcggcatta	ctcaagagta	tcagggagtg	18960
gaaccacca	atcccgcgcg	tgccgacatt	acgtggaaag	aggacgccac	ggtctttgat	19020
cctaattaca	ttgctaccgg	caacatcaac	gcctacgaaa	ttaacttgca	ggccagcctc	19080
tgggcgagct	ttctttactc	caacgtagct	ctctacctac	ccgacaagta	caagtacacc	19140
cctgctaacg	tcacactccc	cacaaacact	aacacctaca	agtacatgaa	cggccgcgtg	19200

-continued

acctctccca gcttagtaga catttttgtg aatgttgag cccggtggc gccggaccct	19260
atggataatg ttaatccatt caaccatcac agaaatgccg gcctgcgtta ccgctctcag	19320
cttttgggta acggacgcat tgttcccttc cacattcaag taccgcagaa gtttttcgcc	19380
attaagaacc ttttgctgtt gcctgggttct tacacctacg agtggtcctt cagaaaggac	19440
gttaatatga ttctccagag cacgcttggg aacgatctgc gaacagacgg agcggccatt	19500
aggatcgaaa gcgtaaacct gtacgcgaac ttttttcca tggcccacaa cacagcctcc	19560
acttttagagg ccatgctcgc caacgacacc aatgatcagt ccttcaacga ctacctctcc	19620
gccgccaaaca tgctgtaccc catcccagcc aacgcaacca atgttcccat ttctattcct	19680
tctcgcaatt gggccgcttt cagaggctgg agcttcaccc gtcttaagc caaggaaacc	19740
cctgcccttg gatctggctt tgatccctac tttgtttact caggctccat tccttacctc	19800
gacggcacct tctatctcaa ccacactttt aaacgggtgt ctattatgtt cgattcctcg	19860
gtgagctggc caggaaacga ccgactcctc acccctaag agtttgaagt taaacgggta	19920
gtggacggag aaggctacac tgctgcgag agcaacatga ccaagactg gttcctaate	19980
cagatgctta gccactacaa catcggtat caaggcttct acattcccga gggctacaaa	20040
gatcgcatgt actccttctt ccgcaacttc caaccatga caagacaggc cgtggatccc	20100
gtaactaca ctaattataa ggaaatcacg gtggtcacc agcacaacaa ctccagggtt	20160
gtgggattca tgggccccac catgcgagag ggtcatccct acccagcaaa ctaccctat	20220
ccgctcattg gagacagtgc ggtgcctacc gttaccaga aaaagttttt gtgcgacgt	20280
accatgtggc gcattccttt ctccagcaac tttatgtcta tgggcgctct taccgatctg	20340
ggtaaaaata tgctttacgc aaattccgcc cagccctcg acatgacctt tgaagtggat	20400
ccaatggacg aaccacact actctatgtt ctatttgaag ttttcgacgt ggtccgtgtt	20460
caccagcctc accggggcat tatcgaagcc gtgtatttgc gtactccatt ctccgccgga	20520
aacgccacta cataagcaac atgggggtcca gcgaagaaga actcaaagcc ataataagag	20580
atttacgggtg tgcgccatat tttttgggaa cctttgacaa acgttttccc ggatttgtgt	20640
cgcgcacaa acttgcttgt gccattgtaa atacggccgg aagagaaacg gggggagtgc	20700
actggctggc ttttggtagg aatccgaaaa accgaacttg ctacctgttt gatccgtttg	20760
gcttttcgga tgaaaaacta aaacaaattt atcaatttga atacgaaaac ttgctaaagc	20820
gaagcgctat cgcctctacc ccggatcgat gcgtgactct ggtaaaatcc acccaactg	20880
ttcagggacc taactcgga gcttgtggcc tgttcgcctg tatgttcctg catgcttttg	20940
taaactggcc caatagcccc atggaaaata accccactat ggacctgata gtcgggtgtg	21000
ctaattacat gttaaaaagc ccccagggtc agggaacgct ttttaaaaat caacaagcgc	21060
tgtaccgttt tttagccacc cactccctt acttttagaca tcatcagcag caaatcgaaa	21120
aggccacggc ttttaataaa caaactgaat ccaaaaatta ataataaatt tttatgcttt	21180
atttgtactc cgtcgtattt tttttttcaa aattcaaagc ggttcatttc aaagtcaaca	21240
tgggcagcgg gaagagttag gttacgatat tgggtacttg gatgccattt aaattcggga	21300
accaccatth tgggaagaac ggtatcgga agatgatcct gccaaaactg ccttacaagt	21360
tgcaacgctc caattacgctc gggagcagaa atcttaaagt cgcagtttgc ctggttgttt	21420
gctttgtgtg tacgggttag agcgttggcg cactgaaaca ccagaacgct cgggttgttt	21480

-continued

acactggcca	acatggcgcg	gtcgtgataa	ccgaaatcca	ctaagtcttc	caagtgaata	21540
ttctcaacat	ttaacgcaaa	aggggtaatt	ttgcaagttt	gacgtcctcc	acgggacatc	21600
tcgggtcgcg	taaaacagtt	acaacgaatg	ggcatgagaa	gatgcttggg	tcccttcacc	21660
atgtgagggg	agcaagcttg	catgaaagcg	gcaatttgac	gaaaagcaat	ttgcgccttc	21720
gtcccctcag	aatagaacat	accgcaggat	ttattagaaa	agttgttggg	agagcaccac	21780
gcatcaaaca	tgcaacaacg	ggcctcctca	tttcttacct	gaactacgct	acgaccccag	21840
cgggtctgaa	caattttggc	cttggcgggg	gtttccttta	gagctctttg	cccattttcg	21900
ctagttacat	ccattttctat	gatctgctcc	ttcactatca	tggtcaaac	gtgtaagcat	21960
ttaagctcac	cctccacatc	cgtacactga	tgctcccaag	ctacgcctcc	ggtaggttcc	22020
cacaatttgg	aatctacacc	ggcgtacacc	tgacgtaag	ccattaggaa	gcggcccatc	22080
agagaaatga	aacttttatg	agaagtaaaa	gtcaaggtgt	tgtgcttata	ctcctcattc	22140
atccaagcct	ggcataat	gtcgtacacc	tctccttgct	cgggcaaaaa	tttaaacgag	22200
gaccttagct	ccttgctctac	cttgtacctt	tccattaaca	taaccataaa	ttccatgccc	22260
ttttcccaag	cagaaaccaa	cggggttagag	gcagggttaa	caacggttga	actggttccc	22320
tccttttggt	gacgggctgc	ggacattatg	gggtgatttt	cgtcgaattt	ttcgaaggct	22380
ttgcttccgt	ccgccttcgc	tactattttt	acaggagggt	agctgaaccc	cacttccagc	22440
aactctccca	cctcttcgtc	gctgtcggcc	accacttctg	gtgaaggcgg	gagaggcagt	22500
gacttccgcg	ctttcttttt	tgggggcaca	gctggaactt	tttcgggtgt	tacttcgcga	22560
cggctctgat	tgctggccat	tgttttttcc	taggcaaaaa	acatggaatt	ggaaccagcg	22620
gccgaaagca	acaacttaac	ctccccccat	ttttacgaga	acaaggacgc	cctcaccgag	22680
gctacggggg	ccgcagtgga	acaggacgtg	ggctacgcgt	ctccgccaga	aacggcggag	22740
gaggaaaagg	atgacaaaaa	cttatcgagc	ccacaaaaag	acaagcaaca	agatgataag	22800
acacaggaaa	acgaggagga	cgttagcttc	catgacgatt	acctaggcaa	aggagaggac	22860
gttttactaa	aacacattcg	aaggcaaaag	gccattgtgg	aaaacgccat	ttccgaaaaa	22920
accgaaatac	cgggtgctgt	gtacgactta	agcctggcgt	atgaacagag	cctcttttct	22980
cctcgtgttc	cacccaaaag	acaacccaac	ggcacctgcg	agcccaaccc	gaggctaaac	23040
ttctacccgg	catttgcctg	tcccgaagta	ttagccacct	atcatat	ctttaaaaaa	23100
cacaaaaatc	ctgtttcctg	ccgcgctaac	agaagcgaag	ccgatgccca	acttttgctg	23160
ggtccagggt	ccgcataacc	tgattttgct	tccttagaag	aagtgccgaa	aatattcgag	23220
ggcttgggag	acgaaaaaac	tgctgcaaac	gctctgcaag	aaaacacaga	aagtttcagc	23280
gcgctggtag	agctcgcaaa	tgacaacgcc	cgtctagccg	tgctcaaaag	aagcgtagaa	23340
gtcaccact	ttgcctaccc	cgtgtgcaac	ttaccgccta	aggttatgaa	cacggctcatg	23400
gactgcttac	tagtaaaaaa	ggcaaaacct	ctgggggaag	gggaacagga	ggaagaagac	23460
tcagacgagg	gcaaaaccgc	cgtaaccgac	gaagaactct	cacgctgggt	gcgcacaaca	23520
gaccagcag	agttagaaaa	tcgtagaaaa	cttatgactg	cggtcatact	ggtaaccgcg	23580
gagctggagt	gcctcagtag	attttttacc	gatacggaaa	ccataaggaa	agttgaggaa	23640
accttgcat	acaccttcgc	tcacgggttac	gtgaaacaag	cctgcaagat	ctctaacgta	23700
gaactcagca	acctgggttc	ttacttaggc	attttgcatg	aaaacagact	gggtcaaaac	23760

-continued

```

gttctccacg ccacgctaaa gggagaagcg agaagagact atattagggg ctgcgtctac 23820
ctgtttttgt gttttacgtg gcagtcgcga atgggggtct ggcaacaatg cctggaagat 23880
gacaatttgc gagagtgtga aaaaatactg aatagagaac gaagggaacct gtggacgggt 23940
tttgatgaaa ggacggtagc caaggaccta gcgaacatta tttttcctag cagactagta 24000
agaactttgc aaaatggcct gccagacttt atgagccaaa gcatgatata gaacttccgc 24060
tccttcctct tggaacgctc aggcattctg ccttccatga gctgcgcttt gccttcagat 24120
tttatccctt tgaccttcag ggaatgcctt cctccactct ggagccactg ctacttattc 24180
caacttgcaa acttttttgc attccattct gacgtcgtgg ccgacgttac cggagaggga 24240
ctgatggaat gtcactgtcg gtgtaatctg tgcaccccc accgttcctt ggtttgcaac 24300
accgctttgc taaacgaaac ccaggtataa ggtacctttg aaatccaggg accttcagaa 24360
tccaacaaa gagccgcggt gttaaaacta actccgggat tgtggacttc cgcctaccta 24420
cgcaaatttg taccggtgga ttaccacgcc cacgaaattc gattctacga agaccaatca 24480
ggacccccca aagcagagct cagcgcttgc gtcattactc aaagcagcat tgtggcccaa 24540
ttgcaagcca tcaacgaagc ccgccgaaac ttcttttga aaaaaggaaa gggggtatac 24600
ttggaccccc aaacgggcga agaattaaac accacccctt cccagttgc aggtgtctcc 24660
cacaatgcca ccaaagaaga ggtccgcgc cctcccgctc tccaaagcag tcacagcaaa 24720
gcgaccccaa cagaggaaa cccaggagac cgaggaaacca tggagcgagg aggaggactg 24780
ggagagtcag ggagaggaag acatggaaga ggaatgggac agcctagcca gcgacgaggg 24840
agaggcagag gcagagacag aggaagcatc cgtcgcaaaa ccctcactgg cgaacgagt 24900
ttcaaacgtt actacgacct cagatcagcg cacagtcagt cgtagatggg acagtaccaa 24960
cgccgcccc gccggtgaaga cctttctgtt ggcaaaacc cgacagggat accgctctg 25020
gcgagcgcat aagaacgcca ttataaactg ccttgaaaat tgcggaggca acatttcttt 25080
caccgctgg tttatgctct ttcgaaacgg aattgccatt cccagaaacg tcttacatta 25140
ctatcgctat tcttacagcc cctcgaaaac cgtacctctc ggacgcgcg gccgcgcgcg 25200
aactaaaaa gaggttacct aagcagaaca aaaagcaagt gaaagagccc ccactacca 25260
aagaacttag gaaccgaatt tttctactc tgtatgcat tttccagcaa agccgcgagc 25320
aagaaccaga gcttaaaata aaaaaccgct ctctccgttc acttaccgc agttgtctat 25380
atcacaaaaa cgaagaacag ttgcaacgca cgttggaaga cgcagaagct ctgttcaaca 25440
agtactgcgc agcaactctt aaagaataaa aaaaatcgcg ccaaaaattc aaaaagatt 25500
gtgtcatctt ggtaacgcgc ccgcaatgag caaagaaatt ccaaccctt acatgtggag 25560
ctaccagccc cagatgggat tggccgcagg tgcggcccaa gattactcaa ccaaatgaa 25620
ctggttaagc gccggccctc acatgattgc tcaagttaat ggaattcggg cccaccgcaa 25680
tcaactgtta ctggaacagg ctgctcttac caccacacc agaatacaat taaaccctcc 25740
cagttggcct gcgtcactgg tgtaccagga aacaccggt ccgacaaccg tactacttcc 25800
tcgtgacgcc caggccgaag tcctcatgac taactcaggt gcacagctgg ccggcggggc 25860
gtgccggtat cggtcctaaa gcccactgg gctctccgcc cctttgggta taaaaagggt 25920
gtcatccgt ggcagaggca cccagctcaa cgacgagaca gtgagctctt cgcttggctt 25980
acgaccagac ggagtgttcc agctcgggg ctcgggccga tcctccttta cgcctcgcca 26040

```

-continued

```

ggcttatttg actctgcaaa gttcttcac tcaacctaga tctgggtggca ttggaacgct 26100
tcagtttggt gaagagttca cgccatcggt ctacttcaac ccttctccg gggcgccggg 26160
gctgtatccg gacgagttca ttccaaactt cgacgcggtg actgactccg tggacggcta 26220
cgactgatgt ccaatgagtt tgagtctcta gtagaccaag ctcgatccg ccacctcgac 26280
cactgccgtc gccaccggtg cttcgtcaga gaacatctcc agaccgtcta ctttgagcac 26340
ccagaaagcc accccgacgg tccctgtcac ggtatttacg tgattgtgga cggatccctgc 26400
gacaccaccc tcgttcgcta ctacagccaa cgccctctat tggtggaacg ccaaaccggc 26460
gtcactaaga ttacctcac ctgcatctgc tcgcaaccgg gcttacatgc agacctctgc 26520
tgccatctgt gtgctcgctt taatcagett cgtagctgc gttcagcctg cctccgggca 26580
gattgacgtc tgccaagcgg ctaacgtgac tgttaccgac ctctcaaac ccacaatcac 26640
cgttaagtgc ggcttctaca acaaaccagt ttctacagtt ttctggtact tcaacaacac 26700
cctcttctcg tccttcaatc cgttttctact ccttatcagc aacatcaagc aacctttaa 26760
ctactacacc accggcaaca gtcttcagct ctttgctccc tacagttctg gacgttacca 26820
ctgcgaagtc ctttaagtga ctcaacattt ttctattgga attaaacctg caactccaat 26880
caccactgcc gctaccacta ctaccctaa tactactgct gtcactactc ctctcctgc 26940
tactgcactc tctactacaa ctctccagc cgccgccacc acttcttctc ccagcgctcc 27000
caagagatcc atcagatcct tctcccacag ctttctgagt atcaacgtct cagatccac 27060
tcaagtcctt cagtgcacct gctccggcaa ctacactttc tggggcgtaa acggaactga 27120
ttgggccttt gttcagaaca tcacctttgt tacctttatt cagaaccaa ctatcaactt 27180
caaccacaag ttctcaaca cttctctgaa cctccgactt ccagttgttc ctggttaacta 27240
cagctgacgac actcaagcc gtcagtgcca gcacgttttt accgttaccc ttatttacc 27300
cactccact actccggtc caccgaccac cgccaccgaa actaacacc accaggcctt 27360
tttgctccg agcgaagtc cagaaacagc ggttgccctc actccttggg ggctatttgt 27420
tgtggttggc attgttgtgg tgattattgc aggtgcagtt acagcctttt ttatttacia 27480
gaagcaccca gaagtgggtg ttttcttca cagagttccc acctcagttt actaaggtaa 27540
gatgaaattt ttactgttta ccactcttt tagcctttgt ggtcttctc actcagtttt 27600
ttatcctcct ccaaattgct acgttacctc cagatgggat cccaactgcc acattcaa 27660
cctgtgccct gacaacagca ccatttacta ctccaatacc tccgtggtcg gctctctcac 27720
actcaacct gaggataacc caccgacca ctatctcatt aatcacacc tgcctaatgg 27780
caaaactgcc ctttacaatt ttacttttcc catggccact ctgtgcacca tcaactgaagc 27840
cacagattca ggctacgatt ttactgtttt gtttttact ttaatgggtg ttgccctcat 27900
tctcttttg gcagacttg cttgtctctt ttaccactac tgcgctggg ggcgtaaggg 27960
atctacacc ttacccacg accagcgag tatccacct gaaatttaac aaacttttcy 28020
ttttttttt gcagtatgac tcttgctctt cttatctgca ctcttacagt gccagtcacc 28080
cttgccaccg tctcttttgc cagggctact catctcgaa cggaatgctt tccaccattc 28140
caagtttacc ttgtgttttc ttttctgtc tgcacctgta ttgctagcct cattacttta 28200
ctgctgggat ttttctcagtt tgtggactat ttctagtgc gcctgcgcta tcgtcaccac 28260
gcaccgcagt tccaaaatcc caacgttgct cgactcttag ctcttcaacc atgaaagctc 28320

```

-continued

ttctggtgct agcattttta cccctcactc actgctgccg ttttacattc tccaagctgt	28380
ggaccatcag agactgttac ccccttggtc cagtcctga agaaccatgg ctgtttacta	28440
tcctcatcgt cgtgccctt attgcctttt ttgcagctat ttacctgaga aatatattac	28500
ctttctcttg gaatacagat gatctacttg attatcccat tctcccccaa cccaacgtta	28560
ttcctttgca aaaccttttc cccaacctcc ctgaccttct ggatcaactt cccctaatac	28620
ctgatccacc cgttccccc tctacctgca gttacttccg cttaccaat gagtaacccc	28680
ctagaaattg acggactcgc gtccgaacaa caagccctca tggtagctga gcggggcaga	28740
caacgggagc taaagcacca ggagctgtta gatctgcaaa acacccatca gtgcaagagg	28800
ggcattttct gcgcggtgaa gcaggcttct cttcgcttcg aaatgctgaa cctccagac	28860
cacgagctcc aatacaccat tcagcaagag cgccaaaact gtgtgtttat ggtgggctct	28920
aaacccatca aatcacaca aagtagaggg gaggttaccg gggctctccg ttgttcttgc	28980
acccattccg aatgcatgta cacccttggtg aaaacctctc gcgggttaca tgatttaata	29040
ccctttaatt aacagcaaaa ccaatcaaac ccaatcaaca cccaattata aaaatgaaca	29100
ataaacttac atgaattcag cagttaactt gtttgtggct tttgtgtcca atttaacca	29160
tttacctct tcccaactct gatatccaat acttcttcta ctgcaaaact ttctccatac	29220
cctaaagggc atgtcaaat taacaacttt gccactgcta tctattatat tcattttaga	29280
tgaagagagc cagagctgta acagaagact tcaaccccg atacccttat gacaccccta	29340
ccggtggaaa cgtcgacccc tttgtaactc cgccttttgt gtcccctgat ggtctacaag	29400
aaagccccc tggcacactc tccctaaca tcaaatctcc cctcactatt acaaacacc	29460
aactagacat taaattggga agtgactat cagtatcttc aaaggagaa ttagaagcca	29520
gttccaccac caccgtaact gcgcacctaa ccaatacaaa caacattata ggactttctt	29580
attctgatgg cctgacttta gaacagaatt ttctgaaagt aaatcttgga agcgggtctca	29640
cgtttgataa ccaaagtata accctcaacc cccaactct gtggacgggc ccggetgcag	29700
aaccaaacgc cactgtactc cccccaggca gcgcagacat tcctgattac aacgcatgca	29760
tcacctgag ttaactaaa ataggacccc tggtaaatgg ttttaatttc cttataggga	29820
ttcagcccc cctaactccc atagcggcag acgtgaactc ggtgaagggt tccttacttt	29880
ttaatgacaa tggtaactc atcgggccag actttgaaac tgacactttt ggattttaaag	29940
tgggtaacac tatagacaca acttccaccg ccagcagggt tcctttcatg ccaatgtca	30000
ctacttatcc tcataactcc acaggtcaag ctggagcagg gcattatatt attgtgccg	30060
gaatggttaa cgcgcactct tccaaacct gcaacttaat tgtgggactt aacacagcgg	30120
gatcttcggg attctccatt acattggagt ggacagggt ggctaattac aacctatccc	30180
ttggtacctc cactttttt ttagttatct atcacaagac caaaattaaa gtgcataaaa	30240
agttttatct gcgttgatcc atgttacagg gggacgggca tcgtacacct ttaggggat	30300
tgacagacca tacaccatca atttcctcag ccatctttgt cttcttactt ctgttttget	30360
gcaacacaaa ggagccttga attcctctaa aattatcttc acagttttta gcaatatcct	30420
tctagtctc ctggcacagc accttacctt aatctcgctt aaatcccaac agtaagtgca	30480
acataaaatt atcatattat taatatgccc gtaggtaaac cgcgccacc caaaactaat	30540
cttttctaaa gctgcagcag catgtatgtc atgttttact ttcaacaaa ttaaatgcct	30600

-continued

```

ccccctaaca tatgaacttc ccacataata cacctctttg ggcattttta agttaacaat 30660
ttccctgtac cacagaaatc tctgatttat taaagctcca tacaccaaca tataaaacca 30720
tttagccaac agcacccttc cagctttaca ttgaagcgat cctggttttt cacaatggca 30780
atgtaaagtc cacaactcat aacctatgcag cacttcagat cttctcaaat caatactagc 30840
gcagcaatca cacaccttca taaaattttt aagaatgttc atttcatagt tagttagaat 30900
catgtcccaa ggaacaggcc attccagcaa caccgccagg gccgcacagc acggaagact 30960
gcgcacaaca gctacactgt gcatgggtgag agaactacat tcaggtaagg ggcacgagta 31020
ggcgagggga gatgcagcag tcacacgccc ttcagacggg ggcagcatat gatggtgata 31080
aggactcaac ctgcagaaga atcttctgac gcgcggggcc atccacatt aactcacgtc 31140
gcgcttcttc gtacttgaag tagcaaaacc aggttctttg ataacacact tccgcgcat 31200
gaggatcctt tctcttctgg tgttctactgc gccaaagcata gaacagaaac tcacgcaaac 31260
tggttaccag ttcttcagca ggaggagtaa actctacaga aaagcgacgg taattttgaa 31320
gatgttcagc tactgttaaca taagctaagc ccatccaaga tatgcatgca gaccgatccc 31380
tgaaaactgt aggagcagaa agagccggta gcaccatgga gactattcca aacgatctgg 31440
cagaatttca aatgcagat ctcgaagatg acaacgatct ccaccgtac cctgatgata 31500
acgaacagcc aggtcaaaaa caatactgtt ttccaaattc tccaccgtgg cattgatcag 31560
atcagcaatt cgcacttcca caaaaagaag gatagcaaac gcctgaccct gcagatgttc 31620
tatagccaga gtagcathtt gaaccatgcc cagataatht tcatthttcc agtcgcgaat 31680
aatctccaca agaagagctt ccagattcat cccatgagca ttaaaaagct ccacacgcgc 31740
gccctcaatg tacatccgca ggcacacctt catgattact gtagcagctc cgcctcctga 31800
gacacctgca gtaaattaac ccggcttaaa tcaggatcta cccccgaca tcgaagcttc 31860
tggcgtagcg aaagtgaag atattcagca aagtccgaaa ccaccaaaagc agtgthttcc 31920
tcgcagggct gcaactcagc agtggcgacg gagcaaaaca cacgaagaca gggagcaagc 31980
tgaaccacag tagcgcccca gaagcatagc tgttgaggag gagtgtata atccatgcag 32040
tgataccaaa agtaagagca ttcctgacgc aaaaagccaa gcacgtctat attaagctca 32100
tgcaataat ccagcaaaag ttgaggcagc gtgacggaca cccaaaccgg gcgatgagca 32160
aacatgctta ccctggaaaa gagaacacat taaacttgcg tggcttcaag cacagtagga 32220
taaatcacac gatgcaaaaag aaaccttccc accgcttgac caggttgcc atgataaaaa 32280
tcgggagtgat gattgaaaag caataacttc aactccatc tagtgaggg atccacagta 32340
tcggctcctg caaaaatccc ccgcctcaca agatccccc aaggtccaa acggccgata 32400
tatccggag gcaactgcac tctaacttgc aagtacaaca gcaacacccc ctcaggggga 32460
attacaaaat cctcaggaga gaaaagagtg tataccccag aatagccttc ctgaacaggc 32520
aatatgccat gttcacccct ccggttaaca taaaaaaact cttcattggt agccatacca 32580
aaagagaaca gcacaggctc agcagcgctc agaaatgttc tgcgccgcta actgagctcg 32640
ctctgccttt atactgaaaa atactgacgt caataaccac ttaacacaaa gttcagacct 32700
atthtttaatt attgagtttc acttcgcgt tccgtttccg cgttcttcgc tgacgcatta 32760
aacgcgccac tccctccac aattcagcgc ggctcgtgag taatctgtta actgcgcgcc 32820
ccgccgaac cgcgcccg cccgccatt gacgtcacgg ccaatcacag ttgtggacac 32880

```

-continued

gcccattctca ttgcatatt aactctgtt tacattgtaa ggtatattat tgatgatg 32938

<210> SEQ ID NO 17
<211> LENGTH: 129
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 17

Met Phe Ala His Arg Pro Val Trp Val Ser Val Thr Val Pro Gln Ala
1 5 10 15
Leu Leu Asp Tyr Leu His Glu Leu Asn Ile Asp Val Leu Gly Phe Leu
20 25 30
Arg Gln Glu Cys Ser Tyr Phe Trp Tyr His Cys Met Asp Tyr Tyr Thr
35 40 45
Pro Pro Gln Gln Leu Cys Phe Trp Gly Ala Thr Val Val Gln Leu Ala
50 55 60
Pro Cys Leu Arg Val Phe Cys Ser Val Ala Thr Ala Glu Leu Gln Pro
65 70 75 80
Gly Glu Glu Asn Thr Ala Leu Val Val Ser Asp Phe Ala Glu Tyr Leu
85 90 95
Gln Leu Ser Leu Arg Gln Lys Leu Arg Cys Arg Gly Val Asp Pro Asp
100 105 110
Leu Ser Arg Val Asn Leu Leu Gln Val Ser Gln Glu Ala Glu Leu Leu
115 120 125
Gln

<210> SEQ ID NO 18
<211> LENGTH: 116
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 18

Met Lys Val Cys Leu Arg Met Tyr Ile Glu Gly Ala Leu Trp Glu Leu
1 5 10 15
Phe Asn Ala His Gly Met Asn Leu Glu Ala Leu Leu Val Glu Ile Ile
20 25 30
Arg Asp Trp Lys Asn Glu Asn Tyr Leu Gly Met Val Gln Asn Ala Thr
35 40 45
Leu Ala Ile Glu His Leu Gln Gly Gln Ala Phe Ala Ile Leu Leu Phe
50 55 60
Val Glu Val Arg Ile Ala Asp Leu Ile Asn Ala Thr Val Glu Asn Leu
65 70 75 80
Glu Asn Ser Ile Val Phe Asp Leu Ala Val Arg Tyr His Gln Gly Ser
85 90 95
Gly Gly Asp Arg Cys His Leu Arg Asp Leu His Phe Glu Ile Leu Pro
100 105 110
Asp Arg Leu Glu
115

<210> SEQ ID NO 19
<211> LENGTH: 121

-continued

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 19
Met Val Leu Pro Ala Leu Ser Ala Pro Thr Val Phe Arg Asp Arg Ser
1      5      10      15
Ala Cys Ile Ser Trp Met Gly Leu Ala Tyr Val Thr Val Ala Glu His
20     25     30
Leu Gln Asn Tyr Arg Arg Phe Ser Val Glu Phe Thr Pro Ala Glu
35     40     45
Glu Leu Val Thr Ser Leu Arg Glu Phe Leu Phe Tyr Ala Trp Arg Ser
50     55     60
Glu His Gln Lys Arg Lys Asp Pro His Arg Arg Glu Val Cys Tyr Gln
65     70     75     80
Arg Thr Trp Phe Cys Tyr Phe Lys Tyr Glu Glu Ala Arg Arg Glu Leu
85     90     95
Met Trp Asp Gly Pro Ala Arg Gln Lys Ile Leu Leu Gln Val Glu Ser
100    105    110
Leu Ser Pro Ser Tyr Ala Ala Pro Val
115    120

<210> SEQ ID NO 20
<211> LENGTH: 287
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 20
Met Ala Pro Arg Val Arg Arg Phe Phe Cys Arg Leu Ser Pro Tyr His
1      5      10      15
His His Met Leu Pro Pro Ser Glu Gly Arg Val Thr Ala Ala Ser Pro
20     25     30
Leu Ala Tyr Ser Cys Pro Leu Pro Glu Cys Ser Ser Leu Thr Met His
35     40     45
Ser Val Ala Val Val Arg Ser Leu Pro Cys Cys Ala Ala Leu Ala Val
50     55     60
Leu Leu Glu Trp Pro Val Pro Trp Asp Met Ile Leu Thr Asn Tyr Glu
65     70     75     80
Met Asn Ile Leu Lys Asn Phe Met Lys Val Cys Asp Cys Cys Ala Ser
85     90     95
Ile Asp Leu Arg Arg Ser Glu Val Leu His Gly Tyr Glu Leu Trp Thr
100    105    110
Leu His Cys His Cys Glu Lys Pro Gly Ser Leu Gln Cys Lys Ala Gly
115    120    125
Gly Val Leu Leu Ala Lys Trp Phe Tyr Met Leu Val Tyr Gly Ala Leu
130    135    140
Ile Asn Gln Arg Phe Leu Trp Tyr Arg Glu Ile Val Asn Phe Lys Met
145    150    155    160
Pro Lys Glu Val Tyr Tyr Val Gly Ser Ser Tyr Val Arg Gly Arg His
165    170    175
Leu Ile Trp Leu Lys Val Lys His Asp Ile His Ala Ala Ala Ala Leu
180    185    190

```

-continued

Glu Lys Ile Ser Phe Gly Trp Gly Arg Phe Thr Tyr Gly His Ile Asn
 195 200 205

Asn Met Ile Ile Leu Cys Cys Thr Tyr Cys Trp Asp Leu Ser Glu Ile
 210 215 220

Arg Val Arg Cys Cys Ala Arg Arg Thr Arg Arg Ile Leu Leu Lys Thr
 225 230 235 240

Val Lys Ile Ile Leu Glu Glu Phe Lys Ala Pro Leu Cys Cys Ser Lys
 245 250 255

Thr Glu Val Arg Arg Gln Arg Trp Leu Arg Lys Leu Met Val Tyr Gly
 260 265 270

Cys Ala Ile Pro Tyr Lys Val Tyr Asp Ala Arg Pro Pro Val Thr
 275 280 285

<210> SEQ ID NO 21
 <211> LENGTH: 325
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 21

Met Lys Arg Ala Arg Ala Val Thr Glu Asp Phe Asn Pro Val Tyr Pro
 1 5 10 15

Tyr Asp Thr Pro Thr Gly Gly Asn Val Ala Pro Phe Val Thr Pro Pro
 20 25 30

Phe Val Ser Pro Asp Gly Leu Gln Glu Ser Pro Pro Gly Thr Leu Ser
 35 40 45

Leu Asn Ile Lys Ser Pro Leu Thr Ile Thr Asn His Gln Leu Asp Ile
 50 55 60

Lys Leu Gly Ser Gly Leu Ser Val Ser Ser Lys Gly Glu Leu Glu Ala
 65 70 75 80

Ser Ser Thr Thr Thr Val Thr Ala Pro Leu Thr Asn Thr Asn Asn Ile
 85 90 95

Ile Gly Leu Ser Tyr Ser Asp Gly Leu Thr Leu Glu Gln Asn Phe Leu
 100 105 110

Lys Val Asn Leu Gly Ser Gly Leu Thr Phe Asp Asn Gln Ser Ile Thr
 115 120 125

Leu Asn Pro Pro Thr Leu Trp Thr Gly Pro Ala Ala Glu Pro Asn Ala
 130 135 140

Thr Val Leu Pro Pro Gly Ser Ala Asp Ile Pro Asp Tyr Asn Ala Cys
 145 150 155 160

Ile Thr Leu Ser Leu Thr Lys Ile Gly Pro Leu Val Asn Gly Leu Ile
 165 170 175

Ser Leu Ile Gly Ile Ser Ala Pro Leu Thr Pro Ile Ala Ala Asp Val
 180 185 190

Asn Ser Val Lys Val Ser Leu Leu Phe Asn Asp Asn Gly Gln Leu Ile
 195 200 205

Gly Pro Asp Phe Glu Thr Asp Thr Phe Gly Phe Lys Val Gly Asn Thr
 210 215 220

Ile Asp Thr Thr Ser Thr Ala Ser Arg Val Pro Phe Met Pro Asn Val
 225 230 235 240

Thr Thr Tyr Pro His Asn Ser Thr Gly Gln Ala Gly Ala Gly His Tyr
 245 250 255

-continued

```

Ile Ile Val Pro Gly Met Val Asn Ala Asp Ser Ser Lys Pro Cys Asn
    260                265                270
Leu Ile Val Gly Leu Asn Thr Ala Gly Ser Ser Gly Phe Ser Ile Thr
    275                280                285
Leu Glu Trp Thr Gly Leu Ala Asn Tyr Asn Leu Ser Leu Gly Thr Ser
    290                295                300
Thr Phe Phe Leu Val Ile Tyr His Lys Thr Lys Ile Lys Val His Lys
    305                310                315                320
Lys Phe Tyr Leu Arg
                325

```

```

<210> SEQ ID NO 22
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

```

```

<400> SEQUENCE: 22

```

```

Met Ser Asn Pro Leu Glu Ile Asp Gly Leu Arg Ser Glu Gln Gln Ala
 1                5                10                15
Leu Met Val Arg Glu Arg Ala Arg Gln Arg Glu Leu Lys His Gln Glu
    20                25                30
Leu Leu Asp Leu Gln Asn Thr His Gln Cys Lys Arg Gly Ile Phe Cys
    35                40                45
Ala Val Lys Gln Ala Ser Leu Arg Phe Glu Met Leu Asn Pro Pro Asp
    50                55                60
His Glu Leu Gln Tyr Thr Ile Gln Gln Glu Arg Gln Asn Cys Val Phe
    65                70                75                80
Met Val Gly Ser Lys Pro Ile Lys Ile Thr Gln Ser Arg Gly Glu Val
    85                90                95
Thr Gly Ala Leu Arg Cys Ser Cys Thr His Ser Glu Cys Met Tyr Thr
    100               105               110
Leu Val Lys Thr Leu Cys Gly Leu His Asp Leu Ile Pro Phe Asn
    115               120               125

```

```

<210> SEQ ID NO 23
<211> LENGTH: 55
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

```

```

<400> SEQUENCE: 23

```

```

Met Asn Ile Ile Asp Ser Ser Gly Lys Val Val Lys Phe Asp Met Pro
 1                5                10                15
Phe Arg Val Trp Arg Lys Phe Ala Ser Arg Arg Ser Ile Gly Tyr Gln
    20                25                30
Ser Trp Glu Glu Gly Lys Trp Val Lys Leu Asp Thr Lys Ala Thr Asn
    35                40                45
Lys Leu Thr Ala Glu Phe Met
    50                55

```

```

<210> SEQ ID NO 24
<211> LENGTH: 121
<212> TYPE: PRT

```

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 24

Met	Lys	Ala	Leu	Leu	Val	Leu	Ala	Phe	Leu	Pro	Leu	Thr	His	Cys	Cys
1			5						10					15	
Arg	Phe	Thr	Phe	Ser	Lys	Leu	Trp	Thr	Ile	Arg	Asp	Cys	Tyr	Pro	Phe
		20						25					30		
Val	Pro	Val	Arg	Glu	Glu	Pro	Trp	Leu	Phe	Thr	Ile	Leu	Ile	Val	Ala
		35					40					45			
Ala	Leu	Ile	Ala	Phe	Phe	Ala	Ala	Ile	Tyr	Leu	Arg	Asn	Ile	Leu	Pro
	50				55					60					
Phe	Ser	Trp	Asn	Thr	Asp	Asp	Leu	Leu	Asp	Tyr	Pro	Ile	Leu	Pro	Gln
65				70					75					80	
Pro	Asn	Val	Ile	Pro	Leu	Gln	Asn	Leu	Leu	Pro	Asn	Leu	Pro	Asp	Leu
			85					90						95	
Leu	Asp	Gln	Leu	Pro	Pro	Asn	Pro	Asp	Pro	Pro	Arg	Ser	Pro	Ser	Thr
		100					105						110		
Cys	Ser	Tyr	Phe	Arg	Phe	Thr	Asn	Glu							
		115					120								

<210> SEQ ID NO 25
<211> LENGTH: 92
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 25

Met	Thr	Leu	Ala	Leu	Leu	Ile	Cys	Thr	Leu	Thr	Val	Pro	Val	Thr	Leu
1				5					10					15	
Ala	Thr	Val	Ser	Phe	Ala	Thr	Ala	Thr	His	Leu	Glu	Pro	Glu	Cys	Leu
		20						25					30		
Pro	Pro	Phe	Gln	Val	Tyr	Leu	Val	Phe	Ser	Phe	Leu	Cys	Cys	Thr	Cys
		35				40						45			
Ile	Ala	Ser	Leu	Ile	Thr	Leu	Leu	Val	Phe	Phe	Gln	Phe	Val	Asp	
	50					55				60					
Tyr	Phe	Leu	Val	Arg	Leu	Arg	Tyr	Arg	His	His	Ala	Pro	Gln	Phe	Gln
65				70					75					80	
Asn	Pro	Asn	Val	Ala	Arg	Leu	Leu	Ala	Leu	Gln	Pro				
			85						90						

<210> SEQ ID NO 26
<211> LENGTH: 155
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 26

Met	Lys	Phe	Leu	Leu	Phe	Thr	Ile	Leu	Phe	Ser	Leu	Cys	Gly	Ser	Ser
1				5					10					15	
His	Ser	Val	Phe	Tyr	Pro	Pro	Pro	Asn	Cys	Tyr	Val	Thr	Ser	Arg	Trp
		20						25					30		
Asp	Pro	Asn	Cys	His	Ile	Gln	Ile	Leu	Cys	Pro	Asp	Asn	Ser	Thr	Ile
		35					40					45			

-continued

```

Tyr Tyr Ser Asn Thr Ser Val Val Gly Ser Leu Thr Leu Asn Pro Glu
 50          55          60

Asp Asn Pro Pro Asp His Tyr Leu Ile Asn His Thr Leu Ser Asn Gly
65          70          75          80

Lys Thr Ala Leu Tyr Asn Phe Thr Phe Pro Met Ala Thr Leu Cys Thr
      85          90          95

Ile Thr Glu Ala Thr Asp Ser Gly Tyr Asp Phe Thr Val Leu Phe Leu
      100         105         110

Leu Leu Met Val Val Ala Leu Ile Leu Leu Leu Ala Ala Leu Ala Cys
      115         120         125

Leu Phe Tyr His Tyr Cys Arg Trp Trp Arg Lys Gly Ser Tyr Thr Leu
      130         135         140

Pro His Asp Gln Arg Ser Ile His Leu Glu Ile
145          150          155

```

```

<210> SEQ ID NO 27
<211> LENGTH: 342
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 27

```

```

Met Gln Thr Ser Ala Ala Ile Cys Val Leu Ala Leu Ile Ser Phe Val
1          5          10          15

Ser Cys Val Gln Pro Ala Ser Gly Gln Ile Asp Val Cys Gln Ala Ala
      20          25          30

Asn Val Thr Val Thr Asp Leu Ser Lys Pro Thr Ile Thr Val Lys Cys
      35          40          45

Gly Phe Tyr Asn Lys Pro Val Ser Thr Val Phe Trp Tyr Phe Asn Asn
      50          55          60

Thr Leu Phe Ser Ser Phe Asn Pro Phe Ser Leu Leu Ile Ser Asn Ile
      65          70          75          80

Lys Gln Pro Phe Asn Tyr Tyr Thr Thr Gly Asn Ser Leu Gln Leu Phe
      85          90          95

Ala Pro Tyr Ser Ser Gly Arg Tyr His Cys Glu Val Leu Lys Cys Thr
      100         105         110

Gln His Phe Phe Ile Gly Ile Lys Pro Ala Thr Pro Ile Thr Thr Ala
      115         120         125

Ala Thr Thr Thr Thr Pro Asn Thr Thr Ala Val Thr Thr Pro Pro Pro
      130         135         140

Ala Thr Ala Ser Ser Thr Thr Thr Pro Pro Ala Ala Ala Thr Thr Ser
      145         150         155         160

Ser Pro Ser Ala Pro Lys Arg Ser Ile Arg Ser Phe Ser His Ser Phe
      165         170         175

Leu Ser Ile Asn Val Ser Asp Pro Thr Gln Val Leu Gln Cys Pro Cys
      180         185         190

Ser Gly Asn Tyr Thr Phe Trp Gly Val Asn Gly Thr Asp Trp Ala Phe
      195         200         205

Val Gln Asn Ile Thr Phe Val Thr Phe Ile Gln Asn Gln Thr Ile Asn
      210         215         220

Phe Asn His Lys Phe Leu Asn Thr Ser Leu Asn Leu Arg Leu Pro Val
      225         230         235         240

```

-continued

Val Pro Gly Asn Tyr Ser Cys Asp Thr Gln Ser Arg Gln Cys Gln His
 245 250 255

Val Phe Thr Val Thr Val Ile Tyr Pro Thr Pro Thr Thr Pro Ala Pro
 260 265 270

Pro Thr Thr Ala Thr Glu Thr Asn Thr His Gln Ala Phe Phe Ala Pro
 275 280 285

Ser Glu Ala Pro Glu Thr Ala Val Ala Ser Thr Pro Trp Trp Leu Phe
 290 295 300

Val Val Val Gly Ile Val Val Val Ile Ile Ala Gly Ala Val Thr Ala
 305 310 315 320

Phe Phe Ile Tyr Lys Lys His Pro Glu Val Val Val Phe Phe His Arg
 325 330 335

Val Pro Thr Ser Val Tyr
 340

<210> SEQ ID NO 28
 <211> LENGTH: 109
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 28

Met Ser Asn Glu Phe Glu Ser Leu Val Asp Gln Ala Arg Ile Arg His
 1 5 10 15

Leu Asp His Cys Arg Arg His Arg Cys Phe Val Arg Glu His Leu Gln
 20 25 30

Thr Val Tyr Phe Glu His Pro Glu Ser His Pro Asp Gly Pro Cys His
 35 40 45

Gly Ile Tyr Val Ile Val Asp Gly Ser Cys Asp Thr His Leu Val Arg
 50 55 60

Tyr Tyr Ser Gln Arg Pro Leu Leu Val Glu Arg Gln Thr Gly Val Thr
 65 70 75 80

Lys Ile Thr Leu Thr Cys Ile Cys Ser Gln Pro Gly Leu His Ala Asp
 85 90 95

Leu Cys Cys His Leu Cys Ala Arg Phe Asn Gln Leu Arg
 100 105

<210> SEQ ID NO 29
 <211> LENGTH: 233
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 29

Met Ser Lys Glu Ile Pro Thr Pro Tyr Met Trp Ser Tyr Gln Pro Gln
 1 5 10 15

Met Gly Leu Ala Ala Gly Ala Ala Gln Asp Tyr Ser Thr Lys Met Asn
 20 25 30

Trp Leu Ser Ala Gly Pro His Met Ile Ala Gln Val Asn Gly Ile Arg
 35 40 45

Ala His Arg Asn Gln Leu Leu Leu Glu Gln Ala Ala Leu Thr Thr Thr
 50 55 60

Pro Arg Asn Gln Leu Asn Pro Pro Ser Trp Pro Ala Ser Leu Val Tyr

-continued

65	70	75	80
Gln Glu Thr Pro Ala	Pro Thr Thr Val Leu	Leu Pro Arg Asp	Ala Gln
	85	90	95
Ala Glu Val Leu Met	Thr Asn Ser Gly	Ala Gln Leu Ala	Gly Gly Ala
	100	105	110
Cys Arg Tyr Arg Ser	Lys Gly Pro Thr	Gly Leu Ser Ala	Pro Leu Gly
	115	120	125
Ile Lys Arg Val Leu	Ile Arg Gly Arg	Gly Thr Gln Leu	Asn Asp Glu
	130	135	140
Thr Val Ser Ser Ser	Leu Gly Leu Arg	Pro Asp Gly Val	Phe Gln Leu
	145	150	155
Ala Gly Ser Gly Arg	Ser Ser Phe Thr	Pro Arg Gln Ala	Tyr Leu Thr
	165	170	175
Leu Gln Ser Ser Ser	Ser Gln Pro Arg	Ser Gly Gly Ile	Gly Thr Leu
	180	185	190
Gln Phe Val Glu Glu	Phe Thr Pro Ser	Val Tyr Phe Asn	Pro Phe Ser
	195	200	205
Gly Ala Pro Gly Leu	Tyr Pro Asp Glu	Phe Ile Pro Asn	Phe Asp Ala
	210	215	220
Val Thr Asp Ser Val	Asp Gly Tyr Asp		
	225	230	

<210> SEQ ID NO 30

<211> LENGTH: 254

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 30

Met Pro Pro Lys Lys	Arg Ser Ala Ala	Leu Pro Leu Ser	Lys Ala Val
1	5	10	15
Thr Ala Lys Arg Pro	Lys Gln Arg Lys	Ala Gln Glu Thr	Glu Glu Pro
	20	25	30
Trp Ser Glu Glu Glu	Asp Trp Glu Ser	Gln Gly Glu Glu	Asp Met Glu
	35	40	45
Glu Glu Trp Asp Ser	Leu Ala Ser Asp	Glu Gly Glu Ala	Glu Ala Glu
	50	55	60
Thr Glu Glu Ala Ser	Val Ala Lys Pro	Ser Leu Ala Lys	Arg Val Ser
	65	70	75
Asn Val Thr Thr Thr	Ser Asp Gln Arg	Thr Val Ser Arg	Arg Trp Asp
	85	90	95
Ser Thr Asn Ala Ala	Pro Ala Gly Lys	Thr Leu Ser Leu	Ala Lys Pro
	100	105	110
Arg Gln Gly Tyr Arg	Ser Trp Arg Ala	His Lys Asn Ala	Ile Ile Asn
	115	120	125
Cys Leu Glu Asn Cys	Gly Gly Asn Ile	Ser Phe Thr Arg	Arg Phe Met
	130	135	140
Leu Phe Arg Asn Gly	Ile Ala Ile Pro	Arg Asn Val Leu	His Tyr Tyr
	145	150	155
Arg His Ser Tyr Ser	Pro Ser Lys Thr	Arg Leu Pro Lys	Gln Asn Lys
	165	170	175
Lys Gln Val Lys Glu	Pro Pro Ser Thr	Lys Glu Leu Arg	Asn Arg Ile

[illegible]

Met Glu Leu Glu Pro Ala Ala Glu Ser Asn Asn Leu Thr Ser Pro His
1 5 10 15

Phe Tyr Glu Asn Lys Asp Ala Leu Thr Glu Ala Thr Gly Ser Ala Val
20 25 30

Glu 35	Gln	Asp	Val	Gly	Tyr	Ala	Ser	Pro	Pro	Glu	Thr	Ala 45	Glu	Glu	Glu
Lys 50	Asp	Asp	Lys	Asn	Leu	Ser 55	Ser	Pro	Gln	Lys	Asp 60	Lys	Gln	Gln	Asp
Asp 65	Lys	Thr	Gln	Glu	Asn 70	Glu	Glu	Asp	Val	Ser 75	Phe	His	Asp	Asp	Tyr 80
Leu	Gly	Lys	Gly	Glu 85	Asp	Val	Leu	Leu	Lys 90	His	Ile	Arg	Arg	Gln 95	Ser
Ala	Ile	Val	Glu 100	Asn	Ala	Ile	Ser	Glu 105	Lys	Thr	Glu	Ile	Pro 110	Val	Ser
Val	Tyr	Asp 115	Leu	Ser	Leu	Ala	Tyr 120	Glu	Gln	Ser	Leu	Phe 125	Ser	Pro	Arg
Val 130	Pro	Pro	Lys	Arg	Gln	Pro 135	Asn	Gly	Thr	Cys	Glu 140	Pro	Asn	Pro	Arg
Leu 145	Asn	Phe	Tyr	Pro	Ala 150	Phe	Ala	Val	Pro	Glu 155	Val	Leu	Ala	Thr	Tyr 160
His	Ile	Phe	Phe	Lys 165	Asn	His	Lys	Ile	Pro 170	Val	Ser	Cys	Arg	Ala 175	Asn
Arg	Ser	Glu	Ala 180	Asp	Ala	Gln	Leu	Leu 185	Leu	Gly	Pro	Gly	Ala 190	Arg	Ile
Pro	Asp	Phe 195	Ala	Ser	Leu	Glu	Glu 200	Val	Pro	Lys	Ile	Phe 205	Glu	Gly	Leu
Gly 210	Asp	Glu	Lys	Arg	Ala 215	Ala	Asn	Ala	Leu	Gln	Glu 220	Asn	Thr	Glu	Ser
Phe 225	Ser	Ala	Leu	Val	Glu 230	Leu	Ala	Asn	Asp	Asn 235	Ala	Arg	Leu	Ala	Val 240
Leu	Lys	Arg	Ser	Val 245	Glu	Val	Thr	His	Phe 250	Ala	Tyr	Pro	Ala 255	Val	Asn
Leu	Pro	Pro	Lys	Val 260	Met	Asn	Thr	Val 265	Met	Asp	Cys	Leu 270	Leu	Val	Lys
Arg	Ala	Lys 275	Pro	Leu	Gly	Glu	Gly 280	Glu	Gln	Glu	Glu	Glu 285	Asp	Ser	Asp
Glu	Gly 290	Lys	Pro	Ala	Val	Thr 295	Asp	Glu	Glu	Leu	Ser 300	Arg	Trp	Leu	Arg
Thr 305	Thr	Asp	Pro	Ala	Glu 310	Leu	Glu	Asn	Arg	Arg 315	Lys	Leu	Met	Thr	Ala 320
Val	Ile	Leu	Val	Thr 325	Ala	Glu	Leu	Glu	Cys	Leu	Ser	Arg	Phe	Phe 335	Thr
Asp	Thr	Glu	Thr 340	Ile	Arg	Lys	Val	Glu 345	Glu	Thr	Leu	His	Tyr 350	Thr	Phe
Arg	His	Gly 355	Tyr	Val	Lys	Gln	Ala 360	Cys	Lys	Ile	Ser	Asn 365	Val	Glu	Leu
Ser	Asn 370	Leu	Val	Ser	Tyr	Leu 375	Gly	Ile	Leu	His	Glu 380	Asn	Arg	Leu	Gly
Gln 385	Asn	Val	Leu	His	Ala 390	Thr	Leu	Lys	Gly	Glu 395	Ala	Arg	Arg	Asp	Tyr 400
Ile	Arg	Asp	Cys	Val 405	Tyr	Leu	Phe	Leu	Cys	Phe 410	Thr	Trp	Gln	Ser	Ala 415
Met	Gly	Val	Trp 420	Gln	Gln	Cys	Leu	Glu 425	Asp	Asp	Asn	Leu	Arg	Glu	Leu
Gln	Lys	Ile	Leu	Asn	Arg	Glu	Arg	Arg	Asp	Leu	Trp	Thr	Gly	Phe	Asn

-continued

435					440					445					
Glu	Arg	Thr	Val	Ala	Lys	Asp	Leu	Ala	Asn	Ile	Ile	Phe	Pro	Ser	Arg
450					455					460					
Leu	Val	Arg	Thr	Leu	Gln	Asn	Gly	Leu	Pro	Asp	Phe	Met	Ser	Gln	Ser
465					470					475					480
Met	Ile	Gln	Asn	Phe	Arg	Ser	Phe	Ile	Leu	Glu	Arg	Ser	Gly	Ile	Leu
				485					490					495	
Pro	Ser	Met	Ser	Cys	Ala	Leu	Pro	Ser	Asp	Phe	Ile	Pro	Leu	Thr	Phe
			500					505					510		
Arg	Glu	Cys	Pro	Pro	Pro	Leu	Trp	Ser	His	Cys	Tyr	Leu	Phe	Gln	Leu
		515					520					525			
Ala	Asn	Phe	Phe	Ala	Phe	His	Ser	Asp	Val	Val	Ala	Asp	Val	Thr	Gly
	530					535					540				
Glu	Gly	Leu	Met	Glu	Cys	His	Cys	Arg	Cys	Asn	Leu	Cys	Thr	Pro	His
545					550					555					560
Arg	Ser	Leu	Val	Cys	Asn	Thr	Ala	Leu	Leu	Asn	Glu	Thr	Gln	Val	Ile
				565					570					575	
Gly	Thr	Phe	Glu	Ile	Gln	Gly	Pro	Ser	Glu	Ser	Asn	Lys	Gly	Ala	Ala
			580					585					590		
Gly	Leu	Lys	Leu	Thr	Pro	Gly	Leu	Trp	Thr	Ser	Ala	Tyr	Leu	Arg	Lys
		595					600					605			
Phe	Val	Pro	Val	Asp	Tyr	His	Ala	His	Glu	Ile	Arg	Phe	Tyr	Glu	Asp
	610					615					620				
Gln	Ser	Gly	Pro	Pro	Lys	Ala	Glu	Leu	Ser	Ala	Cys	Val	Ile	Thr	Gln
625					630					635					640
Ser	Ser	Ile	Val	Ala	Gln	Leu	Gln	Ala	Ile	Asn	Glu	Ala	Arg	Arg	Asn
				645					650					655	
Phe	Leu	Leu	Lys	Lys	Gly	Lys	Gly	Val	Tyr	Leu	Asp	Pro	Gln	Thr	Gly
			660					665					670		
Glu	Glu	Leu	Asn	Thr	Thr	Pro	Ser	Pro	Val	Ala	Gly	Val	Ser	His	Asn
		675					680					685			
Ala	Thr	Lys	Glu	Glu	Val	Arg	Arg	Pro	Pro	Ala	Leu	Gln	Ser	Ser	His
	690					695					700				
Ser	Lys	Ala	Thr	Gln	Thr	Glu	Glu	Ser	Pro	Gly	Asp	Arg	Gly	Thr	Met
705					710					715					720
Glu	Arg	Gly	Gly	Gly	Leu	Gly	Glu	Ser	Gly	Arg	Gly	Arg	His	Gly	Arg
				725					730					735	
Gly	Met	Gly	Gln	Pro	Ser	Gln	Arg	Arg	Gly	Arg	Gly	Arg	Gly	Arg	Asp
			740					745					750		
Arg	Gly	Ser	Ile	Arg	Arg	Lys	Thr	Leu	Thr	Gly	Glu	Thr	Ser	Phe	Lys
		755					760					765			
Arg	Tyr	Tyr	Asp	Leu	Arg	Ser	Ala	His	Ser	Gln	Ser				
	770					775					780				

<210> SEQ ID NO 33

<211> LENGTH: 457

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 33

Met Ala Ser Asn Gln Asp Arg Arg Glu Val Thr Pro Glu Lys Val Pro

-continued

1	5	10	15
Ala Val Pro	Pro Lys Lys Lys	Ala Arg Lys Ser Leu	Pro Leu Pro Pro
	20	25	30
Ser Pro Glu	Val Val Ala Asp	Ser Asp Glu Glu Val	Gly Glu Leu Leu
	35	40	45
Glu Val Gly	Phe Ser Tyr Pro	Pro Val Lys Ile	Val Arg Lys Ala Asp
	50	55	60
Gly Ser Lys	Ala Phe Glu Lys	Phe Asp Glu Asn His	Pro Ile Met Ser
	65	70	75
Ala Ala Arg	Gln Gln Lys Glu	Gly Thr Ser Ser Thr	Val Val Asn Pro
	85	90	95
Ala Ser Asn	Pro Leu Val Ser	Ala Trp Glu Lys	Gly Met Glu Phe Met
	100	105	110
Val Met Leu	Met Glu Arg Tyr	Lys Val Asp Lys	Glu Leu Arg Ser Ser
	115	120	125
Phe Lys Phe	Leu Pro Glu Gln	Gly Glu Val Tyr	Arg Lys Ile Cys Gln
	130	135	140
Ala Trp Met	Asn Glu Glu Tyr	Lys His Asn Thr	Leu Thr Phe Thr Ser
	145	150	155
His Lys Ser	Phe Ile Ser Leu	Met Gly Arg Phe	Leu Met Ala Tyr Val
	165	170	175
Gln Val Tyr	Ala Gly Val Asp	Ser Lys Leu Trp	Glu Pro Thr Gly Cys
	180	185	190
Val Ala Trp	Glu His Gln Cys	Thr Asp Val Glu	Gly Glu Leu Lys Cys
	195	200	205
Leu His Gly	Leu Thr Met Ile	Val Lys Glu Gln	Ile Ile Glu Met Asp
	210	215	220
Val Thr Ser	Glu Asn Gly Gln	Arg Ala Leu Lys	Glu Thr Pro Ala Lys
	225	230	235
Ala Lys Ile	Val Gln Asn Arg	Trp Gly Arg Ser	Val Val Gln Val Arg
	245	250	255
Asn Glu Asp	Ala Arg Cys Cys	Met Phe Asp Ala	Gly Cys Ser Pro Asn
	260	265	270
Asn Phe Ser	Asn Lys Ser Cys	Gly Met Phe Tyr	Ser Glu Gly Thr Lys
	275	280	285
Ala Gln Ile	Ala Phe Arg Gln	Ile Ala Ala Phe	Met Gln Ala Cys Tyr
	290	295	300
Pro His Met	Val Lys Gly Ser	Lys His Leu Leu	Met Pro Ile Arg Cys
	305	310	315
Asn Cys Phe	Thr Arg Pro Glu	Met Ser Arg Gly	Gly Arg Gln Thr Cys
	325	330	335
Lys Ile Thr	Pro Phe Ala Leu	Asn Val Glu Asn	Ile His Leu Glu Asp
	340	345	350
Leu Val Asp	Phe Gly Tyr His	Asp Arg Ala Met	Leu Ala Ser Val Asn
	355	360	365
Asn Pro Ser	Val Leu Val Phe	Gln Cys Ala Asn	Ala Leu His Arg Asn
	370	375	380
Ser Lys Ala	Asn Asn Gln Ala	Asn Cys Asp Phe	Lys Ile Ser Ala Pro
	385	390	395
Asp Val Ile	Gly Ala Leu Gln	Leu Val Arg Gln	Phe Trp Gln Asp His
	405	410	415

-continued

Leu Pro Asp Thr Val Leu Pro Lys Met Val Val Pro Glu Phe Lys Trp
 420 425 430

His Pro Lys Tyr Gln Tyr Arg Asn Leu Thr Leu Pro Ala Ala His Val
 435 440 445

Asp Phe Glu Met Asn Pro Phe Glu Phe
 450 455

<210> SEQ ID NO 34
 <211> LENGTH: 206
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 34

Met Gly Ser Ser Glu Glu Glu Leu Lys Ala Ile Ile Arg Asp Leu Arg
 1 5 10 15

Cys Ala Pro Tyr Phe Leu Gly Thr Phe Asp Lys Arg Phe Pro Gly Phe
 20 25 30

Val Ser Pro His Lys Leu Ala Cys Ala Ile Val Asn Thr Ala Gly Arg
 35 40 45

Glu Thr Gly Gly Val His Trp Leu Ala Phe Gly Trp Asn Pro Lys Asn
 50 55 60

Arg Thr Cys Tyr Leu Phe Asp Pro Phe Gly Phe Ser Asp Glu Lys Leu
 65 70 75 80

Lys Gln Ile Tyr Gln Phe Glu Tyr Glu Asn Leu Leu Lys Arg Ser Ala
 85 90 95

Ile Ala Ser Thr Pro Asp Arg Cys Val Thr Leu Val Lys Ser Thr Gln
 100 105 110

Thr Val Gln Gly Pro Asn Ser Ala Ala Cys Gly Leu Phe Ala Cys Met
 115 120 125

Phe Leu His Ala Phe Val Asn Trp Pro Asn Ser Pro Met Glu Asn Asn
 130 135 140

Pro Thr Met Asp Leu Ile Val Gly Val Pro Asn Tyr Met Leu Lys Ser
 145 150 155 160

Pro Gln Val Gln Gly Thr Leu Phe Lys Asn Gln Gln Ala Leu Tyr Arg
 165 170 175

Phe Leu Ala Thr His Ser Pro Tyr Phe Arg His His Gln Gln Gln Ile
 180 185 190

Glu Lys Ala Thr Ala Phe Asn Lys Gln Thr Glu Ser Lys Asn
 195 200 205

<210> SEQ ID NO 35
 <211> LENGTH: 937
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 35

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala
 1 5 10 15

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala
 20 25 30

Arg Ala Thr Asp Thr Tyr Phe Thr Leu Gly Asn Lys Phe Arg Asn Pro

-continued

35					40					45					
Thr	Val	Ala	Pro	Thr	His	Asp	Val	Thr	Thr	Asp	Arg	Ser	Gln	Arg	Leu
50						55					60				
Thr	Leu	Arg	Phe	Val	Pro	Val	Asp	Arg	Glu	Asp	Thr	Ala	Tyr	Ala	Tyr
65					70					75					80
Lys	Ala	Arg	Phe	Thr	Leu	Ser	Val	Gly	Asp	Asn	Arg	Val	Leu	Asp	Met
				85					90					95	
Ala	Ser	Thr	Tyr	Phe	Asp	Ile	Arg	Gly	Val	Ile	Asp	Arg	Gly	Pro	Ser
			100					105					110		
Phe	Lys	Pro	Tyr	Ser	Gly	Thr	Ala	Tyr	Asn	Ala	Leu	Ala	Pro	Lys	Gly
		115					120					125			
Ala	Pro	Asn	Asn	Ser	Gln	Trp	His	Thr	Val	Asn	Glu	Asp	Asn	Gln	Asn
	130					135					140				
Phe	Leu	Met	His	Thr	Tyr	Ala	Gln	Ala	Pro	Phe	Glu	Ser	Glu	Phe	Val
145					150					155					160
Ala	Asn	Asn	Gly	Asn	Ile	Gly	Ile	Gln	Val	Gly	Val	Ser	Asp	Thr	Asn
				165					170					175	
Thr	Pro	Ile	Leu	Ala	Asp	Pro	Thr	Tyr	Gln	Pro	Glu	Pro	Gln	Asp	Gly
			180					185					190		
Glu	Pro	Gln	Trp	Gln	Ser	Leu	Lys	Ala	Gln	Glu	Lys	Leu	Glu	His	Ala
	195						200					205			
Gly	Arg	Ala	Leu	Lys	Tyr	Thr	Thr	Pro	Met	Lys	Pro	Cys	Tyr	Gly	Ser
	210					215					220				
Tyr	Ala	Arg	Pro	Thr	Asn	Ala	Gln	Gly	Gly	Gln	Gly	Ile	Ile	Asp	Glu
225					230					235					240
Gln	Thr	Gly	Glu	Thr	Asp	Ala	Thr	Glu	Ile	Thr	Gln	Asn	Tyr	Phe	Ala
				245					250					255	
Leu	Ser	Thr	Ala	Thr	Thr	Asp	Phe	Thr	Pro	Lys	Val	Val	Leu	Tyr	Thr
			260					265					270		
Glu	Asp	Val	Tyr	Leu	Gln	Thr	Pro	Asp	Thr	His	Leu	Val	Tyr	Thr	Pro
	275						280					285			
Ser	Ala	Thr	Glu	Gly	Ser	Thr	Gln	Asp	Met	Leu	Gly	Gln	Gln	Ala	Ala
	290					295					300				
Pro	Asn	Arg	Pro	Asn	Tyr	Ile	Gly	Phe	Arg	Asp	Asn	Phe	Ile	Gly	Leu
305					310					315					320
Met	Tyr	Tyr	Asn	Ser	Thr	Gly	Asn	Met	Gly	Val	Leu	Ala	Gly	Gln	Ala
			325						330					335	
Ser	Gln	Leu	Asn	Ala	Val	Val	Asp	Leu	Gln	Asp	Arg	Asn	Thr	Glu	Leu
		340						345					350		
Ser	Tyr	Gln	Leu	Met	Leu	Asp	Ala	Leu	Ser	Asp	Arg	Thr	Arg	Tyr	Phe
	355						360					365			
Ser	Met	Trp	Asn	Gln	Ala	Val	Asp	Ser	Tyr	Asp	Pro	Asp	Val	Arg	Ile
	370					375					380				
Ile	Glu	Asn	His	Gly	Val	Glu	Asp	Glu	Leu	Pro	Thr	Tyr	Cys	Phe	Pro
385					390					395					400
Leu	Ser	Gly	Val	Gly	Ile	Thr	Gln	Glu	Tyr	Gln	Gly	Val	Glu	Pro	Thr
				405					410					415	
Asn	Pro	Ala	Ala	Ala	Asp	Ile	Thr	Trp	Lys	Glu	Asp	Ala	Thr	Val	Phe
			420					425					430		
Asp	Pro	Asn	Tyr	Ile	Ala	Thr	Gly	Asn	Ile	Asn	Ala	Tyr	Glu	Ile	Asn
	435						440					445			

-continued

Leu	Gln	Ala	Ser	Leu	Trp	Arg	Ser	Phe	Leu	Tyr	Ser	Asn	Val	Ala	Leu
450						455					460				
Tyr	Leu	Pro	Asp	Lys	Tyr	Lys	Tyr	Thr	Pro	Ala	Asn	Val	Thr	Leu	Pro
465				470					475					480	
Thr	Asn	Thr	Asn	Thr	Tyr	Lys	Tyr	Met	Asn	Gly	Arg	Val	Thr	Ser	Pro
			485					490						495	
Ser	Leu	Val	Asp	Ile	Phe	Val	Asn	Val	Gly	Ala	Arg	Trp	Ser	Pro	Asp
			500					505					510		
Pro	Met	Asp	Asn	Val	Asn	Pro	Phe	Asn	His	His	Arg	Asn	Ala	Gly	Leu
		515					520					525			
Arg	Tyr	Arg	Ser	Gln	Leu	Leu	Gly	Asn	Gly	Arg	Ile	Val	Pro	Phe	His
	530					535					540				
Ile	Gln	Val	Pro	Gln	Lys	Phe	Phe	Ala	Ile	Lys	Asn	Leu	Leu	Leu	Leu
545					550					555					560
Pro	Gly	Ser	Tyr	Thr	Tyr	Glu	Trp	Ser	Phe	Arg	Lys	Asp	Val	Asn	Met
				565					570					575	
Ile	Leu	Gln	Ser	Thr	Leu	Gly	Asn	Asp	Leu	Arg	Thr	Asp	Gly	Ala	Ala
			580					585					590		
Ile	Arg	Ile	Glu	Ser	Val	Asn	Leu	Tyr	Ala	Asn	Phe	Phe	Pro	Met	Ala
		595					600					605			
His	Asn	Thr	Ala	Ser	Thr	Leu	Glu	Ala	Met	Leu	Arg	Asn	Asp	Thr	Asn
	610					615					620				
Asp	Gln	Ser	Phe	Asn	Asp	Tyr	Leu	Ser	Ala	Ala	Asn	Met	Leu	Tyr	Pro
625					630					635					640
Ile	Pro	Ala	Asn	Ala	Thr	Asn	Val	Pro	Ile	Ser	Ile	Pro	Ser	Arg	Asn
				645					650					655	
Trp	Ala	Ala	Phe	Arg	Gly	Trp	Ser	Phe	Thr	Arg	Leu	Lys	Ala	Lys	Glu
			660					665					670		
Thr	Pro	Ala	Leu	Gly	Ser	Gly	Phe	Asp	Pro	Tyr	Phe	Val	Tyr	Ser	Gly
		675					680					685			
Ser	Ile	Pro	Tyr	Leu	Asp	Gly	Thr	Phe	Tyr	Leu	Asn	His	Thr	Phe	Lys
	690					695					700				
Arg	Val	Ser	Ile	Met	Phe	Asp	Ser	Ser	Val	Ser	Trp	Pro	Gly	Asn	Asp
705					710					715					720
Arg	Leu	Leu	Thr	Pro	Asn	Glu	Phe	Glu	Val	Lys	Arg	Val	Val	Asp	Gly
				725					730					735	
Glu	Gly	Tyr	Thr	Val	Ala	Gln	Ser	Asn	Met	Thr	Lys	Asp	Trp	Phe	Leu
			740					745					750		
Ile	Gln	Met	Leu	Ser	His	Tyr	Asn	Ile	Gly	Tyr	Gln	Gly	Phe	Tyr	Ile
		755					760					765			
Pro	Glu	Gly	Tyr	Lys	Asp	Arg	Met	Tyr	Ser	Phe	Phe	Arg	Asn	Phe	Gln
	770					775					780				
Pro	Met	Thr	Arg	Gln	Ala	Val	Asp	Pro	Val	Asn	Tyr	Thr	Asn	Tyr	Lys
785					790					795					800
Glu	Ile	Thr	Val	Ala	His	Gln	His	Asn	Asn	Ser	Gly	Phe	Val	Gly	Phe
				805					810					815	
Met	Gly	Pro	Thr	Met	Arg	Glu	Gly	His	Pro	Tyr	Pro	Ala	Asn	Tyr	Pro
			820					825					830		
Tyr	Pro	Leu	Ile	Gly	Asp	Ser	Ala	Val	Pro	Thr	Val	Thr	Gln	Lys	Lys
		835					840						845		

-continued

<210> SEQ ID NO 37
<211> LENGTH: 340
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 37

Met Thr Lys Arg Lys Phe Lys Glu Glu Leu Leu Gln Ala Ile Ala Pro
1 5 10 15
Glu Ile Tyr Ala Pro Leu Thr Asp Pro Asp Val Lys Pro Asp Val Lys
20 25 30
Pro Arg Arg Leu Lys Arg Val Lys Lys Gln Glu Thr Lys Lys Glu Glu
35 40 45
Ala Leu Asp Thr Glu Gly Val Glu Phe Val Arg Ser Phe Ala Pro Arg
50 55 60
Arg Arg Val Gln Trp Lys Gly Arg Arg Val Arg Arg Leu Leu Arg Pro
65 70 75 80
Gly Thr Ala Val Val Phe Thr Pro Gly Glu Arg Ser Ser Arg Thr Tyr
85 90 95
Lys Arg Ser Tyr Asp Glu Val Tyr Ala Asp Glu Asp Ile Leu Glu Gln
100 105 110
Ala Leu Glu Gln Ser Gly Glu Phe Ala Tyr Gly Lys Arg Ala Arg Asn
115 120 125
Glu Val Ala Leu Pro Leu Asp Glu Ser Asn Pro Thr Pro Ser Leu Lys
130 135 140
Pro Val Thr Leu Gln Gln Val Leu Pro Val Gln Ser Thr Gly Glu Ser
145 150 155 160
Lys Arg Gly Ile Lys Arg Glu Ala Val Glu Leu Gln Pro Thr Met Gln
165 170 175
Leu Met Val Pro Lys Arg Gln Lys Leu Glu Asp Val Leu Asp Leu Met
180 185 190
Thr Val Asp Pro Ser Val Gln Pro Asp Val Lys Ile Arg Pro Ile Lys
195 200 205
Glu Val Ala Pro Gly Leu Gly Val Gln Thr Val Asp Ile Gln Ile Pro
210 215 220
Val Glu Ser Met Asp Val Glu Lys Pro Lys Pro Thr Ala Val Asp Met
225 230 235 240
Ala Val Gln Thr Asp Pro Trp Ala Gly Ala Pro Val Arg Ala Ala Ser
245 250 255
Ala Ile Arg Asn Arg Arg Arg Tyr Gly Pro Ala Ser Ser Leu Met Pro
260 265 270
Asp Tyr Ala Leu His Pro Ser Ile Ile Pro Thr Pro Gly Tyr Arg Gly
275 280 285
Gln Val Phe Arg Arg Arg Tyr Ser Ala Pro Ala Arg Arg Ser Thr Arg
290 295 300
Arg Arg Arg Arg Arg Thr Thr Leu Pro Val Arg Val Arg Arg Val
305 310 315 320
Thr Thr Arg Arg Gly Arg Thr Leu Thr Leu Pro Thr Val Arg Tyr His
325 330 335
Pro Thr Ile Val
340

-continued

<210> SEQ ID NO 38
<211> LENGTH: 75
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 38

Met Ala Leu Thr Cys Arg Leu Arg Ile Pro Val Pro Gly Tyr Arg Gly
1 5 10 15
Arg Arg Arg His Gly Lys Gly Phe Arg Gly Ser Gly Leu Thr Arg His
20 25 30
Arg Arg Arg Arg Ala Val Arg Gly Arg Met Lys Gly Gly Ile Leu Pro
35 40 45
Ala Leu Ile Pro Ile Ile Ala Ala Ala Ile Gly Ala Ile Pro Gly Ile
50 55 60
Ala Ser Val Ala Val Gln Ala Ser Gln Arg Gln
65 70 75

<210> SEQ ID NO 39
<211> LENGTH: 190
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 39

Met Ser Ile Leu Ile Ser Pro Ser Asn Asn Thr Gly Trp Gly Leu Gly
1 5 10 15
Val Asn Lys Met Tyr Gly Gly Ala Lys His Arg Ser Thr Gln His Pro
20 25 30
Val Arg Val Arg Gly His Tyr Arg Ala Pro Trp Gly Ala Tyr Lys Arg
35 40 45
Asn Arg Arg Val Ala Glu Arg Thr Thr Val Asp Asp Val Ile Asp Ser
50 55 60
Val Val Ala Asp Ala Arg Asn Tyr Val Pro Pro Ala Val Pro Ala Ala
65 70 75 80
Ala Ala Ser Thr Val Asp Ala Val Ile Asp Ser Val Val Ala Asp Ala
85 90 95
Arg Ala Tyr Ala Arg Gln Lys Arg Arg Gln Arg Arg Ala Arg Arg Ser
100 105 110
Leu Ala Arg Pro Thr Ala Ala Met Arg Ala Ala Arg Asn Leu Leu Arg
115 120 125
Arg Ala Arg Arg Thr Ser Thr Arg Ala Met Ala Arg Gln Ile Arg Ala
130 135 140
Gly Arg Thr Arg Arg Arg Ala Ala Gln Gln Ala Ala Ala Ala Ile Ala
145 150 155 160
Ser Leu Ala Ala Pro Arg Arg Gly Asn Val Tyr Trp Val Arg Asp Ala
165 170 175
Ser Gly Val Arg Val Pro Val Arg Thr Arg Pro Ala Arg Val
180 185 190

<210> SEQ ID NO 40
<211> LENGTH: 485
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 40

```

Met Leu Arg Arg Gly Ile Pro Pro Val Ala Val Ala Glu Gly Pro Pro
1      5      10      15
Pro Ser Tyr Glu Ser Val Met Ala Ala Ala Leu Gln Gly Pro Leu
20     25     30
Val Ala Pro Tyr Val Pro Pro Arg Tyr Leu Gly Pro Thr Glu Gly Arg
35     40     45
Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg
50     55     60
Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr
65     70     75     80
Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp
85     90     95
Tyr Thr Pro Ala Glu Ala Gly Thr Gln Thr Ile Asn Phe Asp Asp Arg
100    105    110
Ser Arg Trp Gly Gly Glu Met Lys Thr Ile Leu His Thr Asn Met Pro
115    120    125
Asn Ile Asn Ala Tyr Met Phe Thr Asn Lys Phe Arg Ala Lys Leu Met
130    135    140
Thr Ala His Glu Thr Asp Lys Asp Pro Val Tyr Glu Trp Val Asp Leu
145    150    155    160
Val Leu Pro Glu Gly Asn Phe Ser Glu Thr Met Thr Ile Asp Leu Met
165    170    175
Asn Asn Ala Ile Val Asp His Tyr Leu Leu Val Gly Arg Gln Asn Gly
180    185    190
Val Lys Glu Ser Glu Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg
195    200    205
Leu Gly Trp Asp Pro Glu Thr Gln Leu Val Met Pro Gly Val Tyr Thr
210    215    220
Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val
225    230    235    240
Asp Phe Thr Asn Ser Arg Leu Asn Asn Leu Leu Gly Ile Arg Lys Arg
245    250    255
Gln Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Val Gly
260    265    270
Gly Asn Ile Pro Ala Leu Leu Asp Val Thr Ala Tyr Glu Asn Ser Thr
275    280    285
Pro Gly Gln Pro Pro Thr Ile Gln Pro Val Thr Glu Asp Ala Lys Asn
290    295    300
Arg Ser Tyr Asn Val Leu Pro Gly Thr Asn Asn Thr Ala Tyr Arg Ser
305    310    315    320
Trp Tyr Leu Ala Tyr Asn Tyr Gly Asp Asp Thr Gly Ile Arg Ser Ser
325    330    335
Thr Leu Leu Thr Ala Pro Asp Val Thr Cys Gly Ser Glu Gln Ile Tyr
340    345    350
Trp Ser Met Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Ser
355    360    365
Gln Gln Thr Ser Asn Leu Pro Val Val Gly Thr Glu Leu Leu Pro Met
370    375    380

```

-continued

```

Tyr Ala Lys Ser Phe Tyr Asn Asp Gln Ala Val Tyr Ser Gln Leu Ile
385                390                395                400

Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn
                405                410                415

Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu
                420                425                430

Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Gln Asn Ser
                435                440                445

Ile Arg Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr
                450                455                460

Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Lys Val Leu
465                470                475                480

Ser Ser Arg Thr Phe
                485

```

```

<210> SEQ ID NO 41
<211> LENGTH: 632
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

```

```

<400> SEQUENCE: 41

```

```

Met Ala Leu Ser Val Gln Asp Cys Ala Arg Leu Thr Gly Gln Ser Val
1                5                10                15

Pro Thr Val Asp Phe Phe Leu Pro Leu Arg Asn Ile Trp Asn Arg Val
                20                25                30

Gln Glu Phe Thr Arg Ala Ala Thr Thr Val Ala Gly Ile Ser Trp Met
                35                40                45

Ser Arg Tyr Leu Tyr Gly Tyr His Arg Leu Met Leu Glu Asp Leu Ser
                50                55                60

Pro Asn Ala Pro Ala Thr Arg Gly Trp Pro Leu Phe Arg Leu Pro Pro
65                70                75                80

Pro His Leu Leu Val Gly Tyr Gln Tyr Leu Val Arg Thr Cys Asn Asp
                85                90                95

Tyr Val Phe Glu Thr Arg Ala Tyr Ser Arg Leu Lys Tyr Arg Glu Thr
                100                105                110

Leu Gln Pro Gly His Gln Thr Val Asn Trp Ser Val Met Ala Asn Cys
                115                120                125

Thr Tyr Thr Ile Asn Thr Gly Ala Tyr His Arg Phe Val Asp Leu Asp
                130                135                140

Asp Phe Gln Asn Thr Leu Thr Gln Ile Gln Gln Ala Ile Leu Met Glu
145                150                155                160

Arg Val Val Ala Asp Leu Ala Leu Leu Glu Pro Phe Arg Gly Phe Gly
                165                170                175

Ala Thr Arg Met Asp Asp Arg Glu Val Ser Val Glu Thr Leu Met Gln
                180                185                190

Asp Tyr Tyr Lys Asp Leu Arg Arg Cys Gln Gly Glu Ala Trp Gly Met
                195                200                205

Ala Asp Arg Leu Arg Ile Gln Gln Ala Gly Pro Lys Asp Val Val Leu
                210                215                220

Leu Ser Thr Ile Arg Arg Leu Lys Ser Ala Phe Phe Asn Phe Ile Ile
225                230                235                240

```

Ser 245	Ser 245	Ala 245	Val 245	Ser 245	Pro 245	Glu 245	Leu 245	Pro 250	Pro 250	Glu 250	Ala 250	Val 250	Leu 255	Ser 255	Leu 255
Pro 260	Cys 260	Asp 260	Cys 260	Asp 260	Trp 260	Ile 260	Asp 265	Ala 265	Phe 265	Leu 265	Gln 265	Arg 270	Phe 270	Ala 270	Asp 270
Pro 275	Val 275	Asp 275	Leu 275	Thr 275	Met 275	Leu 280	Arg 280	Thr 280	Leu 280	Arg 280	Gly 285	Leu 285	Ser 285	Val 285	Gln 285
Thr 290	Leu 290	Ile 290	Lys 290	Cys 290	Ile 295	Val 295	Ser 295	Ala 295	Ile 295	Ser 300	Leu 300	Pro 300	Asn 300	Thr 300	Pro 300
Arg 305	Gln 305	Ala 305	Asn 310	Leu 310	Leu 310	Gln 310	Gly 310	Ser 315	Gly 315	Leu 315	Arg 315	Gly 320	Gly 320	Val 320	Phe 320
Glu 325	Leu 325	Arg 325	Pro 325	Arg 325	Glu 325	Asp 325	Gly 330	Arg 330	Ala 330	Val 330	Thr 330	Glu 335	Thr 335	Met 335	Arg 335
Arg 340	Arg 340	Arg 340	Gly 340	Glu 340	Met 340	Ile 340	Glu 345	Arg 345	Phe 345	Val 345	Asp 345	Arg 350	Leu 350	Pro 350	Ile 350
Arg 355	Arg 355	Arg 355	Arg 355	Arg 355	Arg 355	Val 355	Pro 360	Val 360	Glu 360	Val 360	Glu 365	Ala 365	Pro 365	Val 365	Met 365
Glu 370	Ala 370	Glu 370	Glu 370	Glu 370	Glu 375	Glu 375	Val 375	Pro 375	Pro 375	Arg 375	Thr 380	Phe 380	Glu 380	Glu 380	Glu 380
Val 385	Arg 385	Ala 385	Thr 385	Val 390	Ala 390	Asp 390	Leu 390	Ile 390	Arg 395	Leu 395	Leu 395	Glu 395	Glu 400	Glu 400	Leu 400
Thr 405	Val 405	Ser 405	Ala 405	Arg 405	Asn 405	Ser 405	Gln 405	Phe 410	Phe 410	Asn 410	Phe 410	Ala 415	Ile 415	Asp 415	Phe 415
Tyr 420	Glu 420	Ala 420	Met 420	Glu 420	Arg 420	Leu 420	Glu 425	Ala 425	Val 425	Gly 425	Asp 430	Ile 430	Asn 430	Glu 430	Ser 430
Thr 435	Leu 435	Arg 435	Arg 435	Trp 435	Ile 435	Met 440	Tyr 440	Phe 440	Phe 440	Val 440	Thr 445	Glu 445	His 445	Ile 445	Ala 445
Thr 450	Thr 450	Leu 450	Asn 450	Tyr 450	Leu 455	Phe 455	Gln 455	Arg 455	Leu 460	Arg 460	Asn 460	Tyr 460	Pro 460	Val 460	Phe 460
Ser 465	Arg 465	His 465	Val 465	Glu 470	Leu 470	Asn 470	Leu 470	Ala 475	Gln 475	Val 475	Val 475	Met 475	Arg 475	Ala 480	Arg 480
Asp 485	Asp 485	Asp 485	Gly 485	Ala 485	Val 485	Val 485	Tyr 485	Ser 490	Arg 490	Val 490	Trp 490	Asn 495	Glu 495	Asn 495	Gly 495
Leu 500	Gly 500	Ala 500	Phe 500	Ser 500	Gln 500	Leu 500	Ile 505	Gly 505	Arg 505	Ile 505	Ser 510	Asn 510	Asp 510	Leu 510	Ala 510
Ala 515	Thr 515	Val 515	Glu 515	Arg 515	Ala 515	Gly 520	Arg 520	Gly 520	Glu 520	Leu 520	Gln 525	Glu 525	Glu 525	Glu 525	Ile 525
Asp 530	Gln 530	Leu 530	Met 530	Thr 530	Glu 535	Ile 535	Ala 535	Phe 535	Gln 540	Asp 540	Asn 540	Ser 540	Gly 540	Asp 540	Val 540
His 545	Glu 545	Ile 545	Leu 545	Arg 545	Gln 550	Ala 550	Ala 550	Ile 550	Asn 555	Asp 555	Ala 555	Asp 555	Ile 555	Asp 555	Ser 555
Val 560	Glu 560	Leu 560	Ser 565	Phe 565	Arg 565	Phe 565	Lys 565	Val 570	Thr 570	Gly 570	Pro 570	Val 570	Val 570	Phe 575	Thr 575
Gln 580	Arg 580	Gln 580	Arg 580	Ile 580	Gln 580	Asn 580	Met 580	Asn 585	Arg 585	Arg 585	Val 585	Val 585	Ala 590	His 590	Ala 590
Ser 595	Arg 595	Leu 595	Arg 595	Ser 595	Gln 595	His 595	Leu 600	Pro 600	Leu 600	Pro 600	Glu 605	Ser 605	His 605	Ala 605	Asp 605
Val 610	Asp 610	Leu 610	Pro 610	Val 610	Leu 615	Pro 615	Ala 615	Gly 615	Ala 615	Glu 615	Pro 620	Pro 620	Leu 620	Pro 620	Pro 620
Gly 625	Ala 625	Arg 625	Pro 625	Arg											

-continued

```

<210> SEQ ID NO 42
<211> LENGTH: 1186
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 42
Met Ala Leu Phe Gln Val Gln Ser Asn Arg Thr Ser Gly Val Tyr Thr
1      5      10
Ala Ser Thr His Thr Glu His Glu Ser Pro Ser Gly Gly Ser Cys Gln
20     25     30
Pro Ala Glu Val Pro Ala Pro Thr Val Ala Arg Val Ser Arg Arg Arg
35     40     45
Arg Ser Pro Ser Thr Ala Arg Arg Arg Ala Ser Pro Ala Pro Arg
50     55     60
Arg Pro Thr Pro Ser Pro Thr Leu Lys Lys Ser Leu Arg Gly Thr Val
65     70     75     80
Val Ala Ser Arg Ala His Gly Leu Ile His Ala Ile Asp Thr Arg Asp
85     90     95
His Ser Pro Val Glu Leu Lys Tyr His Leu His Leu Leu Pro Ala Leu
100    105    110
Gln Arg Leu Phe Glu Ile His Leu Leu Arg Phe Pro Ala Asp Leu Cys
115    120    125
Thr Leu Pro Asp Thr Cys Gly Thr Asn Asp Val Gln Arg Leu Val Ala
130    135    140
Arg Leu Arg Pro Ser Phe Ala Glu Ile Trp Thr Cys Ile Ser Arg Gly
145    150    155    160
Ala Val Lys Val Ala Val Leu Pro Thr Asp Gly Gln Asn Gln Ser Thr
165    170    175
Thr Asp Glu Ser Lys Gln Pro Gln Pro Asn Ser Pro Ser Arg Val Pro
180    185    190
Leu Pro Phe Pro Leu Arg Phe Leu Ile Arg Gly Arg Lys Ala Tyr Leu
195    200    205
Ile Gln Asp Val Thr Pro Met Gln Arg Cys Glu Tyr Cys Ala Arg Phe
210    215    220
Tyr Lys His Gln His Gln Cys Thr Ala Arg Arg Arg Asp Phe Tyr Phe
225    230    235    240
His His Val Ala Val Gln Ser Ser Gln Trp Trp Arg Gln Ile Gln Phe
245    250    255
Phe Pro Ile Gly Ser His Pro Ala Val Gln Arg Leu Phe Val Thr Tyr
260    265    270
Asp Val Glu Thr Tyr Thr Trp Met Gly Ser Phe Gly Lys Gln Leu Val
275    280    285
Pro Phe Met Leu Val Met Lys Phe Thr Gly Gln Ala Gln Leu Val Lys
290    295    300
Thr Ala Val Asn Leu Ala Val Glu Leu Gln Trp Asn Arg Trp His Ala
305    310    315    320
Asp Pro Thr Thr Phe Tyr Leu Ile Thr Pro Glu Lys Met Val Ile Gly
325    330    335
Lys Gln Phe Arg Cys Phe Arg Asp Lys Leu Gln Ser Val Leu Cys Asp
340    345    350

```

-continued

His	Met	Trp	Asn	Thr	Phe	Ala	Asp	Glu	Asn	Pro	His	Leu	Thr	Phe	Trp
	355						360					365			
Cys	Gln	Gln	Thr	Leu	Gly	Leu	Cys	Asp	Pro	Lys	Glu	Leu	Thr	Tyr	Asp
	370					375					380				
Gln	Leu	Val	Ala	Ala	Pro	Glu	Leu	Arg	Gly	Ser	Pro	Gln	Phe	Leu	Glu
385					390					395					400
Leu	Tyr	Ile	Val	Gly	His	Asn	Ile	Asn	Gly	Phe	Asp	Glu	Ile	Val	Leu
			405						410					415	
Ala	Ala	Gln	Val	Ile	Asp	Asn	Arg	Thr	Asp	Val	Pro	Ala	Pro	Phe	Lys
			420					425					430		
Ile	Ser	Arg	Asn	Phe	Ile	Pro	Arg	Ala	Gly	Lys	Ile	Leu	Phe	Asn	Asp
		435					440					445			
Val	Thr	Leu	Ser	Leu	Pro	Asn	Pro	Lys	Tyr	Lys	Gln	Arg	Lys	Asp	Phe
	450					455					460				
Thr	Leu	Trp	Glu	Gln	Gly	Asn	Cys	Asp	Asp	Ser	Asp	Phe	Lys	Asn	Gln
465					470					475					480
Phe	Leu	Lys	Val	Met	Val	Arg	Asp	Thr	Phe	Gln	Leu	Thr	His	Thr	Ser
			485						490					495	
Leu	Arg	Lys	Ala	Ala	Gln	Ala	Tyr	Ala	Leu	Pro	Val	Glu	Lys	Gly	Cys
			500					505					510		
Cys	Pro	Tyr	Arg	Ala	Val	Asn	Glu	Phe	Tyr	Met	Leu	Gly	Ser	Tyr	Gln
		515					520					525			
Ala	Thr	Ala	Asp	Gly	Phe	Pro	Leu	Arg	Asn	Tyr	Trp	Lys	Asp	Glu	Ala
	530					535					540				
Glu	Tyr	Leu	Leu	Asn	Arg	Glu	Leu	Trp	Lys	Thr	Lys	Asn	Lys	Pro	His
545					550					555					560
Tyr	Asn	Leu	Ile	Glu	Glu	Thr	Leu	Glu	Tyr	Cys	Ala	Leu	Asp	Val	Ile
			565						570					575	
Val	Thr	Ala	Ala	Leu	Val	Asp	Lys	Leu	Phe	Ser	Ser	Tyr	Ala	Gln	Phe
			580					585					590		
Ile	Arg	Glu	Thr	Val	Gly	Tyr	Ser	Asn	Ser	Cys	Phe	Asn	Val	Phe	Gln
		595					600					605			
Arg	Pro	Thr	Ile	Ser	Ser	Asn	Ser	His	Ala	Ile	Phe	Arg	Gln	Ile	Leu
	610					615					620				
Tyr	Thr	Ala	Gln	Arg	Pro	Gln	Lys	Thr	Asn	Leu	Gly	Pro	Asn	Phe	Leu
625					630					635					640
Ala	Pro	Ser	His	Glu	Leu	Tyr	Asp	Tyr	Val	Arg	Ser	Ser	Ile	Arg	Gly
			645						650					655	
Gly	Arg	Cys	Tyr	Pro	Thr	Tyr	Leu	Gly	Val	Leu	Thr	Glu	Pro	Leu	Tyr
		660					665					670			
Val	Tyr	Asp	Ile	Cys	Gly	Met	Tyr	Ala	Ser	Ala	Leu	Thr	His	Pro	Met
	675					680						685			
Pro	Trp	Gly	Pro	Pro	Leu	Asn	Pro	Phe	Glu	Arg	Ala	Leu	Ala	Ala	Lys
	690					695					700				
Asn	Trp	Gln	Asp	Ala	Leu	Asn	Ser	Ser	Ser	Lys	Ile	Ser	Tyr	Phe	Asp
705					710					715					720
Arg	Leu	Leu	Leu	Pro	Gly	Ile	Phe	Thr	Ile	Asp	Ala	Asp	Pro	Pro	Asp
			725						730					735	
Glu	Asn	Leu	Leu	Asp	Ile	Leu	Pro	Pro	Phe	Cys	Ser	Arg	Lys	Gly	Gly
		740							745				750		
Arg	Leu	Cys	Trp	Thr	Asn	Glu	Arg	Leu	Arg	Gly	Glu	Val	Ala	Thr	Ser

-continued

755	760	765
Ile Asp Met Val Thr Leu His Asn Arg Gly Trp Lys Val Arg Leu Ile 770 775 780		
Pro Asp Glu Arg Thr Thr Val Phe Pro Gln Trp Lys Cys Val Ala Arg 785 790 795 800		
Glu Tyr Val Gln Leu Asn Ile Ala Ala Lys Glu Lys Ala Asp Lys Asp 805 810 815		
Lys Asn Gln Thr Leu Arg Ser Ile Ala Lys Leu Leu Ser Asn Ala Leu 820 825 830		
Tyr Gly Ser Phe Ala Thr Lys Leu Asp Asn Lys Lys Thr Val Phe Ser 835 840 845		
Asp Gln Leu Asp Asp Lys Thr Leu Lys Gly Ile Ala Ser Gly His Ile 850 855 860		
Asn Ile Lys Ser Ser Ser Phe Ile Glu Thr Asp Asn Leu Ser Ala Glu 865 870 875 880		
Val Leu Pro Ser Phe Gln Arg Val Tyr Ser Pro Lys Glu Leu Ala Leu 885 890 895		
Val Asp Ser Glu Pro Glu Glu Ser Asp Glu Glu Arg Trp Asn Pro Pro 900 905 910		
Phe Tyr Ser Pro Pro Gln Asp Pro Gln Ser His Val Thr Tyr Thr Tyr 915 920 925		
Lys Pro Ile Ile Phe Leu Asp Ala Glu Glu Thr Asp Leu Cys Leu His 930 935 940		
Thr Leu Glu Asn Thr Asp Pro Leu Ile Asp Asn Asp Arg Tyr Pro Ser 945 950 955 960		
Gln Ile Ala Ser Phe Val Leu Ala Trp Thr Arg Ala Phe Val Ser Glu 965 970 975		
Trp Ser Glu Phe Leu Tyr Glu Glu Asp Arg Gly Thr Pro Leu Ser Glu 980 985 990		
Arg Pro Leu Lys Ser Val Tyr Gly Asp Thr Asp Ser Leu Phe Val Thr 995 1000 1005		
Asp Leu Gly His Gln Leu Met Glu Thr Lys Gly Arg Lys Arg Ile 1010 1015 1020		
Lys Lys Asn Gly Gly Arg Leu Val Phe Asp Pro Ser His Pro Glu 1025 1030 1035		
Leu Thr Trp Leu Val Glu Cys Glu Thr Val Cys Glu Lys Cys Gly 1040 1045 1050		
Ala Asp Ala Tyr Ala Pro Glu Ser Val Phe Leu Ala Pro Lys Leu 1055 1060 1065		
Tyr Ala Leu Gln Cys Leu Tyr Cys Pro Arg Cys Gly His Val Ser 1070 1075 1080		
Lys Gly Lys Leu Arg Ala Lys Gly His Ala Ala Glu Ser Leu Ser 1085 1090 1095		
Tyr Asp Leu Leu Val Lys Cys Tyr Leu Ala Asp Tyr Gln Gly Gly 1100 1105 1110		
Asn Glu Gln Phe Ser Thr Ser Arg Met Ser Leu Lys Arg Thr Leu 1115 1120 1125		
Ala Ser Ala Gln Pro Gly Ala His Pro Phe Thr Val Thr Glu Thr 1130 1135 1140		
Thr Leu Thr Arg Thr Leu Arg Pro Trp Lys Asp Met Thr Leu Thr 1145 1150 1155		

-continued

Pro Leu Asp Ala His Arg Leu Val Pro Tyr Ser Asn Ser Gln Pro
1160 1165 1170

Asn Pro Arg Asn Gln Glu Ile Tyr Trp Ile Glu Met Pro
1175 1180 1185

<210> SEQ ID NO 43

<211> LENGTH: 582

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 43

Met Gln Arg Pro Ala Ala Met Ala Ser Thr Glu Thr Glu Pro Met Asp
1 5 10 15

Pro Val Val Arg Ala Ala Leu Gln Ser Gln Pro Ser Gly Val Ala Pro
20 25 30

Ser Asp Asp Trp Ser Ala Ala Met Asp Arg Ile Met Ala Leu Thr Ala
35 40 45

Arg Asn Ser Glu Ala Phe Arg Gln Gln Pro Gln Ala Asn Arg Phe Ser
50 55 60

Ala Ile Leu Glu Ala Val Val Pro Ser Arg Pro Asn Pro Thr His Glu
65 70 75 80

Lys Val Leu Ala Ile Val Asn Ala Leu Ala Glu Asn Arg Ala Ile Arg
85 90 95

Pro Asp Glu Ala Gly Gln Ile Tyr Asn Ala Leu Leu Glu Arg Val Ala
100 105 110

Arg Tyr Asn Ser Thr Asn Val Gln Ser Asn Leu Asp Arg Leu Val Thr
115 120 125

Asp Val Arg Glu Ala Val Ala Gln Arg Glu Arg Phe His Lys Asp Ala
130 135 140

Asn Leu Gly Ser Met Val Ala Leu Asn Ala Phe Leu Ser Ser Leu Pro
145 150 155 160

Ala Asn Val Pro Arg Gly Gln Glu Asp Tyr Thr Asn Phe Ile Ser Ala
165 170 175

Leu Arg Leu Met Val Ala Glu Val Pro Gln Ser Glu Val Tyr Met Ser
180 185 190

Gly Pro Ser Tyr Tyr Phe Gln Thr Ser Arg Gln Gly Leu Gln Thr Val
195 200 205

Asn Leu Ser Gln Ala Phe Lys Asn Leu Glu Gly Leu Trp Gly Val Lys
210 215 220

Ala Pro Leu Gly Asp Arg Ala Thr Val Ser Ser Leu Leu Thr Pro Asn
225 230 235 240

Thr Arg Leu Leu Leu Leu Leu Ile Ala Pro Phe Thr Asp Ser Gly Ser
245 250 255

Ile Ser Arg Asp Ser Tyr Leu Gly His Leu Ile Thr Leu Tyr Arg Glu
260 265 270

Ala Ile Gly Gln Ser Arg Val Asp Glu His Thr Tyr Gln Glu Ile Thr
275 280 285

Asp Val Ser Arg Ala Met Gly Gln Glu Asp Thr Ser Ser Leu Gln Ala
290 295 300

Thr Leu Asn Tyr Leu Leu Thr Asn Arg Arg Gln Arg Ile Pro Pro Gln
305 310 315 320

-continued

```

Phe Ser Leu Ser Pro Glu Glu Glu Arg Ile Leu Arg Tyr Val Gln Gln
      325                      330                      335

Ser Val Ser Leu Tyr Leu Met Arg Glu Gly Asp Gly Pro Ser Ala Ala
      340                      345                      350

Leu Asp Leu Thr Ala Arg Asn Met Glu Pro Gly Leu Tyr Ser Thr Asn
      355                      360                      365

Arg Ala Phe Ile Asn Arg Leu Met Asp Tyr Leu His Arg Ala Ala Ala
      370                      375                      380

Leu Asn Pro Glu Tyr Phe Asn Asn Ala Val Leu Asn Pro His Trp Leu
      385                      390                      395                      400

Pro Pro Pro Gly Phe Tyr Thr Gly Glu Phe Asp Leu Pro Glu Ala Asn
      405                      410                      415

Asp Gly Phe Ile Trp Asp Asp Asp Thr Ser Val Phe Ser Pro Met Gln
      420                      425                      430

Lys Lys Glu Gly Gly Asp Ala Gln Ser Gln Arg Val Ser Leu Ala Ser
      435                      440                      445

Met Gly Ala Ser Val Ala Ser Pro Leu Pro Ser Phe Ser Ser Ala Ser
      450                      455                      460

Ser Ala Ala Gly Arg Val Asn Arg Pro Arg Leu Ser Gly Glu Thr Asp
      465                      470                      475                      480

Tyr Leu Asn Asp Pro Leu Met Arg Pro Ala Arg Ala Lys Asn Phe Pro
      485                      490                      495

Asn Asn Gly Ile Glu Ser Leu Val Asp Lys Met Ser Arg Trp Lys Thr
      500                      505                      510

Tyr Ala Gln Glu Gln Arg Glu Trp Glu Glu Gln Gln Pro Arg Pro Leu
      515                      520                      525

Ile Pro Pro Thr Arg Gly Asn Arg Arg Arg Gln Asp Met Gly Pro
      530                      535                      540

Tyr Arg Val Pro Val Asp Pro Glu Asp Ser Ala Asp Asp Ser Ser Val
      545                      550                      555                      560

Leu Asp Leu Gly Gly Ser Gly Asn Pro Phe Ala His Leu Arg Pro Gln
      565                      570                      575

Gly Arg Ile Gly Lys Trp
      580

```

<210> SEQ ID NO 44

<211> LENGTH: 375

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 44

```

Met His Pro Val Leu Arg Gln Met Arg Pro Ser Asn Ser Gly Pro Ala
1      5      10      15

Thr Thr Ala Ala Gly Ala Val Cys Gln Ala Gly Ala Gly Asn Pro Leu
      20      25      30

Glu Glu Val Leu Asp Ile Glu Glu Gly Glu Gly Leu Ala Arg Leu Gly
      35      40      45

Ala His Ser Pro Glu Arg His Pro Arg Val Gln Leu Lys Lys Asp Ser
      50      55      60

Ser Glu Ala Tyr Ile Pro Pro Arg Asn Leu Phe Arg Glu Arg Ser Gly
65      70      75      80

```

-continued

Glu Glu Ala Glu Glu Met Arg Asp Ser Arg Phe Arg Ala Gly Arg Glu
 85 90 95
 Leu Lys Lys Gly Leu Asp Arg Glu Arg Leu Leu Arg Pro Glu Asp Phe
 100 105 110
 Glu Ala Arg Asp Arg Thr Gly Val Ser Ala Ala Arg Ala His Val Ala
 115 120 125
 Ala Ala Asp Leu Val Thr Ala Tyr Glu Gln Thr Val Lys Glu Glu Met
 130 135 140
 Asn Phe Gln Lys Ser Phe Asn Asn His Val Arg Thr Leu Ile Ala Arg
 145 150 155 160
 Glu Glu Val Ala Ile Gly Leu Met His Leu Trp Asp Phe Leu Glu Ala
 165 170 175
 Tyr Val Gln Asn Pro Thr Ser Lys Pro Leu Thr Ala Gln Leu Phe Leu
 180 185 190
 Ile Val Gln His Ser Arg Asp Asn Glu Thr Phe Arg Asp Ala Leu Leu
 195 200 205
 Asn Ile Ala Glu Pro Glu Gly Arg Trp Leu Leu Asp Leu Ile Asn Ile
 210 215 220
 Leu Gln Ser Ile Val Val Gln Glu Arg Ser Leu Ser Leu Ala Asp Lys
 225 230 235 240
 Val Ala Ala Ile Asn Tyr Ser Met Leu Ser Leu Gly Lys Phe Tyr Ala
 245 250 255
 Arg Lys Ile Tyr Lys Thr Pro Tyr Val Pro Ile Asp Lys Glu Val Lys
 260 265 270
 Ile Asp Ser Phe Tyr Met Arg Met Ala Leu Lys Val Leu Thr Leu Ser
 275 280 285
 Asp Asp Leu Gly Ile Tyr Arg Asn Asp Arg Ile His Lys Ala Val Ser
 290 295 300
 Ala Ser Arg Arg Arg Glu Leu Ser Asp Arg Glu Leu Met Tyr Ser Leu
 305 310 315 320
 Gln Arg Ala Leu Thr Gly Thr Gly His Gly Gln Asp Glu Asn Leu Phe
 325 330 335
 Asp Ala Gly Ala Asp Leu Lys Trp Gln Pro Ser Arg Arg Ala Trp Gln
 340 345 350
 Ala Ala Gly Thr Tyr Leu Glu Ser Ile Glu Glu Asp Glu Asp Glu Asp
 355 360 365
 Pro Glu Asn Glu Pro Ile Asp
 370 375

<210> SEQ ID NO 45
 <211> LENGTH: 475
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 45

Arg Thr Arg Leu Gln Arg Lys Thr Ser Ser Gln Gly Ser Arg Gly Arg
 1 5 10 15
 Val Pro Gln Leu Arg Pro Phe Ser Glu Met Leu Pro Cys Arg Leu Pro
 20 25 30
 Gly Arg Lys Arg Thr Val Leu His Glu Ser Asp Glu Phe Glu Ala His
 35 40 45

Pro 50	Ser	Lys	Arg	Pro	Thr	Arg 55	Ser	Thr	Pro	Phe 60	His	Arg	Asn	Gly	Asp
His 65	Thr	His	Glu	Asn	Pro 70	Pro	Pro	Leu	Glu	Gly 75	His	Asp	Ala	Asp	Thr 80
Ser	Gly	Arg	Pro	Pro 85	Ala	Gly	Ser	Leu	Gln 90	Gln	Gln	Pro	Thr	Gln	Pro 95
Lys	Lys	Pro	Gly 100	Asn	Leu	Leu	Asp	Arg 105	Asp	Ala	Val	Glu	His	Val	Thr
Glu	Leu	Trp 115	Asp	Arg	Leu	Gln	Leu	Leu	Cys	Gln	Ser	Leu	Gln	Asn	Met
Pro	Leu 130	Ala	Glu	Gly	Leu	Lys 135	Pro	Leu	Lys	Lys	Phe 140	Ala	Ser	Leu	Gln
Glu 145	Leu	Leu	Ser	Leu	Gly 150	Gly	Pro	Arg	Leu	Leu	Arg	Glu	Leu	Val	Gln 160
Glu	Asn	Leu	His 165	Val	Gln	Asp	Met	Met	Asn	Glu	Val	Ala	Pro	Leu	Leu 175
Ala	Asp	Asp	Gly 180	Ser	Cys	Thr	Ser	Leu	Asn	Tyr	His	Leu	Gln	Pro	Val
Ile	Ala 195	Val	Ile	Tyr	Gly	Pro	Thr 200	Gly	Ser	Gly	Lys	Ser 205	Gln	Leu	Leu
Arg	Asn 210	Leu	Leu	Ser	Thr	Gln 215	Leu	Ile	Ser	Pro	Ala 220	Pro	Glu	Thr	Val
Phe 225	Phe	Ile	Ala	Pro	Gln 230	Val	Asp	Met	Ile	Pro 235	Pro	Ala	Glu	Ile	Lys 240
Ala	Trp	Glu	Met 245	Gln	Ile	Cys	Glu	Gly	Asn	Phe 250	Arg	Ala	Gly	Pro	Glu 255
Gly	Thr	Leu	Val 260	Pro	Gln	Ser	Gly	Thr 265	Leu	Lys	Pro	Arg	Phe	His	Lys
Met	Ser	Tyr 275	Asp	Glu	Leu	Thr	Gln 280	Asp	Tyr	Asn	Tyr	Asp 285	Val	Thr	Asp
Pro	Arg 290	Asn	Val	Phe	Ala	Arg 295	Ala	Ala	Val	Gln	Gly 300	Pro	Ile	Ala	Ile
Ile 305	Met	Asp	Glu	Cys	Met 310	Glu	Asn	Leu	Gly	Gly 315	His	Lys	Gly	Ile	Ser 320
Lys	Phe	Phe	His 325	Ala	Phe	Pro	Ser	Lys	Leu	His	Asp	Lys	Phe	Pro	Lys 335
Cys	Thr	Gly	Tyr 340	Thr	Val	Leu	Val	Val 345	Leu	His	Asn	Met	Asn	Pro	Arg
Arg	Asp	Leu 355	Gly	Gly	Asn	Ile	Ser 360	Asn	Leu	Lys	Ile	Gln	Ser	Lys	Leu
His 370	Ile	Met	Ser	Pro	Arg	Met 375	His	Pro	Ser	Gln	Leu	Asn	Arg	Phe	Ile
Asn 385	Thr	Tyr	Thr	Lys	Gly 390	Leu	Pro	Val	Ala	Ile	Thr	Leu	Leu	Leu	Lys 400
Asp	Ile	Phe	Gln 405	His	His	Ala	Gln	Arg	Asn	Ser	Tyr	Asp	Trp	Ile	Ile 415
Tyr	Asn	Thr	Thr 420	Pro	Glu	His	Glu	Ala 425	Leu	Gln	Trp	Ser	Tyr	Leu	His
Pro	Lys 435	Asp	Gly	Leu	Met	Pro	Met 440	Tyr	Leu	Asn	Ile	Gln	Thr	His	Leu

-continued

Tyr Arg Val Met Glu Lys Ile His Lys Val Leu Asn Asp Arg Glu Arg
450 455 460

Trp Ser Arg Ala Tyr His Lys Lys Asn Arg Gln
465 470 475

<210> SEQ ID NO 46
<211> LENGTH: 134
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 46

Met Ser Gly Thr Thr Ser Gly Ser Val Thr Phe Asp Gly Gly Val Tyr
1 5 10 15

Ser Pro Phe Leu Thr Ser Arg Leu Pro Asn Trp Ala Gly Val Arg Gln
20 25 30

Asn Val Met Gly Ser Thr Val Glu Gly His Pro Val Leu Pro Ser Asn
35 40 45

Ser Ala Ser Met Arg Tyr Ala Thr Ile Gly Ser Ser Ser Leu Asp Thr
50 55 60

Ala Ala Ala Ala Ala Ser Ala Ala Ala Ser Ala Thr Arg Val Leu
65 70 75 80

Ala Ala Asp Phe Gly Leu Tyr Gly Asn Phe Thr Pro Ala Ala Val Pro
85 90 95

Arg Thr Val His Asp Asp Ser Leu Leu Thr Val Leu Thr Lys Leu Asp
100 105 110

Asn Leu Thr Gln Gln Leu Gly Glu Leu Ser Arg Arg Val Ala Glu Leu
115 120 125

Ala Glu Glu Arg Thr Val
130

<210> SEQ ID NO 47
<211> LENGTH: 496
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 47

Met Glu Gly Leu His Glu Glu Gly Glu Asp Leu His Leu Leu Ala Gly
1 5 10 15

Ala Ala Val Ala Ala Ala Ala Gly Ala Glu Ala Val Gly Val Gln Asp
20 25 30

Arg Gly Pro Asn Ala Leu Ala Gly Gly Arg Gly Gly Ala Gln Gly Gly
35 40 45

Asp Gly Ser Pro Glu Arg Asp Leu Ser Asp Asp Gln Glu Val Pro Ala
50 55 60

Ala Val Gly Pro Ile Pro Asp Pro Phe Pro Glu Leu Arg Arg His Leu
65 70 75 80

Leu Arg Ser Pro Gly Arg Gly Leu Glu Glu Asp Pro Gly Glu Gly Gly
85 90 95

Ser Gly Glu Gln Arg Gly Ile Lys Arg Pro Arg Glu Gly Arg Lys Val
100 105 110

Glu Gly Ile Met Ser Glu Leu Thr Leu Ser Leu Met Thr Arg Lys Arg
115 120 125

-continued

Thr	Glu	Asn	Lys	Trp	Leu	Ser	Glu	Ile	Trp	Asp	Glu	Phe	Arg	Thr	Gly
130						135					140				
Asp	Met	Tyr	Leu	Gln	Thr	Lys	Tyr	Thr	Phe	Glu	Gln	Val	Phe	Thr	Lys
145					150					155					160
Trp	Leu	Asn	Pro	Glu	Asp	Asp	Trp	Glu	Asp	Ala	Leu	Thr	Arg	Tyr	Gly
				165					170					175	
Lys	Val	Ala	Leu	Arg	Pro	Asp	Thr	Lys	Tyr	Arg	Leu	Thr	Lys	Lys	Val
			180					185					190		
Glu	Leu	Arg	Ser	Cys	Ala	Tyr	Val	Ile	Gly	Asn	Gly	Ala	Gln	Val	Glu
	195						200					205			
Val	Asp	Met	Gln	Glu	Arg	Val	Ala	Phe	Ala	Cys	Asn	Met	Val	Asn	Met
210						215					220				
Gly	Pro	Gly	Ile	Val	Gly	Met	Gly	Gly	Ile	Ile	Phe	His	Asn	Val	Arg
225					230					235					240
Phe	Tyr	Gly	Asp	Asn	Phe	Asn	Gly	Met	Val	Ile	Met	Ala	Asn	Thr	Thr
				245					250					255	
Val	Leu	Leu	His	Gly	Cys	Tyr	Phe	Phe	Gly	Phe	Asn	Asn	Thr	Val	Leu
			260					265					270		
Glu	Val	Trp	Gly	His	Ser	Lys	Val	Arg	Gly	Cys	Thr	Phe	Tyr	Gly	Cys
		275					280					285			
Trp	Lys	Ala	Ile	Ala	Ser	Arg	Pro	Lys	Ser	Glu	Ile	Ser	Val	Lys	Lys
290						295					300				
Cys	Leu	Phe	Glu	Arg	Cys	Thr	Leu	Gly	Val	Cys	Val	Glu	Gly	Lys	Gly
305					310					315					320
Arg	Ile	Phe	Asn	Asn	Val	Ala	Ser	Glu	Asn	Gly	Cys	Phe	Ala	Leu	Ile
			325						330					335	
Lys	Gly	Phe	Ala	Ala	Leu	Lys	Tyr	Asn	Met	Ile	Cys	Gly	Gln	Ser	Pro
			340					345					350		
Thr	Glu	Arg	Thr	Tyr	Gln	Met	Leu	Thr	Cys	Ala	Asp	Gly	Asn	Val	His
		355				360						365			
Leu	Leu	Lys	Thr	Val	His	Ile	Thr	Gly	His	Ala	Lys	Lys	Pro	Trp	Pro
	370					375					380				
Leu	Phe	Glu	His	Asn	Val	Leu	Thr	Arg	Cys	Ser	Val	His	Leu	Gly	Pro
385					390					395					400
Arg	Arg	Gly	Ile	Phe	Ile	Pro	His	Gln	Cys	Asn	Phe	Ser	His	Thr	Asn
				405					410					415	
Val	Leu	Val	Glu	Thr	Glu	Ala	Val	Thr	Arg	Phe	Ser	Leu	Thr	Gly	Val
			420					425					430		
Phe	Asp	Met	Ser	Val	Val	Ile	Tyr	Lys	Ile	Leu	Arg	Tyr	Glu	Glu	Thr
	435						440					445			
Lys	Ala	Arg	Cys	Arg	Cys	Cys	Glu	Cys	Gly	Gly	Lys	His	Leu	Arg	Asn
	450					455					460				
Gln	Pro	Val	Ile	Val	Asp	Val	Thr	Glu	Glu	Val	Arg	Met	Asp	His	Met
465					470					475					480
Gln	His	Ser	Cys	Ala	Arg	Ala	Asp	Tyr	Ser	Thr	Asp	Glu	Asp	Thr	Glu
				485					490					495	

<210> SEQ ID NO 48

<211> LENGTH: 177

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 48

```

Met Glu Leu Asp Arg Leu Leu Glu Asn Tyr Asn Ser Leu Arg Arg Val
1      5      10      15
Leu Glu Glu Ala Ser Glu Asp Thr Ser Val Trp Trp Arg Lys Leu Phe
20     25     30
Gly Cys Arg Val Ser Gln Leu Val Val Gln Ala Lys Val Glu Tyr Lys
35     40     45
Glu Glu Phe Glu Lys Leu Phe Ser Glu Val Pro Gly Leu Val Asp Ser
50     55     60
Leu Asn Phe Cys His His Ala Phe Phe Tyr Glu Lys Val Ile Cys Gly
65     70     75     80
Leu Asp Phe Cys Thr Pro Gly Arg Thr Ile Ala Ala Leu Ala Phe Cys
85     90     95
Ala Phe Ile Leu Asp Lys Trp Asn Lys Glu Thr His Leu Ser Lys Gly
100    105    110
Tyr Thr Leu Asp Tyr Ile Ser Leu Gln Leu Trp Lys Ala Tyr Met Arg
115    120    125
Lys Gly Lys Ile Tyr Thr Phe Ser Gln Gly Pro Arg Ser Leu Pro Gln
130    135    140
Arg Val Arg Arg Arg Leu Gly Phe Lys Thr Glu Asp Gln Thr Arg Leu
145    150    155    160
Leu Glu Ala Glu Glu Glu Pro Arg Ala Gly Thr Asp Pro Pro Ser Glu
165    170    175

Thr

```

<210> SEQ ID NO 49

<211> LENGTH: 272

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 49

```

Met Arg Thr Pro Leu Val Glu Gly Asp Ile Pro Val Arg Phe Ala Ala
1      5      10      15
Glu Leu Leu Ala Ala Leu Ala Glu Glu Val Phe Ala Asp Val Glu Pro
20     25     30
Pro Arg Ala Phe Glu Asp Val Ser Leu His Asp Leu Phe Asp Leu Asp
35     40     45
Val Glu Asp Arg Glu Asp Pro Ser Gln Asp Ala Val Asp Met Leu Phe
50     55     60
Pro Glu Ser Leu Leu Leu Ala Ala Glu Glu Gly Ile Asp Ile Pro Arg
65     70     75     80
Asp Thr Pro Pro Pro Leu Glu Pro Pro Met Val Leu Ser Pro Leu Ser
85     90     95
Gln Gln Gln Gln Asp Met Pro Asp Leu Thr Val Gly Asp Val Asn Leu
100    105    110
Leu Cys Ser Glu Ser Ser Phe Ser Ser Leu Glu Glu Asn Glu Leu Glu
115    120    125
Arg Cys Met Ala Glu Leu Ala Ala Ser Gly Val Ala Ser Val Arg Glu
130    135    140

```

-continued

Gln	Glu	Arg	Glu	Glu	Met	Ser	Gly	Thr	Pro	Phe	Asn	Leu	Asp	Tyr	Pro
145					150					155					160
Glu	Met	Pro	Gly	Tyr	Gly	Cys	Lys	Ser	Cys	Gln	Tyr	His	Arg	Glu	Gln
			165						170					175	
Thr	Gly	Glu	Ala	Asp	Ile	Leu	Cys	Ser	Leu	Cys	Tyr	Leu	Arg	Arg	Asn
			180					185					190		
Gly	Val	Phe	Val	Tyr	Ser	Pro	Val	Ser	Glu	Ala	Glu	Val	Asp	Glu	Pro
		195					200					205			
Asp	Thr	Thr	Thr	Asp	Asp	Gln	Gly	Arg	Ala	Gln	Ser	Pro	Pro	Lys	Leu
	210					215					220				
Thr	Gln	Asp	Ala	Pro	Val	Asn	Val	Ile	Arg	Pro	Arg	Pro	Ile	Arg	Pro
225					230					235					240
Ser	Ser	Arg	Arg	Arg	Asn	Ala	Val	Asp	Ser	Leu	Glu	Ser	Leu	Leu	Glu
			245						250					255	
Asp	Asp	Asp	Cys	Glu	Pro	Leu	Asp	Leu	Thr	Phe	Lys	Arg	Ala	Arg	Tyr
			260					265						270	

<210> SEQ ID NO 50
 <211> LENGTH: 128
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic polypeptide

<400> SEQUENCE: 50

Met	Ala	Thr	Asn	Glu	Glu	Phe	Leu	Tyr	Val	Tyr	Arg	Glu	Gly	Glu	His
1			5						10					15	
Gly	Ile	Leu	Pro	Val	Gln	Glu	Gly	Tyr	Ser	Gly	Val	Tyr	Thr	Leu	Phe
		20					25						30		
Ser	Pro	Glu	Asp	Phe	Val	Ile	Pro	Pro	Glu	Gly	Val	Leu	Leu	Leu	Tyr
	35					40					45				
Leu	Gln	Ile	Arg	Val	Gln	Val	Pro	Pro	Gly	Tyr	Ile	Gly	Arg	Leu	Gly
	50				55					60					
Pro	Leu	Gly	Asp	Leu	Val	Arg	Arg	Gly	Ile	Phe	Ala	Gly	Ala	Asp	Thr
65				70					75					80	
Val	Asp	Pro	Cys	Thr	Arg	Trp	Glu	Leu	Lys	Leu	Leu	Leu	Phe	Asn	His
			85					90						95	
Thr	Pro	Asp	Phe	Tyr	His	Gly	Gln	Arg	Gly	Gln	Ala	Val	Gly	Arg	Phe
		100					105						110		
Leu	Leu	His	Arg	Val	Ile	Tyr	Pro	Thr	Val	Leu	Glu	Ala	Thr	Gln	Val
		115					120					125			

What is claimed:

1. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:
 - a) infecting a Vero producer cell with simian adenovirus 13 (SAdV-13) helper virus and
 - b) culturing the cell to produce rAAV.
2. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:
 - a) introducing a rAAV genome into a Vero packaging cell,
 - b) infecting the cell with simian adenovirus 13 (SAdV-13) helper virus and
 - c) culturing the cell to produce rAAV.

3. The method of claim 2 wherein the rAAV genome is introduced by infection with a rAd/AAV hybrid.

4. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:

- a) introducing a rAAV genome and AAV rep/cap genes into a Vero cell,
- b) infecting the cell with simian adenovirus 13 (SAdV-13) helper virus and
- c) culturing the cell to produce rAAV.

5. The method of claim 4 wherein steps a) and b) occur concurrently.

6. The method of claim 4 wherein the Vero cell is a packaging cell.

7. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:

- a) infecting a Vero producer cell with a SAdV-13-like adenovirus helper virus and
- b) culturing the cell to produce rAAV.

8. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:

- a) introducing a rAAV genome into a Vero packaging cell,
- b) infecting the cell with a SAdV-13-like adenovirus helper virus helper virus and
- c) culturing the cell to produce rAAV.

9. The method of claim **8** wherein the rAAV genome is introduced by infection with a rAd/AAV hybrid.

10. A method of producing infectious recombinant adeno-associated virus (rAAV) comprising the steps of:

- a) introducing a rAAV genome and AAV rep/cap genes into a Vero cell,
- b) infecting the cell with a SAdV-13-like adenovirus helper virus and
- c) culturing the cell to produce rAAV.

11. The method of claim **10** wherein steps a) and b) occur concurrently.

12. The method of claim **10** wherein the Vero cell is a packaging cell.

13. The method of any of claims **1-12** further comprising the step of isolating the rAAV produced by the cell.

14. The method of claim **3** or **9** wherein the Vero cell is infected with the rAd/AAV 16-24 hours after helper virus infection.

15. In a method for producing infectious recombinant adeno-associated virus (rAAV), the improvement comprising infecting a Vero cell with SAdV-13 helper virus.

16. In a method for producing infectious recombinant adeno-associated virus (rAAV), the improvement comprising infecting a Vero cell with a SAdV-13-like adenovirus helper virus.

17. A method of producing infectious rAAV comprising culturing a Vero producer cell under conditions permissive for rAAV production, wherein the Vero producer cell comprises simian adenovirus 13 (SAdV-13) helper virus.

18. A method of producing infectious rAAV comprising culturing a Vero producer cell under conditions permissive for rAAV production, wherein the Vero producer cell comprises simian adenovirus 13-like (SAdV-13-like) helper virus.

19. The method of any of the preceding claims wherein the SAdV-13 helper virus is SAdV-13 PME-12.

* * * * *