



(86) Date de dépôt PCT/PCT Filing Date: 1995/12/21
 (87) Date publication PCT/PCT Publication Date: 1996/06/27
 (45) Date de délivrance/Issue Date: 2009/06/23
 (85) Entrée phase nationale/National Entry: 1997/06/18
 (86) N° demande PCT/PCT Application No.: US 1995/016765
 (87) N° publication PCT/PCT Publication No.: 1996/019183
 (30) Priorité/Priority: 1994/12/21 (US08/362,058)

(51) Cl.Int./Int.Cl. *A61K 47/02* (2006.01),
A61K 33/06 (2006.01), *A61K 33/24* (2006.01),
A61K 45/06 (2006.01), *A61K 8/19* (2006.01),
A61K 8/20 (2006.01), *A61K 8/21* (2006.01),
A61K 8/26 (2006.01), *A61Q 15/00* (2006.01),
A61Q 17/00 (2006.01), *A61Q 19/00* (2006.01),
A61Q 5/00 (2006.01), *A61Q 9/00* (2006.01)

(72) Inventeurs/Inventors:
 HAHN, GARY SCOTT, US;
 THUESON, DAVID OREL, US

(73) Propriétaire/Owner:
 SENSORY SYSTEMS D/B/A COSMEDERM
 TECHNOLOGIES, US

(74) Agent: SMART & BIGGAR

(54) Titre : FORMULATIONS ET PROCEDES POUR DIMINUER L'IRRITATION DE LA PEAU
 (54) Title: FORMULATIONS AND METHODS FOR REDUCING SKIN IRRITATION

(57) Abrégé/Abstract:

Compositions and methods are provided for inhibiting skin irritation attributable to chemical irritants or environmental conditions, by the application of an anti-irritant amount of aqueous-soluble trivalent aluminum cation or divalent tin cation.




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : A61K 7/00</p>	<p>A1</p>	<p>(11) International Publication Number: WO 96/19183 (43) International Publication Date: 27 June 1996 (27.06.96)</p>
<p>(21) International Application Number: PCT/US95/16765 (22) International Filing Date: 21 December 1995 (21.12.95) (30) Priority Data: 08/362,058 21 December 1994 (21.12.94) US (71) Applicant (for all designated States except US): COSMEDERM TECHNOLOGIES [US/US]; 3252 Holiday Court, La Jolla, CA 92037 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): HAHN, Gary, Scott [US/US]; 2371 Lagoon View Drive, Cardiff by the Sea, CA 92007 (US). THUESON, David, Orel [US/US]; 12740 Boxwood Court, Poway, CA 92064 (US). (74) Agents: MEIER, Paul, H. et al.; Lyon & Lyon, First Interstate World Center, Suite 4700, 633 West Fifth Street, Los Angeles, CA 90071-2066 (US).</p>		<p>(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG). Published With international search report.</p>

(54) Title: FORMULATIONS AND METHODS FOR REDUCING SKIN IRRITATION

Time Course of Lactic Acid (7.5%)-Induced Sensory Irritation with and without Cosmederm Anti-Irritant (CAI)



(57) Abstract

Compositions and methods are provided for inhibiting skin irritation attributable to chemical irritants or environmental conditions, by the application of an anti-irritant amount of aqueous-soluble trivalent aluminum cation or divalent tin cation.

FORMULATIONS AND METHODS FOR REDUCING SKIN IRRITATION

Technical Field

This invention relates to compositions and formulations, and methods for using the same, to inhibit skin irritation in animals.

5 Background

Many substances are applied topically to the skin or mucous membranes of humans or animals (hereafter "skin") in order to alter the subject's appearance, to protect the subject from the environment, or to produce a biological change in the skin or other tissue for therapeutic, preventive or cosmetic purposes. These
10 substances may generically be termed "topical products" and include such topically applied substances as cosmetics, over-the-counter and prescription topical drugs, and a variety of other products such as soaps and detergents.

Topical products occur in a variety of forms, including solids, liquids, suspensions, semisolids (such as creams, gels, pastes or "sticks"), powders or
15 finely dispersed liquids such as sprays or mists. Examples of topical products commonly classified as "cosmetics" include skin care products such as creams, lotions, moisturizers and "treatment cosmetics" such as exfoliants and/or skin cell renewal agents; fragrances such as perfumes and colognes, and deodorants; shaving-related products such as creams, "bracers" and aftershaves; depilatories
20 and other hair removal products; skin cleansers, toners and astringents; pre-moistened wipes and washcloths; tanning lotions; bath products such as oils; eye care products such as eye lotions and makeup removers; foot care products such as powders and sprays; skin colorant and make-up products such as foundations, blushes, rouges, eye shadows and liners, lip colors and mascaras; lip balms and
25 sticks; hair care and treatment products such as shampoos, conditioners, colorants, dyes, bleaches, straighteners and permanent wave products; baby

products such as baby lotions, oils, shampoos, powders and wet wipes; feminine hygiene products such as deodorants and douches; skin or facial peels applied by dermatologists or cosmeticians; and others. Examples of topical products commonly classified as "topical drugs" are many and varied, and include over-
5 the-counter and/or prescription products such as antiperspirants, insect repellents, sunscreens and sunburn treatments, anti-acne agents, antibiotics, topical respiratory agents, ocular drugs such as eyedrops and saline solutions, therapeutic retinoids, anti-dandruff agents, external analgesics such as capsaicin products, topical contraceptives, topical drug delivery systems, gastrointestinal
10 agents such as suppositories, enemas and hemorrhoid treatments, reproductive system agents such as vaginal treatments, oral treatments such as lozenges, and many other products with therapeutic or other effects. Other topical products include hand, facial and body soaps and detergents and other forms of skin cleansers, as well as household detergents and many other household products
15 such as solvents, propellants, polishes, lubricants, adhesives, waxes and others which are either applied topically or are topically exposed to the body during normal use.

In a large number of cases, topical products contain chemicals which may produce "irritation," including various inflammation symptoms or signs, when
20 applied to the skin or mucosa ("skin"). The present invention is directed in part to compositions and methods for inhibiting the irritation associated with such topical products.

The occurrence, frequency and nature of topical-product-induced irritation often varies from user to user. The severity of irritation to the susceptible user
25 may range from subclinical to mild to severe. Typical symptoms of "irritation" include itching (pruritus), stinging, burning, tingling, "tightness," erythema (redness) or edema (swelling). The irritation response may be due to the direct effect on the skin of certain topical product chemicals or to a response by the

immune system directed toward the chemicals alone or in combination with skin components (e.g. antigens).

The sensation of itch is one of the most common skin problems experienced by humans and animals. Itch can be defined as a sensation which provokes the desire to scratch the site from which the sensation originates. All skin contains sensory nerves which can transmit itch or other sensory impulses in response to chemical irritation, environmental exposure or disease processes. Although the precise population of itch producing nerves have not been identified, the thinnest, unmyelinated nerve population, termed type C nociceptive neurons are thought to be the most important in producing the sensation. Itch: Mechanisms and Management of Pruritus. Jeffrey D. Bernhard. McGraw-Hill, Inc. (San Francisco, 1994), pp. 1-22. The sensory nerves of the skin can be considered to be a "final common pathway" for the many irritating conditions which may be ultimately sensed as itch including chemical exposure, environmental exposure (such as that which produces dry, itchy skin) and disease processes such as atopic dermatitis. Many chemical substances are able to produce itch or other sensory impulses when topically applied to the skin. No matter what the ultimate cause of itch, the sensation experienced is the same and provokes the desire to scratch.

Many ingredients used in topical products are known irritants or are potentially irritating, especially to people with "sensitive skin". These irritating ingredients include fragrances, preservatives, solvents, propellants and many other ingredients that might otherwise be considered inert components of the products. Additionally, many topical product active ingredients, including chemicals that may also be classified as drugs, produce irritation when applied to the skin. These include, but are not limited to, such ingredients as exfoliants and skin cell renewal agents, anti-acne drugs, antiperspirant compounds, antihistamines, anti-inflammatory agents, skin protective agents, insect repellent

chemicals, sunscreens and many others. Where more than one chemical irritant is present, their irritating effects may be additive. Furthermore, chemical ingredients may react with one another, or in the environment of the skin, to form new chemicals which are irritating. The vehicles in which the active drug ingredients are formulated may also produce irritation in sensitive people, especially in the case of drugs such as topical corticosteroids.

In addition to chemicals which directly trigger skin irritation, some chemicals indirectly cause the skin to become more sensitive to other chemicals or environmental conditions which would not normally cause irritation. Many chemicals which act as skin "exfoliants" such as retinoids (e.g. tretinoin, retinol and retinal), carboxylic acids including α -hydroxy acids (e.g. lactic acid, glycolic acid), β -hydroxy acids (e.g. salicylic acid), α -keto acids, acetic acid and trichloroacetic acid, l-pyrrolidone-5-carboxylic acid, capryloyl salicylic acid, α -hydroxy decanoic acid, α -hydroxy octanoic acid, gluconolactone, methoxypropyl gluconamide, oxalic acid, malic acid, tartaric acid, mandelic acid, benzylic acid, gluconic acid, benzoyl peroxide and phenol, among others, may cause the skin to become more sensitive to irritation triggered by other topically-applied chemicals such as moisturizers, sunscreens, fragrances, preservatives, surfactants (e.g. soaps, shaving cream) and other topical products. Exfoliants and other ingredients may also increase the skin's sensitivity to environmental conditions such as sunlight, wind, cold temperature and dry air, or to chemical agents such as antigens, or may exacerbate the irritation attributable to a pre-existing skin disease.

Conversely, environmental influences may themselves increase the skin's sensitivity to chemicals in topical products by reducing the epidermal skin's "barrier function." The barrier function acts to minimize absorption or passage of potentially irritating chemicals through the outer "dead" cell layer of epidermal skin into the living skin tissue. Extremes of humidity, for example,

can greatly increase irritation from topically-applied products. A very common condition due to low humidity is termed "winter itch" in which the very low humidity characteristics of many cold climates (particularly when accompanied by indoor heating) or long exposure to refrigerated air from air conditioners in the summer produces itchy skin -- especially in older people -- which can exacerbate the irritating effects of topical products. Additionally, soaps, detergents, cleansing products, shaving creams, alcohol and other products which remove some of the skin's protective lipids and/or secretions may increase the skin's permeability and sensitivity to topically-applied chemicals which would otherwise not produce irritation. Normal processes such as sweating may also increase the ability of irritant materials, such as antiperspirants, deodorants or sunscreens, to penetrate the skin through pores or glands, thus exacerbating the potential for irritation. Exposure of the skin to high humidity environments or liquids may also increase the ability of potential irritants to penetrate the skin. Similarly, the skin may become sensitized or inflamed due to infection, shaving abrasion, repeated or excessive washing or bathing, sun exposure, or other mechanical abrasion or injury, resulting in sensory irritation responses upon subsequent application of underarm deodorants, after-shaves or other topical products.

In addition to chemical and environmental causes of skin irritation, many people have an inherent sensitivity or genetic predisposition to skin irritants. People with respiratory allergies, for example, tend to have excessively dry skin which facilitates increased absorption of potentially irritating chemicals. The excessively dry skin which accompanies atopic dermatitis, for example, predisposes patients with this condition to irritation from many topically-applied products. Other skin diseases and conditions such as allergic or non-allergic contact dermatitis, asthma (including exercise-induced asthma as may be precipitated by inhalation of cold or dry air), rhinitis, conjunctivitis,

inflammatory bowel disease, psoriasis, eczema, post-herpetic neuralgia ;
infectious diseases manifested by, for example, sore throat or skin
lesions such as candidiasis; insect stings or bites and the like, such
as exposure to plants, produce inherent irritation which may be
5 exacerbated by application of topical products or by exposure to chemical or
environmental influences such as antigens, cold air, low humidity and the like.
Many other individuals exhibit sensitive skin as a condition that is not related to
an identifiable skin disease.

Whatever the exact cause of irritation, many attempts have been made to
10 reduce the irritation potential of topical products by identifying chemicals which
tend to cause irritation and reducing their concentration or eliminating them from
the products. Many of these products are advertised to consumers as
"hypoallergenic" or the like to designate a product's reduced tendency to cause
irritation in consumers with sensitive skin. Many skin (including mucosal)
15 irritation responses, however, are not allergic in origin. In any event, it is often
not feasible or practical to identify or eliminate all of the irritating chemical(s),
particularly when the irritating chemical(s) are the active ingredient of the
product or are required for formulation, preservative or other functional reasons.

As one example, there is a substantial practical and commercial need in
20 the field of exfoliants and related skin care products for a composition or method
that will reduce or prevent the irritation caused by such products. Common
exfoliants include α - and β -hydroxy carboxylic acids such as lactic acid, glycolic
acid, salicylic acid and the like, α -keto acids such as pyruvic acid, as well as
assorted compounds such as acetic acid and trichloroacetic acid, 1-pyrrolidone-5-
25 carboxylic acid, capryloyl salicylic acid, α -hydroxy decanoic acid, α -hydroxy
octanoic acid, gluconolactone, methoxypropyl gluconamide, oxalic acid, malic
acid, tartaric acid, mandelic acid, benzylic acid, gluconic acid, peroxides,
phenols, and skin cell renewal agents such as retinoids. Such products are used
as exfoliants and/or cell renewal agents to reduce the occurrence or severity of

skin wrinkles, particularly facial wrinkles, or as anti-acne, anti-"dry skin" or skin whitening agents. See U.S. Patent Nos. 4,105,782, 4,105,783, 4,246,261, and 5,091,171 (Yu et al.) and 5,262,153 (Mishima et al.); W.P. Smith, "Hydroxy Acids and Skin Aging," Soap/Cosmetics/Chemical Specialties for September 5 1993, p. 54 (1993). Hydroxy acids, in concentrations high enough to exfoliate, are well known often to cause skin irritation and rashes. The danger of irritation is even higher for persons that have sensitive skin.

Currently available methods reported by Yu et al. to reduce the irritation caused by hydroxy- and keto-acids in topical products include adding a strong 10 alkali metal base such as sodium hydroxide or potassium hydroxide, thereby raising the pH of the preparation and reducing the acidity of the hydroxy acid. Such methods have the reported drawback of reducing the ability of the resulting hydroxy acid salt to penetrate the skin and thus compromising the beneficial effects (particularly anti-acne or anti-"dry skin" effects) of the hydroxy acid. 15 Alternatively, Yu et al. have proposed the approach of formulating the hydroxy acid with a non-alkali metal base such as ammonium hydroxide or an organic base such as a primary, secondary or tertiary organic amine, thereby forming an amide or ammonium salt of the active ingredient hydroxy (or keto) acid. See U.S. Patent Nos. 4,105,782 and 4,105,783 (Yu et al.). The effect of such 20 formulations is, again, to raise the pH of preparation to a non-irritating level. However, the increased pH (reduced acidity) of the resulting preparations renders them less efficacious as exfoliating or anti-wrinkle agents, which desirably have an acidity equivalent to pH 1-6, and more preferably pH 2-4. See Smith, above, at Table 1. Other approaches to reducing the irritation associated with exfoliant 25 products include the use of slow-release topical formulations such as polymer-based vehicles (see, e.g., Chess et al., U.S. Patent No. 4,971,800) or microsponges, and inclusion of, e.g., plant-derived anti-irritant components (see, e.g., Smith et al., U.S. Patent No. 5,028,428).

Mishima, et al. have reported that certain alkali or alkaline-earth metal salts of lactic acid were useful as skin-whitening agents (U.S. Pat. No. 5,262,153), but no recognition is expressed as to any need or ability to reduce irritation effects; in addition, the particular formulations of Mishima were typically "neutralized" or adjusted to pH 5.5 prior to screening or skin-whitening testing (see Experiments 1 and 2). A clear need exists, therefore, for a composition or method that prevents or reduces the skin irritation caused by low-pH (high-acidity) organic or inorganic acid products but that does not reduce the efficacy of the acids as exfoliant/cell-renewal agents.

More generally, it would be highly desirable to identify compounds with anti-irritant activities that would reduce the irritation caused by a wide range of otherwise safe and effective topical products, or to reduce the intrinsic irritation associated with various skin diseases and conditions (such as atopic or other dermatitis, asthma (including exercise-induced asthma), rhinitis or other respiratory inflammation, conjunctivitis, inflammatory bowel disease, eczema or psoriasis) or caused by exposure to irritating chemicals or environmental conditions such as antigens, sun, wind, cold air or extremes in humidity.

As explained in more detail below in the Detailed Description, the present invention involves the surprising discovery that the metal cations of the invention are useful in reducing the incidence and severity of irritation associated with skin exposure to irritating chemicals or environmental conditions. While the exact mechanism (or mechanisms) of activity of such cations is not known and the invention is not limited to any particular mechanism, it is presently believed that the cations of the invention may reduce irritation by interacting with skin nerve cells to prevent or counteract the sensation of irritation, and/or by interfering with irritation-inducing components of skin cells that are triggered by application of or exposure to the irritant. Thus, the cations may alter the ability of skin nerve cells to depolarize or repolarize, as for example by blocking or interfering with

ion channel or pump operation or by altering the transmembranal action potential, or the cations may interfere with the transmission of nerve impulses from one nerve cell to another (as by suppressing neurotransmitter release). General descriptions of the function of channel proteins are given in B. Hille (ed.), Ionic Channels of Excitable Membranes, Sinauer Associates (Sunderland, Mass.: 2d Ed. 1992), and Siemen & Hescheler (eds.), Nonselective Cation Channels: Pharmacology, Physiology and Biophysics, Birkhauser Verlag (Basel, Switzerland: 1993). In addition, or alternatively, the cations of the invention may act to inhibit or modify the action of skin cell proteases or other irritation-inducing biological molecules (such as eicosanoids or cytokines) that may otherwise be activated by topical application of skin irritants, or may alter "second-messenger" function within sensory cells.

A number of ionic species, and certain metal cations in particular, have been associated with various aspects of nerve cell activity. For example, during the resting (polarized) state of a typical nerve cell, the intracellular concentration of potassium in the nerve axon is high relative to the extracellular potassium concentration, and the intracellular concentration of sodium is low relative to the extracellular sodium concentration. During the process of nerve depolarization, potassium ions flow out of the cell across the membrane, and sodium ions flow into the cell, through pores created by axonal membrane proteins known as "channels". Following depolarization, membranal proteins known as ion "pumps" act to reestablish the resting, polarized state of the cell.

Tin, which has atomic number 50, is currently used as a counterion for delivery of fluoride to the teeth in the form of stannous fluoride. Aluminum, which has atomic number 13, is used in oral antacids (e.g. aluminum hydroxide, aluminum carbonate, aluminum phosphate or aluminum aminoacetate), in styptic pencils containing potassium aluminum sulfate for its astringent effect and as an

active ingredient of antiperspirants (e.g. aluminum chlorohydrates, aluminum zirconium chlorohydrates or aluminum chloride).

Summary of the Invention

5 The present invention is directed to the use of the cations aluminum (Al^{3+}) and tin (Sn^{2+}) and salts of the foregoing cations as ingredients to provide fast-acting, efficient and safe topical skin anti-irritant effects, and to formulations containing such selected cations. It is one object of the present invention to provide ingredients, formulations and methods of use which can suppress skin
10 irritation due to chemical or environmental exposure, or due to tissue inflammation, injury or other skin pathology. The invention is particularly useful for preventing, reducing or eliminating the potential irritation caused by topical application of products containing other irritating ingredients, including especially cosmetics such as hydroxy acid or other exfoliant containing products,
15 facial peels, shaving products, sunscreen products, deodorants and other cosmetics as described above, as well as topical drug products containing irritating active ingredients or vehicles, and other products such as soaps, detergents, solvents and the like which are either applied to topically or are topically exposed to the body during use. Thus, the present invention meets a
20 clear need for formulations and ingredients that will prevent or reduce the potential skin irritation caused by topical products. The invention is also useful for preventing, reducing or eliminating the skin irritation caused by skin diseases or other conditions such as environmental exposure to irritating chemicals or influences such as wind, heat, cold and extremes in humidity, including the
25 intrinsic irritation associated with these conditions as well as such irritation as may be exacerbated by the application of a topical product.

Preferred embodiments of the present invention utilize one or more of the identified cations accompanied (as in the form of a salt) by one or ionizing acidic

anionic species, preferably an acidic anion species such as a chloride, nitrate, sulfate, acetate, gluconate or oxalate anion, dissolved or dispersed in an appropriate vehicle. Investigations relating to the present invention have shown that the anti-irritant effects of the cations of the invention can be optimized by
5 suitable selection of the accompanying anionic species. Especially preferred cation-anion pairs include aluminum chloride; and stannous chloride and stannous nitrate.

In the preferred embodiments, the cations of the invention are included in a suitable topical vehicle at a concentration of about 10 to about 3000 mM, more
10 preferably about 50 to about 2000 mM, and most preferably about 100 to about 1000 mM. The most highly preferred concentration range in many instances is from about 250 to about 500 mM, as for example where the formulation of the invention includes an irritant ingredient such as an exfoliant ingredient. The appropriate cation concentration can be achieved using a single metal cation
15 species of the invention, or multiple different cation species may be combined to yield the total desired cation concentration.

In another preferred embodiment, one or more of the cations of the invention is combined in a topical product formulation further comprising a potentially irritating ingredient, the cation(s) being present in a total amount
20 effective to reduce or eliminate irritation due to the irritant ingredient.

In another preferred embodiment, one or more of the cations of the invention is paired with one or more anionic species selected so as to achieve a desired level of acidity or basicity in the formulated composition, and a total cation concentration effective to reduce skin irritation. In one such particularly
25 preferred embodiment, a cation of the present invention is combined in a hydroxy acid or other exfoliant preparation accompanied by one or more suitable anionic species such that the pH of the hydroxy acid preparation is maintained in the range of pH 1-6, and more preferably in the range of pH 2-4. It will be

understood that, where the formulation employs an anhydrous vehicle, the acidity of the formulation may not be expressible in typical pH terms, but that such acidity will manifest itself upon exposure of the formulation to the skin where water is present both intracellularly and extracellularly.

5 In another embodiment, the cations of the present invention may be combined in a formulation with other anti-irritants, such as potassium channel mediating, regulating or blocking agents, calcium channel blocking or regulatory agents, sodium channel blocking agents, steroidal or non-steroidal anti-inflammatory agents or other materials such as aloe vera, chamomile,
10 α ,-bisabolol, Cola nitida extract, green tea extract, tea tree oil, licorice extract, allantoin, urea, caffeine or other xanthines, glycyrrhizic acid and its derivatives, or with other anti-irritant species such as those identified in U.S. Patent Nos. 5,958,436; 5,716,625; and 5,756,107, so as to achieve a multiple anti-irritant effect.

15 The invention further provides methods of treating, reducing or eliminating skin irritation comprising the topical application of a formulation comprising an anti-irritant effective amount of one or more cationic species of the invention. The cation formulation may further include one or more potentially irritating components. Alternatively, the cation formulation may be
20 applied separately and prior to application of another product containing a potentially irritating component, or the cation formulation may be applied alone in order to prevent the development of irritation or to treat a pre-existing irritation attributable to conditions such as skin disease, chemical irritant exposure or environmental exposure.

77101-4

12a

According to an exemplary embodiment of the present invention, there is provided a composition for topical application to an animal subject comprising: a topical vehicle; an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and an anti-irritant amount of at least about 250 mM of aqueous-soluble divalent tin cation.

According to a further exemplary embodiment, there is provided a composition for inhibiting skin irritation in an animal subject comprising an anti-irritant amount of at least about 250 mM of aqueous-soluble divalent tin cation and a topical vehicle.

According to another exemplary embodiment, there is provided a composition for topical application to an animal subject comprising: a topical vehicle; an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and an anti-irritant amount of at least about 10 mM of stannous chloride, with the proviso that the composition is not an oral composition.

According to another exemplary embodiment, there is provided a composition for inhibiting skin irritation in an animal subject comprising an anti-irritant amount of at least about 10 mM of stannous chloride and a topical vehicle, with the proviso that the composition is not an oral composition.

According to another exemplary embodiment, there is provided a composition for topical application to an animal subject comprising: a topical vehicle; an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and an anti-irritant amount of at least about 10 mM aqueous-soluble divalent tin cation and an anion other than fluoride as a counteranion to said

77101-4

12b

divalent tin cation, with the proviso that the composition is not an oral composition.

According to another exemplary embodiment, there is provided a composition for inhibiting skin irritation in an animal subject comprising: an anti-irritant amount of at least about 10 mM of aqueous-soluble divalent tin cation and an anion other than fluoride as a counteranion to said divalent tin cation; and a topical vehicle, with the proviso that the composition is not an oral composition.

The present invention also provides uses of the formulations and compositions of the invention as described herein.

According to another exemplary embodiment, there is provided use of stannous chloride for the manufacture of a topical medicament wherein the concentration range of stannous chloride is about 50 mM to about 2,000 mM for the treatment of skin irritation attributable to a pre-existing human skin disease or skin irritation condition.

According to another exemplary embodiment, there is provided use of stannous chloride for the manufacture of a topical medicament wherein the concentration range of stannous chloride is about 50 mM to about 2,000 mM for the treatment or inhibition of skin irritation attributable to an irritant ingredient contained in said composition.

Description of the Drawings

FIGURES 1 through 4 depict experimental data showing the time course of irritation responses (FIG. 1), the cumulative irritation over time (FIG. 2), and

51355-1

13

the subject-by-subject cumulative irritation suppression and irritation responses (FIGS. 3 and 4) for a panel of humans treated with 250 mM stannous chloride (and control) in a lactic acid skin irritation challenge.

FIGURE 5 depicts experimental data showing the cumulative irritation inhibition effects of aluminum chloride administered at varying concentrations (31-500 mM) in a lactic acid skin irritation challenge.

FIGURE 6 depicts experimental data showing the cumulative irritation inhibition effects of stannous chloride administered at varying concentrations (31-500 mM) in a lactic acid skin irritation challenge.

10

Detailed Description

Human clinical trials undertaken in connection with the present invention have established that the cation species aluminum(III) (Al^{3+}) and tin(II) (Sn^{2+}) are effective, when applied topically to the skin in appropriate concentrations and vehicles, to suppress the relatively severe stinging, burning, tingling, itching and/or erythema induced by topical application of the hydroxy acid skin irritant lactic acid. Formulations of the invention may comprise, for example, about 0.1% to about 50% w/w, such as about 0.5 to about 20% w/w of an irritant ingredient. Formulations containing such cations are useful in suppressing a wide range of topical-product-induced irritation responses attributable to exfoliants, sunscreens, retinoids, anti-perspirants, deodorants, anti-acne and other products which contain components potentially capable of causing sensory irritation. For example, the cations of the present invention are useful for preventing or reducing the skin irritation caused by α - or β -hydroxy acids, α -keto acids and other carboxylic acids, as well as retinoids, phenols, peroxides and similar irritants found in over-the-counter topical products for home or cosmetologist use (such as, l-pyrrolidone-5-carboxylic acid, capryloyl salicylic acid, α -hydroxy decanoic acid, α -hydroxy octanoic acid, gluconolactone, methoxypropyl gluconamide, oxalic acid, malic acid, tartaric acid, mandelic acid, benzylic acid, and gluconic acid), as well as in certain prescription topical drugs

25

containing high (for example, 12% w/w or even higher) dosage forms of such irritants. The irritation attributable to combinations of such irritating ingredients, such as lactic acid/salicylic acid combinations and hydroxy acid/retinoid combinations, as well as irritation attributable to purified isomeric forms of such ingredients, can also be inhibited by the formulations of the invention. Additionally, formulations containing such cations are useful in ameliorating irritation in conditions where the skin is inherently hypersensitive to topical products (e.g. dry skin, "winter itch," and other inflammation or injury conditions) and in ameliorating the irritation due to such conditions even in the absence of other applied topical products. The formulations are also useful in treating non-human animal skin irritation, as for example dog or cat irritation and resultant scratching due to fleas or other skin disease or condition.

An additional benefit of the present anti-irritant compounds and formulations is that they do not have the undesirable anesthetic side-effects exhibited by Lidocaine and other similar skin local anesthetics. Upon application of a solution of the compound used in the clinical trials described here, subjects typically reported no sensations other than those sensations caused by the vehicle alone, and no lack of normal sensation(s).

20 Formulations of the Invention

The anti-irritant topical formulations of the invention comprise a topical vehicle suitable for administration to the animal (particularly human) skin, and an amount of one or more cations of the invention effective to reduce, inhibit or eliminate existing or potential skin irritation. The cations are, of course, accompanied in the formulation by one or more charge-neutralizing anionic counterions, although the cation-anion pairs as originally incorporated into the vehicle may become dissociated in the resulting formulation, or the cations of the invention may become associated in the formulation with other anionic species

appearing in the overall formulation. In one embodiment, the anti-irritant topical formulations additionally contain an irritant ingredient(s) that is itself capable of inducing skin irritation such as symptoms associated with inflammation, as for example a cosmetic or skin care product ingredient, or a pharmaceutically active ingredient or drug ingredient.

The cations for use in the anti-irritant formulations of the invention are selected from one or more of the cations aluminum (Al^{3+}) and tin (Sn^{2+}) contained in a topical formulation in a concentration effective to prevent or reduce (hereafter, "inhibit") the skin irritation (such as inflammation) symptoms that are sought to be eliminated. The formulation preferably contains such cations in a suitable topical vehicle at a total concentration of about 10 to about 3000 mM, more preferably about 50 to about 2000 mM, and most preferably about 100 to about 1000 mM. The most highly preferred concentration range in many instances is from about 250 to about 500 mM, as for example where the formulation of the invention includes an irritant ingredient such as an exfoliant ingredient. These preferred concentration ranges correspond to bioavailable forms of such cations within the formulation, particularly, ionizable and aqueous-soluble forms of such cations as contrasted with insoluble or covalently-bonded forms of the cations.

The appropriate cation concentration can be achieved using a single metal cation species of the invention, or multiple different cation species may be combined to yield the total desired cation concentration. If other anti-irritant compounds are included in the formulation, then lower concentrations of the cations of the invention may be utilized.

Preferred cation concentrations can also be expressed in weight/volume or weight/weight percentage terms which will vary somewhat depending on the density of the vehicle and other components in the formulation. Thus, to take an example in which the vehicle has a density of 0.93 g/ml (as in a 50:50 [by

volume] mixture of 95% ethyl alcohol and water) and the cation component is incorporated in the form of aluminum chloride (formula weight 137), representative molarity concentration values correspond approximately to

	10 mM:	0.14% (w/v)	0.15% (w/w)
5	50 mM:	0.68% (w/v)	0.74% (w/w)
	100 mM:	1.37% (w/v)	1.47% (w/w)
	250 mM:	3.4% (w/v)	3.68% (w/w)
	500 mM:	6.8% (w/v)	7.35% (w/w)
	1000 mM:	13.7% (w/v)	14.7% (w/w)
10	1500 mM:	20.5% (w/v)	22.0% (w/w)

The preferred concentration ranges expressed above contemplate that a typical topical dosage will be approximately 0.5 grams of cation formulation over a 5 cm x 5 cm area of skin (25 cm²). Clinical studies have shown that such preferred concentration ranges are generally effective to inhibit skin irritation and, in typical topical vehicles, are readily formulated and do not leave any significant visible residue when applied to the skin. Higher concentration formulations, such as saturated pastes or other forms, may also be successfully used, particularly where visible appearance is not a limiting consideration (as in therapeutic applications).

Furthermore, routine clinical assessments such as those described below can readily be employed to optimize the cation concentration and to ascertain if lower, or higher, concentrations are appropriate for a given formulation or irritation indication. For example, the concentration of cation may be adjusted to account for the amount of formulation that is typically applied to a given skin area by the user, which will depend to an extent on the physical nature of the topical vehicle (e.g., lotion as compared to liquid spray vehicles). Likewise, the amount of cation required may be reduced in such cases where the formulation contains a skin penetration-enhancing ingredient or other agent which increases

the ability of the cations to permeate the stratum corneum to their site of anti-irritant activity. Preferably, the formulations of the invention include an amount of anti-irritant cation (or cations) capable of inhibiting irritation in susceptible individuals by at least about 20% or more, as measured by a mean reduction in cumulative irritation across a susceptible test population as exemplified in the clinical protocols described below. Alternatively, the formulations of the invention include an amount of anti-irritant cation capable of inhibiting irritation by at least about 40% or more in at least about 10% of the susceptible population, as measured by a reduction in cumulative irritation on an individual-by-individual basis (treated vs. control areas). This latter measure of efficacy reflects the fact that the present formulations, similar to many therapeutic products, may in some cases be effective in delivering a significant benefit to some, but not all, of the susceptible population.

In one preferred embodiment, the formulations of the invention include only a single cation species of the invention (i.e., one of aluminum (Al^{3+}) and tin (Sn^{2+}) in a total concentration as described above. However, it is further contemplated that anti-irritant activity is generally maintained at about an "additive" level if fractional portions of different species of the cations of the invention are combined so as to make up a total combined cation concentration within the ranges referred to above.

The optimum concentration of a cation of the invention may also be reduced below (or within) the preferred ranges set forth above if some other anti-irritant component is included in the formulation along with the cation component of the invention. In particular, it is contemplated that lower (e.g. halved) amounts of aluminum (Al^{3+}) or tin (Sn^{2+}) cations may be used, while still maintaining comparable levels of anti-irritant activity, by further including an approximately equal concentration of, for example, a suitable additional anti-irritant ingredient as described in U.S. Patent Nos. 5,958,436; 5,716,625; and 5,756,107. Other anti-irritant agents, such as potassium channel

mediating, regulating or blocking agents, calcium channel blocking or regulatory agents, sodium channel blocking agents, steroids or non-steroidal anti-inflammatory agents, or ingredients such as aloe vera, chamomile, α -bisabolol, Cola nitida extract, green tea extract, tea tree oil, licorice extract, allantoin, urea, caffeine or other xanthines, and glycyrrhizic acid and its derivatives, may also be beneficially incorporated into the formulations of the invention in order further to inhibit irritation effects or symptoms.

The cations of the invention are typically incorporated into the present formulations by mixing an appropriate amount of a suitable salt form of the selected cation into the chosen formulation vehicle, along with such other topical components as are desired. From a formulation standpoint, it is preferred that the selected salt be sufficiently soluble in the formulation vehicle as to allow a consistent formulation having the desired physical and topical application characteristics. It will be recognized that, depending on the formulation vehicle chosen, the salt form of the cations of the invention may dissociate within the formulation (and in this case may associate with other anions also present in the formulation), or the salt form may remain substantially associated. It is also highly preferred that the salt (or salts) chosen be sufficiently aqueous-soluble such that, upon application to the skin, the component cations (and corresponding counteranions) can dissociate and be taken up into the water-containing milieu of the skin. In addition, it will be clear that the particular salt ingredient(s) chosen should be topically acceptable and preferably will not themselves be irritating, toxic or otherwise deleterious to the user.

With these considerations in mind, it will be recognized that a variety of topically acceptable cation/counteranion salt ingredients may be utilized in the present formulations in order to achieve the objectives of the invention. Such

salts can be readily identified by those skilled in the art in view of the present disclosure based on known physical (e.g., solubility), pharmacological and toxicological information and, if necessary, by the application of routine experimentation.

5 Examples of potentially suitable counteranion components for use with the cations of the invention include a variety of mono-, di- and trivalent inorganic and organic anions. Examples of potentially suitable inorganic anions include nitrate, sulfate, halogens (particularly F, Cl, Br and I), carbonate, bicarbonate, hydroxide, oxide, peroxide, nitrite, sulfide, bisulfate, persulfate,
10 glycerophosphate, hypophosphate, borate and titanate. Examples of potentially suitable organic anions include carboxylic acids, alkoxylates, amino acids, peptides, saturated and unsaturated organic acids, and saturated and unsaturated fatty acids. Particular examples include citrate, oxalate, acetate, gluconate, lactate, tartrate, maleate, benzoate, propionate, salicylate, ascorbate, formate,
15 succinate, folinate, aspartate, phthalate, oleate, palmitate, stearate, lauryl sulfate, lanolate, myristate, behenate, caseinate, cyclamate, pantothenate, EDTA and other polyaminopolycarboxylates, saccharin, thioglycolate, laurate, methylparaben, propylparaben, ricinoleate and sorbate anions. It will be recognized in view of the foregoing disclosure that certain of these suitable anion
20 components, particularly various carboxylic acid anions, are themselves known active ingredients in various topical products (e.g. exfoliant products), and it will be seen accordingly that such active ingredients anions can be incorporated into useful formulations along with the anti-irritant counter-cations of the invention.

 Clinical trials relating to the invention have established that certain cation-anion pairs are particularly active as anti-irritants. These include aluminum
25 chloride; and stannous chloride and stannous nitrate.

 Also preferred are these and other cation-anion pairs in which the anionic species is acidic, because such pairs will generally exhibit higher solubility in

many common topical vehicles and suitable ionization upon application to the skin. In addition, strongly acidic anion components may be useful where it is desired to maintain the pH of the resulting formulation at a relatively acidic level, as for example in the case of hydroxy-acid or other acidic exfoliant products
5 where the activity of the product to reduce wrinkles or bring about other beneficial effects may be reduced if the formulation is not relatively acidic. In any event, however, the desired level of acidity in such cases can be achieved by adjusting the formulation with a suitable acid (or base if necessary).

In one such particularly preferred embodiment, a cation of the present
10 invention is combined in a hydroxy acid or other exfoliant preparation accompanied by one or more suitable anionic or other acidic species such that the pH of the hydroxy acid preparation is maintained in the range of pH 1-6, and more preferably in the range of pH 2-4. It will be understood that, where the formulation employs an anhydrous vehicle, the acidity of the formulation may
15 not be expressible in typical pH terms, but that such acidity will manifest itself upon exposure of the formulation to the skin where water is present both intracellularly and extracellularly.

Suitable topical vehicles for use with the formulations of the invention are well known in the cosmetic and pharmaceutical arts, and include such vehicles
20 (or vehicle components) as water; organic solvents such as alcohols (particularly lower alcohols readily capable of evaporating from the skin such as ethanol), glycols (such as glycerin), aliphatic alcohols (such as lanolin); mixtures of water and organic solvents (such as water and alcohol), and mixtures of organic solvents such as alcohol and glycerin (optionally also with water); lipid-based
25 materials such as fatty acids, acylglycerols (including oils, such as mineral oil, and fats of natural or synthetic origin), phosphoglycerides, sphingolipids and waxes; protein-based materials such as collagen and gelatin; silicone-based materials (both non-volatile and volatile) such as cyclomethicone, demethiconol

and dimethicone copolyol (Dow Corning); hydrocarbon-based materials such as petrolatum and squalane; anionic, cationic and amphoteric surfactants and soaps; sustained-release vehicles such as microsponges and polymer matrices; stabilizing and suspending agents; emulsifying agents; and other vehicles and vehicle components that are suitable for administration to the skin, as well as mixtures of topical vehicle components as identified above or otherwise known to the art. The vehicle may further include components adapted to improve the stability or effectiveness of the applied formulation, such as preservatives, antioxidants, skin penetration enhancers, sustained release materials, and the like. Examples of such vehicles and vehicle components are well known in the art and are described in such reference works as Martindale -- The Extra Pharmacopoeia (Pharmaceutical Press, London 1993) and Martin (ed.), Remington's Pharmaceutical Sciences.

The choice of a suitable vehicle will depend on the particular physical form and mode of delivery that the formulation is to achieve. Examples of suitable forms include liquids (including dissolved forms of the cations of the invention as well as suspensions, emulsions and the like); solids and semisolids such as gels, foams, pastes, creams, ointments, "sticks" (as in lipsticks or underarm deodorant sticks), powders and the like; formulations containing liposomes or other delivery vesicles; rectal or vaginal suppositories, creams, foams, gels, ointments, enemas or douches; and other forms. Typical modes of delivery include application using the fingers; application using a physical applicator such as a cloth, tissue, swab, stick or brush (as achieved for example by soaking the applicator with the formulation just prior to application, or by applying or adhering a prepared applicator already containing the formulation -- such as a treated or premoistened bandage, wipe, washcloth or stick -- to the skin); spraying (including mist, aerosol or foam spraying); dropper application (as for example with ear or eye drops); sprinkling (as with a suitable powder

form of the formulation); soaking; and injection (particularly intradermal or subcutaneous injection). Iontophoresis or other electromagnetic-enhanced delivery systems may also be usefully employed, as for example to increase delivery to the dermis.

5 Methodologies and materials for preparing formulations in a variety of forms are also described in Anthony L.L. Hunting (ed.), "A Formulary of Cosmetic Preparations (Vol. 2) -- Creams, Lotions and Milks," Micelle Press (England, N.J. 1993). See, for example, Chapter 7, pp. 5-14 (oils and gels); Chapter 8, pp. 15-98 (bases and emulsions); Chapter 9, pp. 101-120 ("all-purpose
10 products"); Chapter 10, pp. 121-184 (cleansing masks, creams, lotions); Chapter 11, pp. 185-208 (foundation, vanishing and day creams); Chapter 12, pp. 209-254 (emollients); Chapter 13, pp. 297-324 (facial treatment products); Chapter 14, pp. 325-380 (hand products); Chapter 15, pp. 381-460 (body and skin creams and lotions); and Chapter 16, pp. 461-484 (baby products).

15

The formulations of the invention are most preferably formulated such that the cation component of the formulation (as occurring with any accompanying anion counterion components) is substantially invisible upon application to the skin. This is particularly true in the case of many cosmetic
20 formulations that are applied to the face or other exposed parts of the body, although it is also generally desirable that the cation (and anion) component not be visible even if applied to non-exposed portions of the body. It will be recognized that in some cases, particularly with colored facial skin care products such as blushes, blemish covers, lipsticks and the like, the formulation will be
25 designed to be visible on the skin; in such cases, it is desirable that the cation component itself be "invisible," that is, that it not adversely change the appearance of the overall formulation as applied to the skin.

In another embodiment of the invention, the present cations can be formulated in a form for topical oral administration to treat pain or irritation in the mouth, throat or other portions of the upper gastrointestinal system such as that due to sore throats, canker sores, gum irritation or inflammation or the like, including such irritation as may be exacerbated by spicy or acidic foods as, for example, in the case of ulcers or heartburn. Furthermore, it is believed that the present cations (and their suitable oral salts) are generally tasteless at the concentrations described. Suitable forms for such oral administration include liquids (e.g. mouthwash, gargle or spray solutions), lozenges, tablets, pills and capsules. As with other topical forms described herein, the components used in such oral formulations (including the cation salts) should be chosen to be non-toxic. Methods for preparing oral formulations suitable for use in the present invention are well known in the art.

15 Clinical Results

The anti-irritant efficacy of the formulations of the present invention was tested and confirmed in numerous clinical trials, the results of which are described in the examples below. While these examples further illustrate various aspects and preferred embodiments of the invention as described herein, they are examples only, and should not be considered as limiting the scope of the invention as set forth in the claims.

Example 1

Clinical Studies of Anti-Irritation Activity

25 The objective of the clinical trials was to determine whether and to what extent the cations of the present invention reduced or prevented skin irritation caused by lactic acid, an α -hydroxy carboxylic acid known for its skin irritating potential. The trials were conducted in a double blind, randomized, vehicle-

controlled manner. Various formulations of the invention were tested in over 150 people. The results confirm the highly reproducible anti-irritant activity of the cations and formulations of the present invention.

5 1. Protocol

The subjects were women who had been screened and shown to exhibit normal to above normal susceptibility to irritation by the tested irritant. Tests were conducted in multiple panels of from 7 to 12 subjects each. Subjects were instructed not to wear any makeup or facial lotions to the clinic the day of testing. The subjects were instructed to wash their face with Ivory bar soap in the clinic prior to application of test solutions.

Lactic acid skin-irritant compositions were formulated in an appropriate vehicle prior to application to the skin of the subjects. In the majority of the tests, the irritant composition was 7.5% lactic acid dissolved in a 10% ethanol-in-water solution. In the case of stannous chloride, which is not appreciably soluble in 10% ethanol, a water-ethanol-glycerin solution was used (composition 33.75% water, 33.75% glycerin ["Gly"], 25% ethanol, with 7.5% lactic acid). Test anti-irritant formulations were prepared by combining measured amounts of salts of the cations of the present invention (concentration 250 mM), in the lactic acid irritant composition. The test formulation was applied to a defined portion of the subject's skin, typically the face. Controls were performed by applying a corresponding formulation with an equimolar amount of sodium chloride to a contralateral portion of the subject's skin.

All test solutions (including controls) were applied in a double blind, randomized fashion using the prepared solutions as previously placed in coded vial designated for use on either the right or left side of the face (or other test area). Solutions were typically applied using a cotton swab (six strokes) or sponge applicator to the face and cheek area extending from the midline of the

nose over to the center of the cheek and from the cheek bone down to the jaw line. Application was made first to the right side and then to the left.

Sensory assessment scores were recorded for each treated side of the subject's skin every minute for 15 minutes or until three consecutive scores of "zero" irritation were obtained. The following scaled scores were used for sensory assessment:

	<u>Score</u>	<u>Description of Irritation</u>
	0	NO irritation
	1	SLIGHT irritation --
10		(Barely perceptible stinging, burning or itching)
	2	MILD irritation --
		(Definite stinging, burning or itching)
	3	MODERATE irritation --
15		(Distinctly uncomfortable stinging, burning or itching;
		constantly aware of irritation)
	4	SEVERE irritation --
20		(Continuous stinging, burning or itching, and intensely uncomfortable; would interfere with daily routine)

Symptom scores were cumulated, separately for the cation-treated and control-treated areas, for each individual and also for the panel as a whole. Individuals not reporting a cumulative score of at least "7" on at least one treatment area were excluded (in a blinded fashion) from further analysis in order to ascertain anti-irritant efficacy with respect to the more severely-susceptible test subjects. From a practical standpoint, scores of "0" and "1" on the above scale would be considered highly desirable for a commercial product because such a response would likely not result in a consumer ceasing to use a product. Some consumers,

in fact, might view the "barely perceptible" sensations represented by a score of 1 to be an indication that a facial treatment skin care product (especially an exfoliant) was working as advertised. By contrast, irritation scores of "2", "3" and "4" would likely often result in a consumer never purchasing the product again.

In those subjects and skin samples where an irritation was sensed, the irritation commonly involved a spectrum of burn-sting-itch reactions over time. For example, a subject might at first experience a sting, but moments later might experience an itch with no sting. Subjects experiencing higher levels of irritation (e.g. scores of "3" or "4") occasionally exhibited erythema (visually observable inflammation) in addition to sensory irritation effects.

2. Results

Clinical tests of over 150 subjects, performed as generally described above, demonstrated that the cations of the invention have significant and reproducible anti-irritant effects, particularly if administered simultaneously with an irritant compound. The average inhibition of cumulative irritation for various cation salts at 250 mM of the invention are shown in the following table.

	<u>Cation Salt</u>	<u>Percent Inhibition</u>
20	Stannous chloride	50%
	Stannous fluoride	15%
	Aluminum chloride	46%

A representative set of test results from several subject panels, performed using cation concentrations of 250 mM, is set forth in the following table.

Anti-Irritant Cation Data

Cation	Anion	Salt Formula	Vehicle	Percent Inhibition
Aluminum	Chloride	AlCl ₃	10% EtOH	43
Stannous	Chloride	SnCl ₂	33.75%H ₂ O/33.75%Gly/25% EtOH	50
Stannous	Fluoride	SnF ₂	10% EtOH	17

Note: Gly = Glycerin

FIGURES 1 through 4 show more detailed experimental data for a panel test conducted using stannous chloride (250 mM) as the anti-irritant salt component of the subject formulation. FIG. 1 shows the time course of irritation responses for both cation-treated and non-treated (control) skin portions for the panel. FIG. 2 shows the cumulative irritation over time for the same panel, while FIGS. 3 and 4 show cumulative irritation suppression and treated/untreated irritation responses on a subject-by-subject basis. While individual responses vary somewhat, the overall efficacy of the subject formulation is clear.

Example 2Dose-Response Studies

Additional studies of anti-irritant activity using varying concentrations of aluminum and tin cations were conducted in order to assess the dose-response behavior of the present formulations. The lactic acid irritation protocol described above was used, in which the anti-irritant cation components were aluminum chloride or stannous chloride (31-500 mM). Cumulative irritation inhibition data

51355-1

28

are set forth in the following tables, and are depicted graphically in FIGS. 5 and 6.

<u>Aluminum Chloride Concentration (mM)</u>	<u>Percent Inhibition</u>
31	12
62	54
125	50
250	42
500	44

<u>Stannous Chloride Concentration (mM)</u>	<u>Percent Inhibition</u>
31	18
62	61
125	57
250	83
500	69

Example 3

Additional Formulation Examples

Cation salts of the invention were formulated at various concentrations in various commercially available topical cosmetic products. The resulting mixtures generally did not alter the texture, color, consistency or other physical properties of the product, and could be used as formulations to inhibit topical irritation.

Topical solution forms of stannous fluoride and aluminum chloride were prepared by combining various amounts of the named salts with Elizabeth Arden*

*Trade-mark

Visible Difference Refining Toner (an alcohol-containing solution). The concentrations achieved were shown to be effective to inhibit skin irritation.

5 The following examples are not intended to limit the scope of the present invention, which is set forth in the appended claims. In particular, various equivalents and substitutions will be recognized by those skilled in the art in view of the foregoing disclosure, and are contemplated to be within the scope of the invention.

51355-1

30

CLAIMS:

1. A composition for topical application to an animal subject comprising:

a topical vehicle;

5 an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and

an anti-irritant amount of at least about 250 mM of aqueous-soluble divalent tin cation.

2. The composition of claim 1 comprising said
10 aqueous-soluble divalent tin cation in a concentration of from about 250 mM to about 500 mM.

3. The composition of claim 1 or 2 comprising an amount of said aqueous-soluble divalent tin cation capable of inhibiting mean cumulative skin irritation attributable
15 to said irritant ingredient in a susceptible human population by at least about 20%.

4. The composition of claim 3, wherein said inhibition of skin irritation represents an average reduction in one or more of sting, burn and itch in a
20 susceptible human population upon topical application of said composition, as compared to the level of irritation induced in said population upon topical application of a control formulation containing said irritant ingredient in a vehicle without said aqueous-soluble divalent tin cation.

25 5. The composition of any one of claims 1 to 4, comprising an amount of said aqueous-soluble divalent tin cation capable of inhibiting by at least about 40% the cumulative skin irritation attributable to said irritant

51355-1

31

ingredient in at least 10% of the susceptible human population.

6. The composition of claim 5, wherein said inhibition of skin irritation represents an average
5 reduction in one or more of sting, burn and itch in at least 10% of the susceptible human population upon topical application of said composition, as compared to the level of irritation induced in said at least 10% of the population upon topical application of a control formulation containing
10 said irritant ingredient in a vehicle without said aqueous-soluble divalent tin cation.

7. The composition of any one of claims 1 to 6, wherein said composition is a cosmetic product.

8. The composition of claim 7, wherein said
15 composition comprises a skin exfoliant, skin peel or skin cell renewal agent.

9. The composition of any one of claims 1 to 8, wherein said irritant ingredient is selected from the group consisting of carboxylic acids, keto acids, α -hydroxy acids,
20 β -hydroxy acids, retinoids, peroxides and organic alcohols.

10. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises lactic acid or a salt thereof.

11. The composition of any one of claims 1 to 9,
25 wherein said irritant ingredient comprises glycolic acid or a salt thereof.

12. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises salicylic acid or a salt thereof.

51355-1

32

13. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises a combination of lactic acid and salicylic acid, or salts thereof.

14. The composition of any one of claims 1 to 9,
5 wherein said irritant ingredient comprises capryloyl salicylic acid or a salt thereof.

15. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises citric acid or a salt thereof.

10 16. The composition of any one of claims 1 to 9, wherein said irritant ingredient is a retinoid selected from tretinoin, retinol, retinal and derivatives thereof.

17. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises benzoyl peroxide.

15 18. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises acetic acid or a salt thereof.

19. The composition of any one of claims 1 to 8,
20 wherein said irritant ingredient comprises one or more of the group consisting of 1-pyrrolidone-5-carboxylic acid, capryloyl salicylic acid, α -hydroxy decanoic acid, α -hydroxy octanoic acid, gluconolactone, methoxypropyl gluconamide, oxalic acid, malic acid, tartaric acid, mandelic acid, benzylic acid, gluconic acid, pyruvic acid and phenol.

25 20. The composition of any one of claims 1 to 9, wherein said irritant ingredient comprises trichloroacetic acid of a salt thereof.

21. The composition of any one of claims 1 to 20, wherein the pH of the composition is in the range of 1 to 6.

51355-1

33

22. The composition of any one of claims 1 to 20, wherein the pH of the composition is in the range of 3 to 5.

23. The composition of any one of claims 1 to 22 having a concentration of said irritant ingredient of from 5 about 0.1% to about 50% by weight.

24. The composition of any one of claims 1 to 22 having a concentration of said irritant ingredient of from about 0.5% to about 20% by weight.

25. The composition of any one of claims 1 to 6, 10 wherein said composition is an antiperspirant or deodorant product.

26. The composition of any one of claims 1 to 6, wherein said composition is a sunscreen, tanning or sunburn treatment product.

15 27. The composition of any one of claims 1 to 6, wherein said composition is an insect repellent product.

28. The composition of any one of claims 1 to 7, wherein said composition is a shaving or hair removal product selected from the group consisting of depilatory, 20 bracer, cream, foam, gel and aftershave products.

29. The composition of any one of claims 1 to 7, wherein said composition is a hair care or hair treatment product.

30. The composition of claim 29, wherein said 25 composition is selected from the group consisting of shampoo, conditioner, colorant, dye, bleach, permanent wave and hair straightener products.

31. The composition of any one of claims 1 to 7, wherein said composition is selected from the group

51355-1

34

consisting of cleansers, astringents, toners, rinses, serums and masks.

32. The composition of any one of claims 1 to 7, wherein said composition is a facial cosmetic product.

5 33. The composition of any one of claims 1 to 7, wherein said composition is selected from the group consisting of creams, lotions and moisturizers.

34. The composition of any one of claims 1 to 6, wherein said composition is a soap or detergent.

10 35. The composition of any one of claims 1 to 6, wherein said composition is a topical drug product.

36. The composition of claim 35, wherein said irritant ingredient is capsaicin.

15 37. The composition of claim 35, wherein said composition is selected from the group consisting of antibiotic, analgesic, contraceptive, anti-acne and anti-dandruff products.

38. The composition of claim 37, wherein said irritant ingredient is benzoyl peroxide.

20 39. The composition of any one of claims 1 to 6, wherein said composition is formulated as a rectal or vaginal suppository, foam, cream, gel, ointment, enema or douche.

25 40. The composition of any one of claims 1 to 6, wherein said composition is formulated for administration to the mouth, throat or lip.

41. The composition of claim 40 formulated as a lozenge, mouthwash or gargle.

51355-1

35

42. The composition of any one of claims 1 to 6, formulated as a liquid, gel, cream, emulsion, suspension or stick.

43. The composition of any one of claims 1 to 6
5 formulated with a physical applicator.

44. The composition of claim 43, wherein said physical applicator is selected from the group consisting of cloths, tissues, swabs, bandages and wet wipes.

45. The composition of any one of claims 1 to 6,
10 wherein said composition is formulated for ocular administration.

46. The composition of any one of claims 1 to 6, wherein said composition is formulated for administration to the respiratory system.

15 47. The composition of any one of claims 1 to 6, wherein said composition is formulated for administration to the gastrointestinal system.

48. The composition of any one of claims 1 to 6, wherein said composition is formulated for administration to
20 the reproductive system.

49. The composition of any one of claims 1 to 48 further comprising, as a counteranion to said aqueous-soluble divalent tin cation, one or more topically acceptable anion species.

25 50. The composition of any one of claims 1 to 48, further comprising, as a counteranion to said aqueous-soluble divalent tin cation, one or more anion species selected from the group consisting of nitrate, sulfate, halogen, carbonate, bicarbonate, hydroxide, oxide, peroxide,

77101-4

36

nitrite, sulfide, bisulfate, persulfate, glycerophosphate, hypophosphate, borate and titanate inorganic anions, and carboxylic acid, alkoxylate, amino acid, peptide, saturated and unsaturated organic acid, and saturated and unsaturated
5 fatty acid organic anions.

51. The composition of claim 49, wherein said one or more of said counteranions is an organic anion selected from the group consisting of citrate, oxalate, acetate, gluconate, lactate, tartrate, maleate, benzoate, propionate,
10 salicylate, ascorbate, formate, succinate, folinate, aspartate, phthalate, oleate, palmitate, stearate, lauryl sulfate, lanolate, myristate, behenate, caseinate, cyclamate, pantothenate, polyaminopolycarboxylates, saccharin, thioglycolate, laurate, methylparaben,
15 propylparaben, ricinoleate and sorbate organic anions.

52. The composition of claim 49, wherein at least one or more of said one or more anion species is nitrate.

53. The composition of claim 49, wherein at least one or more of said one or more anion species is sulfate.

20 54. The composition of claim 49, wherein at least one or more of said one or more anion species is a halogen selected from chloride and fluoride anions.

55. The composition of claim 1 further comprising at least one second anti-irritant agent.

25 56. The composition of claim 55, wherein the total amount of said aqueous-soluble divalent tin cation and said second anti-irritant agent is capable of inhibiting mean cumulative skin irritation attributable to said irritant ingredient in a susceptible human population by at least
30 about 20%.

51355-1

37

57. The composition of claim 55, wherein the total amount of said aqueous-soluble divalent tin cation and said second anti-irritant agent is capable of inhibiting by at least about 40% the cumulative skin irritation attributable to said irritant ingredient in at least 10% of the susceptible human population.

58. The composition of any one of claims 55 to 57, wherein said second anti-irritant agent is selected from the group consisting of potassium channel mediating, regulating or blocking agents, calcium channel blocking or regulatory agents, sodium channel blocking agents, steroids, non-steroidal anti-inflammatory agents, aloe vera, chamomile, α -bisabolol, Cola nitida extract, green tea extract, tea tree oil, licorice extract, allantoin, urea, caffeine and other xanthines, and glycyrrhizic acid and its derivatives.

59. A composition for inhibiting skin irritation in an animal subject comprising an anti-irritant amount of at least about 250 mM of aqueous-soluble divalent tin cation and a topical vehicle.

60. The composition of claim 59 comprising said aqueous-soluble divalent tin cation in a concentration of from about 250 mM to about 500 mM.

61. The composition of claim 59 or 60, wherein said inhibition of skin irritation represents a reduction in skin irritation attributable to a pre-existing human skin disease or skin irritation condition.

62. The composition of any one of claims 59 to 61, wherein said skin irritation is attributable to atopic dermatitis, non-atopic dermatitis, asthma, rhinitis, conjunctivitis, eczema, psoriasis or infectious disease.

51355-1

38

63. The composition of claim 59 or 60, wherein said skin irritation is ocular irritation.

64. The composition of claim 59 or 60, wherein said skin irritation is respiratory system irritation.

5 65. The composition of claim 59 or 60, wherein said skin irritation is gastrointestinal system irritation.

66. The composition of claim 59 or 60, wherein said skin irritation is reproductive system irritation.

67. The composition of claim 59 or 60, wherein said
10 skin irritation is irritation of a mucous membrane.

68. The composition of claim 59 or 60, wherein said skin irritation is irritation of epidermal skin.

69. The composition of claim 59 or 60, wherein said skin irritation is irritation of dermal skin.

15 70. The composition of any one of claims 59 to 61, wherein said skin irritation is attributable to environmental exposure to one or more of sunlight, low humidity, wind, cold temperature, or hot and humid conditions.

20 71. The composition of any one of claims 59 to 61, wherein said skin irritation is attributable to exposure to an irritating chemical agent.

72. The composition of claim 71, wherein said irritating chemical agent exposure is attributable to
25 application of a topical product.

73. The composition of claim 72, wherein said topical product is selected from the group consisting of antiperspirant, deodorant, sunscreen, tanning, sunburn

51355-1

39

treatment, insect repellent, exfoliant, skin peel, skin cell renewal, fragrance, shaving or hair removal, hair care or hair treatment, cleanser, astringent, toner, rinse, serum, masks, facial cosmetic, cream, lotion, moisturizer, soap, 5 detergent, and topical drug products.

74. The composition of claim 72 or 73, wherein said composition is packaged with instructions directing administration of said composition before, with or following administration of said topical product.

10 75. The composition of claim 71, wherein said irritating chemical agent exposure is attributable to insect sting or bite, or to plant exposure.

15 76. The composition of any one of claims 59 to 61, wherein said skin irritation is attributable to one or more of shaving, skin cleansing or bathing, sweating, and physical skin trauma.

77. The composition of claim 59 or 60, wherein said skin irritation is attributable to dry skin.

20 78. The composition of any one of claims 59 to 77 comprising an amount of said aqueous-soluble divalent tin cation capable of inhibiting said skin irritation in subjects experiencing the same by an average of at least about 20%.

25 79. The composition of any one of claims 59 to 77 comprising an amount of said aqueous-soluble divalent tin cation capable of inhibiting said skin irritation by at least about 40% in at least 10% of the subjects experiencing the same.

51355-1

40

80. The composition of claim 59 or 60, wherein said composition is formulated as a rectal or vaginal suppository, cream, foam, gel, ointment, douche or enema.

81. The composition of claim 59, 60 or 63, wherein
5 said composition is formulated for ocular administration.

82. The composition of claim 59, 60 or 64, wherein said composition is formulated for administration to the respiratory system.

83. The composition of claim 59, 60 or 65, wherein
10 said composition is formulated for administration to the gastrointestinal system.

84. The composition of claim 59, 60 or 66, wherein said composition is formulated for administration to the reproductive system.

15 85. The composition of claim 59 or 60, wherein said composition is formulated for administration to the mouth, throat or lip.

86. The composition of claim 85 formulated as a lozenge, mouthwash or gargle.

20 87. The composition of claim 59 or 60 formulated as a liquid, gel, cream, emulsion, suspension or stick.

88. The composition of claim 59 or 60 formulated with a physical applicator.

89. The composition of any one of claims 59 to 88
25 further comprising, as a counteranion to said aqueous-soluble divalent tin cation, one or more topically acceptable anion species.

51355-1

41

90. The composition of any one of claims 59 to 88 further comprising, as a counteranion to said aqueous-soluble divalent tin cation, one or more anion species selected from the group consisting of nitrate, sulfate, 5 halogen, carbonate, bicarbonate, hydroxide, oxide, peroxide, nitrite, sulfide, bisulfate, persulfate, glycerophosphate, hypophosphate, borate and titanate inorganic anions, and carboxylic acid, alkoxylate, amino acid, peptide, saturated and unsaturated organic acid, and saturated and unsaturated 10 fatty acid organic anions.

91. The composition of claim 89, wherein said one or more of said counteranions is an organic anion selected from the group consisting of citrate, oxalate, acetate, gluconate, lactate, tartrate, maleate, benzoate, propionate, 15 salicylate, ascorbate, formate, succinate, folinate, aspartate, phthalate, oleate, palmitate, stearate, lauryl sulfate, lanolate, myristate, behenate, caseinate, cyclamate, pantothenate, polyaminopolycarboxylates, saccharin, thioglycolate, laurate, methylparaben, 20 propylparaben, ricinoleate and sorbate organic anions.

92. The composition of any one of claims 59 to 91 further comprising at least one second anti-irritant agent.

93. The composition of claim 92, wherein said second anti-irritant agent is selected from the group consisting of 25 potassium channel mediating, regulating or blocking agents, calcium channel blocking or regulatory agents, sodium channel blocking agents, steroids, non-steroidal anti-inflammatory agents, aloe vera, chamomile, α -bisabolol, Cola nitida extract, green tea extract, tea tree oil, licorice 30 extract, allantoin, urea, caffeine and other xanthines, and glycyrrhizic acid and its derivatives.

77101-4

42

94. Use of the composition of any one of claims 1 to 58, for inhibiting skin irritation in the animal subject.

95. Use of the composition of any one of claims 59 to 93 for inhibiting skin irritation in the animal subject.

96. A composition for topical application to an animal subject comprising:

a topical vehicle;

10 an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and

an anti-irritant amount of at least about 10 mM of stannous chloride,

15 with the proviso that the composition is not an oral composition.

97. The composition of claim 96, wherein the composition further comprises an additional anti-irritant agent.

98. A composition for inhibiting skin irritation in an animal subject comprising an anti-irritant amount of at least about 10 mM of stannous chloride and a topical vehicle, with the proviso that the composition is not an oral composition.

99. The composition of claim 98, wherein the composition further comprises an additional anti-irritant agent.

77101-4

43

100. The composition of any one of claims 1 to 93, wherein the composition further comprises an additional anti-irritant agent.

101. The composition of any one of claims 1 to 48
5 and 55 to 88, which comprises the aqueous-soluble divalent tin cation as a salt with a counteranion, and wherein the salt comprises stannous chloride.

102. A composition for topical application to an animal subject comprising:

10 a topical vehicle;

an irritant ingredient contained in an amount capable of inducing skin irritation in said subject; and

15 an anti-irritant amount of at least about 10 mM aqueous-soluble divalent tin cation and an anion other than fluoride as a counteranion to said divalent tin cation,

with the proviso that the composition is not an oral composition.

103. The composition of claim 102, wherein the anion is a chloride, nitrate, sulfate, acetate, gluconate, or oxalate
20 anion.

104. The composition of claim 102 or 103, wherein the composition further comprises an additional anti-irritant agent.

105. A composition for inhibiting skin irritation in an
25 animal subject comprising:

an anti-irritant amount of at least about 10 mM of aqueous-soluble divalent tin cation and an anion other than fluoride as a counteranion to said divalent tin cation; and

77101-4

44

a topical vehicle,

with the proviso that the composition is not an oral composition.

106. The composition of claim 105, wherein the anion is
5 selected from a chloride, nitrate, sulfate, acetate, gluconate, or oxalate anion and a topical vehicle.

107. The composition of claim 105 or 106, wherein the composition further comprises an additional anti-irritant agent.

10 108. Use of the composition of any one of claims 96 to 107 for inhibiting skin irritation in the animal subject.

109. Use of stannous chloride for the manufacture of a topical medicament wherein the concentration range of
15 stannous chloride is about 50 mM to about 2,000 mM for the treatment of skin irritation attributable to a pre-existing human skin disease or skin irritation condition.

110. Use of stannous chloride for the manufacture of a topical medicament wherein the concentration range of
20 stannous chloride is about 50 mM to about 2,000 mM for the treatment or inhibition of skin irritation attributable to an irritant ingredient contained in said composition.

SMART & BIGGAR
OTTAWA, CANADA

PATENT AGENTS

FIG. 1.




FIG. 2.




FIG. 3.





FIG. 4.



3/3

FIG. 5.




FIG. 6.

