

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
23 February 2006 (23.02.2006)

PCT

(10) International Publication Number
WO 2006/020459 A1

(51) International Patent Classification⁷: **G06Q 90/00**

(21) International Application Number:
PCT/US2005/027432

(22) International Filing Date: 2 August 2005 (02.08.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/914,715 9 August 2004 (09.08.2004) US
10/914,716 9 August 2004 (09.08.2004) US

(71) Applicant (for all designated States except US): **VEN-DAVO INC** [US/US]; 1029 Corporation Way, Palo Alto, California 94303 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **LEHRMAN, Gary, S** [US/US]; 1645 Aster Lane, Cupertino, California 95014 (US). **GONZALEZ-CALONI, Rafael, A** [US/US]; 2 Breaker Lane, Redwood Shores, California 94065 (US). **VIJAYKUMAR, Narayanan** [US/US]; 21153 Christensen Drive, Cupertino, California 95014 (US). **ESARY, Niel** [US/US]; 409 Church Street, Mountain View, California 94041 (US).

(74) Agent: **KALI, Damon, K, I**; IPSG, P.C., PO BOX 700640, SAN JOSE, California 95170-0640 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEMS AND METHODS FOR FORECASTING DATA AND FOR MAKING MARGIN-SENSITIVE PRICE ADJUSTMENTS



(57) Abstract: The present invention presents systems and methods for making margin-sensitive price adjustments in an integrated price management system including providing forward looking price estimations (120) for products in a selected product set for a selected time interval; calculating total prices for selected product sets for each selected time interval; calculating margins for each selected time interval based on total prices and cost estimates (812); displaying prices for selected product sets for each selected time interval (816); and displaying margins for selected product sets for each selected time interval. The present invention also presents systems and methods generating margin-sensitive pricing quotation in an integrated price adjustment system (820).

WO 2006/020459 A1

SYSTEMS AND METHODS FOR FORECASTING DATA AND FOR MAKING MARGIN-SENSITIVE PRICE ADJUSTMENTS

BACKGROUND

[0001] At least two goals of creating pricing models are to analyze price behavior and to apply that analysis to real time transactions in order to preserve what are increasingly becoming narrower profit margins in complex transactions. Systems like, for example, SAP™, attempt to manage and control business processes using objective data in order to gain enterprise efficiencies. By manipulating objective data, these systems offer consistent metrics upon which businesses may make informed decisions and policies regarding the viability and direction of their products and services. However, in many cases, the decisions and policies may be difficult to procure as a result of the volume and organization of relevant data and may be difficult to implement as both temporal restraints and approval processes may inhibit rapid deployment of valuable information.

[0002] For example, referring to FIG. 1, FIG. 1 is a simplified graphical representation of an enterprise pricing environment. Several example databases (104-120) are illustrated to represent the various sources of working data. These might include, for example, Trade Promotion Management (TPM) 104, Accounts Receivable (AR) 108, Price Master (PM) 112, Inventory 116, and Sales Forecasts 120. The data in those repositories may be utilized on an ad hoc basis by Customer Relationship Management (CRM) 124, and Enterprise Resource Planning (ERP) 128 entities to produce and post sales transactions. The various connections 148 established between the repositories and the entities may supply information such as price lists as well as gather information such as invoices, rebates, freight, and cost information.

[0003] The wealth of information contained in the various databases (104-120) however, is not “readable” by executive management teams due in part to accessibility and in part to volume. That is, even though data in the various repositories may be related through a Relational Database Management System (RDMS), the task of gathering data from disparate sources can be complex or impossible depending on the organization and integration of legacy systems upon which these systems may be created. In one instance, all of the various sources may be linked to a Data Warehouse 132 by various connections 144. Typically, data from the various sources may be aggregated to reduce it to a manageable or human comprehensible size. Thus, price lists may contain average prices over some selected temporal interval. In this

manner, data may be reduced. However, with data reduction, individual transactions may be lost. Thus, CRM 124 and ERP 128 connections to an aggregated data source may not be viable.

[0004] Analysts 136, on the other hand, may benefit from aggregated data from a data warehouse. Thus, an analyst 136 may compare average pricing across several regions within a desired temporal interval to develop, for example, future trends in pricing across many product lines. An analyst 136 may then generate a report for an executive committee 140 containing the findings. An executive committee 140 may then, in turn, develop policies that drive pricing guidance and product configuration suggestions based on the analysis returned from an analyst 136. Those policies may then be returned to CRM 124 and ERP 128 entities to guide pricing activities via some communication channel 152 as determined by a particular enterprise.

[0005] As can be appreciated, a number of complexities may adversely affect this type of management process. First, temporal setbacks exist at every step of the process. For example, a CRM 124 may make a sale. That sale may be entered into a sales database 120, and INV database 116, and an AR database 108. The entry of that data may be automatic where sales occur at a network computer terminal, or may be entered in a weekly batch process thus introducing a temporal setback. Another example of a temporal setback is time-lag introduced by batch processing data stored to a data warehouse resulting in weeks-old data that may not be timely for real-time decision support. Still other temporal setbacks may occur at any or all of the transactions illustrated in FIG. 1 that may ultimately render results untimely at best and irrelevant at worst. Thus, the relevance of an analyst's 136 original forecasts may expire by the time the forecasts reach the intended users. Still further, the usefulness of any pricing guidance and product configuration suggestions developed by an executive committee 140 may also have long since expired leaving a company exposed to lost margins.

[0006] As such, methods of displaying and using predictive structured data, integrating that data into coherent and relevant business policies such as pricing guidance and product configuration suggestions, and deploying those policies in a timely and efficient manner may be desirable to achieve price modeling efficiency and accuracy.

[0007] In view of the foregoing, Systems and Methods for Margin-Sensitive Price Adjustments in an Integrated Price Management System are disclosed.

SUMMARY

[0008] The present invention presents systems and methods for providing forecast data in an integrated price adjustment system including providing forward looking price estimations for products in a selected product set for a selected time interval; calculating total prices for selected product sets for each selected time interval; calculating margins for each selected time interval based on total prices and cost estimates; displaying prices for selected product sets for each selected time interval; and displaying margins for selected product sets for each selected time interval. In some embodiments, displaying prices for selected product sets for each selected time interval includes: where there is a rise in price between two consecutive time intervals, visually depicting the later time interval price in a first color; where there is a fall in price between two consecutive time intervals, visually depicting the later time interval price in a second color; and where price is the same between two consecutive time intervals, visually depicting the later time interval price in a third color are disclosed.

[0009] In other embodiments, a computer program product for use in conjunction with a computer system for providing forecast data in an integrated price adjustment system includes: at least one forward looking price estimation module for products in selected product sets for a selected time interval; instructions for calculating a total price for selected product sets for each selected time interval; instructions for calculating margins for each selected time interval based on total prices and cost estimates; instructions for displaying prices for selected product sets for each selected time interval; and instructions for displaying margins for selected product sets for each selected time interval are disclosed.

[0010] In still other embodiments, a system of providing forecast data in an integrated price adjustment system including: a forward looking price estimation module for products in selected product sets for a selected time interval; calculated total prices for selected product sets for each selected time interval; calculated margins for each selected time interval based on the total price and a cost estimate; a display for displaying prices for selected product sets for each selected time interval; and a display for displaying margins for selected product sets for each selected time interval.

[0001] The present invention also presents systems and methods generating margin sensitive pricing quotation in an integrated price adjustment system including: a) selecting products in selected product sets; b) providing pricing data corresponding to the products in selected product sets; c) providing guidance elements for products in selected product sets wherein guidance elements are margin sensitive; d) calculating guidance prices for products based upon guidance elements; e) selecting one of either pricing data or guidance prices; and f) generating a quotation based upon selections made such that margin sensitive pricing adjustments are incorporated into quotations. In some example embodiments, the present invention further includes providing predetermined suggestions for modifying the quotation.

[0002] In other embodiments, a computer program product for use in conjunction with a computer system for generating margin sensitive pricing quotation in an integrated price adjustment system, the computer program product comprising a computer readable storage medium and a computer program mechanism embedded therein, the computer program product including: a) instructions for selecting products in selected product sets; b) instructions for providing pricing data corresponding to the products in selected product sets; c) instructions for providing guidance elements for products in selected product sets wherein guidance elements are margin sensitive; d) instructions for calculating guidance prices for products based upon guidance elements; e) instructions for selecting one of either pricing data or guidance prices; and f) instructions for generating a quotation based upon selections made such that margin sensitive pricing adjustments are incorporated into quotations. In some example embodiments, the present invention further includes providing predetermined suggestions for modifying the quotation are presented.

BRIEF DESCRIPTION OF THE DRAWINGS

[0011] Embodiments of the invention may best be understood by reference to the following description taken in conjunction with the accompanying drawings in which:

[0012] FIG. 1 is a simplified graphical representation of an enterprise level pricing environment;

[0013] FIG. 2 is a simplified graphical representation of a price modeling environment where an embodiment of the present invention may be utilized;

- [0014] FIG. 3 is a client side flow chart of an embodiment of the present invention for generating a quotation;
- [0015] FIG. 4 is further illustrative of a step 302 (i.e. Generate Vendor Proposal) of FIG. 3;
- [0016] FIG. 5 is a client-side example embodiment of displaying guidance;
- [0017] FIG. 6 is a client-side example embodiment of displaying configuration suggestion;
- [0018] FIG. 7 illustrates an example vendor proposal in an embodiment of the present invention;
- [0019] FIG. 8 is further illustrative of a step 318 (i.e. Generate Approved Proposal) of FIG. 3;
- [0020] FIG. 9 is a client-side example embodiment of displaying forecast data;
- [0021] FIG. 10 is an illustrative example of backside guidance hierarchy in accordance with an embodiment of the present invention;
- [0022] FIG. 11 is a back-side example embodiment of configuring an upsell configuration suggestion; and
- [0023] FIG. 12 is a client-side example embodiment of displaying a bundle suggestion.

DETAILED DESCRIPTION

[0024] As pertains to the present invention, FIG. 2 is a simplified graphical representation of a price modeling environment where an embodiment of the present invention may be utilized. A historical database 204, under the present invention may contain any of a number of records. In one embodiment of the present invention, a historical database may include sales transactions. In other embodiments of the present invention, a historical database may include waterfall records.

[0025] An analysis of a historical data may then be used to generate a transaction and policy database 208. For example, analysis of a selected group of transactions residing in a historical database may generate a policy that requires or suggests a rebate for any sale in a given region. In this example, some kind of logical conclusion or best guess forecast may determine that a rebate in a given region tends to stimulate more and better sales. A generated policy may thus be guided by historical sales transactions over a desired metric – in this case, sales by region. A policy may then be used to generate logic that will then generate a transaction item.

[0026] In this manner, a price list of one or many items reflecting a calculated rebate may be automatically conformed to a given policy and stored for use by a sales force, for example. In this example, a rebate may be considered as providing guidance to a sales force. Other guidance factors may be implemented and will be discussed in further detail below for FIG. 5. Furthermore, historical data may be used to generate configuration suggestions. Configuration suggestions will be discussed in further detail below for FIG. 6.

[0027] In some embodiments, policies are derived strictly from historical data. In other embodiments, policies may be generated ad hoc in order to test effects on pricing based hypothetical scenarios. In still other examples, executive committee(s) 220, who implements policies, may manually enter any number of policies relevant to a going concern. For example, an executive committee(s) 220 may incorporate forecast data from external sources 224 or from historical data stored in a historical database in one embodiment. Forecast data may comprise, in some examples, forward looking price estimations for a product or product set, which may be stored in a transaction and policy database. Forecast data may be used to generate sales policies such as guidance and suggestion as noted above. Still further, forecast data may be utilized by management teams to analyze a given deal to determine whether a margin corresponding to a deal may be preserved over a given period of time. In this manner, an objective measure for deal approval may be implemented. Thus forecast data, in some examples, may be used either to generate sales policy, to guide deal analysis, or both. Thus, in this manner, policies may be both generated and incorporated into the system.

[0028] After transactions are generated based on policies, a transactional portion of the database may be used to generate sales quotes by a sales force 216 in SAP 212, for example. SAP 212 may then generate a sales invoice which may then, in turn, be used to further

populate a historical database 204. In some embodiments, sales invoices may be constrained to sales quotes generated by a transaction and policy database. That is, as an example, a sales quote formulated by a sales force 216 may require one or several levels of approval based on variance (or some other criteria) from policies (e.g. guidance and suggestion) stored in a transaction and policy database 208. In other embodiments, sales invoices are not constrained to sales quotes generated by a transaction and policy database.

[0029] *Client-Side Operations*

[0030] FIG. 3 illustrates an example method utilizing the present invention. In particular, FIG. 3 is a client side flow chart of an embodiment of the present invention for generating a quotation. Thus, for example, at a step 302, a vendor proposal may be generated. A vendor proposal represents an initial step in a negotiation process that may encompass many transactions. A sample vendor proposal is illustrated in FIG. 7 and will be discussed in further detail below for FIG. 7. A vendor proposal generally may contain enough relevant information for the proposal to be properly evaluated by a prospective buyer. Relevant information may include without limitation, account name, user name, general terms, shipping terms, bid type, bid date, pricing, product descriptions, and other generally known terms well known in the art. If a proposal is not accepted at a step 306, then a vendor may continue to generate vendor proposals at a step 302 until an accord is reached or until negotiation is terminated.

[0031] If a vendor proposal is accepted at a step 306, the method evaluates whether approval is necessary at a step 310. That is, for at least some vendor proposals, an approval process may be necessary depending on the terms of a deal both at a product level and at a product set level for a given time period. If it is determined that approval is not necessary, then the method generates a quote at a step 326 based upon a vendor proposal accepted at a step 306 whereupon the method ends. If approval is determined to be necessary at a step 310, the method determines whether a vendor proposal is approved at a step 314. Approval may be made at any of a number of administrative levels depending on the organizational structure of the business. Approval will be discussed in further detail for FIG. 8 below.

[0032] If a vendor proposal is approved, the method generates a quote at a step 326 based upon an approved vendor proposal generated at a step 306, whereupon the method ends.

If a vendor proposal is not approved, an approved proposal may be generated at a step 318. As with a vendor proposal, an approved proposal may be accepted by a buyer at a step 322. If an approved proposal is accepted at a step 322, the method generates a quote at a step 326 based upon the approved proposal accepted at a step 322 whereupon the method ends. If an approved proposal is not accepted at a step 322, the method may continue to generate a vendor proposal at a step 302 whereupon the method continues until a quote is generated or negotiations are terminated.

[0033] *Step 302 – Generate Vendor Proposal*

[0034] FIG. 4 is a client side flow chart of an embodiment of the present invention of generating a vendor proposal. In particular, FIG. 4 is further illustrative of a step 302 (i.e. Generate Vendor Proposal) of FIG. 3. An account proposal may be opened at a step 404. Product configuration information may be entered at a step 408 in accordance with buyer choices. As configuration information is entered, pricing models may be applied to a proposal. In particular, at a step 412, pricing guidance and configuration suggestion may be utilized to compare or adjust pricing.

[0035] Turning to FIG. 5, FIG. 5 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 5 is a client-side example embodiment of displaying guidance. A list price may be entered in section 504. A list price may be manually entered by a user or may be automatically entered corresponding to a given configuration and shop keeping unit (SKU) number. Guidance is displayed section 508. In displayed section 508, guidance may be displayed either as a dollar amount or as a percent of total or both. In this example, guidance is automatically generated from a series of back-side decisions that will be discussed in further detail below for FIG. 10.

[0036] A guidance price may then be calculated and displayed in section 512. In order to flexibly meet user needs, an actual selling price may be overridden as displayed in section 516. A user may have options of using the calculated guidance price 524; an override price 528; an override discount 532; or an override margin 540. An override selling price may be displayed when an override is selected. In this example, an override discount 532 has been selected and an override selling price has been calculated and displayed in accordance with that selection.

[0037] Each of the override fields (528-536) may also contain, for example, an approval field 540. An approval field indicates whether an override parameter may be flagged for approval (*see* Step 310, FIG. 3). In this example, an approval flag is displayed for an override margin 540. In one example, a user may enter a value into any of the three override fields namely override price, override discount, or override margin. Upon entering a value into any of those fields, the remaining fields may be calculated and displayed. If a margin rule has been violated by the field values (which are different representations of the same value), then a flag may be displayed triggering an approval. Thus, in the example illustrated, an override margin 540 has violated a margin rule triggering a requirement that a quote must be approved before it may be presented to a buyer.

[0038] FIG. 6 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 6 is a client-side example embodiment of displaying configuration suggestion. A list of configuration suggestions 604 for a selected configuration may be displayed to further enhance proposal generations processes. Each line item of suggestions 604 may correspond to a different configuration described by several descriptors including, but not limited to: a source description 608 that describes a selected configured product; an upsell SKU 612 assigned to a product; an upsell description 616 that describes a product assigned to an upsell SKU; a list price 620 that is the list price of the upsell product; a margin 624 that indicates a margin available for a product; an optional message 628 that gives the user any optional details; an add to configuration checkbox 632 that indicates whether a given product has or will be added to a configuration; an add as option checkbox 636 that indicates whether a given product will be added to an individual line item as an option; and a group field 640 indicating to which group (e.g., a product group) a new line item may be added.

[0039] As can be appreciated by one skilled in the art any number of configuration suggestions may be displayed in a resized window depending on user selections. In the described embodiment, an upsell suggestion is illustrated. In other examples, a bundled suggestion may be displayed. In bundled suggestions, additional products may be available as a part of a bundled product for a given configuration. In this manner, sales staff may be easily and efficiently informed with respect to various options offered by a retailer. Other types of configuration suggestions that may be utilized under the present invention may include without

limitation downsell related suggestions, collateral or in kind related suggestions, client related suggestions, demographic related suggestions, or regional related suggestions.

[0040] Returning to FIG. 4, after pricing has been compared or adjusted to pricing guidance and configuration suggestion, pricing may be selected at a next step 416 whereupon a vendor proposal may be generated at a step 420. An example embodiment of a vendor proposal as contemplated by the present invention is illustrated at FIG. 7.

[0041] FIG. 7 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 7 illustrates an example vendor proposal in an embodiment of the present invention. A vendor proposal contains sufficient information to enable a user to generate a quotation. Various data sections are included in the present example including, but not limited to: account data 704; proposal indicia data 712; configuration data 716; and margin data 720. In addition, navigation buttons 708 may be utilized to assist a user in accessing relevant information. Account data 704 may contain any number of fields well known in the art to allow sufficient identification of a potential client along with any relevant terms in association with a potential client. Proposal indicia data 712 contains any number of fields well known in the art necessary for internal auditing of a proposal. Configuration data 716 contains any number of fields well known in the art necessary to sufficiently indicate a selected configuration. Configuration data 716 may also contain prospective data where a proposal spans one or more months, quarters, or years.

[0042] *Step 318 – Generate Approved Proposal*

[0043] FIG. 8 is a client-side flow chart of an embodiment of the present invention of generating an approved proposal. In particular, FIG. 8 is further illustrative of a step 318 (i.e. Generate Approved Proposal) of FIG. 3. As noted above, a parameter may be flagged for approval. Flagging may be configured to respond in any number of ways including, but not limited to, a value or a Boolean expression. For example, a flag may occur if a selected parameter falls outside of a desired range of values. A margin, in one example, may be input by a user that falls outside of a specified range of values established by management. That margin may then be flagged to be further examined by supervisory staff. In another example, a flag may occur if a selected parameter is indicated by a Boolean expression. For example, it may occur that a certain geographic area may not be sold certain configurations according to a

current licensing agreement. In this manner, sales for a selected geographic area may be triggered by a simple Boolean expression as is well known in the art.

[0044] Thus, in a step 804, a flagged proposal may be received. All flagged parameters may then be inspected at a step 808. That is, an entire proposal history may be examined to determine the nature and type of proposal parameters have been entered. In inspecting flagged proposal items at a step 808, a user may compare and subsequently adjust pricing using guidance, suggestion, and forecasting at a step 812. Guidance and suggestion have been discussed at length above for FIGS. 5-6. As discussed above, pricing guidance and configuration suggestions readily displays relevant proposal information and may assist a user to determine a proposal that may protect sales margins. Forecasting is discussed in further detail below for FIG. 9.

[0045] FIG. 9 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 9 is a client-side example embodiment of displaying forecast data. As noted above, forecast data may comprise, in some examples, forward looking price estimations for a product or product set, which may be stored in a transaction and policy database. Forecast data may be used to generate sales policies such as guidance and suggestion as noted above. Still further, forecast data may be utilized by management teams to analyze a given deal to determine whether a margin corresponding to a deal may be preserved over a given period of time. In this manner, an objective measure for deal approval may be implemented. As shown in FIG. 9, a number of components may be listed 904 according to any listing criteria including, but not limited to: SKU number, alphanumeric order, component hierarchy, price, quantity, or any other indicator. A forecast portion 900 of a user interface may be displayed as shown. Further, forecast data may be displayed using colors. In this example, an upward change in a forecast cost 908 may be displayed using a first color (e.g., red). In other words, the next value for a given time interval may be colored to indicate the direction of the forecast cost (i.e. upward, stable, and downward). In likewise manner, a stable forecast cost 912 may be displayed using a second color and a downward change in a forecast cost 916 may be displayed using a third color. In this manner a user may readily and visually ascertain any trends in pricing over a given period of time. In some embodiments, one or more months may be displayed. In still other embodiments, only prospective data is displayed.

[0046] As can be appreciated, by displaying forecast data in graphic fashion, margins may be examined over longer periods of time. By examining forecast data in this manner, concessions in pricing may be made at the time of proposal generation that may not appear to preserve sales margins, but will, in fact, result in a quality deal over time. In the past, this kind of information was not readily available in a price adjustment system as noted above. Further, although the embodiment described displays forecast data only to supervisory staff, forecast data may be further displayed to general sales users under the present invention as contemplated.

[0047] Returning to FIG. 8, after pricing has been compared or adjusted to pricing guidance, configuration suggestion, and forecast data, pricing may be selected at a next step 816 whereupon an approved proposal may be generated at a step 820. An example embodiment of an approved proposal as contemplated by the present invention is illustrated at FIG. 7 and is discussed in further detail above.

[0048] *Back-Side Operations: Pricing Guidance and Configuration Suggestion*

[0049] The utility of any pricing system is at least partially dependent on the rationale of the underlying logic. As can be appreciated, a logical schema must be flexibly implemented in order to achieve broad efficiencies. Pricing guidance and configuration suggestion examples for users has been described above. Underlying logic for pricing guidance and configuration suggestion is now described.

[0050] FIG. 10 is an illustrative example of backside guidance hierarchy in accordance with an embodiment of the present invention. In particular, RAD guidance 1002 may describe guidance impact to an account in terms of business stage development by line of business (LOB). For example, businesses may typically be categorized in various states of development by LOB including acquisition 1004 development 1006, retention 1008, and unknown 1010. By LOB refers to the concept that a client may be in one stage of development for one category of products (e.g., laptops) and in another stage of development for a different product line (e.g., servers). An adjustment may be made for each of the relationships depending on business objectives of a company. For example, the following adjustments may be made for a given account group along a given product line: acquisition adjustment -60%; development adjustment -40%; retention adjustment = 10%; and unknown adjustment 10%. In this

example, adjustments to pricing may be established to reflect a given business objective. That is, acquiring business and new business may be encouraged to buy where pricing is offered at a deep discount (60% and 40% respectively) while retained business and unknown business may be maintained at a lower discount (10% and 10% respectively). Adjustments may be made upward or downward without limitation depending on business objectives. These adjustments may then form the basis for pricing guidance as described in FIG. 5 above.

[0051] Richness guidance 1012 represents another top level guidance element. Richness guidance 1012 describes guidance impact to an account in terms of configuration richness. That is, a configuration that is rich generally may have more features or may feature more current technology. For example, a rich computer system may contain a current chip set along with extended memory, a large display, large disk capacity, and high video capability while a thin computer system may contain an older, more limited chip set, more limited memory, a small display, small disk capacity, and low video capability. In one embodiment, richness may be subdivided into rich 1014, mainstream 1016, and thin 1018. As noted above, an adjustment may be made for each of the relationships depending on business objectives of a company. Further, as noted above, adjustments may be made upward or downward without limitation depending on the business objectives.

[0052] Deal size guidance 1020 represents another example top level guidance element. Deal size guidance 1020 describes guidance impact to an account in terms of the size of a particular deal. Deal size may generally be related to a dollar value and may be adjusted by magnitude without limitation depending on a particular buyer. In one embodiment, deal size may be subdivided into small 1022, medium 1024, and large 1026. In one example each subdivision represents a range of values. In other examples each subdivision is marked by a threshold amount. As noted above, an adjustment may be made for each of the relationships depending on business objectives of a company. Further, as noted above, adjustments may be made upward or downward without limitation depending on the business objectives.

[0053] Guidance element weight 1028 specifies the relative importance of previously described elements RAD guidance 1002, richness guidance 1012, and deal size guidance 1020 when calculating an overall guidance pricing structure. In one embodiment, LOB RAD 1030 corresponds to RAD guidance 1002; richness 1032 corresponds to richness guidance 1012; and deal size 1034 corresponds to deal size guidance 1020. Other guidance elements and

corresponding weighting elements are contemplated under the present invention. In one example, weighting is accomplished by entering a percentage of weight for each weight element. Thus, for example, LOB RAD 1030 may be weighted at 30%; richness 1032 at 45%; and deal size 1034 at 25%. In this example, richness will influence overall guidance with LOB RAD and deal size following. As noted above, an adjustment may be made for each of the relationships without limitation depending on business objectives of a company.

[0054] Product richness 1036 specifies price threshold above and below which a product should be considered 'rich' or 'thin' as discussed for richness guidance element 1012. In one embodiment a thin threshold value comprises a threshold value below which a product may be considered thin. Typically, the value is a dollar amount corresponding to a product or product set. In like manner, in another example, a rich threshold value comprises a threshold value above which a product may be considered rich. Typically, the value is a dollar amount corresponding to a product or product set. Where the ranges corresponding to a thin threshold value and a rich threshold value are non-overlapping, the difference between values comprises a range of values corresponding to a mainstream richness designation. Where the ranges corresponding to a thin threshold value and a rich threshold value overlap, an error message may be generated. In this manner product richness may be quantified.

[0055] FIG. 11 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 11 is a back-side example embodiment of configuring an upsell configuration suggestion. Upsell specifies promotional product up-sell relationships. That is, for a selected product, product set, groups of product sets, or services, corresponding products, product sets, groups of product sets, or services may be configured as upsell suggestions for proposals. For example, a configuration having a four-cell battery may be configured to suggest an eight-cell battery having an increased capacity. One advantage presented by the present invention is that promotional products may be readily and efficiently accessed by sales staff. Another advantage for upselling a product is that margins may be increased.

[0056] In the embodiment illustrated in FIG. 11 a number of fields are displayed (1104-1116) for use in configuring upsell suggestions. A number of qualifying fields are illustrated at section 1104. In this example, suggestions may be qualified by an account group, an industry, or a product group. Typically, suggestions are implemented in a hierarchical architecture;

however, in some embodiments a hierarchical architecture need not be utilized. In some embodiments a look up table may be utilized in order to efficiently and accurately make selections. A driver SKU 1106 corresponds to a targeted product, product set, product group, or service. In some embodiments, driver SKUs may be accessed via a look up table. A description 1108 describes, in plain language for example, a product, product set, product group or service corresponding to a selected driver SKU. In the example shown, two driver SKUs and corresponding descriptions are illustrated. However, one or many driver SKUs and corresponding descriptions are contemplated within the scope of the present invention.

[0057] An upsell SKU 1110 is a selected product SKU associated with a driver SKU 1106. An upsell SKU 1110 may be selected from a lookup table corresponding to associated driver SKUs. In this manner configuration compatibility may be assured since only a list of available and compatible products may be available. As with a driver SKU 1106, an upsell SKU 1110 has a corresponding description 1112. A description 1112 describes, in plain language for example, a product, product set, product group or service corresponding to a selected upsell SKU. In some embodiments a suggested discount 1113 may be entered. A discount for a given upsell product or service may help to further promote selected products or services. A date range represented by start and end dates 1114 may be selected in order to confine a configured suggestion to a desired time frame. Further, a suggestion may be configured to be forced or optional via a force selection box 1116. In an example of a forced suggestion, the effect to a user would be that replacing a driver product with an upsell product would be automatically displayed; however, a user selection would not be mandatory. When force selection box 1116 is not selected, suggestions may not be displayed. Results from suggestion configurations input may then be displayed graphically in section 1118. Any number of configurations may be viewed and sorted in accordance with user preferences.

[0058] FIG. 12 is an example user interface in accordance with an embodiment of the present invention. In particular, FIG. 12 is a client-side example embodiment of displaying a bundle suggestion. Bundle specifies promotional product bundling relationships. That is, for a selected product, product set, groups of product sets, or services, corresponding products, product sets, groups of product sets, or services may be configured as bundled suggestions for proposals. For example, a configuration having a four-cell battery may be configured to suggest an additional eight-cell battery having an increased capacity. One advantage presented

by the present invention is that promotional products may be readily and efficiently accessed by sales staff. Another advantage for bundling a product is that margins may be increased.

[0059] In the embodiment illustrated in FIG. 12 a number of fields are displayed (1204-1218) for use in configuring bundling suggestions. A number of qualifying fields are illustrated at section 1204. In this example, products may be qualified by an account group, an industry, or a product group. Typically, suggestions are implemented in a hierarchical architecture; however, in some embodiments a hierarchical architecture need not be utilized. In some embodiments a look up table may be utilized in order to efficiently and accurately make selections. A driver SKU 1206 corresponds to a targeted product, product set, product group, or service. In some embodiments, driver SKUs may be accessed via a look up table. A description 1208 describes, in plain language for example, a product, product set, product group or service corresponding to a selected driver SKU. In the example shown, two driver SKUs and corresponding descriptions are illustrated. However, one or many driver SKUs and corresponding descriptions are contemplated within the scope of the present invention.

[0060] A bundled SKU 1210 is a selected product SKU associated with a driver SKU 1206. A bundled SKU 1210 may be selected from a lookup table corresponding to associated driver SKUs. In this manner configuration compatibility may be assured since only a list of available and compatible products may be available. As with a driver SKU 1206, a bundled SKU 1210 has a corresponding description 1212. A description 1212 describes, in plain language for example, a product, product set, product group or service corresponding to a selected bundled SKU. In some embodiments a suggested discount 1213 may be entered. A discount for a given bundled product or service may help to further promote selected products or services. A date range represented by start and end dates 1214 may be selected in order to confine a configured suggestion to a desired time frame. Further a suggestion may be configured to be forced or optional via a force selection box 1216. In an example of a forced suggestion, the effect to a user would be that selling a driver product with a bundled product would be automatically displayed; however, a user selection would not be mandatory. When force selection box 1216 is not selected, suggestions may not be displayed. A message box 1218 may be further configured to display a message when a bundled suggestion is presented. Results from suggestion configurations input may then be displayed graphically in section

1220. Any number of configurations may be viewed and sorted in accordance with user preferences.

[0061] As can be appreciated, the examples described herein detail guidance pricing, configuration suggestion, and forecasting in embodiments of the present invention. Other methods and uses that may be used in combination with guidance pricing, configuration suggestions, and forecasting are contemplated by the present invention.

[0062] While this invention has been described in terms of several preferred embodiments, there are alterations, permutations, modifications and various substitute equivalents, which fall within the scope of this invention. It should also be noted that there are many alternative ways of implementing the methods and systems of the present invention. It is therefore intended that the following appended claims be interpreted as including all such alterations, permutations, modifications, and various substitute equivalents as fall within the true spirit and scope of the present invention. In addition, the use of subtitles in this application is for clarity only and should not be construed as limiting in any way.

CLAIMS

What is claimed is:

1. A method of providing forecast data in an integrated price adjustment system comprising:
 - providing at least one forward looking price estimation for at least one product in a selected product set for a selected time interval;
 - calculating a total price for the selected product set for each selected time interval;
 - calculating at least one margin for each selected time interval based on the total price and a cost estimate;
 - displaying the price for the selected product set for each selected time interval; and
 - displaying the at least one margin for the selected product set for each selected time interval.
2. The method of claim 1, wherein the product set corresponds to a single shop keeping unit (SKU) that uniquely represents a product in a catalog of products.
3. The method of claim 1 wherein the at least one forward looking price estimation for the at least one product in a selected product set is based on historical performance of a similar product.
4. The method of claim 3 wherein the historical performance is calculated using standard statistical methodology.
5. The method of claim 1 wherein the selected time interval is at least one month.
6. The method of claim 1 wherein displaying the price for the selected product set for each selected time interval comprises:
 - where there is a rise in price between two consecutive time intervals, visually depicting the later time interval price in a first color;
 - where there is a fall in price between two consecutive time intervals, visually depicting the later time interval price in a second color; and
 - where price is the same between two consecutive time intervals, visually depicting the later time interval price in a third color.

7. The method of claim 1 wherein the margin is an apparent margin.
8. The method of claim 1 wherein six time intervals representing each of six months is concurrently displayed.
9. The method of claim 1 wherein time intervals which have passed in time are not displayed, but are persistent in memory.
10. A computer program product for use in conjunction with a computer system for providing forecast data in an integrated price adjustment system, the computer program product comprising a computer readable storage medium and a computer program mechanism embedded therein, the computer program mechanism comprising:
 - at least one forward looking price estimation module for at least one product in a selected product set for a selected time interval;
 - instructions for calculating a total price for the selected product set for each selected time interval;
 - instructions for calculating at least one margin for each selected time interval based on the total price and a cost estimate;
 - instructions for displaying the price for the selected product set for each selected time interval; and
 - instructions for displaying the at least one margin for the selected product set for each selected time interval.
11. The computer program product of claim 10, wherein the product set corresponds to a single shop keeping unit (SKU) that uniquely represents a product in a catalog of products.
12. The computer program product of claim 10 wherein the at least one forward looking price estimation for the at least one product in a selected product set is based on historical performance of a similar product.
13. The computer program product of claim 12 wherein the historical performance is calculated using standard statistical methodology.
14. The computer program product of claim 10 wherein the selected time interval is at least one month.

15. The computer program product of claim 10 wherein displaying the price for the selected product set for each selected time interval comprises:

where there is a rise in price between two consecutive time intervals, visually depicting the later time interval price in a first color;

where there is a fall in price between two consecutive time intervals, visually depicting the later time interval price in a second color; and

where price is the same between two consecutive time intervals, visually depicting the later time interval price in a third color.

16. The computer program product of claim 10 wherein the margin is an apparent margin.

17. The computer program product of claim 10 wherein six time intervals representing each of six months is concurrently displayed.

18. The computer program product of claim 10 wherein time intervals which have passed in time are not displayed, but are persistent in memory.

19. A system of providing forecast data in an integrated price adjustment system comprising:

at least one forward looking price estimation module for at least one product in a selected product set for a selected time interval;

a calculated total price for the selected product set for each selected time interval;

a calculated at least one margin for each selected time interval based on the total price and a cost estimate;

a display for displaying the price for the selected product set for each selected time interval; and

a display for displaying the at least one margin for the selected product set for each selected time interval.

20. A method of generating margin sensitive pricing quotation in an integrated price adjustment system comprising:

a) selecting at least one product in a selected product set;

b) providing pricing data corresponding to the at least one product in the selected

product set;

c) providing at least one guidance element for the at least one product in the selected product set wherein the at least one guidance element is margin sensitive;

d) calculating a guidance price for the at least one product based upon the at least one guidance element;

e) selecting one of either the pricing data or the guidance price; and

f) generating a quotation based upon the selection made at e) such that margin sensitive pricing adjustments are incorporated into the quotation.

21. The method of claim 20, wherein the product set corresponds to a single shop keeping unit (SKU) that uniquely represents a product in a catalog of products.

22. The method of claim 20 wherein the guidance element is selected from any of the following business priorities: business cycle guidance; richness guidance; or deal size guidance.

23. The method of claim 22 wherein the guidance element is further weighted relative to selected business priorities.

24. The method of claim 23 wherein the guidance element is further delimited by at least one threshold value.

25. The method of claim 20 wherein the guidance element is user defined.

26. The method of claim 20 further comprising providing predetermined suggestions for modifying the quotation.

27. The method of claim 26 wherein the suggestions are either upsell suggestions or bundled suggestions.

28. The method of claim 26 wherein the suggestions are configured such that the suggestions are enforced in the quotation.

29. The method of claim 26 wherein the suggestions may be overridden by user input.

30. A computer program product for use in conjunction with a computer system for generating margin sensitive pricing quotation in an integrated price adjustment system, the computer program product comprising a computer readable storage medium and a computer

program mechanism embedded therein, the computer program product comprising:

- a) instructions for selecting at least one product in a selected product set;
- b) instructions for providing pricing data corresponding to the at least one product in the selected product set;
- c) instructions for providing at least one guidance element for the at least one product in the selected product set wherein the at least one guidance element is margin sensitive;
- d) instructions for calculating a guidance price for the at least one product based upon the at least one guidance element;
- e) instructions for selecting one of either the pricing data or the guidance price; and
- f) instructions for generating a quotation based upon the selection made at e) such that margin sensitive pricing adjustments are incorporated into the quotation.

31. The computer program product of claim 30, wherein the product set corresponds to a single shop keeping unit (SKU) that uniquely represents a product in a catalog of products.

32. The computer program product of claim 30 wherein the guidance element is selected from any of the following business priorities: business cycle guidance; richness guidance; or deal size guidance.

33. The computer program product of claim 32 wherein the guidance element is further weighted relative to selected business priorities.

34. The computer program product of claim 33 wherein the guidance element is further delimited by at least one threshold value.

35. The computer program product of claim 30 wherein the guidance element is user defined.

36. The computer program product of claim 30 further comprising providing predetermined suggestions for modifying the quotation.

37. The computer program product of claim 36 wherein the suggestions are either upsell suggestions or bundled suggestions.

38. The computer program product of claim 36 wherein the suggestions are configured such that the suggestions are enforced in the quotation.

39. The computer program product of claim 36 wherein the suggestions may be overridden by user input.

40. A system of generating margin sensitive pricing quotation in an integrated price adjustment system comprising:

- a) a selection of at least one product in a selected product set;
- b) pricing data corresponding to the at least one product in the selected product set;
- c) at least one guidance element for the at least one product in the selected product set wherein the at least one guidance element is margin sensitive;
- d) a calculated guidance price for the at least one product based upon the at least one guidance element;
- e) a selection one of either the pricing data or the guidance price; and
- f) a quotation based upon the selection made at e) such that margin sensitive pricing adjustments are incorporated into the quotation.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

5/12

Dialog - Vendavo ADVANTAGE - Web Page Dialog

#P11925: def test 2 - Mary Stewart
EXPEDITORS INTERNATIONAL OF WASHINGTON, INC.
Group 1 - LAT C400,1.20GHZ,P11L,12.1,XGA,NIC,ENG

POET Pricing

List Price	\$1,789.00
Contract Discount	\$0.00 Adjustment is 0.00%
Guidance	-\$46.69 Adjustment is -2.61% Suggested Discount
Guidance Price	\$1,742.31

Overridden Selling Price

\$1,466.98

☐ Use calculated price of \$1,742.31
☐ Override with price of \$1,466.98
☒ Override with discount of 18.00%
☐ Override with margin of 11.86%

504

508

512

516

524


528

532

536

540

FIG. 5



6/12

FIG. 6

708

Opportunity P1126

Name:

Account:

End User:

Terms:

Shipping Terms:

Bid Type:

Is this an Auction: ☐

Apply GSA Fee: ☐

Other Admin/Contract Fee:

Comments:

Bid Date:

Roll Date:

Decision Date:

Create Date:

Created By:

Sales Rep(s):

Account Executive(s):

Financial Analyst:

Region:

Status:

Approval Id:

Pricing View:

704

716

712

#	Group Name	Changes	Product	List Price	Sell Price	Right	Line Total	Ctg Add\$	Jul 04	Aug 04	Sep 04	Oct 04	Nov 04	Dec 04	Jan 05	Feb 05	Mar 05
1	000309325		LAT C400.1.20GHZ.P111.12.1.XGA.NIC	\$1,745	\$1,745	Med.	\$0	\$0	0	\$449	\$449	\$449	\$449	\$449	\$449	\$449	\$449
			LAT C400.1.20GHZ.P111.12.1.XGA.NIC.ENC	\$1,745	\$1,745	Med.	\$0	\$0	0	\$449	\$449	\$449	\$449	\$449	\$449	\$449	\$449
				2.6%	2.6%				25.8%	25.8%	25.8%	25.8%	25.8%	25.8%	25.8%	25.8%	25.8%

Import Quote Make Inactive

Total (As Sold):	\$0.00
As Sold Margin Dollars:	\$0.00
As Sold Margin Percent:	0.00%
True P/L Total:	\$0.00
True P/L Margin Dollars:	\$0.00
True P/L Margin Percent:	0.00%

720

Submit Save Delete Copy Cancel

FIG. 7




FIG. 8

9/12

Dialog - Vendavo ADVANTAGE -- Web Page Dialog

#P8312:Test3
Alliant Energy Corporation
Group 1, Config 2 - Quote #000308330

SKU List

Pricing View:

908 912 916

SKU	Description	Quantity	List Price	Jul 04	Aug 04	Sep 04	Oct 04	Nov 04	Dec 04	Jan 05	Feb 05	Mar 05
220-9500	LAT C610, 1.20GHZ,PIII,14.1 XG	3	\$4,251	\$2,678	\$2,683	\$2,671	\$2,660	\$2,649	\$2,645	\$2,641	\$2,637	\$2,640
311-2036	512MB,1DIMM,SDRAM,LAT C610,	3	\$807	\$459	\$434	\$461	\$461	\$461	\$462	\$462	\$462	\$462
340-3962	40GB HD,9.5MM,5400RPM,LAT C	1	\$794	\$105	\$105	\$105	\$105	\$99	\$98	\$96	\$92	\$91
420-2315	WINDOWS 2000,SP2,ENGLISH,L	1	\$60	\$98	\$98	\$102	\$102	\$102	\$102	\$102	\$102	\$102
313-5205	INTERNAL 56K MODEM,LAT C610	1	\$0	\$7	\$8	\$7	\$7	\$7	\$7	\$7	\$7	\$7
313-0249	24X CDROM,INT/EXT,LAT C-SER	1	\$0	\$27	\$28	\$28	\$27	\$27	\$27	\$27	\$27	\$27
312-0108	4-CELL PRIMARY BATT,LAT C800	1	\$0	\$32	\$32	\$32	\$32	\$32	\$32	\$32	\$32	\$32
900-0310	NBD,LAT,INTL,BSC,INIT YR(COR	1	\$109	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
900-2922	NBD LAT,INTL,BSC,2YR EXT	1	\$224	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Total			\$5,530	\$3,405	\$3,387	\$3,406	\$3,395	\$3,377	\$3,371	\$3,365	\$3,358	\$3,360
Sell Price / Mgn \$			\$4,418	\$1,012	\$1,031	\$1,012	\$1,023	\$1,041	\$1,047	\$1,052	\$1,060	\$1,058
Margin %			22.9%	23.3%	23.3%	22.9%	23.2%	23.6%	23.7%	23.8%	24.0%	24.0%

904

Add SKU(s):

Removed SKU's

SKU	Description	Quantity	List Price	Jul 04	Aug 04	Sep 04	Oct 04	Nov 04	Dec 04	Jan 05	Feb 05	Mar 05
No entries in this table												

FIG. 9

10/12




FIG. 10

11/12

Pricing Table - Vendavo, Inc. - Microsoft Internet Explorer

Close

Table Name UpSell

Description Specifies promotional product up-sell relationships

Find all Rows where field operator value

Search

Show All

Account	Industry	Product	Driver SKU	Upsell	Start Date	End Date	Created	F
CA/ ISG		Latitude	LAT D800,...	8X DVD R...	07/23/2003	11/26/2004		<input type="checkbox"/>
CA/ ISG		Latitude	LAT D800,...	MOD, CASE...	07/23/2003	11/26/2004		<input type="checkbox"/>
CA/ ISG		OptiPlex D...	BASE, TSM...	MOD, PRN...	07/23/2003	11/26/2004		<input type="checkbox"/>
CA/ ISG		Latitude	128MB, 1DL...	512MB, 1DL...	06/04/2003	11/04/2004		<input type="checkbox"/>
CA/ ISG	Inspiron	Inspiron	4-CELL PRI...	8-CELL PRI...	06/04/2003	11/04/2004		<input type="checkbox"/>

New

Copy

Edit

Edit All

Delete

Account Group CA/ ISG

Industry

Product Group Inspiron

Driver SKU 312-0108

Description 4-CELL PRIMARY BATT, LAT C600,

Driver SKU 2

Description

Upsell SKU 312-0109

Description 8-CELL PRIMARY BATT, LAT C600,

Upsell SKU 2

Description

Discount \$0.00

Start Date 06/04/2003

End Date 11/04/2004

Forced ☒

1110

1112

1113

1114

1116

Done

Local intranet

FIG. 11

12/12

FIG. 12

Account	Industry	Product	Driver SKU	Bundled	Start Date	End Date	Created
CA/ ISG		Latitude		24X CDRO...	07/17/2003	11/22/2004	<input type="checkbox"/>
CA/ ISG		Latitude		6-CELL SE...	07/17/2003	11/22/2004	<input checked="" type="checkbox"/>
Corporate ..		Latitude	LAT D800,...	MOD,CASE..	07/16/2003	11/23/2004	<input type="checkbox"/>

Find all Rows where field operator value

Close

Search Show All

New Copy Edit Edit All Delete

Pricing Table

Table Name Bundle
Description Specifies promotional product bundling relationships

Account Group CA/ ISG
Industry
Product Group Latitude
Driver SKU
Description
Driver SKU 2
Description

Bundled SKU 312-4507
Description 6-CELL SECONDARY BATTERY,LA
Bundled SKU 2
Description
Discounted SKU Bundled SKU 1
Discount 10.00%
Start Date 07/17/2003
End Date 11/22/2004
Forced ☒
Message 10% off on second battery

1214

Copyright (c) 2000 - 2003 Vendavo, Inc. All rights reserved.

Done Local Intranet

1220

1204

1206

1208

1210

1212

1213

1216

1218

1214

Copyright (c) 2000 - 2003 Vendavo, Inc. All rights reserved.

Done

Local intranet

FIG. 12

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US05/27432

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) : G06Q 90/00
US CL : 705/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
U.S. : 705/1,7,10,20,28,30,400,404 and 500Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

U.S. Patent and Trademark Office Patent Full-Text and Full-Page Database; PatentCafe ICO semantic search engine of US Patent, US Published Applications, WIPO, Great Britain, Japan, Germany, European Patent Office (EPO).

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2002/0116348 A1 (PHILLIPS et al.) 22 August 2002 (22.08.2002) see paragraphs 2, 28, 30-47, 55-56, 60, 61, 64, 67, 72, 74 and 77.	1-40
A	US 2003/0061119 A1 (KOCHER) 27 May 2003 (27.05.2003) see entire document.	1-40
A	US 2003/0074285 A1 (HOFFMAN et al.) 17 April 2003 (17.04.2003) see entire document.	1-40
A	US 2004/0128261 A1 (Olavson et al.) 01 July 2004 (01.07.2004) see entire document.	1-40
A, P	US 6,826,538 B1 (KALYAN et al.) 30 November 2004 (30.11.2004) see entire document.	1-40
A, P	US 2005/0060270 A1 (RAMAKRISHNAN et al.) 17 March 2005 (17.03.2005) see entire document.	1-40

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

21 November 2005 (21.11.2005)

Date of mailing of the international search report

18 JAN 2006

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-3201

Authorized officer:

Blaine R. Copenheaver

Telephone No. 571-272-7774