

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
9 January 2003 (09.01.2003)

PCT

(10) International Publication Number  
**WO 03/001866 A1**

(51) International Patent Classification: Not classified

(21) International Application Number: PCT/IE02/00093

(22) International Filing Date: 27 June 2002 (27.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
2001/0594 27 June 2001 (27.06.2001) IE

(71) Applicant (for all designated States except US): **SNAP-COUNT LIMITED** [IE/IE]; 100 Capel Street, Dublin 1 (IE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DAVANAGH, Stephen** [IE/IE]; 11 Cunningham Drive, Dalkey, County Dublin (IE). **CLARKE, Conor** [IE/IE]; 4 Stradbroke Grove, Blackrock, County Dublin (IE). **GUILFOYLE, Kieron** [IE/IE]; Rockfield, Church Road, Killiney, County

Dublin (IE). **BROSNAN, Patrick** [IE/IE]; N0\_9 Seabury Lawns, Malahide, County Dublin (IE).


(74) Agents: **O'Brien, John, A.** et al.; John A. O'Brien & Associates, Third Floor, Duncairn House, 14 Carysfort Avenue, Blackrock, County Dublin (IE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: TRANSACTION PROCESSING



(57) Abstract: A transaction processing system for the real time authorisation of payment transactions, The system comprises a verification system (4) connected to an issuer card management system (3). A cardholder can access the system via an interface (2) which can be for example the Internet, a wireless device, telephone, or a branch visit. The interface allows the cardholder to input rules governing how their credit card transactions are to be authorised. When the cardholder initiates a purchase transaction with their credit card, an authorisation request is passed from the card network to the verification system which executes the rules created by the cardholder in order to approve or deny the transaction.



WO 03/001866 A1



**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

- 1 -

“Transaction Processing”INTRODUCTION5 Field of the Invention

The invention relates to real time authorisation of transactions using non-cash payment instruments such as credit cards and debit cards.

10 Prior Art Discussion

While there has been much discussion in recent years concerning card-not-present (and particularly Internet shopping) fraud, in fact the bulk of credit card fraud arises from card-present transactions. For example, card “skimming” often results in a fraudulent  
15 card being produced and used, possibly in a different country from where the skimming occurred. Another example is mail interception, in which cards are stolen from the postal system as they are en route to the customer.

While the losses arising from fraud are very considerable, efforts to date at providing new  
20 systems to reduce fraud have met with only limited success. In one approach marketed by the company Orbiscom™ a “disposable” card number is issued to which limited use conditions are applied. This approach appears to be of benefit for Internet transactions, however it is generally believed to be of little benefit for card present transactions.

25 In another approach, “neural intelligence” is used by the issuer to monitor proposed transactions and to block those which do not appear to fit a usage pattern for the cardholders. These systems monitor patterns of usage and on the basis of this monitoring, determine when usage is out of the ordinary. While this appears to be a very helpful approach, it suffers from practical problems. For example, a cardholder may find  
30 to his or her embarrassment and inconvenience that he or she can not use a card when on

- 2 -

holiday in a foreign country. The overall impression the cardholder has is that he or she is not in control and does not understand how his or her transactions are controlled.

5 The invention is therefore directed towards providing a system and method for real time processing of transactions to reduce overall fraud. Another object is to help ensure that cardholders are more in control of how their cards are used and that they are informed of what is happening.

#### SUMMARY OF THE INVENTION

10

According to the invention, there is provided a transaction processing system comprising an interface for receiving authorisation requests, an interface for transmitting authorisation outputs, and a processing means comprising means for determining from authorisation request data if the system output should be positive for negative,  
15 characterised in that the processing means comprises:

a setup means comprising means for storing transaction conditions associated with particular customers, and

20

authorisation means for dynamically retrieving a transaction condition associated with the customer of each authorisation request on a per-transaction basis and for applying said conditions to the authorisation request.

25

In one embodiment the setup means comprises an interface comprising means for allowing each customer to define said conditions.

In one embodiment said interface comprises a Web server.

- 3 -

In another embodiment the setup means comprises means for storing predefined template conditions, and for allowing a customer to select predefined template conditions for his or her card.

- 5 In a further embodiment the setup means comprises a fraud manager interface comprising means for allowing a fraud manager with access control to define said template conditions.

- 10 In one embodiment the predefined template condition comprises specific placeholders for conditions, values and logical operators.

In one embodiment the setup means comprises input means for allowing a customer to input customer specified parameters to the predefined template conditions.

- 15 In another embodiment each template comprises an associated action which is the action to be taken if, upon evaluation, the template condition evaluates to "true".

- 20 In a further embodiment at least some of the conditions are in the form of program code rules.

In one embodiment the setup means comprises means for maintaining a rule database.

- 25 In one embodiment the rule database comprises means for storing rules in a format which is indexed on a particular customer or customer card number.

In another embodiment said rules comprise system, product and customer rules.

- 30 In one embodiment said rules are stored in a format which does not require parsing of logical string-based expressions for processing.

- 4 -

In one embodiment the authorisation means comprises means for automatically transmitting a notification to a customer under control of the conditions.

5 In another embodiment the authorisation means comprises means for receiving confirmation of authorisation from a customer in response to a notification.

In a further embodiment the authorisation means comprises means for successively applying system-level, card product-level, and the customer conditions upon receipt of an authorisation request.

10

In another embodiment the authorisation request interface comprises a network interface for interfacing with a card payment network.

15 In one embodiment the authorisation request interface comprises a network interface for interfacing with an issuer front end system.

In one embodiment the output interface further comprises a card management system interface means for interfacing with an issuer card management system.

20 In one embodiment the network interface comprises means for communicating over TCP/IP, X.25, Serial, Modem, SNA or any other communication format.

In a further embodiment the network interface comprises for converting received messages into a general standard data format.

25

In another embodiment the network interface comprises a communication header module for converting received messages into a standardised data sequence of bytes.

- 5 -

In one embodiment the card management system interface comprises a protocol header module comprising means for converting a standardised sequence of bytes received from the network interface into an internal format for processing.

- 5 In another embodiment the card management system interface comprises a protocol header module comprising means for converting a standardised sequence of bytes received from a communications header module into an internal format for processing.

- 10 In a further embodiment the communication header and the protocol header modules comprise means for sequentially checking for, receiving, converting and routing messages and data.

- 15 In one embodiment the communication header and protocol header modules comprise means for routing transaction requests and responses between the card payment network and card management system.

In one embodiment the authorisation means comprises means for updating the rules database in real time.

- 20 In another embodiment the authorisation means comprises means for automatically transmitting a notification to a fraud manager if a possible fraud is detected.

- 25 In a further embodiment the setup means comprises means for automatically transmitting a notification to a customer if a possible fraud is detected.

In one embodiment the authorisation means comprises means for automatically transmitting a notification to a customer if an authorisation request is rejected.

- 6 -

In another embodiment the authorisation means comprises means for automatically transmitting a notification to a customer if a request is authorised, allowing a customer to maintain a local log of authorised requests.

- 5 In a further embodiment the setup means comprises means for controlling customer activation of a card.

In one embodiment said controlling means comprises an on-line banking interface.

- 10 In another embodiment said controlling means comprises an ATM interface.

In a further embodiment the authorisation means comprises means for receiving a cardholder request that a card be deactivated.

- 15 In one embodiment said means comprises means for receiving an SMS from a cardholder.

According to another aspect of the invention, there is provided A transaction processing method carried by a verification system, and comprising the steps of:

20

(i) receiving a transaction condition associated with a customer ;

(ii) writing said condition to a condition database also storing conditions associated with other customers;

25

(iii) receiving a transaction authorisation request from a transaction network;

(iv) processing said received authorisation request by dynamically retrieving a condition associated with the customer of the authorisation request on a per transaction basis;

30



- 7 -

(v) applying said condition and determining from the authorisation request data if the requested transaction should be approved or denied.

## 5 DETAILED DESCRIPTION OF THE INVENTION

### Brief Description of the Drawings

The invention will be more clearly understood from the following description of some  
10 embodiments thereof, given by way of example only with reference to the accompanying drawings in which:-

Fig. 1 is a flow diagram illustrating signal transfers for transaction processing of the invention;

15

Figs. 2(a), 2(b) and 2(c) are block diagrams illustrating alternative arrangements for connecting the components of a verification system of the invention;

Fig. 3 is a diagram showing interaction between a front end system and a card  
20 management system;

Figs. 4, 5, and 6 are flow diagrams showing signalling at a lower level;

Fig. 7 is a flow diagram illustrating processing steps in more detail;

25

Fig. 8 is a diagram illustrating a database object containing templates and cardholder rules;

Figs. 9 to 13 are diagrams illustrating interactions between a fraud manager and a rule  
30 database;

- 8 -

Figs. 14 and 15 are diagrams showing interactions between a fraud manager and a Web server;

5 Figs. 16 to 27 are diagrams showing interaction between people of various roles and systems of the invention; and

Figs. 28, 29, and 30 are sample screen shots for system displays.

## 10 Description of the Embodiments

Referring to Fig. 1, in overview, in a step A a cardholder system 1 accesses a banking interface 2 via the Internet, although it may alternatively be via wireless device, telephone or branch visit. The banking interface 2 is operated by an issuing bank of  
15 which the cardholder is a customer. The interface 2 is connected to an issuing system 3, in turn connected to a verification system 4. The interface 2 allows the cardholder to input rules governing how credit card transactions with her card are to be authorised. These rules can be set according to a wide variety of parameters such as:-

- deny if merchant is located outside of Ireland,
- 20 • deny if the transaction amount exceeds EUR300, or
- notify me by SMS for every transaction greater than EUR100.

The rules are updated to the verification system in a step B, and are maintained in a rule database. They can be dynamically varied by the cardholder or by issuer personnel such  
25 as a fraud manager.

In a step C the cardholder initiates a purchase transaction with her card, the transaction being handled by a merchant system 5. In a step D the merchant system 5 forwards the transaction details to an acquiring system 6, which in step E forwards an authorisation  
30 request to a card network device 7. In a step F the verification system 4 executes the

- 9 -

rules created by the cardholder in order to pass on or deny the transaction. If passed on, the issuing system 3 is updated in a step G, otherwise a deny signal is transmitted in a step H.

- 5 It will be appreciated that the systems and method allow the cardholder to be involved in the overall authorisation cycle so that usage control is tailored to his or her requirements.

This opens up other services in addition to effective fraud control. For example, a rule may require for an SMS notification to be forwarded to a parent every time a card is used.

- 10 This allows parents to continually monitor and track usage for parental control and information purposes. In effect, suitable rules can cause a full audit trail to be generated in real time, when the information is required and is of most benefit.

- 15 We shall refer to the sequence of Fig. 1 as being the 'authorisation chain'. It can be described as a chain because it consists of the Merchant requesting an authorisation from an Acquirer; an Acquirer requesting an authorisation from the network and the network requesting authorisation from the Issuer.

- 20 This invention inserts into this chain a device whose function is to implement Cardholder authorisation rules. This device is located at an Issuer's premises or at a remote location and is connected to the Issuer's systems using secure communication means.

- 25 Figs. 2(a), 2(b) and 2(c) show three alternative arrangements for integrating the verification system into an authorisation system. The main components are the verification system (also referred to as the rule processor) 4, the card management (Issuer) system (CMS) 3, and optionally a front end system (FES) 10.

- 30 The function of the rule processor 4 is to decide whether a particular request should be passed on to the issuer or declined based on the processing of system, product and cardholder rules. The rule processor makes this decision by evaluating rules on the

- 10 -

authorisation request. These rules are read in from a rule database. Three types of rules can be entered into the rule database:

- Rules that must be evaluated on every authorisation request – ‘System Rules’
- Rules that must be evaluated on authorisation requests that relate to payment cards that form part of a particular product (“Product Rules”).
- Rules that must be evaluated on authorisation requests that are for particular payment cards – ‘Cardholder Rules’.

The CMS 3 is the terminal device in the authorisation chain. Authorisation request responses are generated by this device. The FES 10 interfaces with the card payment network and receives authorisation requests. The rule processor 4 further comprises an SMS/Email gateway 19 which allows email SMS, EMS, MMS or any other communication format messages to be sent to the cardholders or received from the cardholders.

Referring to Figs. 2(a) the rule processor 4 is connected between the FES 10 and the CMS 3. The corresponding Fig. 3 illustrates the flow of requests in this embodiment. In the normal mode of operation, an authorisation request received from the card payment network moves from the FES 10 and into the rule processor 4. The rule processor decides whether the authorisation request is sent on to the CMS 3, or whether an authorisation request response – a decline - is sent back to the network side device. The system also supports a bypass mode of operation used by default if a malfunction or failure is detected in the rule processor. In the bypass mode requests are routed directly from the FES to the CMS.

Referring to Fig. 2(b), in another embodiment the rule processor 4 is interfaced to the FES 10. In operation, authorisation requests from the card payment network received by the FES 10 are routed to the rule processor 4. The rule processor applies rules to the requests and sends them back into the FES which decides whether or not to route them to the CMS 3.

- 11 -

Referring to Fig. 2(c), in another embodiment authorisation requests are accepted from the card payment network into the rule processor 4, where rules are applied to the requests. The rule processor then routes permitted authorisation requests to the CMS 3.

5

The verification system (or rule processor) of the present invention is designed to integrate flexibly into existing card management (Issuer) systems. While it is possible to include additional functionality by adding more features to a particular 'card management system' because each card management system is different such an approach is problematic. The verification system is designed to be placed in the authorisation chain as a separate entity within that chain. However, in order to integrate the verification system into existing card management systems significant communications issues must be addressed.

15 Figs. 4 to 6 illustrate the communication modules and routing processes of the invention.

ISO8583 is used over many different types of communications media, depending on the equipment that is being used and the preferences of the institutions involved. These media include:

20

TCP/IP

X.25

SNA

Serial Line

25

Modem

Messages that are sent between entities involved in the authorisation process are standardised according to the ISO8583 standard – "Bank card originated messages – Interchange message specifications – Content for financial transactions'. To facilitate connection and integration of the verification system of the invention into an existing

30

- 12 -

authorisation chain a module which converts messages from any particular medium into a “stream of bytes” is used. This module is a CH (Communications Header).

Referring to Fig. 4 an ISO8583 Message is read by a CH (Communications Header) from  
5 whatever form of communications channel the incoming messages are arriving on. The message is converted into a sequence of bytes and passed to a PH (Protocol Header) module. The CH is a module that sends and receives data without regard to the content. It understands and implements the specifics needed to handle connections over different media – e.g. TCP/IP, X.25, Serial and Modem. It provides common functions for the set-  
10 up, management and teardown of open connections. The PH layer converts the message from a specific 8583-message implementation into an internal ‘Normalised’ form. This form is independent of any vendor specific implementations.

After being processed by a ‘Test Rules’ process of the rule processor (described later) the  
15 message is converted from the ‘Normalised’ form back into a specific 8583 implementation via the PH layer, and then is sent to its destination via the CH layer.

Referring to Fig. 5 the CH connects to its PH module. It then attempts to connect to its 8583 source using the specified method (TCP/IP, X.25 or Serial). It then checks whether  
20 there are any bytes ready to be accepted from the PH module. If there are no bytes available it immediately checks whether there are any available from the 8583 source. If there are none, it immediately goes back to check whether there are any bytes available from the PH and proceeds as before.

25 If there are bytes available from the PH, they are read, and sent to the 8583 source, and then checks are made for bytes being available from 8583 source and PH as before.

If there are bytes available from the 8583 source, they are read, and sent to the PH, and then checks are made for bytes being available from the PH and the 8583 source as  
30 before.

- 13 -

ISO8583 is a standard that describes the messaging that is used to allow organisations to exchange messages that relate to 'Bank Cards'. This specification although complete in many ways is interpreted differently by different organisations. The differences relate for example to the specific meaning of a field, or the choice of field to hold a particular piece of data or how a particular response is to be interpreted. For the invention, the implication of this problem is that a message from one source may differ significantly from a message from another source, not because of any difference in the core transaction details, but because of differences between the organisations that are feeding the transactions into the verification system.

Because of this, a technique is presented for converting many known implementations of ISO8583 into a single generalised format. Examples of 8583 protocol implementations include:

15

Vendor Implementation	Description
VISA BASE I	Visa Credit Card implementation
MasterCard CIS	MasterCard Credit Card implementation
BASE 24 Host ISO	ACI Credit Card implementation
Europay Host EM	MasterCard Credit & Debit Card implementation
VISA SMS	Visa Debit Card implementation
MasterCard MDS	MasterCard Debit Card implementation

Referring to Fig. 6 the PH initially connects to a 'Test Rules' process of the rule processor. It then connects to the CH. It checks whether there are any bytes available from the CH. If there are not, it immediately checks whether there are any messages available from the Application Process. If there are none, it goes back to check for bytes from the CH and so on.

- 14 -

If there are bytes available from the CH, they are read and converted into a message. At this stage, the message is in the format of a vendor specific implementation of ISO8583. This message is then converted into a normalised form using transformations that are specific to this specific PH. These transformations are very much related to each vendor's  
5 implementation and thus can be arbitrarily complicated. For example, a particular field may be broken down in a particular manner by a vendor implementation.

After the normalised message is generated, it is sent to the application process. The PH then goes back to checking for bytes from the CH.  
10

If a message is available from an application, it is read and converted to de-normalised form using PH transformations. It is then converted into a sequence of bytes and passed to the CH. The PH then goes back to checking for bytes from the CH.

15 Referring to Fig. 7 the authorisation cycle or "Test Rules" process of the rule processor is shown in more detail. The request is generated in step 101. If the number prefix is that of a valid product (step 102) in step 104 system rules are applied. If the output is negative in step 113 a decline response is generated. Otherwise, in step 105 product rules are applied. If the output is negative, again a decline response is generated. Otherwise,  
20 the Cardholder rules are applied in step 106. Again, this may provide a positive or a negative outcome.

The three possible outcomes of application of the sequence of three sets of rules are:

25       decline,  
          approve and pass to CMS, and  
          create fraud queue item.

The third outcome causes an item to be added to a fraud queue. In this embodiment, a decline outcome may cause a message to be sent to the Cardholder (steps 116, 117, 118).  
30



### Process Messages According to Defined Rules

The Cardholder can communicate through the Issuer's computer system. The Cardholder communicates with the Issuer's computer system through whatever means the Issuer's computer system supports – e.g. Internet, phone, WAP. By doing this, the Cardholder  
5 can enter a set of rules. A rule may be in the form of

IF (Condition) THEN (Action)

Each Condition can be a set of comparisons separated by AND and OR. Each  
10 comparison compares a authorisation request data element with a value. An example of a condition would be:

Amount > "100.00" AND (MerchantCountry = "IE" OR MerchantCountry ="UK")

This example condition would apply whenever the transaction amount is greater than 100  
15 and the Merchant is registered in Ireland or the UK.

Each action is one of three choices – either 'decline' or 'accept' or 'advise Fraud Manager or advise Cardholder in the event of an automatic confirmation system being implemented'. The term 'decline' means to not send the request onwards to the CMS, but  
20 to send an authorisation rejection back towards the Acquirer. The term 'accept' means to send the authorisation request on towards the Issuer. The term 'advise Fraud Manager' means to send a message to a Fraud Manager about the authorisation.

In addition to cardholder rules, the Fraud Manager in the issuing institution can also enter  
25 rules. These rules can be entered at three levels. The first of these is the set of rules that are run for every transaction that passes through the system – these are termed 'system' rules. The second of these is the set of rules that are run for each 'product' that the issuing institution markets. A product in this sense is a set of credit card number ranges that are grouped together. The third of these is the set of 'template rules' for a particular

- 16 -

product. These are pre-written rules that a Cardholder who has a card from particular product can 'opt into' without having to write the rule themselves.

The invention allows complex rules to be built and enables them to be executed in a very time-efficient manner by using template rules.

Each template is built in response to Fraud Manager inputs by the Fraud Manager and is given an index number (#1, #2, ..). Each template comprises a set of empty placeholders for up to ten conditions. Each condition comprises the following:

10

Template index Number	Unique identifier for this template.
Field Number	Number of field in message Eg 'Field32 could be Merchant Country'
Condition	Condition to apply to field Eg - 'equals' / 'does not equal' / 'is less than' / 'is greater than'
Value	- Value to compare against
Logical Operator	- Operator to use with next condition Eg - 'AND' / 'OR'

Also associated with each template is an 'Action'. This is the action to take if the condition evaluates to 'True'. Each action is composed of the following elements:

Event	- Event that should take place Eg - 'Decline' / 'Approve' / 'Advise'
Direction	- Direction to send message Eg - 'Forward' / 'Back'
Response Code	- Value to set in 'Response Code' field of message. Eg - '01 - refer to Card Issuer'

15

- 17 -

Each template also includes 'Notification' fields. These fields indicate whether an Email or SMS notification should be sent if the condition above evaluates to 'True'.

#### Cardholder Rules

- 5 Each cardholder rule comprises a reference to a template and any information required by that template. Accordingly, the fields involved are:

Card Number	-The unique number of the card
Template	-The number of the template to which this rule refers.
Parameter1	-If any conditions for this template require a parameter (eg Template condition is 'Amount >= User_Specified_Amount'), the first of these parameters is stored here.
Parameter2	-As Parameter1 above.
SMS Address	-SMS Address of this cardholder if required.
Email Address	-Email Address of this cardholder if required.
Sequence	-Sequence in which the rules associated with this cardholder should be executed.

- 10 All of the cardholder rules in the system are stored in the system database and are indexed and clustered on card number.

#### Real Time – not Batch

- 15 The invention allows Cardholders and Fraud Managers to view and modify rules while, at the same time, processing authorisation transactions using these rules. Updates to the rules can be made in real time with the effect of such a change being immediate.

- 20 In order to allow this to occur, 'database transactions' are defined for the purposes of reading and updating the table in which rules are stored. The purpose of these transactions is to allow updates to rules to occur in the moments between one authorisation transaction and the next.

- 18 -

### Processing Efficiency

The processing efficiency of the system is based upon the time taken to read all rules related to a particular card out of the database and the time taken to computationally  
5 apply the rules to the transaction in hand.

By having cardholder rules refer to templates rather than exist in a stand-alone manner makes each cardholder rule very small (<100 bytes). This means that a minimal amount of disk space will be used per rule, and so more rules can be read per database read.

10

By clustering the cardholder rules within the database on Card Number, all rules related to a particular Cardholder can be read in one disk read by the database.

By allowing templates to have specific placeholders for conditions, values and logical  
15 operators there is no requirement for the normal parsing of logical string-based expressions. Processing can proceed without the need for intensive string parsing.

Referring to Fig. 8, an example of a database object containing two templates and two sets of Cardholder rules is illustrated.

20

Template #1 contains the rule:

IF (Field32='Africa' OR Field32='Asia' OR Field32='Australia')

THEN

Sent Decline Back with Response Code 2

Send SMS and Email to Cardholder

25 Template #2 contains the rule:

IF (Field41.2='20' OR Field41.2='20)

- 19 -

THEN

Send Decline Back with Response Code 2

Cardholder Rules for card '1234123412341234':

IF (Card Number is '1234123412341234')

- 5                   Apply Template 1 with no parameters,  
and SMS Address 0872337868  
and Email Address joebloggs@aol.com  
                  Apply Template 2 with no parameters,  
and no SMS Address  
10               and no Email Address

Cardholder Rules for card '9999999999999999':

IF (Card Number is '9999999999999999')

- 15                   Apply Template 1 with no parameters,  
and SMS Address 0872337868  
and Email Address joebloggs@aol.com

20               Figs. 9 to 25 illustrate how Issuer Personnel and Cardholders interact with the rule processor.

Users of the system are as follows:

User	Role
Cardholder	The Cardholder is a person who holds a credit card, which has been issued by the Issuer. The invention primarily allows the Cardholder to add rules that control how his/her card is used.
Fraud	The Fraud Manager is an employee of the Issuer. The invention allows this

Manager	person to add rules to particular control how particular credit card products operate. This can be done in order to reduce Fraud, or in order to create new types of credit card products with different operating profiles.
CSR	The Customer Service Representatives answer queries from Cardholders. The invention allows CSRs to perform all of the tasks that a Cardholder can perform. Also, the CSR is able to view details on the authorisation requests and responses for particular cards over given time periods.
Technical Operator	The Technical Operator is responsible for starting and stopping the system, editing database data, applying new configuration data to the system and checking the status of the system.
Auditor	The Auditor's is allowed see, at a great level of detail the decisions being made by the system, and is able to trace these decisions back to individual messages and rules.

The Fraud Manager is that person in the Issuing Institution whose function is to track and minimise the incidence of fraud in the institution. This person and the Cardholder are the prime users of the system 4. The Fraud Manager configures the system 4 according to the needs of the Issuer. Figs. 9 to 15 illustrate some interactions of the Fraud Manager with the system.

#### **Fraud Manager adds or modifies products (Fig. 9)**

The Fraud Manager must define those products that the Issuer uses. A product is a set of credit cards that a Fraud Manager wishes to view as a single entity for the purpose of applying rules to them. These may in fact be individual products that the Issuer offers its customers (e.g. Standard Card, Gold Card, Platinum Card,) or they may be collections or subsets of same.

#### **15 Fraud Manager adds or modifies BIN (Fig. 10)**

Each Issuer has a set of allocated credit card number prefixes (Bank Identifier Numbers or 'BIN's). In the natural course of events, it divides these up between the products that it

- 21 -

creates. For instance, it might create a student credit card product, a normal credit card product and a gold credit card product. These products, and their associated BIN's are entered into the system as part of the product definitions.

#### 5 **Fraud Manager modifies system or product or template rules (Fig. 11)**

The Fraud Manager can add rules to the system 4 of types 'System', 'Product' or 'Template'. Rules lie at the core of the system 4 and are in three types. Each rule type is applied in the following order to each authorisation request message:

- 10 • System Rules are applied to all messages arriving from the network.
- Product Rules are applied to all messages in particular BIN ranges arriving from Network.
- Cardholder rules are applied to all messages that relate to a particular credit card number. A Cardholder rule can be created in one of two ways:
- 15 • It can be created by the Fraud Manager as a template rule, and can then be opted into by the cardholder. For example, the Fraud Manager might create a template rule that defines how to reject a transaction if the Merchant is not a European merchant. A Cardholder might then be asked whether they wanted to 'switch on' this rule on their card. If they decide to, a new rule is generated for them, based on the template rule.
- 20 • The Cardholder can generate it directly.

#### **Fraud Manager modifies rule sequence (Fig. 12)**

The order of execution within each set of rules (system, product and cardholder) can be modified by the Fraud Manager as required.

25

#### **Fraud Manager views cardholder rules (Fig. 13)**

The Fraud Manager can view but not modify Cardholder rules. A "PAN", is the industry term for a credit card number ("Primary Account Number").

#### 30 **Fraud Manager reviews fraud queue and acknowledges an item (Fig. 14)**

- 22 -

A fraud queue is a queue of issues that Fraud Managers go through on a regular basis. These issues are those items that have matched rules whose action was 'Advise Fraud Manager' or 'Decline'. Each item on the fraud queue has to be acknowledged by a Fraud Manager. Several different Fraud Managers can be looking at the fraud queue and  
5 acknowledging items at the same time.

#### **Fraud Manager requests report (Fig. 15)**

The Fraud Manager can get various reports from the system 4. These can relate to fraud queue, activated rules, tracked rules, active rules, and suspended rules.

10

#### **Fraud Manager sets up system options (Fig. 16)**

There are various system settings that the Fraud Manager needs to set up. These settings are global, i.e. in that they apply to all products.

- Monitor only without declining
- 15 • Archival Options – when to archive and how old items must be before they are archived.

Figs. 16 and 17 illustrate how a cardholder can interact with the system. The Cardholders can enter rules themselves. One way that they can do this is by choosing to have a particular rule from a template enabled. The list of templates available to a Cardholder  
20 whose payment card is part of a particular product might be:

- Deny Access Outside Ireland
- Deny Access Outside Europe
- Deny Access Outside Europe and US
- 25 • Deny Access to Internet Merchants
- Deny All Transactions unless Specified
- Deny All Internet Transactions unless Specified
- Allow One-Time Transaction for (£50, £100, £500, £1000)



- 23 -

Alternatively, the Cardholder can define a Rule from scratch in the same way that the Fraud Manager defines one.

**Cardholder requests list of templates available for credit card number, and adds one (Fig. 16)**

The invention provides the interface to the Issuer's online banking system. This interface is web-based, although it is not expected that the web interface is delivered directly to the Cardholder. Rather, it is expected that the web-based interface is driven by the Issuer's computer systems. Here a list of template rules is provided, from which the Cardholder can add one or more for their particular credit card.

**Cardholder requests list of current rules for cardholder and can delete one (Fig. 17)**  
Referring to Fig. 17, the Cardholder requests a list of current rules available and selects the option to delete one. The Cardholder requests the set of rules that are set up for a particular PAN. The Cardholder can then optionally delete one of these rules.

The Cardholder generates a new rule rather than choosing from a list of pre-defined template rules and applies this rule to the credit card.

As shown in Fig. 18 the system supports access by a Customer Service Representative. The Issuer's CSR (Customer Service Representative) can perform all functions that a Cardholder can perform as well as one other. The same interface is used for CSR functions as is provided for Cardholder functions. It is expected that an Issuer's existing CSR application will be integrated to allow this extra functionality.

Referring to Fig. 18, the CSR can see logged activity for a credit card number over a time range. The CSR can look into a particular item and see the underlying message if available.

**Functional Requirement – allow Auditor to verify integrity of system**

- 24 -

The Issuer's auditors – internal and external – must be able to see how and why the software functions in the way that it does. The overall functionality of the system is to allow Issuers and Cardholders to selectively decline transactions, so the reason for a transaction either being declined or not has to be clear to an Auditor.

5

**Auditor views transaction log (Fig. 19)** The Auditor can look into the transaction log to see the detail of the processing of the system.

**Auditor examines one particular set of rules in detail (Fig. 20)**

- 10 The Auditor can enable rule tracking, which enables the Auditor to track all of the decisions relating to a particular rule. When rule tracking is switched on the Auditor will see each condition being tested and the result of the test.

**Functional Requirement – allow technical team to control and configure system**

- 15 The Technical Operator has the job of configuring the system for use, and maintaining it thereafter. Most of this configuration resides in the database. However, it would be inefficient for the processing nodes to have to read their own configuration from the database. Instead their configuration is loaded into a local database on each processing node. This means that there is a requirement for parts of the database to be loaded into the
- 20 local database on each processing node by the Technical Operator.

**Technical Operator modifies database through web browser (Fig. 21)**

The Technical Operator can modify all tables in the database through a web browser.

- 25 **Technical Operator starts/stops processing nodes (Fig. 22)**

The Technical Operator uses an application to allow the starting and stopping of each processing node 15.

**Technical Operator sends new configuration to the processing nodes (Fig. 23)**

- 25 -

The technical operator must instruct the processing nodes to begin using the new registry that they have been sent, This is achieved with this use case.

**Technical Operator triggers the processing nodes to begin using a new configuration (Fig. 24)**

The technical operator must instruct the processing nodes to begin using the new registry that they have been sent, This is achieved with this use case.

**O&M node checks status of processing nodes (Fig. 25)**

- 10 The O&M Node sends a status request message once every 10 seconds to each O&M node. The O&M node replies with a response, and on the basis of this, the O&M Node database entry is updated.

**Functional Requirement – perform all system maintenance functions automatically**

- 15 At the end of each period (such as a day), the system 4 must run several procedures automatically.

**Database is backed up (Fig. 26)**

The database is backed up to tape on a nightly basis.

20

**Database is restored (Fig. 27)**

The data on tape can be restored into the database.

- 25 The system 4 generates a large number of messages and logged items. These objects are taken out of the database after they have been there for a period of time in order to prevent the database from growing too large. Over time, the expired rules (rules that are past the end of their stop date) must be archived. Management information (MIS) reports are run from a different database server. Entities relevant to MIS reports are copied into a separate database.

30

- 26 -

### **Fraud alarm/ Rejection alarm/ Authorisation confirmation**

This invention allows notifications (SMS/email) that are sent to cardholders to serve different functions:

5

- They can be configured to act as a 'Fraud Alarm'

Rules are set within the rule processor to prevent fraud. When a rule infringement and possible fraud is detected, a fraud alarm can be triggered and a notification sent to the cardholder in order to alert them of possible fraud.

10

- They can be configured to act as a 'Rejection Alarm'

A notification can be sent to alert the cardholder about a transaction that has been declined for a reason other than the infringement of a rule. For instance, if the card management system decides that a particular transaction would push a cardholder over their credit limit, it normally does this silently. However, the invention can be configured to see this rejection and to send a message to the cardholder informing them of the rejection.

15

- They can be configured to act as an 'Authorisation Confirmation'

A notification can be sent to a cardholder whenever a transaction is approved. A cardholder may wish to use this feature to maintain an email log of all transactions on a card.

20

The invention can be configured to see all approvals and to send a message to the cardholder informing them of the approval.

25

### **Card Activation**

Much credit card fraud exists in the form of "Mail Fraud". This fraud occurs when a fraudster intercepts a letter containing a credit card, which is on the way to a cardholder.

30

- 27 -

In order to eliminate this form of fraud, the system 4 can establish rules denying the use of each recently issued credit card until an activation event occurs. This activation event can have a number of forms:

- 5     • The cardholder goes to an ATM machine and enters the new card followed by the allocated PIN. A transaction is then sent to the issuing bank from the ATM. This transaction is specially formatted to that when the transaction goes through to the processor of the invention, the processor deactivates the rule that is denying the card use. The card is thus "Activated".
- 10    • Alternatively the cardholder could use his/her computer to access and switch off the rule that is denying the card's use. The card can be thus activated.

#### **Online-banking access**

15     The invention allows rules to be accessed by Cardholders through an online banking platform. The online banking platform is responsible for construction of credit card management web page. The online banking platform calls the verification system in order to construct the required web page.

20     The verification system of the invention provides four services to the online banking platform to aid it in constructing the card management web page:

- List all rules that a Cardholder can switch on.
- Display all rules that a Cardholder can switch off.
- Switch a rule on.
- 25    •Switch a rule off.

Referring to Fig. 28, a screen of the interface 2 is shown, the screen shown is an example of a basic rule activation screen. The customer can access this screen through their online banking channel, at an ATM, or through a customer representative. This basic rule  
30     activation is part of the existing renewal or registration process. For example the Issuer

- 28 -

may inform the Cardholder that their card will not operate in a specific geographic region that may be sensitive to fraud unless the Cardholder informs them to the contrary by telephone or online that there are specific countries that they wish to "turn on".

- 5 In another application, as shown in Fig. 29, a customer segment uses the verification system through the card product they have chosen to use i.e. where the card product has predetermined parameters e.g. transaction type or geographic set to Issuer determined defaults when the card is issued but changed by the Cardholder to suit their own particular requirements whether it is security or control they are concerned about.

10

These products are designed for Cardholders who may wish to have more active participation in how a card is used, for example, an ancillary card issued by a parent to a child where the parent wishes to control how, where and when the card is used by the child. Fig. 29 illustrates an example of a parent controlled teenager card and how the

- 15 verification system enhances the security and control for the parent.

The card product design of this particular customer segment would be driven by specific customer needs for credit control and security. An example of this would be a corporate Card Manager as detailed in Fig. 30. Designed for the corporate market where a financial

20 controller may wish to centrally control the individual usage profiles of the company's payment card base using rules similar to previous examples. Rules could also exclude specific merchants or alternatively may allow the card to be used only at specific merchants i.e. as a controlled purchasing card.

- 25 Transaction rules form an important part of the operation of card management systems by card issuers. These are rules that are usually applied at either a system level i.e. a rule that will apply to all cards issued by that institution or at a product level i.e. a rule that will apply to a particular card product such as a Gold Card. An example of a rule might be to deny or refer all transactions from a country that is deemed to be a particular
- 30 hotspot for card fraud.

- 29 -

It will be appreciated that the invention allows the cardholder to control what happens in the authorisation process via the establishment of a rule set that will apply to all cardholder's transaction. The cardholder can remotely create, delete or amend rules e.g.  
5 through online banking channels. In addition the invention at the Issuers discretion allows for the cardholder to be alerted in real-time of a rule infringement thus alerting him to potential misuse of their payment card and allows them to respond automatically to this alert in real-time to confirm their authenticity thus allowing the transaction to proceed.

10

It is expected that the invention will reduce and displace the incidence of fraud in payment card networks. It effectively helps manage the risk of card fraud. The system can be used as a complementary technology and as such the card Issuers can implement it as another line of defence in the fight against fraud.

15

The invention is not limited to the embodiments described but may be varied in construction and detail.

- 30 -

Claims

1. A transaction processing system comprising an interface for receiving authorisation requests, an interface for transmitting authorisation outputs, and a processing means  
5 comprising means for determining from authorisation request data if the system output should be positive or negative, characterised in that the processing means comprises:  
  
a setup means comprising means for storing transaction conditions  
10 associated with particular customers, and  
  
authorisation means for dynamically retrieving a transaction condition associated with the customer of each authorisation request on a per-transaction basis and for applying said conditions to the authorisation  
15 request.
2. A transaction processing system as claimed in claim 1, wherein the setup means comprises an interface comprising means for allowing each customer to define said conditions.  
20
3. A transaction processing system as claimed in claim 2, wherein said interface comprises a Web server.
4. A transaction processing system as claimed in any preceding claim, wherein the  
25 setup means comprises means for storing predefined template conditions, and for allowing a customer to select predefined template conditions for his or her card.
5. A transaction processing system as claimed in claim 4, wherein the setup means  
30 comprises a fraud manager interface comprising means for allowing a fraud manager with access control to define said template conditions.



- 31 -

6. A transaction processing system as claimed in claims 4 or 5 wherein the predefined template condition comprises specific placeholders for conditions, values and logical operators.
- 5
7. A transaction processing system as claimed in any of claims 4, 5 or 6, wherein the setup means comprises input means for allowing a customer to input customer specified parameters to the predefined template conditions.
- 10
8. A transaction processing system as claimed in any of claims 4 to 7, wherein each template comprises an associated action which is the action to be taken if, upon evaluation, the template condition evaluates to "true".
- 15
9. A transaction processing system as claimed in any preceding claim, wherein at least some of the conditions are in the form of program code rules.
10. A transaction processing system as claimed in claim 9, wherein the setup means comprises means for maintaining a rule database.
- 20
11. A transaction processing system as claimed in claim 10, wherein the rule database comprises means for storing rules in a format which is indexed on a particular customer or customer card number.
- 25
12. A transaction processing system as claimed in claim 11, wherein said rules comprise system, product and customer rules.
13. A transaction processing system as claimed in claims 10 or 11, wherein said rules are stored in a format which does not require parsing of logical string-based expressions for processing.

- 32 -

14. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for automatically transmitting a notification to a customer under control of the conditions.
- 5 15. A transaction processing system as claimed in claim 14, wherein the authorisation means comprises means for receiving confirmation of authorisation from a customer in response to a notification.
- 10 16. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for successively applying system-level, card product-level, and the customer conditions upon receipt of an authorisation request.
- 15 17. A transaction processing system as claimed in any preceding claim, wherein the authorisation request interface comprises a network interface for interfacing with a card payment network.
- 20 18. A transaction processing system as claimed in claim 17, wherein the authorisation request interface comprises a network interface for interfacing with an issuer front end system.
19. A transaction processing system as claimed in any of claims 17 or 18, wherein the output interface further comprises a card management system interface for interfacing with an issuer card management system.
- 25 20. A transaction processing system as claimed any of claims 17 or 18, wherein the network interface comprises means for communicating over TCP/IP, X.25, Serial, Modem, SNA or any other communication format.

- 33 -


21. A transaction processing system as claimed in any of claims 17, 18 or 20, wherein the network interface comprises means for converting received messages into a general standard data format.
- 5 22. A transaction processing system as claimed in claim 21, wherein the network interface comprises a communication header module for converting received messages into a standardised data sequence of bytes.
- 10 23. A transaction processing system as claimed in claims 19 to 22, wherein the card management system interface comprises a protocol header module comprising means for converting a standardised sequence of bytes received from the network interface into an internal format for processing.
- 15 24. A transaction processing system as claimed in claim 19 or 22, wherein the card management system interface comprises a protocol header module comprising means for converting a standardised sequence of bytes received from a communications header module into an internal format for processing.
- 20 25. A transaction processing system as claimed in any of claims 22 to 24, wherein the communication header and the protocol header modules comprise means for sequentially checking for, receiving, converting and routing messages and data.
- 25 26. A transaction processing system as claimed in any of claims 17 to 25, wherein the communication header and protocol header modules comprise means for routing transaction requests and responses between the card payment network and card management system.
- 30 27. A transaction processing system as claimed in any of claims 10 to 26, wherein the setup means comprises means for updating the rules database in real time.

- 34 -

28. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for automatically transmitting a notification to a fraud manager if a possible fraud is detected.
- 5 29. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for automatically transmitting a notification to a customer if a possible fraud is detected.
- 10 30. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for automatically transmitting a notification to a customer if an authorisation request is rejected.
- 15 31. A transaction processing system as claimed in any preceding claim, wherein the authorisation means comprises means for automatically transmitting a notification to a customer if a request is authorised, allowing a customer to maintain a local log of authorised requests.
- 20 32. A transaction processing system as claimed in any preceding claim, wherein the setup means comprises means for controlling customer activation of a card.
33. A transaction processing system as claimed in claim 32, wherein said controlling means comprises an on-line banking interface.
- 25 34. A transaction processing system as claimed in claim 32, wherein said controlling means comprises an ATM interface.
- 30 35. A transaction processing system as claimed in any of claims 17 to 34, wherein the authorisation means comprises means for receiving a cardholder request that a card be deactivated.

- 35 -

36. A transaction processing system as claimed in claim 35, wherein said means comprises means for receiving an SMS from a cardholder.
37. A computer program product comprising software for completing a transaction processing system as claimed in any of claims 1 to 36 when executing on a digital computer.
38. A transaction processing method carried by a verification system, and comprising the steps of
- (i) receiving a transaction condition associated with a customer ;
  - (ii) writing said condition to a condition database also storing conditions associated with other customers;
  - (iii) receiving a transaction authorisation request from a transaction network;
  - (iv) processing said received authorisation request by dynamically retrieving a condition associated with the customer of the authorisation request on a per transaction basis;
  - (v) applying said condition and determining from the authorisation request data if the requested transaction should be approved or denied.






Fig.2(a)

Fig.2(b)

3/18




Fig.2(c)






Fig.3




Fig.4




Fig.5

7/18




Fig.6

8/18




Fig.7

Template #1	Cond 1	Cond 2	Cond 3	Cond 4	Cond 5	Cond 6	Cond 7	Cond 8	Cond 9	Cond 10	Action	Notify
	Field 32	Field 32	Field 32	X	X	X	X	X	X	X	Decline	SMS
	Equals	Equals	Equals	X	X	X	X	X	X	X	Back	Email
	Africa	Asia	Australia	X	X	X	X	X	X	X	Response Code 2	
	OR	OR	X	X	X	X	X	X	X	X		

Template #2	Cond 1	Cond 2	Cond 3	Cond 4	Cond 5	Cond 6	Cond 7	Cond 8	Cond 9	Cond 10	Action	Notify
	Field41.2	Field41.2	X	X	X	X	X	X	X	X	Decline	X
	Equals	Equals	X	X	X	X	X	X	X	X	Back	X
	20	20	X	X	X	X	X	X	X	X	Response Code 2	
	AND	X	X	X	X	X	X	X	X	X		

Rules of CardHolder #1

Card Number	Template	Parameter 1	Parameter 2	SMS address	Email address	Sequence
1234123412341234	1	X	X	087 2337868	joe.bloggs@aol.com	1
1234123412341234	2	X	X	X	X	2

Rules of CardHolder #2

Card Number	Template	Parameter 1	Parameter 2	SMS address	Email address	Sequence
999 999 9999 999 999	1	X	X	087 2337868	joe.bloggs@aol.com	1

Fig.8




Fig.9




Fig.10

11/18




Fig.11




Fig.12




Fig.13






Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27

ABC Online Banking

Control Card: **VISA-034**

Please define below where and how your card can be used.

Allow Transactions with vendors in the following areas:

☐ Europe

☐ North America

☐ Africa

☐ Asia

☐ Australia (incl New Zealand)

☐ South America

Set Individual Countries

Set Individual Countries

Set Individual Countries

Set Individual Countries

Set Individual Countries

Set Individual Countries

Allow the following types of transactions:

☐ At Counter

☐ Internet

☐ Telephone

☐ Mail Order

Notify me when a transaction is:

☐ Refused

☐ Accepted

☐ By SMS

☐ By eMail

☐ By SMS

☐ By eMail

0873231231

frank.cantwell@aol.com

0873231231

frank.cantwell@aol.com

Finished

Deposit A/C

Current A/C

>Credit Card A/C

Register Card

>Control Card

Balance Enquiry

Statement

Pay Bill

Transfer

Fig.28

ABC Online Banking

balance  
statement  
transfer  
payment  
cheque search  
account maintenance  
share dealing  
loans online  
>> teen cards

Teen Cardholder

William Murphy

Card

VISA-964

Action

Freeze Card

Settings

☐ Junior Settings ☐ Senior Settings

Senior Settings

Transaction Limit of   
Time of day   
Transaction Types allowed

- ☐ Shop
- ☐ Mail order
- ☐ Internet
- ☐ Cash Withdrawal

Geographic Usage

- ☐ Ireland
- ☐ Europe
- ☐ Other
- ☐ UK
- ☐ US

Save Changes

Senior Notifications

Parent

SMS Number:

E-Mail:

Notifications

☐ Approved Transactions

☐ Declined Transactions

☐ Accept relevant promotional messages

Teenager

SMS Number:

E-Mail:

Notifications

☐ Approved Transactions

☐ Declined Transactions

☐ Accept relevant promotional messages

Fig.29

ABC Online Banking

Login/Logout

Card List

> Edit Card Rules

Card operated by Cantwell, Gerard

Company Notifications:

Transactions Declined

Transactions Approved

Cardholder Notifications:

Transactions Declined

Transactions Declined

Transactions Approved

Transactions Approved

Per Transaction Limit

EUR 500.00

Allow Currencies

US Dollar

Euro

Sterling

Other

Time Limit on Transactions: (local time)

8:00am

to

8:00pm

Allow Transactions with vendors in the following areas:

Africa

Asia

Australia (incl New Zealand)

Europe

South America

North America

Set Individual Countries

Set Individual Countries

Set Individual Countries

Set Individual Countries

Set Individual Countries

Allow the following types of transactions

At Counter

Internet

Telephone

Mail Order

Allow cash withdrawals from ATM machine

Yes

No

accounts@primus.com

accounts@primus.com

cantwell@primus.com

0872229843

Mail Address

Mail Address

SMS Number

Mail Address

SMS Number

Fig.30

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IE 02/00093

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G07F7/08 G07F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 745 961 A (AT & T CORP) 4 December 1996 (1996-12-04) column 3, line 44 -column 4, line 4; claims 1,2,7,10,18-22; figures 1,3,7,8,10-12 column 7, line 16-47 ---	1-38
X	US 4 874 932 A (KIMIZU RYUICHI) 17 October 1989 (1989-10-17) abstract; claims 1,2,7; figures 5A,5B column 2, line 42 -column 4, line 68 ---	1,37,38
A	WO 00 63855 A (BARTON PETER R) 26 October 2000 (2000-10-26) abstract; claims 67-78 page 3, line 5 -page 8, line 8 --- -/--	1-38



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

9 October 2002

Date of mailing of the international search report

23/10/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Höhn, M



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/IE 02/00093

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 813 173 A (HITACHI LTD ;HITACHI VIDEO &amp; INF SYST (JP)) 17 December 1997 (1997-12-17) abstract; claim 1; figure 3 -----</p>	1-38

## INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/IE 02/00093

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0745961	A	04-12-1996	US 5708422 A	13-01-1998
			CA 2176163 A1	01-12-1996
			DE 69617097 D1	03-01-2002
			DE 69617097 T2	20-06-2002
			EP 0745961 A2	04-12-1996
			JP 8339407 A	24-12-1996
<hr/>				
US 4874932	A	17-10-1989	JP 1084372 A	29-03-1989
			JP 2054078 C	23-05-1996
			JP 7082507 B	06-09-1995
			JP 1084373 A	29-03-1989
			JP 2041673 C	09-04-1996
			JP 7078812 B	23-08-1995
			JP 1098060 A	17-04-1989
			JP 2062426 C	24-06-1996
			JP 7097382 B	18-10-1995
<hr/>				
WO 0063855	A	26-10-2000	AU 4476300 A	02-11-2000
			WO 0063855 A1	26-10-2000
<hr/>				
EP 0813173	A	17-12-1997	JP 10003568 A	06-01-1998
			AU 694694 B2	23-07-1998
			AU 2487297 A	18-12-1997
			CN 1182918 A	27-05-1998
			EP 0813173 A2	17-12-1997
			NZ 328054 A	27-05-1998
			US 6345263 B1	05-02-2002
			US 2002029380 A1	07-03-2002
<hr/>				