



US00D412676S

**United States Patent** [19]  
**Layes**

[11] **Patent Number: Des. 412,676**  
[45] **Date of Patent: \*\* Aug. 10, 1999**

- [54] **COMBINED AUTOMATIC RADIO AND DETECTION SENSOR**
- [75] Inventor: **Joachim J Layes**, Kowloon, The Hong Kong Special Administrative Region of the People's Republic of China
- [73] Assignee: **U.S. Philips Corporation**, New York, N.Y.
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **29/083,098**
- [22] Filed: **Jan. 21, 1998**
- [30] **Foreign Application Priority Data**  
Jul. 30, 1997 [XH] Hague Agreement ..... DMA/003 800
- [51] **LOC (6) Cl.** ..... **10-05**
- [52] **U.S. Cl.** ..... **D10/106**
- [58] **Field of Search** ..... D14/137, 155, D14/171, 172, 95, 99; D10/104, 106, 116, 121; 340/540, 541, 545, 571, 572, 573, 628, 629, 630

- [56] **References Cited**  
**U.S. PATENT DOCUMENTS**
- D. 261,998 11/1981 Munz ..... D10/106
- D. 294,571 3/1988 Sabin et al. .... D10/106
- D. 297,222 8/1988 Rauch ..... D10/106
- D. 306,409 3/1990 Fish ..... D10/106
- D. 308,947 7/1990 Downing ..... D10/106


*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Ernestine C. Bartlett

[57] **CLAIM**  
The ornamental design for a combined automatic radio and detection sensor, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view showing my design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG.7