US00D352935S

United States Patent [19]

Etoh

[11] Patent Number: Des. 352,935

[45] Date of Patent: ** Nov. 29, 1994

[54] **OPTICAL SCANNER**

[75] Inventor: **Taro Etoh**, Nagoya, Japan

[73] Assignee: **Nippondenso Co., Ltd.**, Kariya, Japan

[**] Term: **14 Years**

[21] Appl. No.: **10,836**

[22] Filed: **Jun. 25, 1993**

[30] **Foreign Application Priority Data**

Dec. 25, 1992 [JP] Japan 4-38393

[52] **U.S. Cl.** **D14/116**

[58] **Field of Search** 235/375, 378, 454, 462, 235/472, 486; 354/80-82; 382/58-69; 250/203.1, 216, 566, 568; D14/100, 114, 116; D26/37, 45, 50

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 293,795	1/1988	Yamamoto	D14/116
D. 319,436	8/1991	Matsushita	D14/116
D. 331,576	12/1992	Yamanaka	D14/116
D. 341,584	11/1993	Shepard et al.	D14/116
D. 342,064	12/1993	Harden	D14/116

Primary Examiner—Wallace R. Burke
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for an optical scanner, as shown and described.

DESCRIPTION

FIG. **1** is a top perspective view of an optical scanner showing my new design;
FIG. **2** is a bottom perspective view thereof;
FIG. **3** is a top plan view thereof;
FIG. **4** is a front elevational view thereof, a rear elevational view being a mirror image of the front elevational view;
FIG. **5** is a bottom plan view thereof;
FIG. **6** is a left side elevational view thereof; and,
FIG. **7** is a right side elevational view thereof.
The broken line drawings of a cord in FIGS. **1** and **2** are for illustrative purposes only and form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

