

(To be lodged in duplicate)

REPUBLIC OF SOUTH AFRICA  
PATENTS ACT, 1978

## PUBLICATION PARTICULARS AND ABSTRACT

(Section 32(3)(a) - Regulations 22(1)(g) and 31)

REFERENCE : P31514ZA00

OFFICIAL APPLICATION NO.

LODGING DATE

ACCEPTANCE DATE

21 01 2005 / 06 463

22/23 12 August 2005

43 03 - 03 - 2005

INTERNATIONAL CLASSIFICATION

NOT FOR PUBLICATION

51 A61K

CLASSIFIED BY :

## FULL NAME(S) OF APPLICANT(S)

BOEHRINGER INGELHEIM PHARMACEUTICALS, INC.

71

## FULL NAME(S) OF INVENTOR(S)

DeSTEFANO, George, A.

72 KELASH-CANNAVO, Linda, Jean

## EARLIEST PRIORITY CLAIMED

## COUNTRY

## NUMBER

## DATE

33	US	60/456,113	20 March 2003
		31	32

NOTE : The country must be indicated by its  
International Abbreviation - see Schedule 4  
of the Regulations.

## TITLE OF INVENTION

FORMULATION FOR A METERED DOSE INHALER USING HYDRO-FLUORO-ALKANES AS PROPELLANTS

54

57 ABSTRACT (NOT MORE THAN 150 WORDS)

NUMBER OF PAGES 22

FOR ABSTRACT SEE THE NEXT SHEET

2005/06463

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
7 October 2004 (07.10.2004)

PCT

(10) International Publication Number  
WO 2004/084858 A2

(51) International Patent Classification<sup>7</sup>: A61K 9/00 (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number: PCT/US2004/008375

(22) International Filing Date: 19 March 2004 (19.03.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 60/456,113 20 March 2003 (20.03.2003) US

(71) Applicant (for all designated States except US): BOEHRINGER INGELHEIM PHARMACEUTICALS, INC. [US/US]; 900 Ridgebury Road, P.O. Box 368, Ridgefield, CT 06877-0368 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): DESTEFANO, George [US/US]; Boehringer Ingelheim Pharmaceuticals, Inc., 900 Ridgebury Road, P.O. Box 368, Ridgefield, CT 06877-0368 (US). KELASH-CANNAVO, Linda, Jean [US/US]; Boehringer Ingelheim Pharmaceuticals, Inc., 900 Ridgebury Road, P.O. Box 368, Ridgefield, CT 06877-0368 (US).

(74) Agents: RAYMOND, Robert, P. et al.; Boehringer Ingelheim Corporation, 900 Ridgebury Road, P.O. Box 368, Ridgefield, CT 06877-0368 (US).

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SI, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 2004/084858 A2

(54) Title: FORMULATION FOR A METERED DOSE INHALER USING HYDRO-FLUORO-ALKANES AS PROPELLANTS

(57) Abstract: An improved suspension formulation for use in a metered-dose inhaler having a hydro-fluoro-alkane propellant is described, the improvement being the controlled addition of a small quantity of water.

**Formulation for a Metered Dose Inhaler Using Hydro-Fluoro-Alkanes as Propellants****Application Data**

This application claims benefit to US provisional application no. 60/456,113 filed 03/20/2003.

**Background of the Invention**

The physical stability (particle size growth, flocculation rate, sedimentation/creaming behaviors) of a non-aqueous based suspension metered dose inhaler (MDI) formulation is a critical factor that affects the pharmaceutical performance characteristics of the drug product. For a suspension MDI, the key pharmaceutical performance characteristics of the formulation include reproducible dosing, ready dispersibility of the suspended medicament, and minimal particle size change over time.

Water has long been considered to have a negative impact on the physical stability of non-aqueous suspensions. In the literature, the following two aspects are well established:

- a) too much water results in altered sedimentation characteristics leading to fast sedimentation and therefore to variability in dose of the suspended active ingredient, and
- b) too much water can alter the particle size distribution by contributing to the formation of flocculates and aggregates of the individual drug particles or can cause solubilizing and re-crystallizing of drug particles.

**Summary of the invention**

It is therefore an object to provide a formulation wherein the amount of water is about 0.13 to about 0.18 percent (w/w) of the product formulation.

It is another object of the invention to provide a meter dose inhaler containing the formulation according to the invention.

It is yet another object of the invention to provide a process of making a formulation according to the invention.

### Detailed Description of the Preferred Embodiments

The inventors have determined that a minimum amount of water is needed to ensure adequate re-dispersion of the suspended active ingredient. The term "product formulation" shall be understood to mean all components as described herein contained in the metered dose inhaler. It shall be appreciated by the skilled artisan that this amount of water (w/w) of the product formulation is the final volume, and that one or more of the components may already possess water. The amount of water to add to achieve the desired amount in the product formulation can be determined without undue experimentation by those of ordinary skill in the art from the teachings in this application and from methods known in the art. Preferably, the amount of water is 0.16 %w/w of the product formulation. In this case, it has been found by the inventors of this application that adding about 0.13% or 0.14% of water to the other components as shown in the tables below achieves the preferred amount.

If the active ingredient is not readily re-dispersible, then, after a period of non-use by the patient, the amount of active ingredient per actuation will not be on target (either super-potent or sub-potent). The addition of specific amounts of water can aid in the ready re-dispersibility of the active ingredient in the metering chamber. This finding has been established for a suspension/solution formulation for use in a metered dose inhaler using an hydro-fluoro-alkane (HFA) as propellant. Specifically, a formulation comprising albuterol sulfate and ipratropium bromide, together with various other excipients and carriers, is described, using the HFA known in the industry as 134a.

Suitable excipients will be apparent to those of ordinary skill in the art. These include, but are not limited to: organic acids such as citric acid, lubricants such as oleic acid, ethanol and carriers.

Suitable carriers will be apparent to those of ordinary skill in the art. These include, but are not limited to: soy lecithin, polyvinylpyrrolidones, organic polymers, phospholipids.

There are various MDI publications in the literature including US Publications 30 2003/0066525, 2003/0089368, US2001031244, US2003089369, US2003190287, US2003206870, US Patent nos. 5,225,183, 5,919,435, 6,306,368, 5,836,299, 6,092,696,

6,234,362, 6,036,942, 5,682,875, 6,305,371, and PCT publications WO 95/02651, WO 97/01611, WO 03/002169, WO 00/30607, WO 00/30608 and WO 98/56349 and EP 1 241 113, many deal with all aspects of HFA formulations. The inventors are not aware of any formulation patent publications for suspension MDIs that requires or recommends water to 5 be added to the formulation to enhance performance.

Therefore, in one embodiment there is provided:

a formulation comprising  
water in an amount of about 0.13 to about 0.18 percent (w/w) of the product formulation,  
10 at least one HFA as a propellant,  
one or more active ingredients, and  
one or more excipients.

In another embodiment there is provided:

15 a formulation comprising  
water in an amount of about 0.13 to about 0.18 percent (w/w) of the product formulation,  
at least one HFA as a propellant,  
albuerol sulfate,  
ipratropium bromide, and  
20 one or more excipients.

Below are three tables showing formulations incorporating the invention, that is, the deliberate addition of water to a formulation to be used in an MDI using at least one HFA as a propellant. The first two tables provide specific details for such formulation  
25 having albuerol sulfate and ipratropium bromide as active ingredients. The first table provides the formulation with no canister overfill.

Table 1

COMPONENT	MASS PER CAN	PERCENT
Albuterol Sulphate (micronized)	0.0240g	0.208
Ipratropium Bromide (monohydrate)	0.0042g	0.036
Ethanol (dehydrated, USP)	1.153g	10
Water	0.0150g	0.13
Polyvinylpyrrolidone (PVP, K-25)	0.0058g	0.050
Citric Acid (anhydrous)	0.0005g	0.004
HFA 134a (1,1,1,2-tetrafluoroethane)	10.3285g	89.542
<b>TOTAL</b>	<b>11.5310g</b>	<b>100</b>

5

The second table provides the same albuterol sulfate and ipratropium bromide formulation with a projected canister overfill included.

Table 2

COMPONENT	MASS PER CAN	PERCENT
Albuterol Sulphate (micronized)	0.0309g	0.208
Ipratropium Bromide (monohydrate)	0.0054g	0.036
Ethanol (dehydrated, USP)	1.482g	10
Water	0.0193g	0.13

Polyvinylpyrrolidone (PVP, K-25)	0.0074g	0.050
Citric Acid (anhydrous)	0.0006g	0.004
HFA 134a (1,1,1,2-tetrafluoroethane)	13.2744g	89.542
<b>TOTAL</b>	<b>14.82g</b>	<b>100</b>

The third table provides expected ranges for an albuterol sulfate/ipratropium bromide formulation according to the present invention.

5

Table 3

COMPONENT	MASS PER CAN	PERCENT
Albuterol Sulphate (micronized)	0.0240g 0.0216 – 0.0264 (+/-10%)	0.208
Ipratropium Bromide (monohydrate)	0.0042g 0.0038 – 0.0046 (+/-10%)	0.036
Ethanol (dehydrated, USP)	1.153g	10
Polyvinylpyrrolidone (PVP, K-25)	0.0058g 0.0049g – 0.0067g (+/-15%)	0.050
Citric Acid (anhydrous)	0.0005g	0.004
HFA 134a (1,1,1,2-tetrafluoroethane) and/or HFA 227	10.325g	89.542
<b>TOTAL</b>	<b>11.5125g</b>	<b>100</b>

This invention will provide a solution to the problem of actuation variability in formulations used in MDIs having at least one HFA as propellant where:

- a) the formulation has a suspended, solid medicament and
- b) the valve is designed to include a metering chamber, that is an area for the formulation to be dosed or dispensed to reside between actuations or dosings.

Provided these two conditions are met, there is the potential that the addition of a small, controlled amount of water can improve the redispersibility of the formulation in the metering chamber. This possibility exists regardless of whether the formulation is a "pure" suspension, that is, no drug or active ingredient is dissolved in the formulation. This possibility is also independent of the solid medicament, the stabilizing agent (if one is used), the propellants used or the type of co-solvent, if any, used.

Therefore, in another embodiment of the invention, there is provided a metered dose inhaler comprising

15 a formulation as described herein above wherein the albuterol sulfate, and the ipratropium bromide of the formulation is suspended;  
a valve containing a metering chamber that is an area for the formulation to be dosed or dispensed to reside between actuations or dosings.

20 In yet another embodiment of the invention, there is provided a process of making a formulation as described herein above, comprising:

preparing a concentrate by adding :  
ethanol, citric acid, ipratropium bromide monohydrate, polyvinylpyrrolidone and  
25 albuterol sulfate;  
preparing a propellant, ethanol and water mixture, said mixture containing:  
propellant HFA 134a,  
a mixture of ethanol and water;  
adding the concentrate to the mixture of propellant-ethanol-water to provide the  
30 formulation.

A formulation according to the present invention can be made as follows:

## 1. Concentrate Preparation

### Prepare Concentrate with:

5 Ethanol,  
Citric acid  
Ipratropium bromide monohydrate  
PVP  
Albuterol Sulfate

10 Do not add water.

## 2. Dispensing of Propellant, Ethanol and Water

### Charge Formulation Vessel with:

15 Propellant HFA 134a  
Mixture of ethanol/water

#### Concentration of Formulation at this Process Step:

Propellant	95.45%
Ethanol	4.38%
Water	0.17%

### 3. Final Product Formulation

Add concentrate (from Step 1) to the mixture of propellant-ethanol-water

#### Concentration of Formulation at this Process Step:

25	Propellant	89.84%
	Ethanol	10.00%
	Water	0.16%
	Actives	negligible
	PVP	negligible
	Citric acid	negligible

30

All publications cited in this application are incorporated herein by reference in their entirety.

**WHAT IS CLAIMED IS:**

1. A Formulation comprising  
water in an amount of about 0.13 to about 0.18 percent (w/w) of the product formulation,  
5 at least one HFA as a propellant,  
one or more active ingredients, and  
one or more excipients.
2. The formulation according to claim 1 wherein the amount of water is 0.13 to 0.16 %w/w  
10 of the product formulation.
3. The formulation according to claim 1 wherein the active ingredients are albuterol sulfate  
and ipratropium bromide.
- 15 4. The formulation according to claim 3 wherein the HFA propellant is HFA 134a.
5. The formulation according to claim 4 wherein the excipients are ethanol, citric acid and  
polyvinylpyrrolidone.
- 20 6. A metered dose inhaler comprising  
a formulation according to claim 3 wherein the albuterol sulfate, and the ipratropium  
bromide of the formulation is suspended;  
a valve containing a metering chamber that is an area for the formulation to be dosed or  
dispensed to reside between actuations or dosings.
- 25 7. A process of making a formulation according to the claim 5 comprising:  
preparing a concentrate by adding :  
ethanol, citric acid, ipratropium bromide monohydrate, polyvinylpyrrolidone and  
albuterol sulfate;
- 30 preparing a propellant, ethanol and water mixture, said mixture containing:

propellant HFA 134a,  
a mixture of ethanol and water;  
adding the concentrate to the mixture of propellant-ethanol-water to provide the formulation.