



(51) International Patent Classification:

A01N 25/02 (2006.01) A01P 5/00 (2006.01)  
A01N 43/90 (2006.01) A01P 7/00 (2006.01)

(21) International Application Number:

PCT/EP2013/056879

(22) International Filing Date:

2 April 2013 (02.04.2013)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/620,041 4 April 2012 (04.04.2012) US

(71) Applicant: SYNGENTA PARTICIPATIONS AG  
[CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventors: POPP, Christian; Syngenta Crop Protection  
Münchwilen AG, Schaffhauserstrasse, CH-4332 Stein  
(CH). WYSS, Peter; Syngenta Crop Protection AG,  
Schwarzwaldallee 215, CH-4058 Basel (CH).

(74) Agent: ARUNASALAM, V-Cumaran; Wro-1004-6-22,  
Schwarzwaldallee 215, CH-4058 Basel (CH).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,  
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,

DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,  
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,  
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,  
NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU,  
RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ,  
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,  
ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,  
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,  
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,  
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,  
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,  
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,  
ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a  
patent (Rule 4.17(ii))
- of inventorship (Rule 4.17(iv))

Published:

- with international search report (Art. 21(3))

(54) Title: PESTICIDAL COMPOSITION

(57) Abstract: Non-aqueous pesticidal macrolide compositions are provided which comprise (A) a major amount of at least one non-aqueous solvent selected from a glycol ether and a lactimide; (B) a minor amount of a mixture of (i) at least one pesticide selected from abamectin and emamectin benzoate, and (ii) optionally, at least one surfactant. In one embodiment, the at least one pesticide selected from abamectin and emamectin benzoate is present in the composition in an amount of at least 7% by weight. In another embodiment, the compositions of the invention are chemically stable. The compositions of the invention can be used directly as a concentrate for treating or reducing tree pest infestations by trunk injection or with dilution in water for control of pests in crops of useful plants.



-1-

## 5 PESTICIDAL COMPOSITION

[0001] The present invention relates to a pesticidal macrolide composition, and also relates to a method for treating or reducing pest infestation of trees by injecting an effective amount of the composition into the trunk of the tree.

10 [0002] The challenge involved in developing commercially acceptable products containing agriculturally active compounds continues to increase due to the rapid emergence of more complex customer and regulatory requirements. For example, in the case of scenic trees planted in parks, schools or residential areas, various restrictions have been placed on spraying of pesticides. In order to overcome these restrictions, trunk injection preparations have conventionally been used. For example, 15 arborists may inject liquids, such as insecticides, fungicides, growth regulators, nutrients and/or fertilizers, into the sapwood of tree trunks in an effort to maintain or improve the health of the trees and/or to treat or reduce tree pest infestations.

[0003] In order to be effective, tree trunk injection compositions should exhibit excellent chemical 20 stability of the active ingredients and should maintain a high level of physical stability under a severe range of storage and use conditions.

[0004] In addition, suitable tree injection compositions should have low a phytotoxicity potential relative to the tree being injected, a dosage level that provides reduced injection times and treatment 25 frequencies, and an acceptable translocation/residue profile for controlling insect and nematode pests that have extended emergence periods, multiple generations per year, have local populations that increase exponentially over time, or are disease vectors.

[0005] There continues to be a need for new tree injection compositions and methods for treating or 30 reducing tree pest infestations which allows extended control of insect and nematode pests in trees.

## SUMMARY OF THE INVENTION

[0006] Pesticidal macrolide compositions are provided which comprise (A) a major amount of at least one non-aqueous solvent selected from a glycol ether and a lactimide; (B) a minor amount of a mixture 35 of (i) at least one pesticide selected from abamectin and emamectin benzoate, and (ii) optionally, at least one surfactant. In one embodiment, the at least one pesticide selected from abamectin and emamectin benzoate is present in the composition in an amount of at least 7% by weight. In another embodiment,

-2-

5 the compositions of the invention are chemically stable and are non-aqueous. The compositions of the invention can be used directly as a concentrate for treating or reducing tree pest infestations by trunk injection or with dilution in water for control of pests in crops of useful plants.

#### BRIEF DESCRIPTION OF THE DRAWINGS

10 [0007] Having thus described the invention in general terms, reference will now be made to the accompanying drawings wherein:

[0008] **FIG. 1** is a line chart of the translocation data of table 1 regarding a composition of the invention relative to a comparative composition; and

15

[0009] **FIG. 2** is a logarithmic line chart of the translocation data of table 2 regarding a composition of the invention relative to a comparative composition.

#### DETAILED DESCRIPTION OF THE INVENTION

20 [0010] In one embodiment, an AL composition of the present invention is prepared by combining at least one non-aqueous solvent selected from a glycol ether and a lactimide and homogenising the solvent with at least one optional surfactant, an optional stabilization agent (e.g., BHT) and then charging at least one pesticide selected from abamectin and emamectin benzoate until dispersed or dissolved.

25 [0011] The term "major amount" as used herein generally means a predominant amount, while a "minor amount" refers to an amount less than a major amount as defined herein. More specifically, the term "major amount" when used with reference to the solvent system means at least 75wt. % and the term "minor amount" means less than 25 wt. % of the solvent system; more particularly, "major amount" means at least 80% and "minor amount" less than 20%; most particularly, "major amount" means at  
30 least 90% and "minor amount" less than 10% by weight of the solvent system.

[0012] In one embodiment, the at least one pesticide selected from abamectin and emamectin benzoate is present in the composition in an amount of from 7 to 15% w/v.

35 [0013] The term "stable" as used herein with reference to a pesticidal AL of the invention means meeting or exceeding FAO requirements at ambient storage temperature and at elevated temperature, for

-3-

5 example, around 3% breakdown after 2 weeks @ 54 °C, about same level of breakdown after 6 months at RT (20 – 25 °C) , or 4% break down after one year at room temperature.

[0014] Accordingly, in one embodiment, the present invention relates to a stable, non-aqueous pesticidal AL composition comprising: (A) a major amount of at least one non-aqueous solvent selected from a glycol ether and a lactimide; (B) a minor amount of a mixture of (i) at least one pesticide selected from abamectin and emamectin benzoate, (ii) optionally, at least one surfactant and (iii) optionally, at least one stabilization agent.

[0015] Further, the compositions of the present invention may optionally comprise an active ingredient other than an abamectin or emamectin benzoate.

[0016] Examples of additional pesticides include fungicides and plant growth regulators such as paclobutrazole, mandipropamid and propiconazole.

20 [0017] Examples of suitable non-aqueous solvents include glycol ethers such as dialkylene glycol monoalkyl ether and, more particularly, dipropylene glycol monomethyl ether and isomer mixtures thereof; lactimides selected from dialkyl lactimide, more particularly, dimethyl lactamide; and a mixture of dimethyl lactamide and dipropylene glycol monomethyl ether and isomer mixtures thereof. Particular examples of suitable solvents include DOWANOL DPM Glycol ether and AGNIQUE AMD 3L

25 [0018] The presence of surfactants is not required in the AL in accordance with the invention. However, in one embodiment, the composition comprises at least one surfactant selected from a non-ionic surfactant, an anionic surfactant and a mixture of anionic and non-ionic surfactants in an amount of from 0 to about 15% by weight, suitably from 0 to about 10% by weight, and more suitably from 0 to 30 2% by weight.

[0019] In one embodiment, the non-ionic surfactant is selected from at least one tristyrylphenol ethoxylate having an average of 16 to 60 oxyethylene units.

35 [0020] In another embodiment, the anionic surfactant is selected from at least one sulfated or phosphated tristyrylphenol ethoxylates having an average of 6 to 20 and salts thereof.

5

[0021] In an embodiment, the alkoxyated polyarylphenol is a polyethoxylated, arylalkylphenols, such as, for example, 2,4,6-tris(1-phenylethyl)phenol (tristyrylphenol) having an average degree of ethoxylation of between 10 and 80, suitably from 16 to 40, such as SOPROPHOR BSU (RHODIA). Also suitable are EO/PO block copolymers of polyarylphenols, such as SOPROPHOR 796/P(RHODIA) and STEP-FLOW 1500 (STEPAN); tristyrylphenol ethoxylates having an average of 16 to 60, suitably 16 to 50, oxyethylene units; moreover sulfated or phosphated tristyrylphenol ethoxylates having an average of 6 to 20, suitably 7 to 16, oxyethylene units, and also salts of these substances; wherein specific mention may be made of commercial products known under the names Soprophor FLK (from Rhodia), Soprophor 3 D33 (from Rhodia), and Soprophor S/40-P (from Rhodia); and ethoxylated tristyrylphenol sulphate, ammonium salt.

10

15

20

[0022] In another aspect, the composition of the invention may contain at least one stabilization agent such as PAP (acid phosphate isopropyl) and BHT (2,6-di(tert-butyl)-4-methylphenol) in an amount, for example, of from 0 to 3% by weight; or from 0.5 to 2% by weight. Examples of the other suitable formulation auxiliaries in coloring agents such as pigments and dyes, for example.

25

30

[0023] In one embodiment, the composition of the invention may generally be used to combat or control infestation of plant species by pests by diluting an amount of the inventive AL concentrate composition with a suitable liquid carrier, such as water or liquid fertilizer, and applying the dilute solution to the plant, tree, animal or locus as desired by foliar spray, or by macro infusion of trees with dilute solutions or by tree micro infusion when using more concentrated solutions. The selection of application rates relative to providing a desired level of pesticidal activity for a composition of the invention is routine for one of ordinary skill in the art based on currently existing product labels directions for use of abamectin and emamectin benzoate products.

35

[0024] Suitable crops of useful plants for treatment by dilute spray solutions prepared from the inventive AL concentrate by foliar spray include canola, cereals such as barley, oats, rye and wheat, cotton, maize, soya, sugar beets, fruits, berries, nuts, vegetables, flowers, trees, shrubs and turf. The components used in the composition of the invention can be applied in a variety of ways known to those skilled in the art, at various concentrations. The rate at which the dilute compositions are applied will depend upon the particular type of pests to be controlled, the degree of control required, and the timing

-5-

5 and method of application. Application rates will depend on factors such as level of pest pressure, plant conditions, weather and growing conditions as well as the activity of the active ingredients and any applicable label rate restrictions.

10 [0025] Advantageously, the AL concentrate in accordance with the invention is particularly suited for use in a method of controlling arthropods such as insects as well as nematode pests in trees by tree injection. The AL composition according to the invention is applied to trees without dilution by tree injection techniques known in the art, including tree micro infusion, tree micro-injection (TMI) and the like, in conifers, broadleaf trees and palms against a broad range of arthropods such as insect pests and mites, as well as nematodes. Arthropods which can be treated and or controlled in the practice of the  
15 method of the invention include, for example, leaf and phloem feeding lepidopterous larvae. The composition of the invention is also active against a broad range of insect pests such as hemiptera (foliar and seed bugs), coleoptera (weevils including bark beetles, borers, longhorn beetles), sawflies and mites, and also nematode pests such as pine wood nematodes.

20 [0026] In one embodiment, the AL concentrate composition of the invention is applied into active xylem tissue or sapwood of trees such as amenity, forest, municipal or plantation trees including conifers, broadleaf trees and palms by the use of tree injection methodology and application equipment known in the art. For example, suitable specialized tree injection, micro-injection and micro-infusion equipment includes, but is not limited to, the TREE I.V. micro-infusion system, the QUIK-jet tree micro  
25 injection device, the Air/Hydraulic microinjector (Arborjet, Inc. Woburn, MA, USA) as well as the equipment and methodology described and claimed in published international application WO2012/114197 (Syngenta Crop Protection) which is incorporated by referenced herein.

30 [0027] The selection of application rates and tree injection methods relative to providing a desired level of activity against arthropods such as insects or nematodes for a composition of the invention is routine for one of ordinary skill in the art. More specifically, in one embodiment, a determination is made of how many boreholes are to be included in the trunk of a tree, then the boreholes are formed in the tree trunk with a drill bit, plugs are mounted in the boreholes and the composition of the present invention is injected into the boreholes using tree micro-injection equipment. A suitable number of boreholes can be  
35 determined by calculating the tree diameter at breast height (DBH; 1.3 M above the ground) measured in cm or inches as the case may be. In one embodiment, the composition is applied in an amount to

-6-

- 5 provide and application rate of from 0.1 to 0.4g of active ingredient (abamectin or emamectin benzoate) per inch DBH of the tree to be treated. In another embodiment, the composition is applied in an amount to provide and application rate of from 0.04 to 0.16g of active ingredient per cm DBH of the tree to be treated.
- 10 [0028] In one embodiment, at least one macrolide selected from abamectin and emamectin benzoate is present in the composition in an amount of from 7 to 15% w/v; or from 7 to 15% w/w.
- [0029] In another embodiment, at least one macrolide selected from abamectin and emamectin benzoate is the present in the composition in an amount of from 8 to 10% w/v; or from 8 to 10% w/w; in one
- 15 embodiment, the composition comprises up to 11% emamectin benzoate . In another embodiment, the composition comprises up to 9.5% emamectin benzoate, 2% by weight of a mixture of anionic and non-ionic surfactants, 0.5 % by weight BHT and a solvent selected from dipropyleneglycol monomethylether (mixture of isomers).
- 20 [0030] Advantageously, the concentrate AL compositions of the invention are chemically and physically stable and require significantly less time to inject an effective amount of an active ingredient such as emamectin benzoate or abamectin by tree injection techniques relative to comparable commercially available emamectin tree injection compositions such as TREE-äge™ for example.
- 25 [0031] In one embodiment, the composition of the invention can be injected 2 to 9 times faster at the comparable high rate 0.4g of active ingredient per inch DBH in pines and deciduous trees relative to tree injection compositions comprising lower concentrations of emamectin benzoate or abamectin (such as tree injection compositions comprising up to 4% emamectin benzoate).
- 30 In one embodiment, the composition of the invention has a translocation/residue profile which is superior to known tree injection compositions, in particular, known emamectin benzoate tree injection compositions. More specifically, injected formulations that provide multiple years of activity must move (spatially) from the original injection site in the xylem tissue into new vascular tissue in order to be effective against insect and nematode pests. Surprisingly, an AL in accordance with the invention
- 35 will translocate at a more controlled rate from the injection point and through the tree vascular system into the canopy as compared with a commercial standard (TREE-äge™ comprising up to 4% emamectin

-7-

5 benzoate). The improved temporal and spatial presentation of the active ingredient in to the tree and the canopy provided by the inventive AL composition and tree injection method of use is particularly suited for circumstances where extended systemic pest activity is desired. For example, extended translocation periods as provided by tree injection with the AL composition of the invention can be useful for control of insect pests having extended emergence periods, multiple generations per year, have populations that  
10 are increasing exponentially in a treatment zone of interest, or are disease vectors.

[0032] The following examples illustrate further some of the aspects of the invention but are not intended to limit its scope. Where not otherwise specified throughout this specification and claims, percentages are by weight.

15 Example 1 – Demonstration of superior translocation/residue profile

Comparative Composition: Revive™ (=TREE-age®), a 4% emamectin benzoate composition containing THFA as carrier solvent). (Compare)

Composition of the Invention: a 9.5% w/v emamectin benzoate (EMA) composition containing 2% w/v  
20 of a non-ionic/anionic surfactant mixture, 0.5% stabilization agent and dipropyleneglycol monomethylether (mixture of isomers) as carrier solvent. (Inventive)

Dose rate: 0.08 g ai/ cm DBH;

Application Comparative: Revive at 6 June 2010 and 30 May 2011;

Application Inventive: 30 May 2011

25 Replicates: 3 trees per treatment

Analysis / assessments: Per tree 18 leaves from 2 canopy levels and 3 different positions from each level at each time period tested.



5

Table 1

Composition	Application	Assessment 2011: (ppb EMA in leaves)						
		Apr	May	Jun	Jul	Aug	Sep	Oct
<u>Comparative</u>								
2011	May 2011		0	1403	1718	2180	3212	1867
<u>Comparative</u>								
2010	June 2010	151	181	263	195	315	382	445
Inventive 2011	May 2011		0	56	67	94	104	138

Table 2

Composition	Persistence	Assessment 2011 - 2012(ppb EMA in leaves)						
		Apr	May	Jun	Jul	Aug	Sep	Oct
<b><u>Comparative</u></b>	1st year	0	0	1403	1718	2180	3212	1867
	2nd year	151	181	263	195	315	382	445
	3rd year				<b>183</b>			
<b>Inventive</b>	1st year	0	0	56	67	94	104	138
2012	2nd year				<b>64</b>			

10 [0033] This example shows that an AL in accordance with the invention will translocate at a more controlled rate from the injection point and through the tree vascular system into the canopy as compared with a commercial standard (TREE-äge™ comprising up to 4% emamectin benzoate).

15 [0034] Although only a few exemplary embodiments of this invention have been described in detail above, those skilled in the art will readily appreciate that many modifications are possible in the exemplary embodiments without materially departing from the novel teachings and advantages of this invention. Accordingly, all such modifications are intended to be included within the scope of this invention as defined in the following claims.

5 We claim:

1. A non-aqueous pesticidal macrolide composition comprising: (i) A major amount of at least one non-aqueous solvent selected from a glycol ether and a lactimide; (ii) at least 7% by weight of at least one pesticide selected from abamectin and emamectin benzoate, and (iii) optionally, at least one surfactant.

10

2. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one non-aqueous solvent is a glycol ether selected from at least one dialkylene glycol monoalkyl ether.

15

3. The non-aqueous pesticidal macrolide composition of claim 2, wherein the dialkylene glycol monoalkyl ether is a dipropylene glycol monomethyl ether isomer mixture.

4. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one non-aqueous solvent is a lactimide selected from at least one dialkyl lactimide.

20

5. The non-aqueous pesticidal macrolide composition of claim 4, wherein the dialkyl lactimide is dimethyl lactamide.

25

6. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one non-aqueous solvent is a mixture of dimethyl lactamide and at least one dipropylene glycol monomethyl ether.

7. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one pesticide is present in the composition in an amount of from 7 to 15% w/v.

30

8. The non-aqueous pesticidal macrolide composition of claim 6, wherein the at least one pesticide is present in the composition in an amount of from 8 to 10% w/v.

9. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one pesticide is abamectin.

35

-10-

- 5 10. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one pesticide is emamectin benzoate.
11. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one surfactant is selected from a non-ionic surfactant.
- 10 12. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one surfactant is selected from an anionic surfactant.
13. The non-aqueous pesticidal macrolide composition of claim 1, wherein the at least one surfactant is selected from a mixture of anionic and non-ionic surfactants.
- 15 14. The non-aqueous pesticidal macrolide composition of claim 11, wherein the non-ionic surfactant is selected from at least one tristyrylphenolethoxylate having an average of 16 to 60 oxyethylene units.
- 20 15. The non-aqueous pesticidal macrolide composition of claim 12, wherein the anionic surfactant is selected from at least one sulfated or phosphated tristyrylphenolethoxylates having an average of 6 to 20 and salts thereof.
- 25 16. A method of controlling arthropod or nematode pests in trees which comprises injecting into the trunk of a tree an effective amount of a composition according to claim 1.




FIG 1




FIG. 2

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/EP2013/056879

## A. CLASSIFICATION OF SUBJECT MATTER

INV. A01N25/02 A01N43/90 A01P5/00 A01P7/00  
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, CHEM ABS Data, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP H07 173017 A (SUZUKI TOSHIO) 11 July 1995 (1995-07-11) paragraphs [0020], [0027], [0028], [0041] tables 1,5	1-16
Y	----- DATABASE WPI Week 199536 Thomson Scientific, London, GB; AN 1995-272810 XP002699578, & JP H07 173017 A (SUZUKI T) 11 July 1995 (1995-07-11) abstract ----- -/-	1-16



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

28 June 2013

Date of mailing of the international search report

11/07/2013

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040,  
Fax: (+31-70) 340-3016

Authorized officer

Zanobini, Alessandra

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/EP2013/056879

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 2009/027626 A2 (SYNGENTA LTD [GB]; BELL GORDON ALASTAIR [GB]; HARRIS CLAIR LOUISE [GB]) 5 March 2009 (2009-03-05) page 1, line 26 - page 2, line 19 page 5, line 13 - page 6, line 8 page 7, line 23 - page 8, line 6 -----	1-10,16
Y	GB 2 482 299 A (SYNGENTA LTD [GB]) 1 February 2012 (2012-02-01) page 1, line 21 - page 2, line 30 -----	4-6,16
Y	FR 2 951 447 A1 (RHODIA OPERATIONS [FR]) 22 April 2011 (2011-04-22) page 1, line 18 - page 3, line 15 page 8, line 5 - page 9, line 20 page 29 - page 36, line 5 page 37, line 9 - line 30 page 39, line 25 - line 31 -----	4-6,16
Y	WO 2007/057028 A1 (CHEMINOVA AS [DK]; PEDERSEN MORTEN [DK]; WOLDUM HENRIETTE SIE [DK]) 24 May 2007 (2007-05-24) page 4, line 5 - line 21 page 5, line 5 - line 10 page 6, line 28 - page 7, line 19 page 11, line 29 - line 30 tables 2,4,5 -----	11-15
Y	US 2006/147485 A1 (PEDERSEN MORTEN [DK] ET AL) 6 July 2006 (2006-07-06) paragraphs [0003] - [0009], [0018] - [0024], [0051], [0057], [0063], [0079] -----	11-15

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2013/056879

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP H07173017	A	11-07-1995	NONE
JP H07173017	A	11-07-1995	NONE
WO 2009027626	A2	05-03-2009	AP 2515 A 26-11-2012
		AR 068616 A1 25-11-2009	
		AU 2008292011 A1 05-03-2009	
		CA 2695499 A1 05-03-2009	
		CN 101784185 A 21-07-2010	
		CR 11246 A 19-04-2010	
		DO P2010000063 A 31-03-2010	
		EA 201070306 A1 30-06-2010	
		EG 26192 A 09-04-2013	
		EP 2194779 A2 16-06-2010	
		GT 201000048 A 15-03-2012	
		JP 2010536834 A 02-12-2010	
		KR 20100058502 A 03-06-2010	
		MA 31620 B1 02-08-2010	
		NZ 583090 A 22-12-2011	
		TW 200913880 A 01-04-2009	
		US 2011230437 A1 22-09-2011	
		WO 2009027626 A2 05-03-2009	
		ZA 201000995 A 27-10-2010	
GB 2482299	A	01-02-2012	NONE
FR 2951447	A1	22-04-2011	EP 2491008 A1 29-08-2012
		FR 2951447 A1 22-04-2011	
		US 2012302791 A1 29-11-2012	
		WO 2011048314 A1 28-04-2011	
WO 2007057028	A1	24-05-2007	AR 056808 A1 24-10-2007
		AU 2006314902 A1 24-05-2007	
		BR PI0618685 A2 06-09-2011	
		CN 101309587 A 19-11-2008	
		EA 200801357 A1 27-02-2009	
		EP 1947945 A1 30-07-2008	
		JP 5043026 B2 10-10-2012	
		JP 2009515912 A 16-04-2009	
		KR 20080070747 A 30-07-2008	
		NZ 569083 A 31-03-2011	
		PE 08802007 A1 24-09-2007	
		TW 200803741 A 16-01-2008	
		US 2011009350 A1 13-01-2011	
		WO 2007057028 A1 24-05-2007	
		ZA 200804830 A 29-04-2009	
US 2006147485	A1	06-07-2006	NONE