



US00D799736S

(12) **United States Design Patent**
Hendifar et al.

(10) **Patent No.:** **US D799,736 S**

(45) **Date of Patent:** **** Oct. 10, 2017**

(54) **CYLINDER-SHAPED LIGHT FIXTURE**

D394,323 S * 5/1998 West D26/63
D399,330 S * 10/1998 Geier D26/88
D400,287 S * 10/1998 Littman D26/88
D418,624 S * 1/2000 Vanderbyl D26/87

(Continued)

(71) Applicant: **APPARATUS LLC**, New York, NY
(US)

(72) Inventors: **Gabriel Hendifar**, Rhinebeck, NY
(US); **Jeremy R. Anderson**, Rhinebeck,
NY (US)

(73) Assignee: **APPARATUS LLC**, New York, NY
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,218**

(22) Filed: **Mar. 16, 2016**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**

USPC **D26/88**; D26/87; D26/63

(58) **Field of Classification Search**

USPC D26/63, 76, 81, 83, 84, 86, 87, 88, 90,
D26/91, 118

CPC F21S 8/04; F21S 8/043; F21S 8/046; F21S
8/06; F21S 8/061; F21S 8/063; F21S
8/065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

926,426 A * 6/1909 Koch et al. F16M 11/12
108/23
D101,872 S * 11/1936 Hurlbut D26/88
3,089,028 A * 5/1963 Klampferer F21S 6/003
248/122.1
3,277,292 A * 10/1966 Horan F21V 21/32
248/160
D226,497 S * 3/1973 O'Brien D26/108
3,736,417 A * 5/1973 Williams F21S 8/06
248/317
D231,559 S * 4/1974 Darling et al. D26/63
D311,256 S * 10/1990 Frattini D26/87

OTHER PUBLICATIONS

Cylinder extended downlight by Apparatus Studio. Brochure ©
2015. (2 pages).*

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Gottlieb, Rackman &
Reisman, P.C.

(57) **CLAIM**

The ornamental design for a cylinder-shaped light fixture, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the cylinder-shaped light
fixture, showing our new design;

FIG. 2 is a front elevation view thereof, the rear elevation
view being a mirror image;

FIG. 3 is the right side elevation view, the left side elevation
view being a mirror image;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a perspective view of a second embodiment of our
new design;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a right side elevation view thereof;


FIG. 10 is a left side elevation view thereof;

FIG. 11 is a front elevation view thereof; and,

FIG. 12 is a rear elevation view thereof.

The broken lines shown on the drawings represent portions
of the fixture that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D441,125	S	*	4/2001	Crosby	D26/87
D473,002	S	*	4/2003	Hoernig	D26/87
D487,815	S	*	3/2004	Hoernig	D26/87
D509,013	S	*	8/2005	Opolka	D26/107
D558,385	S	*	12/2007	Bickler	D26/88
D583,975	S	*	12/2008	Kushinskaya	D26/63
D610,729	S	*	2/2010	Kushinskaya	D26/63
D634,051	S	*	3/2011	Sabernig	D26/88
D659,281	S	*	5/2012	Patkus	D26/137
D666,760	S	*	9/2012	Arola Ferrer	D26/84
D700,388	S	*	2/2014	Sabernig	D26/130

OTHER PUBLICATIONS

Prescolite pendant series Instruction sheet © 2004. (2 pages).*

6" Direct Pendant Mount Cylinder 1136 from Prescolite. © 2010. (2 pages).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12