



(86) Date de dépôt PCT/PCT Filing Date: 2003/09/26
(87) Date publication PCT/PCT Publication Date: 2004/04/08
(45) Date de délivrance/Issue Date: 2019/01/15
(85) Entrée phase nationale/National Entry: 2005/03/24
(86) N° demande PCT/PCT Application No.: EP 2003/010749
(87) N° publication PCT/PCT Publication No.: 2004/028550
(30) Priorités/Priorities: 2002/09/28 (DE202 15 011.9);
2003/03/12 (EP03005568.5)

(51) Cl.Int./Int.Cl. *A61K 36/77*(2006.01),
A23L 33/10(2016.01), *A23L 33/105*(2016.01),
A23L 33/15(2016.01), *A23L 33/16*(2016.01),
A61K 31/015(2006.01), *A61K 31/355*(2006.01),
A61K 31/375(2006.01), *A61K 31/4188*(2006.01),
A61K 31/4415(2006.01), *A61K 31/455*(2006.01),
A61K 31/51(2006.01), ...

(72) Inventeurs/Inventors:
GIANESELLO, VALTER, CH;
SOLDATI, FABIO, CH;
VIGNUTELLI, ALBERTO, CH;
PETERS, MARKUS, DE

(73) Propriétaire/Owner:

(54) Titre : PRODEDE DESTINE A AMELIORER UN APPRENTISSAGE COGNITIF
(54) Title: COMPOSITION COMPRISING PANAX GINSENG AND PAULLINIA CUPANA EXTRACTS

(57) Abrégé/Abstract:

The invention relates to a method to improve the cognitive skills of a person by the administration of a composition-comprising (i) a synergistically effective amount of an extract of the plant Panax ginseng; and (ii) a synergistically effective amount of an extract of the plant Paullinia cupana

(51) Cl.Int./Int.Cl. (suite/continued) *A61K 31/519* (2006.01), *A61K 31/525* (2006.01), *A61K 31/593* (2006.01),
A61K 31/714 (2006.01), *A61K 33/00* (2006.01), *A61K 33/04* (2006.01), *A61K 33/06* (2006.01),
A61K 33/26 (2006.01), *A61K 33/30* (2006.01), *A61K 33/34* (2006.01), *A61K 33/42* (2006.01),
A61K 36/258 (2006.01), *A61P 25/00* (2006.01)

(73) Propriétaires(suite)/Owners(continued):PHARMATON S.A., CH

(74) Agent: FETHERSTONHAUGH & CO.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
8 April 2004 (08.04.2004)

PCT

(10) International Publication Number
WO 2004/028550 A3

(51) International Patent Classification⁷: **A61K 35/78**

(21) International Application Number:

PCT/EP2003/010749

(22) International Filing Date:

26 September 2003 (26.09.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

202 15 011.9 28 September 2002 (28.09.2002) DE
03005568.5 12 March 2003 (12.03.2003) EP

(71) Applicant (for all designated States except US): **PHARMATON S.A.** [CH/CH]; Via Mulini, CH-6934 BIORGO (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GIANESELLO, Valter** [CH/CH]; Residenza Orie 8, CH-6945 ORIGLIO (CH). **SOLDATI, Fabio** [CH/CH]; Via Rovello 32, CH-6942 SAVOSA (CH). **VIGNUTELLI, Alberto** [CH/CH]; Via Aprica 16, CH-6900 LUGANO (CH). **PETERS, Markus** [DE/DE]; Linsenhoferstrasse 4, 72660 BEUREN (DE).

(74) Agent: **KOMPETER, Michael**; c/o Boehringer Ingelheim GmbH, Binger Strasse 173, 55216 INGELHEIM (DE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
10 June 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A3

WO 2004/028550

(54) Title: COMPOSITION COMPRISING PANAX GINSENG AND PAULLINIA CUPANA EXTRACTS

(57) Abstract: The invention relates to a method to improve the cognitive skills of a person by the administration of a composition comprising (i) a synergistically effective amount of an extract of the plant *Panax ginseng*; and (ii) a synergistically effective amount of an extract of the plant *Paullinia cupana*

25771-1030

**COMPOSITION COMPRISING PANAX GINSENG AND
PAULLINIA CUPANA EXTRACTS**

BACKGROUND OF THE INVENTION

1. TECHNICAL FIELD

5 The invention relates to a method to improve the cognitive skills of a person by the administration of a composition comprising

- (i) an effective amount of an extract of the plant *Panax ginseng*; and
- (ii) an effective amount of an extract of the plant *Paullinia cupana*.

2. BACKGROUND INFORMATION

10 The roots of *Panax ginseng* C.A. Meyer contain several triterpene glycosides named ginsenosides (or panaxosides) which are believed to contribute to the adaptogenic and physical performance enhancing properties of the ginseng extracts. It is used to treat anemia, diabetes mellitus, insomnia, neurasthenia, gastritis, abnormal blood pressure, dyspepsia, overstrain and fatigue.

15 The French patent application FR 2 712 191 claims and discloses compositions with anti-fatigue activity for facilitating weight loss, which contain an extract of ginseng root and an extract of *Guarana* seeds.

The French patent application FR 2 710 267 discloses an oral composition for treating male impotence consisting of ursodesoxycholic acid, *Panax ginseng* extract, *Muira puama* extract, yohimbine hydrochloride, *Guarana* extract, *Nux vomica* extract, *Damiana* extract, nicotinamide, nicotinic acid, tocopherol acetate, clenbuterol hydrochloride, and an excipient.

It is a primary object of the present invention to provide a method to improve the speed of memory and memory quality in normal, healthy subjects, to prevent deterioration of the

speed of memory in people with decreased cognitive functions and to counteract cognitive fatigue.

5 It is a further object of the present invention to provide a method for improving the speed of memory and to prevent a decrease of the speed of memory by taking formulations comprising herbal ingredients, wherein the medication and / or the dietary supplement is manufactured pursuant to a controlled process that preserves the herbal curing qualities of the ingredients.

10 It is still a further object of the present invention to provide a method for improving the speed of memory and to prevent a decrease of the speed of memory comprising herbal ingredients and having minimal or no side effects and thus being safe for internal consumption.

15

BRIEF SUMMARY OF THE INVENTION

Surprisingly, it has been found that the cognitive skills of a person can be improved by the administration of a composition comprising

20 (i) an effective amount of an extract of the plant *Panax ginseng*; and
(ii) an effective amount of an extract of the plant *Paullinia cupana*.

Another aspect of the present invention is the use of a composition-comprising

(i) an effective amount of an extract of the plant *Panax ginseng*; and
(ii) an effective amount of an extract of the plant *Paullinia cupana*,
25 for the manufacture of a medicament or a dietary supplement for the enhancement of the cognitive skills.

Furthermore, the invention relates to a pharmaceutical composition or dietary supplement consisting essentially of

30 (i) an effective amount of an extract of the plant *Panax ginseng*;
(ii) an effective amount of an extract of the plant *Paullinia cupana*;

25771-1030

- (iii) one or more vitamins;
- (iv) one or more minerals and/or trace elements; and
- (v) optionally a carrier and/or adjuvant.

According to an embodiment of the present invention, there is provided a pharmaceutical composition or dietary supplement for use in the enhancement of cognitive skills consisting essentially of (i) an extract of the plant *Panax ginseng*; (ii) 50 to 100 mg of an extract of the plant *Paullinia cupana*; (iii) one or more vitamins selected from the group consisting of ProVitamin A, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Vitamin C, Vitamin D3, d,l-alpha-Tocopherolacetate, Folic Acid, Biotin and Vitamin PP; (iv) one or more minerals and/or trace elements selected from the group consisting of Copper, Calcium, Iron, Zinc, Selenium, Phosphorus and Magnesium; and (v) a carrier and/or adjuvant; wherein the weight ratio of the *Panax ginseng* extract to the *Paullinia cupana* extract ranges from 1 : 10 to 10 : 1.

According to another embodiment of the present invention, there is provided a method to improve cognitive skills of a person by the administration of the pharmaceutical composition or dietary supplement as described herein.

According to still another embodiment of the present invention, there is provided use of a composition as described herein for the manufacture of a medicament or a dietary supplement for the enhancement of cognitive skills.

According to yet another embodiment, the present invention relates to a commercial package comprising the pharmaceutical composition or dietary supplement as described herein, and instructions for the use thereof for enhancing cognitive skills in a subject.

Furthermore, the invention relates to a dietary supplement comprising vitamins, minerals, trace elements and caffeine in the form of an extract of guarana.

25771-1030

DETAILED DESCRIPTION OF THE INVENTION

The two components (i) and (ii) optionally together with the components (iii), (iv) and (v) are formulated or together in one formulation. For example the formulation comprises the extract of dried *Panax ginseng* roots or other plant components, that optionally are 5 powdered and the extract of dried *Paullinia cupana* seeds, or other plant components, that optionally are ground. The formulation may be in the form of tablets, film coated tablets, chewable tablets, powders, powders in capsules, soft shell capsules, syrups, solutions or suspensions for example on the basis of water, ethanol or a mixture thereof, dragees, gels, injections or any other suitable manner well known to the skilled person. Preferred are oral 10 administration forms.

The term "a person" or "a person in need thereof" or "patient" as used hereinabove and hereinbelow relates to a healthy female or male person who is in need for an improvement of cognitive skills. As a rule such persons are adult or elderly people with an age of 15 between 18 and 80, preferably between 20 and 65 years having an mean age of 42.5 years.

The term "effective amount" as used herein means an amount sufficient to enhance the cognitive skills when component (i) and (ii) and optionally (iii) and (iv) are administered together in one single dosage form. As a rule the combination of both the components (i) 20 and (ii) shows a synergistic effect, which means that the effect on the cognitive skills is

higher than expected from the mere additive effects of the single components (i) and (ii) and/or the single components (i), (ii), (iii) and (iv) alone.

Under the term „plant“ is understood the plant itself as well as plant parts comprising the 5 active ingredients. Like for example the leaves, the stems, the seeds, the fruits or roots as mentioned above. Preferably the plant or plant components are dried. Optionally, they may be cut to pieces, ground or powdered.

Under the term „extracts“ are meant that the plants or plant components are extracted with 10 a suitable solvent like water, ethanol, butanol, acetone, mixture thereof, ethers, oils or any other suitable solvent well known in the state of the art of extracting plants. These extracts can be used as such if pharmacologically acceptable or the solvent of the resulting solutions is removed and the residue is used as such or after further worked up, for example after resolving or re-suspending in a pharmacological suitable solvent.

15

Under the terms „principal active ingredients“ and „principal active substances“ are meant all active ingredients that are mainly responsible for the pharmacological effect. Preferably the formulation comprises all those ingredients of the plant of interest that are responsible for at least 75 per cent, more preferably at least 90 per cent of the pharmacological effect.

20

Under the term “enhancement of cognitive skills” are meant improvements of all kinds of situations, where a person is supposed to achieve an intellectual performance including quality, accuracy and speed of memory, learning capability, short and long term recollection, attention, alertness, as well as reduction of distress caused by high workload 25 and/or the need to fulfill a demanding intellectual performance.

The term “pharmaceutical composition” means a composition, which is suitable for prescription and OTC medicaments, and which are available from doctors, in chemist’s shop or in drugstores, only.

30

The term "dietary supplement" means a composition, which is for supplementing the regular food intake with additional nutritional elements to enhance quality of life, and which are freely available without prescription in groceries or super market, but not only in drugstores.

5

Preferably a *Ginseng* extract is used containing among other substances ginsenosides and polysaccharides, preferably containing at least 3 %, preferably 3.5 to 5.0 %, in particular 3.6 to 4.4% ginsenosides, most preferred is the standardized *Ginseng* extract under the Tradename G115®, which is commercially available from Pharmaton S.A., CH-6934

10 Bioggio, Switzerland.

Guarana extract is as a rule prepared from seeds of *Paullinia cupana*. This plant belongs to the *Sapindaceae*, a woody liana cultivated in the central Amazon's region. The most important components of *Paullinia cupana* are caffeine, tannins and saponins, and 15 polysaccharides, disaccharides, fats and resins.

The seeds are carefully dried and ground to pieces of preferably 0.1 to 5.0 mm, in particular 0.5 to 1.5 mm. To achieve the desired content in caffeine the extraction is carried out with aqueous ethanol at elevated temperature, preferably at a temperature in the range 20 of 60° to 80°C, over a time of at least 6 up to 10 hours. The preferred method is that of an exhaustive percolation with aqueous ethanol in the presence of a weak base. Preferably the ethanol is evaporated *in vacuo* and the semi-dry residue of the extraction is dried *in vacuo*. The resulting dry extract is preferably milled and sieved.

25 Preferably a dried extract of *Paullinia cupana* is used which contains up to 12 % caffeine.

In a preferred embodiment of the present invention the weight ratio of *Ginseng* extract to *Guarana* extract ranges from 1 : 10 to 10 to 1, preferably from 1 : 5 to 2 : 1, in particular from 1 : 3 to 1 : 1, and is most preferably about 1 : 1.9.

30

Preferably the invention relates to a method wherein said composition further comprises

- (iii) one or more vitamins; and
- (iv) one or more minerals and/or trace elements

in particular

wherein said one or more vitamins (iii) are selected from the group consisting of

5 ProVitamin A, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Vitamin C, Vitamin D3, d,l-alpha-Tocopherolacetate (Vitamin E), Folic Acid, Biotin (Vitamin H) and Vitamin PP; and/or

wherein said one or more minerals and/or trace elements (iv) are selected from the group consisting of Copper, Calcium, Iron, Zinc, Selenium, Phosphorus and Magnesium.

10

Preferably the pharmaceutical composition or dietary supplement according to the invention consists essentially of

- (i) 20 to 100 mg of an extract of the plant *Panax ginseng*;
- (ii) 50 to 100 mg of an extract of the plant *Paullinia cupana*;
- 15 (iii) 0.001 to 120 mg of one or more, preferably two to twelve, in particular five to eleven vitamins;
- (iv) 0.01 to 400 mg of one or more, preferably two to ten, in particular four to seven minerals and/or trace elements; and
- (v) optionally a carrier and/or adjuvant.

20

Most preferably the pharmaceutical composition or dietary supplement consists essentially of

30 to 50 mg, in particular about 40 mg of standardized *Ginseng* extract G115

60 to 90 mg, in particular about 75 mg of *Paullinia cupana* extract comprising up to 12 % by weight of caffeine

1000 to 1200 IU, in particular about 1100 IU of provitamin A (vitamin A activity)

1.0 to 2.0 mg, in particular about 1.4 mg of vitamin B1

1.0 to 2.0 mg, in particular about 1.6 mg of vitamin B2

1.0 to 3.0 mg, in particular about 2.0 mg of vitamin B6

0.5 to 2.0 μ g, in particular about 1.0 μ g of vitamin B12

10 to 100 mg, in particular about 60 mg of vitamin C
50 to 300 IU, in particular about 160 IU of vitamin D3
10 to 20 mg, in particular about 15 mg of d,l-alpha-tocopherolacetate (Vit. E)
100 to 300 μ g, in particular about 200 μ g of folic acid
100 to 200 μ g, in particular about 150 μ g of biotin
10 to 30 mg, in particular about 18 mg of vitamin PP
0.1 to 1.0 mg, in particular about 0.5 mg of copper
0 to 150 mg, in particular 0 or about 120 mg of calcium
1 to 10 mg, in particular about 5 mg of iron
1 to 10 mg, in particular about 5 mg of zinc
0 to 150 mg, in particular 0 or about 90 mg of phosphorus
10 to 150 μ g, in particular about 30 μ g of selenium
5 to 100 mg, in particular 10 to 70 mg of magnesium
and optionally a carrier and/or adjuvant.

Preferred is a pharmaceutical composition or dietary supplement which is formulated in the form of soft shell capsules or tablets.

5

Pre-selected amounts of the composition of the present invention containing the *Ginseng* extract (i), the Guarana extract (ii), vitamine(s) (iii) and minerals (IV) are preferably encapsulated in a soft gelatin including bovine, porcine, vegetable and succinylated gelatin shell. Optionally, the soft gelatin shell is essentially transparent so as to enhance the 10 aesthetic qualities of the capsule. The soft gelatin shells as a rule comprise the following essential, as well as optional, components.

Gelatin is an essential component of the soft gelatin shells of the instant invention. The starting gelatin material used in the manufacture of soft capsules is obtained by the partial 15 hydrolysis of collagenous material, such as the skin, white connective tissues, or bones of animals. Gelatin material can be classified as Type A gelatin, which is obtained from the acid-processing of porcine skins and exhibits an iso-electric point between pH 7 and pH 9;

25771-1030

and Type B gelatin, which is obtained from the alkaline-processing of bone and animal (bovine) skins and exhibits an isoelectric point between pH 4.7 and pH 5.2. Blends of Type A and Type B gelatins can be used to obtain a gelatin with the requisite viscosity and bloom strength characteristics for capsule manufacture. Gelatin suitable for capsule 5 manufacture is commercially available from the Sigma Chemical Company, St. Louis, Mo. For a general description of gelatin and gelatin-based capsules, see Remington's Pharmaceutical Sciences, 16th ed., Mack Publishing Company, Easton, Pa. (1980), page 1245 and pages 1576-1582; and U.S. Pat. No. 4,935,243, to Borkan et al., issued Jun. 19, 1990.

10

The soft gelatin shell of the capsules of the instant invention, as initially prepared, comprises from about 20% to about 60% gelatin, more preferably from about 25% to about 50% gelatin, and most preferably from about 40% to about 50% gelatin. The gelatin can be of Type A & Type B, or a mixture thereof with bloom numbers ranging from about 60 to 15 about 300.

A plasticizer is another component of the soft gelatin shells of the instant invention. One or more plasticizers is incorporated to produce a soft gelatin shell. The soft gelatin thus obtained has the required flexibility characteristics for use as an encapsulation agent. 20 Useful plasticizers of the present invention include glycerin, sorbitan, sorbitol, or similar low molecular weight polyols, and mixtures thereof.

The shell of the present invention, as initially prepared, generally comprises from about 10% to about 35% plasticizer, preferably from about 10% to about 25% plasticizer, and 25 most preferably from about 10% to about 20% plasticizer. A preferred plasticizer useful in the present invention is glycerin.

The soft gelatin shells of the instant invention also comprise water. Without being limited by theory, the water is believed to aid in the rapid dissolution or rupture of the soft gelatin 30 shell upon contact with the gastrointestinal fluids encountered in the body.

25771-1030

The shell of the present invention, as initially prepared, generally comprises from about 15% to about 50% water, more preferably from about 25% to about 40% water, and most preferably from about 30% to about 40% water.

5 Other optional components which can be incorporated into the soft gelatin shells include colorings including color coatings, flavorings, preservatives, anti-oxidants, essences, and other aesthetically pleasing components.

The compositions of the present invention can be encapsulated within any conventional 10 soft gelatin shell that is capable of substantially containing the composition for a reasonable period of time. The soft gelatin shells of the instant invention can be prepared by combining appropriate amounts of gelatin, water, plasticizer, and any optional components in a suitable vessel and agitating and/or stirring while heating to about 65 °C. until a uniform solution is obtained. This soft gelatin shell preparation can then be used for 15 encapsulating the desired quantity of the fill composition employing standard encapsulation methodology to produce one-piece, hermetically-sealed, soft gelatin capsules. The gelatin capsules are formed into the desired shape and size so that they can be readily swallowed. The soft gelatin capsules of the instant invention are of a suitable size for easy swallowing and typically contain from about 100 mg to about 2000 mg of the 20 active composition. Soft gelatin capsules and encapsulation methods are described in P. K. Wilkinson et al., "Softgels: Manufacturing Considerations", Drugs and the Pharmaceutical Sciences, 41 (Specialized Drug Delivery Systems), P. Tyle, Ed. (Marcel Dekker, Inc., New York, 1990) pp.409-449; F. S. Horn et al., "Capsules, Soft", Encyclopedia of 25 Pharmaceutical Technology, vol. 2, J. Swarbrick and J. C. Boylan, eds. (Marcel Dekker, Inc., New York, 1990) pp. 269-284; M. S. Patel et al., "Advances in Softgel Formulation Technology", Manufacturing Chemist, vol. 60, no. 7, pp. 26-28 (July 1989); M. S. Patel et al., "Softgel Technology", Manufacturing Chemist, vol. 60, no. 8, pp. 47-49 (August 1989); R. F. Jimerson, "Softgel (Soft Gelatin Capsule) Update", Drug Development and 30 Industrial Pharmacy (Interphex '86 Conference), vol. 12, no. 8 & 9, pp. 1133-1144 (1986); and W. R. Ebert, "Soft Elastic Gelatin Capsules: A Unique Dosage Form", Pharmaceutical Technology, vol. 1, no. 5, pp. 44-50 (1977). The resulting soft gelatin capsule is soluble

25771-1030

in water and in gastrointestinal fluids. Upon swallowing the capsule, the gelatin shell rapidly dissolves or ruptures in the gastrointestinal tract thereby introducing the pharmaceutical actives from the liquid core into the physiological system.

5

Tablets of the invention will generally contain at least one pharmaceutically or dietary acceptable excipient conventionally used in the art of solid dosage form formulation.

10 Suitable excipients which may be incorporated include lubricants, for example magnesium stearate and stearic acid; disintegrants, for example cellulose derivatives; starches; binders, for example modified starches, polyvinylpyrrolidones and cellulose derivatives; glidants, for example colloidol silicas; compression aids, for example cellulose derivatives; as well as preservatives, suspending agents, wetting agents, flavoring agents, bulking agents, adhesives, coloring agents, sweetening agents appropriate to their form.

15

20 Suitably when the composition is in a tablet form, the composition will further comprise a film coat, e. g. hydroxypropylmethylcellulose (HPMC). Suitably the film coat is a transparent film coat, although an opaque film coat e. g. as obtained when using a film coat material in combination with an opacifier or a pigment such as titanium dioxide, a lake or a dye, may also be used. Advantageously it has been found that the inclusion of an opaque film coat minimizes tablet discoloration, which may occur on long-term storage of the tablet. Discoloration may also be avoided by incorporating a coloring agent into the tablet core. Suitably such tablets may also be film-coated, e. g. if desired for aesthetic purposes and/or to aid swallowing.

25

The extract is mixed with the excipients of the tablet core and compressed on a suitable tablet press.

30 The compression forces which are needed to produce tablets of suitable breaking resistance and hence with the required breakdown times are dependent on the shapes and sizes of the punching tools used. Compression forces in the range from 2 - 20 kN are preferred. Higher

compression forces may lead to tablets with a delayed released of the active substances (i) to (iv). Lower compression forces may produce mechanically unstable tablets. The tablet cores may have different shapes; the preferred shapes are round biplanar or biconvex and oval or oblong forms.

5

The coating solution is prepared by mixing the film-forming agent with the colouring materials and a plasticizer in water. Using a suitable coating pan the film-coating solution is applied on to the tablet cores.

10 Preferably the tablets have an oblong shape to facilitate swallowing. In the case of a film-coated tablet containing 115 mg of the combined extracts (i) and (ii) an oblong tablet may be about 10-20 mm long and have a width of about 5 to 10 mm.

15 In another preferred embodiment of this invention the composition comprises vitamins, minerals, trace elements and caffeine in the form of an extract of guarana. The caffeine from the guarana extracts refreshes the body and the mental performance. It is milder than the caffeine usually obtained from coffee or tea.

20 Preferably, the dietary supplement according to the invention comprises the required dosis for daily intake of each active ingredient in one package, in particular 0.05 to 1.00 gram of caffeine.

25 More preferably the dietary supplement according to the invention comprises at least five of the following components:

30 calcium phosphate, sodium dodecylsulfate, calcium hydrogenphosphate, magnesium oxide, potassium chloride, vitamin C, polyvinylpyrrolidone, nicotinamide, iron(II) fumarate, vitamin E, zinc oxide, manganese sulfate, calcium pantothenate, stearic acid, magnesium stearate, silicon dioxide, copper sulfate, vitamin B6, vitamin B2, lactose, vitamin B1, beta-carotene, vitamin A, chrome, sodium, folic acid, biotin, potassium iodide, sodium selenate, vitamin K1, vitamin D3, vitamin B12, vitamin B3 and vitamin B5; and/or

at least one of the following components:

microalgae, ginseng, ginkgo, anise, artichoke, valerian, eucalyptus, fennel, bot hip, hops, Saint-John's-wort, chamomile, cava cava, garlic, passion flower, peppermint, taiga root, hawthorn, ginger, alfalfa, wheatgrass, pawpaw, silica, juice of queen bees, gentian root,

5 yeast, wormwood or a processed product of such a plant in hackled, crushed, powdered, pressed, fermented and/or extracted form as well as the seeds, the leaves or the stems thereof.

By the addition of one or more extracts of medicinal herbs, such as Ginkgo or Ginseng, an 10 additional effect can be achieved. For example, the addition of micro algae provides the body with an additional amount of iodine. The addition of Ginkgo improves the mental performance and enhances the tolerability of stress.

In order to allow the administration at the time of the real need, a product consisting of 2-6 15 tablets or capsules is prepared, which is integrated in a 7 x 12 cm package made of synthetic material. By this way of packaging the composition of vitamins caffeine and minerals can be carried easily in the handluggage.

In order to verify the synergistic effect of the medication and /or dietary supplement of the 20 present invention, a modified computerized version of the Serial Sevens test can be utilized. The original Serial Sevens test (M. Hayman, Arch. Neurol. Psychiatry 17: 125-130 (1947)) has appeared in a number of forms, including as part of the Mini-Mental State Examination [L.A. Taylor et al., J. Behav. Med. 11: 279-291 (1985)]. In the current study's novel computerized version participants are presented with a number from which they are 25 instructed to serially subtract in sevens, entering their three digit responses on the keyboard number pad.

To first group of participants a placebo, to a second group a composition comprising 30 *Ginseng* extract (i) and vitamins, to a third group a composition comprising *Guarana* extract (ii) and vitamins, and to a fourth group a composition comprising both *Ginseng* and *Guarana* extracts (i) and (ii) and vitamins have been administered.

The test duration is 2 minutes. A standard instruction screen informed the participant to count backwards in sevens from the given number, as quickly and accurately as possible, using the return key to enter each response. Participants are also instructed verbally that if 5 they were to make a mistake they should carry on subtracting from the new incorrect number. Starting numbers between 800 and 999 are randomly generated, and are presented on the screen only until the first response has been made, after which time individual entered digits are represented by asterisks. The task is scored as total number of subtractions. The number of incorrect responses is also recorded. In the case of an error, 10 subsequent responses are scored as positive if they are correct in relation to the new number.

15 The tests clearly show that the inventive composition increases the numbers of correct subtraction and reduces the mistakes made by the participants.

Furthermore, the efficacy of the inventive composition is tested in the following studies:

(A) To compare the quality of life (QoL) parameters in subjects receiving the inventive composition a double blind, placebo controlled, randomised, parallel group trial is 20 carried out according to the method described in Drugs Exptl Clin Res 1996;22(6):323-329.

25 The increase observed in the group receiving the inventive composition is statistically significantly superior to that seen in a conventional multivitamin group. Adverse effects of the compositions were minimal in both groups. Significant increases in body weight and in diastolic blood pressure were observed in the group treated with the conventional multivitamin preparation but not in the one treated with the inventive composition, which is more effective than a conventional multivitamin preparation alone in improving quality of life in a population 30 subjected to the stress of high physical and mental activity.

(B) To examine the influence of dietary supplements on health related quality of life (QoL) in a non-clinical population of 313 healthy adults. This study is the follow-up of the study published by Ussher et al., Brit J Health Psychol 5, 173-187 (2000).

5 The inventive composition shows more significant improvement on physical strain, behavioural strain, cognitive strain and on overall strain.

(C) Another double-blind comparison of the effect on quality of life of a combination of vital substances including standardised Ginseng G115® and placebo is carried
10 out according to the method described in Current Therapeutic Research 1994;55(1):32-42.

15 Both the inventive composition and placebo improve the subjects' well-being, but the improvement from baseline is more pronounced in the group receiving the inventive composition. According to the Visual Analogue Scales scores, subjects receiving the inventive composition improve more significantly in overall score, alertness, relaxation, and appetite.

20 To enhance the cognitive skills, the capsule or tablet should be taken in dosages corresponding to 50 and 200 mg of the combined extract (i) and (ii), preferably 70-160 mg, in particular 90-130 mg daily. The total amount of extract may be divided up in 1 to 3 capsules or tablets a day, it is most preferably administered within one single dosage form. The daily dose should be taken at once, preferably in the morning.

25 The first successful enhancement of cognitive skills can be found shortly after the composition according to the present invention has been administered. However, impressive, sustainable improvement of cognitive skills can be expected within 6 weeks of continuous use. The optimum effect is maintained or amplified on longer use.

30 Procedures by way of example for preparing the compositions according to the invention will be described in more detail hereinafter. The Examples which follow serve solely as a

detailed illustration without restricting the subject matter of the invention, extracts of additional medicinal herbs may be added thereto .

5 Example 1

Method of manufacture of the *Guarana* extract preparation

The vegetable drug preparation, standardized *Guarana* extract (coded PC102), is prepared by the method hereafter:

10

1. Source plant: *Paullinia Cupana* H.B. et Kunth
2. Part used: dried seed
3. Extraction solvent: ethanol (95-96% v/v) : demineralized water (50 : 50) (v/v)
4. Ratio of vegetable drug to standardized extract: limits 3 - 7 : 1
- 15 5. Composition of the vegetable drug preparation: 80 - 90% native extract
20 - 10% maltodextrine MD01
6. Standard batch size: 360 kg

Production steps:

20 1. The dried seeds of *Paullinia Cupana* H.B. et Kunth are coarsely ground on a grinding machine (10 mm) to obtain fragments of about 0.5 - 1.5 mm size. the ground *Guarana* seeds are transferred to a percolator and extracted with ethanol 50%, alkalinized with sodium carbonate. The extraction procedure is repeated, under the same conditions, to exhaustion of the drug. As a rule five extractions
25 lasting 3 hours each are needed. The exhaustion is considered achieved when the dried residue of the last percolate is < 0.5%.

2. The obtained percolates are partially concentrated *in vacuo* at a temperature below 50 °C.

3. Hydrochloric acid is added until a pH value of 5.5 - 6.5 is obtained.

30 4. Upon standing for 8 hours at 2 – 5 °C, the mixture is centrifuged.

5. The mixture is concentrated under vacuum, at a temperature below 50°C, until a soft extract is obtained which gives about 70% of dry residue.
6. The soft extract is dried under vacuum, at a temperature below 70°C.
7. The dry extract, is ground the total alkaloids content is determined and
- 5 Maltodextrine MD01 is added, in order to obtain the required titer.
8. The product is ground with a centrifuge mill, mixed and sieved.

Example 2

Soft capsules

10

Soft gelatine capsules are prepared containing the following active ingredients:

	Active ingredients	FORMULA
Herbals	Ginseng Standardized Extract	40 mg
	Paullinia cupana Extract	75 mg
	PC102	
Vitamins	ProVitamin A	1110 IU (Vit A activity)
	Vitamin B1	1.4 mg
	Vitamin B2	1.6 mg
	Vitamin B6	2.0 mg
	Vitamin B12	1.0 μ g
	Vitamin C	60 mg
	Vitamin D3	160 IU
	d,l-alpha-Tocopherolacetate (Vit. E)	14.9 mg
	Folic Acid	200 μ g
	Biotin	150 μ g
Minerals and	Vitamin PP	18 mg
	Copper	0,5 mg

Trace elements

Iron	5 mg
Zinc	5 mg
Selenium	30 μ g
Magnesium	10 mg

The ingredients are mixed and encapsulated into gelatine, water and a plasticifier to form a soft gelatine capsule.

5 Example 3Tablets

	Active ingredients	FORMULA
Herbals	Ginseng Standardized Extract	40 mg
	Paullinia cupana Extract	75 mg
	PC102	
Vitamins	ProVitamin A	1110 IU (Vit A activity)
	Vitamin B1	1.4 mg
	Vitamin B2	1.6 mg
	Vitamin B6	2.0 mg
	Vitamin B12	1.0 μ g
	Vitamin C	60 mg
	Vitamin D3	160 IU
	d,l-alpha-Tocopherolacetate (Vit. E)	14.9 mg
	Folic Acid	200 μ g
	Biotin	150 μ g
	Vitamin PP	18 mg

Minerals and Copper	0.5 mg
Trace elements	
Calcium	120 mg
Iron	5 mg
Zinc	5 mg
Phosphorus	93 mg
Selenium	30 μ g
Magnesium	62,5 mg

The ingredients are mixed with an excipient and compressed to a tablet.

Example 4

5

	Active ingredients	FORMULA [%]
Herbals	Ginseng Standardized Extract	15
	Paullinia cupana Extract	35
	PC102	
	Micro Algae	15
	Vitamins, Minerals and Trace Elements	35

Example 5

	Active ingredients	FORMULA [%]
Herbals	Paullinia cupana Extract	55
	PC102	
	Micro Algae	15
	Vitamins, Minerals and Trace Elements	30

25771-1030

CLAIMS:

1. A pharmaceutical composition or dietary supplement for use in the enhancement of cognitive skills, which consists essentially of

(i) an extract of the plant *Panax ginseng*;

5 (ii) 50 to 100 mg of an extract of the plant *Paullinia cupana*;

(iii) one or more vitamins selected from the group consisting of ProVitamin A, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Vitamin C, Vitamin D3, d,l-alpha-Tocopherolacetate, Folic Acid, Biotin and Vitamin PP;

10 (iv) one or more minerals and/or trace elements selected from the group consisting of Copper, Calcium, Iron, Zinc, Selenium, Phosphorus and Magnesium; and

(v) a carrier and/or adjuvant; wherein

the weight ratio of the *Panax ginseng* extract to the *Paullinia cupana* extract ranges from 1 : 10 to 10 : 1.

2. A pharmaceutical composition or dietary supplement according to claim 1,

15 wherein said extract of the plant *Panax ginseng* contains at least 3 % ginsenosides.

3. A pharmaceutical composition or dietary supplement according to claim 1 or 2, wherein said extract of the plant *Paullinia cupana* contains up to 12 % caffeine.

4. A pharmaceutical composition or dietary supplement according to any one of claims 1 to 3 consisting essentially of

20 (i) 20 to 60 mg of an extract of the plant *Panax ginseng*;

(ii) 50 to 100 mg of an extract of the plant *Paullinia cupana*;

25771-1030

(iii) 0.001 to 120 mg of one or more vitamins selected from the group consisting of ProVitamin A, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Vitamin C, Vitamin D3, d,l-alpha-Tocopherolacetate, Folic Acid, Biotin and Vitamin PP;

(iv) 0.01 to 400 mg of one or more minerals and/or trace elements selected from the group consisting of Copper, Calcium, Iron, Zinc, Selenium, Phosphorus and Magnesium; and

(v) a carrier and/or adjuvant.

5. A pharmaceutical composition or dietary supplement according to claim 4 consisting essentially of

30 to 50 mg of	<i>Ginseng</i> extract
60 to 90 mg of	<i>Paullinia cupana</i> extract
1000 to 1200 IU of	provitamin A
1.0 to 2.0 mg of	vitamin B1
1.0 to 2.0 mg of	vitamin B2
1.0 to 3.0 mg of	vitamin B6
1.0 to 2.0 μ g of	vitamin B12
10 to 100 mg of	vitamin C
50 to 300 IU of	vitamin D3
10 to 20 mg of	d,l-alpha-tocopherolacetate
100 to 300 μ g of	folic acid
100 to 200 μ g of	biotin
10 to 30 mg of	vitamin PP
0.1 to 1.0 mg of	copper
0 to 150 mg of	calcium
1 to 10 mg of	iron
1 to 10 mg of	zinc
0 to 150 mg of	phosphorus

25771-1030

50 to 150 µg of selenium
5 to 100 mg of magnesium

and a carrier and/or adjuvant.

6. A pharmaceutical composition or dietary supplement according to any one of claims 1 to 5 which is formulated in the form of soft shell capsules or tablets.
7. A pharmaceutical composition as defined in any one of claims 1 to 6.
- 5 8. A dietary supplement as defined in any one of claims 1 to 6.
9. A method to improve cognitive skills of a person by the administration of the pharmaceutical composition or dietary supplement according to any one of claims 1 to 6.
10. Use of a composition according to any one of claims 1 to 6 for the manufacture of a medicament or a dietary supplement for the enhancement of cognitive skills.
- 10 11. Use of a pharmaceutical composition or a dietary supplement according to any one of claims 1 to 6 for the enhancement of cognitive skills.