

US00D550147S

(12) **United States Design Patent** (10) **Patent No.:** **US D550,147 S**
Radulescu (45) **Date of Patent:** **** Sep. 4, 2007**

(54) **WIDE TIRE TREAD**

(75) Inventor: **Robert C. Radulescu**, Simpsonville,
SC (US)

(73) Assignee: **Michelin Recherche et Technique**
S.A., Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/259,968**

(22) Filed: **May 18, 2006**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/545**

(58) **Field of Classification Search** D12/545,
D12/533, 534, 535, 536, 537, 541, 544, 547,
D12/548, 549, 550, 551, 553, 555, 561, 563,
D12/564; 152/209.1, 209.11, 209.14, 209.15,
152/209.18, 209.25, 209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D460,404 S	7/2002	Janjareh et al.	D12/580
D461,446 S	8/2002	Janjareh et al.	D12/588
D461,750 S	8/2002	Janajreh	D12/147
D499,375 S	12/2004	Gordon et al.	D12/574
D526,954 S *	8/2006	Godeau	D12/539
D541,733 S *	5/2007	Lhospitalier	D12/548

FOREIGN PATENT DOCUMENTS

WO EU 000299185-0001 4/2005

OTHER PUBLICATIONS

BILT-MOR Custom 78, 2005 Tread Design Guide, Jan. 2005. p. 10.
1/3.*

Firestone Firehawk PVS, 2005 Tread Design Guide, Jan. 2005. p.
22. 4/1.*

Tread Design Guide, 1998, pp. 134, Double Coin RT500.

Tread Design Guide, 1998, pp. 144, HERITAGE Super Fleet Cargo
Carrier RD-20.

Tread Design Guide, 1998, pp. 151, Michelin XT-1.

Tread Design Guide, 1998, pp. 191, FIRESTONE Flotation HF-1.

Tread Design Guide, 2004, pp. 122, GOODYEAR Unisteel G614
RST.

Tread Design Guide, 2004, pp. 132, Michelin XOne XTE.

Tread Design Guide, 2004, pp. 140, Summit AHT 1—Line Haul
Trailer.

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Katrina A Kile

(74) *Attorney, Agent, or Firm*—E. Martin Remick; Frank
Campigotto; Adam Arnold

(57) **CLAIM**

The ornamental design for a wide tire tread, as shown and
described.



DESCRIPTION

FIG. 1 is a perspective view of a wide tire tread showing our
new design, it being understood that the tread pattern repeats
circumferentially throughout the outer circumference and
shoulder of a tire, the opposite side perspective view being
an inverted image thereto; and,

FIG. 2 is an enlarged fragmentary front elevation view of the
tire tread of FIG. 1.

In the drawings, the dark stippled surface shading represents
the recessed groove portions of the tire tread having a depth
as best illustrated along the right edge of FIG. 1. The broken
line disclosure of the tire sidewall and inner bead is for
illustrative purposes only and forms no part of the claimed
design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2