

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 July 2003 (17.07.2003)

PCT

(10) International Publication Number
WO 03/057146 A2

(51) International Patent Classification⁷: **A61K**

(21) International Application Number: PCT/US02/41414

(22) International Filing Date:
26 December 2002 (26.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/035,832 26 December 2001 (26.12.2001) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 10/035,832 (CON)
Filed on 26 December 2001 (26.12.2001)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(71) Applicant (*for all designated States except US*): **SAGRES DISCOVERY** [US/US]; Suite 400, 2795 Second Street, Davis, CA 95616 (US).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): **MORRIS, David, W.** [US/US]; 2481 Emerald Bay Drive, Davis, CA 95616 (US).

(74) Agents: **BASU, Shantanu** et al.; Morrison & Foerster LLP, 755 Page Mill Road, Palo Alto, CA 94304-1018 (US).

(54) Title: NOVEL COMPOSITIONS AND METHODS FOR CANCER

(57) Abstract: The present invention relates to novel sequences associated with carcinomas, especially lymphoma carcinomas. The present invention provides novel compositions for use in diagnosis and treatment of carcinomas, especially lymphoma carcinomas. In addition, the present invention describes the use of novel compositions for use in screening methods for cancer.



WO 03/057146 A2

NOVEL COMPOSITIONS AND METHODS FOR CANCER

INVENTORS:

David W. MORRIS and Eric K. ENGELHARD

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] The present application is a continuing application of U.S.S.N.s 09/747,377, filed December 22, 2000 and 09/798,586, filed March 2, 2001, and applications entitled Novel Compositions and Methods for Cancer filed October 23, 2001, November 8, 2001, November 30, 2001, and December 20, 2001, all of which are expressly incorporated herein by reference.

SEQUENCE LISTING

[0002] The Sequence Listing submitted on compact disc is hereby incorporated by reference. The two, identical compact discs contain the file named A-71249.ST25.txt, created on May 29, 2002, and containing 16,870,127 bytes.

FIELD OF THE INVENTION

[0003] The present invention relates to novel sequences for use in diagnosis and treatment of cancer, especially carcinomas, as well as the use of the novel compositions in screening methods.

BACKGROUND OF THE INVENTION

[0004] Oncogenes are genes that can cause cancer. Carcinogenesis can occur by a wide variety of mechanisms, including infection of cells by viruses containing oncogenes, activation of protooncogenes in the host genome, and mutations of protooncogenes and tumor suppressor genes.

[0005] There are a number of viruses known to be involved in human cancer as well as in animal cancer. Of particular interest here are viruses that do not contain oncogenes themselves; these are slow-transforming retroviruses. They induce tumors by integrating into the host genome and affecting neighboring protooncogenes in a variety of ways, including promoter insertion, enhancer insertion, and/or truncation of

a protooncogene or tumor suppressor gene. The analysis of sequences at or near the insertion sites led to the identification of a number of new protooncogenes.

[0006] With respect to lymphoma and leukemia, murine leukemia retrovirus (MuLV), such as SL3-3 or Akv, is a potent inducer of tumors when inoculated into susceptible newborn mice, or when carried in the germline. A number of sequences have been identified as relevant in the induction of lymphoma and leukemia by analyzing the insertion sites; see Sorensen et al., J. of Virology 74:2161 (2000); Hansen et al., Genome Res. 10(2):237-43 (2000); Sorensen et al., J. Virology 70:4063 (1996); Sorensen et al., J. Virology 67:7118 (1993); Joosten et al., Virology 268:308 (2000); and Li et al., Nature Genetics 23:348 (1999); all of which are expressly incorporated by reference herein.

[0007] Lymphomas are a collection of cancers involving the lymphatic system and are generally categorized as Hodgkin's disease and Non-Hodgkin lymphoma. Hodgkin's lymphomas are of B lymphocyte origin. Non-Hodgkin lymphomas are a collection of over 30 different types of cancers including T and B lymphomas. Leukemia is a disease of the blood forming tissues and includes B and T cell lymphocytic leukemias. It is characterized by an abnormal and persistent increase in the number of leukocytes and the amount of bone marrow, with enlargement of the spleen and lymph nodes.

[0008] Breast cancer is one of the most significant diseases that affects women. At the current rate, American women have a 1 in 8 risk of developing breast cancer by age 95 (American Cancer Society, 1992). Treatment of breast cancer at later stages is often futile and disfiguring, making early detection a high priority in medical management of the disease.

[0009] Accordingly, it is an object of the invention to provide sequences involved in cancer and in particular in oncogenesis.

SUMMARY OF THE INVENTION

[0010] In accordance with the objects outlined above, the present invention provides methods for screening for compositions which modulate carcinomas, especially lymphoma and leukemia. Also provided herein are methods of inhibiting proliferation of a cell, preferably a lymphoma cell. Methods of treatment of carcinomas, including diagnosis, are also provided herein.

[0011] In one aspect, a method of screening drug candidates comprises providing a cell that expresses a carcinoma associated (CA) gene or fragments thereof. Preferred embodiments of CA genes are genes which are differentially expressed in cancer cells, preferably lymphatic, breast, prostate or epithelial cells, compared to other cells. Preferred embodiments of CA genes used in the methods herein include, but are not limited to the nucleic acids selected from Tables 1-112. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the CA gene.

[0012] In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of expression in the presence of the drug candidate.

[0013] Also provided herein is a method of screening for a bioactive agent capable of binding to a CA protein (CAP), the method comprising combining the CAP and a candidate bioactive agent, and determining the binding of the candidate agent to the CAP.

[0014] Further provided herein is a method for screening for a bioactive agent capable of modulating the activity of a CAP. In one embodiment, the method comprises combining the CAP and a candidate bioactive agent, and determining the effect of the candidate agent on the bioactivity of the CAP.

[0015] Also provided is a method of evaluating the effect of a candidate carcinoma drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile of the patient to an expression profile of a healthy individual.

[0016] In a further aspect, a method for inhibiting the activity of an CA protein is provided. In one embodiment, the method comprises administering to a patient an inhibitor of a CA protein preferably selected from the group consisting of the sequences outlined in Tables 1-112 or their complements.

[0017] A method of neutralizing the effect of a CA protein, preferably a protein encoded by a nucleic acid selected from the group of sequences outlined in Tables 1-112, is also provided. Preferably, the method comprises contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization.

[0018] Moreover, provided herein is a biochip comprising a nucleic acid segment which encodes a CA protein, preferably selected from the sequences outlined in Tables 1-112.

[0019] Also provided herein is a method for diagnosing or determining the propensity to carcinomas, especially lymphoma or leukemia by sequencing at least one carcinoma or lymphoma gene of an individual. In yet another aspect of the invention, a method is provided for determining carcinoma including lymphoma and leukemia gene copy number in an individual.

[0020] Novel sequences are also provided herein. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

DETAILED DESCRIPTION OF THE INVENTION

[0021] The present invention is directed to a number of sequences associated with carcinomas, especially lymphoma, breast cancer or prostate cancer. The relatively tight linkage between clonally-integrated proviruses and protooncogenes forms "provirus tagging", in which slow-transforming retroviruses that act by an insertion mutation mechanism are used to isolate protooncogenes. In some models, uninfected animals have low cancer rates, and infected animals have high cancer rates. It is known that many of the retroviruses involved do not carry transduced host protooncogenes or pathogenic *trans*-acting viral genes, and thus the cancer incidence must therefor be a direct consequence of proviral integration effects into host protooncogenes. Since proviral integration is random, rare integrants will "activate" host protooncogenes that provide a selective growth advantage, and these rare events result in new proviruses at clonal stoichiometries in tumors.

[0022] The use of oncogenic retroviruses, whose sequences insert into the genome of the host organism resulting in carcinoma, allows the identification of host sequences involved in carcinoma. These sequences may then be used in a number of different ways, including diagnosis, prognosis, screening for modulators (including both agonists and antagonists), antibody generation (for immunotherapy and imaging), etc. However, as will be appreciated by those in the art, oncogenes that are identified in one type of cancer such as lymphoma or leukemia have a strong likelihood of being involved in other types of cancers as well. Thus, while the sequences outlined herein

are initially identified as correlated with lymphoma, they can also be found in other types of cancers as well, outlined below.

[0023] Accordingly, the present invention provides nucleic acid and protein sequences that are associated with carcinoma, herein termed “carcinoma associated” or “CA” sequences. In a preferred embodiment, the present invention provides nucleic acid and protein sequences that are associated with carcinomas which originate in lymphatic tissue, herein termed “lymphoma associated”, “leukemia associated” or “LA” sequences.

[0024] Suitable cancers which can be diagnosed or screened for using the methods of the present invention include cancers classified by site or by histological type. Cancers classified by site include cancer of the oral cavity and pharynx (lip, tongue, salivary gland, floor of mouth, gum and other mouth, nasopharynx, tonsil, oropharynx, hypopharynx, other oral/pharynx); cancers of the digestive system (esophagus; stomach; small intestine; colon and rectum; anus, anal canal, and anorectum; liver; intrahepatic bile duct; gallbladder; other biliary; pancreas; retroperitoneum; peritoneum, omentum, and mesentery; other digestive); cancers of the respiratory system (nasal cavity, middle ear, and sinuses; larynx; lung and bronchus; pleura; trachea, mediastinum, and other respiratory); cancers of the mesothelioma; bones and joints; and soft tissue, including heart; skin cancers, including melanomas and other non-epithelial skin cancers; Kaposi's sarcoma and breast cancer; cancer of the female genital system (cervix uteri; corpus uteri; uterus, nos; ovary; vagina; vulva; and other female genital); cancers of the male genital system (prostate gland; testis; penis; and other male genital); cancers of the urinary system (urinary bladder; kidney and renal pelvis; ureter; and other urinary); cancers of the eye and orbit; cancers of the brain and nervous system (brain; and other nervous system); cancers of the endocrine system (thyroid gland and other endocrine, including thymus); cancers of the lymphomas (hodgkin's disease and non-hodgkin's lymphoma), multiple myeloma, and leukemias (lymphocytic leukemia; myeloid leukemia; monocytic leukemia; and other leukemias).

[0025] Other cancers, classified by histological type, that may be associated with the sequences of the invention include, but are not limited to, Neoplasm, malignant; Carcinoma, NOS; Carcinoma, undifferentiated, NOS; Giant and spindle cell carcinoma; Small cell carcinoma, NOS; Papillary carcinoma, NOS; Squamous cell carcinoma, NOS; Lymphoepithelial carcinoma; Basal cell carcinoma, NOS;

Pilomatrix carcinoma; Transitional cell carcinoma, NOS; Papillary transitional cell carcinoma; Adenocarcinoma, NOS; Gastrinoma, malignant; Cholangiocarcinoma; Hepatocellular carcinoma, NOS; Combined hepatocellular carcinoma and cholangiocarcinoma; Trabecular adenocarcinoma; Adenoid cystic carcinoma; Adenocarcinoma in adenomatous polyp; Adenocarcinoma, familial polyposis coli; Solid carcinoma, NOS; Carcinoid tumor, malignant; Branchiolo-alveolar adenocarcinoma; Papillary adenocarcinoma, NOS; Chromophobe carcinoma; Acidophil carcinoma; Oxyphilic adenocarcinoma; Basophil carcinoma; Clear cell adenocarcinoma, NOS; Granular cell carcinoma; Follicular adenocarcinoma, NOS; Papillary and follicular adenocarcinoma; Nonencapsulating sclerosing carcinoma; Adrenal cortical carcinoma; Endometroid carcinoma; Skin appendage carcinoma; Apocrine adenocarcinoma; Sebaceous adenocarcinoma; Ceruminous adenocarcinoma; Mucoepidermoid carcinoma; Cystadenocarcinoma, NOS; Papillary cystadenocarcinoma, NOS; Papillary serous cystadenocarcinoma; Mucinous cystadenocarcinoma, NOS; Mucinous adenocarcinoma; Signet ring cell carcinoma; Infiltrating duct carcinoma; Medullary carcinoma, NOS; Lobular carcinoma; Inflammatory carcinoma; Paget's disease, mammary; Acinar cell carcinoma; Adenosquamous carcinoma; Adenocarcinoma w/ squamous metaplasia; Thymoma, malignant; Ovarian stromal tumor, malignant; Thecoma, malignant; Granulosa cell tumor, malignant; Androblastoma, malignant; Sertoli cell carcinoma; Leydig cell tumor, malignant; Lipid cell tumor, malignant; Paraganglioma, malignant; Extra-mammary paraganglioma, malignant; Pheochromocytoma; Glomangiosarcoma; Malignant melanoma, NOS; Amelanotic melanoma; Superficial spreading melanoma; Malig melanoma in giant pigmented nevus; Epithelioid cell melanoma; Blue nevus, malignant; Sarcoma, NOS; Fibrosarcoma, NOS; Fibrous histiocytoma, malignant; Myxosarcoma; Liposarcoma, NOS; Leiomyosarcoma, NOS; Rhabdomyosarcoma, NOS; Embryonal rhabdomyosarcoma; Alveolar rhabdomyosarcoma; Stromal sarcoma, NOS; Mixed tumor, malignant, NOS; Mullerian mixed tumor; Nephroblastoma; Hepatoblastoma; Carcinosarcoma, NOS; Mesenchymoma, malignant; Brenner tumor, malignant; Phyllodes tumor, malignant; Synovial sarcoma, NOS; Mesothelioma, malignant; Dysgerminoma; Embryonal carcinoma, NOS; Teratoma, malignant, NOS; Struma ovarii, malignant; Choriocarcinoma; Mesonephroma, malignant; Hemangiosarcoma; Hemangioendothelioma, malignant; Kaposi's sarcoma; Hemangiopericytoma, malignant; Lymphangiosarcoma;

Osteosarcoma, NOS; Juxtacortical osteosarcoma; Chondrosarcoma, NOS; Chondroblastoma, malignant; Mesenchymal chondrosarcoma; Giant cell tumor of bone; Ewing's sarcoma; Odontogenic tumor, malignant; Ameloblastic odontosarcoma; Ameloblastoma, malignant; Ameloblastic fibrosarcoma; Pinealoma, malignant; Chordoma; Glioma, malignant; Ependymoma, NOS; Astrocytoma, NOS; Protoplasmic astrocytoma; Fibrillary astrocytoma; Astroblastoma; Glioblastoma, NOS; Oligodendroglioma, NOS; Oligodendroblastoma; Primitive neuroectodermal; Cerebellar sarcoma, NOS; Ganglioneuroblastoma; Neuroblastoma, NOS; Retinoblastoma, NOS; Olfactory neurogenic tumor; Meningioma, malignant; Neurofibrosarcoma; Neurilemmoma, malignant; Granular cell tumor, malignant; Malignant lymphoma, NOS; Hodgkin's disease, NOS; Hodgkin's; paragranuloma, NOS; Malignant lymphoma, small lymphocytic; Malignant lymphoma, large cell, diffuse; Malignant lymphoma, follicular, NOS; Mycosis fungoides; Other specified non-Hodgkin's lymphomas; Malignant histiocytosis; Multiple myeloma; Mast cell sarcoma; Immunoproliferative small intestinal disease; Leukemia, NOS; Lymphoid leukemia, NOS; Plasma cell leukemia; Erythroleukemia; Lymphosarcoma cell leukemia; Myeloid leukemia, NOS; Basophilic leukemia; Eosinophilic leukemia; Monocytic leukemia, NOS; Mast cell leukemia; Megakaryoblastic leukemia; Myeloid sarcoma; and Hairy cell leukemia.

[0026] In addition, the genes may be involved in other diseases, such as but not limited to diseases associated with aging or neurodegenerative diseases.

[0027] Association in this context means that the nucleotide or protein sequences are either differentially expressed, activated, inactivated or altered in carcinomas as compared to normal tissue. As outlined below, CA sequences include those that are up-regulated (i.e. expressed at a higher level), as well as those that are down-regulated (i.e. expressed at a lower level), in carcinomas. CA sequences also include sequences which have been altered (i.e., truncated sequences or sequences with substitutions, deletions or insertions, including point mutations) and show either the same expression profile or an altered profile. In a preferred embodiment, the CA sequences are from humans; however, as will be appreciated by those in the art, CA sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other CA sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.). In some cases, prokaryotic CA

sequences may be useful. CA sequences from other organisms may be obtained using the techniques outlined below.

[0028] CA sequences can include both nucleic acid and amino acid sequences. In a preferred embodiment, the CA sequences are recombinant nucleic acids. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed in vitro, in general, by the manipulation of nucleic acid by polymerases and endonucleases, in a form not normally found in nature. Thus an isolated nucleic acid, in a linear form, or an expression vector formed in vitro by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e. using the in vivo cellular machinery of the host cell rather than in vitro manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention.

[0029] Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e. through the expression of a recombinant nucleic acid as depicted above. A recombinant protein is distinguished from naturally occurring protein by at least one or more characteristics. For example, the protein may be isolated or purified away from some or all of the proteins and compounds with which it is normally associated in its wild type host, and thus may be substantially pure. For example, an isolated protein is unaccompanied by at least some of the material with which it is normally associated in its natural state, preferably constituting at least about 0.5%, more preferably at least about 5% by weight of the total protein in a given sample. A substantially pure protein comprises at least about 75% by weight of the total protein, with at least about 80% being preferred, and at least about 90% being particularly preferred. The definition includes the production of an CA protein from one organism in a different organism or host cell. Alternatively, the protein may be made at a significantly higher concentration than is normally seen, through the use of an inducible promoter or high expression promoter, such that the protein is made at increased concentration levels. Alternatively, the protein may be in a form not normally found in nature, as in the addition of an epitope tag or amino acid substitutions, insertions and deletions, as discussed below.

[0030] In a preferred embodiment, the CA sequences are nucleic acids. As will be appreciated by those in the art and is more fully outlined below, CA sequences are

useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; for example, biochips comprising nucleic acid probes to the CA sequences can be generated. In the broadest sense, then, by "nucleic acid" or "oligonucleotide" or grammatical equivalents herein means at least two nucleotides covalently linked together. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, as outlined below (for example in antisense applications or when a candidate agent is a nucleic acid), nucleic acid analogs may be used that have alternate backbones, comprising, for example, phosphoramidate (Beaucage et al., *Tetrahedron* 49(10):1925 (1993) and references therein; Letsinger, *J. Org. Chem.* 35:3800 (1970); Sprinzl et al., *Eur. J. Biochem.* 81:579 (1977); Letsinger et al., *Nucl. Acids Res.* 14:3487 (1986); Sawai et al., *Chem. Lett.* 805 (1984), Letsinger et al., *J. Am. Chem. Soc.* 110:4470 (1988); and Pauwels et al., *Chemica Scripta* 26:141 (1986)), phosphorothioate (Mag et al., *Nucleic Acids Res.* 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., *J. Am. Chem. Soc.* 111:2321 (1989), O-methylphosphoroamidite linkages (see Eckstein, *Oligonucleotides and Analogues: A Practical Approach*, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, *J. Am. Chem. Soc.* 114:1895 (1992); Meier et al., *Chem. Int. Ed. Engl.* 31:1008 (1992); Nielsen, *Nature*, 365:566 (1993); Carlsson et al., *Nature* 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., *Proc. Natl. Acad. Sci. USA* 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; Kiedrowshi et al., *Angew. Chem. Intl. Ed. English* 30:423 (1991); Letsinger et al., *J. Am. Chem. Soc.* 110:4470 (1988); Letsinger et al., *Nucleoside & Nucleotide* 13:1597 (1994); Chapters 2 and 3, *ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research"*, Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., *Bioorganic & Medicinal Chem. Lett.* 4:395 (1994); Jeffs et al., *J. Biomolecular NMR* 34:17 (1994); *Tetrahedron Lett.* 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, *ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research"*, Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., *Chem. Soc. Rev.* (1995) pp169-176). Several nucleic acid analogs are described in Rawls, *C & E News* June

2, 1997 page 35. All of these references are hereby expressly incorporated by reference. These modifications of the ribose-phosphate backbone may be done for a variety of reasons, for example to increase the stability and half-life of such molecules in physiological environments for use in anti-sense applications or as probes on a biochip.

[0031] As will be appreciated by those in the art, all of these nucleic acid analogs may find use in the present invention. In addition, mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

[0032] The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand "Watson" also defines the sequence of the other strand "Crick"; thus the sequences described herein also includes the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid contains any combination of deoxyribo- and ribo-nucleotides, and any combination of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus for example the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

[0033] An CA sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the CA sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

[0034] The CA sequences of the invention were initially identified as described herein; basically, infection of mice with murine leukemia viruses (MLV) resulted in lymphoma, although many of these sequences will also be involved in other cancers as is generally outlined herein.

[0035] The CA sequences outlined herein comprise the insertion sites for the virus. In general, the retrovirus can cause carcinomas in three basic ways: first of all, by inserting upstream of a normally silent host gene and activating it (e.g. promoter

insertion); secondly, by truncating a host gene that leads to oncogenesis; or by enhancing the transcription of a neighboring gene. For example, retrovirus enhancers, including SL3-3, are known to act on genes up to approximately 200 kilobases of the insertion site.

[0036] In a preferred embodiment, CA sequences are those that are up-regulated in carcinomas; that is, the expression of these genes is higher in carcinoma tissue as compared to normal tissue of the same differentiation stage. "Up-regulation" as used herein means at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably, at least about 200%, with from 300 to at least 1000% being especially preferred.

[0037] In a preferred embodiment, CA sequences are those that are down-regulated in carcinomas; that is, the expression of these genes is lower in carcinoma tissue as compared to normal tissue of the same differentiation stage. "Down-regulation" as used herein means at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably, at least about 200%, with from 300 to at least 1000% being especially preferred.

[0038] In a preferred embodiment, CA sequences are those that are altered but show either the same

[0039] expression profile or an altered profile as compared to normal lymphoid tissue of the same

[0040] differentiation stage. "Altered CA sequences" as used herein refers to sequences which are truncated, contain insertions or contain point mutations.

[0041] CA proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins.

[0042] In a preferred embodiment the CA protein is an intracellular protein.

Intracellular proteins may be found in the cytoplasm and/or in the nucleus.

Intracellular proteins are involved in all aspects of cellular function and replication (including, for example, signaling pathways); aberrant expression of such proteins results in unregulated or dysregulated cellular processes. For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various

subcellular localizations, and are involved in maintaining the structural integrity of organelles.

[0043] An increasingly appreciated concept in characterizing intracellular proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate.

[0044] In a preferred embodiment, the CA sequences are transmembrane proteins. Transmembrane proteins are molecules that span the phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

[0045] Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Important transmembrane protein receptors

include, but are not limited to insulin receptor, insulin_like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL_1 receptor, IL_2 receptor, etc.

[0046] Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted.

[0047] The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. For example, cytokine receptors are characterized by a cluster of cysteines and a WSXWS (W= tryptophan, S= serine, X=any amino acid (SEQ ID NO:1613) motif. Immunoglobulin-like domains are highly conserved. Mucin-like domains may be involved in cell adhesion and leucine-rich repeats participate in protein-protein interactions.

[0048] Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell for example via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

[0049] CA proteins that are transmembrane are particularly preferred in the present invention as they are good targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities.

[0050] It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, for example through

recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

[0051] In a preferred embodiment, the CA proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. CA proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, for example for blood tests.

[0052] An CA sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology to the CA sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

[0053] As used herein, a nucleic acid is a "CA nucleic acid" if the overall homology of the nucleic acid sequence to one of the nucleic acids of Tables 1-112 is preferably greater than about 75%, more preferably greater than about 80%, even more preferably greater than about 85% and most preferably greater than 90%. In some embodiments the homology will be as high as about 93 to 95 or 98%. In a preferred embodiment, the sequences which are used to determine sequence identity or similarity are selected from those of the nucleic acids of Tables 1-112. In another embodiment, the sequences are naturally occurring allelic variants of the sequences of the nucleic acids of Tables 1-112. In another embodiment, the sequences are sequence variants as further described herein.

[0054] Homology in this context means sequence similarity or identity, with identity being preferred. A preferred comparison for homology purposes is to compare the sequence containing sequencing errors to the correct sequence. This homology will be determined using standard techniques known in the art, including, but not limited to, the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482

(1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, PNAS USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Drive, Madison, WI), the Best Fit sequence program described by Devereux et al., Nucl. Acid Res. 12:387-395 (1984), preferably using the default settings, or by inspection.

[0055] One example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments. It can also plot a tree showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, J. Mol. Evol. 35:351-360 (1987); the method is similar to that described by Higgins & Sharp CABIOS 5:151-153 (1989). Useful PILEUP parameters including a default gap weight of 3.00, a default gap length weight of 0.10, and weighted end gaps.

[0056] Another example of a useful algorithm is the BLAST algorithm, described in Altschul et al., J. Mol. Biol. 215, 403-410, (1990) and Karlin et al., PNAS USA 90:5873-5787 (1993). A particularly useful BLAST program is the WU-BLAST-2 program which was obtained from Altschul et al., Methods in Enzymology, 266: 460-480 (1996); <http://blast.wustl>]. WU-BLAST-2 uses several search parameters, most of which are set to the default values. The adjustable parameters are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11. The HSP S and HSP S2 parameters are dynamic values and are established by the program itself depending upon the composition of the particular sequence and composition of the particular database against which the sequence of interest is being searched; however, the values may be adjusted to increase sensitivity. A % amino acid sequence identity value is determined by the number of matching identical residues divided by the total number of residues of the "longer" sequence in the aligned region. The "longer" sequence is the one having the most actual residues in the aligned region (gaps introduced by WU-Blast-2 to maximize the alignment score are ignored).

[0057] Thus, "percent (%) nucleic acid sequence identity" is defined as the percentage of nucleotide residues in a candidate sequence that are identical with the nucleotide residues of the nucleic acids of Tables 1-112. A preferred method utilizes the

BLASTN module of WU-BLAST-2 set to the default parameters, with overlap span and overlap fraction set to 1 and 0.125, respectively.

[0058] The alignment may include the introduction of gaps in the sequences to be aligned. In addition, for sequences which contain either more or fewer nucleotides than those of the nucleic acids of Tables 1-112, it is understood that the percentage of homology will be determined based on the number of homologous nucleosides in relation to the total number of nucleosides. Thus, for example, homology of sequences shorter than those of the sequences identified herein and as discussed below, will be determined using the number of nucleosides in the shorter sequence.

[0059] In one embodiment, the nucleic acid homology is determined through hybridization studies. Thus, for example, nucleic acids which hybridize under high stringency to the nucleic acids identified in the figures, or their complements, are considered CA sequences. High stringency conditions are known in the art; see for example Maniatis et al., *Molecular Cloning: A Laboratory Manual*, 2d Edition, 1989, and *Short Protocols in Molecular Biology*, ed. Ausubel, et al., both of which are hereby incorporated by reference. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, *Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Acid Probes*, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH and nucleic acid concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m , 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g. 10 to 50 nucleotides) and at least about 60°C for long probes (e.g. greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide.

[0060] In another embodiment, less stringent hybridization conditions are used; for example, moderate or low stringency conditions may be used, as are known in the art; see Maniatis and Ausubel, *supra*, and Tijssen, *supra*.

[0061] In addition, the CA nucleic acid sequences of the invention are fragments of larger genes, i.e. they are nucleic acid segments. Alternatively, the CA nucleic acid sequences can serve as indicators of oncogene position, for example, the CA sequence may be an enhancer that activates a protooncogene. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, additional sequences of the CA genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Maniatis et al., and Ausubel, et al., *supra*, hereby expressly incorporated by reference. In general, this is done using PCR, for example, kinetic PCR.

[0062] Once the CA nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire CA nucleic acid. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant CA nucleic acid can be further used as a probe to identify and isolate other CA nucleic acids, for example additional coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant CA nucleic acids and proteins.

[0063] The CA nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the CA nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, for example for gene therapy and/or antisense applications. Alternatively, the CA nucleic acids that include coding regions of CA proteins can be put into expression vectors for the expression of CA proteins, again either for screening purposes or for administration to a patient.

[0064] In a preferred embodiment, nucleic acid probes to CA nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the CA nucleic acids, i.e. the target sequence (either the target sequence of the sample or to other probe sequences, for example in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be

any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

[0065] A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

[0066] In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e. have some sequence in common), or separate.

[0067] As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of either electrostatic, hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group

on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

[0068] In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

[0069] The biochip comprises a suitable solid substrate. By “substrate” or “solid support” or other grammatical equivalents herein is meant any material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, Teflon™, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silica-based materials including silicon and modified silicon, carbon, metals, inorganic glasses, etc. In general, the substrates allow optical detection and do not appreciably fluoresce.

[0070] In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, for example, the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, for example using linkers as are known in the art; for example, homo- or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200, incorporated herein by reference). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

[0071] In this embodiment, the oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

[0072] In an additional embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

[0073] Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized *in situ*, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affymetrix GeneChip technology.

[0074] In addition to the solid-phase technology represented by biochip arrays, gene expression can also be quantified using liquid-phase arrays. One such system is kinetic polymerase chain reaction (PCR). Kinetic PCR allows for the simultaneous amplification and quantification of specific nucleic acid sequences. The specificity is derived from synthetic oligonucleotide primers designed to preferentially adhere to single-stranded nucleic acid sequences bracketing the target site. This pair of oligonucleotide primers form specific, non-covalently bound complexes on each strand of the target sequence. These complexes facilitate *in vitro* transcription of double-stranded DNA in opposite orientations. Temperature cycling of the reaction mixture creates a continuous cycle of primer binding, transcription, and re-melting of the nucleic acid to individual strands. The result is an exponential increase of the target dsDNA product. This product can be quantified in real time either through the use of an intercalating dye or a sequence specific probe. SYBR® Greene I, is an example of an intercalating dye, that preferentially binds to dsDNA resulting in a concomitant increase in the fluorescent signal. Sequence specific probes, such as used with TaqMan® technology, consist of a fluorochrome and a quenching molecule covalently bound to opposite ends of an oligonucleotide. The probe is designed to selectively bind the target DNA sequence between the two primers. When the DNA strands are synthesized during the PCR reaction, the fluorochrome is cleaved from the probe by the exonuclease activity of the polymerase resulting in signal dequenching. The probe signaling method can be more specific than the intercalating dye method, but in each case, signal strength is proportional to the dsDNA product produced.

Each type of quantification method can be used in multi-well liquid phase arrays with each well representing primers and/or probes specific to nucleic acid sequences of interest. When used with messenger RNA preparations of tissues or cell lines, and an array of probe/primer reactions can simultaneously quantify the expression of multiple gene products of interest. See Germer, S., et al., *Genome Res.* 10:258-266 (2000); Heid, C. A., et al., *Genome Res.* 6, 986-994 (1996).

[0075] In a preferred embodiment, CA nucleic acids encoding CA proteins are used to make a variety of expression vectors to express CA proteins which can then be used in screening assays, as described below. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the CA protein. The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

[0076]

[0077] Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. The transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the CA protein; for example, transcriptional and translational regulatory nucleic acid sequences from *Bacillus* are preferably used to express the CA protein in *Bacillus*.

Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

[0078] In general, the transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

[0079] Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

[0080] In addition, the expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, for example in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art.

[0081] In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

[0082] The CA proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding an CA protein, under the appropriate conditions to induce or cause expression of the CA protein. The conditions appropriate for CA protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in

insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

[0083] Appropriate host cells include yeast, bacteria, archaeobacteria, fungi, and insect, plant and animal cells, including mammalian cells. Of particular interest are *Drosophila melanogaster* cells, *Saccharomyces cerevisiae* and other yeasts, *E. coli*, *Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, THP1 cell line (a macrophage cell line) and human cells and cell lines.

[0084] In a preferred embodiment, the CA proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include retroviral systems. A preferred expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter. Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenylation signals include those derived from SV40.

[0085] The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

[0086] In a preferred embodiment, CA proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; for example, the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression

vector may also include a signal peptide sequence that provides for secretion of the CA protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others. The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

[0087] In one embodiment, CA proteins are produced in insect cells. Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

[0088] In a preferred embodiment, CA protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for *Saccharomyces cerevisiae*, *Candida albicans* and *C. maltosa*, *Hansenula polymorpha*, *Kluyveromyces fragilis* and *K. lactis*, *Pichia guillermondii* and *P. pastoris*, *Schizosaccharomyces pombe*, and *Yarrowia lipolytica*.

[0089] The CA protein may also be made as a fusion protein, using techniques well known in the art. Thus, for example, for the creation of monoclonal antibodies. If the desired epitope is small, the CA protein may be fused to a carrier protein to form an immunogen. Alternatively, the CA protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the CA protein is an CA peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

[0090] In one embodiment, the CA nucleic acids, proteins and antibodies of the invention are labeled. By "labeled" herein is meant that a compound has at least one element, isotope or chemical compound attached to enable the detection of the compound. In general, labels fall into three classes: a) isotopic labels, which may be radioactive or heavy isotopes; b) immune labels, which may be antibodies or antigens;

and c) colored or fluorescent dyes. The labels may be incorporated into the CA nucleic acids, proteins and antibodies at any position. For example, the label should be capable of producing, either directly or indirectly, a detectable signal. The detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., *Nature*, 144:945 (1962); David et al., *Biochemistry*, 13:1014 (1974); Pain et al., *J. Immunol. Meth.*, 40:219 (1981); and Nygren, *J. Histochem. and Cytochem.*, 30:407 (1982).

[0091] Accordingly, the present invention also provides CA protein sequences. An CA protein of the present invention may be identified in several ways. "Protein" in this sense includes proteins, polypeptides, and peptides. As will be appreciated by those in the art, the nucleic acid sequences of the invention can be used to generate protein sequences. There are a variety of ways to do this, including cloning the entire gene and verifying its frame and amino acid sequence, or by comparing it to known sequences to search for homology to provide a frame, assuming the CA protein has homology to some protein in the database being used. Generally, the nucleic acid sequences are input into a program that will search all three frames for homology. This is done in a preferred embodiment using the following NCBI Advanced BLAST parameters. The program is blastx or blastn. The database is nr. The input data is as "Sequence in FASTA format". The organism list is "none". The "expect" is 10; the filter is default. The "descriptions" is 500, the "alignments" is 500, and the "alignment view" is pairwise. The "query Genetic Codes" is standard (1). The matrix is BLOSUM62; gap existence cost is 11, per residue gap cost is 1; and the lambda ratio is .85 default. This results in the generation of a putative protein sequence.

[0092] Also included within one embodiment of CA proteins are amino acid variants of the naturally occurring sequences, as determined herein. Preferably, the variants are preferably greater than about 75% homologous to the wild-type sequence, more preferably greater than about 80%, even more preferably greater than about 85% and most preferably greater than 90%. In some embodiments the homology will be as high as about 93 to 95 or 98%. As for nucleic acids, homology in this context means sequence similarity or identity, with identity being preferred. This homology will be

determined using standard techniques known in the art as are outlined above for the nucleic acid homologies.

[0093] CA proteins of the present invention may be shorter or longer than the wild type amino acid sequences. Thus, in a preferred embodiment, included within the definition of CA proteins are portions or fragments of the wild type sequences herein. In addition, as outlined above, the CA nucleic acids of the invention may be used to obtain additional coding regions, and thus additional protein sequence, using techniques known in the art.

[0094] In a preferred embodiment, the CA proteins are derivative or variant CA proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative CA peptide will contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the CA peptide.

[0095] Also included in an embodiment of CA proteins of the present invention are amino acid sequence variants. These variants fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the CA protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant CA protein fragments having up to about 100-150 residues may be prepared by *in vitro* synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the CA protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

[0096] While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed CA variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known,

for example, M13 primer mutagenesis and LAR mutagenesis. Screening of the mutants is done using assays of CA protein activities.

[0097] Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

[0098] Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the CA protein are desired, substitutions are generally made in accordance with the following chart:

Chart I

Original Residue	Exemplary Substitutions
Ala	Ser
Arg	Lys
Asn	Gln, His
Asp	Glu
Cys	Ser
Gln	Asn
Glu	Asp
Gly	Pro
His	Asn, Gln
Ile	Leu, Val
Leu	Ile, Val
Lys	Arg, Gln, Glu
Met	Leu, Ile
Phe	Met, Leu, Tyr
Ser	Thr
Thr	Ser
Trp	Tyr
Tyr	Trp, Phe
Val	Ile, Leu

[0099] Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those shown in Chart I. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

[0100] The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analogue, although variants also are selected to modify the characteristics of the CA proteins as needed. Alternatively, the variant may be designed such that the biological activity of the CA protein is altered. For example, glycosylation sites may be altered or removed, dominant negative mutations created, etc.

[0101] Covalent modifications of CA polypeptides are included within the scope of this invention, for example for use in screening. One type of covalent modification includes reacting targeted amino acid residues of an CA polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of an CA polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking CA polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-CA antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

[0102] Other modifications include deamidation of glutaminy and asparaginy residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, *Proteins: Structure and Molecular Properties*, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

[0103] Another type of covalent modification of the CA polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence CA polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence CA polypeptide.

[0104] Addition of glycosylation sites to CA polypeptides may be accomplished by altering the amino acid sequence thereof. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence CA polypeptide (for O-linked glycosylation sites). The CA amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the CA polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

[0105] Another means of increasing the number of carbohydrate moieties on the CA polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, *LA Crit. Rev. Biochem.*, pp. 259-306 (1981).

[0106] Removal of carbohydrate moieties present on the CA polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., *Arch. Biochem. Biophys.*, 259:52 (1987) and by Edge et al., *Anal. Biochem.*, 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., *Meth. Enzymol.*, 138:350 (1987).

[0107] Another type of covalent modification of CA comprises linking the CA polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

[0108] CA polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising an CA polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of an CA polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the CA polypeptide, although internal fusions may also be tolerated in some instances. The presence of such epitope-tagged forms of an CA polypeptide can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the CA polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of an CA polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

[0109] Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

[0110] Also included with the definition of CA protein in one embodiment are other CA proteins of the CA family, and CA proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain

reaction (PCR) primer sequences may be used to find other related CA proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the CA nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art.

[0111] In addition, as is outlined herein, CA proteins can be made that are longer than those encoded by the nucleic acids of the figures, for example, by the elucidation of additional sequences, the addition of epitope or purification tags, the addition of other fusion sequences, etc.

[0112] CA proteins may also be identified as being encoded by CA nucleic acids. Thus, CA proteins are encoded by nucleic acids that will hybridize to the sequences of the sequence listings, or their complements, as outlined herein.

[0113] In a preferred embodiment, the invention provides CA antibodies. In a preferred embodiment, when the CA protein is to be used to generate antibodies, for example for immunotherapy, the CA protein should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller CA protein will be able to bind to the full length protein. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

[0114] In one embodiment, the term "antibody" includes antibody fragments, as are known in the art, including Fab, Fab₂, single chain antibodies (Fv for example), chimeric antibodies, etc., either produced by the modification of whole antibodies or those synthesized de novo using recombinant DNA technologies.

[0115] Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a

protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

[0116] The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, *Nature*, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-112, or fragment thereof or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, *Monoclonal Antibodies: Principles and Practice*, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

[0117] In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have

binding specificities for at least two different antigens. In the present case, one of the binding specificities is for a protein encoded by a nucleic acid of Tables 1-112, or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific.

[0118] In a preferred embodiment, the antibodies to CA are capable of reducing or eliminating the biological function of CA, as is described below. That is, the addition of anti-CA antibodies (either polyclonal or preferably monoclonal) to CA (or cells containing CA) may reduce or eliminate the CA activity. Generally, at least a 25% decrease in activity is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

[0119] In a preferred embodiment the antibodies to the CA proteins are humanized antibodies. Humanized forms of non_human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen binding subsequences of antibodies) which contain minimal sequence derived from non_human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues form a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non_human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non_human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non_human immunoglobulin and all or substantially all of the framework residues (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522_525 (1986); Riechmann et al., Nature, 332:323_329 (1988); and Presta, Curr. Op. Struct. Biol., 2:593_596 (1992)].

[0120] Methods for humanizing non_human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into

it from a source which is non_human. These non_human amino acid residues are often referred to as import residues, which are typically taken from an import variable domain. Humanization can be essentially performed following the method of Winter and co_workers [Jones et al., Nature, 321:522_525 (1986); Riechmann et al., Nature, 332:323_327 (1988); Verhoeyen et al., Science, 239:1534_1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non_human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

[0121] Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies [Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, p. 77 (1985) and Boerner et al., J. Immunol., 147(1):86_95 (1991)]. Similarly, human antibodies can be made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10, 779_783 (1992); Lonberg et al., Nature 368 856_859 (1994); Morrison, Nature 368, 812_13 (1994); Fishwild et al., Nature Biotechnology 14, 845_51 (1996); Neuberger, Nature Biotechnology 14, 826 (1996); Lonberg and Huszar, Intern. Rev. Immunol. 13 65_93 (1995).

[0122] By immunotherapy is meant treatment of a carcinoma with an antibody raised against an CA protein. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell

responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen.

[0123] In a preferred embodiment, oncogenes which encode secreted growth factors may be inhibited by raising antibodies against CA proteins that are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted CA protein.

[0124] In another preferred embodiment, the CA protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the CA protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane CA protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the CA protein. The antibody is also an antagonist of the CA protein. Further, the antibody prevents activation of the transmembrane CA protein. In one aspect, when the antibody prevents the binding of other molecules to the CA protein, the antibody prevents growth of the cell. The antibody may also sensitize the cell to cytotoxic agents, including, but not limited to TNF α , TNF β , IL-1, INF γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity. Thus, carcinomas may be treated by administering to a patient antibodies directed against the transmembrane CA protein.

[0125] In another preferred embodiment, the antibody is conjugated to a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the CA protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the CA protein. The

therapeutic moiety may inhibit enzymatic activity such as protease or protein kinase activity associated with carcinoma.

[0126] In a preferred embodiment, the therapeutic moiety may also be a cytotoxic agent. In this method, targeting the cytotoxic agent to tumor tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with carcinomas, including lymphoma. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against CA proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane CA proteins not only serves to increase the local concentration of therapeutic moiety in the carcinoma of interest, i.e., lymphoma, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

[0127] In another preferred embodiment, the CA protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the CA protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

[0128] The CA antibodies of the invention specifically bind to CA proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a binding constant in the range of at least 10^{-4} - 10^{-6} M^{-1} , with a preferred range being 10^{-7} - 10^{-9} M^{-1} .

[0129] In a preferred embodiment, the CA protein is purified or isolated after expression. CA proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and

reverse-phase HPLC chromatography, and chromatofocusing. For example, the CA protein may be purified using a standard anti-CA antibody column. Ultrafiltration and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, R., Protein Purification, Springer-Verlag, NY (1982). The degree of purification necessary will vary depending on the use of the CA protein. In some instances no purification will be necessary.

[0130] Once expressed and purified if necessary, the CA proteins and nucleic acids are useful in a number of applications.

[0131] In one aspect, the expression levels of genes are determined for different cellular states in the carcinoma phenotype; that is, the expression levels of genes in normal tissue and in carcinoma tissue (and in some cases, for varying severities of lymphoma that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is unique to the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be done or confirmed: does tissue from a particular patient have the gene expression profile of normal or carcinoma tissue.

[0132] "Differential expression," or grammatical equivalents as used herein, refers to both qualitative as well as quantitative differences in the genes temporal and/or cellular expression patterns within and among the cells. Thus, a differentially expressed gene can qualitatively have its expression altered, including an activation or inactivation, in, for example, normal versus carcinoma tissue. That is, genes may be turned on or turned off in a particular state, relative to another state. As is apparent to the skilled artisan, any comparison of two or more states can be made. Such a qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques in one such state or cell type, but is not detectable in both. Alternatively, the determination is quantitative in that expression is increased or decreased; that is, the expression of the gene is either

upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip® expression arrays, Lockhart, Nature Biotechnology, 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, Northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e. upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably, at least about 200%, with from 300 to at least 1000% being especially preferred.

[0133] As will be appreciated by those in the art, this may be done by evaluation at either the gene transcript, or the protein level; that is, the amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, for example through the use of antibodies to the CA protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Thus, the proteins corresponding to CA genes, i.e. those identified as being important in a particular carcinoma phenotype, i.e., lymphoma, can be evaluated in a diagnostic test specific for that carcinoma.

[0134] In a preferred embodiment, gene expression monitoring is done and a number of genes, i.e. an expression profile, is monitored simultaneously, although multiple protein expression monitoring can be done as well. Similarly, these assays may be done on an individual basis as well.

[0135] In this embodiment, the CA nucleic acid probes may be attached to biochips as outlined herein for the detection and quantification of CA sequences in a particular cell. The assays are done as is known in the art. As will be appreciated by those in the art, any number of different CA sequences may be used as probes, with single sequence assays being used in some cases, and a plurality of the sequences described herein being used in other embodiments. In addition, while solid-phase assays are described, any number of solution based assays may be done as well.

[0136] In a preferred embodiment, both solid and solution based assays may be used to detect CA sequences that are up-regulated or down-regulated in carcinomas as compared to normal tissue. In instances where the CA sequence has been altered but shows the same expression profile or an altered expression profile, the protein will be detected as outlined herein.

[0137] In a preferred embodiment nucleic acids encoding the CA protein are detected. Although DNA or RNA encoding the CA protein may be detected, of particular interest are methods wherein the mRNA encoding a CA protein is detected. The presence of mRNA in a sample is an indication that the CA gene has been transcribed to form the mRNA, and suggests that the protein is expressed. Probes to detect the mRNA can be any nucleotide/deoxynucleotide probe that is complementary to and base pairs with the mRNA and includes but is not limited to oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed *in situ*. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxigenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a CA protein is detected by binding the digoxigenin with an anti-digoxigenin secondary antibody and developed with nitro blue tetrazolium and 5_bromo_4_chloro_3_indoyl phosphate.

[0138] In a preferred embodiment, any of the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The CA proteins, antibodies, nucleic acids, modified proteins and cells containing CA sequences are used in diagnostic assays. This can be done on an individual gene or corresponding polypeptide level, or as sets of assays.

[0139] As described and defined herein, CA proteins find use as markers of carcinomas, including lymphomas such as, but not limited to, Hodgkin's and non-Hodgkin lymphoma. Detection of these proteins in putative carcinoma tissue or patients allows for a determination or diagnosis of the type of carcinoma. Numerous

methods known to those of ordinary skill in the art find use in detecting carcinomas. In one embodiment, antibodies are used to detect CA proteins. A preferred method separates proteins from a sample or patient by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be any other type of gel including isoelectric focusing gels and the like). Following separation of proteins, the CA protein is detected by immunoblotting with antibodies raised against the CA protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

[0140] In another preferred method, antibodies to the CA protein find use in *in situ* imaging techniques. In this method cells are contacted with from one to many antibodies to the CA protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the CA protein(s) contains a detectable label. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of CA proteins. As will be appreciated by one of ordinary skill in the art, numerous other histological imaging techniques are useful in the invention.

[0141] In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

[0142] In another preferred embodiment, antibodies find use in diagnosing carcinomas from blood samples. As previously described, certain CA proteins are secreted/circulating molecules. Blood samples, therefore, are useful as samples to be probed or tested for the presence of secreted CA proteins. Antibodies can be used to detect the CA proteins by any of the previously described immunoassay techniques including ELISA, immunoblotting (Western blotting), immunoprecipitation, BIACORE technology and the like, as will be appreciated by one of ordinary skill in the art.

[0143] In a preferred embodiment, *in situ* hybridization of labeled CA nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including CA

tissue and/or normal tissue, are made. *In situ* hybridization as is known in the art can then be done.

[0144] It is understood that when comparing the expression fingerprints between an individual and a standard, the skilled artisan can make a diagnosis as well as a prognosis. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis.

[0145] In a preferred embodiment, the CA proteins, antibodies, nucleic acids, modified proteins and cells containing CA sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to carcinoma, especially lymphoma, severity, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, the CA probes are attached to biochips for the detection and quantification of CA sequences in a tissue or patient. The assays proceed as outlined for diagnosis.

[0146] In a preferred embodiment, any of the CA sequences as described herein are used in drug screening assays. The CA proteins, antibodies, nucleic acids, modified proteins and cells containing CA sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In one embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, Zlokarnik, et al., Science 279, 84-8 (1998), Heid, et al., Genome Res., 6:986-994 (1996).

[0147] In a preferred embodiment, the CA proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified CA proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the carcinoma phenotype. As above, this can be done by screening for modulators of gene expression or for modulators of protein activity. Similarly, this may be done on an individual gene or protein level or by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, supra.

[0148] Having identified the CA genes herein, a variety of assays to evaluate the effects of agents on gene expression may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as aberrantly regulated in carcinoma, candidate bioactive agents may be screened to modulate the genes response. "Modulation" thus includes both an increase and a decrease in gene expression or activity. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tumor tissue, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4 fold increase in tumor compared to normal tissue, a decrease of about four fold is desired; a 10 fold decrease in tumor compared to normal tissue gives a 10 fold increase in expression for a candidate agent is desired, etc. Alternatively, where the CA sequence has been altered but shows the same expression profile or an altered expression profile, the protein will be detected as outlined herein.

[0149] As will be appreciated by those in the art, this may be done by evaluation at either the gene or the protein level; that is, the amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the level of the gene product itself can be monitored, for example through the use of antibodies to the CA protein and standard immunoassays. Alternatively, binding and bioactivity assays with the protein may be done as outlined below.

[0150] In a preferred embodiment, gene expression monitoring is done and a number of genes, i.e. an expression profile, is monitored simultaneously, although multiple protein expression monitoring can be done as well.

[0151] In this embodiment, the CA nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of CA sequences in a particular cell. The assays are further described below.

[0152] Generally, in a preferred embodiment, a candidate bioactive agent is added to the cells prior to analysis. Moreover, screens are provided to identify a candidate bioactive agent which modulates a particular type of carcinoma, modulates CA proteins, binds to a CA protein, or interferes between the binding of a CA protein and an antibody.

[0153] The term "candidate bioactive agent" or "drug candidate" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic or inorganic molecule, polysaccharide, polynucleotide, etc., to be tested for bioactive agents that are capable of directly or indirectly altering either the carcinoma phenotype, binding to and/or modulating the bioactivity of an CA protein, or the expression of a CA sequence, including both nucleic acid sequences and protein sequences. In a particularly preferred embodiment, the candidate agent suppresses a CA phenotype, for example to a normal tissue fingerprint. Similarly, the candidate agent preferably suppresses a severe CA phenotype. Generally a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

[0154] In one aspect, a candidate agent will neutralize the effect of an CA protein. By "neutralize" is meant that activity of a protein is either inhibited or counter acted against so as to have substantially no effect on a cell.

[0155] Candidate agents encompass numerous chemical classes, though typically they are organic or inorganic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

[0156] Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or

synthetically produced libraries and compounds are readily modified through conventional chemical, physical and biochemical means. Known pharmacological agents may be subjected to directed or random chemical modifications, such as acylation, alkylation, esterification, amidification to produce structural analogs.

[0157] In a preferred embodiment, the candidate bioactive agents are proteins. By "protein" herein is meant at least two covalently attached amino acids, which includes proteins, polypeptides, oligopeptides and peptides. The protein may be made up of naturally occurring amino acids and peptide bonds, or synthetic peptidomimetic structures. Thus "amino acid", or "peptide residue", as used herein means both naturally occurring and synthetic amino acids. For example, homo-phenylalanine, citrulline and noreleucine are considered amino acids for the purposes of the invention. "Amino acid" also includes imino acid residues such as proline and hydroxyproline. The side chains may be in either the (R) or the (S) configuration. In the preferred embodiment, the amino acids are in the (S) or L-configuration. If non-naturally occurring side chains are used, non-amino acid substituents may be used, for example to prevent or retard in vivo degradations.

[0158] In a preferred embodiment, the candidate bioactive agents are naturally occurring proteins or fragments of naturally occurring proteins. Thus, for example, cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of procaryotic and eucaryotic proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially preferred.

[0159] In a preferred embodiment, the candidate bioactive agents are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to

generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

[0160] In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, for example, of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

[0161] In a preferred embodiment, the candidate bioactive agents are nucleic acids, as defined above.

[0162] As described above generally for proteins, nucleic acid candidate bioactive agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

[0163] In a preferred embodiment, the candidate bioactive agents are organic chemical moieties, a wide variety of which are available in the literature.

[0164] In assays for altering the expression profile of one or more CA genes, after the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing the target sequences to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR occurring as needed, as will be appreciated by those in the art. For example, an *in vitro* transcription with labels covalently attached to the nucleosides is done. Generally, the nucleic acids are labeled with a label as defined herein, with biotin-FITC or PE, cy3 and cy5 being particularly preferred.

[0165] In a preferred embodiment, the target sequence is labeled with, for example, a fluorescent, chemiluminescent, chemical, or radioactive signal, to provide a means of

detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. As known in the art, unbound labeled streptavidin is removed prior to analysis.

[0166] As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

[0167] A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to, temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

[0168] These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

[0169] The reactions outlined herein may be accomplished in a variety of ways, as will be appreciated by those in the art. Components of the reaction may be added simultaneously, or sequentially, in any order, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents may be

included in the assays. These include reagents like salts, buffers, neutral proteins, e.g. albumin, detergents, etc which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used, depending on the sample preparation methods and purity of the target. In addition, either solid phase or solution based (i.e., kinetic PCR) assays may be used.

[0170] Once the assay is run, the data is analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

[0171] In a preferred embodiment, as for the diagnosis and prognosis applications, having identified the differentially expressed gene(s) or mutated gene(s) important in any one state, screens can be run to alter the expression of the genes individually. That is, screening for modulation of regulation of expression of a single gene can be done. Thus, for example, particularly in the case of target genes whose presence or absence is unique between two states, screening is done for modulators of the target gene expression.

[0172] In addition, screens can be done for novel genes that are induced in response to a candidate agent. After identifying a candidate agent based upon its ability to suppress a CA expression pattern leading to a normal expression pattern, or modulate a single CA gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated CA tissue reveals genes that are not expressed in normal tissue or CA tissue, but are expressed in agent treated tissue. These agent specific sequences can be identified and used by any of the methods described herein for CA genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated CA tissue sample.

[0173] Thus, in one embodiment, a candidate agent is administered to a population of CA cells, that thus has an associated CA expression profile. By "administration" or

“contacting” herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e. a peptide) may be put into a viral construct such as a retroviral construct and added to the cell, such that expression of the peptide agent is accomplished; see PCT US97/01019, hereby expressly incorporated by reference.

[0174] Once the candidate agent has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

[0175] Thus, for example, CA tissue may be screened for agents that reduce or suppress the CA phenotype. A change in at least one gene of the expression profile indicates that the agent has an effect on CA activity. By defining such a signature for the CA phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

[0176] In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as “CA proteins” or an “CAP”. The CAP may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of Tables 1-112. Preferably, the CAP is a fragment. In another embodiment, the sequences are sequence variants as further described herein.

[0177] Preferably, the CAP is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the c-terminus of the fragment is kept as a free acid and the n-terminus is a free amine to aid in coupling, i.e., to cysteine.

[0178] In one embodiment the CA proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the CA protein is conjugated to BSA.

[0179] In a preferred embodiment, screening is done to alter the biological function of the expression product of the CA gene. Again, having identified the importance of a gene in a particular state, screening for agents that bind and/or modulate the biological activity of the gene product can be run as is more fully outlined below.

[0180] In a preferred embodiment, screens are designed to first find candidate agents that can bind to CA proteins, and then these agents may be used in assays that evaluate the ability of the candidate agent to modulate the CAP activity and the carcinoma phenotype. Thus, as will be appreciated by those in the art, there are a number of different assays which may be run; binding assays and activity assays.

[0181] In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more CA nucleic acids are made. In general, this is done as is known in the art. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the CA proteins can be used in the assays.

[0182] Thus, in a preferred embodiment, the methods comprise combining a CA protein and a candidate bioactive agent, and determining the binding of the candidate agent to the CA protein. Preferred embodiments utilize the human or mouse CA protein, although other mammalian proteins may also be used, for example for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative CA proteins may be used.

[0183] Generally, in a preferred embodiment of the methods herein, the CA protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, Teflon™, etc. Microtiter

plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusible. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

[0184] In a preferred embodiment, the CA protein is bound to the support, and a candidate bioactive agent is added to the assay. Alternatively, the candidate agent is bound to the support and the CA protein is added. Novel binding agents include specific antibodies, non_natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled *in vitro* protein_protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

[0185] The determination of the binding of the candidate bioactive agent to the CA protein may be done in a number of ways. In a preferred embodiment, the candidate bioactive agent is labeled, and binding determined directly. For example, this may be done by attaching all or a portion of the CA protein to a solid support, adding a labeled candidate agent (for example a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as is known in the art.

[0186] By "labeled" herein is meant that the compound is either directly or indirectly labeled with a label which provides a detectable signal, e.g. radioisotope, fluorescers, enzyme, antibodies, particles such as magnetic particles, chemiluminescers, or specific binding molecules, etc. Specific binding molecules include pairs, such as biotin and streptavidin, digoxin and antidigoxin etc. For the specific binding

members, the complementary member would normally be labeled with a molecule which provides for detection, in accordance with known procedures, as outlined above. The label can directly or indirectly provide a detectable signal.

[0187] In some embodiments, only one of the components is labeled. For example, the proteins (or proteinaceous candidate agents) may be labeled at tyrosine positions using ^{125}I , or with fluorophores. Alternatively, more than one component may be labeled with different labels; using ^{125}I for the proteins, for example, and a fluorophore for the candidate agents.

[0188] In a preferred embodiment, the binding of the candidate bioactive agent is determined through the use of competitive binding assays. In this embodiment, the competitor is a binding moiety known to bind to the target molecule (i.e. CA protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding as between the bioactive agent and the binding moiety, with the binding moiety displacing the bioactive agent.

[0189] In one embodiment, the candidate bioactive agent is labeled. Either the candidate bioactive agent, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at any temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are selected for optimum activity, but may also be optimized to facilitate rapid high throughput screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

[0190] In a preferred embodiment, the competitor is added first, followed by the candidate bioactive agent. Displacement of the competitor is an indication that the candidate bioactive agent is binding to the CA protein and thus is capable of binding to, and potentially modulating, the activity of the CA protein. In this embodiment, either component can be labeled. Thus, for example, if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the candidate bioactive agent is labeled, the presence of the label on the support indicates displacement.

[0191] In an alternative embodiment, the candidate bioactive agent is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the bioactive agent is bound to the CA protein with a higher affinity. Thus, if the candidate bioactive agent is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the candidate agent is capable of binding to the CA protein.

[0192] In a preferred embodiment, the methods comprise differential screening to identify bioactive agents that are capable of modulating the activity of the CA proteins. In this embodiment, the methods comprise combining a CA protein and a competitor in a first sample. A second sample comprises a candidate bioactive agent, a CA protein and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the CA protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the CA protein.

[0193] Alternatively, a preferred embodiment utilizes differential screening to identify drug candidates that bind to the native CA protein, but cannot bind to modified CA proteins. The structure of the CA protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect CA bioactivity are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

[0194] Positive controls and negative controls may be used in the assays. Preferably all control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, all samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

[0195] A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the

assay, such as protease inhibitors, nuclease inhibitors, anti_microbial agents, etc., may be used. The mixture of components may be added in any order that provides for the requisite binding.

[0196] Screening for agents that modulate the activity of CA proteins may also be done. In a preferred embodiment, methods for screening for a bioactive agent capable of modulating the activity of CA proteins comprise the steps of adding a candidate bioactive agent to a sample of CA proteins, as above, and determining an alteration in the biological activity of CA proteins. "Modulating the activity of an CA protein" includes an increase in activity, a decrease in activity, or a change in the type or kind of activity present. Thus, in this embodiment, the candidate agent should both bind to CA proteins (although this may not be necessary), and alter its biological or biochemical activity as defined herein. The methods include both *in vitro* screening methods, as are generally outlined above, and *in vivo* screening of cells for alterations in the presence, distribution, activity or amount of CA proteins.

[0197] Thus, in this embodiment, the methods comprise combining a CA sample and a candidate bioactive agent, and evaluating the effect on CA activity. By "CA activity" or grammatical equivalents herein is meant one of the CA protein's biological activities, including, but not limited to, its role in tumorigenesis, including cell division, preferably in lymphatic tissue, cell proliferation, tumor growth and transformation of cells. In one embodiment, CA activity includes activation of or by a protein encoded by a nucleic acid of Tables 1-112. An inhibitor of CA activity is the inhibition of any one or more CA activities.

[0198] In a preferred embodiment, the activity of the CA protein is increased; in another preferred embodiment, the activity of the CA protein is decreased. Thus, bioactive agents that are antagonists are preferred in some embodiments, and bioactive agents that are agonists may be preferred in other embodiments.

[0199] In a preferred embodiment, the invention provides methods for screening for bioactive agents capable of modulating the activity of a CA protein. The methods comprise adding a candidate bioactive agent, as defined above, to a cell comprising CA proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a CA protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

[0200] In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, for example hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

[0201] In this way, bioactive agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the CA protein.

[0202] In one embodiment, a method of inhibiting carcinoma cancer cell division, is provided. The method comprises administration of a carcinoma cancer inhibitor.

[0203] In a preferred embodiment, a method of inhibiting lymphoma carcinoma cell division is provided comprising administration of a lymphoma carcinoma inhibitor.

[0204] In another embodiment, a method of inhibiting tumor growth is provided. The method comprises administration of a carcinoma cancer inhibitor. In a particularly preferred embodiment, a method of inhibiting tumor growth in lymphatic tissue is provided comprising administration of a lymphoma inhibitor.

[0205] In a further embodiment, methods of treating cells or individuals with cancer are provided. The method comprises administration of a carcinoma cancer inhibitor. Preferably, the carcinoma is a lymphoma carcinoma.

[0206] In one embodiment, a carcinoma cancer inhibitor is an antibody as discussed above. In another embodiment, the carcinoma cancer inhibitor is an antisense molecule. Antisense molecules as used herein include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for carcinoma cancer molecules. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen, Cancer Res. 48:2659, (1988) and van der Krol et al., BioTechniques 6:958, (1988).

[0207] Antisense molecules may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as

described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

[0208] The compounds having the desired pharmacological activity may be administered in a physiologically acceptable carrier to a host, as previously described. The agents may be administered in a variety of ways, orally, parenterally e.g., subcutaneously, intraperitoneally, intravascularly, etc. Depending upon the manner of introduction, the compounds may be formulated in a variety of ways. The concentration of therapeutically active compound in the formulation may vary from about 0.1_100% wgt/vol. The agents may be administered alone or in combination with other treatments, i.e., radiation.

[0209] The pharmaceutical compositions can be prepared in various forms, such as granules, tablets, pills, suppositories, capsules, suspensions, salves, lotions and the like. Pharmaceutical grade organic or inorganic carriers and/or diluents suitable for oral and topical use can be used to make up compositions containing the therapeutically active compounds. Diluents known to the art include aqueous media, vegetable and animal oils and fats. Stabilizing agents, wetting and emulsifying agents, salts for varying the osmotic pressure or buffers for securing an adequate pH value, and skin penetration enhancers can be used as auxiliary agents.

[0210] Without being bound by theory, it appears that the various CA sequences are important in carcinomas. Accordingly, disorders based on mutant or variant CA genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant CA genes comprising determining all or part of the sequence of at least one endogenous CA genes in a cell. As will be appreciated by those in the art, this may be done using any number of sequencing techniques. In a

preferred embodiment, the invention provides methods of identifying the CA genotype of an individual comprising determining all or part of the sequence of at least one CA gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced CA gene to a known CA gene, i.e., a wild-type gene. As will be appreciated by those in the art, alterations in the sequence of some oncogenes can be an indication of either the presence of the disease, or propensity to develop the disease, or prognosis evaluations.

[0211] The sequence of all or part of the CA gene can then be compared to the sequence of a known CA gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the CA gene of the patient and the known CA gene is indicative of a disease state or a propensity for a disease state, as outlined herein.

[0212] In a preferred embodiment, the CA genes are used as probes to determine the number of copies of the CA gene in the genome. For example, some cancers exhibit chromosomal deletions or insertions, resulting in an alteration in the copy number of a gene.

[0213] In another preferred embodiment CA genes are used as probes to determine the chromosomal location of the CA genes. Information such as chromosomal location finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in CA gene loci.

[0214] Thus, in one embodiment, methods of modulating CA in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-CA antibody that reduces or eliminates the biological activity of an endogenous CA protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a CA protein. As will be appreciated by those in the art, this may be accomplished in any number of ways. In a preferred embodiment, for example when the CA sequence is down-regulated in carcinoma, the activity of the CA gene is increased by increasing the amount of CA in the cell, for example by

overexpressing the endogenous CA or by administering a gene encoding the CA sequence, using known gene-therapy techniques, for example. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), for example as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, for example when the CA sequence is up-regulated in carcinoma, the activity of the endogenous CA gene is decreased, for example by the administration of a CA antisense nucleic acid.

[0215] In one embodiment, the CA proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to CA proteins, which are useful as described herein. Similarly, the CA proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify CA antibodies. In a preferred embodiment, the antibodies are generated to epitopes unique to a CA protein; that is, the antibodies show little or no cross-reactivity to other proteins. These antibodies find use in a number of applications. For example, the CA antibodies may be coupled to standard affinity chromatography columns and used to purify CA proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the CA protein.

[0216] In one embodiment, a therapeutically effective dose of a CA or modulator thereof is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces the effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques. As is known in the art, adjustments for CA degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art.

[0217] A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals, and organisms. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, and in the most preferred embodiment the patient is human.

[0218] The administration of the CA proteins and modulators of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, for example, in the treatment of wounds and inflammation, the CA proteins and modulators may be directly applied as a solution or spray.

[0219] The pharmaceutical compositions of the present invention comprise a CA protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p_toluenesulfonic acid, salicylic acid and the like.

"Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non_toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

[0220] The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol. Additives are well known in the art, and are used in a variety of formulations.

[0221] In a preferred embodiment, CA proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, CA genes (including both the full-length sequence, partial sequences, or regulatory sequences of the CA coding regions) can be administered in gene therapy applications, as is known in the art. These CA genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

[0222] In a preferred embodiment, CA genes are administered as DNA vaccines, either single genes or combinations of CA genes. Naked DNA vaccines are generally known in the art. Brower, Nature Biotechnology, 16:1304-1305 (1998).

[0223] In one embodiment, CA genes of the present invention are used as DNA vaccines. Methods for the use of genes as DNA vaccines are well known to one of ordinary skill in the art, and include placing a CA gene or portion of a CA gene under the control of a promoter for expression in a patient with carcinoma. The CA gene used for DNA vaccines can encode full-length CA proteins, but more preferably encodes portions of the CA proteins including peptides derived from the CA protein. In a preferred embodiment a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a CA gene. Similarly, it is possible to immunize a patient with a plurality of CA genes or portions thereof as defined herein. Without being bound by theory, expression of the polypeptide encoded by the DNA vaccine, cytotoxic T-cells, helper T-cells and antibodies are induced which recognize and destroy or eliminate cells expressing CA proteins.

[0224] In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the CA polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are known to those of ordinary skill in the art and find use in the invention.

[0225] In another preferred embodiment CA genes find use in generating animal models of carcinomas, particularly lymphoma carcinomas. As is appreciated by one of ordinary skill in the art, when the CA gene identified is repressed or diminished in CA tissue, gene therapy technology wherein antisense RNA directed to the CA gene will also diminish or repress expression of the gene. An animal generated as such

serves as an animal model of CA that finds use in screening bioactive drug candidates. Similarly, gene knockout technology, for example as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence of the CA protein. When desired, tissue-specific expression or knockout of the CA protein may be necessary.

[0226] It is also possible that the CA protein is overexpressed in carcinoma. As such, transgenic animals can be generated that overexpress the CA protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of CA and are additionally useful in screening for bioactive molecules to treat carcinoma.

[0227] The CA nucleic acid sequences of the invention are depicted in Tables 1-112. The sequences in Tables 1 (SEQ ID NOS:1-460) and 2 (SEQ ID NOS:461-952) depict mouse tags, i.e. the genomic insertion sites. SEQ ID NOS:953-1612 include genomic sequence, mRNA and coding sequences for both mouse and human. N/A indicates a gene that has been identified, but for which there has not been a name ascribed. The different sequences of Tables 3-112 are assigned the following SEQ ID Nos:

Table 3 (mouse gene: Fscn1; human gene SNL)

Mouse genomic sequence (SEQ ID NO:953)

Mouse mRNA sequence (SEQ ID NO:954)

Mouse coding sequence (SEQ ID NO:955)

Human genomic sequence (SEQ ID NO:956)

Human mRNA sequence (SEQ ID NO:957)

Human coding sequence (SEQ ID NO:958)

Table 4 (mouse gene Map3k6; human gene MAP3K6)

Mouse genomic sequence (SEQ ID NO:959)

Mouse mRNA sequence (SEQ ID NO:960)

Mouse coding sequence (SEQ ID NO:961)

Human genomic sequence (SEQ ID NO:962)

Human mRNA sequence (SEQ ID NO:963)

Human coding sequence (SEQ ID NO:964)

Table 5 (mouse gene Fosb; human gene FOSB)

Mouse genomic sequence (SEQ ID NO:965)

Mouse mRNA sequence (SEQ ID NO:966)

Mouse coding sequence (SEQ ID NO:967)

Human genomic sequence (SEQ ID NO:968)

Human mRNA sequence (SEQ ID NO:969)

Human coding sequence (SEQ ID NO:970)

Table 6 (mouse gene cmkbr7; human gene: CCR7)

Mouse genomic sequence (SEQ ID NO:971)

Mouse mRNA sequence (SEQ ID NO:972)

Mouse coding sequence (SEQ ID NO:973)

Human genomic sequence (SEQ ID NO:974)

Human mRNA sequence (SEQ ID NO:975)

Human coding sequence (SEQ ID NO:976)

Table 7 (mouse gene: Ccnd1; human gene: CCND1)

Mouse genomic sequence (SEQ ID NO:977)

Mouse mRNA sequence (SEQ ID NO:978)

Mouse coding sequence (SEQ ID NO:979)

Human genomic sequence (SEQ ID NO:980)

Human mRNA sequence (SEQ ID NO:981)

Human coding sequence (SEQ ID NO:982)

Table 8 (mouse gene: Ccnd3; human gene: CCND3)

Mouse genomic sequence (SEQ ID NO:983)

Mouse mRNA sequence (SEQ ID NO:984)

Mouse coding sequence (SEQ ID NO:985)

Human genomic sequence (SEQ ID NO:986)

Human mRNA sequence (SEQ ID NO:987)

Human coding sequence (SEQ ID NO:988)

Table 9 (mouse gene: Wnt3; human gene: WNT3)

Mouse genomic sequence (SEQ ID NO:989)

Mouse mRNA sequence (SEQ ID NO:990)

Mouse coding sequence (SEQ ID NO:991)

Human genomic sequence (SEQ ID NO:992)

Human mRNA sequence (SEQ ID NO:993)

Human coding sequence (SEQ ID NO:994)

Table 10 (mouse gene: Batf; human gene: BATF)

Mouse genomic sequence (SEQ ID NO:995)

Mouse mRNA sequence (SEQ ID NO:996)

Mouse coding sequence (SEQ ID NO:997)

Human genomic sequence (SEQ ID NO:998)

Human mRNA sequence (SEQ ID NO:999)

Human coding sequence (SEQ ID NO:1000)

Table 11 (mouse gene: Irf4; human gene: IRF4)

Mouse genomic sequence (SEQ ID NO:1001)

Mouse mRNA sequence (SEQ ID NO:1002)

Mouse coding sequence (SEQ ID NO:1003)

Human genomic sequence (SEQ ID NO:1004)

Human mRNA sequence (SEQ ID NO:1005)

Human coding sequence (SEQ ID NO:1006)

Table 12 (mouse gene: Notch1; human gene: NOTCH1)

Mouse genomic sequence (SEQ ID NO:1007)

Mouse mRNA sequence (SEQ ID NO:1008)

Mouse coding sequence (SEQ ID NO:1009)

Human genomic sequence (SEQ ID NO:1010)

Human mRNA sequence (SEQ ID NO:1011)

Human coding sequence (SEQ ID NO:1012)

Table 13 (mouse gene: Myc; human gene MYC)

Mouse genomic sequence (SEQ ID NO:1013)
Mouse mRNA sequence (SEQ ID NO:1014)
Mouse coding sequence (SEQ ID NO:1015)
Human genomic sequence (SEQ ID NO:1016)
Human mRNA sequence (SEQ ID NO:1017)
Human coding sequence (SEQ ID NO:1018)

Table 14 (mouse gene Bach2; human gene BACH2)

Mouse genomic sequence (SEQ ID NO:1019)
Mouse mRNA sequence (SEQ ID NO:1020)
Mouse coding sequence (SEQ ID NO:1021)
Human genomic sequence (SEQ ID NO:1022)
Human mRNA sequence (SEQ ID NO:1023)
Human coding sequence (SEQ ID NO:1024)

Table 15 (mouse gene Wnt1; human gene WNT1)

Mouse genomic sequence (SEQ ID NO:1025)
Mouse mRNA sequence (SEQ ID NO:1026)
Mouse coding sequence (SEQ ID NO:1027)
Human genomic sequence (SEQ ID NO:1028)
Human mRNA sequence (SEQ ID NO:1029)
Human coding sequence (SEQ ID NO:1030)

Table 16 (mouse gene Rasgrp1; human gene: RASGRP1)

Mouse genomic sequence (SEQ ID NO:1031)
Mouse mRNA sequence (SEQ ID NO:1032)
Mouse coding sequence (SEQ ID NO:1033)
Human genomic sequence (SEQ ID NO:1034)
Human mRNA sequence (SEQ ID NO:1035)
Human coding sequence (SEQ ID NO:1036)

Table 17 (mouse gene: Nmyc1; human gene: MYCN)

Mouse genomic sequence (SEQ ID NO:1037)
Mouse mRNA sequence (SEQ ID NO:1038)

Mouse coding sequence (SEQ ID NO:1039)
Human genomic sequence (SEQ ID NO:1040)
Human mRNA sequence (SEQ ID NO:1041)
Human coding sequence (SEQ ID NO:1042)

Table 18 (mouse gene: Myb; human gene: MYB)

Mouse genomic sequence (SEQ ID NO:1043)
Mouse mRNA sequence (SEQ ID NO:1044)
Mouse coding sequence (SEQ ID NO:1045)
Human genomic sequence (SEQ ID NO:1046)
Human mRNA sequence (SEQ ID NO:1047)
Human coding sequence (SEQ ID NO:1048)

Table 19 (mouse gene: Sox4; human gene: SOX4)

Mouse genomic sequence (SEQ ID NO:1049)
Mouse mRNA sequence (SEQ ID NO:1050)
Mouse coding sequence (SEQ ID NO:1051)
Human genomic sequence (SEQ ID NO:1052)
Human mRNA sequence (SEQ ID NO:1053)
Human coding sequence (SEQ ID NO:1054)

Table 20 (mouse gene: Tcof1; human gene: TCOF1)

Mouse genomic sequence (SEQ ID NO:1055)
Mouse mRNA sequence (SEQ ID NO:1056)
Mouse coding sequence (SEQ ID NO:1057)
Human genomic sequence (SEQ ID NO:1058)
Human mRNA sequence (SEQ ID NO:1059)
Human coding sequence (SEQ ID NO:1060)

Table 21 (mouse gene: Pim1; human gene: PIM1)

Mouse genomic sequence (SEQ ID NO:1061)
Mouse mRNA sequence (SEQ ID NO:1062)
Mouse coding sequence (SEQ ID NO:1063)
Human genomic sequence (SEQ ID NO:1064)

Human mRNA sequence (SEQ ID NO:1065)

Human coding sequence (SEQ ID NO:1066)

Table 22 (mouse gene: Wnt3a; human gene: WNT3A)

Mouse genomic sequence (SEQ ID NO:1067)

Mouse mRNA sequence (SEQ ID NO:1068)

Mouse coding sequence (SEQ ID NO:1069)

Human genomic sequence (SEQ ID NO:1070)

Human mRNA sequence (SEQ ID NO:1071)

Human coding sequence (SEQ ID NO:1072)

Table 23 (mouse gene: Ly6e; human gene LY6E)

Mouse genomic sequence (SEQ ID NO:1073)

Mouse mRNA sequence (SEQ ID NO:1074)

Mouse coding sequence (SEQ ID NO:1075)

Human genomic sequence (SEQ ID NO:1076)

Human mRNA sequence (SEQ ID NO:1077)

Human coding sequence (SEQ ID NO:1078)

Table 24 (mouse gene: Rasa2; human gene RASA2)

Mouse genomic sequence (SEQ ID NO:1079)

Mouse mRNA sequence (SEQ ID NO:1080)

Mouse coding sequence (SEQ ID NO:1081)

Human genomic sequence (SEQ ID NO:1082)

Human mRNA sequence (SEQ ID NO:1083)

Human coding sequence (SEQ ID NO:1084)

Table 25 (mouse gene: Gata1; human gene GATA1)

Mouse genomic sequence (SEQ ID NO:1085)

Mouse mRNA sequence (SEQ ID NO:1086)

Mouse coding sequence (SEQ ID NO:1087)

Human genomic sequence (SEQ ID NO:1088)

Human mRNA sequence (SEQ ID NO:1089)

Human coding sequence (SEQ ID NO:1090)

Table 26 (mouse gene: Fkbp5; human gene FKBP5)

Mouse genomic sequence (SEQ ID NO:1091)

Mouse mRNA sequence (SEQ ID NO:1092)

Mouse coding sequence (SEQ ID NO:1093)

Human genomic sequence (SEQ ID NO:1094)

Human mRNA sequence (SEQ ID NO:1095)

Human coding sequence (SEQ ID NO:1096)

Table 27 (mouse gene: Rel; human gene REL)

Mouse genomic sequence (SEQ ID NO:1097)

Mouse mRNA sequence (SEQ ID NO:1098)

Mouse coding sequence (SEQ ID NO:1099)

Human genomic sequence (SEQ ID NO:1100)

Human mRNA sequence (SEQ ID NO:1101)

Human coding sequence (SEQ ID NO:1102)

Table 28 (mouse gene: Icsbp; human gene ICSBP1)

Mouse genomic sequence (SEQ ID NO:1103)

Mouse mRNA sequence (SEQ ID NO:1104)

Mouse coding sequence (SEQ ID NO:1105)

Human genomic sequence (SEQ ID NO:1106)

Human mRNA sequence (SEQ ID NO:1107)

Human coding sequence (SEQ ID NO:1108)

Table 29 (mouse gene: Bmi1; human gene BMI1)

Mouse genomic sequence (SEQ ID NO:1109)

Mouse mRNA sequence (SEQ ID NO:1110)

Mouse coding sequence (SEQ ID NO:1111)

Human genomic sequence (SEQ ID NO:1112)

Human mRNA sequence (SEQ ID NO:1113)

Human coding sequence (SEQ ID NO:1114)

Table 30 (mouse gene: Runx1; human gene RUNX1)

Mouse genomic sequence (SEQ ID NO:1115)
Mouse mRNA sequence (SEQ ID NO:1116)
Mouse coding sequence (SEQ ID NO:1117)
Human genomic sequence (SEQ ID NO:1118)
Human mRNA sequence (SEQ ID NO:1119)
Human coding sequence (SEQ ID NO:1120)

Table 31 (mouse gene: Il2ra; human gene IL2RA)

Mouse genomic sequence (SEQ ID NO:1121)
Mouse mRNA sequence (SEQ ID NO:1122)
Mouse coding sequence (SEQ ID NO:1123)
Human genomic sequence (SEQ ID NO:1124)
Human mRNA sequence (SEQ ID NO:1125)
Human coding sequence (SEQ ID NO:1126)

Table 32 (mouse gene: Nfkb1; human gene NFKB1)

Mouse genomic sequence (SEQ ID NO:1127)
Mouse mRNA sequence (SEQ ID NO:1128)
Mouse coding sequence (SEQ ID NO:1129)
Human genomic sequence (SEQ ID NO:1130)
Human mRNA sequence (SEQ ID NO:1131)
Human coding sequence (SEQ ID NO:1132)

Table 33 (mouse gene: Fyn; human gene FYN)

Mouse genomic sequence (SEQ ID NO:1133)
Mouse mRNA sequence (SEQ ID NO:1134)
Mouse coding sequence (SEQ ID NO:1135)
Human genomic sequence (SEQ ID NO:1136)
Human mRNA sequence (SEQ ID NO:1137)
Human coding sequence (SEQ ID NO:1138)

Table 34 (mouse gene: Nfkbil1; human gene NFKBIL1)

Mouse genomic sequence (SEQ ID NO:1139)
Mouse mRNA sequence (SEQ ID NO:1140)

Mouse coding sequence (SEQ ID NO:1141)
Human genomic sequence (SEQ ID NO:1142)
Human mRNA sequence (SEQ ID NO:1143)
Human coding sequence (SEQ ID NO:1144)

Table 35 (mouse gene: Flt3; human gene FLT3)

Mouse genomic sequence (SEQ ID NO:1145)
Mouse mRNA sequence (SEQ ID NO:1146)
Mouse coding sequence (SEQ ID NO:1147)
Human genomic sequence (SEQ ID NO:1148)
Human mRNA sequence (SEQ ID NO:1149)
Human coding sequence (SEQ ID NO:1150)

Table 36 (mouse gene: Dntt; human gene DNMT3A)

Mouse genomic sequence (SEQ ID NO:1151)
Mouse mRNA sequence (SEQ ID NO:1152)
Mouse coding sequence (SEQ ID NO:1153)
Human genomic sequence (SEQ ID NO:1154)
Human mRNA sequence (SEQ ID NO:1155)
Human coding sequence (SEQ ID NO:1156)

Table 37 (mouse gene: Znf1a1; human gene ZNF1A1)

Mouse genomic sequence (SEQ ID NO:1157)
Mouse mRNA sequence (SEQ ID NO:1158)
Mouse coding sequence (SEQ ID NO:1159)
Human genomic sequence (SEQ ID NO:1160)
Human mRNA sequence (SEQ ID NO:1161)
Human coding sequence (SEQ ID NO:1162)

Table 38 (mouse gene: Tbx21; human gene TBX21)

Mouse genomic sequence (SEQ ID NO:1163)
Mouse mRNA sequence (SEQ ID NO:1164)
Mouse coding sequence (SEQ ID NO:1165)
Human genomic sequence (SEQ ID NO:1166)

Human mRNA sequence (SEQ ID NO:1167)

Human coding sequence (SEQ ID NO:1168)

Table 39 (mouse gene: Stat5b; human gene STAT5B)

Mouse genomic sequence (SEQ ID NO:1169)

Mouse mRNA sequence (SEQ ID NO:1170)

Mouse coding sequence (SEQ ID NO:1171)

Human genomic sequence (SEQ ID NO:1172)

Human mRNA sequence (SEQ ID NO:1173)

Human coding sequence (SEQ ID NO:1174)

Table 40 (mouse gene: Sema4d; human gene SEMA4D)

Mouse genomic sequence (SEQ ID NO:1175)

Mouse mRNA sequence (SEQ ID NO:1176)

Mouse coding sequence (SEQ ID NO 1177)

Human genomic sequence (SEQ ID NO 1178)

Human mRNA sequence (SEQ ID NO:1179)

Human coding sequence (SEQ ID NO:1180)

Table 41 (mouse gene: Mdm2; human gene MDM2)

Mouse genomic sequence (SEQ ID NO:1181)

Mouse mRNA sequence (SEQ ID NO:1182)

Mouse coding sequence (SEQ ID NO:1183)

Human genomic sequence (SEQ ID NO:1184)

Human mRNA sequence (SEQ ID NO:1185)

Human coding sequence (SEQ ID NO:1186)

Table 42 (mouse gene: Prlr; human gene PRLR)

Mouse genomic sequence (SEQ ID NO:1187)

Mouse mRNA sequence (SEQ ID NO:1188)

Mouse coding sequence (SEQ ID NO:1189)

Human genomic sequence (SEQ ID NO:1190)

Human mRNA sequence (SEQ ID NO:1191)

Human coding sequence (SEQ ID NO:1192)

Table 43 (mouse gene: Top1; human gene TOP1)

Mouse genomic sequence (SEQ ID NO:1193)

Mouse mRNA sequence (SEQ ID NO:1194)

Mouse coding sequence (SEQ ID NO:1195)

Human genomic sequence (SEQ ID NO:1196)

Human mRNA sequence (SEQ ID NO:1197)

Human coding sequence (SEQ ID NO:1198)

Table 44 (mouse gene: Dusp10; human gene DUSP10)

Mouse genomic sequence (SEQ ID NO:1199)

Mouse mRNA sequence (SEQ ID NO:1200)

Mouse coding sequence (SEQ ID NO:1201)

Human genomic sequence (SEQ ID NO:1202)

Human mRNA sequence (SEQ ID NO:1203)

Human coding sequence (SEQ ID NO:1204)

Table 45 (mouse gene: Fli1; human gene FLI1)

Mouse genomic sequence (SEQ ID NO:1205)

Mouse mRNA sequence (SEQ ID NO:1206)

Mouse coding sequence (SEQ ID NO:1207)

Human genomic sequence (SEQ ID NO:1208)

Human mRNA sequence (SEQ ID NO:1209)

Human coding sequence (SEQ ID NO:1210)

Table 46 (mouse gene: Tk2; human gene TK2)

Mouse genomic sequence (SEQ ID NO:1211)

Mouse mRNA sequence (SEQ ID NO:1212)

Mouse coding sequence (SEQ ID NO:1213)

Human genomic sequence (SEQ ID NO:1214)

Human mRNA sequence (SEQ ID NO:1215)

Human coding sequence (SEQ ID NO:1216)

Table 47 (mouse gene: Nupr1)

Mouse genomic sequence (SEQ ID NO:1217)
Mouse mRNA sequence (SEQ ID NO:1218)
Mouse coding sequence (SEQ ID NO:1219)
Human genomic sequence (SEQ ID NO:1220)
Human mRNA sequence (SEQ ID NO:1221)
Human coding sequence (SEQ ID NO:1222)

Table 48 (mouse gene: *Zfhx1b*; human gene ZFHX1B)

Mouse genomic sequence (SEQ ID NO:1223)
Mouse mRNA sequence (SEQ ID NO:1224)
Mouse coding sequence (SEQ ID NO:1225)
Human genomic sequence (SEQ ID NO:1226)
Human mRNA sequence (SEQ ID NO:1227)
Human coding sequence (SEQ ID NO:1228)

Table 49 (mouse gene: *Vdac1*; human gene VDAC1)

Mouse genomic sequence (SEQ ID NO:1229)
Mouse mRNA sequence (SEQ ID NO:1230)
Mouse coding sequence (SEQ ID NO:1231)
Human genomic sequence (SEQ ID NO:1232)
Human mRNA sequence (SEQ ID NO:1233)
Human coding sequence (SEQ ID NO:1234)

Table 50 (mouse gene: *Nfatc1*; human gene NFATC1)

Mouse genomic sequence (SEQ ID NO:1235)
Mouse mRNA sequence (SEQ ID NO:1236)
Mouse coding sequence (SEQ ID NO:1237)
Human genomic sequence (SEQ ID NO:1238)
Human mRNA sequence (SEQ ID NO:1239)
Human coding sequence (SEQ ID NO:1240)

Table 51 (mouse gene: *Syk*; human gene SYK)

Mouse genomic sequence (SEQ ID NO:1241)
Mouse mRNA sequence (SEQ ID NO:1242)

Mouse coding sequence (SEQ ID NO:1243)
Human genomic sequence (SEQ ID NO:1244)
Human mRNA sequence (SEQ ID NO:1245)
Human coding sequence (SEQ ID NO:1246)

Table 52 (mouse gene: Gnb1; human gene GNB1)

Mouse genomic sequence (SEQ ID NO:1247)
Mouse mRNA sequence (SEQ ID NO:1248)
Mouse coding sequence (SEQ ID NO:1249)
Human genomic sequence (SEQ ID NO:1250)
Human mRNA sequence (SEQ ID NO:1251)
Human coding sequence (SEQ ID NO:1252).

Table 53 (mouse gene: Ccnd2; human gene CCND2)

Mouse genomic sequence (SEQ ID NO:1253)
Mouse mRNA sequence (SEQ ID NO:1254)
Mouse coding sequence (SEQ ID NO:1255)
Human genomic sequence (SEQ ID NO:1256)
Human mRNA sequence (SEQ ID NO:1257)
Human coding sequence (SEQ ID NO:1258)

Table 54 (mouse gene Tnfrsf6; human gene TNFRSF6)

Mouse genomic sequence (SEQ ID NO:1259)
Mouse mRNA sequence (SEQ ID NO:1260)
Mouse coding sequence (SEQ ID NO:1261)
Human genomic sequence (SEQ ID NO:1262)
Human mRNA sequence (SEQ ID NO:1263)
Human coding sequence (SEQ ID NO:1264)

Table 55 (mouse gene Irf2; human gene IRF2)

Mouse genomic sequence (SEQ ID NO:1265)
Mouse mRNA sequence (SEQ ID NO:1266)
Mouse coding sequence (SEQ ID NO:1267)
Human genomic sequence (SEQ ID NO:1268)

Human mRNA sequence (SEQ ID NO:1269)

Human coding sequence (SEQ ID NO:1270)

Table 56 (mouse gene Morf; human gene: MORF)

Mouse genomic sequence (SEQ ID NO:1271)

Mouse mRNA sequence (SEQ ID NO:1272)

Mouse coding sequence (SEQ ID NO:1273)

Human genomic sequence (SEQ ID NO:1274)

Human mRNA sequence (SEQ ID NO:1275)

Human coding sequence (SEQ ID NO:1276)

Table 57 (mouse gene: Runx3; human gene: RUNX3)

Mouse genomic sequence (SEQ ID NO:1277)

Mouse mRNA sequence (SEQ ID NO:1278)

Mouse coding sequence (SEQ ID NO:1279)

Human genomic sequence (SEQ ID NO:1280)

Human mRNA sequence (SEQ ID NO:1281)

Human coding sequence (SEQ ID NO:1282)

Table 58 (mouse gene: Bcl11b; human gene: BCL11B)

Mouse genomic sequence (SEQ ID NO:1283)

Mouse mRNA sequence (SEQ ID NO:1284)

Mouse coding sequence (SEQ ID NO:1285)

Human genomic sequence (SEQ ID NO:1286)

Human mRNA sequence (SEQ ID NO:1287)

Human coding sequence (SEQ ID NO:1288)

Table 59 (mouse gene: Arhgef1; human gene: ARHGEF1)

Mouse genomic sequence (SEQ ID NO:1289)

Mouse mRNA sequence (SEQ ID NO:1290)

Mouse coding sequence (SEQ ID NO:1291)

Human genomic sequence (SEQ ID NO:1292)

Human mRNA sequence (SEQ ID NO:1293)

Human coding sequence (SEQ ID NO:1294)

Table 60 (mouse gene: Ptpk; human gene: PTPRK)

Mouse genomic sequence (SEQ ID NO:1295)

Mouse mRNA sequence (SEQ ID NO:1296)

Mouse coding sequence (SEQ ID NO:1297)

Human genomic sequence (SEQ ID NO:1298)

Human mRNA sequence (SEQ ID NO:1299)

Human coding sequence (SEQ ID NO:1300)

Table 61 (mouse gene: Mcmd5; human gene: MCM5)

Mouse genomic sequence (SEQ ID NO:1301)

Mouse mRNA sequence (SEQ ID NO:1302)

Mouse coding sequence (SEQ ID NO:1303)

Human genomic sequence (SEQ ID NO:1304)

Human mRNA sequence (SEQ ID NO:1305)

Human coding sequence (SEQ ID NO:1306)

Table 62 (mouse gene: Matn4; human gene: MATN4)

Mouse genomic sequence (SEQ ID NO:1307)

Mouse mRNA sequence (SEQ ID NO:1308)

Mouse coding sequence (SEQ ID NO:1309)

Human genomic sequence (SEQ ID NO:1310)

Human mRNA sequence (SEQ ID NO:1311)

Human coding sequence (SEQ ID NO:1312)

Table 63 (mouse gene: Tnfsf11; human gene TNFSF11)

Mouse genomic sequence (SEQ ID NO:1313)

Mouse mRNA sequence (SEQ ID NO:1314)

Mouse coding sequence (SEQ ID NO:1315)

Human genomic sequence (SEQ ID NO:1316)

Human mRNA sequence (SEQ ID NO:1317)

Human coding sequence (SEQ ID NO:1318)

Table 64 (mouse gene: Itk; human gene ITK)

Mouse genomic sequence (SEQ ID NO:1319)
Mouse mRNA sequence (SEQ ID NO:1320)
Mouse coding sequence (SEQ ID NO:1321)
Human genomic sequence (SEQ ID NO:1322)
Human mRNA sequence (SEQ ID NO:1323)
Human coding sequence (SEQ ID NO:1324)

Table 65 (mouse gene: Fish; human gene: N/A)

Mouse genomic sequence (SEQ ID NO:1325)
Mouse mRNA sequence (SEQ ID NO:1326)
Mouse coding sequence (SEQ ID NO:1327)
Human genomic sequence (SEQ ID NO:1328)
Human mRNA sequence (SEQ ID NO:1329)
Human coding sequence (SEQ ID NO:1330)

Table 66 (mouse gene: Egr2; human gene EGR2)

Mouse genomic sequence (SEQ ID NO:1331)
Mouse mRNA sequence (SEQ ID NO:1332)
Mouse coding sequence (SEQ ID NO:1333)
Human genomic sequence (SEQ ID NO:1334)
Human mRNA sequence (SEQ ID NO:1335)
Human coding sequence (SEQ ID NO:1336)

Table 67 (mouse gene: Sos1; human gene SOS1)

Mouse genomic sequence (SEQ ID NO:1337)
Mouse mRNA sequence (SEQ ID NO:1338)
Mouse coding sequence (SEQ ID NO:1339)
Human genomic sequence (SEQ ID NO:1340)
Human mRNA sequence (SEQ ID NO:1341)
Human coding sequence (SEQ ID NO:1342)

Table 68 (mouse gene: Pou2af1; human gene POU2AF1)

Mouse genomic sequence (SEQ ID NO:1343)
Mouse mRNA sequence (SEQ ID NO:1344)

Mouse coding sequence (SEQ ID NO:1345)
Human genomic sequence (SEQ ID NO:1346)
Human mRNA sequence (SEQ ID NO:1347)
Human coding sequence (SEQ ID NO:1348)

Table 69 (mouse gene: Mef2c; human gene MEF2C)

Mouse genomic sequence (SEQ ID NO:1349)
Mouse mRNA sequence (SEQ ID NO:1350)
Mouse coding sequence (SEQ ID NO:1351)
Human genomic sequence (SEQ ID NO:1352)
Human mRNA sequence (SEQ ID NO:1353)
Human coding sequence (SEQ ID NO:1354)

Table 70 (mouse gene: Map3k8; human gene MAP3K8)

Mouse genomic sequence (SEQ ID NO:1355)
Mouse mRNA sequence (SEQ ID NO:1356)
Mouse coding sequence (SEQ ID NO:1357)
Human genomic sequence (SEQ ID NO:1358)
Human mRNA sequence (SEQ ID NO:1359)
Human coding sequence (SEQ ID NO:1360)

Table 71 (mouse gene: Fgfr3; human gene FGFR3)

Mouse genomic sequence (SEQ ID NO:1361)
Mouse mRNA sequence (SEQ ID NO:1362)
Mouse coding sequence (SEQ ID NO:1363)
Human genomic sequence (SEQ ID NO:1364)
Human mRNA sequence (SEQ ID NO:1365)
Human coding sequence (SEQ ID NO:1366)

Table 72 (mouse gene: Cbx8; human gene CBX8)

Mouse genomic sequence (SEQ ID NO:1367)
Mouse mRNA sequence (SEQ ID NO:1368)
Mouse coding sequence (SEQ ID NO:1369)
Human genomic sequence (SEQ ID NO:1370)

Human mRNA sequence (SEQ ID NO:1371)

Human coding sequence (SEQ ID NO:1372)

Table 73 (mouse gene: Lmo2; human gene LMO2)

Mouse genomic sequence (SEQ ID NO:1373)

Mouse mRNA sequence (SEQ ID NO:1374)

Mouse coding sequence (SEQ ID NO:1375)

Human genomic sequence (SEQ ID NO:1376)

Human mRNA sequence (SEQ ID NO:1377)

Human coding sequence (SEQ ID NO:1378)

Table 74 (mouse gene: Itpr1; human gene ITPR1)

Mouse genomic sequence (SEQ ID NO:1379)

Mouse mRNA sequence (SEQ ID NO:1380)

Mouse coding sequence (SEQ ID NO:1381)

Human genomic sequence (SEQ ID NO:1382)

Human mRNA sequence (SEQ ID NO:1383)

Human coding sequence (SEQ ID NO: 1384)

Table 75 (mouse gene: Sell; human gene SELL)

Mouse genomic sequence (SEQ ID NO:1385)

Mouse mRNA sequence (SEQ ID NO:1386)

Mouse coding sequence (SEQ ID NO:1387)

Human genomic sequence (SEQ ID NO:1388)

Human mRNA sequence (SEQ ID NO:1389)

Human coding sequence (SEQ ID NO:1390)

Table 76 (mouse gene: Dpt; human gene DPT)

Mouse genomic sequence (SEQ ID NO:1391)

Mouse mRNA sequence (SEQ ID NO:1392)

Mouse coding sequence (SEQ ID NO:1393)

Human genomic sequence (SEQ ID NO:1394)

Human mRNA sequence (SEQ ID NO:1395)

Human coding sequence (SEQ ID NO:1396)

Table 77 (mouse gene: Pap; human gene PAP)

Mouse genomic sequence (SEQ ID NO:1397)

Mouse mRNA sequence (SEQ ID NO:1398)

Mouse coding sequence (SEQ ID NO:1399)

Human genomic sequence (SEQ ID NO:1400)

Human mRNA sequence (SEQ ID NO:1401)

Human coding sequence (SEQ ID NO:1402)

Table 78 (mouse gene: Blm; human gene BLM)

Mouse genomic sequence (SEQ ID NO:1403)

Mouse mRNA sequence (SEQ ID NO:1404)

Mouse coding sequence (SEQ ID NO:1405)

Human genomic sequence (SEQ ID NO:1406)

Human mRNA sequence (SEQ ID NO:1407)

Human coding sequence (SEQ ID NO:1408)

Table 79 (mouse gene: Blr1; human gene BLR1)

Mouse genomic sequence (SEQ ID NO:1409)

Mouse mRNA sequence (SEQ ID NO:1410)

Mouse coding sequence (SEQ ID NO:1411)

Human genomic sequence (SEQ ID NO:1412)

Human mRNA sequence (SEQ ID NO:1413)

Human coding sequence (SEQ ID NO:1414)

Table 80 (mouse gene: Ptp4a2; human gene PTP4A2)

Mouse genomic sequence (SEQ ID NO:1415)

Mouse mRNA sequence (SEQ ID NO:1416)

Mouse coding sequence (SEQ ID NO:1417)

Human genomic sequence (SEQ ID NO:1418)

Human mRNA sequence (SEQ ID NO:1419)

Human coding sequence (SEQ ID NO:1420)

Table 81 (mouse gene: Mcm3ap; human gene MCM3AP)

Mouse genomic sequence (SEQ ID NO:1421)
Mouse mRNA sequence (SEQ ID NO:1422)
Mouse coding sequence (SEQ ID NO:1423)
Human genomic sequence (SEQ ID NO:1424)
Human mRNA sequence (SEQ ID NO:1425)
Human coding sequence (SEQ ID NO:1426)

Table 82 (mouse gene: Jak2; human gene JAK2)

Mouse genomic sequence (SEQ ID NO:1427)
Mouse mRNA sequence (SEQ ID NO:1428)
Mouse coding sequence (SEQ ID NO:1429)
Human genomic sequence (SEQ ID NO:1430)
Human mRNA sequence (SEQ ID NO:1431)
Human coding sequence (SEQ ID NO:1432)

Table 83 (mouse gene: Fus1; human gene FUS1)

Mouse genomic sequence (SEQ ID NO:1433)
Mouse mRNA sequence (SEQ ID NO:1434)
Mouse coding sequence (SEQ ID NO:1435)
Human genomic sequence (SEQ ID NO:1436)
Human mRNA sequence (SEQ ID NO:1437)
Human coding sequence (SEQ ID NO:1438)

Table 84 (mouse gene: Rassf1; human gene RASSF1)

Mouse genomic sequence (SEQ ID NO:1439)
Mouse mRNA sequence (SEQ ID NO:1440)
Mouse coding sequence (SEQ ID NO:1441)
Human genomic sequence (SEQ ID NO:1442)
Human mRNA sequence (SEQ ID NO:1443)
Human coding sequence (SEQ ID NO:1444)

Table 85 (mouse gene: Pik3r1; human gene PIK3R1)

Mouse genomic sequence (SEQ ID NO:1445)
Mouse mRNA sequence (SEQ ID NO:1446)

Mouse coding sequence (SEQ ID NO:1447)

Human genomic sequence (SEQ ID NO:1448)

Human mRNA sequence (SEQ ID NO:1449)

Human coding sequence (SEQ ID NO:1450)

Table 86 (mouse gene: Braf; human gene BRAF)

Mouse genomic sequence (SEQ ID NO:1451)

Mouse mRNA sequence (SEQ ID NO:1452)

Mouse coding sequence (SEQ ID NO:1453)

Human genomic sequence (SEQ ID NO:1454)

Human mRNA sequence (SEQ ID NO:1455)

Human coding sequence (SEQ ID NO:1456)

Table 87 (mouse gene: Tle3; human gene: TLE3)

Mouse genomic sequence (SEQ ID NO:1457)

Mouse mRNA sequence (SEQ ID NO:1458)

Mouse coding sequence (SEQ ID NO:1459)

Human genomic sequence (SEQ ID NO:1460)

Human mRNA sequence (SEQ ID NO:1461)

Human coding sequence (SEQ ID NO:1462)

Table 88 (mouse gene: Nek2; human gene NEK2)

Mouse genomic sequence (SEQ ID NO:1463)

Mouse mRNA sequence (SEQ ID NO:1464)

Mouse coding sequence (SEQ ID NO:1465)

Human genomic sequence (SEQ ID NO:1466)

Human mRNA sequence (SEQ ID NO:1467)

Human coding sequence (SEQ ID NO:1468)

Table 89 (mouse gene: Nr3c1; human gene NR3C1)

Mouse genomic sequence (SEQ ID NO: 1469)

Mouse mRNA sequence (SEQ ID NO:1470)

Mouse coding sequence (SEQ ID NO:1471)

Human genomic sequence (SEQ ID NO:1472)

Human mRNA sequence (SEQ ID NO: 1473)

Human coding sequence (SEQ ID NO:1474)

Table 90 (mouse gene: Dad1; human gene DAD1)

Mouse genomic sequence (SEQ ID NO:1475)

Mouse mRNA sequence (SEQ ID NO:1476)

Mouse coding sequence (SEQ ID NO:1477)

Human genomic sequence (SEQ ID NO:1478)

Human mRNA sequence (SEQ ID NO:1479)

Human coding sequence (SEQ ID NO:1480)

Table 91 (mouse gene: Lck; human gene LCK)

Mouse genomic sequence (SEQ ID NO:1481)

Mouse mRNA sequence (SEQ ID NO:1482)

Mouse coding sequence (SEQ ID NO:1483)

Human genomic sequence (SEQ ID NO:1484)

Human mRNA sequence (SEQ ID NO:1485)

Human coding sequence (SEQ ID NO:1486)

Table 92 (mouse gene: Git2; human gene GIT2)

Mouse genomic sequence (SEQ ID NO:1487)

Mouse mRNA sequence (SEQ ID NO:1488)

Mouse coding sequence (SEQ ID NO:1489)

Human genomic sequence (SEQ ID NO:1490)

Human mRNA sequence (SEQ ID NO:1491)

Human coding sequence (SEQ ID NO:1492).

Table 93 (mouse gene: Anp32; human gene N/A)

Mouse genomic sequence (SEQ ID NO:1493)

Mouse mRNA sequence (SEQ ID NO:1494)

Mouse coding sequence (SEQ ID NO:1495)

Human genomic sequence (SEQ ID NO:1496)

Human mRNA sequence (SEQ ID NO:1497)

Human coding sequence (SEQ ID NO:1498).

Table 94 (mouse gene: Map2k5; human gene MAP2K5)

Mouse genomic sequence (SEQ ID NO:1499)

Mouse mRNA sequence (SEQ ID NO:1500)

Mouse coding sequence (SEQ ID NO:1501)

Human genomic sequence (SEQ ID NO:1502)

Human mRNA sequence (SEQ ID NO:1503)

Human coding sequence (SEQ ID NO:552 1504).Table 95 (mouse gene: Cd28; human gene CD28)

Mouse genomic sequence (SEQ ID NO:1505)

Mouse mRNA sequence (SEQ ID NO:1506)

Mouse coding sequence (SEQ ID NO:1507)

Human genomic sequence (SEQ ID NO:1508)

Human mRNA sequence (SEQ ID NO: 1509)

Human coding sequence (SEQ ID NO:1510).

Table 96 (mouse gene: Sept9; human gene Msf)

Mouse genomic sequence (SEQ ID NO:1511)

Mouse mRNA sequence (SEQ ID NO:1512)

Mouse coding sequence (SEQ ID NO:1513)

Human genomic sequence (SEQ ID NO:1514)

Human mRNA sequence (SEQ ID NO:1515)

Human coding sequence (SEQ ID NO:1516).

Table 97 (mouse gene: Fzd10; human gene FZD10)

Mouse genomic sequence (SEQ ID NO:1517)

Mouse mRNA sequence (SEQ ID NO:1518)

Mouse coding sequence (SEQ ID NO:1519)

Human genomic sequence (SEQ ID NO:1520)

Human mRNA sequence (SEQ ID NO:1521)

Human coding sequence (SEQ ID NO:1522).

Table 98 (mouse gene: Calm2; human gene CALM2)

Mouse genomic sequence (SEQ ID NO:1523)
Mouse mRNA sequence (SEQ ID NO:1524)
Mouse coding sequence (SEQ ID NO:1525)
Human genomic sequence (SEQ ID NO:1526)
Human mRNA sequence (SEQ ID NO:1527)
Human coding sequence (SEQ ID NO:1528).

Table 99 (mouse gene: Ncf4; human gene NCF4)

Mouse genomic sequence (SEQ ID NO:1529)
Mouse mRNA sequence (SEQ ID NO:1530)
Mouse coding sequence (SEQ ID NO:1531)
Human genomic sequence (SEQ ID NO:1532)
Human mRNA sequence (SEQ ID NO:1533)
Human coding sequence (SEQ ID NO:1534).

Table 100 (mouse gene: Rac2; human gene RAC2)

Mouse genomic sequence (SEQ ID NO:1535)
Mouse mRNA sequence (SEQ ID NO:1536)
Mouse coding sequence (SEQ ID NO:1537)
Human genomic sequence (SEQ ID NO:1538)
Human mRNA sequence (SEQ ID NO:1539)
Human coding sequence (SEQ ID NO:1540).

Table 101 (mouse gene: Mbnl; human gene MBNL)

Mouse genomic sequence (SEQ ID NO:1541)
Mouse mRNA sequence (SEQ ID NO:1542)
Mouse coding sequence (SEQ ID NO:1543)
Human genomic sequence (SEQ ID NO:1544)
Human mRNA sequence (SEQ ID NO:1545)
Human coding sequence (SEQ ID NO:1546).

Table 102 (mouse gene: mCG10516; human gene N/A)

Mouse genomic sequence (SEQ ID NO:1547)
Mouse mRNA sequence (SEQ ID NO:1548)

Mouse coding sequence (SEQ ID NO:1549)
Human genomic sequence (SEQ ID NO:1550)
Human mRNA sequence (SEQ ID NO:1551)
Human coding sequence (SEQ ID NO:1552)

Table 103 (mouse gene: Rorc; human gene RORC)

Mouse genomic sequence (SEQ ID NO:1553)
Mouse mRNA sequence (SEQ ID NO:1554)
Mouse coding sequence (SEQ ID NO:1555)
Human genomic sequence (SEQ ID NO:1556)
Human mRNA sequence (SEQ ID NO:1557)
Human coding sequence (SEQ ID NO:1558)

Table 104 (mouse gene mCG15938; human gene BAT1)

Mouse genomic sequence (SEQ ID NO:1559)
Mouse mRNA sequence (SEQ ID NO:1560)
Mouse coding sequence (SEQ ID NO:1561)
Human genomic sequence (SEQ ID NO:1562)
Human mRNA sequence (SEQ ID NO:1563)
Human coding sequence (SEQ ID NO:1564)

Table 105 (mouse gene: Iqgap1; human gene IQGAP1)

Mouse genomic sequence (SEQ ID NO:1565)
Mouse mRNA sequence (SEQ ID NO:1566)
Mouse coding sequence (SEQ ID NO:1567)
Human genomic sequence (SEQ ID NO:1568)
Human mRNA sequence (SEQ ID NO:1569)
Human coding sequence (SEQ ID NO:1570)

Table 106 (mouse gene Zpf29; human gene: hCG27579)

Mouse genomic sequence (SEQ ID NO:1571)
Mouse mRNA sequence (SEQ ID NO:1572)
Mouse coding sequence (SEQ ID NO:1573)
Human genomic sequence (SEQ ID NO:1574)

Human mRNA sequence (SEQ ID NO:1575)

Human coding sequence (SEQ ID NO:1576)

Table 107 (mouse gene: Kcnj9; human gene: KCNJ9)

Mouse genomic sequence (SEQ ID NO:1577)

Mouse mRNA sequence (SEQ ID NO:1578)

Mouse coding sequence (SEQ ID NO:1579)

Human genomic sequence (SEQ ID NO:1580)

Human mRNA sequence (SEQ ID NO:1581)

Human coding sequence (SEQ ID NO:1582)

Table 108 (mouse gene: Ppp3cc; human gene: PPP3CC)

Mouse genomic sequence (SEQ ID NO:1583)

Mouse mRNA sequence (SEQ ID NO:1584)

Mouse coding sequence (SEQ ID NO:1585)

Human genomic sequence (SEQ ID NO:1586)

Human mRNA sequence (SEQ ID NO:1587)

Human coding sequence (SEQ ID NO:1588)

Table 109 (mouse gene: mCG9110; human gene: hCG27579)

Mouse genomic sequence (SEQ ID NO:1589)

Mouse mRNA sequence (SEQ ID NO:1590)

Mouse coding sequence (SEQ ID NO:1591)

Human genomic sequence (SEQ ID NO:1592)

Human mRNA sequence (SEQ ID NO:1593)

Human coding sequence (SEQ ID NO:1594)

Table 110 (mouse gene: mCG2257; human gene: PRDM11)

Mouse genomic sequence (SEQ ID NO:1595)

Mouse mRNA sequence (SEQ ID NO:1596)

Mouse coding sequence (SEQ ID NO:1597)

Human genomic sequence (SEQ ID NO:1598)

Human mRNA sequence (SEQ ID NO:1599)

Human coding sequence (SEQ ID NO:1600)

Table 111 (mouse gene: mCG17918; human gene: hCG23764)

Mouse genomic sequence (SEQ ID NO:1601)

Mouse mRNA sequence (SEQ ID NO:1602)

Mouse coding sequence (SEQ ID NO:1603)

Human genomic sequence (SEQ ID NO:1604)

Human mRNA sequence (SEQ ID NO:1605)

Human coding sequence (SEQ ID NO:1606)

Table 112 (mouse gene: Lfng; human gene: LFNG)

Mouse genomic sequence (SEQ ID NO:1607)

Mouse mRNA sequence (SEQ ID NO:1608)

Mouse coding sequence (SEQ ID NO:1609)

Human genomic sequence (SEQ ID NO:1610)

Human mRNA sequence (SEQ ID NO:1611)

Human coding sequence (SEQ ID NO:1612).

Table 1

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
1	IM000619	GATCAAAGCAATCTCTATGTCCTTCTCTG CTGTCCTCCTCAGACATCTCCAGAGAGC TGGGATATTTTCTTTCCATTGAGATT ATGAAGTTGTTTCTAGAGTGCATGACGC AGGTTGAAGGATAAGTACACAGGTCCC AAGGAACCAAGCGTTTTCACTGACGGTG ATGAGTCTTGTCGTGAGATTGTTGTGA TTCTCAGCCTTCTCTTCCCCTGTGTGTG CTCTTCATTTCTGGTTCTGTCTGCCTAG CACCTCCTGGGGAAGCTGCTGTGCTTT	p000632	A	<i>Spr</i>
2	IM000620	GATCTTTGGAGCCCAGTTGTTAATCATA AGAGCTGATATTTTGAAAGAGTGTGTCA ACCTAGATGCACAGGGAAGCCAAAGCA TTCAGCC	p000633	D	--
3	IM000621	ATATGACCACAAGGAAATAAGATAAAG TGTTCACTGAATTATAATGAAAAGT GATC	p000634	C	--
4	IM000622	GAACAGGCATGGCTTTACTTGTACAATG AGGAAACCAAGGCAGAGATTGCAAAGC GGGTCTACACGTTTGCTCCATGCCCTG CTTCTCTGACCACAGTGTACTGAGAATA TGCTGAGCCCTAGTTCCTGGGGAGGAGG CAGAAGAGAGCAGCATCCTGCCCACTTG AAGGCGTGACACATAGTTCCTGTCTGA TC	p000638	D	--
5	IM000623	GATCAGGAGACCACACCAGCTAGCCTT CTCTGACTGGGTATCCTTGGTGAGCCAG CCTTTCTTCACCTCATGTTCTCATTGCA AACTCACATGAACACTATTTGACCTACA CACTTCATAAAGCTGTTTTAGAAAGAC GAGATAATACAGGAGGAACGCTACAAT ATTAAATGATATGTATTATAT	p000639	D	--
6	IM000624	AGTGTTTAGGTCAGCTGGTGCAGGAGAA GCTTCTTGAGGAAGACGACCATCTGGCA AGGCCTGATGGTAGAAAATAATGGACTT CTCTCCAAGTGAAGTGAAGTGAAGTGA C	p000640	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
7	IM000625	ATCAGTAAGTTAATCCTAAGAATTACTA TGCATTTTCCCTCTTTTAAACAACAT TCCTCCTTAGCTTATATGAGGCTCTAGTG CCCGGAGACTTTAATACTGCCCTAACAT GATGGTGGCTCTTTGTCCCTCTTCTCAG CCACTGAAATCTGACAGTTGGGGAAGA ATAATAAGAATTAAAGAACTAGATGGT TTTAAATATAGATATAAAAACAGTTCTT CGACTATTCTCAATAAAGAAATTCAGTC AAAAGAATTTCAGTCCTAACACAATGAT C	p000641	D	--
8	IM000626	GATCATCAGAGTCCTGCATCTTATGTGT GCAGTGTTCAGCAATACAGGCTTACC TTCAACCTCTAACAGGCAACCAGATGCT ACAATAGCTTATATTGTTTAGAAATCA CTTGGACTACTCTAAACAACAACCTTGAG TGAAGGCTCTTGTATCTGATACTGGAG TTTGTTAGTCTATGACACTTGTGGGGAG ACATGTCTGCACAAGTAGCATATGTGTG TACATGTATATTGTATACATATATAGTTT TGCTCTATGTATGTATGTGTATATGTATG TATGTATATGTATATGTATGTATATATAT AG	p000642	D	--
9	IM000627	AAGGGACCTGATAATCGTGTGGCAACT GGGCTACAATTAGTTATCAATTGCTTGC TTGCCACCTGCCCTGCTCCATAGAGAAT CATAGTCTGGGGAGTGTGGAGGAATAG CGGAGTCATCTAAACACATCACTGCTGC CCCCACCATTTCCTGCCACCAGGCCCC TGCCTTTCATTTGCATTTCTCCCTCTTA CAAGCAAATGGCGCTCACTGATC	p000643	D	--
10	IM000628	GTTTGGGGATTGTACAGAAATGCACAGCG TAGTATTCAGGAAAAAGGAACTGGGA AATTAATGTATAAATTAAAATCAGCTTT TAATTAGCTTAACACACACATACGAAGG CAAAAATGTAACGTTACTTTGATC	p000644	K	<i>Myc</i>
11	IM000629	GATCTCATTACAGATGGTTGTGAGCTAC CATGTGG	p000647	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
12	IM000630	GATCTCAGGAGGCACCGAGAGACTCAG CATGGACTCAAATGAGTACCCTGGCAGC CCGCAACACCAGCTGTGTAACACTACCG TGAGGGATGTCTTCCCTGCCCTCCCTCCA GCCCCTTCTCAGGCCCTGAGTCCAGTGT GCAAAGCTCATCATGGTTAGTCCCCTTC ACCT	p000649	K	<i>Gfi1</i>
13	IM000631	AGAGCACCCGACTGCTCTTCCGAAGGTC CAGAGTTCAAATCCCAGCAACCACATGG TGGCTCACAACCATCCGTAACAAGATC	p000650	R	--
14	IM000632	GATCAAATCCTGTCAGGGAGAGGGGCTC CTCCCAGTAGTGCCATCCCATAATAATA AGAAGGACTCCTGGGCCTCAGTGAAGTC AGGCTGACCACTACTGCAGGTTAGTCAT GACCAGTAGCCAGAATGGAACGAAGGG TGACCCAGTGTGAGGACACAGCCCCAG GCAACTGCTTCTGCTTTGAGCCAAGTTG TTACCCCAAAGCTCGTCATTCCGCTTGG TTTCTCATGTGTGTGAGCTGCACATATG GAGGTCCCCCTTTGTTCCCTT	p000651	D	--
15	IM000633	GTGAGGAAGGTCCCTCTGCATTCTAACC TTCCTCAACTCCACCAGCCTCGGCGTTT AAGGGAGAAATATTACCGTTCCCTTTGG GCCAAGTTGGAGCCAGTGAAGTAGTCG GAAATGTACAGTCACAGGAAATTGCTGC TACCAAGGCTGGAGGAACAAAGAGAAG ACTTGTACAAGAGGCCAGAGAGGAAG TCACCCAGTACAACTGAAGCGCGCGCG CACACACACACACACACACACACAC GCACACACACACACACACGATC	p000652	D	--
16	IM000634	TGGCCGCCTAGACAAGCTGACCATCACC TCCCAGAACCTGCAACTGGAGAGCCTTC GCATGAAGCTTCCGAAATGTGCGTGCTC CACCTGTCCCTCACCTCACAGACATCAT TTCTCCATTTAGCCCCTCCCGATC	p000654	A	<i>Li</i>
17	IM000635	GATCCCCTGGAATTTACAGTCGGTTCCA ACAATCATGTAGATG	p000656	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
18	IM000636	GATCGGCTATAGCATTGTGCAATGTTTACCCAGAAGAATAGCACAGATATATTGACACATCAATGCTTATTGCAGTATTATTACAGTGGCTATGTAATGGAACCAACCTACATGGCCAGCAACTGAATAGATTAAGAAATATATATACACAATGGTGCTTTTTTCGGCTATAAAGAAGAATGAAGTTATGTTGTTTGTAGAAAGATGGATGAAAGTGGAGATGATAATATCAAGTGCACAGTCAACCTCTCTCTCTCACCTCCCCGCCCGCTCTTCTCTCTCATATACATTTGAGAGTAGCAGTAAACTGTCTGAGAACAAAGGGGATTAATGGGAGGGGAGAAGATTAAGGAGCGGAAGGGTAGTAGGTAGTAT	p000659	A	Cr2
19	IM000637	GATCGGCTTCTATGGACTGAGTGTGTAA GAAAACATT	p000661	D	--
20	IM000638	TTAGGAGGGTAGAGAACATTCAGGAATCAAGAACAAGCATTTTAACACCCACTGAGCTATCCTGTGGATGGTGGTGGTTTGTGTGTTTGTGGTTTGTGTTTAGGAAGTCAGGGATGGGGTGGGAATCTCACTCTGTGGCTTAGACTTGCAACAATCCCAAATTCTGGAAATGATAAGCAAGAGAGCTGTCTAGTCCAGTCTCAGATACATGCTGTTAATTTTCTACTACTGCTATAACACATAGGCTCAAATGCGGTGGCTTACCTAACACACCCTGTGCAGTTCTGAAAGTCGTAACCTCTGGCACGATC	p000662	D	--
21	IM000639	ATGCTAAGCTGTGACTCCTCTCGATACGAGACCCTGGCTGCCCTCCTTTCCCGATC	p000663	D	--
22	IM000640	GATCGTCTGGAAGAGCAGTCAGTATTCTTAACTGCTGAGCCATCTTGCAGCCCCAGTTCTTTGGGGTTTTTGTGTTGTTGTTGGTTGGTTGGTTGGTTTAGTTGTGTTGGTTCAAGACAGGGTTTCTCTGTGTTGCCCTGGATGTCCTGGAACCTCTTTGTAGACCAGGGTGGCCTTTAACTCACAGAAATGCGCCTGCTAGGATTAAGCTGTGTCCCACCACTATATATATATGTGTG	p000665	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
23	IM000641	GTCACAGTGTAGAGCCACAGACGGGG GAACCTACTGGCTGTCCTGGGTTCTGT AAACTAGGGGACAAAGCTGCCACAGCC AGACTTAGCTGCGATC	p000666	D	--
24	IM000642	GATCGCTGCTTCTGTAAATCCGCAACGA CAATTGTTATCTTCTCTTTTCTTTCTTTT ATTTGTTTATTCTATTTTATTTTTCAGAT GAACTCTCATGTAGCCCAGGCTGGTCTC AAACTCCCTCTGTAGCTGACGGCAACCT TGAAC	p000668	R	--
25	IM000643	TTCCTACACCATAGCATTAGTTGTAGG CAGAAGCGATC	p000669	D	--
26	IM000644	GATCGGCTCAAGGGCTCTAATTTAGTCT AGGAAGTCCTTAGGAAACATGAAAATCT CCGAGATAAGACCCGGGGTAAAAAGCT TGAGCCACGGAGTTAGACATGCCCAGG GTGGAGTCATGTTTCAGAGGTTCAAGACC CGAATCAGCTACGTAAATAAAGCATTG AGGCCTACCTGGGCTACAAGAGAGTATC TTTAAATAAATAAGATGATTAAAAAAA ACTGTTTTCCCCTTAGATGGATTAAAAA AACAAGACAAAACAAAACAAAACAAA ACCCGTCTTTCCTTCTTAA	p000672	D	--
27	IM000645	CTGTCCGTGTGGGAAACGTTTAGCAAGT CCGAGCGTGTTCGATC	p000673	K	<i>Nmyc</i>
28	IM000646	ATGCGTTCGTATGACAGTTCTCCAAATG ACTGTCCCAAAGTCCCAGATTCTTGAA ACAGTAAAGACTGCCTCAAAGTGTAGTC ACTAGTCTATTATCTTAATCATAGTAAC CATTTGGGTTTGACTTGAAAACCTGTGA CAGGGAGATAAATTTCTGCCACTGTAGG TGAAGCTTGGAAGGGCTAACCCAATGA ATATGCTCAGTCGATC	p000676	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
29	IM000647	AGATGAAGCTATCCCCAGTCCCTAAGCT GAGTTCTGCCTGAGACTATTTGAAACAG GGTACCCCTGGGTCCCAGTTCAGTTGAC AGGTAGTGGACGCATGAGAACGCCATA CCTGGTGGCCGTGCCCCGAGAGTGCTGTC CCTGACCTGCCACTGTGTTCTCCAGAGC AGCTTTCCAATCTGCCTGCTCCTGTCTCC CCTGCCTGTTGGCACCAGGCAGCCAGAA TTCCATTTGTTTGTGTTGCTTCGCGATAGG CTCTTGCCATGTAGTCCTTCCTGGCCTAG AACTTGATATGTAGACTTCCCCCCTTGG ATC	p000678	C	--
30	IM000648	CCGTGTCCGTGGGCATGTGCGTGTACAG ACAGACATACATGCCCCCGCATGAGTGT GAACACCAGAGGTCAACCTCAGGTGTCC TTTTGATGTTATCTACCTTGTTTTTGAA GCAAGGTCTAGGATTGACCAATGAGCCC CAAGTAGGGATC	p000679	D	--
31	IM000649	GATCCATAGGCAGAGAAGGCAGTAATA GGACATTGGTCATTGTACCTCATTGTG AGGGGTCACCTTGAAAATGTGCTGAGAC TAGGTTCTAGGAGAAGCTCGCCA	p000682	D	--
32	IM000650	CTGGCACTGTGTGGCAGAAACAGTGAAC AGTGTAGCGGTGCAGAATGTGTGTGCTG TGGGTTTTAGCACCAGGGCTGCATGAGA CTGCAGACATGCTTATGACGCAGGAAGG CTCAGGACACAGCACACATGTGTGCTAA CATACATGTTTCACCTCAGACTCAGCTC CCATTTGACTTTTAATTAATTTTGGCCA TTCCACAACAGAACCTTTTCTTGCTCCCT TTTTTCAATCTTATGTATATATCTCCTAC ATTTAGTTACAGGACTGTGACCTACAGT TTAAAACTCGGGGATC	p000684	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
33	IM000651	GATCCCTCCCCTCCCTTCTTTTCCCGCC AAGCGTCGGCGAAGCCCTGCCCTTCAGG AGGCAGGAGGGGAGCTGAGTGAGGCGA GTCGGACCCAGCAGCTGAGAGCAGCGC AGCCCAGGGGTCCTCGGCCGCGCAGACC CCCGGAATAA	p000685	K	<i>Myc</i>
34	IM000652	CTACCACAGCCCCAGTGCTCTGGAGGGA CTCTAGTAGCCAGGGCTGGCAGCTTGGT TTGGGCCAGCATCTCACTATGTAGCCTA GTTGTCCTGGAATTTGCTATGTAAATGT GGCTACCTCAAACCTCATAGAGAGCCTC CCACCTCTCCTGAGATTATAGGCACATG CTACCATGCCCTAAGTGGATC	p000686	D	--
35	IM000653	GGAGCAGGCCCTTCTGAATCAACTTGGC AGAGTGAAGGAGGCACTCTCCACACAA ACAGGAAAAGGGCAGTGGTGACTTTCTA GGCAGGGAACCTGGTTACATTTTGTAT TTGAAGGTGAAGAGTCGTGACATTCTGG GAAATAGGCAAGATGGCCGTTTCCCCTC AGCTACAACCAGCCATGCAGACCTCCTT GCAGGGACCTGGCTATCTACACTGGAAC CAGAAAAGGCACGCCCTGCTTTAGCCTCA GGCAGAACGATAATAACAGCGTGCTAG CTCAGTAGTCTGTGTGCTGGAAGGGTTT ATGAGGAGGAAGTCCGCAATTACATATT TCTGGGCAAACATTAACCAAGATTGAAA CCTAGATTGGAAGAGAAGTAGCAGGCTG GGATC	p000687	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
36	IM000654	AGATGAACTTATAAATGCATCTGCAGTC CTCAAATAAAGATGAATAGTAACCCAG AGGCGTGGTAGTGCGCTCTTCAAACCCA GTGCTCAGAAAGGTGCAAAACAAAAGGAC CGGGAGTCCAAGGCTAGCCTTGACTAGA AGGGGCCATGTCTCAAAGAACAACAAC CAAGAGCTGCTTATGGAGGTCAGTCTGT GTTCCCAGGGGGACAGCATCAGTCTAAG TTGGCGGTTGTTGTTGGCTGAGCATGCA CAAATCCCTAACAGCACATAAAGCAAGT TGTGTCACACACTCACAGTGCCAGATT CACTGGATC	p000688	B	Mm.1313 36
37	IM000655	GTCCATTGTGTAAGTGTGAGAGAGGAGTTAG GTTAGAAAAGCCTTCCTCAGATGTCCCT CAAAGAAGCTGCTACAACTGCCCTCATC CCACGTTGCCAAGGATC	p000689	D	--
38	IM000656	AGCTGTAGGGAAGCCCAAAGCACAGAC GACTGCTGCTGCTGCTGCGGTTCCCACT CTGGGTTGACCTTAGAAACGGGGGTTCA TCTCCTCCAGCAGCTCCGGGAAGGAAGG TGAAGGGGACTAACCATGATGAGCTTTG CACACTGGACTCAGGGCCTGAGAAGGG GCTGGAGGGAGGCAGGGAAGACATCCC TCACGGTAGTGTTACACAGCTGGCGTTG CGGGCTGCCAGGGTACTCATTGAGTCC ATGCTGAGTCTCTCGGTGCCTCCTGAGA TC	p000694	K	<i>Gfil</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
39	IM000657	GATCGCCCCAGTTACCTCAAATTGTGTG AGTGTGTGTGTGTGTGTATGCATATA TGCATACAAGCATATACATGCATGCATA TATATAATACACATAGACATATATACAC ACATATAGACGCATACATGCATTTGTAT GCATGCATCTATGTATGTACATATCCAC AACCAAATATACCAAACACGCAGACAC AGCACACATAGGACAATAGTAATTGTGA ATCTAACTGGTGGGGTTTATGGGTCAAG AGCCAGGGTAGAGGAACTGGCTAAGG CTCTAACCATCCTAGAGCAGGCACATCT ACCAGGAAAAGAAACAAGGAAAAGAGC AGAGTTGAGGGTTACTTAACATG	p000695	D	--
40	IM000658	ACAGAATCTGTGGGTCATTATTACGTTT ATAGGAACAGGATTTTCTTTCCTTTCTGA CTCTACCTTCTAGAAAGGCCGACTTTTA AATCCTCATGCTCTTGTCTATTGACAGG AAAAGATGGGCTTCCACACTGATC	p000700	D	--
41	IM000659	GATCAGGCTGGCCTTGAACCTCACAGAGA CCCACCTGCCTCTGCCTCCTGCATGCTG GGATTAAAGGTGTGTGCCACCACTGCCC AGCTCACAAAGTAGTAGTAGGACTAGTA CTAGTACTAATAATAACAAACATTACAA CAATCTTAATTATTTTGTCTTCTACCTTT AAAATCTCCCACTGTCTTTTATATTGC CTCAAGTCTTCCCTCAGTCCCTGGCCTTC ATAGCTTGACTTTTTTGTAGAGGTTATC AGTGGCTCATCTCTCTCCTGAGATTGAG CTGGCTAAGACCACTATTCAGAGGGAGA ATGTAATGTCTCAGACATCATAGCCAGT CCTCAGTTCTCCTTTTGTGCTGACTGACCAC TTTGCCAAACTAGTTTTCCTAAGCCATA CCTTTTCTTTTAAAAAATAGTCTTTCTT ATAGTGGGTGCTGGCTTTGAACTTCTGT CCTCTTGCCTCACCTTGCAGTGGTAGTA GAGGCTTGCAATTCACCG	p000702	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
42	IM000660	GATCAAGAACGAAACCCCTGAAAACAT AAAACAGTAAGATAACAATAGCGTGCC TGATTTTGTCCAAACCTTCTTGTCACCTG TCACTGAGATTGTCAACTCCTTTTCACCA CCCTACATACGTTAGTTAGCTCAGTTTA CGAGAGTTTGCAAAGGCCCCCACCAGTA CCCTGCAACTTTACCCACCCCTGCATGG GACTGTGAGAAAATGGGACTGGAGAGT AACCCTCTTCAGGCTCACAATCTGAGCT AGTCAGAGCATCTCAGGGTCCCGGGAC TTTCAGTGTGCTTTCCTCTTGGGTATTGG ACTTTAAACAATGTGTACCGATATGGGT GAATAATACAACATCCATGGAGAAATA AGCCAAATCAAGACACTTCTTCAGAGG	p000703	D	--
43	IM000661	GATCAAAAACATCAACGTAAGGAGCCC TTAATGACGCTTTGTGACGGTTTAGAAT GGTCTACCCAAACCTAGCCAAGTCTAAC TATGTTATGGAGGTGGTAAAAGCAGTTA ACCTAAACATCTGGGACACTCACAGAAT GATAGGTAGGTAGGTAGATAGATAGAT AGATAGATAGATAGATAGATAGACAGA CAGACAGACAGATGTTGAATAAAAAGT GACGTTTACAGTGATGTTAGCTCAAGGC AGGGCTTTTCAGGCCATTCCCCTGGTCT CACCC	p000704	D	--
44	IM000662	CTACTAAGTCCAGAGCAGAGAAGGAGG CGCCGCCTGTGTGCACAGCGGAGTCTGG GAGAGACCACCGGCCCAAACCAGTAAA CACAGGGCACCCACCGTGCTCCGATC	p000706	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
45	IM000663	ACAGTAATCTGATTATCTTGCAGTAGAT AATTTGCTACCTGTAAATGACTCTGCTT CTTGAACTACGTCCCAGTAGATGCCATG CTTTCAGCCTGGTAAGTGACACTAATAC TACCTCCAAACTGTCACCTGGATTGTCA GGGTTTTGGTGTGGTGATGATACAGGAG AAATGTAAAACACGGAGTTGATGATAG AAAGGAGTCACTAATACATTTTCTTAGG AAAAGTCAAGTGACACACAGCAGAATC TAGCTGAAGGAGCTCCGCCAATAGGGCT GGAAGATAACTCTCGCACTAACCTGCTT TATTAGGAACTGTAGGAAAGGCAGGTCT GCAGCACAGTTGAAGTTAGGTTGCTGA GAAAGTTTCTGCTCATATTTATTCACCA GTGATGATC	p000708	D	--
46	IM000664	GTTTAGCAAGTCCGAGCGTGTTGATC	p000709	K	<i>Nmyc</i>
47	IM000665	AGGCAAACCCATGTGAGGCCTTCTCACA TCTTTCCTTGGATGCCTGCACACACCTG ACTTGACAGACTTCAAATCAGACTTATC AACTCACCTCTTCAGTCCTGGGCCTCTC CTGTATTTCAATCTTAGATAGAAAATTG GTCCACTGTCTACCAGCCTTGAACCAG GAATGCAGAGCCAACCACCCCTGGGGT GTCCCAGGCAGCTGGGCTGGATGCTACC TGTCATGCTCTTGATC	p000710	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
48	IM000666	ATGTATGAGTGTGGGGCTGGGTTTGAAC CTGTGTCACCTTAGGACTCTCTGAACCT CGGTTTCCTATTAGACGGAGGGGCTATT CGGAGTCCTCATCTAATGGAGACACTTT GTGGGTATCAGAGGGCAACACTGTGGTA TTGGGGGTGGGGGGTTGCTGCTTAGAGC TCAGAGAAGAGGAGTTTGGCTTGCTCTA CAGAACATGCAGGCTGAGGTGTGGGTG CAGGGTTTCCCTGAGGCCCGGCTCTGA CCCTCTCCCCACTCCATTTCTGCGCAGG TGAGCGACAAACGTTCCAACAGCTTCG CCAGGCCATCCTTCAGGAAACCGCAGG CTGAGCAGCAAGGCCCTGCTGGAGGAG AAGGGGCTGAGCCTCTCTCAGCGGCTCA TCCGCCACGTGGCCTACGAGACTCTGCC CCGGGAGATTGACCGCAAGTGGTACTAT GACAGCTACACCTGCTGCCTCCGCCCGG TTCATGATC	p000711	C	--
49	IM000667	GATCATTTTTCTCTCGAGATGGATTAAA GCTATGCTGCAGAAGGACCCGTGTGTGT CCTGTGTGTGTGTCTCGCCGGCGAG ACTCCTTATCACACATGACAGCTTCAA GCCCCAGATTCAATAGGTTCCAGGAGT TCACATTAACTCATGGGGTCAAAGT GCAGGCAGATGGTGGAGCCTGTGGAAG GTCATCAGACAAACAACCTGGTGGTTGC AGCAGAAATCACCAGGCAAGTAG	p000712	R	--
50	IM000668	GATCTGGCTAGCAGGGAGCCATTTACAG CTCAGACATCTATCATCCTTA	p000713	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
51	IM000669	GATCATTGTACCTCACCTGTCAGTTTGA CAGGTGGGAGGTGATATCTTTTCATT CATGTATTCTTTGAAAGTTTGTTCATGCA TATAATACATTCTGGTTCAATTCACCACT CCACCCCTTTGTATCCCCGCGTACCGA GCCCCCATTTTCTACCAAGTCTTACTGT TATCTCAGTTTGGGGCTTAGTTTTTGT TTGTCTTGTTTTGTGTTTTGAAACAGG GTCCCGTTATGCAGCCCTGGCCCTGAAC TTGCTAAATAAACAGGTTGGCTTTGAA TTCAGAGTTCTGCACACCTCTGTTACCC AAGTGCTCAGATTAAAGGCGTATACTAC CAC	p000714	C	--
52	IM000670	GATCAATTCAATCTATTGCAATAACCTG GTTTTTTTTTCCGCAACTCCAAGATGGG GGGGGGGGGGCCAGTCAGGAGAGGTT TCAACACAAACGCACTAGTATTTACACA CAGAATCTCCTCCACTGTTCTTCTTTT GCTTTAAAAGTCTTTGTTCCGGAATCTAT AGATAGGGAGACAGATGGCTAGCTCCC CAAGGCTGAGAGCAGAGGAGAGTATAA ACAGGGAAGTCAAGGGGTCTGGGAGGG CAAGGTAAGGAAGCCACAG	p000715	D	--
53	IM000671	CAATGCCTTCCCCGCGAGATGGAGTGGC TGTTTATCCCTAAGTGGCTCTCCAAGTAT ACGTGGCAGTGAGTTGCCGAGCAATTTT AATAAAATCCAGACATCGTTTTTCCTG CATAGACCTCATCTGCGGTTGATC	p000716	K	<i>Myc</i>
54	IM000672	TAGTATTCAGGAAAAAGGAACTGGGA AATTAATGTATAAATTAATCAGCTTT TAATTAGCTTAACACACACATACGAAGG CAAAAATGTAACGTTACTTTGATC	p000718	K	<i>Myc</i>
55	IM000673	GATCAGAAAAACAGCCCATTTCAAGA TTCAGGT	p000719	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
56	IM000674	TAACTTCAATTTAATAATTATCACATGCT AGGAACTAAAGAGGTGCACAAAACAAA CCAACAGTGGTTCCTATCCTGTCTAACA GAAGAACTACAATTGTGGTTTGGGATG CCACATAAATGACAGCAACGGGACCTA CAGAAAATTAAGTCACAGAGAGAATGG ACCATTTCTGCAGAGACCTGGAAAACAG ACAAGGGAAGAAACATGGTGTGTCTAA GTGATGGGGCAGGTGGTGAAACGCTA GAGGCAAGCAGAGGGGATATGAAACTG TGCTGCACAGCTGGACAGAAGGGAGGC TGGAAGGGAAGAGAGGACCCTCTGTTTT GACTCAATGGCTAGATGCCATGTGCCAA ATAAGAAAAGCACTTGGGGGGTTCTGTGG GAAATCGGAACAGAGGGACTGGAATCA AACCTCAACGTTCTTGCATACTCCAGA TAAGAACCAGGCTTTGAGCCAGGGCCTG GGAAGAGGGCTGGCCTACATATCTCATT TTAGAGATGAGCAAACAGGACTGGGAG CTCTAGGTCTTCAGTGACACGCTTGCTT GGCCCGCAGGAGACCCTGGGTTTGATC	p000720	D	--
57	IM000675	GATCATGTCTATGGGTCAACAGAAATAAT TCTGAAAGGCTAAGTCATTTCTTCTACC CCCAAGAAAAATCAAGAACACCCACACA TTACAAACCTTCCGTAGTAAACTGAGAA TGGAGCCATGGCCAGAGCCCCTCTGCTC TCCCATCCCCAACCAAGAACCAAAC	p000721	D	--
58	IM000676	ATATAACTTCTTTTTTTTTAAAAAAGAAT TATTTATTTTATGTATATAAGTTCCTTAT AGCTGTATTTCAGAGACGCCAGAAGAGA GCATCTGATC	p000722	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
59	IM000677	GATCATAGCACACTGGGGTGCCATCTGT CACCCTAGACAAACATCTTTAACCCNGC ATCTCTTCCTGAAGCCCACTTGACCAC CCTTTGGAAAACCATCACCAAGGCCAGT AAGGTACCCGTGGTGACTCACCTCAGCC TAGCCACCATAGACGCTTAGCAGAGCA GGTGTGTGTAAGTCAGAGCCAGACAATC AGAACACTCTCCCTGCTCCAAAGTAGCA ATGTAAAAAATTGAACCCAAAGTTG	p000724	D	--
60	IM000678	GATCAAAGTAACGTTACATTTTTGCCTT CGTATGTGTGTGCTAAGCTAATTAAAAG CTGATTTTAATTATACATTAATTTCCCA GTTTCCTTTTCTGAATACTACGCTGTG CATTCTGTACAATCCCCAAACGTATACA TACACACTTTATATATACACGATAATCT AGCTTATTAACCAACCAGAAACATGAGT CTTTTGCTCTGTGCATTGGTTCTAGATTT ATTATATAATGCATATTCCTCGGGATTT GCTTATCC	p000727	K	<i>Myc</i>
61	IM000679	GATCATTGATGCTTCAGATAAATATGT AAATGGTGAC	p000728	B	Mm.1278 81
62	IM000680	GATCAAGATAATCCCCACAGGCATGCC CAGAGGCCCATTTCTAGGTGAGACTAT AGTCTGTCAAGTTGACAATGCTAACCAT TGCAGTGAGGGAGAGAAAAGAAGGCCAG GATGGTGCCTCTCTGTTACTCTGCTTACC CACGGGGTGCAAGGACAGTGGGGGATG GGCCTGAGCTTCCTCATGAACACACACA TGAGAGCAGTCAGCACATGGCCTCTTCC TCTAAGCTTCACAGTGGCAGCCGCACCT CTGCTGTTAAGACCTAACATGTGGCCGG GCAGTGGTGGCACACGCCTTTAATCCCA GCACTCGGGAGGCAGAGGCAGGTGGAT TTCTGAGTTCGAGGCCAGCCTGGTCTCC AGAGTGAGTTCCAGGACAGCCAGGGCT ACACAGAGAAACCCTGTCTTGAAAAACC AAAACCAAAACCAACCAACCAAC CAAAACAAACCATCTAACATGTACATCCT ATCCATGTGCACGAATCATAC	p000729	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
63	IM000681	AGACCAGTGCCGGAGCCGTTCTGGCTG AGGCAGCCCAAGTCCTTGAAGAGCTTGA AGAGGTCGCTGCGGAACTTGACGCCGAT GAAGGCATACAAGAAAGGGTTGACGCA GCAGCGGACGGAGGCCAGGCTGTAGGT GACGTCATAGGCAATGTTGAGCTGCTTG CTGGTTTCGCAGCTGCTATTGGTGATGTT GAAGTTGGCCACCGTCTGAGCCAGGACC ACCCCATTTGAGGGCAGCTGGAAGACTA TGAAGACTACCACCACGGCAATGATC	p000730	A	<i>Cmkbr7</i>
64	IM000682	CCCTCTCAAGCCTTCCTTGTTACTTAGCC TCTATAGGICTGTGCATTATACCATCATT CTTTTAATTACAGCTAATATCCATTTAT ATATGATTATGTACCATATTTGCCTTTG GGGTCTGGATTGCCCTACTCAGGATGAC CTTTTCTAGTTTGATC	p000731	D	--
65	IM000683	GATCATGATGTTTGTGAAGCAACAGAA ACTATAAGACAGTGCCCAAGAGCCTCTC TGGAGATAGCC	p000732	D	--
66	IM000684	GATCGTGTTAGACACAAGTAAGAAATG AATGAGTCTTCCTGATTTTTAAATTAAC TTCTCCCCATATTGGCTGTCACTACTTTT TAAATCAGAAAGGAGAATCTGGACGGT TCCAGGCCTGCAGCGCCATGCTTGCAAA AGGTTTACAGAATCGCTCTGGACAAC	p000734	D	--
67	IM000685	CTACCACAGCATCTTTTGAGTGTATATA GTCAGTGTGCTACATGTATCTATGAAC ATATGCAAATGAGGTTTGAGAATTAAAG TTGCTGATAGACTCATGGGTTAGGGGTT TGATTGCCTGCTAATGATC	p000735	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
68	IM000686	GATCACGAAACGGTTGACTAAAGCAAG ACTGAACCACAGGCAGATACCAAACCC AAAGCTCTATGTCTAGTGTCTAGAATAC ATAGGTTTGGGTAGCCATGCCCTGTGA CCCTGCCACCTGCAGCACACATAAGACA ATACTATAGACAACCACTTCTGAGTCAG AATTGCAATGATGTCTTTGGCAAACCTAC TCTAGTCTCCTTTGCCAGGAGCTGCTA AGTGGTTCAGGCTGAGGTACAATCAACC TAGGTAGGTGGGACTGTGTGCCCTGTG CTCCTGGGTGGCCTTCATGTCTGCTATGC TTGCCCTTT	p000736	D	--
69	IM000687	GATCATGTCAACTATACCTGGACACGGA CCTTCATCCTTGCTGCTTCACTACCTCT GGCACCTGCAACATCTTGCAAGTTTGTG GAACCCTGTGCATCTATCTCCTCACACT GGCAGGGAACCTGTTTCATCATTGTCTTG GTCCAGGCAGATTGAGGGCTGTCCACTC CCATGTACTTCTTTATCAGTGTCTCTCC TTCCTGGAACCTCTGGTATGTCAGCACCA CAGTGCCACCTTGCTGCATACCTTGCT CCATGGGCCTTCACCCATCCCTCGTCT GCATGCTTTGTCCAGCTGTATGTCTTCCA CTCCTTGGGCATGACCGAGTGCTACCTG CTAGGTGTCATGGCTCTGGACCGCTACC TTGCTATCTGTCTGCTCCACTGCACTACCAT GCACTCATGAGCAGACAGGTACAGAAA CAGTTAGTTGGGGTTACATGGTTGGCTG GTTTTTCAGCTGCCTGGTGCCTGCAGGT CTCACTGCCTCTTTACCTTATTGTTTGAA AGAAGTGGCCCATTA	p000737	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
70	IM000688	CTGTCAATTCATCCAGCTCTAGGCCGCT GTCTGGCTCGATGCTTATTGGTTTAACA GTGCCGATGCATAGGATTCTACAGTCAG AGTGGCCTAAGCAACAGCTAAATATTGT TTTCTTGCTGTTCTGGGAACTAGATGTT AAGGTCAAGGCGTCAGTAGCTCTGTTAT GAGACCTCTCTGCTGTCGGGCTGTGTCT TCAAGTTTTTCCCCCTCTGTGCATGTG TGTTCTATTTCCTCTGCATGAAAGACC AGTAGAGCCAAGTGGTGGCACACACCTT TGATC	p000738	D	--
71	IM000689	GATCATGAGAGGCGAGAAACCCAGACA TCTCTAACTCTTCTTGCCAACTCAGGAG CCACCTGTGGCCCCAGCTGGCCACCAGC CGTTCCTCCCTCAGAGGCCTCCATTTC CAAAAGGCCTTCCTGGTTGTTTCAGGACA GAGCCTGGTTTCCCTGATACCCCTTCTCT CAGTGGCCACTGAAGTTACAGGGATGCA GCCAGCCGTGGTTGCCATGTCTGTATAT GCTAATCTCCGAATTCCACTTCCTGTTTA GATTCTCAG	p000739	D	--
72	IM000690	GTTTGTCCGCATGAGTCCCAGGGACCAC TCAGAGTGGCTGGCAGGCATTGTGGAGT GGAATGTGGGAAGACACATTCCAGCCT TGTTTGCAGCTTGGGACTGTCTGTGTTTT GGGATGATC	p000740	D	--
73	IM000691	GATCACCTGGGAAGGGGGAAAAGGACA AGTCTGAGCTCCCAGCCCACATTCTCCT AGGGTAGCAGCTCCCTCACTTAGTGT	p000741	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE" \L 2}	CLASS . {TC "CLAS SIFICATION " \L 2}	GENE {TC "GENE " \L 2}
74	IM000692	GATCAGTTCTTATTAAACAATACAGACT TAGGCAAAATGAGTCAGAAATAAGGAT ATCGCATATCCCGAGACCATTGAACTC TAAGAAGTATTTTCTATTATTAAGTAG TTCACCAGGCAGTGGTGGCACACACCTT TAATCCAGCACTCGGGAGGCAGAGGC AGGTGGATTCTCAGTTTGAGGCCAGCC TGGTCTACAGAGTGAGTTCCAGGACAGC CAGGGCTACACAGAGAAACCCTGTCTGG ACAAACCAAAAAAAAAAAAAAAAAAAAA AG	p000744	R	--
75	IM000693	GATCATCACAGATGACATAGAACCAAA CTGTAACCTTCTAGACTACATGTAGCAG ACATTT	p000745	D	--
76	IM000694	GATCATACTGAATACAAGCAGGCTTCT GGTATACTCTTAAGTTGAATTCTGTTTC TGTAGTCGTAGTCTTGCTTTTCCAGTTT TAAATTCTAGAACAGGTATACTGTAGAG CACCCGCCTCCCTTGCTCTGGAGGTAG GGTAGAGTGGGAGTTAAGGTCAGTTCC	p000746	B	AA65702 8
77	IM000695	ATTTCTCTTGTA AAACTCACTTTCTGTTT ACCCATTTTGTCTGTGCTTACTAAATT ATTTCTATATAGGAATCTTGTATCTTCT GATATAAGCTAGCGCATGGGTACCACCA GCACCCAAGTCATCTGCTGAGGTGCTTC TAACCTTGCTTGATTGAGTGTCTCAACA GAAGGTGGAGTAAACAGGTCATTTTAA CCCTAGAGAGTTCAGATC	p000748	D	--
78	IM000696	GATCTCCGGGTGCCAGACTTGCCAGCA AGCACTCTTACCTGCTGAGCCATCCTGA GGGCCTGGATTAAAAAATAATTT GACATATTGTTT	p000749	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
79	IM000697	GATCTCCTAAAACTCCCTGTGTCAGGAA ACTTTCTGTGCTTTTGTATTGCGTTCCTG TGTTCTGGAAGGCCCCACGCCTTCAT CCTTGCTAATTCTTTTGGATAGCTTGT GCTTTAACTAGATTGGCCCTTTCTTGGCT AGTATTTTCTGCTGTACCTATGAGTGGT GTGGGAGAACTGTGCAGACITCCAGGA AGCGCAGCCATGAAGCTACATGTGCCTA TGTGTAGACACATCATGGATTTTCTTACT AGTTTACTAGTGGGTGATAATCTGTCCT TTTGAGCTCTCCAGAACGTTCTAGAAGC TTAAGGAGAGAAATCACTTAAGAGAG	p000752	D	--
80	IM000698	ATCTGATAGTAAGTAAAAGGACAGCTA AAGATGAAGGGAAAGCAGGAGAGTCCT GGAAGAAGAACTAGTGTTCCTAAGAGT TCATCATTGATAAAATGCAAAAGAAGTC AATTACATACATGTTTAGGAACTGAAT CCTCTTGTTTGGGGGATGTTTGTGTTTGA GGCAAAGGCTCTCTTACAGAGCCCTGGC TGTTCTGGAGTTCTGTATATCAGGCTCTG GCCTCAAACCTCAAGAGATC	p000753	D	--
81	IM000699	ACATCAAGAGGAAGTTGGAAATGTCATC TTTAGCTATCTTATATCCTGGTAGCTTTA AGATTTCCCTTTGTGTGACTTTATAGTTCT CAAAATATTTTAAGGGTCAGGGGAGGA AGCACTTCAAGAAATGAGATGGGAGA GGGAATGTCTTTGTGTTGGCCTGGAGAT C	p000755	D	--
82	IM000700	AGCTATACCTGAAATTTGGCCAAGAACA GAAGCTCAGGAAATAGTGTGATTTAAAA ACCAAAACCAATTTACAAAAGGAAGAC TGTGGTGTAGATC	p000756	D	--
83	IM000701	CCACAACCTGAAAGCAACACACACAGTA TTTTTCTGTGGGTTTAGGATGTATCCAC ACTCCCGAACTTCCTTCCCTGAAGCAC CCCTCAGTTTACTCTGAAGCATGGTTTG AGTCCCAAGGCCAGTGTCAACTTTCTGC CAAGTCTCAATGGCAAAAGTCTGTTTAA ATCTGCTCAGGCTAATGTAGATC	p000757	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
84	IM000702	CTTCCAGTCTTTTTAGCTATTTATTGATA TGAATTCCTGCCTTATGTATCATCCAA GATTCTACCTAAAATACTTCCAATAAGT ATCAAGGACCACTCAAATATTCACTATT GGACTTAGAAGCTCCACTCTTAAAAATA GATTCTATAGAAAGAGCCTGAAATGGG GGCATGAAATGGGTCCATCTCCACCATC ACGCACACATGAACAAAGAAAAGGAGG AAATGGTGTTAAGAAAACCTACATCATA CTATTTAAAAATAAGGAGGAAGGAGGG AGGGAGAGAAAGAGAGAAAGCTCAATG CTTAGGCAAGAGTGCTTAAGAAAATTAC AGTTAACAGATC	p000758	D	--
85	IM000703	GATCTCCTAAACTCCCTGTGTCAGGAA ACTTTCTGTGCTTTTGTATTGCGTTCCTG TGTTTCGTGGAAGGCCCCACGCCTTCAT CCTTGCTAATTCTTTTGGATAGCTTGTT GCTTTAACTAGATTGGCCCTTTCTTGGCT AGTATTTTCTGCTGTACCTATGAGTGGT GTGGGAGAACTGTGCAGACTTCCAGGA AGCGCAGCCATGAAGCTACATGTGCCTA TGT	p000759	D	--
86	IM000704	GATCTGAGTGCTGGGAACCAAACCTGGG TCCTCTGCAACAGTTTGTGCTCTTAGCTG CCGAGCTTT	p000760	R	--
87	IM000705	GTACGGCGATGGGCACAGGCTTCGGGA CAGTCCGCGACGCTCAGGCGGACAA CGGGAGGCGGGCGGGGAAGGCAGGGGC TGCAGTGTCAAGTCCCTGACCCGGGAGG CTCGGAAACTTCACTGCCTCTGCGCATC CGGCATGGCCCCTCCCACTCGGACTTCG TCAAAAAACCGCCACCGTGAGTGTCCC AGTATGTGCGGTGTGGGACAACTATCG CACTGTTGCCCTGGCTCTTCTCCTAGACC CCCTTTGTGAGCCAAAAGAGAAACGCTG GGCAGATC	p000761	B	Mm.2739 3

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
88	IM000706	GATCTCGTTACGGATGGTTGTGAGCCAC CATGTGGTTGCTGGGATAA	p000762	R	--
89	IM000707	CTGGGTTGACCTTAGAAACGGGAGTTCA TCTCCTCCAGCAGCTCCGGAAGGAAGG TGAAGGGGACTAACCATGATGAGCTTTG CACACTGGACTCAGGGCCTGAGAAGGG GCTGGAGGGAGGCAGGGAAGACATCCC TCACGGTAGTGTTACACAGCTGGTGTG CGGGCTGCCAGGGTACTCATTTGAGTCC ATGCTGAGTCTCTCGGTGCCTCCTGAGA TC	p000763	K	<i>Gfi1</i>
90	IM000708	GATCTCAGGAGGCACCGAGAGACTCAG CATGGACTCAAATGAGTACCCTGGCAGC CCGCAACACCAGCTGCGTAACACTACCG TGAGGGATGTCTTCCCTGCCCTCCCTCCA GCCCCCTTCTCAGGCCCTGAGTCCAGTGT GCAAAGCTCATCATGGTTAGTCCCCCTC ACCTTCCTTCCCGGAGCTGCTGGAGGAG ATGAACTCCCGTTTCTAAGGTCAACCCA GAGTGGGAACCGCAGCAGCAGCAGCAG TCGTCTGTGCTTTGGGCTTCCCTA	p000764	K	<i>Gfi1</i>
91	IM000709	GGAAGAAGTGTGTGCAGGCCATGGTCA AGTCCTGCATGGCTCCCATCTGGGTCCA GCAGCACCCAGCCTCCAGTGCTTGCTCC TGATGTCCCAGTGAAGTCAAGTCTGAG CAGCAAATCCCAGGGGCCAGTCCTAGG GAGAAAAAGAACACACTGCCATCTCAG TGCCTCAACAGAAGCAAACCTAGGCGTC AGGTCATGTCCTTGTTACCCACATCACA CCTAGACTTCCCTGGGTATCATGCTCTGT GTGAGATC	p000765	B	Mm.1535 12
92	IM000710	GATCTAAGGATATATCATTCCTAGGAGA AAATGAATATTATGACCTTGATTGT CAATGTTTTTTAAATATGGCATTAAAGC CACAGAGATAAAAAATAAGAAAATAGAT ACATCGAATTCAGTAAAATGAGGAAGT TCTTGTGATTCAACAGAAAC	p000766	A	<i>Mtm1</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
93	IM000711	GAGGTAAGTCTGTTCAAGTGTAGCTATCC TTAGCAGCTAACAGTCCTCAAACTTTT TAGAGATC	p000767	D	--
94	IM000712	CTACAGATGCATTATTAATATTACTTTTT AAAAAAACCCAGTATACTGCTTGAAAAC AGTGAATGCAATGGGTTCTCATTACCT TCCTGCTCTCAATCAATCTCCATCTCTAA AGCAAGAAGTGGGGGCCCTTCTGGCTGA GCGAGGGGTGAAGGGAGGGGAAGAGAT C	p000768	D	--
95	IM000713	GATCTGGAGAAGATGTCAAGTTTTAAAA TGAGGCAG	p000769	D	--
96	IM000714	GAGTGAAGCAAGAATTTGGAGCCCAGC TGCCGCAGCCTTTTTCTTTTCAGCAAAG CTCGGGAGTGATAGATATGCATGAACCA AAGCAAAGCCTTGAGAGTGCCACTTGGC CCTGCCTCCTGAGGGTCTCAGGGCATCA GCTGGAGACCACCTGTGACCCACACAT CACCGACTATGAAAACAGCTCATCAGAG TAATAAAGATC	p000770	D	--
97	IM000715	CAATGAACAGGACACATGCTTCACACGA CAGTCCAAAAATGCAAAGTGTGGAAGA ATTCCACAGCCATAGCCTTCATTACTAG ATC	p000771	D	--
98	IM000716	ATGCCTTCCTGGTAGAAGAGGGCCATGC TGTGGCGGGGAGGGGCCACTCAATTTTT CCTGCTCCCTTTCCCTGTCCCATATTCTC AGGAGCTTCTAGAAGCGTAGCCTGCATC TCATGCCCTGACTTGGCACCAAATGCTT GCTTTGTATCAACACCGCTTTCTCTTCTG CTCTTCCAGCTCGCAGCCATTCAAATA ATACCACCCGGTACCCGTGGAATCAGGA GCAGAGATTCCAAATTGAGTCCTAAAAT CAAATCCAAATGGGCCCCGTACAGTAGAT C	p000773	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
99	IM000717	AGGCGAGCGGATTACTAAGGACTGAAA GACTCCTAAGACTTGICTCCTGCTCCCTG GCCAGCGGTGGAGCTCAAGCAGAATTG CAAGCTCAGCTCAGGTCTCAGTGATGCA AAGCACCTCGTTACTCCAATGTGTGTT ACTCCTACAGGTGGGCTGCCTTCCACTT TCAAACACCCGCACAAACAGACCTCCCA CCGTATGCCAGAGCATCTGTTTCGATGCT TTCTGGAACTATGCAAGCCCAAATTTA ATATCCAATCAGATC	p000774	D	--
100	IM000718	GTGTGTGTGTGTGTGTGTGTGTGTGT GTGTGTTACAAGGTCTCATACAGAATCC AGGCTGGTCTCAAACACTGGAGTCAAG CCATCTTCTCACCTGGCTTAGCTGGGGT CACAGACTTGTGCCATCATGCCCAATGG AATGCTGTTCCTTTTGGAAAGCCTGCTA CTGTCATATACTGTCATAGGAGTTAGCG ACTGCTGGCTTATTCTTCGCTTTGCTTG GAGATC	p000776	R	--
101	IM000719	CCCCCTTCCTGTCACCTCCTGACCCCTTG CGCAAAGGAGGCTCGTGGCCCGCTGTCC CACTGGGGGATGGGGCTGGGGTTGAGA AGGCTAGTGAGCGCCTCTAACGCTCAGG AAGTGAAGTTTGTGGTTTGGGGGCTGA GCTCCGAAGGAGATTAAAAAAAAAAAAA AAAAAGTCAGAGAGACAGATC	p000777	D	--
102	IM000720	CTTGTATAAGCAGCAAACAAAAGCCA GAGGCAGTCCACAGATC	p000778	D	--
103	IM000721	ATACAACAGGAGCAAAGCTGGAGGGGA ACAGATATAGAGGACAGTTCAGGGCAT CTGCAGAGGTGCTGTGGAATGGGGAGG GGACAGTGGATAAGGGGACTTACCCTG AGCATCTCGGTAATAAGCATGGGTCACA CTGCGGAAGCGCTCCTGTCCTGCAGTGT CCCAGATC	p000780	A	Rab37

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
104	IM000722	GATCTATGTCATCTTCCAGGACTCAGAG TTAAGAGAGTTACCAAGTGAGAGCTCTC ATCACCTTCTGAAGCAGTTGAGAATTGG AACCCAGAAAAGATGCACATGCACGGGC ACACACACACCCACGGGCACACACCCA CCCACCCATGCAGAGAGAGAGAGAGAG AGAGAGAGAGAGAGAACTCACACTGGT ACTGCAGTAAACGGGAGCTTGTTT	p000781	D	--
105	IM000723	GATCTTCTTTCTCTGCTCAATTAGTTCAC TTCTGCTTTCATCTCCTTTTCTTTGATA AACCATGAGTTTCATTAGGGCTATTACA ATCACATGCAGTTTTTCCTTATAGTA	p000782	D	--
106	IM000724	GAATTAGGCCTAGAAACATTAGAATCCA GACCACGGAGCTCCCCAGATC	p000783	D	--
107	IM000725	GATCTTGTTCTAGAACGACCCTGAAGGC AGCAGAACAGAGCAGGACTGAAGGCCA CCAAGGGGATTTCAACTCTTCAGAAAAA ATAAGTGA CTACCTTCTCACAAGAGC AAGAATCACAGAGGTCAGATTGTCTCCT CCTGCCCATCAGGGACAGAGTCCCCCAT CTTGCCTTGCTCCATCTGGCAGGTAAG AGATGGGAAGTCTCCTTCCCTCGGTCT GCAGCATCCCTGGCATCCCTGGGGAGTG TTGGCACAGAACCCCCCTCCCAA	p000784	C	--
108	IM000726	GATCTGTGTGGGCAAAGCCCATGTGCTG CAGTGTGTCTGGGTAGAAATGAGTTGTG TGGTGCTCAAATGTAAATGAAGTCCCTG TGTT	p000785	D	--
109	IM000727	GATCTCATTACAGATGGATGTGAGCCAC CATGTGGTTGCTGGGAATTGAACTCAGG ACCTTTGGAAGAGCAGTCAGTGCCCTTA ACTGCTGAGCCATCTCTCCAGCCCCCA CCTTTTTTTTTAAAAGATTTATTTATAG TTTTTGCTTTTTTAACAGTACTGGAACAT CTCAGTAATTGCTAAGTTGTCCTTGCTCC AGGTGAGCAGTCATATTTCTCCAATTC TGGTTTCCTTACTTGTGTCAGAGACCAA AATAGCTTGTTAATCAGTTAGAGCTCT TTAGTTACCCATATCTGTGTAGTAA	p000787	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
110	IM000728	TAAGAACATAAAAGCAAAATTTGGAGG CTCAAGATTCAGTTTAGTTGCTAGAGGG CTCACATAGCATGCCCTCCCCACCCGGG ATTCCATTCTCATTTATCGAGGCATAAG GCCAGGTGTGGTGGGATATGTGCTGGGA TGCATAAGATC	p000788	D	--
111	IM000729	GAAAGGCACACTGGTGAAGGCTGAGGA CCACCAAAGCTGCATTTCTGCTAGGCTA GGTAGAACAAGAATGGTGTCTCCACTAA GAACTCAAAAAGCCACAGCCCACCCCTG AGGCCCTCCATCTGACACATGCCGGTCA CCTGTCCTCCCACAGCCCAGCACAGAGA AGCCACCATCCCTCCCCTCCACCTCCT GCAGCTGACAGTGTGCATCTTTCCGCAC ATTCTCTCTCCTCAATCAGGTCAGAAT GTATTCCAAAGATC	p000789	D	--
112	IM000730	CACTGAAAATGGCTAGAATTCTGGTGAT GGGTGAGCCGATC	p000793	D	--
113	IM000731	GATCGGAGTCCCTCGTTTCAGAGGCCCC ACTTCTATGGCTCCTGCCTTCCTTGCTA CATCCATTCTGCTGAGCTCCTGGAAAC CTGTGTATCAAGTCTTTCCAGTTAGTGC GTTCTGAGTGGCTCTAGAAACCGCTTCC CATTACAGCGAAAGACCCGTATAAACCA TGTTCTCTCCTCTGTGACAAGAGACAA CAGACACCGCACAAAGGACTGTCTGGCC TGGGGGGGGGTCCCTGGTTCACAGCTTC AGTCCTGA	p000794	D	--
114	IM000732	GATCGCTCAATATAACAGCAACATGCCA AGTGCCACTTGTAATAATTTGTTGTTGAG CAGTCTCATTATCAACTGAAGCACAATG TCAGGCTAGCAAGAGGCAGGTTCAATTG TTGATTAGCGATAGCACACACAAGCCAG CACATGCITTTTCTGTGAGTTCTAT	p000795	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
115	IM000733	GATCGCTGAGTTTGTGTTACAGAGCAGGG ACGCCTCAGCTCGGATGCCAAAGCTACC AAGAGCTGCAAACGCAAACCTTAGCAGA AGCACACGTACTCCC	p000796	A	<i>Cited2</i>
116	IM000734	GATCGCACAGGTAAAATGGGGACTCACT TTAGCTAAAAACAACAACAAACAGC CTGATGAGTCGAAAAGTCTCTTTAGGTTG CCCTCTGTTCTCCAGCCCCACATCCTGA AGGCTGTGCATTCTCCACAGCAGTCT CAAAATAACCATAGTGCTCAAGTCCCCT GTATCAAATGGTGGTATCTGCATCCACC CTACAGGTGTTCTTTGATTCTTTCTTTTC TTTGTAAGTGTGTCTGGGTGTTTGCCTG AGCGTATGTATGCGCCTAGTACCTGCAG AGGCCAGAATAAGGTGTCAG	p000797	D	--
117	IM000735	GATCGTGAGAGGCGAGAAACCCAGACA TCTCTAACCCTTCTTGCCAACTCAGGAG CCACCTGTGGCCCCAGCTGGCCACCAGC CGTTCCTCCCTCAGAGGCCTCCATTCCA CAAAAGGCCTTCCTGGTTGTTTCAGGACA GAGCCTGGTTTCCCTGATACCCCTTCTCT CAGTGGCCACTGAAGTTACAGGGATGCA GCCAGCCGTGGTTGCCATGTCTGTATAT GCTAATCTCCGAATCCACTTCCTGTTTA GATTCTCGG	p000798	D	--
118	IM000736	ACTGTCCGTGTGGGAAACGTTTAGCAAG TCCGAGCGTGTTTCGATC	p000799	K	<i>Nmyc</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
119	IM000737	ATTCTTTTTGAGTACTTCATATAAGAGC TTCGCATCTACACCACTCTTGCTCGCCAC TCCTCTTTTCTTCTTTCATTAACACTGT CCACTCTCCAACTTCATAATCTCTCTAA TTACTATTGTTATTTACACACACACACA CACACACACACACACACACACACACAC GTATATGTAACCTACTGAATCTTACTAA ATAGCTTTACTATCTTCCAAGTAACAGG CACTTGATAAATCTTCTGTCAATCTCCCA GAACAGAAGCCTTAAGAGTCATTTAAGT TCTTTTATCTCAGGCTGTCTGTTCTATG CCTTTTGCTTTTAATCCATCACCGATC	p000801	D	--
120	IM000738	GAATGTCTAGATGGAGACTGGACAGAG TTGGATTCTAGACACCTAACAGAAGCG AAAGCAGGGGATGGATAAGGTGGGTGC CTCGTCCTACAGCAGGTTCTGAGTGTCC GCAGAGACTCCCATGGCTTGGCACCATG GTTGAAGCTTTCCATCGATC	p000803	C	--
121	IM000739	CTATTTTCGTTCTCTCCGATC	p000804	D	--
122	IM000740	GATCCTCATGTCAAGGCAGGGGCAGACC AGGGTCAAGGGAACACCTGCTTCC TGGGTGTAAATGCCAGAAAGGGAAGG CACGGGGTGGGTAGGGTGGAGAACATG GCCCAGACCCCTGTCTCTTCTCT	p000806	D	--
123	IM000741	GCACCTGACTTCCTCATATAAGACACAA ACATCTTGAGTGCTGCGCAGGTGTACCA GGATACAGGTGAATCCAATCTGGTGGAG ATTTGCCCCTGCTGCCCTGATTAGCTGA AGCTGCGTGCTGGTGAGGTGGCATGGC CTGCTGTGCGTGGATGGGAACTGAGAGT ATAAAAGAGCGAGAGGCCCGGGTTAGA GGAGGATTATTATTCGAGAGAGGATTGT TATTATTGGGAGATATGAACAAGGGAG ATATAAACAGGGGAGATATAACAAGG GAGATATATGGAGAAAGAAGAAACAGG ACTGAATAAATGTGTGCAGAAGGATC	p000808	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
124	IM000742	GATCCTTCTCCTGTCTTCTTCTTCTGGAAG GCTGGGCTACATGCCAACATGTCAGAGT TTIACCTGGGTTCTTCCAGAGGTTTGA ACTCAGGTCCTTGTACTIONTACACAGCAGC TACTTTGCCTATTGAGTCAATATTTTGTG TGTGTTTGTGTAGGTGTGTTTCATGTCTGT ATACTTG	p000809	D	--
125	IM000743	GATCGTGCATGCATGGGTGTGTTTGGG GAGAGGTTCTGTCCTTGCTAAG	p000811	D	--
126	IM000744	AGCTCAGCTTGTGAGGCTGATTGTGAA CACTTCACCAACCGAGCCATCTCGTCAG CACAGCCCTGTTTTTATTCCCATTTTCT TTTCTGTATTTCTGTTGAATTTCTCACAT ACTCTCCTTTCTTCTGCTTCTTCTG TTTCTGCATCATTTCTATATTGACATTTA AACAACCCCAAAATTCAAGATACATCA ACAAAAATTTATTCAACTAGTCTTTCTTA CTTCCATATCAATAATGAAAAGAAAATTA AAACCTTTCAAATTCAACAAATCCCTAC ACTACATATAATCACTTTCCTCTATGCTA AATCCAACCTGAAATTATATCCTCAATA CCCTGCTGGTATTTTTACTGTCTACATCA CTGCCTAGTCTTCGATC	p000812	D	--
127	IM000745	CTGGTATATGAACGAAGTTGGTCTCTAA AGGCCGTCTAGAACAACGTTCTCAACC CGAGGGTCGCACCGGGGTCACCTAAGA CTACTGGGAAAGCACAAATATTTACATT ACGACTCATAACAGTAGCAAAATTACAG TTATGAACTAGCAACAAAAAATAGTTT ATGGTTGGGGATTACCACAACATGAGGA ACTGTATTCAAGGGTCGCAGCATTAGGA AGGTTGAGAACCACCGATC	p000815	R	--
128	IM000746	TTCTAACCTGCTAGGGTTTTCTCACGTGG GTTCTTCTTTGAGGGCTCTCTGGCTTCCC TACTGAGCTGTAGCTGCCAAAGTTGAAG GGCTGCGTCTCCCTTGCGTCTCCCCAGTC TTTACAGCTCCTGAAACACACTAAGGTA TTTATTCAAATCCCTGTTTTGTGTGCGAT C	p000819	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
129	IM000747	AGGGCCCTTCCACCTCTTCTAGAATTCG GTAAGCTAAAAGTACATGTATCCGATTA ATCTGAAATAATTTTGTAGACAGTTTGG TGACGGGTGGAGGGTGTGTGGTTGCGCG ATC	p000820	C	--
130	IM000748	GATCGGCGAGACCACGATTTCGGATGCA ACAGCAAAAGGCTTTATTGGATACACGG GTACCCGGGCGACTCAGTCTATCGGAGG ACTGGCGCGCCGAGTGTGGGGTTCGGAC CAA	p000823	R	--
131	IM000749	TTGGCTGTGGAGATGAACGTGGGAACCG TGGAAATGACCCTAGAATGGGGCTCAA ATGTGAAAGGCATGCCAGAGGTTGCTCT GTTGTTTAAAGTCCCTGCCGAACATTAG AATTTAGCCTCAGTTTAAAAGCTGTTA CTGCCTAGTTGGGTGCTTCTTTCTAAAA AGCAACCAAAAAAAAAAAGCCGTTT CACTCTGAAATGTATTAGAAATTTGCAT TAGCCCAATGGCTAATAAGCGATC	p000824	D	--
132	IM000750	GTTATAAGGATTGCATACAAATGGCATC AGGACTGGATGTGGTGGCACATGTCTTG TATCACAGCACTTGGTGAACAGAGGCAG GGGAATCTCTTTGAGTTACAGGCTAGCC AGCATGACACGGTGAGACTCTGTCTTAA ACAAACAAACAAACAAAAAACAACA AAGGTAGCATAAGAGCGATC	p000825	D	--
133	IM000751	ACCTGAATCTTGAATAATGGGCTGTTTT TCCGATC	p000827	D	--
134	IM000752	AACTAATACCTTTCCTTCCGCTGCGATGT TTCATGAGACTCTGGGTAGTGCATGGT CAGGGGCCCAGGCAACAGTGGCAGTT CTGCCAGGATC	p000831	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
135	IM000753	GTTTAAAGAGCCGGTTCGACCCGCTTTC CGTTTCGCTCCGGGTCAGCTAGTACTGT GAACCGCTCGGTCGGGTCGGGCGCTGCT GCGCACCTACTCGCCGGGACCCTGAAGC CCCCAACTACATATAGGGGTCTTCCCG GAAAGTACGCAGGAAGTCGCGTTTCGGC CCCTCCCCCAGCACACACCCAGTCC CTTCCACCCCCCGGGATC	p000832	D	--
136	IM000754	GATCCCAGTAGAGACAGAAACAGTGCC TTTGGTTAAGAATTCCAGGCAGGATGGT ACAGGATTGCAATCTCAGCATGGGAGAC AGAGGCAGGATTTCCAGGCCAGCCTGG GCTACAGTATAAATGGGACCCTGTCTCA AGTAATTGAAAAAAAAACAGAGAAAGA ATTTGGAGACTGTGACTATAGCTTGGTG ATGGAGTCCGTTTGCCTAGCAGAGTGAA GCAGCTGTGCTCCTGTGTTCAACCACA AAATAA	p000833	D	--
137	IM000755	GATCCAGTGAATCTGGGCATTGTGAGTG TGTGACACAACCTGCTCTATGTGCTGTT AGGGATTTGTGCATGCTCAGCCAACAAC AACCGCCAACCTAGACTGATGCTGTCCC CCTGAGAACACAGACTGACAA	p000834	B	Mm.1313 36
138	IM000756	GATCCTCCCTACCGGTCCTCGGGCAGAC CTCCAGCCCTTCCCCAGACACTGTTGGA AAGCAGGCACGCCTTCCACAGTATGGTC TGAGGTAAACCATGACAGCACTCTGGG TGCTTGGTGGTGTTCCTGGTGGGGACGT CAGTAGCTGTAGCTCTGTCATTGGTCCTT GCAGCGTCTCATTCCAACCTATTCTTCCA TCACTCCTCT	p000835	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
139	IM000757	ATATGTGTTTGTGCGTGTGTGTACATGT GCATGCATGGCATGTATGTACCCATATA AATATGTGTATGTGTGTGAAGTGCTGAT GTATTTACACAGCATTTTGGATTAAAT GGAGAAGGTAGCTCAGATGTCAAGTGT GCCCTCCTGTCAGGAGAGGAAGCCTGAT GTGCCTGCTGTCATAACTCTGGTTTTGAT AAATACAGCACGAGTGATTTTGGCTGT TGGGTTTGCCGTGTATGGATC	p000837	D	--
140	IM000758	GTTTGCTTGCAACATTGTCATAGCTTAGT GAACAGTATAGCATTGTTCTGGCTCAAG AAGCCCTGGTTCTTCAAAGCTCCTACTT AGATGAAATTATTTGCATCACAAACAAA AATTGTTTTGCATTTTTTAGATAATGAAG GATC	p000838	C	--
141	IM000759	GATCCTAGGCCAGTCAGGGCTACCAATA AGAACCTGCCACACACACAAAAGGAAA GCAAATTTTGCAAAACTCTAGTCTCA TGGTGTACGGTCTTTAAACATCTTGAG GGGCTCGAACTGGTGAGGTGGCTCGGA GGTAAAAGGGCTTTGATGCACAACCTGA GTTCAACCCCGTGTTTTAAAGACTTTCTG CAATGATTCTGGTCTGCAGTCCTAGCCC AAGCACAGTCAAGGAGAGATTGAGGCT GAAACGGAAGAATGGAAGTTTGCATAA CAGCTCAGTGGCAGAAATAACAGGAGA GACCTGACCTTAAAAACAGGGTGTAAG GTGAGAAATGATGACAAATGACATCCA CTTCAACTGTGCTACGAACAGCTACCTG TTTGACACCCCAAACACACACACAC ACA	p000839	D	--
142	IM000760	GTAAGAGGGAATGTACTCTCTGCCATCG GGACACCCAGTGGAAGTGTACCTGGA GTCTTGCCCTCCACGAAGACTAGGATC	p000840	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
143	IM000761	GGGACTTCAGGGCATAGAGCTTAGTTCC AGACAAAACAAAAGTTAGCAGTCGCCTC TCTCTTAAAGACGTTCTCTAGCCGCA GATGACCTCAGAAGGGGCTCTGGGAGC CGACTCCCACCCTTCCTTCTCTGTTTACA GAATCTGGTTGGGCTGTGAGGAGCGACC CACGAGACGGGCTCCCTGTAGTGAGTTA GGCCAGTGGGAACCAACGAGGATC	p000842	D	--
144	IM000762	ACACACACTAACACACACTCACTCACAC ATACTCACACACACTCACACACTGTC ACACACACACACACACACACACACACA CACACACTTTTCCACCAGGATC	p000843	R	--
145	IM000763	GATCCCTGGATATGGCAGTCTCTACATG GTCCATCCTTTAGTCTCAGTCCAACTT TGTCTCTGTAACCTTCCATGGGTGTTT TGTTCCCACTTCTAAGGAGGGGCATAGT GTCCACACTTCAGTCTTCATTTTCTTGA GTTTCATGTGTTTAGCAAATTGTATCTTA TATCTTGGGTATCCTAGGTTTTGGGCTA ATATCCACTTATCAGTGAGTACATATTG TGTGAGTTCCTTTGTTCAAATTTCAATTC TATCACCATTGTGTGTATATGTGTGTGT GTGTGTGTATGTATATGACGTGTGTATG TTGTGTGTGTATATATAACGTGTGTATGT TGGGGGTCAAAGGCATGCTCATGCCACA GTGAATGAGTAGACATCAGAGGACAAC TTTCAGGACTCAGTCTCTTGTCTACCC TGTGGTTCCAGGACACTAACCCAGGTCA TCAGGCATGGTGACAAAGGTTTTGACTC AAGGAGCCATTTTACATGCCTCATAAGA AGGGCC	p000844	R	--
146	IM000764	GCACTAGGAAGGAAATTGACCCGTGTTG TTGGTTTGTGTTCTGGTTTTGTTGGTGGT GCTTTTTGTTTTTTTTGTTTGTGTTTTT TTGTATCAGGATC	p000845	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
147	IM000765	GATCCTGCTTTCTCTTTTGACACAGAAC ACTTCTCCTGATTGACTCTGGTCCAGAC ATTTCTTTCAAAGGCAGAGGACTCTGGC TTAGCTGTGGATGACTTCTCAGATGAAG TTCATTGGTTGCGATTGGAAACGTAATC AGAGCAGG	p000847	D	--
148	IM000766	GATCGCATTAGGGTTTTTTTATGGTTTC TCATCTTCTCTTCAAATTAGCATAGAAG CCTCTTCCTAAAGAATGGATACTTAATT CTTAACTGAAAATATCTTTTCTCTGTGT GTTTTCTCTCCATTGACTGTTGCTCTA TCTATCTATCTATCTATCCATCTATCTAC TGAAATTAAAAATAAGGGAACGCCTTCT TCTCTTCATTCTTGTTTGTGTTTGTGTTGT TTGTTTGTGTTTGGAGACAGGGTTTCTCTG TGTAGCCCTGGCTGTCTGGAACCTCACT TTGTAGACCAGGCTGGTCTTGAACCTCAG AAATCTGCCTGCCTCTGCCTCCCAAGTG CTGGGATTAAAGGCGTGACCAACCACCA CCTGGCTCTCTTCATTCTTTTAAAACGA TTTTTGAAACCTTTTGTAGTGAAGTCAAC ATTGTGTACTCCAGTCCCACTCATCTTCC TGTCCCTTCCCTCTTAGGCCTGCCTGTCT GGTACCTCACTCATGTTGTGATTCTCT GTGCTGAGCCTCTTCTGTGCTTTCCAGC ACATGGCTGCTGGCTCCAGTTTCATTCC AGTCCCTTGTGATGTGAGCCTAGTTCAG	p000852	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
149	IM000767	CTCTCATGGCATGGGTCTCAAGGTCCTG CCATTTCTGCTCCATCTTTACCCAGCAC ATCCTGTAGACAGGACAAATTGTAGGCC GGAGGTTTTGTGGCTGGGTAGAGACCC AGTTTCTCCACTGGAAGCCCTGCCCGGT TACAGGAGGTGACCAGTTTCTGGCTCCA TGTCCCCCATTGCTAGGAGTCTTAGCTG GGGTCATTCTCACAGATTCCTGGGAGAT TACTCTATTTATCTCCTTGTCAAAGTG TTCCATCAGATATTAATTATCTCAAGAT TCAATATTCTCAAATATTATCTCAAGCT ATGGACCCTTCAAATTACAGATAGATTT TATGAATGAAAAGTTGTGTGGTTTGAAT ATGTAGTTGAGGGTGACTTTGAACTTCT GGTTTTCTGTGTCTACCTTCCAAGTGCT GGGGTTACAGGTATGAGCCATCACGCCA GTTTCTGTAGCACTGAGGCTCAAACACA GGGCTTCTGTCTGCTAGGCAAGCACTCC ACCTACCAAGCCAAATCCCCGGGCTTTA CTGCATCTTTGTGTGTATATGTATGGTAT GTGCGTGTGTATGTAAGGATATATGTAC CTGTGT	p000854	R	--
150	IM000768	GATCAACACCTGAAAAGTCGCGCCGCCT ATACACATCCCTAATTGAGAAGTATGTG GAAGATTCCATCCGTGAAATTCAATTAT CATGCAAGCCAAGTGGAAGCGCTTCCCT GGGGAAGGAACCCAGCAGCCGCATCAA AACGACCCACCTGTCTATTTTCATGTC AAAAGAGTGAGAAGTCTGGGTGATGAA ATAGAGAGCATACATCAGCTTAATGAAA ATTTCCAGGGGTCCCTGCCTGTAATGGG AGTCCCAT	p000858	D	--
151	IM000769	GATCACCACCAGGGTGTGAGAAAAAA AAAAAGCAAGTAGTAGATGTTAG	p000860	D	--
152	IM000770	GATCTGACAAAACCTACCTGTTTTGAA CACATGTGGGACAGCAGTCTGAGAGAA TCTATGAATAAAATTCCTTTCTGAGTCTG GCACATTGGTACAC	p000861	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
153	IM000771	GATCATTATACCCCAAATGGTACTGTAT CTATATATACCTCAAACATGTCATGTTA AAGAAAATACTCTGTTGAACATAATTCAC TTGTTT	p000863	D	--
154	IM000772	GATCACAGGACTGAATCACATTTATGCC AT	p000864	D	--
155	IM000773	GATCATTTATTTACTTGTTTTGGTGTTC ATGTTTGTGGCTCCTTATGTAGTCTAGAT ATTAAC TTGAAGTCTGAAGTGGAAC TAC CAAAGATTTTCTTCCATCCTCATCT	p000865	D	--
156	IM000774	GATCAACCGCAGATGAGGTCTATGCAGG AAAAACGATGTCTGGAATTTTATTAAAA TTGCTCAGC	p000866	K	<i>Myc</i>
157	IM000775	GATCATCATGTCAAACCTGACACGTGAC GAGACAAATCTGTGTGCACAGAGGTGTG ACATCCTAAAAGTACTAACAATACCGCT GGGCAGGGACACACGCGCAATTCCAG TCCTGGTATCCATGGCTCAAGCTCTGCA CGGAGAGCCCGGCACACGGCAGGAGGG AGAGCCACAGGCTAAGGAGAGCAATGC TAACTAACATGGCACCCGTGTTAG	p000867	D	--
158	IM000776	GATCTGGCTTCCAAGGGCCTGTACTCAT GTCTACAATGCTCCTACACAGATATAT	p000868	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
159	IM000777	GATCAGCCTTCCTCCAAAGCTACCTGCA TAGAAGAGACCTCTGCTCTCACCTACTC TCCTCTACAGTTCAGCCCATATGGCTTC ACCTGCATCCCCTACACACACACACACA GACACACACACACACACACACAAACAC GCACACAGCACACACAACACACACAAC ACGCACACTCACAACACAAACACACAC AACACACACTCACAACACACTCACACAC ACACACAACACACACACACAACACACA CTCACAACACACTAGTACACAAGACT CCAACACACACATTCCCATGCACTACTC CCTCAGTATCCGCCGCATTTGTGTCAC ACTCATCCACACTCTCACACATGTAGCA CACACACATCATTCTACACAGGCATGG ACACACACATGCTCCTATACAGGCATGC CCAGTACTCTCACATGCATGTTTGCACG TTCCCAAACAGGTTCCCAAGGGTTTG GCAAAGTACATGCATCCTCACACGCTAA TGCAAGCCGTCACACCCCATACCACAAG CATGCAC	p000870	R	--
160	IM000778	GATCAGATGTGGAAATTAGAGAGAAGT ITTTAACGGCTCATGCACATTTCTGAAA ACTCTTTGCGAGGTATACTGGTAGATAA ATGAACATTGGTCAGACTCCTCTAGTTT AAACCACTCTCTTCCCCGCTATGGGGGG AGGCGAGAGGCATTCTAAAGCTTATAT GTAGTTGCAAAGTGTGTGTGGTGTGTGT GCATGTATGTGCATGTGGTGTGTGTGTG TGTGCATGTGGTGTGTGTGCATGTATGT GCATGTGGTATGTGTGTGAGTGGTGTGT GTGCATGTGTGTGCATGTATGTGCACCG TGTGTGTGTGTATGTGTGCATGTGGTGT GTGTGCATGTATGTGCATGTGGTGT	p000871	R	--
161	IM000779	CTAACATCTACTAAGTCTTTTTTTTTT TTCTCAACACCCTGGTGGTGATC	p000872	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
162	IM000780	GATCATAAGGACTGTTAGCAGGCAAAG GCGCGTGCCCAATTAAGATGGCTTTC GTTCCAAGAGGAATACTCTGGCAAAGTC CCAAGCGCTTCGGAAGCCCCTCCCTTCG CTCTCCCACCCCAGCTTTGATGCTCTGAT TATCCTAA	p000874	D	--
163	IM000781	GATCAGGCTGGCCTTAAACTCAGGGAGA TTCATATGGCCCTGCCTTCAGGGTGCTG G	p000875	B	Mm.8363 5
164	IM000782	CTTCTTTCTTTCTTTCTTTCTTTTCTTCT GAGACAGGGTTTCTCTGTATAGCCCTGG CTGTCCTGGAATTCAGTGTAGGCCAGGA TGGCTCAGTCTGCTTTCTTATAGAACTCA GGACCACCAGCCCAGAGATAACACCAC TCACAGTGGGCTGGTCTCCCCACATTG ATC	p000876	R	--
165	IM000783	GATCACACACTTCACTGTGGCTTGTCAA CTGTGATTTGCTGATACAAGGGCTGTTT ACAAGTCAGCTATAGCTCCGCATTGCAG CTGCAAC	p000877	D	--
166	IM000784	GATCACTAATTGAGAAAATGCCCCACAG CTGGATTTCTGGAGGTACTTCCCCAAC TGAAGCTCCTTTCTCTGTGATAATTCCAT CCTGTGTCAAGTTGACAGAAAACAGCC AGTACACAAGTCGACACAAAACAGCC AGTACACAAGTCAACACACAACGCGCA CAAGCTGAAGGCAAAGAGAACCAAGCA TCTACCAGGCCTCAGTTGCTATGTCCAC TTCTGCAGCCACTCCAAAACACCTGTCA GAAATTTCGGTTTGATAGAGAACTACCG AGGGATTTCCCTAACACCAGGTCAACCA GGGCACCTCAAACCTGGAGGCACGACT GGCACAATACAACCTAA	p000878	A	Cct5
167	IM000785	GATCACTTGATAAAGATGCTCTGAGCAG AGGCTCACAGGAACCCAGCCCTGTGTGC TCCCAGGAGCGAGATTACAGCAGTCAAC AGTGCAGTGTTACGTGACCGTGCGCAG GCCATGAGCACTAC	p000879	B	AI615991

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
168	IM000786	CTCCTTTTCAGCAAGCTCCTCACATCAC AGGCCTTCTCTTGGGATGGCAGCCGCCT TCTATCTGGAAAGTATGTGACAGCTCAC ACAATCCTGTAAGTCTTCCATGTAATCA CATTCCACTGCCTCTCTCTGAACGTGCTC CATGCCAGGGCCATGTGGAGGGAGCAG CAAGACTTGAGCTCAGCTAGTCTATGAA GATGGTGGCAGAACAGGCTCTGCTGCCT TGATC	p000881	B	MMU767 54
169	IM000787	GATCAAGAGTTCAAAGTCATCTTCAGCT ACAAATGAAGTTGGAGACCAATCCAGA CCCTCTCTCAGAAAAAAGGAAAAAGG AGAAAGCAAAGGAAAGGAGGGGGAG ACCGAGAAAGAGAAGAGGGAAGGAAA GGGAAGTCAACAGAACTCAAGGTCAGC CTGGGAGGGTGAATGAGGCATTGTTGTC T	p000882	B	Mm.1388 09
170	IM000788	GATCACCTCCACTTTATGGTGGACAGAG GATGGCAGTAGTAAGTGCCTCAAGGAA ACAGAAACAACAACAACAACAACA ACACCTCCAAAAAGACCAAGCAGTAA GCTGTAGAACAAATGCAAAGAGCCAAA C	p000883	R	--
171	IM000789	GTTCCACCTATAAGGTTGCAGACCCCTT TAGCTCCTTGGGTACTTTCTCTAGCTCCT CCATTGGGGGCCCTGTGATC	p000884	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
172	IM000790	GATCACATGGACCGATTGCCGCGGGACA TCGCACAGGAGCGTATGCACCACGATAT CGTGCGGCTTTTGGATGAGTACAACCTG GTGCGCAGCCCACAGCTGCATGGCACTG CCCTGGGTGGCACACCCACTCTGTCTCC CACACTCTGCTCGCCCAATGGCTACCTG GGCAATCTCAAGTCTGCCACACAGGGCA AGAAGGCCCGCAAGCCCAGCACCAAAG GGCTGGCTTGTGGTAGCAAGGAAGCTAA GGACCTCAAGGCACGGAGGAAGAAGTC TCAGGATGGCAAGGGCTGCCTGTTGGAC AGCTCGAGCATGCTGTCGCCTGTGGACT CCCTCGAGTCACCCCATGGCTACTTGTC AGATGTGGNCTCGCCACCCCTTCTTCCC TCTTCATTCCAG	p000885	K	<i>Notch1</i>
173	IM000791	GATCATACGCAATGATTTCTTACCTTAT GATATAATTATGTTTAGAGGGAAACTT TTTTTTAAATTGAAGTTCATTTATTGTAT GAAATTATTTCATAA	p000886	C	--
174	IM000792	GATCAGCATGGTCTACAGAGTAAGTTAC AGGACAGCCAGGGCTCCGTGGAGAGAC CCTTTGTCAGAAAACAAACAAACAAAA AATTAGAAAGAGACCCTCTCTCTGATTT GACCAATCACCCGTGTCAAATCTTGCCA CAACCGAATCACCAACAAATTGCCAGAC AAGCGGCTATGCTGGGTTTCTGAGGTTG GACTCCTCAGGTAGCCCGTGTCTAGGCA GAATGATGCCAGCAGCTACACTTTTGAG AACAAGGTCAGGTCAGGACTTGCCGCCA AACCTAGGAATGCAGC	p000887	R	--
175	IM000793	GATCAGTCATGTCCTTTAGACGTTTACTT TCATCCCAACTTGAACATTTCAAGC	p000888	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
176	IM000794	TTACAAAGGCAGAAATATCAGAAAGAG CCTGAAGTAGCAGCTGTAACTGTACC AGGAACTGGCCGAAGTACACACGCGTT AACTCAGCCCTAATTATTCTCGGGAGAT ACAGTTGATTATCATACACATGTCAAAA TGGAAAAATAAATGGGTAATAAAAAATT GAGGAAAAATAAGATTAACTTAAACA ACCTAGTTCATTATGCCACGGTGATC	p000890	D	--
177	IM000795	GATCACAGTGGGACAGATTAAATGTTA	p000891	D	--
178	IM000796	AAACAAATACAAAGTGATAATTGTGTGA CATCTGAACCTGTCAATGAGATAGGTAA TTATCTCTGGGCAATGGGTAAATGTGCT GGCCAGCAAACCTCACAGCCAGAGTTCA ATCTCCAGGAACCTTAGGTGGGGAAGGA GATAACTGACTTCCAAATGCTCACCCCC AAATATACAATTAATAAATAAATCTTCC TTTTATGAGTAGCAACTGATC	p000892	D	--
179	IM000797	TACCCCTGGTCCTCCAACACTCCGATC	p000893	D	--
180	IM000798	GATCATGACATAGACTTGAGTCACTTCT CTGCAGTTTGTCAATAAAAGCCCCTAAG GGACAGTGTGGACTTTAGAGATAAC	p000894	D	--
181	IM000799	AATGCCAGCCATAGTGGCACACACTTTT AATCCCAACACTCAGGAGAAGTTAAGTT TCTCTTAGCTCAAGGCCAAGTAGCTTGG TCTACTCCGTGAATTCCAGCCCAACTAC ATAGTAAACTAGCCTTAAAAAAG GCACAGGCAGAGGGAGATAACAAAAAT GCCCAACTCCTAGCTACAGTAACTGTAG GAATTAAGATAGAATCTGTAGTTTGTTT ATCATTATCGTGATGATC	p000895	A	<i>Li</i>
182	IM000800	GATCATGGCTTGATTGTAACATTATCAA AGCTTCCTTGGCACACTGCAGGGCTGTC TTCGGGAAACTGCGTATTGTCTCTCA GGTACAAAGCATAGAGCCCTTACATGAC AAACGCTGGGGTTAACTTCTTCTAGTTC CCTCTGCCCCACTTGTGGCGCTTCCCACT CATGACTTCTCAGTGTGTATTCACTT	p000896	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICATION " \L 2}	GENE {TC "GENE " \L 2}
183	IM000801	GATCATGCTGAACTCTTGAAAGTATTCTAGCAAAATGTGGCTTAAAAGAAAGAACAAACATTAAGTAGGTATGCTTTGAAAAATACCTGTGGTAAAATTCCACAAGCATGAGAAGTTGTTTCTTTTGTGTAACCTTCAGAC	p000897	D	--
184	IM000802	GATCATATATCAATTTATTTTAACTTTGTTTGTTTGTTTGTTTGTTTGTTGTTGAGACAGGGTTTCTCTGTGTAGCCCTGG	p000898	R	--
185	IM000803	ATTGTGTATCCAGAGTGTGACAAGGTATATATGGTTGTGTGATC	p000899	D	--
186	IM000804	GATCTTCTGTCTGGAAGAGTGCTTGCTGGTTCCGACTACTTTTTTTTTTTTTTTTITTTTNGCTTGGGTTTCANATTGGCTTCAGGTTCTGGGCCCTTTCGTGGGTTGTGCTGCANAGCCCCANACAATGTCTTGGG	p000900	R	--
187	IM000805	CAGGAAACCAGGGGAAATGGGACACAGTGACATCTGAGTCCTTAGAAGAGGTCCCACAAAGGTCTATATGACCTAGCAACGTCACTTCTGAGTTATTTCTCAGACACAGTGGATGTTTGTCACAGCACACTGTAGGACATCCCAGAACAGCACCATGGGAGACCATGGTTGGTGCAACAGAGAACATGCACACTGAGACAGTACAAGAGTTCCCAAGCAAGCAGACACAAACAATGGACTCAATACACATACAGTGGCAGATC	p000902	C	--
188	IM000806	GATCTGCTCACCAAAAATCTTGTCTAGGGAAGTTGAGTTTGAAGTGC GTGCTTAC TGGCAAACACGCGGTGCCCAAATTTAAA	p000903	D	--
189	IM000807	ACAGTTCCTCCCTGGAAATGGTCCCTGTATCCAGAGGAGCAGATC	p000904	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
190	IM000808	CTGGGGCCCAGACTCCAATCCCAGAAATA TCATTAGCTGCTGCGCACTTCTCCGAGG AAGTTTACACCAGTACCCTAAGTTCAAG TCTCAGAAGCCTCCAAATCCTCGTTGCA CCCCTATATTTCACTTGGTCATCCGACTG TAACTCACTCACCGACAAGACAAAGAAT ATCTTAGGCTCCGTCGTAAAAGAACGAG CCCGGTTACCGCAGCTCCTTTTATAGTC TCCTTTGTGCGAGATC	p000905	B	Mm.2179 8
191	IM000809	GATCTGAAGATATTTTGACAACAGCTAA AAAAAAAAAAAAACCAAAAAAAAAACCCCTT ATTACTAACCAAGGGAAAATGCAAAAA TAATTAAGTTCTCTCAATTTTAAGTAA ATATCCAAAAAGATTGGTTGTATAACAA AGTTGAAGAGTCAAACAGTATTTGAATA A	p000906	D	--
192	IM000810	AGCTCATTGCCGTTAATTTTCCTCAGCCT AATGAGAATCTAAGCCTTGATTTGTATG TACCATAGCATCTAGATC	p000907	C	--
193	IM000811	CCTTGAACCTAGTTCAGGGAATAGGCCA CCTGGGTGGGACTAGTGCTGGTTGGGGA TGAAAAGACAGTTGGCTCAGGTGAACCC TGCTCGCACCCCTGGTCATCCTCTGAGAC TGCTTTGATTGCTGACCCCAAGTCTCCA GCAAGAACTTGCGTTCTTGTCTCTCCAC TCAAGCCGGAAGAAATCTGAGGAGAGG GTGTGAATCCTGAGCCAGGATGTCCAAA ACAACGGAGTTGAGCCAGAAGGACGTC TAGTTGGGCAGAGTTAGCTCAGTCCCCT GACCCCAAGTCCGTGCAAGCTCGAGGGT GTTATATAGTGATACAGATC	p000909	D	--
194	IM000812	GATCTCTTCTATCTCTACCTTTTGGGGC ACAATCTTATCTGGGGACACCACAGAGC CCAAGAATTGTCCTGTATCAGAAATTG GACCTTTTCTGTGGCTATCTGTAAACCCC ACTGACTTAAAGTTTAAAGTAGAAAAGG ATATGCCTTTTGTAGCATGGTAAGGTCT TTATGGCACAGGAGGATGTCATCCATGT	p000912	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
195	IM000813	CTTCCTTTCCTTTTTTGAACAGGGTTTC TCTGTGTAGCCCTGGCTGTCCTGGACCT CAATCTGTAGACCAGGCTGGCCTCGAAC TCAGAGATC	p000913	R	--
196	IM000814	GATCTGCTCCACTTTACACAGCTGACCA TGAGACCATGTNCACATAG	p000914	D	--
197	IM000815	ACATGACATATCACCCCTCATTGAGAGTT CAGAGTCTTCAGAAAAGTGGGCGCCTGA AAAACCTGACCTTTTAAATTTTCGTCCAT AGTTTCTTCTGTTGAATGAATATTCATT AAAAGCTTCATAAATGCCAAGATC	p000915	D	--
198	IM000816	GATCTTCACAGCGCACCCAGGGATC	p000916	D	--
199	IM000817	CTTTTCTTGGTATTTAGGGAGTCAGGA AAAGAAAAACCATTGGGTTTTACATTA GCTTTCAGGTAGGGTGTGGCTTTTGAG CAACAATAACGTATGACCTTGTGGTCGG TTCTAGATC	p000917	D	--
200	IM000818	GATCTTCTTATATCTGGTTTCCTGGGCGC TTCCTGGTAT	p000919	D	--
201	IM000819	GATCTCTGACAGGGTTTCAAAGAACTGT TACTGATGTTTAGATTGCCTCTGAAGAC ATCACATATACTGTGCTACTCTGCCTTGT CAGAGTCCCGGGCCCTGGGCACCCAGAG CGGCAGCAGAGGAAGAGCGGGGTATCA CTTTCTATACTTCGGTAAAGTCATTGGG ATATGTGCCCT	p000920	C	--
202	IM000820	GATCTCCTCTATCATTTATCTTCTTCCT TCCTCCATCTGTTTGTTT	p000921	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
203	IM000821	GATCTGCTCACCAAAAAATCTTGTCCTAG GGAAGTTGAGTTTGAAGTGCCTGCTTAC TGGCAAACACGCGGTGCCCAAATTTAAG GAGTGCCAACGACTTCGCGGGCCAGCA AGGTGAAACCGGAGCGCGCACGAGTGA GCAGTGGCCAGGAGGCCTGGCCAAGAG GCCAGGGTCCCTGAGCATGACCGAGAG CTGGCGTGCTCTCTGTAACCCCAATCA GTTACCTAATCTCGGGTCGAAACCTGA GCCCTGCAGGAGGCGGGGCTGAGACTG CATCCCAGCTCCTGGCCCGCTCCAGGGG CGACCC	p000922	D	--
204	IM000822	CCAGGCATCTCCATTCTTAATCCAGATC	p000923	D	--
205	IM000823	CATAGACTCTTTCATTTAGAATAAAGTG TTCCACCTAACATCCTGTAGGAAGTGAT GAAACTAAAAAGAAAAATAAACGCATT TTCTCTTCTCTCGTTACTTTTTCATTCA CTAAACAAAATTGACTTTTTTTTTTCCAT GAGAGTTCACACTGGGTCTGCCTCAGTA AGAGTCACACTGTTTCAGCCACACACGC TGTGATATGTTATTTACTATTCTCTTCT CAGGAACCACTCTCACATGTGAACCCTG AATACCAGCTCCCTCCCTCTTCAGATC	p000925	D	--
206	IM000824	ATAGGTTCTGTCTCAAAACAAACAAAAA ACCAAAACATGTCCACAGGGTCCAACA GACACAGTCTCCGCCACTCACAATAAT GGGTACACAAATACACACCTCAGCCTTA CATGGTTACAGAGAGAAGCAGGACCAC AAGGTAGGCAGGCACCTAACACTTGCTT CTTGGAAGTTGGAGCACACACACACACA CAGAAACACACACACTTTCTCACACT CACACACACATTCTCTCTCTCACACA CACACACATGCACACATGGTCTTGTACA AGCTCCTCCTGGGATGGGCACACACAGG GGTAAGAGGACTCCAGATC	p000926	D	--
207	IM000825	GATCGAACACNCTNGGACTTGNTAAACG NTTCCACACNGACAGA	p000928	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
208	IM000826	GATCGTCTGGCCCGACCGCGCCTCAGTA GATTGCGGTCTGGTCTGAGCAGCCGGG CTGGTGCGGGTGTCTCACTAGGATAAT GAATACAGCTCCACTACCTATACTACCC AAGACGACCCCTCACACGCTCTGCGAGG AAACCGGTCTTCGGAC	p000930	D	--
209	IM000827	GATCGACCGCAGATGAGGTCTATGCAGG AAAAACGATGTCTGGAATTTATTAAAA TTGCTCAGC	p000933	K	<i>Myc</i>
210	IM000828	AGTAGACTGAGATTTGTGAGCGCTAAGA TAAAGATGAGCAAAGCTTTGGCAGCTCT TAGGTATCTGAGGGCCACCGTCCTCTAC AAAGCAACGAGAGGCACGGCGGATTAG GATAGACTGGTTGCATCCAAACACTACC TTGCTGCCTCAAAGGCTTATTGGACACC ACAGAAAGACCTCTGCTGGAGGCAGAA GTCACAGGACTCCTCGTCACAGACGATC	p000934	D	--
211	IM000829	GATCGGCCTTCCTCCAAAGCTACCTGCA TAGAAGAGACCTCTGCTCTCACCTACTC TCCTCTACAGTTCAGCCCATATGGCTTC ACCTGCATCCCCTACACACACACACACA GACACACACACACACACACAAAACACAC ACACAACACACACAACACACACAACAC ACACTCACAACACAAAACACACACAACA CACACTCACAACACACTCACACACACAC ACACAACACACACACACACAACACACA CTCACAACACACTAGTACACAAAGACT CCAACACACACATTCCCATGCACTACTC CCTCAGTATCCGCCGCATTGTGCTCAC ACTCATCCACACTCTCACACTTGTAGCA CACACACATCATTCTACACAGGCATGG ACACACATGCTCCTATACAGGCATGCC AGTACTCTCACATGCATGTTTGCACGTT CCCAAACAGGTTCCCAAGGGTTTGGC AAAGTACATGCATCCTCACACGCAAATG CAAGCCGTCACACCCCATACCACAAGCA TGCAC	p000937	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
212	IM000830	ACACCACATGCACATACATGCACACACA CCACATGCACACATACACACACAACACA TGCACATACATGCATACACATGCACACA CACCCTCACACACATACCACATGCACA TACATGCACACACACCACATGCACACAC ACACACACCACATGCACATACATGCACA CACACCACACACACTTTGCAACTACATA TAAGCTTTAGAAATGCCTCTCGCCTCCC CCCATAGCGGGGAAGAGAGTGTTTAA ACTAGAGGAGTCTGACCAATGTTCAATT ATCTACCAGTATACCTCGCAAAGAGTTT TCAGAAATGTGCATGAGCTGTTAAAAAC TTCTCTTAATTTCCACATCCGATC	p000938	B	Hs.17043 4
213	IM000831	GCTGGACCCCGGTGACAGACTGTGCAGA TGGATC	p000939	K	<i>Pim1</i>
214	IM000832	TTAGCAAGTCCGAGCGTGTTCGATC	p000941	K	<i>Nmyc</i>
215	IM000833	ACTGCACACATTGCCGGTTGTCGATC	p000943	K	<i>Notch1</i>
216	IM000834	CAAGTGTAGACATTGCAGGAAAAAAT ATGGTGACAGTGAACAAAGCCCGTGAA GGTGACAAAAGCCAGTTAAAGTAGGAC AAGGCAGAGCGAGGCCCATGACCGGGA CCAGGCCCAAGAAAAATAAACGAAGGCC ACGATC	p000944	B	AW3214 68
217	IM000835	GTCGGAGGAGCTGGCTGGACCGGTACAT GCCCTGGCCATCCAGGCGAAGACCCCG CCCAGTGGAGAGAAAAACCACAGTTGG ACATTAGTCCCCCTGCCTAGGTGGGAG CAAGAAAACTCGAGGGACCTCTTAATAA ATACCTGGATTGGGAGAACGATC	p000946	R	--
218	IM000836	GATCGCGGGGCTATCTATAGAGTCCCCG GGATGTCTGAGAAATCAGCCCTAGAAAT GACTAGAAAGAAAAATCGAAGTATTCTTG GCTCCTGGAGACTTCCGCAGCGAGAAGT CACAGATTGAGGACACAGATTGACAGG AGCTGCGGGCGCTGGTAG	p000950	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
219	IM000837	GATCCCAGGATTGGGAGGCAGAGGCA GTTGGCCCA	p000953	R	--
220	IM000838	CAGGCTGGCCTCAAACCTGCAGAGATGC TCCTGTCTCTGAGTGTTAGATTTAATAA AGGGGTTACGATC	p000954	K	<i>Lck</i>
221	IM000839	GTTGCTGGGCCCTAAGCGCCACATTTTC ACAGCTCCGATGCTCATCAGCATGACTC TCCTGAGCACATTATCTGGTGGTGGCTG ACACTCTCTTCAGTACCCCCCCCCCTCCC AAAAAAGAAAAAGAAAAAAGGACTG GTTGCTAAAAGAAGTAAAAGTCAAGTC ATCAAAAACAATGTAATATCCTGTGTGA AAGTCACGAAGCCTTGC GGTTTGAGTCC CTCGATC	p000955	D	--
222	IM000840	GATCGGCCGGCTGTCCAGCGACCGGAG AAAGGAGAGCACTCGAATCGCAGAAGC TATCAGGTGAGTCCGACCTCTCTCTGAA TGAACGCTTTGGGGAGCCTGCCAACGGT GACCAAATTTAGCCAGTTAAAAGTACAG GCTGCCCAGCTGTAAACGTACATCAAAC AATGTGCGATTTTATTTTAGTGTGAA	p000956	D	--
223	IM000841	ATAGTAACACTTGGGAGGAGCCATTCCC AGTGAGGCTCGTATAGCATAGCCCTGTC CAATAGAGCCTCTGTTGCACTCTGTGTA CACTTAGCTCCTTGCTTAGGGATTTTTTT TACATGGGTGACTACAGCACCCCAATTT CACATTGGACAGACTCCAGGACACCCCT CGGTGTCCTGTGACGCATACAACAGCCC CCCACGGGGCTGCACCGAAAACGCCAC AGTACTGAGGCTGCACCTCACTCACTCA CACACACCTCTATGGCTCAACGTCCTGG AGAAAAGGCTGCGACAGATTCCCACATC TGGGAATGCAGTGAAAAAGCACTCACA CTGGGGGTGGGGTGGGGCTGGGGGGGC ACCCTGTCTTCCCGTCTTCCCATGACCCT CTTCCCTTCCAGGAGACCATAGCCAGAG CTGACAGGAGATTAGTCGCAGCTGCAC ACGCTGCTGCCTTGCCGATC	p000957	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
224	IM000842	GATCGGGCAGGACACACATTGGGGAGG CCCATCAAGCCCGAGCCTTGCTTGAG CCCCCGATTGGCAGGGCAGAGAGGAA AGCTGCTGCGTGCTTTATAGACTTTGGG GAAGTCACAGGCTCCGCTTGCTTGGGGG AGGCAGGAAACCCCTCCACCTAGGCGT CTGCCAGAGCACCCGCAGGCTTCCTCTT GTCTCTGTCCCCCTCCCAGCACCTCTC CCCTGAACAGCTTCCCTCTCCTGGCCCT GCTGTCCCTTTAAAGGAACCTGAATCAG AGTTGAGAATGATGGTGACTCAGGGTGG AAGGGGTGGTCACTTG	p000959	D	--
225	IM000843	CCAGGGCTACACAGAGAAACCCTGTCTC GAACAAACAAACAAACAAACAAACAAA CAAACAAAGTTAAAAATAAAATTGATAT ACGATC	p000960	R	--
226	IM000844	GATCCAGGACATGGCAGAATATGGTCAT CTTCTTTGCTTGCAATGCACACGAATGG CCTCTGGCTCCACCCCTGATTGCTTGCTC CCCTTGGAAGCCTCTTGAGCCTAGCTAA CTTTTCCTGTTACCTTTGTATTATGTGC TCCCACCATGGCCCACCGAGCTCTGCTT GCAGCACTGCAGCCTGCAGCTCCAGCGG CCTTTACATGGCTCCTGTAAACAAGTCC CAGAGGCCTCAGTGTATCATTTTCAGCA ACCGCCTCACTTCTTGGTGCCGCTTCCT TTATTACTTTTCATATTTCTGTGACCGAAA TACCCCAAAGAAGCTACTCAAGGAAA GCAGTATGTGTGGGCTCACCATTAGAGG TCAGTCCCCTGCAGCAGTGGAAGCATGT GCTGGTGACGC	p000976	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
227	IM000845	GATCGCTACTTTTTCAGAGACGCCTTCA TTAAGGGGAGAATGGAAAGATGCTGGT TGACTTGAAAGATTCTCTCTGATTGT TTACAGGAAGTGCATTCTGTACACATGA GAGACTCCGGGTGGAGAGGCATTGTGG CGGTTGAGATGCACCTGGGAGTGCCAAC TGCCCCGCTTCTACCACAGCTCTGCAT AGCAGGCTGGAGCAAGCAGCCAGCCAA CCATTGTGCCCTAGCCTCATCTCCTCCAG AAGAGGTTATCTGGGCTCTGTGTAACCT CTGCTCTTGGCTATGGTATTCCTTCTTG GTGCTTTCTGTGGTCAACCTCCAGGTAC ACTTAGGGCCTATCCTAGACAGACTGGG AAGAAAGAATGACATTCCCATTGACCTC TGTTTTATTTCTGGAAATCCAGACCTT GTTCCAGTTAGTGGAGCATGGGGTTAGA CCAACCACACTGCTAAGAGTTTGGCCT GTAGACATATCTGG	p000983	C	--
228	IM000846	TAGCAAGGTAAGTACTTGTCTCAATTC CAGGTAGTATAGAAGAAACATATATGTT ACAGCTTTAACACCAGAACAATCACACA GTGTTGTATTTAGCTAAAATATGACTCT GTGGTTTTCAAATGGCAGTGTGTGGAC AACTTAATTAAGCACGCTCTTATAAGAC GTGATAGAGTATGTGCCATCCAGATACT AAGAAGTGTGTCCAAAGAGCTTGGGAC ACACACTAAGGGGCCTGCCTCTTTCATA ACGGGGATGAAAATGACTGAGGCTTCA CATTTGCACAGTACGATC	p000988	D	--
229	IM000847	AAGCCATCTGGGTCTCAAGTTGCTAAAA CTTAATAACTCCCTCCCTGTGTTTGCCT TTATCTAATGGTAAAAATATGACCTAATG AAATAGGTTCTTAAGGCTTTCATATAAG GCATGATGTTGAAGGATGGAGGACAGA GTGGGATGGAAAATCAGAGCCTGCACA GAAAACCACAAGCAGCTAACAAAAGTC CACAACCAAAGCCTGTGCCTGAAATGTC ACCTACAATGCAGTGGACTATTCATATG CCAGCCTGGTCTCATGCGATC	p000991	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
230	IM000848	ACCAAGAACAGAGCCCCAAACTAATAG GATGGTTTGTGTCACGTGTACATGTGTA TGCATGCGTGCATATACGTGTGTGTGTG TGTCTGTGTGTGTACACCCACACGTGTG CATGTGTGTTGTGTGTTTTTAAGCAAAC CTCAGTGTGTCATACATACTCTCCTATAC TTCCCTCCCTTGTTCATATGAGGGTGC CTTCTTATCTCACAGGGTTGTTTTGTTTT TTTTCTATAACAGAATGCCGCTGATGCT CTTTTTCTATATGAACCCTACATTTAAT ACTTATCCATAAGCAAAGGAACAGTATC TTATCTTGCGGATC	p000992	R	--
231	IM000849	CTGGGGGCTCTGCTACGCGTCAAACGCC TGGAGAACCCCTCGCCCCAGGCGCCGGC ACGCCGCCTCCTGCCTCCCTGAGCGCTG CTGCATCCTGCACGCCCTGGAACCCAGG AGCGCCCCAGCGACCCTGACTCCCTGCC AGCACGTCCAAGGCTGCTTACCCAGCA ACCTCCCATCCCCTGAGCCCTCAGTAAA TGCCATCTGTAGCAGCTGTTTGTCTGAG CGCCCTGTACTAGGGGGCCGGTGGGCTG GGTGACAATGATAATGGAATAGTGGCTG TCCTACTGAGGACAGCACAGTACTGTTT GGGACCTGTACTGGTAAGGAATACATGC CTGCTTCCTCTGGACTTTGCGGGTCTCAC CGGGTGCCTGGGCTACCCCTTCTAGGCTT CACTGAGGCGGGTTCCCTGGGAGGCTCT GAGGTTACTTTCAGCGTCTGCCAGGGGT CCACAGCACTTAGCCAAGGGGCTATGGA TTCACTCGTGGTCTGCCAGGACCAGGCT TGTTGTGAGGGCCCCAGGTGGATC	p000993	A	Saas

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICATION " \L 2}	GENE {TC "GENE " \L 2}
232	IM000850	GTGTTTCTTTTCTTTCTTTTCTTTTCTTTTCT TTTTCTTTTCTTTTCTTTTCTTTTCTTTTCT AAGTAAGGTGCAACAATGTAATTCGAA GGGGCAGTGTCTTCCCTTCCTGTAGTCTC TGCTTAATTCCTGAAGTTTGCCAAACCA GGAGTTAGGAAAAGTTGGAAACCTGCA GAGAGAGCGTTTGAGAGGTTTGAGATGT TATACGAGAGGGTTTGGAATGTGTGGA GTACAGGTAACCTGCGGTTATTGTTTCT TGGCCCTCTATCTTCATCCTTTGTGCTTG CTATTACCTTGCTGTGCGGATC	p000994	R	--
233	IM000851	GATCCTTGAGTCTGTACTTAGCCTGAGA GCGCTATAAACTATATACAAAGTACCG ACTAGAAACTCCACACACATTTGTTGAC TGACTTAATGTGTAGCCCTGCAATGGTT GACAGTTGGGGGTCAGGGGGCTCTTGCA CTGAGGGTAGTGTATAGCCTAAAGAGAT AATCAAGATGATAAGTACATCCACACTA GGACAGGAGCTTTAACAAGAGCTTTTAG TGAAGGGAACCTTCTGGGAGCCTCAAGG AAGGCATAT	p000995	D	--
234	IM000852	AGCAACACCTCATGTGGGAATTCATACA TTGTAGGTAATCAGTCTACTAGCTGAAC TATATCTCCAACCCAGGAGGTCAGGTTT GTTTGTTTGTTTAAACAATCTAGTTTTGAA ACAGTCATATCCTAGGCTGGCCTCAAGT TATGTAGTCAAAGATGGCCTTAAAAGAT GACTCTTGGTTATTTTCCAAGTGCTGGG ATTATAGATATGCACACCACCACACCTC ATTTGTCTCGGGGCTGGACTCAAATCCA GAGCTTCATGCATGTGAGGCAAGCACTG TACCAACTCGACTTTTGCATACTCCATTG AAAGTCATTTTTATAACAGGATC	p000996	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
235	IM000853	CTACTTATCTATCATCTATATGTCTATCA TCTATCTATCTATCTATCTATCTATCTAT CTATCTATCTATCATCTATCATCTATCAT CTATCATCAATCATCTATCTAGCATCTAT CTTCCAGAGCTCATGTTGTGGCTTGGGC TTCTCATTTCACCATCATCGAAGGTAGTT GCATTTTTTCTATTGGCTTCTAGAAGCA GGAGGCACATGAAACAACCTGCTAACCC TTTCCTGGTCTTTTGTGTTGTTGGTGGT GGTGGTGGTGATGGTGGTGGTGGTGGTG GTGGTTGATGTGCACAGGAGACCTGTCC GGTATGGAGATATGGAGAGCGTCTACGT CCTCATGGGATC	p000997	R	--
236	IM000854	GTGGGACGCGGAGGGTGGAGATGAATT GAGAAGCAGTTGTCGATTTCCTCCTTCTT CCAAACATCAAAGGCAGCGGTGGATGA CAAACCTGAAGGACAGAGGGTTTGATGA TGCAAGAGGAGCCAGCAGCAACCAAGG CCAGCCTCTTGCGGGTGTGGGCAGGGCC TTCTTTACAATGAGTTCACACACACACA CACACACACAGAGAGAGAGAGAGAGAG AGAGAGAGAGAGAGAGAGAGAGAGAGAG AGAGAGACTGCTCTTTCAGAACAGCCCT AGGAGGTTAGCTTCAGACTAAGACAGG AGACAGAGAGTCCTTGATTTTGCCAAGG TTGCACAGCTGGGGAGAAACCCAGCTAT GGCTTCACCTTGGCCCTTGTTAGGACTC CTTCCTAGTCCGGTGCAGTCTCCTGGAT C	p000998	R	--
237	IM000855	GTATTAGAGGCCAGGCCATTCAAGAAGAT GTGGCAAGATTGTCATGTGGAAAATATT TGAAACCATTCTAACCTAGTCATTCCAT CATCAATAATAATAATAATAATAACT ACTAAAATGAAAAAACCTAGATATTTTG AGACTGTACTGCTGTATTTTAAGAAATA CACGGAAATTTAGCACTGAAATTTAGTG CTAGTTTAAAGAATACTTTGTACCGTTAC TTGGACCCACAATTGCTTAGAGCAAGGG ATC	p000999	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
238	IM000856	GATCCTGAGACAGTACAGGAACTAAGA AGCCCTGGGCAATTTGCAGTGTGCACAC CCAGCCTGAATTTGCCTGGTTCTCACCA GCCTACCAATAGAGCATTGTAGTGGCAG GGATGTCTGCTGGTGTCTCGCAGACAAC TTTGAGGTCCTGCTTCTCCAGAAGTGT GCAGCTGGCAATTAGCAGCCTGGTCTTT TCCTGTCCCCAAGACCAGTGCTTCCACC AACCTGGTCTCTTCCCACAGCCCAGCCC TTTCTCTTCTCTTTGACACCCACTTCCT CTAAATGGTGGTCACATGCTTTGTCTCTT GAAAAAAGTTGTATGAGTCAGGGTATT TTCAACGCCGGGACAGAAAAATTGACTC AACCTGGCTTTTCAATTAACCACTAAT GGGTTTCACTTACAGTCCTGACAAATAC CAGGCACAATTCATCCAGGACAATAGTG AAGAATTTATCTCTTCCCCCAAGCCA GTCAGTCTGGTTTAAATATGCACGGTGG ATAGCCCATAGCATGCAATGAACTGTGA GCACCCCTCTGGGAGTCAGCAGAGACAC ACACACAGGCACCCATACCACACACTGT GCTTTGTATCA	p001000	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
239	IM000857	GATCAAAACAATATTCAAATAATGACAT CAGTCAAAGTATGATTTGATGGCCATCA CTCATGTCAATAGGCAACACATAAGCCT GAGAGTAAGTTAAGGAGAAATTCAGCA ATAAACAAATTGACATACTATGTCCACT ATGAGTAAACCTGCCTCTCTTAAACG TTTTACTGTACTCCATGGCTCTCCCCAA TGTGCGTTCGTGAGAGTCCCCACCCCTG TGACTCCATCTGTGTGTGGGTTCAAGGAG AGACTCCTGTGTGTATTCAAAAGAGCCC CCCATGTGTGTACACACAAGAGACCCAG TGTGTGTACATGAGAGGCCCCACCCCAT GTGTGTTCATGAGAGACCCAACCCCTGT GCGTGTACATGACTCTCCCCATGTGTGT TCATAAGAGACTTGTGTGTATGGGAGAC TCCACCCTGTGTGTGTACATGAGAGACT CCTGCCTCTCCTGTGTATATGGAATACCT TCAGAGTATCAAATATTTTACCCACTG AGCCATCTTAGAAGTTCTCTCCCTT	p001001	C	--
240	IM000858	ATACATATGTACACACACACTCACAAAC ACACATATATACACATACATACTC ACACATATATATACACACTAGTACACAC ATACGCAAATACACACATGCATATACAC GTACTCACACATACATACCCATACTCAC ACAAACACATATATACACATACTCAC ATATACATTCATACATACACACATAT ATACATACACACACTTGCATACACACAG CACACACTCACACACAGAGACACACAG ACACACAGACACACACAGAGGAACC CAAAGGATTGGAAGAATAATTTCTGTG CTCAGTGGGAAAGTTTACCAGAAAGAC AAGTGGTCATGTGGGATGATC	p001005	C	--
241	IM000859	GATCAGGGACCCTGTACCCTCCCCGTG CAGCCTGTGATTC	p001006	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
242	IM000860	GGACTGTAACCAACTCGGAGAGGAAAG GGCTTATTTTCATTTTAGTCTTTACAGTCC ATCATTGACGGAGGTTAAAGCAGGACG CTGCTTACTGACTTAGCTCCCCGTTGCTT TATCAGCTACTTTCTTAATACAACGCCA CCCCCGCGGCCGCCACCTCCCTAGGCAA GACCCACAGGTCAATCCAACAGAGAGG ATTCTCAAGTGACACTCCTATGTCAAC GCTATCAATGGCAAAGGTATATTGAGCT AAGAATTGATC	p001007	D	--
243	IM000861	GATCTCAGGCTGCCCGTGGGCGGGGCTG ACGGAGGGAAGCAGACTAGGCCTCTAC CATATCCGTGGGAGGGACTTCCAAGGAC CGAGACTGAAGAAACAGCGCGAAACAG GAGACTGAGGAGGAGAGGCGGAGACC GACTTAGTAG	p001009	B	Mm.7675 3
244	IM000862	AGAGAAAAGACTATCTTGACCTTTGGAT ATGCGGGTGCAAAAATGAGAAGACCAC AGTGCAGCTGTGTGCCCTGCACGGGGCA GCGAGAGGAGAAAGAAGCATTTTACAT GAAGCACAGAACACGCCTGACAGTTCTC AACAGCAGCACGTCAGACCACCGCAGC ACTGCTCGTTTTTCTCAGCAGACCCCA GGAAGCACCACCCAGGATGGACATGTA GGGGTGCATCCGAGAGAATCAAAATCA CACAGGGGCCATCCTTTTGGTTTCGGCAT GAATGATGGGGGCCGCTGCACTGGCCT CCACCTTCTATGGTTGTTCTTCTTGAT CAATGTTTCAAAAAAATCCTTGGGCTC ACAACTGCCTAATGACATCTTCAGGAGT CAAGTCAAGAAAGAGAAAAGTAGCCGA CCTGGCACGTGGTAGATAAGACTCAAGG GTGCAATAAGCAGATGAACTGGCTTAGT TGGGCTTTCTATTGCTGTGATAAAACAC CATGACCAAAGCAACTGGGGCGGGGG CGGGGGGTGTCATCTTACACTTCCATAT CACAGTCTATCACTGAGGAAGTCAGGGC AGGATTCAGGCAGGAACC	p001011	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
245	IM000863	GATCGGCCAACACAGGATAGATACCAC ACAGGATAGGAGGTACAGTGTCTGGAA GATTATTATCGAGCCCCTGAACGTAGTA GAAGCTGGCTGTCGTTCCAGTGCAAGCT GAGCAGATGGTCC	p001013	D	--
246	IM000864	GATCCACATGAAAGCCAAGCTGCACATT TGCTTCATATGTATGGAGAGGCCTAGGT CTAGCCCATGTATGTTCTTTGGTTGGTGG TTCAGACTCTAAGAGTCCCAAGGGTCCA GGTTAGTTGACTTTGTTGGTCTTCCTGTG AAGTTCCTATTCCCTTTGGTGCCGTCAAT CCTTCCTCCTATTCTTCAATAAGAGCCCG CAAGCTCCATCCACTGTTTGCTGTGGG TATCTGTAA	p001015	R	--
247	IM000865	CCCTCAGCTACATAGTCAATTCCCCTCT AGCCTGGGTATGCGAGATGGCAGTAAA GACACTAGCTGCAAAGCCTTACTGCCTG AGTTTGATC	p001018	D	--
248	IM000866	GATCCAGTCACAGGAGAGCAACTGGGG GAGGGAGCAGGACAGAAGCACACCATA GCCCTTTCAGGGGGCCGGGGGCGAGGG GTGGACAAGAGAAGACAGATAATGACT CACAGGATGAAGAAGCCTCCCACAGCC CCTCCCTGAACTGGCCATCTGTTCTGGG GCCCCAGAGCAGGCGAGTACCGTGAAG CTTGGGGACTAGCAGCCGGACCACTGAA CAAGGTCAACCAGCCAGTTGTCCACGA GGGGAGAAGCTACCATTGAACTGTCACT TTGGAAAGTAGCCAGAGCCCATCCCTGG TCACCACCCAAC	p001019	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE" " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
249	IM000867	GATCCCTAGAGCTGCTGGTCAGCTGGCC TGGCTGAACTACTTCTGTGCAGTGAGA GACCCTGCCTCAAAACACAGATAATGGA GACAGATAAATGACATCGTCCGCTGTGT CTGCGTGTGTATATGTAACACAACACAC AGTATACACACATACACACCACACTCAT ACCGTCACACATGCACTCTCAGTGCATG TGCAACACAACACAGTGTACACACATAC ATACACACCACACACATACATACCAC CACACACGCGCACACACACACATAA	p001020	R	--
250	IM000868	GATCCTTGTGCATCACTGAGCCATCTCC CCAGCCTACAGTGTAAGTATTCTATACA TATTAATTTAATCCTGCCGGGTGGTGGT GGCGCACGCCCTTAATCCCAGCACTCAG GAGGCAGAGGAAGGTAAATTTCTGAGTT TGAGGCCAGCCTGGTCTACAGAGTGAGT TCCAGGACAGCCAGAGCTACACAGAGA AACCCTGTCTCAAAAAACAAAAAAC AAAACAAAACAAAACAAAACAAAATC CTATGGAGTATTCTAAAAGTAAAACCGT ATCATTAGCACTGCCAAATAACAGAAAG GAAGACCAAAGCAA	p001021	R	--
251	IM000869	GATCCTCTGAAAATGGAGTTACAGATGG TTGTGAGCTGCCATGTGAGTGCTGGGAA CTGAACTCGGGACCTTTGGAAGAGCTGC TGGTGCTCTTAACAGCTGAGGTGTCTCT CCAGCCCCTTTGGGTGTGTTTTGTTTTGT TTGTTTTGTTTTGCTTTTCAAGACAGGG TTTCTCTGTGTAGCCCTGGCTGTCCTGGA ACTCACTCTGTAGACCAGGCTGGCCTC GAACTCAGAAATCTGCTTCCCAAGTGCT GGGATTAAAGGCGTGCGCAACCACTGCC	p001022	R	--
252	IM000870	GATCCAATATATTCATATGGAGATACAT GTATATACATAA	p001023	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
253	IM000871	GATCCAGGTCCTTTCCCCCTTATGGTCCT ATACACCCCTGGGTACTTAGAGGCTTTC AGCTCTGACTGGTGGTGTGGGGAGAAGT GAGGGGTTACACATGTGACACAGGTCCT AAAAGCTGTCGCCATTGGCACATGACCA TCCTAAGTCTGTGGCAGAAGGCTGCTCA GAGCCTCTGTCCAGGAACAACCAACAC ATTGCAGAAATAACTGTGCATCTGGGCA ATGGGGCAACTACTACCTGTCCATCCAG ATAGCTCTTCTAGAGGCATTGAAATAA CACGTAAAGTGGGGTGGTGATGAACAC ATATAATCTCAGCCCCTGGGAACCGGAG ACAGGGGAGTCACAAG	p001024	D	--
254	IM000872	GTCACAGTACTTGCTCACTTGCCTCTCTC ATGGTTTACTCGCCCCCTCCTCTCGTACC CCCTTTCCTCCTACAATCCTCCTCGTCTA CTTTCATGCCGTATATGTCAAACACCGT CATATATAACAATGTATGCATGCAGCAT TTCTTTTTCTTCCCATCAGCCTCCCTTG CTCCCCATCCTCCCGCCCTTCCTCCTTCC TCCCAGGATC	p001026	D	--
255	IM000873	AGTTATGCTTGCAGACAGGAATGTAGCA TGGCTATCCTCTGAGAGGTTCCACCCAG CAGCTGACTCAGACAGATACAGATACCC ACAAGCAAACAGTGGATGGAGCTTGCG GGCTCTTATTGAAGAATAGGAGGAAGG ATTGACGGCACCAAAGGAATAGGAAC TTCACAGGAAGACCAACAAAGTCAACT AACCTGGACCCTTGGGACTCTTAGAGTC TGAACCACCAACCAAGAACATACATG GGCTAGACCTAGGCCTCTCCATACATAT GAAGCAAATGTGCAGCTTGGTTTTCATG TGGATC	p001027	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " L 2}
256	IM000874	GATCGTGGTCTCTTCTCTTTTTCCCTCT ACTTCTTCTTCTTCTTCTTCTTCTTCT TCTTCTTCTACTGTCTTCTTCTTCTTCT TTCTTCTTCTTCTTCTTCTTCTTCTCTC TCTCTCTGTCTTCTCTGTCTGTCTGTCTC TGNCCTCTGTCTCTCTCTATCTCTGTCT TTCTCTGTCTCTCTGTCTCTGTCTCTCTT CTCTGNGNCTCTCCCTGTCTGTCTGTCTC TCTCTTTCTCTCTCTGTCTCTCTCTCTG NCTCTCTNTCTCTGNCTCTCTCTGNCNCT CTGNCTCTGTCTCTGTCTNTGNTNTCTC TCGCCTCTNACACACACACAGATGTAC ATGCAC	p001028	R	--
257	IM000875	GATCGGCGGTATCATATTTTATGTGTTTT ATTCTGTGTGTCAGAAAGTTAAAAGGCC TCAGATTGGAAGTCTGGTTTGCATGGAA TGCATATGAGCTTTTTCATCTTATTGCCC AACAGATTTAGTCTAAGAACCACCTCTA TTATATAGGGTATGATAAGTAATATAGG TAAGGGAATGCATCCCATTTGATAAGTG AAAGTTGAACACACATAGAGTTGGCTCA CCCCGGGGTCTAGGCTCTAATCCCCTGG GGATACCCAGGCCAACTAAACGCTATAG CAACAGGCATTGGGGCATGAAGATACTT TTTGTGTTTGTCTTGAATTTATATAGGG GCTTATATCTCATTACAATTAATCATGA GTTGCAGTCAATAAATCTTCATTGCTCA ACATATTTGTACCCTCAAATATTTTTTTC TTTTTTGTGTGATAT	p001029	C	--
258	IM000876	CTTGTAACACGATTATTTTAAAGATAT AAATGGCTCTTTACTCTGTTTAAAAATT GTTTCTTTACCAGTCTTCGTGTACATTG GTCTCCATTTCACATGAAATAAAATATT TTGTTTAAATGTAGATTTTCAATACCAGC TGAGTGTTTCGATGTGTGCCTTTTGGACA TATATTTGTTGTAAAGTGGTCATTGGG ATC	p001031	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
259	IM000877	GATCAGATTCAACTCCCGCATTCTAGC CCCAGCATCGTGGAAGGGCTACTGTGTC TTTTCAAGCACTATGGTGGATACACATA ATGCCAGCTTCCCTCATTACTGGTGATG TGAGCTGTTTGCCTAAGGTCCTTCTGCC AGGCTTCTCTGCTGCCAAGGCTCTGAAT TTCCCTTTGTAGCTAATGCGTAGCCCTAT TGGCAGACTCTTCCCGTGGCTGACTTCT GCCTCCCGTCACACAGCAGTACCTTGTT TGTTCTCACCTTGATGTTTCTTATATGCA TTGATGATGGTGAACAGCCCAGCAAGTG CGCCTGTTTCTTCCCTTCTCCCCTTTT GTTCTCAGTTGTACATGGCAAGGAAAAAC CAATTCCTTCTTTCATATTTCTCCCAGAA AAAAAATCCTCTTTATAAGAGTTACAT CCTTGAGCACACATGATAGGAGCTGGTA GCCAG	p001032	D	--
260	IM000878	GATCATGATATTGTACTGCTGAAGACAA ACATATTTAAGATATAAGACTTGGAGAA ATCAAGTTGGTATTGACATTGGAGATTA ATCTCTTTTGGCTAGCTTTTGTAGAGCTA GAAGTTGGTATGTAAGCTATAAGGAAG AGAAGTATTCATAAGACTTACCCAGTTG TCTCTCCTGTAAGCTAAGACCAGCCTAA GAAGCTAAAATTATCTTTAATGTAGAAC CACAGAGAAAGAAATTGTGGTATGAATT TTGCTTGTTTCGTGGACATTAACCATTA CTCAATGATAATCAAATGACAATACATA GAGACAAAGATATGCATACTAGTAAAA TAGTGATAA	p001033	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
261	IM000879	GATCGTGCTAGAGAATGGTACACTTGGG TTATATTAAGAAATCTTGGTTGAGTGGT GGTGGCACCCTCCTTTAATTCCAGCACT CAGGAGTCAAAGGCAGGCAGACATTTG AGTTTAAGGCCTGCCTGGTCTACAAAGT GAGTTCCAGGAAAGACAGGGCTATAAA GAGAAATCTTGTCTTGAAAAAACAAA AAAACAAAAAACGAAACAGTAACTGAA ACCGAAAAAAAAGAAAGAAAGAGA GAAAGAAAGAAAATCTTACAATGTGGG AGCTGGAGAGCTGGCTCAGTGGTTAAGA GCATTGGCTGCTCTTCCAGAAGACCCAG GTTCAATTCTAGCACCCACATGGTGGG TCACACCTGCCTGTGGCTTCAGTTCTAG AGTTTCTGACACTCACACACAAACATAC ATTCAAGT	p001034	R	--
262	IM000880	GATCTTGATTTCTTCTTGGCTTGTCTCC ATAGGAACAGGCAGCACAGCAGAGGTC TGGGAGATGGCTCCGAGGGTAAGGGAC CAAGCAAGGTCACCTGCGCTCACTCCCT GGAACCCACACAGTGGACAAGAGAGAA AGACTCTATGGCCTCCACGTGCGTGCGT GCGTGCTGTGGTGTGCACGTGCCCCCTCC CCCAAATAAAGAAAACCTAACGAAAAA AAATTAAAAGTAAAAAACAGCACTGC AGTAGCTCCAGGAATCAACTGGTCAATC AGTGTATCACATTTGACTATCCGATGAT GGTTTATTTTACATGTATGCACGTGTTT GCATGTATGTGGGTGCACATGTACAAAC ACATGTGCCAAGGCCAAAGGACAACCTT GGGTGTCCTTTCTCAGGAGTCATCGACC TTATTTTCTGAGACAGGGCCTCTCACTG GAATCTGACTGGCCAGCAGCCTCCCAAG GATGCTCCCCAACCTCAGAAGGATGCGC CTGTCTCTGCCTCCAGCCCCGGGGTT ACACTGGTGGACCACTGGGCTCTTTTCA CCTGGGTG	p001035	B	Mm.1388 34

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
263	IM000881	GATCTCTTCTTAAAATTACATTACAGTA GAAAATGTTTATGAGGCCGTTTTATCT CTAATATTATTATTACCACTCTCCTACC CCCAGAGTCTTACAGGCATCAGGGAGTG GACAAAGGCCGCGGTACTGAATGGTG ATGTTATTTTGAAATAATGAAAAG	p001036	D	--
264	IM000882	TACCTGTTGCTCCAACATGGTCAGAAAT CAGTTTGTTC AATTTAAGATACAATG AGAGTAACACCCTAAAGACTTCACATTT TATGCATATTTGCTACTCTGTGAGCACA TGAACGCTTCTCCTTGGGCACGATC	p001066	D	--
265	IM000883	GATCGCAGATACTGCAGGTATGTAGTAA TGAAGTCTGTAAACATACAGAATGGAG AAGGCCAGAGAGGAAAGTGCAGGCATT GGGTAGTCAGTAGGTAAAATAT	p001067	D	--
266	IM000884	GATCGCAGCTCTTCCTTGGTGCTTTTCCC CTCAGTTCAAGTGCTGTGGCGGGGAGGA CTACAGAGACTGGAGCAAAAACAGTA CCATGACTGCAGCGCCCCCGGGCCCCCTG GCCTGCGGGGTGCCCTACACCTGCTGCA TCAGGAACACGGTAACTGCATGGGTGCT GGATGTGAGGGTCACCCAGTTTGCCAAA CACTGCCCTCACTCTGCCCAAGTGGAGC AGGCAGTGGGAGTGGGTGGGACGTGGT GGCCGGGGCTGAGCTTGCCTTAGACCAG GGGCCCTAGCAATGGGAGATGAGTGGG CAGCTTCCTCTGGGAGTGTGTCAGTGAG CGTGTGCGTGTGTGGGCCTGGCCAGGC GCTTTGGTTGTAGTTACTTGGTTCTTACA ACAGCTTTGGAGGGTCTCAATTGGGGTA GTGTTGCTTTAGCCACTTAGGGGGACTT GCCCCAAGGTTGGCAGGGCTCTTCCCAGC AACAGAGAGCCAGAGTGCCCGGCAGGT GCAGCAGGCTCTACCCAGTCACTGGAGG CAGAGTACAGTGCAGGTGCTGTGAGCAC TGGCAGCAGAGCCCTGGGCAGCGGCAT GCGGTAATGTAAATG	p001069	B	Mm.2811 2

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
267	IM000885	CCATGTCAGGTGATTAACCTGTGAGTCT AACTTCCAGGAATGCAATGCCTCTGGCA TCTACAGGCATAAACATACTTGTGGCTT ACACTCAAAGTACACACCAACACATAT GTGCACGCGCACACACACACACACCAA ATTAAAAATAAAATAACCCCTTTTAAAA AAAATATAGAACCTATAGATAATTGCTT TACTGCACTCACAAACATTTAGGATC	p001070	D	--
268	IM000886	GGGGCACATAGTGAGTTCTAGGATAGCC AGGGTTATAGAAGCTATAGTGTGAGACC CTATCTCAAAAAACAAAACAAAACAA AAAAACAAAAAACCTAAGCCCGTGT GGTGGTGTGTCTCAGTCTGAGCGCTTGG AAGACAGAGGGAGGTGCATCTCTGAGC TTGAGGCTAGCCTGGTCTACATAGAGAG CTCCAAACCAGTCAAAGTAACAAAATG AAACTGTCTCAACAATGACAACAACAA ACAAACAAGCACTAGAATAAAAAGAAG CCAGCATGGTGTCTGTGCCCCGTCATCC TACCACTTGAAGGAGAGAAGCCAGTG CAGGAAAATTAGGGATC	p001072	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
269	IM000887	GATCCCAGGCTTCCTGTAGGCTAGGCAA GCCCTCTCCCCACCCTGTCCTGGTAGAA TTCATCCCGAATGTCAGCATTCTTCAGT TAAAGGAATGTGCTCCCTCAGGCTCTCT CCCATGGTGCATTGCTTCAGCACGCAGG CAGACACTTGTCCAAGCTAGGCTCCCTG TCTCCCATCTGTAGGAAATGCTTGAT GAAGGCCCTGGTGGACCTGGCTAGATGG GCAGCGCCAGTGAAGGGCTGTGTCTGG AGCCTGGGCTGTAATTAGTGGTTGAAC TGGGTGCTCTGGGGAGAGGCAAGTAAG AATTTGCTTTCTGTTTTAGAGCAGGAG GAGCTGGCGGCTGGCTGTGCCTTAGCCG GCTCCTCGAAGAGCATTGAGGTGTTCG CCATCTTAATGGGTAAAGACTCTCCTGT GCTAATCTGGTGGGTGCTTTTAGGCAC GGTGGTCCCACTGTGGTTGTGTGAACAG TACCTTAATGCCAACACTTTGGAGGCCT AAGGTATCCCCATCTGCAGGAAGTGGGG TGCACA	p001075	D	--
270	IM000888	GATCCTCACACAAATTGAGTAGTACTAA CAAGAGTGTGATTACATAGTCAATAAA GGTATAGGCCATCTGTGCCCTGGCTTGA CCTCCGCAGACCAGAAGCTAACAAAAC CAAAACAGACTCAGTTTCTGCATGCTAA CTTAACCATGATTTTCCAGACTATTCTT TTATCCTGTGAAAAATATATTAATCTCT ATTCTGCAGAGTATCCCTTCTTTAAGAG AACATGATTTCACTGTTTTGACAATAT GCCTAGACACAGAAAAAATCATTTAGT TT	p001078	B	AA79335 6
271	IM000889	TTTTGAGTGCTCAGTGAAGTACTTAGGG CAGCCTAAGGAATACAGTGACCCACCA GGAAATGCCTTGTGTTTTGGCAGTCTGA TAGCATCACTCACAGCTGTGCGTCGTGA CTTCATTGGATC	p001079	A	Edar
272	IM000890	GATCCAGGGACAAAGAGCCCATTCCTCT GTTCTTCGTAT	p001081	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
273	IM000891	ACTTTCAGGCAAGCTCTTTGCTCAGTGA ACCTGCTACCACACACAGACTCCTCCTC CCTGTTCCCGTCGTTAAAAAAGTTTAA TTTGAGGTTTAGAGCAATGGCTCAGTGC TCAAGACTACTTGCTGTTCTTACAAAGG ACCTGGGGCTAGTTCCAACACCCACATG ATGGCTTACAATTCTCCAGTCTCAGGGG TTCCAGAACTCTTTTCTGGCATTGAATG CACATGATGCATATATAGACAAGCAGGC ACACACACACACATAAAATAAAACAAA TCTTTTGAATGTAATTTTAAAAAGATTTA TTAATTTTAATTTTATGTGTATGAATGTT TTGCCTGCATGTATGTCTATGCACTGCAT GTGTGCCTGGTGTCTAAGGTGTCTGATA GCCTGGTGCTGGGCTTGGTTCACCTCAAC AGCTGGCCCTATGAAGGCCAGCCGTGAG GACACCTATCCATGCTGACAGACACAGA TGCTCAAATGAGACAGCCCCTTCTCTAT GAATGCCCTCTTGAGAATGAACAACCTC CCTGCAGCAGACCTCCTTCTGGATACCC TGCCCTTCCATACTTTCTGGGTGTCTAGT TCTCTTCC	p001082	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
274	IM000892	GATCACACGCTTCACCTAATTACAAATG ATTTCTTTAGAGGGGTCTGTATATAACA GAGATGATAAAATTCAACGGCAGCCCTC CAACTGCATTGATATACAGGAAGTACTC ATGAAATTGGAGACACTGATTATCTCTT TGTGTGGTGTCCACATATGTGCCATCAT ATCATATTATTATTATTACATGGCTAAA AAATGGGGTCATAGTTTCATGACCAGA ACCAAAATATTCCCCTGTAATTTACACA GGATTGATGGTAAGAAATGAAAACAGT TTACATTTTGTGATAATTTACTTACTTGAC ATAAAATGTGACTTTCATTTCTTGCATT CCTTTTCACAGGTAAGGCTACGACAATA GATTCTCAGTTCTCCACCTCTCTATCT TGTCTACTCTATCAGCAGCAATAGCAAC AGTTTTCCATGGTCCTTCCATCTGTAAAA GCAATAAAAAATAACAAAGAAAACCAT ACAAACCATTAGAATATGAGTTGGTATT CACAACCTCCTCTCAATACTTCATATTT TAAAAATTACTAGAAATATTCATCAATA ATATTTCAATTTGTTAGCTCTAGATAATGT TTCCAGG	p001083	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
275	IM000893	GATCATGGTTATTTTGTAGGGTTTATTT ATACATGTCTACATGAATTTATGTGCAC CAGATGTGTGCAGGTGCCCATAGAGGCC TGCGAGGATGCCAGATACAGATAGTTAT GAGCCACCTAATATAGATGTTGGGAATT GAACCCATGTACTCTGCAAGAGCAGCAA GTACTCTTAACTACTGAGTCATCTGTTTA GCCCTCCTGTTGGGATTAAATGGTCAGT GTGAAATACTATGAAGATAGAAGGGTTT CCTAGACTCTGGTGTGTAGGGGTGGGGT ATCTGTGAGATGGGTAAGCTCTGTTGGC TTTCTAAGAAGGAGAATGAGCAGAAGG CACACATAGACATTACACTTTCACACA CATGCATGCCAAACACCACACATGCACA CCACATACCACACGCGCCCTCCTGTTTC TTACTATGTAATAATGTTCTTGTAAATAAC TTAGTACTCTGCTAATGAAAAGGTCACC ACTAACTAGATGCTAGCCTTCAACTTTG GACCAGAACTATGAGCCCAAATAAACCT CTTGCAATTTATAATTTAGCCAGCATGTA GAACTGTGTCAATAACAATGGAATAGTG TTG	p001085	R	--
276	IM000894	GATCATCTGGCTAAAATTTTATAATATG ACTCTTTAAATTCCTTAAGAATTCACAA GGACCTTTATGTTGAAATTACTCATATG TAAGCTTACTGGAATGAGATGGCTCCCC AGTTGAAAACACCATTCTTAAATACTC AGAAAATAAGAACGAGGCCAGCCCGGT CTACAAAGTGAGTTCCAGGACAACCAG AGCTATACAGAGAAACCTGTCTCAAAA CAAAAACAAAAACAAAAACAAAAAAA AAACAAAAAAGAAAAACAAAACAAAA CAAAAAGAATGTAGATATAAAGAAAGA ATAGTGTTTGCTGGAAATAAATAGTAAT ATAAACTTAACAGCAGCCTGTCAATTGC AGGGTTTTTGCACTTGCAAGCTCAGAAAG AAGTGACCCTCCTCAGGAAGTAG	p001086	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
277	IM000895	GTGGGTTGTGTGACTCAGAGAGCAAGCT TCTACCTCCACAGGCAAGGATGCCTGTG CACACAGAAATGAGATGAAGTCATATGT GGGGACTGGAGTTGCAGTGGCTCCCAGA AGGAGGTGTGCAGAGTTCAGGCTGGAG TCCAGATGAGGAACATCAAATAGAGAG GCCTTTGGAGGGAGTGGGTTCTCTTGAT AAGTAGGACTGCCACCCATATCAAGTAT AAGACTGCCAATCATACTGAATCTCAGG TTATTTCCCATGTAGCATTGGGAACATA TAGCATTTGTCACACTGCTATAGCAAAG AATCTGTGATGAGGTTGGGAGTGGAGG GGAACGCCTTTGGTCCTAGAAAAAGAAC CAAAGGTAGGCTGATC	p001087	D	--
278	IM000896	CCTGCCCTTGCCAGACCCGACCGCAGCT CATCGAGGAGGTACCCTCTAAAGTCGTC ACCTTGAGGAGACAAGCTCTGTCTAGT GCTCGCAGCCCCGCGGCCCTGCGCCAG GTTGCGGACGCCATCTTCCCGCGCCGTC GCCGCCATCTCCTCCTCCTCCTCCTCCAC CACCTCCCCCTCACCTGCCACTGAACCT TTCCCCAGCTTGGAAGCCACGCCTTAA GGAAGCAGAGTCGGTCGGACACCCGCT CCTCCTCAGAGCAGCGGCCACCAGAGTC AGGAAGGGGGGTCCAATCACGTGATC	p001088	R	--
279	IM000897	GCTCAATTAGTTTATTAAATTCAAAAC AAAGCTAAAAGCCTGATGTGTCAGTTGC CTTCAGCAGAGCTGTTTGGGGCCCATTG TTAATGTTGTGAATTAAGTTCTGATGTA AGTAACCAAGCCACTCCCCACACTCTTA CTTGCAAGAGTTCCAGGCAGATGTTAAG GTCAACCCACCTGACTCTGATC	p001089	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
280	IM000898	GATCACAGTGTTTATCTCAGCAACAGAA AGCAAATGAGGACACACCTGGGTCTCAC TGATATACTTGGTGATATGTGTAGTTATT ATGTCTCACAGTAATTGGACAAGGAAGA GAGTTCATTGTTTAGAATGTTGTAAC GGCATTGTTCTCTCTCTCTGTTTCAT AAAATCTCACAATATCTACAGCTGTGAG GTCCAAGGGGCTCATTGGTGATACCCAC TCTTTCTACTTTGTGTGACCAACCTCTT TGGATGTCAAGGGT	p001091	C	--
281	IM000899	GATCAGTTGCTATTGCTTGATTGATTGC GAGACTTTCTTAACAAGAGTCTTGTCT CCTCTCACTCCCTAGCTTCATCTTAGAAC TTAAACCCACAGCCCAAATGAGTAGTTG TATGTCATATGCCTCGGCCAAAGCACGA CTGAAAGGAAAAAGAAAGGCAGACACTG GAGTGCAGGAAGAAGACACAAGGCAAA GCCCAGAATTCAAAAGTAGAAGCACAG ATTGTTTTCTTTGTTT	p001092	C	--
282	IM000900	GTACCCTGCATCCCCGGTGTGGCCTTGG AGTCTGATGCCAGCACTACAGAGCCAAG CCATAATACAAACCAAATAGAATTAACA AGAGCTCCATATGATC	p001093	D	--
283	IM000901	GATCACCTTCCTAGGATGAACGAAGAAG GATGGCTGGAGGTTAGGGACCCAAGGG ACTTCCCCCTAGAGCTGGCTGTGTACCC TAGGCATGTGTGACTGCAGCTGTACAAG CAGGGTATTCTGGGATTCACAGTCCTCA GGATAAGATGACACTACAGATTCTAAGC TTTATACCCAACATGGTGGAACCCCATG GTCACACTCTTTCACAGATGGTCACTCC CATTGCCCCAAGCCCAGCCTTATCCAA G	p001094	C	--
284	IM000902	GATCAATAACAGCAAAAAGAAAAAAGA AGTTTACTTTTCATGTAGCAATGTGGAT AATTCCCATCCAGAGAAACAAAACCACT TCCAG	p001095	C	--
285	IM000903	GATCAGGGAAGATGTCACCTCCAACCCA GCCTAGACATGGTGCTGTGACCA	p001096	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
286	IM000904	GATCAAGGAGCAACCCAAATAGCTTCTAT TCCCCCCTACTAAAATATGACCCACTG ATGGATTCTGGGGATGCACAGATGTTCT CAGAAAGTTACTGATGAACACACCATGCT CTAACAAATAGTATCAAACCCACAGTCA CAGATGGCCCTAGTTAAGCACAGTGCAT CACAAAGCAAAGCAAAGAGCCTTGACT GTGGGAAAGGTACTTGTGGTGAGGACTA GTGGGGTATGAAAGAAATTAGAGAGGA TGAAGGTAGTGATATTCAGTGTGTGTGT GTGTGTGTGTGTGTGTGTGTGTGTGTGT GTGTGTGTAAAGACTATTAAAGAACACCC TTTTTTAAAGAAAGGCTTCTTGAGTGTG ACC	p001097	R	--
287	IM000905	GGTTAATAAGCTAGATTATCGTGTATAT ATAAAGTGTGTATGTATACGTTTGGGGA TTGTACAGAATGCACAGCGTAGTATTCA GGAAAAAGGAGACTGGGAAATTAATGT ATAAATTAATAATCAGCTTTTAATTAGCT TAACACACACATACGAAGGCAAAAAATG TAACGTTACTTTGATC	p001098	K	<i>Mye</i>
288	IM000906	GTGAACGACAGCAGAATCGGGTTGTACC TCAAAGCACTTACCTTTCCAATACACC TGATC	p001099	D	--
289	IM000907	GATCAGTGACAATGTAGCTTTCCTGGA AGGATACTTGAGTC	p001100	D	--
290	IM000908	GATCAGCAAAATGGGACATCGAAGTTG AACCAAAGTCATAATAAAACATCCTGAG GTACATAAAACACTCTGTAATAGACTAAT ACAGTTCCTCCAGGCACCAACAGAAACC TTGACTACTTCCCTTGACTACTTCAGTCA AATCTTCTGATAAAACCAGACCCAACCTT GGAAACGTCCATGTATACAATG	p001101	D	--
291	IM000909	GATCATCTGCTTCTACCCCCAATTAATA GACGGACTAAGAACATAAAAAAGAAATCC AGGCACCTAGGTTTGCAGAAATCTAAAG GTTGAGTTCCTTT	p001102	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE" " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
292	IM000910	GATCACAAAGTTATAGTTGAATAACAAGT CCTGTGTGTGTCTATGTATCCGTATATCA TATTTTCTTTATCTGTACTCTATTTCATG GAAACTAGGTGGATGTGTTAACTTGGCT ATTATGAGTTTTGCTGCTAT	p001103	D	--
293	IM000911	CTACAATGGTTCAGGCTTTGGAATATCA CTCTATAGGCTGTCTGCCGGCCACCACC CTTCAGACTGCCACTCACAGGTGCCCGT GAAGGCTGCCGAGAGGCAGTCCCCATC AGCCTGTCTCCTACACCCACACACTCTG TGTGGAGACCACAGGCGCCCAAAGGGT ATGCTAGTCTCTGCTCTACCGCGTACCCT CTCCTGAAGGCAGGCATTTTCAGAGATTC CAGTTTCACCAGGAAGCTCAGATC	p001104	C	--
294	IM000912	GATCTTTTCCCCCTTTGTAGTATCAGAGA GAAAAGCCATGGCATGCATGGCACATG CTAGGCAAACACTCAAGCATCCTACTCT GTGATGCAGTTTGAACAAACTTTTTTTT TCTTTTTCTTTCTTTTTTCTTTTTCTTTT CTTTTTCTTTTTCTTTCTTTTTTTTTTTT TTGAGT	p001105	R	--
295	IM000913	GATCTCTCCCCATCCTCCTGTTGCCTCTT GTCTGTCATACCTCTACTACTCCATCAGT TTGCTGCCTCTGAGTCCCTCTTCTTCCTC TCCTATCCCTCCTCCCATCTTCCTCATCT CCAGGTCTCTCCAGGTCTTCCTTCTTCCC TCTTTCTTCCCCCTTTTCTCTTTTCCACTG TCTTGATTCCCTTCCTTTCTCTGTTGGT CCCTTCCCTCGCACCTCTTTCCTCCTGTC CCTCCTTTTCATGTACCATATTTCTCTTC CTCTTTCTGTGTCTCCTCTTTCCTTCCTCC TTTACTTTCTTCTAACCTTCCTCTTCTC CTCCTCCGCAAGCCTTTGCTT	p001106	A	<i>Gata1</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
296	IM000914	GGTTGTTCCAGTTAAATTTGGCTCTCTAC AGGAACATGGCTTAGTTCTCCCTTAGCC TTTCATGACCCTACACCTCAGACACTAG TCAAAGTCTAGCTTAATAAAGTGTTCAG GATGTTGGTGGAGGGGGGAGATTGTTA ATACAGATC	p001107	D	--
297	IM000915	GGACCACTTTAGTATGGGTCATATGTTT TAACTTTCTTTTCAATTTCTAATTCTTCC ATCTGCATTGATTGTGCCCAGTTATCATT AGTGACTTATTTTAGTAACTTAAGGGAA AGTTGTCTATGCTCTACTTAGTGTGATT TAACTTACTCTCCAGACATGGGAGTGCT TATTTTGTGTTGCCTTACCTCATCCAGGA GCTTGTAGATC	p001108	D	--
298	IM000916	GATCCGATTATGAAACCGTTTTGAAC	p001109	D	--
299	IM000917	GATCTGTGGAATGCTATCCAGCTCTTCC AACAAATAC	p001110	D	--
300	IM000918	TTAGTATCTGCATCTGACTCTTTCAGCTG TTCGTTAGGCCTTTCGGAGGGCAGCCAT GCTAGGCTCCTGTCTGCAAGCACACCAC AACATCAGTAACAGTCTCAGGGGTCTGA GCCTCCCTTGAGCTAGATC	p001111	R	--
301	IM000919	GATCTGTGGTAATGATTCTGTAAATACA GATAAACAACGTACACATGGGAATTGTT CCCTGTGTGAAAGTGTTTCATCATAAGGT GTTTTTATTTTATCTACAATATCTTTGGG TTTTTAG	p001112	D	--
302	IM000920	ACTGCCACATTCCCTAACACCTCATCAA AGAAAACAACACCACAGGTCTCAGGCT GCCACTCTAGACCTCCGAGTTGACTCTG GCTCCTGCTCTCTGCAAGCAAACACGCA TCCCTCAAGTCTTCATGCTGGTTCTCTCA AGTCTTCATGCTGGCTCTCTGTAGTTCTG TAAGCTTACCCTTTCAGTGGTGATTGG GGAGATC	p001113	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
303	IM000921	GATCTCCTGGCTTTGTAGATAAATGAAG AGAGTTCGTTACCAACTGAACTAAAGAG CGGCACAGGAAATTAATAAAAAACAAAC AAACTGATAGTTAACTCAATTGAGTAAG TATGGAGTTTTGGGACCAAGACATATTA GGCAAACAGACAGTTTAAGGCCTAG	p001114	D	--
304	IM000922	GTTCTGTACTTTATCATGTCTTACCCCT ACCTCCCTCCATTTTAATCATCTTTACTG GGATGTAATGCATTCCCTTGTCCATTCCA GGATGCTATAACAAGATACCTTCAGCCT GTAAGCTATAGAACAGTGTGGTCCTCAA CCTTCCTAACTTTGTGACCCTATAATATA GATC	p001117	D	--
305	IM000923	CCANCGTGCCANACTCANAANGGAATTT TATTCATAGATTCTNTCANACTGCTGTCC CACATGTGTTCAAAANCAGGTAGGTCTT GTCANAT	p001119	D	--
306	IM000924	GATCTCATTGCACAGAAGAGTTAGAAGA AAGAAAGAAAAGCAGACTGGGAAAAAT TTTTGCAGCGAGCATTGAGAGATTGAAC ATCTATCTAACTTATGCAAAATTCCTATC AAAAGAAAAAAAAAAGCTTCAACAGCTG GGTAAGTTAAATGTAAGTATAAGGCAA CACAAGGCAAAGTGTGTTCTTTTGCTT GTTTCCGAGATGAGCTCAATTAATAAT CAATAGCGACAACAATTCTGAGCTGGAC TAACAAAGAGTAGAACAATACTACCCA ACGCTTGTGGTTAGGTAAACCTTACACAA TATTTTCCTAATGCTATTCGGCAATAATT GTCAAGAAAA	p001121	D	--
307	IM000925	GATCTTTTCCTACAAGACTTCTGGGTGA CCTTGCCAAGCCCAGCCACTGGCTGTGG TACCTCACCAGGACACTCGGTGGACATT AGGTAGTGCTCCCCAAGTGCTAGGTGAC AGTTTATGCTTCAAAGTGACTCCTGCAC	p001122	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
308	IM000926	GTGCTGACGCGCCCTTGCAATTGGGAGA GCAGTCAAGCTATCTGTACCTTCACCGT AAGACTACATTGTCACTGCTGGCTTCCC TCCTGTGCAAGGGACGCATTTGGGTCAG ACTATGCATGAAACAGGACAACAAAGG TAGGGCCATTGGTAGATC	p001123	D	--
309	IM000927	GATCTCACTGAATATAAAAAGACATCAG TCCAAGGGTGGAAATTTAACC AAAATAA TACAATTGTTGTTG	p001124	D	--
310	IM000928	GATCCTCCAGGAAGTAGAGTTACAGACA ATGCCCGCCTTGTTATT	p001125	D	--
311	IM000929	GTGGCAGTGACTGTCCGTGTGGGAAACG TTTAGCAAGTCCGAGCGTGTTCGATC	p001127	K	<i>Nmyc</i>
312	IM000930	CAGGAGAGTGTCTCAAAAAGCAGCAAAA GCACCCAGCACCTTAGGGTGAAGGACC ACTTCTGGAATGTATCTCCCAAGTTGCA AATGTACACTGTCTCATTCACTCCTGTG ACATACTTTGTTTGTGAATGCTAATATC ACATAGTTCGATC	p001129	C	--
313	IM000931	CCAGCAGAGACCAAGCATCCAAAACAT GAGCCCATTTCAGGCTTCAACCATAGCA GCTCCCATCTCAATCCTGTTACCCCCCA CCCCACCCCCCGCTTCTCTATTAAATCA CCACTCTCAGTGACCAAAAAGATGCTCA TGGCAAATGGACTCTTGGCTCTCTTTAC CTAATACTGAAGGTAACAAGATAATCAA CTGTTTCCTCTCCTTCCCGGGGACCTCAT CATAACAACATTCTCCACATGAAATTAT CACCACGTCCAATACCCACATCCTCCCC GTCCTGTAGAGAAACCATGCCTAGCA GCAGTGGTTTCCACCTCTGTGCTCCCTT CCACCTCGATC	p001131	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
314	IM000932	GATCGCTGTGGTTGGTGTCTGTGTATAT GCACTGTACATACTAACCAGGTACACAC ATAAATATTTAATATATAAAAAATAAAG TGCTTTCTAAGAGGCCCTAGGCAGGGA CGTTATAAAACATTTCACAAAGCAGCAA AACAAAATTGATACAATCAAAAAACA ACACTATAACCAACATAGGTGAAAACA GCCAAACACATAATGTACAATCTGGTGT TCCAGGACAAACATCTGTCATATACATG GTATATACATACATACTTTTCACTCAAT AA	p001132	B	Mm.3669 2
315	IM000933	GATCGCTAAGTGTGCGCGGCCCGCTCT GCAGAATGAATGGAGGGAATGAATGAG GGTGC GCGCGCCCGAGGCCCGCTTGC TCAGCCATGCGTGCCCGGCATGGACACG GCCTGGCCTTCCTGGGAGGATGGGACCG GATGCAGTTAGTCCAGGCGTTCAGCATC CCAGGGCCCTTCCTCTGTTGCGTGGTCT GAGTAATCTGTCTCGCAGAAGATACCCT	p001133	B	Mm.1515 28
316	IM000934	GGAGGTCTCTGTAGGTGCTTAGACTCAC GTTACAGTCATTCCAGAGGAGGGAGCTG CAGCTGCTAGTTTCTGTGCACACCGATC	p001136	D	--
317	IM000935	GATCGGCTGTCAAGACTGGGGAAGGGT CCTCCTAG	p001138	D	--
318	IM000936	AAGCAAGAGGTAATAAAATACATGTGG ATGGATGACTCAGGGGTTTCAGAGCATAC ACCGATC	p001139	D	--
319	IM000937	GATCGGGGACCTTGATAAAGGGGTCCA GGGCTCTCAGTCCTTGGGAAGG	p001140	B	AA70964 7

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
320	IM000938	GATCGTGATGACTTCATAACCATCACGT GTGAAAAGACTTAATGGCGCTGAATTCA CATGACACTTAAAATGCACAAAGTAACA AATTTTATGTCACATGTATTAACACTACA GCTAAGTACATGGGGAAAAAGTTAGAC TTAGAATAACTCATCCAGAGTCATATGG TAG	p001141	C	--
321	IM000939	GATCGAGGAGTAACCCAATAGCTCCTAT TCCCCCTTACTAAAATATGACCCACTG ATGGATTCTGGGGATGCACAGATGTTCT CAGAAGTTACTGATGAACACACCATGCT CTAACAAACAGTATCAAACCCACAGTCA CAGATGGCCCTAGTTAAGCACAGTGCAT CACAAAGCAAAGCAAAGAGCCTTGACT GTGGGAAAGGTACTTGTGGTGAGGACTA GTGGGGTATGAAAGAAATTAGAGAGGA TGAAGGTAGTGATATTCAGTGTGTGTGT GTGTGTGTGTGTGTGTGTGTGTGTGTGT GTGTGTGTGTAAGACTATTAAGAACAC CCTTTTTTAAAGAAAGGCTTCTTGAGT GTCACC	p001144	R	--
322	IM000940	GATCGGGCCACATCTCAGACACTCCTAT AGCTACAGAGAGATACCGTTTCCTGTTA TCTTTGCAGACAACCTTATCTGTTACTCA GAGAAAACCTCCAGGTGCCCTAAAGA AACTGGGCCCTACATCACATACCCATAC CACACACATGCAACATGCAAAACATAC ACACATACATAGACACACACACCACAC GCACACAGACACATACAGACACACACA CATACTATACATACAGACACATATGCTA CACACATACAGACACACACAAGCACAC ATACTTCACACACAGAGACACACACACC ACACACACACAC	p001149	R	--
323	IM000941	GCCTGCCTCTGCCTCTCGAGTGCTGGGA ATAAAGGCGTGCTAGAGCCTTCACTGG CTCTCTCTCTCTCTCTCTCTTTAACCT CCTTTTTCCTTTAATGAGTTATTTATTTT ATTTTATGTGCATTTGTGTTTTGCCTGTA TCCGATC	p001151	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
324	IM000942	GCTTCAATATTCGAAAAGAATTAGTAAG AAAGGCTGTTCGATC	p001152	D	--
325	IM000943	CTACCAGGAAGTCAGGGGTTTCCAGGAA CCCACACTTGGCTTCCTCTGCACAGAGG GACCTCATACCACTGAGATGGTGATATG CTCCCTGTTCCTGAGCCTCAGTGGAAG CGACTTCTATGGATACTCCCTCCCTCGT GCCTCTCCTTCTTCCCTCTCTGCTCTCC CCCCCCCCCTCGCCCTCACGATC	p001154	D	--
326	IM000944	ATACACACCATCAGATATACCTCATTCT GATATACCTACAGGTACACCAATCACAC ACACACATTTACTCACATGTACATGCAC ACACCACATCGGTTAGAACCAAAGACCT CACACACACCCCTCACACATGTTTCATC TCCATTATCAGTGCCGATC	p001155	D	--
327	IM000945	GATCGTCAGGTTATGAATGCCAT	p001156	C	--
328	IM000946	AGTTCTCAGAACCAGCTACTGTTTACAC AGGGCCTCATGCAGCCTTGCTGTCTCTCC ATTCTGCAAGCACAGGATACACACCCCT GAAGGCCAGATTGTCAGGTCAGCCCGAT C	p001157	C	--
329	IM000947	CTTCAAACCGTCTGCGAGGAGTCCAC AACCTCTGCCTGCCGATC	p001158	D	--
330	IM000948	GATCGAGGCCAGCCTGGTCTACAAAGTG AGTCCCAGGACAGCCAGGGCGATACAG AGAAACCCTGTCTCAAAACAAACAAAC AAACAAGATTCCATTGAGGAACACCCA GATGGAGACATGGGTGTTCTCCATAGAA GGGTTAGGGGCTTCCACACCGTTGACAC	p001159	B	Mm.8136 6
331	IM000949	GATCGGTGTGCTTCTGCAGTTTCAGCG AGGACTCTGGGCCCAAAATGTTTAAAG CAGAAAATTGGTAACACTAGAGATATTG TCAAAATACGATTTCTCTGGTTCAGAA ATGGCGAGAGGGAGGGCTGGAAGGGTG GAGTGGGAAGGAATTGTCATCAAAGCA TTGTTGATAC	p001160	B	AA40894 5

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
332	IM000950	CTGTCTCAGGCATGAAAACACTAAAAGA TGACCAATTTCATAAAGATGACCTGAA TGTCTACTCAATTCACCATAAGGTCT ACAAGATGTAAATGGGCCGATC	p001161	D	--
333	IM000951	GATCGTGGAACAGAGCCTTGAATATAA TGAAGAAACAGAGGGCAGGCAGCAGCC GCAGCACAGCAGGGGCACTGTGAGCAG GCAGCAACAGGGGG	p001162	D	--
334	IM000952	CTCCCTACTACCTTCCCTTCTGGACNTC CACTGAGATGAGGCAGGATAAAGGGTC AAAAGAGACCTGACCTTCTCTGCCAAAG CCAGGGATTCTTCTGGAAGAATAGAAATG GTTCTGGAATTCACAGATGCAGTGGTCT AGGATC	p001163	C	--
335	IM000953	GATCCATAGGTCTCTGCTTTCCCCATTCA GGGCTGGAGTTATAGATATCTGTCTATC ACCCAGCTTTTATGTAGGTTCCAGG	p001164	D	--
336	IM000954	TATGTATCTACAAGCCAGAAGAGGGCAT TGGATC	p001166	D	--
337	IM000955	GATCCGAGTTCTCTCCGGCCACGTACCT TCACATCCCATGCACCCTGGTATGTAAG AAGAGCCCAGCTCAC	p001167	D	--
338	IM000956	TCCCATAATATTTCTCAGAAGGATC	p001168	D	--
339	IM000957	TATAGTTCTGCCTGTGGAGTGTGAGCAG AAATGTGTATCGTTTCTGGGTCAGAGCT TTCAGGAACTGAGCATGACTGCTCTACA GTGTCTTCTCCTTCTGCCTGCTGAAGCC CTAGGGGACAATAGAACCACAGGATGA AAGGACTCGGGATC	p001169	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
340	IM000958	GATCCAATGGCAGCTAGCAGAGTCAGA GAGCCCTCACTCCAGTTAACTAGGGGAC CCACATGAAGTTCAAGCTACATATCTGC TACAAATGTTTGAGGGACCTCCTAGCTC CACGCCACATGCTCTTTGGTTGGTGGTT CAGTCTCTGTGAGCCCCACTGGGCTCAG GTTAGTTGACCTACAGTCTTCTTGTGGTA TCCTTGACCCCTCTGACCCAGAGTTTA ACAATAGGCCTTCTGACTCTAGAAATCT ACCTACATTTTTTCCACTTTAAATTCCTC GGCTCACATAATACCAATGAACT	p001171	R	--
341	IM000959	GATCCATCTGCACAGTCTGTACCCGGGG TCCAGCAAGTAGCAGCCTTTCTGCTGCT GTCTGTCAGACCCTCCAGGGAGGGAGA GCTTGTCTTCTGGCCTCCCAACAGGACC CTGCGTGACGATGCAGGGACAGCAATG ACAACTCATTCCAGACTCCAGGTCCCTG GAGGAGCCTCCCACAAGGGAAAGAGAC TACTTCACTGGTCCTGGGCCCTCTTTGC GCGCCCCGCCCCAGACTCAGCGTCTAG TGTGCTGGGCTCCCT	p001172	K	<i>Pim1</i>
342	IM000960	AGGGTAACAGGCTTAGTTTGGGGCCTTT CTGTTACAGGAAAACCATGAAATGTCCT GAAGTGCTCAACAAACAGGGAATATAG AAAATCATAATGGTTCCTCCCTAGCACA AGGAAGCATGTTTAAAAATTGCAGCAA AATAAAAAAGAACAGATTCTTAAGATTG AGGGATTTTACGGGGTGGTACTTTTCTT TCTCTTATAAACATTTATTTACTTTTGT ATTCAAGACAGGATC	p001173	D	--
343	IM000961	GATCCAGCTGTTTGCTAACATACGTAAA GGTATGGATGCTGAGAGAGTATCTATCG AAAGCGAAGGCACCCTCCCCAAATTCAA GAAAGCAGCTGTTTCTAGAACCAGGAC ACCACCGCCGCCGCCGCCACCACCCC GCGAGCGCCCGGACCCTGTTACAGAGTG TC	p001174	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
344	IM000962	GATCCTGAAATTATCACATTTGAATCAA ATCATGCCCTGCCGAGGATAAATAACCC AAACGACCGAGAAAACCGAGAAAAAGA ACATTTACTGACCATCCTTC	p001175	D	--
345	IM000963	GATCCAGTCCAGAGCAATGTTACGTCT GTGATGGTAT	p001176	D	--
346	IM000964	AAAGGTGCTCTCAATACTTAACAATCCA TAAGCTTGTGCTCTCTTAGTCGTAAAGG TGGGGTCCATCAAAATCCCATGACACCA CAGCGAGACCAAACCTCCTTTTCTCTTAC TCCGAATCACCCATCCCATGTGGGAGAC GAATAAGAACACAACTACATCTTCAGT GACATAGAGTAGCATCTGCAACAGAGG AAGTGGATGGAGACCTTGTCTCTGGTCA AAGACAAAGCATGTGACAGCTGAGCCT GGCACTTCCTACTTGGGTCACAGCTCAA ACCCACCTGAACCAACAGCAGAGCCCC ACAGGGATGGGACTCACATGTTTCCCTC TTGCCCTGGAGCTTCGTGCATGTTGTTA GAAGCTAACTGGCTAACACGCACGGGA ACAGGCAATGTAGTTGGAGTATGAATCG AAGTCACTGGGCATGGTCCTCAGTCAGC CAGGATC	p001177	C	--
347	IM000965	CTAGACTAGTATGGCAGAACCTATCTTC TTCTAATCATTTAGATGAATACTCCACA TGAGAGAGCCCTGAGAATATCTGTAAAA AGTAATCCAGGTTCTGTACTTCTAGCT AATCTTATCTAGGTAATAATAGATAAGG AATCGGGATTACGAACACAAATACCTG TACAAAGCATGTTGTCTCACACGGGACG AACACTGTTTCTGCTGTGCTTTATAACGC TGGGACATACAAAACCTAGACTCTGCCTA AGAAGTGTTTGGAAACATTTGGGTAA TTATAGTCAGATAAAACAACCATGA GTAAATCGAAGAATATAAACTAGGGA TC	p001178	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
348	IM000966	TTTCCTGGACAATAATGTTTTCTTCATTA AATTTACACTTAGAGCATTGTCTTAATC CATGAATAATTCCCAGCTCCTAGCTCAT TACCTGTGACACAGCAGGGATTTCATACA TTTATTGAATGAATGGATGAGTGAATGA ATAAAAGAATGAGCATATCAAGAGGAT C	p001179	D	--
349	IM000967	GATCCCTTCTGTCTTTGGTTATCTC	p001181	D	--
350	IM000968	GATCCACCACTGAGCCACTTCTTCAGCC TGTGACTGTCATTCTTAATCATCCACAC AGACTTCTCCTTGGCAGATTTTGCCAC CTCTTAAGACTTTCACAAAGGTTTTTTC TTCTGCAGGGCACATGAGAAAACAAC TGTCATAAAGAAACCCAGGAAGAAAAC CAGCAGAGGCAGGTGAGTTAAGCCTGT GGTGGACATTCCCTCTGGGGATGACCAG ATGGGAACAGTAATTCACAGAGGCAGA GGGGTCTGCAGTCACTCTGCATGCCACA TGTGTAACCCCTAAGAAGTGAGGAATGC TCTCAACAGGAAAAACACAGCAGCAAA TGCTATGATACCAAAGCCACAACCTCCAT GGGTCCCTGGAGCCTCTCGAACTAAGCT GCCAGCTAGGGAGCTAACACTAGCTTTG GATGAAACACAGCTCTGGTAGAGTT	p001182	C	--
351	IM000969	GCTGGGATTTGAACTCAGGGCCTTCAGA AGAGCAGTCTGCTCTTACCCGCTGAACC ATCTCACCAGCCCCCTCCGTTCTTCCTT TCTTCCTTCCTTTTTTTTTTCCACATTGTT TTCAGACTGCACCTTGTTAGTAGTCTA GGCTGGCTTCCAATTCCCAATGATTGA GCTATGGGTATACTCTCTCACCTACTTT GATTTTTTGTGTGTTATTTGTTTTTTGT TTTTTTGAGACAGGGTTCTCTGTATAGC CCTGGCTGTTCTGGAACCTCACTTTGTAG ACCAGGCTGGCCTTGAACTCAGAAATCT GCCTGCCTCTGCCTTCAAAGTGCTGGGA TC	p001183	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
352	IM000970	GCTTCATTTAATATACATCATTTACCAG AAACCACAGACATCTTTGTACCAACATA TAGTAATATTAATCACAATAGCCATCAC TCTTATGTAAGGATGAGAAGACTCCCAG CTAATATGCTAATGTGTAGAAGATGCCA GATGGATC	p001184	D	--
353	IM000971	GATCCCTGCTTCTGTAAATCCGCAACGA CAATTGTTATCTTCTCCTTTTCTTTCTTTT ATTTGTTTTATCTATTTTATTTTTCAGAT GAAAA	p001185	C	--
354	IM000972	GATCCTCCTGCCTCTGCCTCCTTCAGCAA ATCCTACCGGCGTGCGCCACCACTACCG GCGAAAAA	p001186	R	--
355	IM000973	GATCCCCCTTTCTCTGTCTACGGCCTC TGTCCTGTGTTAGCTGTAGGCCTACTCTG TATGAACAGACCTCAGCGGAGGGGTTTG GACTTGGGCTTGTGTTTCTTAAGAGAAT GGGGCTTCCATGACTGTCCCTCTGTCCCT TTCATCCTAACCCTGCCTCCCGCTAACA GGCAGCCTGTATGTTTCTTGCACTGTTCC TTCCTCCTGACGGTCTGAGTCGTTCCCT CAGAGACTGTTGCTGCTGCTTCAGCTTT CTCTCAGCTTCTCTCAGGGCTTCCGCTCT GGAGTTTCTCCTGCTTCTGTGTTACTTT TCAAAGCTCAGCCTCCATCTTCTGCACC TGCGGAGTCATCACTGATTCCAGCTGT GGCCTGTCACCCTTCCCTTTCTTTCTTCC TCCTGTGCCACCACCATGCACCCTCCCC TTCTGTCTGTTGTGTTGTCCTAACCTTTC TTCTCCCCATGCACCCTCCCTTCTGTCT GTTGTGTTGTCCTAACCTTTCTTCTCCTC TCTGTGCTCTGCAGGTTTTAGGGTCTCTG TATGATTTGTACCTGCATTATTTGAACC TCCACTCTTCTTTCCCTCTCTTATC	p001187	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
356	IM000974	GATCCTGCAATACCTCTCCTGGGCATAT ATCTAGAAGATGTTTCAACTGGTAATAA GAACACATGCTCTACTATGTTTCATAGCA GCCTTATTTATAATAGCCAGAAGCTGGA AAGAATCCAGATGTCCCTCAACAGAGG AATGGGTACAGAAAATGTGATACATTTA CAA	p001188	R	--
357	IM000975	ATCTAAACTATAATAGTTGCAGGGCTAG TTCATTGTCAGGTGCGTGGCGAAAGAGT GCAAATCCCGGGGGTTCTTTCTTCAGAA TCAACGAGGCAATACACTTGAACATGTA TGTTTTTGTAACTGCGGGGCATCACCC GTCCTCCAGGATC	p001190	D	--
358	IM000976	GATCCCCCAGAAGTGATAGTTTAACAGT GAGGTGAATGCAAGCAATAAGCTACCT AAATCATTAAAACTTCCTATTTTATTAGC ATCTATTAGTTGCACACAGCAGTGATGG GTTTCATT	p001192	K	<i>Irf4</i>
359	IM000977	GGACCTCTGTACAAATGTCGGGAGATAA GGGAAGAAAAAGACGACAGAGATAGCA GTCAGGATGTAATGTGTACTAGATGAGT GGTTCAAGCAATAGGATGGAAAGGGCT TAGCAGGAGAGATTTTTAAGGATGGAG GCAGTAGATTACATCTGGGAAATGTCAC TGGAAGTGGATC	p001194	D	--
360	IM000978	GATCACCAGGCTGGGCAGGCCACCTAA GGAAGTGGCACGGGCACGGGCACTTCC CCAGAGCACCTCTGGGCACTCTGAGAG GGGCACAGATGTACTGCACTAGGCTGGG CCCGGAGGAG	p001196	D	--
361	IM000979	ATATAAAATATCGAACGTCCTCTGGCTT GTAAATATCATGTTAACCTTCAAAGCGT TCGAAAGCGCAGGAAATCTGAGTCAAC AGAATAGTATGTAAGTTTATTTTATAG AACCTGCCTGAACTGCAAGGGAGGGGC GGGGCGTGGACCCAGGCCTGCCTGCCAA TCTGCGCTGCCAGTGAACCTAAGCCTGAT C	p001197	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
362	IM000980	GATCAAGTCCTGGTCAGTACCAAGTTAA AAAAAAAAACTATATAAAAGCTATATTAG GGGACAGCTGTGGCTTTTGTAGAAAAGA AGGTCCTGGTGCTATGACCTGCAGATGC CCATGTGGAAGTCTTCAGATGAAGACTT TCTCATGGAGTAAACATACTCTGTTGTTT GACCATGTGGACTTGTTCAAAATGCCC ATGGATGCTCCTTTGGGTACCAGGCTTC AGTGGGAGTCCCAAGCCCATGTCITTAT TTGAGCATGAGCAGTACTGATGCTTACC TAGTCTTATTCTTTCCTTGCCCCCTGCCT GGACCGTCTCTGGTTACAAGGATGCTGC AGTGGGAAGCGGTATGACCGTTACCTTT ATGGGACTGAGACCAACTAAGGGGAGG CTGAGGAGGCTGCAGTGAAGTATTGTT GGGACTGTGGGCTAAGATGGAAGATAA CATGTTAACAACTCAAGTGCGGAGGTC TCAGAAGTAAAATTGCCTGGTTAGTA	p001200	D	--
363	IM000981	GATCAATTGGTAACCAAGCCTTGAAGTGA AAGAGTCGTGAGGTGGGGGACTTTATAT	p001201	D	--
364	IM000982	GTATCTCCACCTGGCTCAATATAGGCT CTTTTCAAAGGCTAAATTAAGACCAAGG ACACAGAAGGGTAGCTCGCTGGGCAAA CGTGATCCCTGCTGATAGTGTAG	p001202	D	--
365	IM000983	CTCTCGTGTGGAGATATTAAAGGTGTGA ACCACTAAGCCCTGATC	p001203	A	<i>Scp2</i>
366	IM000984	GATCAAGCAGAGGGGTAAATAAGGGC AAGCTCAGTGTTAGACAAGCTCATAAGC CAAAGCTGTGAAGTCTCCAACGCCT	p001205	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
367	IM000985	GATCACTTCAACATCAAGAAGTTACCCA GCCCCGGAAGAAGTACATTTCAGGA AGCAGTGTTTTCATTTTTTGAGTCTGCTC CCATCCCGTTTCTCTGCAGCTGGGTAAA CTTGAAGCTGGGCTAGCCTCTGGGTAGA AGGCAGCTAATGACAACTACCTTGCCTG TCCCACGGAGCCCGGACAGAACCTGAG ATAACACACCTAGCTTGCTGAGTAAAGG CAGGTACTGTGTGAATGACTCTGAGCT GTTCCAGCTCTGCAGAGCAGGAAGTCTG ACTGTGGAGATAAGAGATAT	p001207	D	--
368	IM000986	GTCATGATTTGTAATTCCTGTCCAACCTC TCATTGCTTAGGTCAAAATGGCTTAAC CCTAGCCTACTTCAGTGTAAGATCATG CGTAATGATC	p001209	D	--
369	IM000987	GATCAGGCTGGCCTCAAACCTCAGAAATC CACCTGCCTCTGCCTCCTGAGTGCCGGG ATTAAAGGCGTGCGCCACCACTGCCTGG CTGCTTTCTTTTTTTCTTTTCTTTGTGT GTGTGGGGTAGTGGTGGTGGTGGTGGT TTCGAACC	p001210	A	<i>Hsc70t</i>
370	IM000988	ATGTGTGTGTGTGGCATGTGTGTGCCAT TGTGTGTGTGTGAGTGAGTGTGTGTGTG TGTCTGTGTATGTTGTGGAACAGATTCC TGTGTATGTTTCCTTCTTCACACATGTTT TCAGAAAGTAAACCAGGCTATGAAGAC CGCCAGGCAGCTCTGCAAAGCAGTACTG AGAAGGTGGGACACTGCGGGGGTGAGA ACAGTATGCATGATC	p001212	R	--
371	IM000989	GATCACACTCCATGAAGCTTCTTCTG CAACAGGAAACAAATAGCAAGCAAAAC CACTGGTAATCATTATGTGGTGTCTAAC AGAGAGCGGTGACAGGGGTGGAAACT GAATGACATTTAAAAGGAGCTGGAGAT GTTGGTTTAAGGCGTGTGGGGGCAGCCT ACAGCATGGAATTGGTCCATAA	p001213	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
372	IM000990	AACCATCATGGTAGCTTCTGCTTCTCTCC ACGAAGATGGTTGTTTCCACAGTTGCCC TCTCTACAGAGTGGTCCTGTATTAAGTC ACAGGTGCCATCCTGGTGATC	p001214	D	--
373	IM000991	GATCTAACCACCCGTTTCTGCCCCGGTC TTAGATAGACCTCTTGCCCCCACGCAC CTAGACAATGGAGTAGACAAGACTTCG AGGGGAAAGAGGCTTCCCAAGATGACC CAGCTCATTTGGCTTGACTCCCAACGCCA CCCACTTACACAGTGAGTATCTCTGGTC TTTGCTGT	p001215	A	<i>Farp</i>
374	IM000992	GATCTATGTCATCTTCCAGGACTCAGAG TTAAGAGAGTTACCAAGTGAGAGCTCTC ATCACCTTCTGAAGCAGTTGAGAATTGG AACCCAGAAAGATGCACATGCACGGGC ACACACACACCCACGGGCACACACCCA CCCACCCATGCAGAGAGAGAGAGAGAG	p001216	D	--
375	IM000993	TAGGTTGTGCCTGGCCTGTGCAGGACAT GCCTATGGGGTCTTCATCCCTCTCACTTA CTCTAATGTTCACTACTGACAAGCACTA GTAAGAAAGTAGGTGCCTGTAAGAGAC TGGAGCAGCCTGCTGCTGACTTCAGCAC CTGGGAGGCCTCAGTAGCAAAGCTTAGG GTTAGCAATCCTTGGGGCTGTGGCTGGC TGAGCTCTGGGGTACCGTTTAAGAGGAA AGCTGGAGTCCAGGTTCTCCAGGCCCTG GGTGCATCCACAACCTCTCTCTCTCTCC TTTACCACTCGCAGCCTTGCTAAGGAT GAGGACCGGGACCTGGAGTTATCTGAG ATC	p001217	A	<i>Sm</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
376	IM000994	GATCTCTCCCATCCTCCTGTTGCCTCTT GTCTGTCATACCTCTACTACTCCATCAGT TTGCTGCCTCTGAGTCCCTCTTCTTCCTC TCCTATCCCTCCTCCCATCTTCCTCATCT CCAGGTCTCTCCAGGTCTTCCTTCTTCCC TCTTTTCTTCCCTTTTCTCTTCCACTG TCTTGATTCCCTTCCTTTCTCTGTTGGT CCCTTCCCTCGCACCTCTTCTCCTGTC CCTCCTTTTCATGTACCATATTTCTCTTC CTCTTTCTGTGTCTC	p001218	A	<i>Gata1</i>
377	IM000995	GATCTTAGATGGCCAAATGTTGTGAACG TTTCCTAGATGTGTCTGTGAGCACTCAGG GTTGAGAGCCCTGGTTATTTAGCAAGTG AAGTGGATGTATACACAAGCAGAAGGC TGAAACTAGACCCCGGTCTCTAATCCTA TATAAAAACCAACTCCAAATGGACAATA GAAATAAGTGCAAGACTAACTCCAGGG TCACTGGAGGGATACAAAGGGAGATGC	p001219	D	--
378	IM000996	GAATGAATATATATATGGGACTAAATGC CATGCCATAACCAAGAGAACTTAAAGA AGAAAGTGTTTAGTTATGCTTACTCTTTC AAAGAGTCCAGCTGCCAAAGGGATGCT GTCAGGAGTAGCTGAGAGCATACATCTG GACCCATTAACAAAGAAGGGATGCTTCC CCAGCAAGATC	p001220	D	--
379	IM000997	GGAGGAGGGGCACCTTCTCAGAGATC	p001221	D	--
380	IM000998	GATCTTAAAGCTAATAGGTGTGTGTGTG TGTGTGTGTGTGTGTGTGTGTGTGGTC AGTGGTAAAATTGTCTACCAAGCTCTAG GTTCACCCCTCACAGAGCCGGAGAGAA AAGGAGAAATCAACTCAAGTCAACCCA AACAAAACAAAGGACTCAACA	p001222	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
381	IM000999	GATCTGTTCCCAAATCCTCAGTTACTCTC TGGGAAATGGCTTCTGTATGTACACATG TTCTCTAGCTATGTAATAAAAGACCTCT CTTCCTTGGCAAACTTAACTCTACCTTA GAAAACTCTGATGAGTACTAGAAAGAT GACATGTTCCACAAACGTCTTAAAGTGAT TCAGGGTTCACAACAAAGAAGGAGATG CTATATTGTCTTTCATGACATAGCGTCTA AGTCCCATAGCATAACTTCTATAACACA CAAGTGGGT	p001223	D	--
382	IM001000	ACACTAGCTTCGAAACTTCTTAGTTGTCT GTCCCTGAGCCCTTTGTGGTACTTCCTCC TCAGAGCCCAGCTCCAGCAGTCCCCTTA GCGGCTGTTTTTAGCAACCACACCCTCT GACTGTGGGTTTGCTCTGCAGTGGCTTT AAGGTTTGAATACGAAATGCCTTCCACA AACAGACACTACAGAATCTTAGGTGTCG AGACAATGGGCATTTGAGAAGGAATTG GAACCTTCAGATC	p001224	D	--
383	IM001001	GATCTAAAGGGAAACCCTTGTCTTTTTG AATCTGAGCCAGCACAATATTGTATTTC CTTCAATACGTGGTGAATGTTGTATTAG CAACAATAAATGGAAGCAGGGAATCTC TCATCTCATGAGTGATAATTACAATGTCT GTCTGGAAACAAACGGCTAATCAAGTTA GTCACCTACTGTTCTTTAGAAAACACAG TACTTTGAAATGCATACCTAGCAGAGAA TATAAAGTATTTACTGTTGGACTAGACT GGGCCCCCGGGTGTGAGGG	p001225	D	--
384	IM001002	GATCTATCTCATCCTGTTATAGCCGGAA ACATGATAGCAGGATTGGGCAACTCTCC AGTCCCTTTCTCTTGGGTAAAGTCTGAA AGCAAATCGCCCGGACCCATCTCCTGTC TCTGCAGCCTGTCCAGTTGCCTCTGCC ACTCACTAACTTCACTCCTTAATTTAAA AAGCCAGCACATTTATTGACCGTCT	p001226	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
385	IM001003	GCATGTCTCCAGACTCTCAGCTGCTTCCT GTCTGCTCCTGCTGGATGCTTCATGAAG ATGGAGTGAAGCAGTGGTCAGCTTGTCT GTCTCAGCTGTTCTATGTGCATGTGTGC ACTTGCTGGAGCTTATGTGCACCACAAG CACGCAGGTGCACACAGAAGCCAGAGA TC	p001227	D	--
386	IM001004	GATCGAACACGCTCGGACTTGCTAAACG TTCCACACGGACAGTCACTGCCAA	p001229	K	<i>Nmyc</i>
387	IM001005	GATCGTGAGTTCAAGACCAGCCTAAAAT ACACAGTGAGCCTCTGTCTTTAAGAAAC AAACAAACAACAACAGCAAAAACAAAA ATATTGCTCAAGACCCAATGTTCCCTCGG ACTATTTATAGGAATCAGAGTTGCTGTT CTTCTCAGGGCATGCCAGTTAATTTGAA AGACAAGGTGTAGAGGCAAAGGAAAAG TGATTTTACTTGGATAACCACTCATGG AGCAGTCAGGGGAACTCTAGCCTCAAA GCTCTTGCAGAAGTTATAT	p001230	D	--
388	IM001006	GTAGAAGCTTTTTAGAAATACGTTTCTT ATCTATCTATCCATCTATCCACCCATTAT CATCTATTATCTATATTTAACATCTATCT AAGTATCTGTTTATCTATCTACCTGTCTA TACCTACCTATCTACCTACCTACCTATAG CGATC	p001233	R	--
389	IM001007	GATCGTGCATGCATGGGTGTGTTTGGG GAGAGGTTCTGT	p001235	D	--
390	IM001008	GTTACTATTCATCTGAGGTTCTCTTTTGT TGTATTTGAACAGGAGGAAGGAACCAG GAGCTCAAGGATGTAGCTGGAAATGCTA TAAACTGGGATGCCCTAGAGAATCACA CGGACAATCCTGCTAACCCATGGATTGT ACACTCCAATATACAAGATAACATGTTT GTGCAGGCATGCCACCATGATGTTTCGAT C	p001239	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
391	IM001009	GATCGACCGCAGATGAGGTCTATGCAGG AAAAACGATGTCTGGAATTTATTAAAA TTGCTCAGCAACTCACTGCCACGTATAC TTGGAGAGCCACTTAGGGAT	p001240	K	<i>Myc</i>
392	IM001010	CCAAGTATACGTGGCAGTGAGTTGCTGA GCAATTTTAATAAAAATCCAGACATCGT TTTCCTGCATAGACCTCATCTGCGGTCG ATC	p001242	K	<i>Myc</i>
393	IM001011	GATCGTAGAGAGATGGACCCAAATATC AGCCAGAGAATTAGACCAGAAAATGGA ACCAAAGTACCTGTCAGTCCAAGGATGT AGTGGCACTAC	p001244	D	--
394	IM001012	GTCCCCAAATGTAAACAAAATATCAAA AGAAATTGGGCATGCCAGAATTTGTTC TTCACATTAAGGGAATTCTGAAATTGAA ATCTTGCTAAGGGAAGGGTGGCTTGAGA ATATTAACAGAATCCTAGGTTGAAGGAG CAGGAATAGAGGATC	p001246	D	--
395	IM001013	CAGCTAGCCCATGGAGCTGCTGGGACAC GAGGCCGCAGGCTGAGCATAATGGGGA AGAGATGGCAGATTCATTCACCCACTTG AGGAGACCACAATTAGTCAGAGGCATG CTGGGCCTGGTCAGAGTGCTCAAATAAA CATTACAGGACCAAAGTAATAAGCATT GGTGTTACAGAGATAAATCCTTTAGCAG GGACACGGGACCCAGAAAACCGGAAG GACATCGTTCCCATCATGAGAACAAGGA CAGCAAACAGTCACTGAGGGTATACTAC TGACCAGTTCCAACAGGGATGGTCAGAA GTTGAACGCTGGATATATCATGAGCTCT GACCTAAATATTCTGAGTATTCCCATG TTTGAATGGACTGAATACTCACATTTTCT AAATGCTGAATACTGAATTTTCATAGCA ACCATCATAAGGCATGGTGGCAGAATA ATATCTCTCACTCAGAAAGCAAATATT CTAAGTTGGGGATC	p001247	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
396	IM001014	GATCCCGTGGGGACTGAGCCTGCAGCTC AGTGGTAAAGCAGATGTCTAACGTGGTA CAGGGTCCCAGATGAGATGACACAAGT ACCTGTCAGTACTCCGGGAACACTGGGT GGGACTTTTATATGTTTATTTGTATTCTT AA	p001248	D	--
397	IM001015	AGTCCATTGTGTACTGAGAGAGGAGTTA GGTTTAGAAAGCCTTCCTCAGATGTCCC TCAAAGAAGCTGCTACAACCTGCCCTCAT CCCAAGTTGCCAAGGATC	p001249	D	--
398	IM001016	AGATTGCGTGAGTTCTGATGCATGCTGG CCATGATGTGAGGCAGGGGCAGTGGTTG GATTCGGAGTCAGAAAACTTTCCCGTCT ACTGCCGTAATTCCCAGCTAAATTCTTA TCCTCGTTGTAGCTGTTGGTGAGGATC	p001250	D	--
399	IM001017	GATCCTTCCGAATCTGCCATTTATTGAAT ATTTAAAACACACCTCACTGCAGACTAA ACACATTGCAAGCACTGGGAGCAGAGG TGGCTAGTGAGCACCACCTCTAGATGGTC CTTC	p001253	D	--
400	IM001018	GATCCTCCTGCGTCTACCTTCGGGTGGG ATTGCAGGCATGCACCACCATGCTTGGC TTTGTGTGGTACTGGACATTGAACCCAG AACTCTTTGAGCACTAGGCAAGCACATC CTGAACACCAGTAAAACATTTCAAAGA GAAAAGAAAATTTAAAACATACACCTAT CTACATCCATTTCCACCATGTTAGTAAA CCAGGGACATTTTGAAGTGTGGTCTTTA TAAAAACACCCGGGTGCTTATCTCCAC GCTCT	p001254	R	--
401	IM001019	CCAGCGGTGCTCACTACTGCATGTAACC AGCTCCAGGATC	p001255	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
402	IM001020	GTCTCAAAGAACAAAATAAAAGAGGA AATTAGTAACGAGTCCTGAGAGATAGA AGAGTATTCAGCCTGGGACCAGAGCTCT GTCTTACAGTCTTGCCATTCTGTGGGGC CTGGGACACAGCATCCTTGGTCTTTAGA ATGCCATAGGCCTCCTGAGGGAGCCTTT TCTGTAGGCACTTCTCCACATTCTTGG TGGATGCGATTTATTCTGTGTGAGGGGA CTAGGGTGCTGGATGTGTGGGTCGAATG ACTGTTGTTCTGTCACCTGGGAATTGG GATAGGAGAATTCTGAGTGCAAGGCTA GTCTGCACTGAACGTACATATCGGGTT TTAAGCCAGCCTCTGAGCTACCACAGTG AGACTCTCTCTTAATAAAATCAACATA AATAGTCTTAGTATGGAGAGGTTAGGGG ATC	p001257	C	--
403	IM001021	CGTTTTCTCGGAAAATGTGAAAAGAAG AAGCACGAGACGAAACCCCTCGAGAA TGAGAAAATTAATCTAGAACCCAAATG GCGTCCAACAAGAACATTAGCTCTTGAA AATGAATATTGCGCCTGCGCAGCCACCG CCCGGCCAGCTGCTCAACTGCAGCTAGA GCCCCGACCCCAAGCGATC	p001260	C	--
404	IM001022	GTGTCACATGTATGAACAGCATCACATG GTATGAATGGTATCATATGGTATGACGT GAATGTGTGCACCGGCACTGATC	p001262	D	--
405	IM001023	ATACCACCCACTCCCTTAAGAAATGATC	p001263	D	--
406	IM001024	GACTGATATTAGTAGGTTGTTCTCTAAG GGCCGTGAAATTTTATAGCTAGAAGTTCT TGCTTTCATTAAACAGTGCCAAGTATGAG TTCCATCTCATGGGGTGGGTCTTGAATA CAATCAGAAGGTGGTGAGTTATCGCCAT AACATCTGTGCCGCTATTGTACCACTGG ACATAGTTGCCAGGCAGGCCATTACTGT AGCTCTTAGGTCATTCTGAAGCTCTCT GGGGTCTGTTAGGTGAGACTGATGATAA CTCTTCTCTCCGTTAGTGACACAGCAC CTTTTAGCACTATGAAAGCGAGGCAGTA TTGATC	p001264	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
407	IM001025	GTTCCGATGTTTGTATCTCGTTTGAATTA TCCATCAGTTGATTAAGTTGATGGTCAT CTAGGCTGATTCCCCTACATGGCCATCT CAATATTGCTTCTTTAATAAGACCTGGA CAATTAACAGCACCAGTTGACATGCCAA CTTGATTGGGGGAGGGGTCTTAAAGGG CCCCGCCCTTAGATGAAGAGCTATACGC AATTAATGACTGTCAGAAAAGGGAGAAT GGCTTTCCAGAGATGAACCCCTAATG GATTACCCAGTACCAAGTGATC	p001265	A	<i>Rad52</i>
408	IM001026	ATTCAACCTATGGGGCCGTTAGACCCCT GGTCTTGGGTGGGTGGATATGTTATTC TTTTTTGCTGTGGTGGCAGCAATTTGTT TGCTTTCTTGTTTTTGATACAGTTTCTC GTCATGTATTCTGGTTGCCTGGAATTC ACTTCTATAGACCAGAATGGCCTCAAAT TTACAGTGAACCCCTGCCTCTGGCTTC AGATTACTGGAATTACAGGTTTGTGCTA TCTCACTAGTTGGTGTGTGATC	p001266	C	--
409	IM001027	GATCAAGTCCCCAGTTAAATGCTTTCTTT GATAGGTTGCCTTGGTGATGTCTCTTCAT AGTAATAGAAAAGCAACCTAAGACAAG AGGAGAGAGTGGGTTTAAGAACGAGGA GAGAGAGGAACTCAGAGGGTCTCTGGAG GTCCCGGGAA	p001267	C	--
410	IM001028	CTCACACATACATTATACATACACACA CATATATACATACACACACTTGCATACA CACAGCACACACTCACACACAGAGACA CACAGACACACAGACACACACAGAG GAACCCAAAGGATTGGAAGAATAATTTC CCGTGCTCAGCGGGAAAGTTTACCAGAA AGACAAGTGGTCATGTGGGATGATC	p001270	C	--
411	IM001029	GATCATCACCAGTGTAAGTGTGGCTTTA ACGGTGCACGCCTTTAATCCTAGCACTT GGGAGGTGGAACAGGTAGGTGTGCTT ACTTCAGTGAGTGAATTCCAGGCCAGGC AGGGATACAGAGTGAGAACCTGTTATCT AAATAAATAAATAAA	p001271	C	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
412	IM001030	CACCCACGGCTTGCTTCTTTCTCTATGT GTAATTGAAGCACATACCCGGTGGGAGC CATGTAAAGCCTGTGTCCATGATC	p001272	D	--
413	IM001031	GATCATGTGTTAATGAACTGTCAGGGG TTGGGTAAGATGGCTCAGTAGGTAAAGG CACTTGCCCTCCTAGCCTGGAGACCTGAG GTTCCCTCCTGGGGCCACAGGAAAAGG AGATAACCAGCTCTCTGTCTCTGACCT CCTGGGCCCCCTCCCTCACAAACAAACAA ACAAACACACACACAAACGACCAGACC ATTTCCACAGTAGCTGTGGTGCGTTAC ACTGTAACGGGCACCATGTGAGGGTTG GGCTTTATCACATCTCCGCTAGTCATACT TGGTGTTTCCTGCGTCTTGCTTACAGTTG TTCTAATGGGTGGGCGGTGATATCGAAT TGTGGTTTTAGCATGTATTCCTGTGCTC TGCTAAGACCACTTACAATTACAG	p001274	R	--
414	IM001032	CCTTAACGCTCCCTTGATGTCCACTCCCG TTTTCTCTGCAGCGATTTATTGCTTAGTC TATCTATAAGGTGTATGCAAGCTGCAAA GTCAAGTATTTCCCTTGTACTTGAGCAA GTCTCCTAAGTATTATGCTTCATAACGTT GTGATATGCTTGAGCAAATTTGAGTCTA TTTCATAATTAAGCCACTGTTCTGATAA AAGACCCTAGAGTGCTATATCTGATC	p001277	D	--
415	IM001033	AAAAGAGTGTGATGATGTCAGAACTGACT AGCTGGGCTGACACTGAGGAATGAAGG TTGGGGATATATGCACCTCCTGAAAACA GGAAGCCTTTTGTGGTTGATC	p001279	D	--
416	IM001034	GATCAACCTTAGTACACAGCAGAGTGTT TTCTGGGAAGCTCATGGAGACCCACTTT TGTCATCCCATAGAGGTTACTACAAATC TGAGCATGAGAATAACTACTTGCTGTTT AATACAAAGAACCATTAGCAGTCAATGC CCCAAGTTCTAAGGGCACAGACTTCATA CGAGAAAAAAAACAAAGCAAAACAAA AACTATCACATGCTACTATCTGTACTGG GGAATGCATACAATTTGTAGGTAT	p001281	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
417	IM001035	GATCAGTAGAGAGCAGAGGGGTCTATG AGGGAGGTAGAGCAGCCTGGGAGGCCT GAGGAAGGAGGGACAAGGGCAGAGTCT TGGTCACTCTTTGGTCTAATTGCCTTCAG AAGGCTTGCAGACTCTGGTTTGGAGTTC CAGGTGGGTGGCTG	p001282	C	--
418	IM001036	CAAGTAGGGTTTGTGTGTGTGTGTGTGT GTGTAGCCAGTGTCTTTCTCAATCACTCT CCACCTTAATATTTTTTTTGGACAGAA TCTCTCACTGAACCTGTATGCTGTCAATT TGTCATGGCTGACTGGCCAAGGAGCCCG AAGAATTTATCTCTATGCTCAATCCAAC CCCCAGATC	p001285	R	--
419	IM001037	GATCACATGGACCGATTGCCGCGGGACA TCGCACAGGAGCGTATGCCACGATAT CGTGCGGCTTTTGGATGAGTACAACCTG GTGCGCAGCCCACAGCTGCATGGCACTG CCCTGGGTGGCACACCCACTCTGTCTCC CACACTCTGCTCGCCCAATGGCTACCTG GGCAATCTCAAGTCCGCCACACAGGGCA AGAAGGCCCCGAAGCCCAGCACCAAAG GGCTGGCTTGTGGTAGCAAGGAAGCTAA GGACCTCAAGGCACGGAGGAAGAAGTC CCAGGATGGCAAGGGCTGCCTGTTGGAC AGCTCGAGCATGCTGTCGCCTGTGGACT CCCTCGAGTCACCCCATGGCTACTTGTC AGATGTGGCCTCGCCACCCCTCCTCCCC TCCCCATTCCAGCAGTCTCCATCCATGC CTCTCAGCCACCTGCCTGGTATGCCTGA CACTCACCTGGGCATCAGCCACTTGAAT GTGGCAGCCAAGCCTGAGATGGCAGCA CTGGCTGGAGGTAGCCGGTTGGCCTTG AGCCACCCCCGCCACGCCTCTCCACCT GCCTGTAGCCTCCAGTGCCAGCACAGTG CTGAGTACCAATGGC	p001289	K	<i>Notch1</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
420	IM001038	GATCTAACTCAGGCTGTTTCAGCTTGGCC AACAAGCTCAAATATCCATTCCGCTGTC ACATCGGGCCCCATGTGATGCTTTATAT ACTAAATAGAACAAGCAAATTGATACTA GATGGGACAGTCTGCTTACCCAGTTTGG TGTTTGGTGGGGGAGGTGAGACATATCC CACAGTCCCAGAGCAACTGTCAGTGCAG GGTCCCAGGGGAGGAGCCAGGTGTGAA GCTGGCAGTGTGTGAGGTACCCTGGGGA AAATGAATGGTTACT	p001292	D	--
421	IM001039	AGGCCTGGTAGTGACCAGCAAGTACTGA ACGCTCGCTCTATGCCAGACACAGACCC TCTTCTTCCTTCGTCTTATCCTATTATCC ATACTGAACAGACAAGGAAATGAAGGC TTAGATGAGTCACCCGACTTGCTGAGAT C	p001293	D	--
422	IM001040	AGTGGGGCCTGAAAATCACATCTGGGCA AACCCTGAGGCCTGCCAAGTCCTCATCA GAGGGATGCCCTCTTCATCCCAGGTGCT TTCTGACTATAAAATAAGGTGAATACTA CCTCCCCTGAGGTTACACCTCCAGGGTT AAGCTGGTTAGAGAACCCAGGGACACA CTGGGAAACAGCCCACAACAGCAGGAG CTGGAGCACTCACCCACGGATGTCCATG GGGTCCAGCTCCCTGCGCTGGCGCCAC CACTGGTACCAGGAAGCAGTGAAGAGG TGGCCCAACCCACTGTAGAGCGCTTGAT TGGGTGCTTGCGCAGCTCTTCTCGTGG CCATAGTACGGGAAGATC	p001297	K	<i>Notch1</i>
423	IM001041	AGTGGAACCAGATTCTCCTACGCTTG CACTCCACTTTCGTTTTCTCTTCTGTACC ATTCTAATGGAGGCCAGAGTAGCAACTG TATAGACAAATCAAATCGTTTACTCTTC CAGTCTTGCCCTTAACAGTCTTTCCTTT GTTCTTCTCTTAGCCTCATTTTCTCCTTT CTCAGATC	p001298	B	AI604147

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
424	IM001042	GATCTTCTGCTTCATCTGAGTAGGCTTA GACTGGTTTGTATTATTATTATTACT TGTTGTTGTTGTTATTTTGGTGGGAGTAG TAGTAGCAGTAGGTGTGTGTGTGTGTGT GTGTGTGTGTGTGTGTGTGTGTGTGTGTGT GCATGTATATGGAGGCCAGAGAACAGC TTCTAGCGGTTGCTTCTCTCCTTCCTTCC ACTGTGGTCCAGGGAATAGAACTCAGGT CATCAGGCTGGGCAGCTGTACCTTTAA TGCTCTGAGTTATCTCACCAACGTTAAT AAAAGGCTTTTCAAACAGCAGTTTGGGC TGGGCCTGGTTGTGCAGACCTGGAATTG CAGCTTCTTAGGATGCTGAGGCAGGAGG ACTGGAAGCTCAAGTTGTGTCGGGGAAA CTTAGTAAGTCCCTATTCTCGTCCCGCAC GCCCCAAAAAGCCAAGACCAAGACCA AGCAGTTTGGTACAGCAGAAAAAGCAC GAGAGTCTCCTCCTCCTCCTGCTCCTCTT TAATGATGCAGAACCC	p001300	R	--
425	IM001043	GATCTGTGCATTATTCTGTTGGAATGT GACAAGATTCTGTTGAGAATCTCATACT CTATGAACTCTTAAAAAAAAAAGGTTTC TGCTGTTTTGAGACAAAATTACTTATAA AGGTTTATGATGTAGTTAAGGCCCTGAA TGTCCCCAAAGACATGTGTGTGAGGG TTTGGTCTCCACTCCGTGGTCTTTTGGGA GGTGTTTTATGTTAGCTGGTGAGGCATA GTGGCAGGGGAGGAGAGTTGGGTCATA GTCCTTTTGAAGAGGCTATTACAGGCTCT GGTGCCTAA	p001303	D	--
426	IM001044	GATCTGACTGTGATAGGAGGGTCCTGGG GCCACCCTGACATAGGCCTGGTCTATGA ATGCTCTCATGGACTGGGCCTGTTTGTC A	p001305	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
427	IM001045	CTGCCTCTCTCCCTGGTCCCTCTCTGAGG TTCTGGACCCTCAAAAAGGCCCTTTCCCA CCCCAGCCTTCAGGCCTGTAACCCAGCC TCGGTTTCTCTCCATTGCCAAAGCACA ATGGCTGTTATAATTAACGGATTATCTC AGCGCGACAGCTGCGCCCCTTTGAAAAT TAGGTTGAATAACAAGATC	p001306	C	--
428	IM001046	GATCTTGGACCACCACGTCAAGCCTCTT GTACATTCTTTGAAAAACAAAGCTTGG TTCCCCCTAGTCACCACGGTGAAAAAAA CCCAGGACAGTAAAGGTCCCAA	p001307	D	--
429	IM001047	TTAGTACCTCTGGTGGAATCACCATGCC TGACCTAAAGCTTTACTACAGAGCAATT GTGATAAAAACTGCATGGTACTGGTATA GTGACAGACAAGTAGACCAATGGAATA GAATTGAAGACCCAGAAATGAACCCAC ATACCTATGGTCATCGATC	p001308	R	--
430	IM001048	GATCGCACCGATTGCCAGTATAGTACCT AGAGTGTCAAGTTGGCCTCTCAGGGAAG AGAGAACATGTATTAGGGTAAGACGCA AGCCCCAGTAAAAACATGTGAG	p001311	D	--
431	IM001049	GATCGCTTCACCAAGTGTGAACTGTTGG TAGGGACAGAGCAGACCACAAGCCCCT CTTTGCATTACATGGGGGCGTCCTAGT GTAGGTGGCTAGGGATGGTGGACAGGA GAGGAGGGAAGACAGTATCACATAAGA ACAATAGTGGAGGGCAGGGGAGGAAGC CTTCTCATGGCTGGGGTGAAGTCACTTC CGTAGCCAGAGCTGACTGAGAATATCAC TGCTTTCCTAGTAAGGAAACACCGGAAG TCGGAAGATGATAAACGCGAAACTCACT ACATCATAGACACCATTCTGTCTTCATC AACAGAGAAATTTATAA	p001313	D	--
432	IM001050	GATCGTCCACTTCTGTGTTTGCTAGGCC CGGCATAGTCTCACAGGAGAGAGCTATA TCTGGGTCCTTCAGCAAAATCTTGCTA GTGTATGCAATGGTG	p001316	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
433	IM001051	AGGGTACAGCGAAGCTTGAAAAAAGCA AGGAGTGCTCTGGGACCGGAGTGATG GAGAAAGTCTGAAGCCCCTTTGCACACC CCTACAATGGGTTTGCGCCAAGAGAGGC GCCGGCAACTCTACGCGGCGTGGGGCTC TCCCCAGCGCTCTAGGTTCTACTGTGCT GAGCCACACTAGTTTCTCTCCCTAGACC TGAAGAGACCCCAGAAGTCTGAGAGTC CCTTTGGTTCTCCATCTCTACCAACCCCC CACTCTCGTGCTTTAACTCTGAGGAGGG CCACTCAAGTTCATTCTATAAGAACAAGG GCTTTGCTCTTAAAGGAGCCGCATACCG AAAGCGTTTGTGTGACTGAGGGTTCACA TGCACAGAGCTCCGCGTGTCTCGACATC CTCTCTCTCCGATC	p001317	D	--
434	IM001052	ATCTCAGGAAACTCCTAGCAGCTTTAGT ACGCATCGTGCTGTTTCCAGCTGTGCGT ATTTTACACAGGTTTTGAGCGATC	p001318	D	--
435	IM001053	CCTTCAGGATTACTTTGGATGATTCAATTA GAGAATCTTGTCTTTAGACTATAAAGCA CTTGTTGAACAAGGTTACAATGTAGCAA GCAACCTTGTTTTGGAATGTATTTTGCTA CATTGTGCTCTTCCCTGGTCTGGTGCTTT CATTTACATATTTTGTCTTAATAGAAG TAGGGTTCACTGCTGGGGATTTCATTG CTGTTTTCTCATTGACCTCTTGAGCTGA AGTTATTCTTATTAGAAAGTCAGGGTAG GCGATC	p001319	D	--
436	IM001054	CCAGCAGGCAGCGAGACGCATTTTCGCG TGGCGGTGGTGAGCTCTCGTTTCGAGGG GATGAGCCCCCTTGCAACGGCACCGGTTG GTCCACGAGGCACTGTCGGAGGAGCTG GCTGGACCGGTACATGCCCTGGCCATCC AGGCGAAGACCCCGCCAGTGGAGAG AAAACCCACAGTTGGACATTAGTCCCCC CTGCCTAGGTGGGAGCAAGAAAACCTCG AGGGACCTCTTAATAAATACCTGGATTG GGAGAACGATC	p001321	B	Mm.1045 31
437	IM001055	GTTTTTCCTGCATAGACCTCATCTGCGGT CGATC	p001322	K	<i>Myc</i>

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
438	IM001056	AAACTAGGAAAGGGTATAGCATTTGAA ATGTAAATAAAGAAAATATCTAATTTAA AAACAAAAAAGAAAGACAAAGGAAAAT TAAAAAAAAAAAAAAAAAGAAACAAAAG CCACTGCAGGACTGCCCAACAGTCTACT GAAAACTGTGAGCCTTATTCCTAGATGA GCCTCTGATGCCTCCACTTACAAGCTAC CTTCACTCCTCCATCTATCTCCTTTTGT ATGTCCCGCGATC	p001324	R	--
439	IM001057	GATCGGACTCGAAGAGCAGAAGAAACA AAACTCAAAGCAGGGATTAGGTCAAAA TTAAAAAGGGTTTGCACACAAAAGGAA ACCATCCGAAGAGACAACCTACAAAGT GAGAGAAACTTGTTTTGAAC	p001325	D	--
440	IM001058	GTCTGAGAAATTGCTTTAATGTAGTGA CTGTGGAGCCTTGCAGGGATACCCACGA TGGGGGTGTCATTATGTCACCTGCAC CTGGAAGACCGATC	p001326	D	--
441	IM001059	GATCGCACAGCCTGCTTTCTCAACAGTA GGTAGGACCAACAGCCTAGGTGGCACC ACCCACAGTGAGCTGGGCCTTCCACATC AATCATCAATCAAGAAAAATAGCACAA AACCCTTTCCCGAAGGCCAATCTGCTGG AGGCATTTTCTCAGTTGAGATTCCCTCTT CCCAAATGACTGCATAAACTTGTGTCA TGTTGACATGAACTAGCCAGCACAGGG TGT	p001327	K	<i>Pvt1</i>
442	IM001060	GATCGGGTAATTTAGTAATAGTTCATGA TATTCATTACTCGGCGTAAATCAGGAAA AACATTTCTAGATGAATGTGGTATTCTC AGTGCACAGTTTGTTTAGTTAGAAAAAC AAAT	p001328	D	--
443	IM001061	GATCGAGGAGGGGAAGTCCTTCCTTCCT TCCTTCCTTCCTTC	p001329	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS . {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
444	IM001062	GATCGGGGGTTCAAGGTCCTCCTCGGGG TACCTATTAGGAGGGCAGCCCAGGCTAC GTGAGACTCTGTCTCAATAAAAAATAAAA ATAAAAAGCTGGGTGGTGGTGGCGCAC GC	p001330	R	--
445	IM001063	GATCGACCTGCCTCTGTCTTAAGCAAGA AGGGAGATAGATATGCATAGTATTTAGT GTAATGAAAGTTACGTTGTATTACGCTG AGGTTTATCACA	p001331	D	--
446	IM001064	ATCTAAGTAGTATAATGTTAAGACGAT C	p001332	D	--
447	IM001065	GATCGTCGTCTAACTTAGCTGGCTTTAT AGTGATATAACAAAATATTAGAGGATGC TTTGGTTGAAAAAGAAGTTTATTTGCAT CACAGTTC	p001333	D	--
448	IM001066	GATCGAACACGCTCGGACTTGCTAAACG TTTCC	p001334	K	<i>Nmyc</i>
449	IM001067	GATCGTCATCATTTTTATAACAGTAGTG AGGAGATGTCCCCTGGGGCCGCCCTGGC TCTGGAGAGGGAAGCCACATGCTCCAA GGGGCTATGGTGAGGACCACAGCCTTTA CATTTGGCTT	p001338	D	--
450	IM001068	GATCATGCACTGTCTGGGATAGTGATGG GCTGTGTCCTTTGTTGGCCAAGAGGAAG TGGCAAAAGGCAAAAGTTGCTGTTGGCTC CAGGAGTCAGTCTGGGGACGGGGCTGA GATGCTGTGGGACAGACTCTGGAAAGG GCAG	p001339	D	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE " \L 2}	CLASS {TC "CLAS SIFICA TION " \L 2}	GENE {TC "GENE " \L 2}
451	IM001069	GATCGTGGCCACTGAGAGACCTTCTTCT GGCCACCAGATGCACACAGCTGCATGA ACATCTGCATACACATTAAACACATACA AAGTTGAAGAGAAGCACGTGTGTCTTGT GGTCTGACCACTTCCTGGGCACCACCAA GCTGCTCTGACAACGGATTCCCCTGAGG TTCGGCCATCTTGCTTCCTCCCCTCAGAG TTTGCCCATGTCCTCTGTCTTTTCATAGC CACAGCCTTGCCCAAGATAAGATACATC CAACTGTACAGTGCTCCAT	p001341	D	--
452	IM001070	GATCGTACCAGGAGCTCCAAGCGTACCC CTGATGCTACAACCTCATTCTGAGCCT TGATTCTGTGGACTCTAG	p001342	C	--
453	IM001071	GAACAAGGAAGGAAATAAAGAATAAAG GACATCTGACACTACCAAAGTTAGGTCA GGATGTGTCTTACAGATGGCCACTCAAC AGCCTATAGAAAGCACCGCACAGACCA GCACGGTCTTTTCTCCAGGTGTCTCTG AGGTACTGCTTCTTTCAGGGATC	p001344	D	--
454	IM001072	GATCCCGAGTCCTTTCATCCTGTGGTTCT ATTGTCCCCTAGGGCTTCAGCAGGCAGA AGGAGAAAGACACTGTAGAGCAGCCCC CAAA	p001345	D	--
455	IM001073	GATCCTGGGATTTTCTGGGCAATTGGAG GCCACAATTTAGATAGTTTCCGGAATCG ATGTCCCTTAAAGACCAGCGCCTGGACT CTACTGAGTAACTCCCATTCAACTTC CTCCTCTCCTCTATTTGAACAACGTGTA TCATTAAATTATAAAATTGTTGTTGTTGT TGTTGTTGTTTCAAAAATTAACCTTATTG GGGGAGGGGCAGTTGCCGAGGACAAC TTGTGAGAACCAGGTTTGCCTTCCACA CTTAGGGGTCCCTGGAATGGAACCTATG T	p001346	R	--

SEQ ID NO:	MUTATION	SEQUENCE{tc "SEQUENCE"}	CLONE {TC "CLONE ".\L 2}	CLASS {TC "CLAS SIFICA TION " .\L 2}	GENE {TC "GENE " .\L 2}
456	IM001074	AGAGGAGAAATGGGGGTGCGAGAGGAC AAAGTCTGTGCCCCACAGCGCTGGGGCC AGAGCCCAGGAGGGCCTCATGGGAGAG GTTGCCTGAAGGCAGTAAGAGAGGCAG AGGATGCTTGGGCCAGAGAGGTTCCCCA CAATTGCTTGGATC	p001348	D	--
457	IM001075	GATCCCAAACAACCTGGAACAGGGGTTAT CCCAAAGCTGTTCCTG	p001349	D	--
458	IM001076	GATCCAACTCCTCTTCACAAAGAGACTA TGTGCAGGATGGAGAAGAAGATGTATC CAAGCATATCCTGTGAAATTTATGTCAA TGCTGTGAAATTTGTCCAGCACTCACA ATCCAGATTCTGCTTTTAGGTGGCTTT TTCTATTTCAATTTCTTCTGGCTTCATAGA AGTTTGAGGTGACATTTTAAGACCTGT GCCACTAAAATTCAGACCCTATTTG	p001350	B	Mm.1238 02
459	IM001077	GATCGGTTAGTTTGACCAGCCATACTAT AACTTTAGTGCAACCCTTTACTTGGTGG GTGGTACTAGGAATTAAACCCAGGACCT TCACATATACTACTATCATTGAGTTACA TTTCTAGCCCTTTTAACCAATTTCCCTTT AACCCTTTTATCCTTTG	p001351	D	--
460	IM001078	CTCAAGATTCTGTTGTCTGAGAATCTCTC CCTCTGCTTGGGGACCCATTTATAATGA GGTGATACTTCATCTGAAGTAATGGCCA GGCCACGGTGTGAGACTCTTGAATGTCA CATGCTGGATC	p001352	D	--

Breast

TABLE 2

SAGRES #	SEQUENCE{tc "SEQUENCE"}	SEQ ID #	CLASS.	GENE
IM000127	CATGTGAGACTTGTTAATTTAGATTT ATTCTGTAGTGTTTTTGATATGAGTAT AAATAAGACAATTAAATTCTATATTA GAAAGTGGCTTTTTACATTGAATATG CTTTCAGGATATGCGTGAGAATTTGG CGATGTGTAATC	461	D	--
IM000128	CCTTACTGCAGAGATGACTCGGCCAA CGGCTNCGAGCTCCTGACCACTTCCT CAGGTTTGTTTTGTTAGTTTTTCTC ACAGCAATGGGAAGCATAATCAATA CAACTCCCAGAATGCGACCTGTGAC AAGACCAATGAGCAGACTCAAGGCT GGGCACATAAAAGCACCAAAAAAAA AAAAAAATTCCCTTGCAATTATTGTT CATG	462	D	--
IM000129	GCTGCTCATCACCAAAGGAAGTCAGG ACTGGAACTCAAGCAGGTCAGGAAG CAGGAGTTGATGCAGAGGCCATG	463	R	--
IM000130	CATGGCAAGATGGAGACTTTGTCTAC CAGGGCCACTCCAAGCACCCAGCTG	464	K	<i>Fgf3/Fgf</i> 4
IM000131	GTGAAAGGGCAGAAATAATTCCTGA AGGTTGTCCTCTGCCTTCTACATG	465	C	--
IM000132	CATGACTATGTTTCTTTTAGGTATATC TGAATAGTATGGATCTAAATGATGAA GTTACACCATTTTCTACAAATGGGCA CAGAACACAGGGCATAGATACAAAT GGCAAGGTGAACCCAGATCTCTGTGC TTATCTGCAATATAACAACACTAAGA AATATTAGGTCTCTCTGTGGTTTTCT TAAATCTA	466	D	--
IM000133	GTATTTCTGTCAGAGGAAAAGAGTT TTCAAAAACTTTTAAAATTTTATTT GTTAGCCTGGACCAGTTTCATAGCAA CCTGTCATCCATATCCTCAGATTCCT TATGAGTTTGTCTGCCCATTAAGATC TTTAAAATGGTTCTAACAGCTTACTT CATTGTTCAATAGTAAAGGGTTTATA TCTACACTTTGATATTTGCTTACTCCA TACATG	467	D	--
IM000134	CATGAGATGAAAAAGAACCTTTTGGA CTTGAATTTTGTTGCTTCAAATGCGTA CTGCAGTTGATGGAAATT	468	D	--

IM000135	AGGGTCCCTTCAACTTCCTCAGAGCC AAGGCTGACTTACTACCGTTCCCCAA GATCTCATG	469	D	--
IM000136	CATGCCTCTGGAAAGTACCTTAAACA TAGAATCCCCTCCCTAGTG	470	K	<i>Myb</i>
IM000137	CCAGATCCCATTAACAGATGGTTGTG AGTCACCATG	471	K	<i>Wnt1</i>
IM000138	CATGACTTCTTTTCAATTTCTTCTGTGTG TCTGTCTTCCTGTGTTTGCCTGCCCCCT CTCTTTCTCTTCTAACAGCCCCCTTGA ACCAACTGATGCGCTGTCTTCGGAAA TACCAATCCCGGACTCCCAGCCCCCT CCTCCATTCTGTCCCCAGT	472	K	<i>Braf</i>
IM000139	CATGGGAATGTAATGTATTAATGAAT ATTATATAAAAGAGGCTAAATAGCTT GGCTTTAATTTCTCACTTTGCCTACTC AATTGAGAAGTTTATGGATCACCAAA AGT	473	D	--
IM000140	CATGTCCTTATTCTAGGAAGCCCCCT TTTTTACCCCTGCCTCTGAGAGAAAC AG	474	D	--
IM000141	CATGAACACCCAAATCCATATGAATA CACACATAAAATATTTTATTTTCTCTA TAATTTATGCCACC	475	D	--
IM000142	GAAAGCATTGAAATATACTGGCCTTA TTAATGGCACATG	476	D	--
IM000143	CATGTGCACACACCCACAAATGACC TCAGATGTCAGTGGTACTGAAACTGA GAAACTGATGATAGAGCCAGTAAAA ATACTGAAAGTGCCTGTTTTGAGAGT TTATATTTTACAATACTTTAATATCTA ACTACACACACATACACCTGAAAAG GGCTCAGAATACACAGGCCTGAGAT GGCTCTCAAGAACCAGCCTC	477	D	--
IM000144	GGCCTTCCACTGCTCAAAGCTCAGAC TGCAGAAAAGGTTGATAGCCTCCCAG GGGCAATGACACCCTTTCTGCTTGAG CTTCCCCCCCCCCCCCTCTCAGGATGT AGTCATG	478	K	<i>Wnt1</i>
IM000145	CATGCCAGTCCACATCTGCTTCTATG ACAAATGCCACATCCCAACGACAAA CTCACTATTCTTCCTGTATCAATTTA CGCATACACATAATACTTTTGCTCAA GGTACATTCATATTTCCGGCAAACAG ACAGCTATAG	479	D	--
IM000146	CATGTCACTCACTTGGAGAAAGAGTT CTAATTATTTATCACGGCATTTTTTAC AACTATAGAAATAAAGTTAATTTCTT	480	B	Mm.605 52

	TGGAAATAAAGTTGAAGTTGTAATTT CCAGATGGGCTCAGGTTGCTGTT			
IM000147	CTCCTCCTAAAAGAAAAAAGGAAAA GAAAAGTTAAACCTGCAACAGCATC AGCAGAGCTCACCCCTCCTCACCTGC AGCCCTGGTTGCCTCTCTTCCTTTTCAT G	481	D	--
IM000148	GAAAACACTGTTCTGGGTTTCAGGGGT TACTTAGCCTTGAATCAGAGTCTAC CCAGAGTCTACCTGCTTCTACCCAAA GCAGGTGGAAGAAGCTGCCCAGGAC GGGGCTCAGAGTCTACATTTGAACTC CCTGTGCCAAGAAGTCTGGATAGAGT ATAGTGTCTGTATATTCTAAACTTTCT GGAACAACCCCTGCTTACAATACTCT TTCCAACCTCTCAGGCCATG	482	D	--
IM000149	ACCTCTGTGCCAGCTTCTCGGACATT TAACAACTCTGGATCATG	483	K	<i>Fgf3/Fgf</i> 4
IM000150	CTGGCAGTAACACACTTAAACTGCTA GCACCTGGGAAGTGGAATAAGATC AGGAGCTCAATCAAGGTCATCCTCAG CTAAACAAGACCCCCCCCCAAAAAAA AAGAAGAAGATGGCCTAGAAAGAGA ACTCAGCAGCTGCTGATCTTACAGAT GACTAGAGTTTGGTTACCAGCACCCA CATG	484	D	--
IM000151	CATGCCTGGTCCCTGCTGAGTGCAGA AGAGGGTGTGAGATTCCTTGGAACTG GAGTTATATACAGTCGTGTGTCCTG TGGGTGCTGGGAACTGAACCTGTGTC CTCTGCAAAAACAAGAGGTCTTGGTT GTTGTTGTTTTGTTTGAACAGGGTTT CTCTATGTGGCCCTG	485	C	--
IM000152	GCAGGAGCCCTTGTGCAGGCCACAAC CTGCACAGCTGTACAAGGCCTGCCTG ACTGCCTGAACAGATGTGTGGGATCT TGCCCCCTTGTGCAGGCGTACAGAT GCAGACTGCTCAGAGACACACATG	486	K	<i>Fgf3/Fgf</i> 4
IM000153	CATGGGCTAGACCTACACTGAGTTGT GCTAAAGAAGTGAC	487	D	--
IM000154	CATGTCCTCCACAGCTGAGCACCCCTC AACTGTCTCCCAGGGCCTCTGTTCTA TCCAGGGTCTGCAGGGTCTCTGCCCC ACGCCTAGCCCCTGAGAAATCTTAAG CAGTCTGAAAACCTACGCCACTGAACT GCTAAAACCCTGGAGTCACTGATGGA A	488	K	<i>Fgf3/Fgf</i> 4
IM000155	TAGTGCTAGACTCTGCCTTTTCACCTG GCATAGATTCACCTTTTCCAGATAT	489	D	--

	CCAGGGCACTTGCAAAGAAGCCAGG CATCATCAGGGGTTTGGACTTCCAGC CAGAGTCTGAGTTGTCAGTTGAATGT GCTGCATTTTGTGGATTTCAGCCCCA GTCTCCCGACTCTTTGTGAGTTTAGG ATAATAATCACAACAGCACCCCTTCT TATTTGATGGCTAATAAGCTCTAGGC CAGTGTCTTAGCTCCATTTCATG			
IM000156	CATGTATTCTGAGAGTAGAATTTATA CCCAGAGAATACCTAAGAAGTGAAC TGACGCCGGGCGTGGTGCCGCACGCC TTTAATCCCAGCAGTTGGGAGGCAGA GGCAGGTGAATTTCTGAGTTTGAGGC CAGCCTGGTCTACAAAGTGAGTTCCA GGACAGCCAGG	490	D	--
IM000157	GCCTGGTGTGGTAGCTCACACCTTTA ATCCCAGCACTCATCTCTGTGATTTG CTAGGCCAGCCTGGTATACACAGTGA GTTACACATCAGCCATG	491	K	<i>Fgf3/Fgf</i> 4
IM000158	CGACATCCAACCTTCTGGAAGGAGAG ATGGGAAGGGGCATTTGGGGTGCTA GGAAGGGATGGGAGGTGTCCCTAGA GCAGTGCTCATG	492	K	<i>Wnt3</i>
IM000159	CATGAAATAATGCCTTCAGAACTGCA TTAGAAATCACAAATAGCCCTGAATG CCCTCTAGATGCTTTTCTTGAGAACA ATTATGTGTTAAAGTCCTAAGGCCCT TGTCAGCCCACCATATGGAAAGGGA GAACTAACTGAAATGGGAGTT	493	D	--
IM000160	ACTGACAAGAATAGAGAGAAGTTCA GTCATG	494	D	--
IM000161	GTGTCCTGCTCCTGTCTGGGTCAAGG TCATAAAAGATGAGCCAAGGCTGACT TCAGTGCCACCTGGGGAGACTGATG TCTTCACAGGAATGCTCACCTGGAAG GTGTCCTCTGGGTGCATCTGTGTCAC ATTCGGTATAGAAGGAAGAATGCCA ACAATACTCTAAAAATATTAGAGGCC TTGAGAGTCCTCAGTGGTATTCCACC AACATCAAAGCTGCATCGTAATATGC CAGCCTGGTCCTCACCTTTCCTGCCCT TCCCAGGAAAACATCAGCCTTTAACC TCAGCCCATAGGGGACATG	495	D	--
IM000162	AGGATCTTATAAAAAATAACAGTGACC CAAAACATAATTTTGGCATCAAGAA TCTCAAAATCAAGTCTCATCCAAGTC TACTCTTCTTATTGTATCTTAAACAC ACACACACGCACACATCACACAAGC ACACACACAAGAATTCACACACATAC ATG	496	K	<i>Wnt1</i>

IM000163	CATGGTATTCTGATGATAGTACCAAC ATACTGCTGCAGCTAGCTGTATCTGG AAATCCCAACCTCAGCCAAGTATTTG TGGTTGAAATAACCTATACTTCTCAC ATCAAACAC	497	D	--
IM000164	ACTGTGACCTGAGCACTTCTTGTCTT ATCAATAGCTCACGTGCCAGGCCGG GTGACCAGTCTCTAGGATGTTCTCCA TG	498	K	<i>Fgf3/Fgf</i> 4
IM000165	CATGCACACAACTGGCCCTGAACTT TTGACTTCCAGGCCTCTGCCTCTCTGC GCGCACACACACTCGCACTCCTGT ATATGAAGCGTATATGTGTTTCTCTG GGAAGTGTTCCTATCAGGTGAAGCAC TTCCTTTGTTCTTGCTACCCACCTCCA GGGCTCCAGGATCTCCAGACAGCCAA CCCTAAGACAGGCCAGCTTCCTCTG TATCTCTGTGATGAGAACCTTGGCAT AGAGCTGCCCTCACCCTCGGGATAGG GCTTATGTTCCCGGAACGAGCCAGG CACCTCAACAGCTCCTGGGGAGGAAT AGGGGACT	499	K	<i>Fgf3/Fgf</i> 4
IM000166	CATGGCACTATGAAGGAAATGAAGA TACAAAAGATTTCCCATACAAAGGGT CAACTGTTCAATTTGGCATTATT	500	D	--
IM000167	CATGATAGAAGACCACGTCTGGGATG GGGTAAGGGTTTCTCAGAGTACCTTG CCCTGGGGCCACATCCTAAATCTACA ACAAAGCT	501	D	--
IM000168	CATGCAAAAGAATTCCAAATGATTTT ACAGATCTTAGCCCTCTAAGAGATAG ATATAGCACAAGTCCTGACTCCTGAG GTAGGTACACACTGACTTCCTTCCAC AAGCACTGCCTCAGCCCGGAGATGA AGGTCACATCAATAGAGACAAGTCA GGTTAACCGTGAGCAACCTCAAGACA AGGAGGAGCACAGCATAGGTCGGTG GAAGTGTTTGCATAAGCCTAAGGCCT GGGCCCAGTCACCAGCATTGCAGAG GAAAAGGAAAAACAGATAGTAGGTG CCTTGGTGTGT	502	C	--
IM000169	CATGCAGTTTACCAATCTTTTCCACT CTTTAAAAGACAAAAAATATTAGA ATACTGGGCTGAGGAATGGCTCATCA GTTAAGAGCGCTGCTCTTTTGAAGGA CTCCCGTTCTGTTCCAAATGCCACCT GGAGGCTATCCTGTAGCTAGAGGT	503	D	--
IM000170	AGGAAGTGCTGAATAGAGAGGTTTG GGGAGAGCCCAACAATCTGACCTATT TATACCCTGCCAGGCCCTGCCCATG	504	K	<i>S100a4</i>

IM000171	CATGGTGCTGGAGGATCATCCATCCT GACATTCTGGGA	505	R	--
IM000172	CTTTAACCCATTTATGGTGTGACCAG AAACCACAGATCTTACCTAGGCTTCA GACACATCACCCGAGGAAAGCTCCAT TAAAATCCTCATTTCATG	506	D	--
IM000173	CATGTATTCATAAGTGGATATTAGCA AGAAAGTACAGGCTAAT	507	D	--
IM000174	CCTCTGGAAGTCAAGTGCAGCTTTGC TTATTTGTTTAAGCCATCCACCATCCA GTTATTAGATCTGAATTCATCTTTTAG GGTCAGCTTTGTTGTAGATTTAGGAT GTGGCCCCAGGGCAAGGTACTCTGAG AAACCCTTACCCCATCCCAGACGTGG TCTTCTATCATG	508	D	--
IM000175	GTTTTCTTTCTTTTTTTTTTAAAAGAA ACAGTCTCAAGTAGCCCAGGCAGTCC CTAAACTTATTATATAGCCCAGGACA GTCTTGAATTCCTGAACCTCCCTCCTC TACCTCGTAGTCCTGAGACCGATTGC ATG	509	D	--
IM000176	AGAGACCCAGAAATACCAAGGTGAT TTCCAAGTGCCTGACCTGGGAGGCAA GCATG	510	D	--
IM000177	CATGTAAGATCTTCACTTTTCCAGTGT CTGTTTGTGCTGCCCTCAAAGTGTGA CCTGATGTAAAAATGTTTGCATCAGC TCAGGTGTATAGAATTGGACTGATTTC CAGGAGAGTCAAATATACAGAATAT CTAGTGTCCAAGAT	511	D	--
IM000178	CATGCTAATGGAGTTTATTCTTAGGA CTGCCTCCTGCATCCATTGATTGACTT AAATATGTGCACACT	512	D	--
IM000179	ACTAGGTGACTGTCTCAGGGTCTCAC TGTGTAGTCCTGGCCTAGAACTCTCT ATGGAGACCAGCCAGACCTCACACTC AGATCCAGATGCCTCAGCCTCCTAAG TGCTGGGATTAAAGGCCAGTCCCACC ATACCCTGCCCTGTTTCTGACATTG AACCCTCCTTTAGACAGTAGGGAAA CTGAGGCCCTGAGATATGACACTTTT AGGGGCATG	513	R	--
IM000180	AAACTTCAGAAAGCGGGGGCTACCA AGGAGACTCAATTAAGATCTCTCCTC GATCTTGAAACCATCCCCAGCCCTTC GCAAAGCACATTTGACGGACAGGGTT CTCTTGTCTTGGGCAACACATCCCGG CTACGCTCTGCAGGGTGAAGCTGTTA AGAACGTTCCATG	54 514	D	--

IM000181	GATAAGCCTCTACAAAGCTGGAGAG GGCAGTCCAAAGAACTTGAAAAGA TAAAAGACAGTGCCTAAGGACACA AACGTTTTTCCATAAAGAGCCTATGA CATATTTTACTGCTGCTAATGAACT GACCTTGAAGGAACAAGTGTTAGGG TTAGCCTAACTTTGGAATTGGTGAA GGCAATGTGTCAGCTAGACAAATTAG AGAAAGAACTCAACAGATGAGTCAA TGAATTGTTCTAACTAGCTTGACTT AGGATTTTCAGCACAGGAACAAAAG CACATACTGTCCCTCTGGTTGGCATG	515	D	--
IM000182	CATGGAAAATGATAAAAACCACACT CTAGAACATATTAGAGGAGTGAGTTA CCCTGAAGAACACATTCGTTGGAAAC GGATATTGTGTAA	516	R	--
IM000183	CATGCCCGGCTCTATTACTATTTCTTT CTTTCTTTTTTTGTTTCAGGATCCAGTT TCCTTGATAAATTTTCTTGAATGTTG TTGTTGTTTTTTCTTTTGCTGAGTTTTT CTTCAATACTGCTGCTTTTTCTCTCCA GGTTCAGGATGAGA	517	D	--
IM000184	CATGCTGTCACTAAGCTGTGCTCTTC CAAGGAGATGAAGAGACTAGCTGGT ACCCTTGCTATGCCAGGCTTTCTTCTT GTTTATACACACCTAATG	518	D	--
IM000185	CATGATCTAATCTGAACTTGTATCCC AACCTTTATAAACAAGTGAATGTGT AATCTAACTAGTATAAGCTCTTGAA TAATAGCTGAGTGAATTGCCTTTGAT ACACGTTTCCAAATTAGTAGCC	519	D	--
IM000186	GTCAACCACAGCAGTACTGTTACTTT CTGTGGGGGAGACGTCTCCCTCCTC ATG	520	D	--
IM000187	GGCAGTGAGCTTGCCACTCTGCTACAGGACC TCGGTGACCCACTATATACAGCCCTTCACT ACGGCTCACAATCGGAGTTAAGACCCAGTG AAGTAAACCCAGCAGGACCCTTTACAAAGCC AGGACATG	521	D	--
IM000188	CTTGTCCAAACCAGCTTAGTCAACAG CCTCCTATCTGGGCTCCATCTTACCCT CCTCATCTAGCTGATGAATGTACCTG CCTTCTGTTCCCTTCCTCCTGGTCTGA GCTGAGCCTTCTTGGGACTGAGAGCC TTCATCCACCACAGGCAGACTATCTT TAGATCATCATAGCCCCAGGTCTTCA TTGCAGTGCAAAAGTGCAGACCTTAC ATTTCCATTTTTATGCTCCCTTTGTAA CGGCTCCTTACCGGACTGCAGCATAA GTGGCTGAGTATCCAATCACAATAGA	522	D	--

	ACACTTAGTTGTTTGCTTGTCTAACTC TCTCAGTTACACCATTGAGTATGTTA CACAGGGCTGCTTTGTAGCTGTCAC GAGGCCACAAGGCAAGGGGACTAAG GCAGGACTCAGATGAGCCTGTTTTTA CTTCCCGTTGTCCCTTTCACCTTGGGT TGAGCATG			
IM000189	ATATAGACTCAATCAAGGTATTATTC TGGAACAAACAACACTAGTAACAAAA TAGTGCAATTGCAAGTATGATAACAC AAGGCAGCCTTTACCAGCTTTGTCTGG AAGGAAATTGTTCTTTGAAATCTGAA TTCCAGAGAAAAAGTCAAATGTAAA CTAGAAGTGTTTGCATG	523	D	--
IM000190	CATGTATGTGCGTGTGTGAGTGCATC AACACAAGTGCATAGATGCGTGTGTG TTTGTGTGTCTGACTGTTTAAGTAGGT GGCATCTGTCTAGTCCTGACTTTTG ATAAGTCTACACGTTTGATAAGAGGA TCTCTCTCACCCTCAGGTTCCCTCCCC CCACCTCCACCCCAGTACACAGCCAT AACTATAAACTCCCCACGCAGATGAA GCCCCCTCTGATCCCATTTTAGGGACA TAACACCCCCCTCCAGACTGAGCTA ATGCCTTGGACCCTCCAAAAGTATC TGAACCCTCTCTGACCCTGCCCTCCTC CCAGCACAGGGCAA	524	B	BF1638 10
IM000191	CATGATTTTCAGTTTCTTGCCATATT CCACGTCCTACAGTGGACATTTCTAA ATTTTCCACCTTTTTCAGTTTCGTCTG CCATATTTACGTCCTAAAGTG	525	R	--
IM000192	AAGTATGTCTGCTATGAGTCAAAAGT CTTATTTTTCATCACATG	526	D	--
IM000193	CATGCCGCAGTGGCCAGCAGCCCTGG TCCAGCATTCTCAGAGATAACAAGG AGCCAGTGACCCTTTCTTCAAGCACC AAAGAAAAGCTAACCGACCCACAA AGACCTGAGTATGAATGGTTTCTGCA GCTAAGGCACTTCCTTTGAGGTCAGC GCAGTTCGGGGCTGAGAAAAGAGCT TGCCCTGGCTTAGAGCCTTTCTCTGG CTCACTGTCCCAGCCAGGACCCATCC ATCAGCCCACAGTGGGGTGGCATAGT GCAATCCTAGAGAGATGTTCAAAGG GACATATC	527	K	<i>Fgf3/Fgf</i> 4
IM000194	ATTCTCTGGGTTTTCTGTGGTGCTCT GGACCCCTCTCGCTCCTACAATCCTT CCTCCCCATCTTCCACTGCTCTGCCTA GTATTTGGCTGTGAGTCTCTGCATCT GTTTCCATG	528	R	--

IM000195	CATGCCCCTCTCGACCCTGGGAGCAT TCACCATCTTTATAAACTGATTCTTTC TGGGAAGATGATG	529	D	--
IM000196	CATGAAACACACTTTTAACTTTCCAC ATACTTTTAAAAGTGTACCTTCCCAT TTTTTCGCCCCTAGACCCAAATTGGA TGTTTCTGGCTCCCTCTCGTTCGTAGC TTTCCTGTGATGTAGAAACCTCTTAG AAACCACACC	530	D	--
IM000197	GTTTCCCACGGTGGAAGAGGCAAAC AAGATCCCTTGGGCCTGCCTTCTTGT GGCACTAATCTTACTCATG	531	D	--
IM000198	ATGTGGTGTTTAAATGAGAATGTGGC CCATAGGCTCATATGTTGAATACNTA TTTTCCAGTACTTGAAGTATTTGGG GAGGACTAGAGGTGTGACTTTTGGAA GGGGGTGTATTATGTGGATGTACTAA GAACCTTTAAATCCCTCTGACCATG	532	D	--
IM000199	GCATCATAGTTGTACCATG	533	D	--
IM000200	CATGGGTAAACAGTGGGCCCTAAACT TGAAGTAGAAAACCTTAAAGATG	534	K	<i>Wnt1</i>
IM000201	CAAGTCTGTCTGTCTCCTTACTAGCCT TTTGCTGTTCTGACTCTCAAATGGTTC CTTAATTGGCCATTTGTCCCCTAAATT AGGGGCGATTAGGATCAACACTCAA GCAATGTTCCAGATGGGGTCTGACGT TCCTCACTGGGGTCCCAGGGCTCCTC TGACTTGGTCACAGAAAGGTCAGCCC TCTGACCTGGCATAGATGTCTGGATG ACCTCTGACCTCAGCTCATAAACCTG ACTGTGGAGATTGAGACTGGAGGGA CTCAGGGCAGTGGCTCACTGGACAGT GCCAGGGTGTGAGTGGTAGGCAGA CTTCTATGTCAGGTCTCCTGTGCCTC CATG	535	K	<i>Fgf3/Fgf4</i>
IM000202	GCACATATCTGAGCATCTCAAGAAGC TGAAGCAGCAGAATCATCCGCTCGAA GCAAGTGTAAGCCAATAAGAAGACT CTGTCTCAGAAGAACTGAAACGAA GAGAGACAAAAACAACCTTCTGGGGC TGAAGAGATGGCTCAGCAATTAATA GCCATTCTGCTCACTCAGAGGCCCT CTGTGAGCTGTCTCCAGATGTTTAAAC AAGCACAGCTAACATTTGGCATG	536	R	--
IM000203	CACATTCATTAAAGAGACTTTATTAA AGCTCAAAGCACATATTGCACCTCAC ACAATAATTGTGGGAGACTTCAACAC ACCACTTTCATCAATGGACAGATCAT G	537	R	--

IM000204	GGGGAGAGGCTTCAATGAGCCCCCTC ACATTTGCATTTAAATAGCAGCATCA AGCGCTTCGCGTGCCACACACCAGTG GGCTCCCAGATGTCAAGCCGGAGTCA GTCAGATGGCCAGTGCCCAGCTGTCC TCCCTATGTCGTGCCGGAGCAGGCAG TGACCTTAAAGAGACAGCGCTCACCG CTCCTGGAGCCCGACTCTGGGTCCCT CATG	538	D	--
IM000205	CTTGTCCGCCACCCCGCCTGCCTCATT ACCTGGCTCACTACTAACGTGAAAG CCTTACAGAAATCTCCAGGTCCTCAG CGGGAAAGGAAGTCATCTTCTTCCTC ATCCTCGGAGGACAGAAGTCGGATG GTAAGCATCTGTGCTGTGCTCCTCTA ACTGTGACGCCGGGTTCCTATCACAT G	539	K	<i>Braf</i>
IM000206	ATATAGTATGACTGCCTCAAAACAAA ACAACAACAACAAAACCCCAAGATA TCTAAAGGAGGAACATTCCAAAAGA CAGAAATGTCCATAGACCTTGACAAA GGAACATG	540	C	--
IM000207	GTCAAGTGGATGTTTCTCATTTTCAAT GATTTTCAGTTTTCTTGACATATTTCA CGTCCTACAGTGGACATTTCTAAATA TTCCACATTTTTCAGTTTTCTCGCCA TATTTACGTCCTAAAGTGTGTATTTT TCATTTTCCGTGATTTTCAGTTTTCTC GCCATATTCCAGGTCCTTTAGTGTGC ATTTCGCATTTTTCACGTTTTTTAGTG ATTTTGTCATTTTTCAAGTTGTCAAGT GGATGTTTCTCATTTTCCATG	541	R	--
IM000208	CATGAAGTTAGAATAATTGGGATAAA GCTTTTATCATTATCAATTGGTTTTGA AATTATTGTATTGATATCTTGTAAGT GAATATTTATTGGTACATAAGTCTGG TTATGGTTGACTACTTTAAGTTTTAAG AGTTTTGATTCTTCCAGGTAAATGGG TGTTGTAATG	542	R	--
IM000209	CATGCAGCCGGGGTGGGATTTGAAG ATTATGCCTAGTGAATATTTAATATT AAACACGGTGTGATCGAATTGATAGC TGTTGAAACTAGAGCGAAACC	543	D	--
IM000210	GGACAGGGTCTCTCTCTTGTGTTC ATTGTTTCATATATCATCGTCGGCCTG CTTACAGACTGCATTGTGTTCCCCTGT CTCTGCCTCCCATCTCACTGTAGAAG TAATGGGATTACAGATAGATGCTACT GTGTCTGAAAGTTAAATTCCTAGGCC CCATG	544	D	--

IM000211	AGTGGGAGGGAGCGCCACTCTTGGA GCTAGGCAGGAAGTGTGTTACTTCA AAAATAACAAGACAATCTCACATTC CTGAGCTGAAGACCAGATGCAGCCA GGGACAGGGTTCTGCCCTGGCCACTA GATGGGCTCTCTGGCCCTGCTAAAGC ACTGCACAAAAGTGGACGAGGTGCA CCAAGAGTCCCGTGTGTTGGCCCTCAG GGCAGACTAGAGAGCAGGACTTTCTC CTGGGAGCAGAACTGAGCCTGGGG TCTTCATG	545	K	<i>Fgf3/Fgf</i> 4
IM000212	CATGCTCATAATTCTGCAGTGCCTTCT CATAACACAGGATAAAACACTCTAAC CTTTAACATTATACTTGAAAATTAT GTGGTTTTTCTACCAGAGTCATATC AAACCAGTCTCCCTCTCCACTCACAA GGATCCAGTCACAATGGCCTTTTA	546	D	--
IM000213	CTGTAGGACCTGGAATATGGTGAGAA AACTGAAAATCACGGAATAATGAGAA ATACACACTTTAGGACGTGAAATATG GCGAGGAAAAGTGAAGAAAGTGGAA AATATAGAAATGTTCACTGTAGGACA TG	547	R	--
IM000214	CATGGCGAGATTCTGTGTCCAAGCTG CCTCTACTCGTGACATTCCAAGATGC CTCTGAGGTGGGAACTGTGAAATAGG ACAGAGCCCCACAGTCCCTCTT	548	K	<i>Wnt3</i>
IM000215	CATGGGGGGGGGTACCAAGAAGGGA CTGCTGTGATTGGGATGTAAATAAAT AAATAAATAGAATAAACAAAACCCA AAAACAAACAGAAACCTAAACTCAA TAACTGCAGAAATGACTCTTGCTCTT TTCTGGTAAGGTTAGAAGCAGGTAC AAATCTATATTAGAGATGGAGGCATT TCACACCAGCATAGGTATAGGAAGTA GATGAAATGAGGACTACACTAGAGT CTGTTTGTGACAACCAATTCTGAGTG ATTCACTGAGATAT	549	D	--
IM000216	CTCTGAGAAACCTACCCCATTTCTCCC TCCTTTCTCCCATAAGCAACCACCTC CACAGCATTATCAAAAGACTGCTGAC AGATTGGTGGCTCAGCAGGGAGAGT CAGAGCTGTTTCTTAGGTCTAAGTTG TAGCTCCACAGTAGTATGTTCTCCAT G	550	D	--
IM000217	CATGGAACACTCAAAGCTGGCCAGG GCCCATTACCAGGTATCCTTTGCCTT CTCAGCTGATGGGCATCAACACATTA ATTCACATATGACTCGTTTGTGTCAT ATCAATAGTAT	551	D	--

IM000218	GTGGTTTTGTGGTAGAGAGACACAG AAGAACTGAAGTCCTTGGAAACATA ATTATCACTGTGGTTGAATGTTTGTGT TCCTATAACATCCTATGTAGGAACTG AACCTATAAAAGTAGTGGCTCCGAAG GTGGTGTCTTAAATGTGAACTGGGC TACAAGATTTTGGCCTTGTGAATGGC TTTATGGAAGAGGCTGTCACTTTTCT GTCTCTTCCTCCATTATCTTGAAGAC ACAACAGTTCAAGGTCTCATCTGGGA AACAGAGACCTTTACCAGACCCTAAA TCTGCCAGTGGTGTCTTGATCCTGGT CTTTCTGTCCTTAGGAGCTATAATGC ATG	552	D	--
IM000219	GGCCACAGCCAGTCCACCTGTATGCA GCTGGGTGCTTGGAGTGGCCCTGGTA GACAAAGTCTCCATCTTGCCATG	553	K	<i>Fgf3/Fgf</i> 4
IM000220	CCTTAGGGCCCAAATCCTTCCTCCC ATTCTTCCATAAGAGTCCCAATCTC CATCCACTGTTACCTGTGGGTGTGT GTATCTGTCTAAGTCAGCTGCTAGGT GGAGATGCTCAAAGGACAACATG	554	R	--
IM000221	GACAGTAAAGAAGACAAAGAAGTGA GTAGAGCTGGATGAAAACCTAGGAAG TTCAGACAAAGACTGCGGGAATGAN GTGTAGAGTCTAGAGCCCAAACAGTT AAACATG	555	D	--
IM000222	CTGCTACATTCTTAGCTCTAGCTAACT AGCATCAATTGTCCCAACCCCTTCTA TGTATGACTCCAAAGCCAGTGTCACA TG	556	R	--
IM000223	CATGGTCTCTAGAGCTAAGAGATACC AATGCTGCGGCAGGCAGTTTTTATTA CAATCATTACAGTTTTGACAGTGTCT GGCCGTGTGCCAAGGCTGGCCTTCAT CCCTGAGCTCGGTGATGCTTCTGTCC TGGTCTTCTGGCTCGTCACAGCTTAA GAAAGTAGCTGCTTCTC	557	D	--
IM000224	CATGGAAAATGATAAAAACCACT GTAGAACATATTAGATGAGTGAGTTA CACTGAAAAACACATTCGTTGGAAC GGGATTTGTGTATATCAATGAGTAGT TA	558	R	--
IM000225	CATGGAAAGATAATGTGTAAATTTGG GTTTGCCGTGGAAAACCTTGGTTTCT CCATCAATGGTAATTGAGAGTTTGGC TGGGTATAGTAGCCTGGGCTGGCATT TTTGTTCTCTTAAGGTCTGTATGAAGT CTGTCCAGGATCTTCTGACTCTCATA ATGTCTGGTGTAAGTCTGGTGTAAT	559	R	--

	TCTGACAGGCCTGCCTTTATATGTTA CTTGACCTTTTTCCCTTACTGCTTTTA ATATTCTA			
IM000226	GGTAAGAGTGGGAGAAAATGGGGGT GGGGGTGGGGACACTGCAGAAACC TGGGAGAAAAAAATCCAATAAAA TCAGGAAACACATG	560	D	--
IM000227	CACCCCCATCCCGCAGTTCAGAGG GAACAGTCCCAGCAAAAATACATG	561	D	--
IM000228	CATGGAGATGCAATGAAAGCACACA ATATTGCTGAACCAAACAGAAAGCTC AAAAGTAGGCACAGAAAAGAGATAC AAACACAAATCTGAACAAATTGACCT TCTCCCTATAGCATAACTAATATCTC AGAGATAAAAGTGGTCTTTATATACC AGGGCGAAAGAGGTCTAAAAAGAGA GGAATAAAAAATATGGCATATTTCTT GTCATATGCAGAACCTATATGAGTCT TTTTGTTTGTCTTTCAATACAGCCT ATGTAGCTCTAGCTGTCCTAGAACTT ACTTTGTAGACCAGGCT	562	R	--
IM000229	CTGTTCTACAATGCCGGTTTCCAACG TATGTGTTTTTCAGTGTAACCTACTCA TCTAATATGTTCTACAGTGTGGTTTT ATCATTTTCCATG	563	R	--
IM000230	GACAGGCTCCAATCAGATATACCAAG GGCAGGAAGCACGTGACAAAATCAG ATGCCTGGAGACAAGTGTAATAAAA GAAGCAACAGAAAACAAGGTTACTT GGCATTGTCACAACCCAACTCTCCCA CCATAGCAAGTGATGGATACACCATC ACACCAGAAAAGCAAGATATGGATC TAAAGTCACTTCTCATG	564	R	--
IM000231	CATGGGTCCCTGAAGGGTCTCTCCTT TAGCAAACCCCTGTACAGTTGAAGTG ANTTTTCAGGTACCCATTGGTCTTAG C	565	D	--
IM000232	CCCCACTCCTCACAGGGCTCCCCACA TCTGCCCTGGGACACCCCACTCCTCA CAGGGCTCCCCACATCTGCCCTGGCA CCCCTCCATTTTTCAGGCACCTGAAG TCCCTACTTTCTAAAGGCCATTCTTCT ACCTCAGGTCTTGCTCTAGGACTGTC AACATG	566	K	<i>Fgf3/Fgf</i> 4
IM000233	CAGGACAGCCAGGGCTACACAGAGA AACCCTGTCTCAAAAAACAAACAAA CAAAAAAAGACCATTATGCATTCTT GCGGCTCTGACATG	567	R	--
IM000234	CATGGGCAGCACCTCGTGGAACACTA	568	D	--

	TTATAAGTGTCTCCAGTCAGGTCAA CAGCGTAAGAT			
IM000235	CCTGTACATTCTGTGTAAAGGACAGA GGGCCTCCTGCATG	569	K	<i>Fgf3/Fgf</i> 4
IM000236	CATGGAGGCGCAGGAGTTATTGTCTA AAGTTGTGAAGATGAAGCCTAGATTG TATTGGAGATCCGGGTAT	570	D	--
IM000237	GCAGATATTTCCACCTCTGCCTTCCA CAGTCCTTCCTCCCATG	571	C	--
IM000238	CATACGCTTACAATGTGTTGTTATTTC TGGTTCTCGTCTGCCTTCTTTATAAAA ACAAATCCACTAAGGTGGAGTAGCC AGCCTTTACTCAGGGACTGTCACCAT G	572	D	--
IM000239	TTCTGTATATATTGTGTGGTCAGAAA ACCGTGGTTTTCTGGTGTCAAGAGT TAACACTTTCAGTAATCACTCATTCT AAACCAGACAAACCTTTAATCTTTCA TCTGGAAAGGTACTCATTCAAACCAA TGCTCTCTTAAAACCAGAGTATTTAA ACAGCCAACTGCATCTTCAGGGTTTC ATAGAAAATCAGCTTGATCTAAAATA GTCACTGAATTCTGATATCATAGACA TG	573	D	--
IM000240	TCCACCCACCCACCCACCTGCCCACC CAGACAAATGTTCACTGAGCATTCTAT ATACTCCATTCACTTCTAAGTACAGA GCCTAAGAATATGAGAAAATCCTCAT AGCAAAGAAATGCCTCTTGCAACTCG AGTAAAAACTCGAGTATGGGATGGA AGAGTTGAGAAAACAGATGATAGTA TGAGAGCCTATG	574	D	--
IM000241	AGGAGCCTAGCAGAATTGCCCTCTGA GAAGCTCCACCCAGCAGAAACAAAT GCAGAGACCCATCGATAAACACTGG ACAGAGCACAGAGTCTTGTTGGAAGA GTTGGGGGAAGAATTGAGGAACCCA AATGGGATAGGGACTCCACAAGAAG AAAAAGAGAGTCAACTAACATG	575	R	--
IM000242	CATGTCCTACAGTGGATATTTCTAAA TTTTCTCCTTTTTTCAGTTTTCTCGC CATATTTGAAGTCCNAAAGTGTGTAT TTCTCATATTCTGTGATTTTCAGTTTT CTCGCCATATTCCAGGTCCTACAGTG TGC	576	R	--
IM000243	CATGTGGAGGCCAGAAGTCAACATAT AGTCTCCTTCCCAATTACTTGTCACGTG GAGAGC	557	D	--

IM000244	G TTCAGTAGCCAGCAGGGGGGATAG G ACCAGCCCAAATTCTCCCTTTGCTT G GCCTTGACTACTAGTCTGGGAAGGG A TAAGTGGGCTAACCAGAAGTCTTCC A CATCTCTAAGTGATTAAAAATGGAA G ACGTGATCTCTGGTCATTCATAAAC A GGCATTTCTCAAAGTTGGTCTGTGC A GTTTGTGGGAAAAAATGAAATGTAC TCATG	558	D	--
IM000245	C TACAGAGTGAGGTCAAGCTCGAGG A TAGCCAGGCAGGGATGCACAGGGA A ACCCTGTCTCAAAAATCAAAACCAA C CCAACAAACAAAAACAAAAATGGA A AGGATAGAAGAGAGATAATCCATG	579	D	--
IM000246	C ATGTACTGAATCCCTGAAGTTGATG C TGAGCACCATCTTGTGCTGTTCTAC C GCATTTACTGGGG	580	D	--
IM000247	C ATGTGTCACTCAAAGGCTGCTGAGA A TCAGGCTGTACCTGTATTCTAAGC C ATCCACAGCCATCCTGACCCACAGC A AATGCTGGCAGTCGCCCCACAGCTG G ACTCCGTTCCCTCCCTCCACTCCTATA G CCGAGGCTATCCACACAGGCTATTT C AGTGCCCTAAGCCTTGCTACCCTTA T GTATACATTGAGGACAATGAT	581	D	--
IM000248	A GAAACCACTGCCAAATCAATACATT T TAATTGGAAGTGTTTATGAAGCCCA G GAGAGATCCCTAAATGTATTAATTG C TTCCTGAGGAAATATAAACTCACA G TTACTAAAGCCATG	582	C	--
IM000249	A TCTTCTACACAGATGAACTGACAA A GTACAAATAAAGATTATATACCAA A ATGAAAAAAGTAAACAGCACACAT T TATAGATGCATCTAGCATCCCCAA A AGCTCAACACCATCCATACTTGAAGA C TGCAAGTGGTCCCTCTAGACAGTATG C TCCAGGTCAGCCCTCAGCACTTGAG A AATAACAGCTTCATTTACTCAGCCT G TTGTCAGGATCCATG	583	K	<i>Fgf3/Fgf</i> 4
IM000250	A CTGCCTCAAAACAAAACAACAACA A CAAAACCCCAAGATATCTAAAGGA G GGAACATTCCAAAAGACAGAAATGT C CATG	584	C	--
IM000251	C ATGAGCTGTCGATAGTGACCTGCAGTCAAGG A AATCTGAGGGCTTCCTAATTAACAGAGGAG C CTCTAAATGAGAGTAACGCGCTCCACAAACCC C CTCACACTCGGTAAGTGTACGGTGCAGATA A T	585	C	--
IM000252	G CCGCGTATGTGTTTCTTTTCATAGAAGAAT T AGCACATAATGGAATGTGCGTATCTGAAGTG	586	D	--

	CACAACTGAGGAGTATTTATTATTACATACCT TTACAAGATATCTTTTCTCAGGGAGCAACCTG AAAACATAAGGAGAAAAACATAAGAACTGCC ACTCTAAGGGTTGGTGAAATGGCACAGCCTG GCGGTAGGACACACACATG			
IM000253	CATGGAGAAACCTGGGCTTATTCAAGCAGTTT CCTTTGTTTACCCTGCCCAGGGTTGCCAGTGA AGGGGCTCCTCCATCACTAACTAAAGGTCTTA TCCTATGCTGGTTCCTCTCCACCCACCAT	587	D	--
IM000254	TATAGGAATAGAAATTCAGAACTTATCAGTTT GTTTTGCTTCAAATGTCAACACATAATTTAAA TTACAAACCCCTTGACATTTGCATG	588	C	--
IM000255	GAAGACAAAAGATGTGTCAAATACCTGGGCA AAAGGGGGTGGTGGTGCTCTTTCCAACCTCC TGAAAGACACCTCTGCTCAGCACACTAGTTTC CAGGTTCTGGGTTAGGATTTGGGTGAGATTG GTCGGCGATGGTTTGGTTCCTCCATTCTGCTG CTTCTCCCTGATACATTGAGTTACAGCAGCCC ACGCGTACACACTCTCGCACATG	589	K	<i>Wnt1</i>
IM000256	GAAGAGGAAATAAGGCAATAGCTAGACTGGA AAAACGAGCCAGCCTAAGAAGCTGCAGAGTA GTCTGTGGGGTTCTGCTTTGGTTAGCTGCCTTT AGTGCTCATG	590	D	--
IM000257	CATGGATAGAGGATGGAAGTTGAAA ACCTGCTATTAAGAACATAGCCCTGT CCATTAGTGAGAGTG	591	D	--
IM000258	CATGTGGCCCAGGGGCACTTGGAGCCTTAGAT AGCTGCCTTTATGGCTCCTGGTGGCCTTGGAT GTGGGTGGGTGACAGGAAACAGGAAGAGCTG GATAGTGGGGGGTCCCCAGGAGGAGCTAGCT GTGCTCTCTATCACTTTTGCTCTCCTGGGGCTA CCCCGTCTCAGGGGAAGGCCTGTGACTGGCT AAGCAACAAGTGTGGGCTGAGACCTTTCTCTG TGACACTCTGGTGCTACTCTGGCCATAGCACA GATCTCTAGGAACGCACTCT	592	K	<i>Fgf3/Fgf4</i>
IM000259	TATATGGATATGTTTATGTGAGGGTAGGCACT CCTGGAGGGTGGAGGCATTAATTAGATCCTCT GCAGGTGAGCCACCTGACATG	593	D	--
IM000260	ATATGTGGACTGTAGTCATCTTGAACATCTGT AACAAAATATATAGATTAGGAGGTTTAGACA GCAGACATG	594	D	--
IM000261	GTGCCTCTTGCTCTGCCAAGCTGGTATTGTAGC ATG	595	D	--
IM000262	ATTTGTGACATCTTAGGAGCTTAGGTTGGTCT TCGAGACACAGGGCTGTCCCTGTAAAGCAG GTTCCATCAGTGA CTCCAGGGTTT TAGCAGTT CAGTGGCGTAGTTTTCAGACTGCTTAAGATTT CTCAGGGGCTAGGCGTGGGGCAGAGACCCTG CAGACCCTGGCTAGAACAGAGGCCCTGGGAG	596	K	<i>Fgf3/Fgf4</i>

	ACAGTTGAGGGTGCTCAGCTGTGGAGGACAT G			
IM000263	CATGACGACTTGAAAAATGACGAAATCACTA AAAAACAA	597	R	
IM000264	CCTAAGTCTGACCGTGCCACTTCCCAGTCTTC CCTACACTTCAATGCTTTTAGGCACAACAAAT TTGTACCCCTCATG	598	B	Mm.102 899
IM000265	CCCCCAGCCTGCTCCCTCCCGGAGGGAGTC CCCAGTGTGACATG	599	D	--
IM000266	GTTTAGGTGATAGGGTACTTGCCAGCAGTAG GTGGTGCCAGGATTCTATCCTCAAATTTGCA CAAACAGAACATG	600	D	--
IM000267	CATGTTGTGTAGATACCTACATAATTATAATT CATAACTGTAATTTGCTAC	601	D	--
IM000268	CATGGGTTTGAGCCTTGTCTGAGCTGGAGGA AGAGAGTGACCCAAAGGGACCTTGGTAGCAG CCAGGGATGTGTTGGGGAGCAGAGAACTTT TATGAACTTCAGTTTCAGTACTGAACTTCCC TTCCCTAGACTTCCTTTG	602	D	--
IM000269	CATGGGACAACCTCTTTTCTCTGGGTCAG GGGAGAGAGACCTCCTATCTAAACTGTATAG GCCATTGCTGTAGCCCTTAGCTCACTTCCGGG GCGGGGAGGAGGAGGTTAAGACCCTAT	603	D	--
IM000270	CATGAAATGAAAGAACAGAGTAGCAATTTGG GGAGAAAAGCCTGCCGAGCGGACTTAATCTTT CCCAAGTGCTATCAGT	604	D	--
IM000271	ATGCTTGTCTTTCCCGCCATTACCTGCTTTTG TTTGAGATAATAGTTTGTACTTTATCAACTA GTAGCGACTAGTTTACATTTGGTTTCATAAAT AAGATCCATTTTAATCTGAGTTTCCATCCTTG ATTTATTTTGATTCATATTTAATTGTCTAGTT CCCATCCCTGGGCAGGACTTTTGGGAAAGTC TTGCAGGTGACTATGTTGAGAATGATTTATGT TGTATTAGCACAGGTACATTGACAGTGCTGG TTCTTCTGGAGCGCCTCGGGTGTGGGTCCTT TTCCTCAGC	605	D	--
IM000272	CATGAGTTTGATTATTTCTGAATTCTACCTCT CTTGGGTCTATTTTCTTCTTTTGTCTAGAG	606	R	--
IM000273	GGGATAAGACTGGATAGTAAGCCGGGCGTGG TGGTGCATG	607	D	--
IM000274	CAGAAGGTAGTGTTCACAACAGTCCTCCCGA TGATCAATTGTTTTACTAAACCATATAGGA ATCACCCCTGAGAGGAGTTCGAAAGCCTTTCA AAACCTGTACTGATATAAAGCAAATCTCTTT GGATTCCCAATCAAAATGATTTGGCAGAACTT TAAGGCCACAAAAATTGTGTCTGAACAACCCC TCTGAGCCCAGTTTGTGTAGCTTAAATTAAGG	608	D	--

	GCCATG			
IM000275	CCTCAAACCTAAGAAGCATCCATTTCTGAAGCTG CTGGGATTAAGGGAGTATGCCACCACCACCA GCTATGGCATTTTTTTCTTTAATTTTACTATTT TTTTGCTTGTATATTATGGTTTCCAGTTTGTG GGTTTATAAGCTTTGAGTGTGTTTCTGCATG	609	D	--
IM000276	GTCCACTTTAGGACGTGGAATATGGTAAGAA AACTGAAAATCATG	610	R	--
IM000277	CATGGTCAGCTCTCACTGCCCCATCCCCTGTC TCCAGTTCACGCACTGTATCCTGTGTCTTTCTC TGTGGCTAGACTCTTCTCTTGGGGGAGGGGAG TCTTGTATATCGATGTGTGCTCACGCACATAG AGGCTAAAGATTAATCTAGGTGTATTCAATCA TCGTCTCATTGC	611	D	--
IM000278	CATGTGTTTCCTGATTTTAGTTGGATTTTTTT CTCCCAGGTTTCTGCAGTGTCCCCACCCCCCA C	612	D	--
IM000279	ATGGTGTCTGTTTCATAGCAGTAAACCTTAAC TAAGACACTGATATAACTCACCTTCCCAGCC TCAAAGTCTCTACCATCTCAGGATCCACTCAC TCATTACCAAACCTCATCAAATGCCCACTGT GCTATCATCAGTACAGAATAAATCATG	613	R	--
IM000280	CATGAGACTGTCACAAGCTCCTGGGATGGGG ACCTTACCAGAAAGCCACCAAATCAGAGGCA TCCCTGTTTGGTGAGGGTACATTTGTTTTTCCC CAGGCCCTGAGTGCCAGGCAGGAGCAGGCAA AGTTCACCTGGGAGGATGCCCTGGAT	614	K	<i>Fgf3/Fgf4</i>
IM000281	GTTTTGGTCTTTTTCAAAGAAAAACAAAGGTC ATTGCAGCTTTTTGTACCATTGAGGTGATGGT AGGAATTGAGATATATAATCTACTTGAAGATA TATATTATGGCATG	615	D	--
IM000282	CCGCTGCTCTCTACCAACCCAGTGTGTCTGC TTTAGCCCAGACGGGGGAGGGGGTAAGGGG GTGGTCTGTCTCATG	616	K	<i>Wnt1</i>
IM000283	GTGTCCCTCCTGTCGTTAGGCAGTACTTCCAA ATCAAACCATG	617	C	--
IM000284	AGCTGGTACAATGCTTAGAGCAGAGCTGCAG AAGCAATACAAGAGATCCTGGCTCAGCTAGG TGCAAGCTGGAATAGACTCCTGACAGTTGTCC TATGAACCTCATACACAGGCATG	618	D	--
IM000285	ATGGATCCCTGGGGGGCAGTCTCTGGATGGTC CTTCCTTCTGTCTCAGCACCAAACATTGTCTCT GTAACCTCTTCCATG	619	R	--
IM000286	CATGATGCACTTAGCAATTCCTCAATTGAGAC TCAAGTGAGCCTAGGCTGTGACAAAAATGACT GTAAAACT	620	K	<i>Fgf3/Fgf4</i>
IM000287	CATGTAAAGCTAGTTCAAAACATACTAAATAA	621	C	--

	TTCAGTTGTAGAAGAGGTGAGGTTATCTCACT GCCAGGATAAGCTATTGAACAAGCAAGGGTT CTCACTTACTGTTTAAGTGGAAGTGTTCCTTA CTTCAAAAAGTCATTAATGAATTTTAAGCTGC ATAAATATTTAGTTATT			
IM000288	TAAGCTTTTCTCTTACACAATCCCCGGAAAC CCACAGTTTAGGTCACAAAGACCCAGGCACCT ATTCCTAGGCCTGGTAAGTGGGCACCCACCAT TTACAAAGAGCTCAGCATTGGCTCACACATG	622	D	--
IM000289	CATGAAGATGAACCGGGCTTGTTCCTGGCA ACTAGGCTCAGAAAGGATAGGACCACCAGCC GAGTAGCTGTCAGATGGAGCTGAAGACCTGA GGGAAAGAATGCTTGTGGGAAGAAGCTGGCT CCTTTGGTTTTGTTGTGCTGGTTTTGTGACC GGATCTTGCTGTGTGACCCTACCTAACAT	623	K	<i>Wnt1</i>
IM000290	CATGGACTTAATTTTACTGCATTTGAATTATG GAAAATATATATGAAAAGTCTTTAGAAAAAG GCAGAGGACGAAAAAAACCAAAGAACTTTAA TTATCTGAGACCAAGAAAACCTTTAAGAAAA AGCAGTAGATTTAAACTACGTGTTGTTAAAT AGTCCTGTATAGATATAAAGTCCCTCAGAGGG AAGAGATTTGTTGAATAAATTCAGACACTCAA GAGAA	624	D	--
IM000291	ATTAAACAGCCCAGTGCCTCAGAAAGTGAAT GTTGAGAAGTGGGTAATCTGGGGACAAACAG AGGGAAGAATAGTGCCCTTGGCACGTGCAAA GGAGTTTGGAACAAACATG	625	K	<i>Fgf3/Fgf</i> 4
IM000292	CATGTATGACAGTGAGGTCAGGAGTGCCAG GGAGCTTGCAATTGGCAGAACAGCCTTTCCTGG CCAAGCCTAGTGTCATCAAGTATATATTGGAC CAGACCTTATAAACTTGGGTTCCACTCTGGC TGGACCAGCCTCAAGGCGTCGCCCTCTCCAGGC CTACCTCCCAGACGCAGAGGCAGCATTGGA GGATTGAA	626	D	--
IM000293	CATGGGAACCTGTTCCAAGCAAGGGACTCTGC TACACCTTCAAGGGACGCTGCTAATACTGGGT TCAACCTTGGGCAGCGTGCACAGCAGGAGTG GGAGGGCTCTGATGAGGAGAGCCACCCACAC TGTGAGATCTAGGAGATAAGGTCACATCCAC	627	D	--
IM000294	CCCTCCAGCAAATTGAAATACGAAAGACTCA AACACATTAGAACCATTCCAATAAAAACTTGC ATTGCCCCAGGCCCTCCACCAACCATG	628	D	--
IM000295	CAAGAGTATATATCCAAGAAAAATACAGCTG AGTTGACTGTTAGTTCTGTTTTGGCCTTCATG	629	D	--
IM000296	GGTAAAACTCTACCAGTTAACTAC ATTCCCAGCCTGCCTCCAATGAATTT AATTTGTGTTTTTAGGGTTTCTGTTAT TGTTGTTTTTGAGACAGGGATTCA AAGATCTGCCTGCCTCTGCTTCTGA	630	R	--

	GTGCTAAAATTAAAGGTATGCATG			
IM000297	GTTTAGTAACTGTTTCTGTATTACTTTTGTG AAAATTAGATTGTTCCCTGGTGACTTTGTGTGC TATATTCTCTGCATG	631	D	--
IM000298	CATGTTTCTGCTTCTACTTTATCCACCCTGCAC ACACTGACTGCTATGTTCCCTGTACCTTTTCCAT CTCTCCATTGAATATTCACCTCCAACAGTGGCA TTGGAAATTGCAGTGGAGATACC	632	D	--
IM000299	ACGATGGTCTTGCCCTTTCTCACACCATCAAT AGTCACTCAGAGCTGTGGTTGTTATCTGAAGT GTGTTGCAGTCCAACCTTGCCCCATG	633	D	--
IM000300	GGAGTGTAAAGCGTCGGTGTGTCAACCCGTGAG ATTAAGTCAAAGTGTACATG	634	K	<i>Wnt1</i>
IM000301	TAGACCCAGTCTTGCACTGGCCTGGG ACTCGCTTATTAGGTTTGACTGTTATC TGGCCAACAAACACCAGGAAATGGG GTGACAGGTGGTTGTGAGCCCTCTGA AATGGGCATTGGGACCTGAACCTGGG TCCTCTGTAAGAGACATG	635	D	--
IM000302	TCACCCAGCTGGGGCTGTGCTGAAGACTCTG AAGGGGAAGATAGGCCTATGGTNACATG	636	K	<i>Fgf3/Fgf</i> 4
IM000303	GTTGGGCTGAGCCACAAGTACACCTCCACTCA CTGAGCCATCTAGCAGGTCCCAAACAAGGTG ACTTTTGTATCCAGCAAGACATAGCCATCTA TGCCAGTCATCCTTGTCATG	637	K	<i>Fgf3/Fgf</i> 4
IM000304	TAACATATTTGCTTGTTATGAAGGAAAATGTT GGATGTGTGTGCCTGTGGTTGAGTACTGCAAG TAGTGTCAAGGAAGAGAAACCTAGCTTGAAC AGTCCCCTCATCTCCTTCATATCCTCACTCCTT GTCAGGCCCTGTATTAGGTAGTGCTTCCCTAC CTCCCTAATGCTGTGACCCCTTCTTTAATAGA GTTCCCTCATG	638	C	--
IM000305	CATGTGAGCACAGGTACCTATGGAAA CCAAAAGTGTAGGATCCCTTAGAACT GGAATTATAGGCAGCTGTACGCTATT GATGTGGGTGCTGGAACTGAACTCC AGGCTTCTTGAAGAGCATCAACTGCT CTTAGCTGG	639	D	--
IM000306	CATGTAGAGACTGCCATATCCAGGGATCCACC CCATAATCAGCATCCAAACGCTGACACCATTG CATACACTAGCAAGATTTTATTGAAAGGACCC AGATGTAGCTGTCTCTTGTGAGACTATGCCGG GGCCTAGCAAACACAGAAGTGGATGCTCACA GTCAGCAAATGGATGGATCATAGGGCTCCCA ATGGAGGAGCTAGAGAAAGTAGCCAAGGAGC TAAAGGGATCTGCAACCCTATAGGTGAAACA A	640	R	--
IM000307	CATGTCCTAGAGTTGTTCCAGCACAGAAGCTT	641	D	--

	TTGGGAGAGACCACCATTACTGAAACGCAGC AGATGCTGCAGCT			
IM000308	CTGCTTGTGTGGGGACCAGCCAGACACCCTC CACAGGTGCAGTGGTGC AACATG	642	K	<i>Fgf3/Fgf</i> 4
IM000309	CATGATGTTTGTGCAGGAATAGAAACCCTGAC TAAGACAGAGGATATTCAAGATCCAAACTAG CAGGTTAGCTGTGGTTCC	643	R	--
IM000310	CATGAAGCACACATTACCCTGTGACTTGCTTT TTTATTAAT	644	D	--
IM000311	CATGTGTCCTCTTGTCTTGTAGTCTCTATTCTT TGTGATTCCGCAGCTCTCCATAGAGTGCAGTT CTATGTCCTGCCTGCAAGGTCCATTGGCTTAC TAGGGTCTGCCCCCTCCAGAAGAGTAGCTCAT TTAGAATGCATTACTGGTGTGCTGTCTTGCAT CTTTTTTACCCAT	645	D	--
IM000312	ATCTATGTTTATGCACTACTAATTACTGTTTAG TTTATATATGCCCTAATAATTACCCCATTGAA AACTTAAATTTTGTTC AAAAGTGTGGTCTCA TTGGAGGTGTTAATGTACAATGTCTTTCTCAT G	646	D	--
IM000313	CATGGCCAGCTGAGCGGGCTGGAACCTGCCCT TCTGCTTCCTGTCCCTGCACCTCAGCACCGCT GTGCACTTGGTACTAGACCTCAATCACC GCAG	647	D	--
IM000314	CATGTGCGTCCCCCCCCAAACACGCAAGCGCAC ACCCACAAAGAGAAGAGACAGGG	648	D	--
IM000315	CATGGCCACTTGGAGAGAAGGGGGAAGGGAA TGCGGAGAGAGCGGGAGCAAGAG	649	C	--
IM000316	CTTAAGCACTGATCAATGGCCAAGGTTTGCCG ACTTGGGATCTGGGGTATAGACATCCACCCAC TGAGACCCTCTAACAAAACCAGATGTGGAGG TACGAAGCCTGGCTCAGGGGCCTGTCCTTTGT CATCAGAATTCACCAGCTGCAGCTCCTGGGTC AGCTTTGTTTGGCATG	650	K	<i>Fgf3/Fgf</i> 4
IM000317	GTGTATTGATATGCAAATGTGTTAAATATGA TTTAAATTCCCCATG	651	D	--
IM000318	GCAAAGTGTCCACACTTTGGTCTTCGTTCTTCT TGAGTTTCATG	652	R	--
IM000319	ATAGCAGGTCCTGGATACCCCCAACATACCAG AAAAGCAAGATTCAGATCTAAATCACTTCTC ATG	653	C	--
IM000320	CATGTCCTGGCTTTGTAAAGGGTCCTGCTGGG TTTACTTCACTGGGTCTTAAACTCCGATTGTG AGCCGTAGTGAAGAGGGCTGTATATAGTGGG TCACCGAGGTCCTGTAGCAGAGTGGGCAAGC TCACTGCCTGCTACCAGCAGTTCACTATGTTTT ATGGTCTGCTGCCTGCTGGTGGTTTATAGATG CTGTGTCGTAAGAGAAAAGTTCAGGGTAGCCT	654	D	--

	GGAGTGAATGGAGTTGGGGTATCAGGGAGGT CTTTGTACACTGGGGTGAGCTAGGCCTCTGGA AAGCTTCTGGGGTTCCCC			
IM000321	CATGCTCCCAGGCACCAGGCTTGCTTTGCATA GGTGGGACAGGGTCCCAATACTCAGCCTGGG GTGCCAATGAGGCTCAGGCCACACACCCTCTT GGTAGGAGTCACTGTAGTGGGGTCTGTGAGA GCCAGTAACTTGTGAGGGTGTGAACTTAGCTC AGGACAGAGGCCAGCAGGAAGCTTTCCCTAC AGAGAGTGTTCGTCTTTTCCTTTTCTGGTT TGTTTCTTGGGAAGGGAACAATTTTCGCTTTT AGTTGGCTTGATTATTCGCTACTGAAACCTT AAG	655	D	--
IM000322	CATGTATTAAGTCCCTCGTGAGGAAG GGT	656	D	--
IM000323	CATGAGTCAGAGGCTTCTACTCCAGTTAAAC TGATCTGGGTATAGAATTGTGTTCTCAAGAAA TAGTAAGTTATAATCAACTAAGTCATCTCCTG TCTCATTTTTTCTCCAAATCGGGTCCTCGAA TTGTTATAAGAAGATTCAATCAATCAACAGTA TCCCTTTCCCAATTTGTGTGCTAAGTGGAAC AGGTCTTAGCACATCAATCACATAAAGTTCAA TTAAGAAGGAATTTAAAGATCAG	657	D	--
IM000324	GCTATGAGTCTCCACTTGTAACAAT TATACTCAAACATATTCAGGACACAC TTGGGCTTCCTCCATCAAGCCAGGCA GGTTTGTTTTCTTGTTTGTTTGAGAT AGATGGATGGGCCAGCTTCATG	658	C	--
IM000325	CCCACCCCTAGCAACCAGTTCCTCCTCTGAAT GGAAGACATCTGATACCAACTTGAGCTTTCA CATG	659	D	--
IM000326	ATCNNCGAATCATTCTAGGCTTGTGG GACCATG	660	D	--
IM000327	ACTATTCTCAACAATAAATGAACTTCTGGGGG AATCACCAATCCTGATTTCAAACGGTACTGTA GAGCAATCATG	661	R	--
IM000328	CCTAGGCACCCACCACAATAGTTAATCCATCT TTGAATTTTGACCCAGTGTTGCCAAGTATTC ATTGCAACAGCTTTTCAAATGTTTTATTCTTTC CCAAATAAATTCCATG	662	D	--
IM000329	AGAGGCTACCCCTTCAAGTGGCTTGCTAGTA TAGCTATTACAGACAGAGAACTTCCAGTAATT TCCTCAAGCCACATG	663	D	--
IM000330	ACTCTGAACTTTGCTTTGCCTGGTATTTTGCC TCTCTTATCCCATTGACCCTGTACAGAAAAGC TGAGGAAGCAGGTGCAACCAGGCATCTCAGG CACCCAGTTAAGAAGTAGATGAAATACTGTA ATGTACATG	664	D	--

IM000331	CATGATTTTCAGTTTTCTTGCCATATTCCACGT CCTACAGTGGACATTTCTAAATTTTCCACCTTT TTCAGTTTTCTCGCCATATTTCACGTCCTAAA GTGTGT	665	R	--
IM000332	CATGAGACAGTCCCAGATCCCTCACCATAAAG AGCTACCATATAC	666	D	--
IM000333	CATGCGACCATCCATCAGGAGTTGGAGGTGCC ATCGGCTCTGCCTTACAGAAAAGGAATCTGAG ATTAGAAAACCCAGGTGACCCACTCAGGGCC ACCGGGGCAGTAAAAAGAATCTAAGATCTAA AGTCAGTGGAACTCCTCCAACAGCAGAG ACTCCTCCAGCCAGCTCTTGAT	667	K	<i>Fgf3/Fgf</i> 4
IM000334	GGGAAGCAAGAGGCAGTAAGAAAGGGGAAA CTGGGGAGGTAACCAAAGTCACATG	668	D	--
IM000335	CATGCTAACAAAGAATGGGGAAAGCTCTCTA GGCTTCCACCTTAAACAATGAGGAAGGGAAG AAGGAAAG	669	D	--
IM000336	CATGTTGGTGGGACTTTATGGGTATTGCTTCT GATATTACTAGGAGGCACAATCTCACAGAAA ACTCCCTGATCTTACAATCCTTCTGCCCCCTCT TTTGCAATGTTCCCTGAGCCTCAAGTATGGAG TTATTTTATAGCTGTATTGAGACCAGAA TCCACAGGTATGC	670	R	--
IM000337	CTCACACAGATATGCATG	671	D	--
IM000338	AGAAGTGATCTTTCTTCTGTGTGTCCTGTCAC CCTGGGAGGCAATCAGACGGTCCCTCATG	672	D	--
IM000339	CTTTCCTTTTGTGTTTGGACGAATATTATTGAAA TATGTAGTGTGCATG	673	D	--
IM000340	CATGAGATATGATTTTAGATCTGAATCTTGCT TTTCAGGTGTCTTGGCATAATCAGAACTCGCT GTGGTGGGTGAAGTGGGTTCTGATGATGCCCA TTGGTGCTGGTTTC	674	B	AI59706 2
IM000341	CATGGAAAGGTATTTGGAAATAGGCTGTTTTG TGTGTAATC	675	D	--
IM000342	CCCTAGGACTCACCTGGTAGGAAAGAAGTAA TTCTTCCAAGTTGTCCCCTGACATCCACAAGC ACATAGTGTGAGGCATG	676	D	--
IM000343	CATGCCATTACATACATACTGGCAATGGATATA TAGAAAATGAGACTCCTTCTAATATTGTGTGA TGACAGAT	677	D	--
IM000344	AGAAACCATTACACTGCCAGGTTTGGGGCCT GCCTATGCATG	678	D	--
IM000345	GATCCCTTTAACTTCTTGGATAGTTTCTCTAGC TCCTCCATTGGGGGCCCTGTGATCCATCCAAT AGCTGACTGTGAGCATCCACTTATGTGTTTGC TAGGCCCTGGCATAGTCTCATAAGAGACAGCT	679	R	--

	ATATCAGGGTCCTTTTCAGCAAACCTCTTGCTAG TGAATGCAATGGTGTTCATCTTTGGAGGCTGA TTATGGGATGGATCCCTGGATATGGCAGTCTC TAGATGGTCCATCCTTTTGTCTCAGCTCCAAA CTTTGTCTCTGTAACCTCCTTCCATG			
IM000346	AGGGTGGTCTCTGCAACCCAGGCTGGAACCC AGCACAATAAATAGTTTTATTACATAACCGA ACGCGTGGCTCTGCGGCCACATTCGGTGCAA ATTATTTACACAGTGATGAGGAGGCAGGACA GGAAGGGGTGGGAGGAGGCTGAGGGAGGCAT G	680	K	<i>Wnt1</i>
IM000347	CATGTGTGTTCTTTTGTGATTGGGTTACCTCAC TCAGGATGATATTTTCT	681	R	--
IM000348	CATGAGGCCAAGGGAGAGGCCAAATTCCTGTG TGAATCAATTATCATCTCACAGAGAACATACC	682	D	--
IM000349	AGTAGTATGCCACAGGGAGAAAGGGTATTTA TCAAAGGGACAGGAGCTAGTTGTGGTGACCTT ACCTATCTGCTTGCCTCTGCCTCCACGGTGCT GGGATTGAAGGTGTGCACCACCACACCCAGC TTCAGATTTTGTGTTTTATTATTGNGTATTCC TGTTTCACCTGCATG	683	R	--
IM000350	CATGCATATACAGGATATAACCTTTGTAAGTA AGAATAAAGCACATAAAAAATACTTTCAGTA ATATTGTCCAAACCACTT	684	D	--
IM000351	CATGTGTGTGTTTGTGTTTGGGAGTGTGGGG GCGGCAGGGAAAGGTGGCCAGGCTGTCACTC AGAGATCAGGATGACAGGCGCTCCCTCATCTA GGCGCGGGAGCTCTGATTGCAGATTGAGGA AACAAAATAGCAATTG	685	K	FGF8 {TC "FGF8 " \\L 2}
IM000352	CATGAAGATGAACCGGGCTTGTTTCTCTGGCA ACTAGGCTCAGAAAGGATAGGTCCACCAGCC GAGTAGCTGTGAGATGGAGCTGAAGACCTGA GGGAAAGAATGCTTGTGGGAAGA	686	K	<i>Wnt1</i>
IM000353	TCAGTTCCAAGAGATGACACAGCCGC AGTCATG	687	R	--
IM000354	CAGAGACTGAAGGAAAGACCATCCAGTGACT GGCCCAACTTGGGATCCATCCCATTTGAAAGC ATCAAATCCAGACACTATTACTGATACCATG	688	R	--
IM000355	CCCTACAGTGACACTTACTCCAATAAGGCCAC ACATCCTAGTAGTGCCAGTCCCCATG	689	R	--
IM000356	GGCCTCTATTCTCGGTTTCAAGTAAAGTACCTG GCTTCACTGAGAGCGGCTCTTTCATTCTCTAAA ATGGTCTCATG	690	D	--
IM000357	AGTAGATGGCAGAGAATAATCAAACCTCAGGG	691	R	--

	CTGAAATTAACCATG			
IM000358	CCAACCCAACAGCTGGGAAGGGTTGGAAGTA GCCCCGAGGCTGGTTAGTCCCCTTCCAGATGG GGAGGTTAGACTGGGGCTAGCCAGGCTGCTC CACATAGACTTCCGATTTCGCATTAGAAATGAA AAGAGGAGAGGAAAGGGAAAAGGAAGAAAG GCTACAAGCATG	692	C	--
IM000359	CATGGGGTCTGGAGCCAGCTATCAAACCCAG GATTGTCTTAAGTGTGGTGGCTTGGATGAGAA TGGCCGCCATAGGCGCATAGATTGAATTCTT GGTCCCTAGTT	693	R	--
IM000360	ACGGTGGGCTGATATTTCTAGATCTCCTAGT GCCTATCCCCTATTATCATG	694	C	--
IM000361	CATGAATTTTGAGATATTCTCTGAAC CAAACAATATT	695	D	--
IM000362	GGAGAAATTATGCCTTAAATTA AAAAGCAAA TATTGAAAAATTAATATAATTTCCATTAAAT CATAATGGACCAACAACAGAACACATCTATCT ATGTATCTATCTATGTATCTATGTATTTATCTA CCTATCTATCTGAAAAGCAAAAACCTACATG	696	D	--
IM000363	GCAAGGACAACGACAGTTTGAAGCAACTAT TTTCATCTTGACTCTCACTCGGCTTTTAACGTC CATTCAGGAAACAGGCATG	697	D	--
IM000364	CATGAGAAGTCACAATTCACCACTT AAAATCAGTGCTTGGGAAGGATACTGT AGGCCAAGAGGTAAGTAGAGGGGAC AGCAGTGCACGTTTTTCAAAGTGTGG GTGTGTGTTTGTGGGTGTGTGTCTGTC TGCCTGTGCGTGTATGTGGGTCAGTA CAGGAAAAGC	698	D	--
IM000365	CAAGATAAACTCTTAATGGGATTCTAGGGAGT CATTCTGTAGAGAGCACTTGACTAGAAGGTTA AGTCTTAGATCCAGATCCCAGCACAAACATAA TACATCCTATACTCACACACACACACACAC ACACACACGCGAGTCCTCATG	699	D	--
IM000366	CATGTCTCAAAAAAAAAAAGAATCACTTGG ATTGTACATAGTAGTTAATAATATGTAATTAG TCTAACTGTGAAGGGGCACTTATTAGTTTCTA CTATGTAGTGTAATGAACATATGTTGCTATTA GAAATTC	700	D	--
IM000367	GAAGGTTGAAATCTGTAATCTATCTTCTATGG CATCATTCACCTCTCTAATACAGCTGTAGAGA AAAATGTCTGAAGATTCGGTTCTACTCTCGTT CTTTGAGGTCTCCCAACCCATG	701	D	--
IM000368	CATGGCTGGACTATAGAGCTCTAGCTTCAGTT GCTGGGATGTTCAAGTGCATCACCACAGAGAG GGTCTTAAGTGGTGATGGTGGTAGTGAAAG GTGGACCCTCCAGACAAAGGAAGCACTCACC	702	D	--

	ACGACCCTGCTCACCTGTGAACCTTTCCTTTC AGACTGATTCTGAGATCAGCCAGGCAGGGC TACCAACCAGGGACTCGTAATGAAAATTTAG GCATATGG			
IM000369	CATGGTCTGGTGAGTATGGCACCAGATAGGAT GTTATGCCCCTTCTTATCTCAAGAAACAAGG AATCTTGTTTCTTATCATTAAATAGGAAGAATA GAGCAGTCCTGGCTAAATGAAAGGTGGNAAA GTTGGTTGAGTATCTCTTTCC	703	D	--
IM000370	AAAATCCAATACACATTCATG	704	D	--
IM000371	CCCTTTGTTGTGCATTTCAGCTAATCTCATCCC TGTTTGGGTCCTGGAACCCTCTTGCTTCCCTGG CATCTAGGACTTGCTAGTGGCTACCCCCAGCT CCCCATTCCCCATTGCTACACACCTCTGTTCA AATTCCTGACCCTCTGTATATCATCCAGTCTC TTCTAATACCTGACCTGAACCCCTTTTCCCC TCCCTCTATTCTCTCCTTGCAAGTCCCTCCCA CCTTCTACCTTCCATG	705	R	--
IM000372	CATGGGTCATTTCTGATCTTTACCAAGCAACA GTGATGAATCTATAAATAGAACCATCAGTTCA AGAAACACAACTTTAGATTCTTTCCATACCT TGCTTTTGTTTCTTACATCTTCCCCCTGCCCTG TGGTTTTTCTTTAATCTTGTTTTTACAATCCA AATTGTATCCCCTTCTCTGTC	706	D	--
IM000373	TTGGGCCTTTGCATACCCTGTTCTGGCTAAGA CAATTGTCACCTGACTGGGCATG	707	D	--
IM000374	AAGTGGATGTTTCTCATT'TCCATG	708	R	--
IM000375	TATAAGCAATCCCCAAAATTCTACCTGGGAAC TCCTAGAGCTGATAACACCTTCAGTGAGCCAA GTATCTGGGTATAGGATTAATTTAAAAAAAT AGAAAATCAGTATCTCTTACATACAAATAA CAAAAGGGCTGAAAAAGAAATTAAGGAAATA AAACCCTTCACAATAGCCATAAATAATATAAA CTATCTTGGGATAACTCTAACCAGGCAAGCAA AAGACCTGTATGATCAAATCTTTGAAGAAGA AAATTGAAAAAGGTATCAGAGGAGGTAAAGA TCTCCCATG	709	R	--
IM000376	CATGGGCTCTGCTTAAGAAACCCCGGAG	710	C	--
IM000377	CATGCTTTTAGGCCTTTTCACGATCTTANNGG GGACCGNGAGAGNTNGCTGCTGGATGATCTC TGAGAGAGCTTATCGTCCTCAAACCTGCTGATA TTCAAGCTGTTTCGCAGCTGCAGCAGCAAAGT CCCGTCTTTGTCACCGATCTGTGAACAGCAA CAATGAGCACCTTTCATAACAGACAGGAAAT GGATGCT	711	A	<i>mDall</i>
IM000378	GGCGTACCTGTGTATATGCATGCATG	712	D	--
IM000379	GTGCTAGGCTCACTCAAGATAAAATT TGCTATTTTACAGCTCCCTGGATAATAA	713	D	--

	AATCTATCCTCTCACAGCTGTGACTC TCACAGGGGTGCAGGCAGGACGACA TCAAGAGAGTGATGGCCTCTAACAAG TGTTCTGCCCACTTCCTCTTCCGGGTC AAAGACTAGATCTAGACTGGTGGGG CTGTTGATTCACTATGAATGTGCCTG ACACCATCCCACACTTAGCATCATAG ACACTTGGGGGACTGGTGATACACTA TGATGCCTGACACCATCCCACACTTA ACATCATG			
IM000380	CTATCCCGAGGGTGAGGGCAGTTCTA TGCCAAGGTTCTCATCACAGAGATAC AGAGGAAGCTGGGCCTGTCTTAGGGT TGGCTGTCTGGAGATCCTGGAGCCCT GGAGGTGGGTAGCAAGAACAAAGGA AGTACTTCACCTGATAAAAACAGTTC CCAGAGAAACACATATACGCTTCATA TACAGGAGTGCGAGTGTGTGTGTGCG CGCAGAGAGGCAGAGGCCTGGAAGT CAAAAGTTCAGGGCCAGTTTGTGTGC ATG	714	K	<i>Fgf3/Fgf</i> 4
IM000381	GGGGTTGACTAGAAGAAGGAGGCGATTAGGG TGTATCATATGAGAGAAGAATAAATAAAGGA AAAAATAAATTTACAAGGATTAAAAAGTAAT TACATACATACATACATACATCCATACA TACATACATACAAGTTAACTGTTATGGTAGC ATG	715	D	--
IM000382	AGGATGATATTTTCTAGTTCCATCCATTTGCCT AAGAATTTCTTGAATTCATTGCTTTTAATAGCT GAGTAGTACTCCATTTTGTAAGTATACCATAT TGTCTGTATCCATTCCTCTGTTGAAGGACATCT GGGTTCTTTCCAGCTTCTGGCTATTATAAATG AAGTTGCTATGAACATAGTGAAGCATG	716	R	--
IM000383	CATGCCTGCAGGTCACAGCCTTGCGCGCCTCC AGTGCCAGCGTTCAAAGTGACACAGACTCTG TCAGGATGGTTCAAATGCAAATCTCTGCAACT GCGTTAGCCGCTTCTAACCAAGACAGAAAGCT GCCGTCTGTCTTCTCGTGTCTGTCCCCATACCC CATATCGGGTAGCTTTTCTTTCAGCATTGTCCA GACACCATCATATGCCTACATCGCACAAGTTC TCTGAGGCCAGATAATTGGCAGCACTCCTGTT GTGTGCCGAGAGTGCAGAAAAGGGCTATCCC GAAAAGGTGTGATCTGGAAAGAAGGAAAAAA C	717	D	--
IM000384	ATCTTTTGGCCAGAGCAAGCAGGGGACTGAGT GAGCAGAGGTGACAGGAGCGAGCAAGGCTGA CAAAGTCTTCCATATTCCTACTAGGATGACCC ATTAAGCCCCATTAAAGCATTCCATTGCTTT CCAAATACAAAGTCCCAAAATCCACATTCTTT CAAATAAAAGCATG	718	C	--
IM000385	TTAACATATGGTTTTTAAAAATCCATAATGAG	719	D	--

	CATATGATAGAGAAGTCATCAGAGCTCTTCAG CTCCACATCATCTGTCCCCAGAAGTATTACTA CTCCTAACTTGCTGAGCCAAGGCACAGATATT CTTTGTGTAAGCATCTCTTCTTTATCCTGTGTT GCCACGCAGGAGCACGCACACTGCTTCCTGTC TGAGGTTGTTCCATATCAGCATG			
IM000386	CATGCCAGGGCTTGAATTAACACAAGTGCCCC AGAT	720	D	--
IM000387	CCTGTCTGTATATGCACATG	721	D	--
IM000388	CATGGAAAATGAGAAACATCCACTTGACGAC TTGAAGAATGACGAAATCACTGGAAATCGTG AAAAATGAGAAATGCACACTGTAGGACCTGG AATATGGCGAGAAAATGAAAATCACGGAAA ATGAGAAATACACACTTTAGTACGTGAAATAT GGCGAGGAAAATGAAAAGGTGG	722	R	--
IM000389	CATGAAGGTAAATTATGACCATCAGGGTTCAG ACCTCAGCTCGACCGGAGACCAGCCTGCAAN TCCCCACAGCCCTCCCTAAAGTGGGTAAAAG ACAGAAAAGAATTAAATATCTGA	723	R	--
IM000390	CATGCACTAGCAAGATTTTGCTGAAAGGACCC AGAT	724	R	--
IM000391	GACACATACACACACATG	725	D	--
IM000392	GTAAATGTATTAGGTTGAGAACTGGCACTGCT CACTTATGTTACAGTTGTTGGGTAAAATA GAACCAAACACAAAAGCAAAAGAGCCAAGCA GCAGAGCAGGGAGCAAGGGGCTTGGGGAAAA CACTCACCTCTGTTGTGTCTTCTTAGCTGTC AGGGCATTGAGTGGCAAGGAGTGGAAAGGAA CTTTGGGCATTCCGAGTCAGGAAAAGTGTACC AAAATAACACTATGGAGGTAGCAAGTGTCT AGAGGGCAGATAAATACATG	726	D	--
IM000393	GTTTAGGTCATTGGTGGTACACTCTCCAAGGA CAGTATAAATTGATTTTTTCTGTATCCTTCTT TGTTCTTGGCCATAAGGCACTTGGAGTGCATT AATATGTACTTATTATTACTATGTCTTTCTTG TCTTTGGCTTAAAAGAAACAGGGTCAAGTGAC CATG	727	C	--
IM000394	AGTTTCTTTAAAAAATAAAGTAGGAATGAA ACTGGAACAAAAATGCAATAAATTTAAACC ATCACCGCTAAAACATG	728	D	--
IM000395	CATGATTTTCAGTTTTCTTGCCATATTCCAC	729	R	--
IM000396	GAGAGGAGCCTGGGGAAATGAAGGT CCAGCAACAGGCCCAAAGTGGGATC CAGCTTAAGGGGAGGCCCAAGGCC TGACACTATTACTGAGGCTATGGAGC ACTCATAAAAATGGACCCAGCATG	730	R	--
IM000397	CATGGCAGCCTTGGAGTATCAGGCTG	731	D	--

	CTGTTCCCAATGTGGGATGCAGAGGG CACTGCCAGCCTGGTTATCACGCACC ACTGTCACACAGGGAAGCGCCCCCTT CCC			
IM000398	GGAGTTCTTCTCTCAATAACAGAGTAAATTC TCCCTCAGCAGTTCTCCCAGGAAACCCATAAC CTAGCCATG	732	D	--
IM000399	CCTTAGATGTTTGTCTAATCGACAAAATACTT TATATGTGAAAAGGAAAGCATG	733	D	--
IM000400	AATAATCAGATTTCCAGAGCTCCCAG GAACTAAACCAACAACCAACGAATA CACATG	734	R	--
IM000401	ATCCAGTAATCATTTCATCTTATIGTTCCACAC AGGAAAACCTGTAATAGATGGTTCATCAGCTT TATTTATAACTTTCTATCTTGAAAGCAACTGG AATGCCCTTCAGTAGGTAAGCAGATACACTAG GCTCACCTCAACTATAGGCACAATGAAAGGA ATGAAATGTCAACTCACGAAAGGTAAGTACA CATG	735	D	--
IM000402	CCTCGCCATATTTACGTCCTAAAGTGTGTAT TACTCATTTTCCGTGATTTTCAGTTTTCTCGCC ATATTCCAGGTCCTTCAGTGTTTCATTTCTCATT TTTCAAGTTTTTTAGTGATTTTCGTCGTTTTTCA AGTCGTCAAGTGATGTTTCTCATTTTCCATG	736	R	--
IM000403	CATGCAAGAACAGGACAAATGTCTGTGAAGA AAATGAGTGAGCGTGAACAGGAGGTCAAGGA TCCGGTCCCAGGCAGCTCTCAGTCTGGGCAAG CATTTCTAAACTTTGCCTTCCTTCCTGTTGGGG GTGAAGGTCTG	737	K	<i>Fgf3/Fgf</i> 4
IM000404	AATAGGAGTAGATGAGAATGAAGATTTTCA ATTTAAAGGACCAGCAAATAGCTTCAGCAAA ATTATAGAAGAAAACCTCCCATACCTAAAGA AAGATGCCCCATG	738	R	--
IM000405	CATGCAGCCCCATTAGTGATTGATCCTGTTC ATATAA	739	D	--
IM000406	CATGGGCTCTCTGCTGATAATGCTGA GGCTGTTTGTGCTGTAGTCTGCGCTTT TTGCCCCCTCTCAGAAAAACTGTATG TCATAGGAGTTGCTGGCTATTGGGTA CATAAGCAAAGCCACCCTATTGTGCC AGTGCCTTAGACAGTGAGACAAGAA AGGCCCCTGGTTAGAAATCTTATCAG GACTGGGAATGTAACCTCAGTTGATAA GAGTGCTTGCTTAGCGTGCACACAGC CCTGGGTTCAACCGCCTAGTACTACA GAAACTGAGTGTGGCTTCACACACCT GTAATCCCAGCACTTGGAGAGATAGA TGCAGGAGGATTAGAAGTTCAAGGTT ATCTTTAGTCACATAGTATTGGTAGC	740	R	--

	CAGCCAGCCTGGAATACTTGAGATAC TTACAGGAAGGAAGGAAGGAAGGAA AGAAGGAGGGAGAGAGGACAGGAG GAAGGAGATAGATATACACAGAAAG AGACAGAGAAACAGAGATTCAGGAG ACACAAAGACATACGGAGACACAGT GAGA			
IM000407	CATGTGGTTGCTGGGGATTGAACTCAGGACCT CTGGAAGAGCAGTCAATGCTCTTAACCGCTGA GCCATCTCTCCAGCTCCCTTTTAGACTTCTTAG TAGCAGCATTAAATCTTGCTTGGTTTCAGTTCT GACAACCACAGCAGTCAGGAGTTTGAGTAAG AGG	741	R	--
IM000408	CCTCATAATGTTTGTTTGAGCATTTTT TAAAAACCTAACTTGTCTTTTGCTTAT CTATTGTGGTTTCTTAGTGTGTGTGTG TGTGTGTGTGTATGCGCGCGTGTGCT CTGGTCTTCGTGCACATG	742	D	--
IM000409	ATTTGTGACATCTTAGGAGCTTAGGTTGGTCT TCGAGACACAGGGCTGTCCCTGTAAAGCAGG TTCCATCAGTGACTCCAGGGTTTTCAGGTTT AGTGGCGTAGTTTTCAGACTGCTTAAGATTTC TCAAGGGCTAGGCGTGGGGCAGAGACCCTGC AGACCCTGGCTAGAACAGANGCCCTGGGAGA CAGTTGAGGGTGCTCAACTGTGGAGGACATG	743	K	<i>Fgf3/Fgf</i> 4
IM000410	CATGTATGCACAACCAAACTTATAAATATGA GAATTCATTATAGTCCTAGTCCTTTAATACA GAATTTAGCATTCCGATATAAAACAACAGATT AAACCCCAACAGTTAGAATAGAGCAG	744	D	--
IM000411	AATAGGAGTAGATGAGAATGAAGATTTTCAA CTTAAAGGGCCAGCAAATATCTTCAACAAAAT AATAGAAGAAAACTTCCCCAACCTAAAGAAA GAGATGCCCATG	745	R	--
IM000412	CATGCACACCCTACTCCTGGGTGATCGTACCA GCTCCAGCCTCTGTTCTGCACGCTGTGCCTTC AACCTGGCAACCTCC	746	K	<i>Wnt1</i>
IM000413	CATGAAAACCTGTCTCAGAAAACAAAACAC GTTGAGAGCCAGCATAGAAGCCATAGGAGGT AATGTGTGTGTGTCTGTATATATGACAAGAGC AGACCTGTGCTGAACCAGTTAACTACTTTTG	747	D	--
IM000414	CATGCTACTAACCAGTTGAGGCAGTACCAGTT GTTGAAGATGCTGTCTTTTATCCAATGGATGG TTTAGCTCCTTTGTCAAAGATCAGGTGATCA TAGGGTGTGAGTTTATTCTGGGTCTTCAGTT ATATTCCATTGATCTACTGGCCTGTAATTGTA CCAATAC	748	R	--
IM000415	GGTTAGGAATTCTGGACAGTTGGTACTTGGTT TGAATATAGTAGGTGACAAGCTGTGCCTTGAG TGGGGTGGCAAGCAGGGTTCTCTGCAGCAGG	749	C	--

	ATGCAGTGTACATG			
IM000416	CATGAAAATGTTAAGTCCTGACAGACAGGGT GCCATCTGCCAAGAATTTGAGTAATCTAGAAA CAGAAAT	750	D	--
IM000417	CATGGGGTTTTGTGGATCTG	751	D	--
IM000418	CAGAACAAATAAGCTGGAAAGGATGAAGCAG CCACAACATAACTGCTGTTGGCTTCTTTGTGT ACATTTTAAACCTTCCTCTGAAAGAGTGACCA ATGCTTTTAACTGCTGAGTTATCTCACCCGAC TTACTTTCTCTCTCTCTCTCTTTTCTTCTTC CTAAAATTAATTGTGTGTGTATGTGTGTGTGT GTGTATGATTCAGAAACCTTTTATGTGGTGGT AGAAGACCATCTGCAGGATTCATG	752	D	--
IM000419	CATGGTCCCACAAGCCTAGAATGATT CGTGGAT	753	D	--
IM000420	GGGGTCCAGGAGAGAAACTTGAGTC ATG	754	D	--
IM000421	GGAAAGAGATACTCAAGACCAACTTTACCAC CTTTCATTTAGCCAGGACTGCTCTATTCTTCCT ATTACTGCTAAGAAACAAGATTCCTTGTTCCT TGAGATAAGAAACGGGCATAACATCCTATCT GGTGCCATACTCACCAGACCATG	755	D	--
IM000422	GTCCTTCCCAAAGAATAGTGTTAACTGAGCTC TTTGGGTGGCAATAAATGAATTGCTCTGGTGG GACAGGCAGTGACATATGGGGAGGGGAGA CACATG	756	D	--
IM000423	CATGTTCTTACTTCTTGTG	757	D	--
IM000424	GGGTATATGAATTATATATATATGTGTGTATA TATGTATACAGGCATG	758	D	--
IM000425	CATGCGCCCTAAGACTCATCTCCACGAATGAC GTGACGACCTAATTGCATTCTTCTAACCCAC TGATTAGGCAAACCACCCTCCAAAGGGCTCGC TGAGTTCCTCTTCGGGAAGAGGTGTGTTGAGT ACGCTGGAATGGATATTCGAGGGCTGAGG	759	R	--
IM000426	CATCTCTCGAGCCCTTGCCAGCCTTTTTCTT AAAATTGTATTTTAAAAATTTATTTCTGTACA CAGGTGTGTGAGTGTGAACATG	760	D	--
IM000427	CATGTGGACCTGGGGGCTAAGTCAGGGTGAA GCTTCCACAGCTAAGTGGCTGGAGGCTGCCCT AAAAGCTCAGGAGGCACCGCAAGCAAGCCTT GAAAAACCTTACCCACCAGCTTGACCTTAGAC TTCTGGCCTTCAGGCTGTGACAATACATTCCT GCTGTTTAAAGAACCATATGGTTGGTGATGTT TTGTTTGTTCCTGGTTCTTTTGTGTTGGTGT TTGTTTGCGGGGTGTGTGTGTGTGTGTGTGT TGTGTGTGTGTGTGTGTGTGCAGTGCTAGAG ATAAGATCTGA	761	K	<i>Fgf3/Fgf</i> 4

IM000428	GTCTAAAGTTTTCAAATGATGGATAAGTTGTT AAACCTCCTTTAAGATCTCAAGCACAAAAAG AAAGACATCAAATACGAATAGTAGAAAGGAA AGGAGATTGGAAGTAGAGGCCCAAGAGTC ATAAAGAGAAGAATTTAAACAAGTACCCA CAAATTCATTAGCATAGATCAAGTAGTCCATT TCTTCATG	762	C	--
IM000429	CATGTATGTTCTCGATGCCTTGGCCT G	763	D	--
IM000430	AAAGACATTAAGTCTTGAGAACCAAGGGGTA GGACAGTATAGACTGAATTTTGCCTCCCCTCT TCATAAGTTGTCACTGCTAACCTCATTTTCTCAGA ACTTAAGCATATAACCTTCATG	764	D	--
IM000431	CATGGAGAACTAGCAAGAGCAGGATGGCGTT TCTCTAGAATGCCGTATAG	765	D	--
IM000432	CATGGTGACTTCCATCTTTAGAACCATAATC ANGTTTAAT	766	D	--
IM000433	CATGCTTATATCCCTCAAAAATTTTACAGTTA AACTGAAAATGCTTACTTACTTTTTTTTCTTAC TTATACTAGTATCGATAAGAACTGTCCCAAA GGACAC	767	D	--
IM000434	CTGGGTCTTAGTCCTCTGAGGTCCCTAGCACA TCAGAGGTTTCATCAGTTCCAAGAGATGACACA GCCGCAGTCATG	768	K	<i>Fgf3/Fgf</i> 4
IM000435	CATGGAGAATGCACAGTCAAAACGCTTGCAT CCT	769	D	--
IM000436	CACCCCTCCCGCCTTACATCAATCC TGGGTGCACAATGGGACTGTGGATGA CTGATGTCTGCGCAAACAAGTGTGCGG GGAAGTCTAGCTGACAAACGCTCATG	770	K	<i>Fgf3/Fgf</i> 4
IM000437	ATGTATCCAATGGCAAAGCACGGGGGAGGCT TCATCTTGAAGAGAAGAGTGCTCTTGGTAGGC TATCCTTTTTTTGAGACAAGTAGAAATAGGAG CATTCAACAATCTGGACATATGTCCTCCAC AAGAACTTGTTGAGAATGGGTCTGAATTAAGT GGAAATAAAAGTGAACACATTCTCCTATACAC ATG	771	D	--
IM000438	TCACTCCATTTTAGTTCAAATGCTAC AACTCCTTTGAGCACCCTGTGCTTTT CAAGACCTTATTCTGTGAATACCATG	772	C	--
IM000439	CATGCTTAGCCCAGGAATGACACTATTTCGAG GTGTGGCCTTATTGGAGCAGGTGTGGCCTTGT TGGAAGAAGTGTGTCACCTACTGTTGGGGTGG GATTTGAGAGCTTCTCCTAGCTGCTTGAGGA TGCCGGTCTT	773	R	--
IM000440	CATGAGCTGGGTGAACGACAGCAAAGGTTTG TTTCTCTTTTAAGGAAGACAATGGTGTGAAAT	774	B	Mm.202 45

	TGGTTGATCCTTTGGGGGAAATGTTGGCCCCT T			
IM000441	CATGATCTCACTGTGAGGGCTGGCTACCTTGG AGCTCACTGTACTGAAATATTCTGGCCGATTG CCTCTTCGCTGGGTTTATGGGCACACACAGTA CTTGCTATGAGTCTTTGTTAGGCTGAGCCTA GTGGTGCAGGCCTGTCATCTCCCCTACTTTAC TTTAGGCTCTGAGGCAGGAGGAT	775	D	--
IM000442	TCTGGTAACTTGGGGGTCTGATAAAA CAGTTGGGGGATTCTTTTCTTTTCGC GTCTGAAGCCAATGTTATTACAGGTG TGTGCTTGTCTCTCCACACCCTGCCC CTGTTGCCTAACACACGCGGCACACA CATG	776	D	--
IM000443	CATGACTCTCCTCCAGAGTTAGAGGTGGAGC CAGGACAAACTCTAAAGAAAAGAAACCCAA TCAAAAAGGGAAGCTGGTATCATCCAACCTTT AAATTACTCCACATCCCTCCAGAG	777	D	--
IM000444	CATGTCTGTCCAAAAGGAAGTTCCTTCCTCT GTCCTCCACATCTGACCAGCACCATCATTCAA TCTGCAACCCAAACCAGACATTTACATCATCT ATGCCTCCTTCCTGCTTGTCTCCCCTCAACCA GCACCCAGCAAGCTTTCAGGTATCCCCTTAGT GTTGTCAGGATCTCTCCAGTTCTCCAGACCCC AATTCTGTTCTCACTCTACACTGCTAGC	778	D	--
IM000445	AAAGCTAACTTCTCATCACCTACCTAATAGCC TGAGAGCCCTGTGTAGAAAAATTAAGGAGTTT AGTTCCTTCATG	779	C	--
IM000446	CATGCAGACAAAGTAAATAAGAAAACAAATT AAATGTAGGCTGGACGGATAGATGGT	780	D	--
IM000447	CTCAGCTCCTAGGCAACACTTGTAGACCCACA GCCCCCTCACACACACACACACACACACAC ACACACACACACACGGCTGGGGATCCAACCC ATCTCGTCCTTACACGTGCTCTACCATCACAC CACACATTTCCAGCACTTTTATCTGAAGTGTTT CCTTTTATTTGTGCATG	781	K	<i>Wnt1</i>
IM000448	CATAACCACTATAACCAGCCTGCTTACTTGGC TTTGTTTCGAGGGCTTTTGTTTATAGAGCTCTT CTTTTACCCTTCTCCGTGTGTGTGTGTGTGTG TGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT GTCTGTCTGTCTGTCTTAGTGTTTGTACATG	782	C	--
IM000449	CATGTGGTCCACGGTTTACTTTACTAGGGAG CAACCTGTACCACAGGGAGAGAGGCCTAAGG ACAGGAAAGGAGCTGACCCAGAACTGAAAAAG GCACACACCATTCTGCCAGCACTTCCC	783	C	--
IM000450	CATGTCCTACAGTGGACATTTCTAAATTTCCC TTCTTTTTCAGTTTTCCTCGCCATATTTACGT CCTAAAGTGTGTATCTCTCATTTTCCGTTATTT	784	R	--

	TCAGGTATCTCGCCATATTCCAGTTCCTACAG TGTGCATTTCTCATTCTTCACGTTTTTCAGTGA TTTCGTCATTTATCAAGTCGTCAAGTGAATTTT TTTCATTTTCTCTGATTTTCAGTTTTCTCGCC			
IM000451	CATGTTGCCTCAAGACAGATCTCCACTTTAAA GACATACCTAAAGGCCTGGAAGCTTAGTCAAT TAAGCTTTCCTGCCCAGACACTCCTCCCTGAA AAAGGTATTTAACCTCAGGCCCACCCTGAGAA GTGGGGTATGATTTTACTCATCCACTTTC	785	R	--
IM000452	CATGGTTTCTATTACTGTGTTGAAGCACCTG ACCAAAGCCAATTGGGGGACGAAAGGGTTA TTTGGCTTAAACTTCCAAATCAGTGTATCAT TAAAGGAAGTCAGGGTAG	786	R	--
IM000453	GCAAGTGTGAGACGGCTCTCAGGGAGATACA CATAGCTTTATTGGATAACTGCAGCTTGAAGA CATG	787	D	--
IM000454	CATGTACCTATGTGTGTGTAACATTGCTTATT TTCACACAGTTAAGAAAGCATCGTTATGAAAA TCATTACAACCTTCCAGATAAACAGATCCACT CAGCCACAGAT	788	D	--
IM000455	GCCCTTCTCTCTGAACTTTTCAGTTCCTGGATA AAGTCAGTGTCCACCTCTATACCTGACTAGT TTTCCTAAATTCTGAGTCAAGCATATTTTCATG	789	D	--
IM000456	GACCTCGTGGGCGGGCCTGAGGAGACAGTGC AGATGAGGTGTGAGTAAGGAGGATGCAAGCA AGAAAGATGCAGGAGATGATGGAGAAGCTGA AGAAGGCACTGAAGAAGGCACAGGGAAGAA GAGTGCATG	790	D	--
IM000457	CTTGCCGTTGAGAGCGTCCAGATCCCCTGACT TGAGTGGGTCCACCTTGTTTGGTTTGGTTTCGC AGTGTGCGCTGTGGAGCCCCAGGCCTTGCATG	791	C	--
IM000458	TTCTTATCCACTGAGCCACACTGCTAATACTG TGATGTCTTTTTTAAGACTCACCATG	792	D	--
IM000459	GGGTTCAACACATTTTTGGAGATTGATCAAAA TTAAAACATG	793	D	--
IM000460	CATGAAGGAGAGTCTGAGGCTACATCCACCA GGCTCTATGATCTCCCTCTGCTGCATCCAGGA CATTCTCCTTCTGGATGAAGATGATGCTGGCG CTGGCGCTGGCGCTGACGCTGATGCTGCTCGC TTCTGCGTCCT	794	C	--
IM000461	CCTTGTCTCAAATTACAAAACCTCCC TAGGGTCTTTTCTCTGGGCTACAAAA TTCTGCAAATGGACTCAGGAGGAATC AATGTGGAAATTTCACTTTGCCTTCC CAATCAGCAAAATAATGTTTGCCTTCC ATCGTTAGATTTCTTTCCCCTAAGTAG GCTACTGCCGACTTGAAAGCAGTGGT TCCAGAACCCGAGCCCAGGGGCTGCC	795	B	AI42690 8

	ACTTCCTATGCATG			
IM000462	CCCTTGTCCTCAAATTACAACTTCCT TAGGGTTTTTTTTTTGGCTNCAAAATT TTNCAAAGGGCTTCAGGAGGAATAAT GGTGGGAAATTTACTTTTGCTTTCCA ATCAACAAAAAATGGTTGGCCAAA TCGGTAGAATTCTTTCCCTAAATAAG CTACTGCCGACTTGAAAGCAGTGGGT TCAGAACCCGACCCAAGGGCTGCCCT TTCTATGCATG	796	D	--
IM000463	CATGTATCTTAAGAACAGAGCCAGTGCTCTCC CTCTCCCACTTGAT	797	D	--
IM000464	CATGCAGANTAAAGTACATATATGTAAAAAA TAAAAATAAATCTTT	798	D	--
IM000465	GTGCTCTCCCTTGCCCTCTCCTCTCCTG AGTTTCTCTGTAGGTGTAAGGGCTGG AGGTGGGCCCAAGAACCAGAGATCA GAGGAGGGAAGTTCCGAGCAGAGG CCCTGGGAGCAGTGTTAAGCAGGCTT TGGCCAGGTCTGGAGGTGTCCAGGCA GGGAGGTGGAGCTGGAAGAGACCAA TTAGTCAAACGGCTGCAATTGGCCAT TTGGAAGCAATTAACAGGGTCTCCAT TACCATATTATGCCCCCTCCACCCCCTC CACACTCTACTAGGCTCTGCTCTGTA TGGAAGGGGGAAGGTGGAGGCTCAN CTCAAGCCAGGGAGACTACAATGGA GGCCCAGTGCTCGCCAGGATGCACAC ACTCAGGCACCCTCCGTGTGAGGAGG GGAGGGCAGGGCAGCATCTGAAGCA ACCTGTCATTACAGCCTGANAGANG GTGGGAACAANGGCTTNCAAAGCCA AGAANGCANGTGGNTAGAAATGCAN GAAAACCTCTCTGGTAAGAAAGGCTG AANGAAGCAGCTAGGGTTGTAA AAC AAGANCAT	799	K	<i>Fgf3/Fgf</i> 4
IM000466	CTCCCTCTCCCTCTAGCTGGCCTAGCAGGGGC CAATACAAGTGCAGGGAATCAAGGAAGAGCC TTTTCTGAACTGTCCTGGATGCCCCAGTCCA ACAGCAACTCCCACTTGCCCTGGCTTGGTTG CTCCACTGTCCTGAAGGCACAGTGTGATATCC CAGACCTCCAGCGAGACAGCCCAACCTGCAA GCCCTGATGGGAGGGGTGGCCTGAGACAACA GTACCTACATG	800	B	AI55005 7
IM000467	CATGGACTCCAGGGTCAGGGTGTAAAGAAAA GGTGGAGCCTGCTAGGTGTGGTGACACACAC CTTTAACCCAGAACTCAGAAAGCTGAGGCA GGTGACTAGCCAGGAGTTCAAGGTCATCTAGT TCATCAGATCTATAGAGTGAAACAGCCAGGCT ACATTTGAGATC	801	K	<i>Fgf3/Fgf</i> 4

IM000468	GCTCAACACTTAAAAGCGCCTGCAGAGGGGT GGGGGTTTAATTCCCAGCACACATAGTGGC TCAGGGAATCTGAAGCCCTCTTCTGGCCACTG CGTGAAGTGCATG	802	D	--
IM000469	GTGGGAAGCTATACGAAAGTAAAACACACTC TAAGAAAGAGAACAGGCTGCCTGGGAGAGGG AGGTGCCAGGGGCTTAGACAGGAAGGTAGTT TTCAAAAAGTAAAACTTAAGCTATCTGAATG AATGATACAAAATAAAAGAAGACACAAGAAT TTCCAGTCACCTGAGATATCTCACACTCCTGT TCTTTCAACCTTCTAGCTGAAAGGAGAAAGAG CCATG	803	D	--
IM000470	CATGGAAGGAGTTACAGAGACAATGTTTGA GCTGAGACGAAAGGATGGACCATCTAGAGAC TGCCATATCCAGGGATCCATCTTATAATCAGC CTCCAAACCCTGACACCATTGCATACACCAGC AAGATTTTGCIGAAAGGACCCGTATATAGCTG TCTCTTGTGAGGCTATGCTGGGGCCTAGCAAA CACAGT	804	R	--
IM000471	CATGCTTAGATTGACCGCAATATGTGTGGTAC TCTTCAGACTTTTAAAGATTTGCTGAATATCCT ATTCCCCTTAAATTGTGATCACCTAGCTAGA TCTAATCTTAGATCTCGAAAGTTCTACAATTT GCCTCAATTTGATTACTGTTTTCTCCTTGAAG AC	805	D	--
IM000472	CTTGCCCTGGGAAGTGAGGGGTCTAATGAAG GTTGCAAGCCTGTCCACCCAGGGCCCTGCTAA AGAAGGAATGGTCCCCAGCCTGTTTGTCCCC TCTGTGGCTTCTTAGTTCTGGACACTGAGCCA GTCTGGGCAGCAGGCAATTCACACTGTGAATT TCTGTGGAAGCAATTTGGGGGTCTGAAAGC CCTGTACATTCTGTGTTAAGGACAGAGGGCCT CCTGCATG	806	K	<i>Fgf3/Fgf</i> 4
IM000473	CATGGGGGCTATGTCCTAGGGTAGACACCCCC TTTATCCCTCACCTCCTTCCCTGTCTTAGCAGT GGTGTCCCCACTGTGACTCTACTGCATCTGG GAGCTGTCTCCCGGGGACTTCCTCCTGCTGG AGTGAGTAGGTGGCTAGGGCGAAGCCTGTGT AAGAGGCAGGAGGTGTTTGCACAACTCCAA AGGGTGCAGATCCTGCTGGCTCCAGCTTCCCA GGGCCAGACCCCAAATACCCTTACCCAGC	807	K	<i>Fgf3/Fgf</i> 4
IM000474	GTGTATGTTCTCTGGTGAAAGTGTTAACCAGC TCACTCCGTGAAGAGCACGCTGCTTTCAGATC AGTGTTTCAGAGTCTTGAATAATTGGTTTTAG AATCATAAAATTGCAGTCCTTTACAAAGGACT GGAAGTGACTCATG	808	D	--
IM000475	CATGTGAATTCTCTATTTGCAATGTGCTTGGTT CATACTTCCATACTTACCCAGAGCCTGTTAG AAAAATCACTCTTCCCCACCTATTCTTCACC AGTCAATATGTATCTAGTATTCTAAACTTCT	809	D	--

	CCCTCCTAAGGCAGTGGGGAAG			
IM000476	CATGTGTACTCTCACCATCAGAATTATGAGCA ACCCACAATTTCTTCACATTTATAACTGACCC AGTCTGAGGTATTGTGCCTTTAGCAACAGAAA CTGAAC TCAAAACAATCGGCACAC	810	C	--
IM000477	CCATATCAGACCAACCTTCCACACAACAGTA GGCCACCAGGTGGGGGCAAAAGTCTGGGTAA GGTTCTTGGCACTGTAATTTGAATCCCAATA ATAATGACTGTGTTATTTGCTCATG	811	D	--
IM000478	TAAAACCTTTAGGGAGCTGATAAAAATCTATC AAAACAACACTCTGTCTCTCGTATCCAGCCAT CCATG	812	C	--
IM000479	TCTGCCCAGCCTTTGCTTCCCTCGGTAACA GGATGCTAATTAGAATTCATG	813	B	AA1177 84
IM000480	CATGTAAAAAAAAACTTCATTAACAA CTACAACAAAGCAGAGACCTTGGCCC TTGGATTGGGGCCCCTCTGAGAGCTA TAGGCTGGGATACTGG	814	D	--
IM000481	GTGCGTGATAACCAGGCTGGCAGTGCCCTCTG CATCCACATTGGGAACAGCAGCCTGATACTC CAAGGCTGCCATG	815	D	--
IM000482	ATGTCAACATTGAGTCCAGTAAGGACATCGTA TATGCTGGTCATTATTATAGCTCTAAGGGTTC ATACATGAGACAGACCACCCCTTACCCCTC CCCCGTCTGGGCTAAAAGCAGACACACTGGG TTGGTGAGAGAGCAGCAG	816	K	<i>Wnt1</i>
IM000483	CATGAGACAGACCACCCCTTACCCCTCCCC CGTCTGGGCTAAAAGCAGACACACTGGGTTG GTGAGAGAGCAGCAG	817	K	<i>Wnt1</i>
IM000484	CATGAGAAAAATTTGTCTCTAATTCTCTTTGTT GAATTTTTGTGTGGTTTTGATATCAGGTGATT GTGGCCTCATACAATGAATGTGG	818	R	--
IM000485	CCAGTGAAGTAAACCCAGCAGGACCCTTTAC AAAGCCAGGACATG	819	D	--
IM000486	TCGGGGGAAAGTTATTTTTATACCTTCCCGCT CTGGATTAAGGGAGGGTAGGAAAGGATTGGA TGAAGCTAGAGACAGAGTGGCAGGAAGGTGG TAGACCTGAAATTGTCAGACAACCACTTATCG TTGGGAAGGGTATAAGGTGACCACAGCACTA GCAGACTGTTCTGGACGTAGTAAGGAGTTCCT GCAGGGGAGGAGTGGGTCAGCCTTTGAATCC CATATGGTGGTTCACAAGTCAGCCTACATG	820	D	--
IM000487	CATGTGTTTTTAGCAACTGTGCTCATTTTCTGC TGCTGCTAGGAATAAAATCAAATCTAGTANA ATTGCTTTAATACAAAGTTATTGTCATCCATCT CTGAAGATCTGAAGTATTGCTGGGGGGTCTCC AACTCACCACCC	821	D	--

IM000488	CAAGGGCCTCTCCTCCCACTGATGGTCGACCA GGCCATCCTCTGCTACATATGCAGCTAGAGAC ACAGCTCTGGGGGGGGGGTACTGGTTAGTTCA TATTGTTGTCCCTCCTATAGGGTGCAGACCA CTTTAGGTCCCTGGGTACTTTCTCTAGCTCCTT CATTAGGGGCCCTGTGTTCCATCCAATAGATG ACTGTGAGCTTCTTATAAGCATAAACTTTCAC TTACCACATG	822	R	--
IM000489	CATGGTGTTAGCCTCCAGGCAGGAAGCATAACC AGAGGAGAACTCCACAGGGAAGCCTTTGTTTT CTGCTGTAAAAACAAAGTATGATGGGGCTTA GAAGAGGCTTTAAGAGGTCTCTGGAGAAAA GAATCTATTTCCATT	823	D	--
IM000490	CATGAGAGGTTTTTAAGTCCTGAAAGACCATC ATACCTAGAGTCTATACAACAAATAAACTTGG AATACAGTGAAGCTAGTAAAAATAAATTCTCTG AGCTTATGG	824	D	--
IM000491	CACAGTCAGGAAGCAGAAAGATGAACGTTGA CTCTCAGCTCTCCTTCTCCCTTAGTTCTATGG AGGTCTCCAGCCCATG	825	K	<i>Fgf3/Fgf</i> 4
IM000492	CATGATAAAAGTCTTGGAAGATCAAGAATT CAAGGCCCATAAATAAACATAGTACAAGCAA TATACAGCAAACACAGTAGCCAACATCAAAAC TAAATAGAGAGAACTTGAAACAATCCCACT AAAATCAGGGACTAGACAAAGTTGCCCACTC TCTCTTAACTGTTCAATAGAGTACTCAAAAT CCTAGC	826	R	--
IM000493	CATGGTAGCTTTCTAGTGAGGTCTCT TCC	827	D	--
IM000494	AGTACCCTTAGCCAATAAACCATCCCTCTAGT CCCTGTTTGTTTTGTTTTTTTTTAAAGACAGG GTCTCACCATG	828	K	<i>Fgf3/Fgf</i> 4
IM000495	CATGAGCTAGGCCATCTGCAAGCTGGTCTCGT CTTGACCAGGAGTACACAGAAGCCTGGCTCA GGACTTGGTAAC	829	D	--
IM000496	GTTGTTTATGCAGATCTCTCAGCGTTAGCATT CTATGGGATTCTTTGGAAGACCTTTTCAGTT ATCTTCCATTTCTGAGGCTGTTTCTAGGCAAC GGAGTGGTACCTTCCTTTAATCTCCCCTGAC CTTTTCTGCCTATGAAGATGTTGACTAGTGAG CCCGTGGGGATGTGTATTATCTGTTACATTTA TTTATGGCTTGGTAGCGACTCCTTGGTTGTTGT TCAGCTTTTCATG	830	D	--
IM000497	CATGCCTCCCTCAGCCTCCTCCCAACC CCTTCCTGTCCTGCCTCCTCATCACTG TGTAATAAATTTGCACCGAAATGTGG CCGCAGAGCCACGCGTTTCGGTTATGT AAATAAACTATTTATTGTGCTGGGT TC	831	K	<i>Wnt1</i>

IM000498	TCTAAGTCCAGTCTTTCACACACACTGACTTT GGTCATCTGTAATCACAACATG	832	D	--
IM000499	CATGCACACAACTGGCCCTGAACTTTTGACT TCCAGGCCTCTGCCTCTCTGCGCGACACACA CACTCGCACTCCTGTATATGAAGCGTATATGT GTTTCTCTGGGAAGTGTTTTATCAGGTGAAG	833	K	<i>Fgf3/Fgf</i> 4
IM000500	GGGCTGAAGGAAAATGTTGTGTCATC TTTGTGGCATG	834	D	--
IM000501	CATGTACCACTTTTGCTAATCCCCTA ACCGCCCCTTGTAAGCATCTAAAGT GATATATCTCTTGGTCTACTGAAGTT CTGCCCTGTCTCCATCGGGGATTCTC GGGAGGCTAAAATTATAGACTATTTG TGAAAG	835	D	--
IM000502	CATGTCCTTATGATATGGAAAAA	836	D	--
IM000503	CATGTGCCAAGAGCCATTACAGGCTC AGACTAACATCTGCCTGTAAACAACG GTTGCTAAGTTTCCAGGGAAGCGTAA G	837	D	--
IM000504	CCAGATGACCTTGAAGTCAGAGATCTCCTTGC CTTAGCCTCCTGGGATTCATAGCCGCTATGCC TCAAGATCTCCATG	838	R	--
IM000505	CATGTAGTTTGCAAACAAGACATCCCTGGTAT ATCCAGAACCTGAGCTATGC	839	D	--
IM000506	GGATATAGTGTCAAACAGTCTGATGTATTCAT AGGTTTGTATCCATAGTTATCAAATCTCTCAT G	840	D	--
IM000507	CATGTACCACACACAGACTTGGTAATAAGTTA GATGATAATTACAAAAGCAACAAATAAAACC AACAAAACAAAACAAAGCTTGGTAATA	841	D	--
IM000508	GTTAGGAGCACGAAGTCTCTTTCAGAGGACC TGGGTTAATTCCCAACACTCACATG	842	R	--
IM000509	CATGGTCAATGATAAACATTCCAAAACACCA AAACCATCCTCTCTGTACAGGCTATGATGATT CAACTGCTGCCCTTCCTCATTTCTTGTTCCCAA CTCCTACTGAATATTTCCTGCAT	843	D	--
IM000510	CATGATAGAAGACCACGTCTGGGATGGGGTA AGGGTTTCTCAGAGTACCTTGCCTGGGGCCA CATCCTAAATCTACAACAAAGCTGACCCTA	844	D	--
IM000511	CAAGTTTTGTAAAGGGAGCTAAGAAAGGCATT GTTGGTTAGGTTGGAAAGAGGGGGCAGGACC TGGCTCTCGCTTCAGCCCACTCCCCTCTGCCCC CCAGCCTCAAACACTTTTACCCTAGCATAGCA GAAACATG	845	D	--
IM000512	CATGAACTCAGTGGGCAGATGAAGAGTTTTTG TGTGAACTGGGGCTTGCCCTTATCATCCTGT	846	K	<i>Fgf3/Fgf</i>

	GTGTTCTCCTGGTGACCCTCAAGCTTGGCTGC AATGATCCCCACTTACAGAT			4
IM000513	GTTTATTACTCCAATGATTGCGACAGCCGGGT TGCAAGTCTAAGGCAGGCTGTCTGCCTTCCTG GAGGTACTTACCCACCTCCCCCTCTGGGGGA GCTCCACTTGGCCATG	847	R	--
IM000514	CATGATTTTCAGTTTCTTGCCATATTCACGT TCTACAGTAGACATTTCTAAATTTTCCAACCTT TTCAGTTTTCCTCGCCATATTTACGTCCTAAA GTGTGAATTTCTCATTTCCGTGATTTTCAGTT TTCTCGCCATATTCAGGTC	848	R	--
IM000515	GTAACCACTCATTTACCTGCCCAATGATGTC TGGGCCAAGGCATTTTAAATTCATATCTACT GTGACTATAGGTGCCCATG	849	D	--
IM000516	CATGACACTGCTCACTGTTGCTCTCTAACCTT GGTCCAG	850	D	--
IM000517	GNGCTTGGCAGAGTAGAGAACTCTTTGGGA AACTTGGTTCAGATCCAGACATG	851	C	--
IM000518	CACCTCTGCCTCAGTTTCCCTGATTAT CAACAAGTGCTCATG	852	D	--
IM000519	CATGTAACCAAGAAAGTCTAGTAGGCGTAGT GGTAAATGCCTTTGATCCCAGCACTTGGGAGG TAGAGGCAGGTGGGATCTCTACAAATTCAAG ACTGGTCTGGTCTATATAGTGAGTTCCAGGCC AACCTTCACATTGAAATTCATCTCAAAACAAT AAAAATAGAGGAAGATATAGTCAGGCAC	853	R	--
IM000520	GAAGACATTCATTTTTTTCTTGGGAGGGGATA GAATCCAAGGCTCCAAAGCAGAGTTCATG	854	D	--
IM000521	GACCACGCTGGCCTCGAACTCAGAAATCTGCC TGCCTCTGCCTCCCAAGTGCTGGGATTAAAGG CTGTGCCACCACTGTGCTTACTGATCTCTTTGA TGTCCCAGTTATAGCTCTTGGGTTCCCCACCC ATTTGTAGGGGGACCCAGGACACCTCAGAGC TCTCCCAAGTCTAAAAAGGGCAGGGTTCCTGG CTCCCTTAATGCCTTATCAAGCACAAACAGAAC TCAGGGGCAGAAAATGTTCCAGGAAGAACT TAGCTGTGGGGAGAGTCATG	855	R	--
IM000522	CATTTTCTTTATAGCTGAGTGTTATTCCACTG CAAAAATTTGAATATTCCACTATTCTGTTGAT GAATGTCTAGGCTGGTCACGTTCTCTTGCTTT GTGAATGGAGCAGCAATAAACATAAGTGGGC ATG	856	D	--
IM000523	CTCCATTGGGCCGAGTGAAGCTGTGGTTCAGA GAAACTCTATGGACAAGCTTGACTTCCAGAAC ATTGACCTGGTCTCTGAGATCAACAAGCGTAG GAAAGCCATG	857	D	--
IM000524	CATGGGAAAGTAATCCGTGGCTAACACAAAG	858	D	--

	GGGAAATAAAGTAATATT			
IM000525	CATGTAGGACCCTGAATGCCAGCAATGAACA ATACCAGCTTGGTTTTCCGACTCTTGCTTTCTC CTCCCTCCACTACTAACTAGCCTCACCGTTGC ATCTTGTGACTCAGAGGTCTTGTTCAGGGC TTCCTTCCTCCAGTGTCTTCTAATGCATCTA AAGTGAAGGGGTGG	859	D	--
IM000526	CATGCAAAGCCTCTGCAGGGCCGACAGCAAG GAAGGCCCTTCTAGATCTCCAGCACTCTGTCA AAAGCCATCACTCGGCAGGCAGGCAACCACA ATGTAGGGAAGACCTGTAAAGCCTTCAGAGA GGAACAGCTGGCAGCCCTGGGTCACTCAGA GTGGCCAACAGCTACTCTTGTGGAGACAGCA GGAGGAGGCCTAGACTATAGAAGGATGGAGG AC	860	D	--
IM000527	CATGCACACAACTGGCCCTGAACCTTTGACT TCCAGGCCTCTGCCTCTCTGCGCTCACACACA CACTCGCACTCCTGTATATGAAGCGTATATGT GTTTCTCTGGG	861	K	<i>Fgf3/Fgf</i> 4
IM000528	CATGAAACATTATTTNTTTTGGAAGT CTGCAGGTAAACTTAAATAGGTTAA	862	R	--
IM000529	AGCAAGAACAAGGAAGTACTTCACTTGATA AAAACAGTTCCAGAGAAACACATATACGCT TCATATACAGGAGTGCAGTGTGTGTGTGAGC GCAGAGAGGCAGAGGCCTGGAAGTCAAAAGT TCAGGGCCAGTTTGTGTGCATG	863	K	<i>Fgf3/Fgf</i> 4
IM000530	GATTTTTATTTTCCTTAGCATCCTGATTGGAGA TGCCTGGGTGCACATG	864	K	<i>Fgf3/Fgf</i> 4
IM000531	CATGTAGAGACTGCCATATCCAGGGATCCACC CCATAATCAGCATCCAAACACTGACACCATTG CATACACTAGCAAGATTTTATTGAAAGGACGC AGATGTAG	865	R	--
IM000532	GACCTGTACCCTACCCTCTGATGGAGGCCATC TATTTGCCTGTCCCCAGGAGTCCCCAACTGC TCAAAGAACAGACTGTGGGCTCTGGAAAGCT AGCAGGTGACCCCGGGGATGTTCTGAGCAG TGCCTTACTGAAGTTTATCCAGGCCCTAGGGT CCCCTCACTGCTCACACAGCCTAGGGTGGGT CTCTTGAGGAGTCACTTGTCACTTCTGTTGCTT CCCAAGAGACCCAGGGAAAAAAGGAAGGAA GGCCATG	866	D	--
IM000533	ATCTCACTCGTAAAAATGAACAAAGGGACTGC AGAGATGGCTCTGAGCTTTAAGACCATAGCC TGCTTTTCCAGAGAGCCAGGCTTCATTTCCC AGCCACATATGGCAGTTCACAACCATCTACA ACTCTAGTTCCTGGGGATCTCACACTTTTGTCT TCTGTGGGCACTGCGCAATGTGCACAGAAAT ACACGCAAGGAAAACACCCATG	867	K	<i>Fgf3/Fgf</i> 4

IM000534	AAGAAACACTCTTAGCTGGGCTGGAAGTGC ACATG	868	D	--
IM000535	CTAAAGCAGATTATTATACTTATTCTACTGAC CATAATGCAACCACTATTATATAAACAGAACA TACTATAAAGTGAATAACATTAGGATACAAA ATGTATAAAAGGGGAGAGAGGATAACCATTG TGAAGTATGTTTAAATAAAATGTTTGGGATTT GAGGAAATTAATAAAATTAGTTACCCTTTTTGC TTTGGGGAAAGAAAGGCAGCATG	869	D	--
IM000536	CAGCCCCAAACCCATCAGCCTGAGACTGATGC ACAGGAGGCAGGCCAGTTAGTTATTCTCTGGG CCCCTCTATTTTGCCTTCTGTAGGTTAATCCCA CCGCTCCCAGTGCTGGAAAGTGCAAGCATTGT GGGAAGTTAAAAACGTGCCACCATG	870	D	--
IM000537	CATGGACAATGCACCCCTCAAGCAGTGTCTTC CATACAGACAAGCATATTTATTTTCTATACAG ACAGCAACTTTGCTGAGGTGTAAGG	871	K	<i>Fgf3/Fgf</i> 4
IM000538	GGATGAAGAAGCCCAAGGTATTAGGTCAGTC TTGCTCTGACTTCTCACAGTAAAAATACAAC CCAGGGACTAAAATGACACAGAACAGCTTA GCCTCTGGACATTGCTTTTGGATTGCAAAGTG ATAAGTGAAAAAGTAATAAGTCTATCTACATT GGAAAAACATTGGTAACTTCATTTAAACACAC TTCCCCATG	872	D	--
IM000539	CATGTCCTACATTGGACATTTCTAAA TTTTCCATCTTTTTTCAGTTTTTCCTCAC CATATTTACAGTCCTAAAGTGTGTAT TTCTCACGTGTATTCTGTTGGTTGTTGG TTTAGTTCCTGGGAGCTCTGGAAATC TGATTATT	873	R	--
IM000540	TGGAAAATGAGAAACATCCACTTGACGACTT GAAAAATGACGAAATCACTAAAAAACGTGAA AAATGAGAAATGCACACTGAGGGACCTGGAA TATGGCGAGAAAACTGAAAATCACGGAAAAAT GAGAAATACACACTTTAGGACGTGTAATATGT CGAGGAAAACTGAAAAGGGTGGAGAATTTAG AAATGTCCACTGTAGGACGTGGAATATGGCA AGAAAACTGAAAATCATG	874	R	--
IM000541	TGACATACAGAAAGAACACAAATACCTGTAG CTGCTGTGACAGGACCAACCATTCTAAATATC AAAGCAGCTGTTGACACCTAAGGACTGGTCTG ACTGCTAGATCTAGGAGTTTCAACTTGCAAAA GCTGGCTTGATGCTCATG	875	C	--
IM000542	TTATATATATATATCGTTTTCTTACTCCTGA ATCAGTGACATG	876	D	--
IM000543	CATGTCAGCCCTCAGCTTTACACAGGTGTCAA AAAAAAAAAAAAAACTGACTGAGATCTTCC GTCTGCCATTAGCTGTTATTGTGTACATTAAG TAGAATCCACTGCTTAACCCAGGCTACTGGGC	877	D	--

	TCACCCAGTATTCAAGGAGGTGCCACAGGA CTCAAAGGATACAGAAGTTACATATTA CCAATCTCGTAGAGGATTCAGAGGA TTTGGTAGGGGCACAGATTGTAGTACCATTAA GCCCCTCTGTTCCCTCGTGGAGAACC TCCAGCAAGGCGGGAAGGACCCAAATCAAGC AAATGAGACTTGTTCCTGG			
IM000544	CATGATANATCCCTTTTTGTGAGCAT TCCATAGCCTCAGTAATAGTGTCTGA CCTTGGGACCACGCTGTATCCC TGGGACCTTCTTTTCNTCAGGCTACTC TCCATTTCCATTNCTGTAATTCTTTCA ACAGAAACATTTATGGGTCANAGGTG TGACTGTGGGAGGACAACCCCATCCC TCACTTGATGTCCTGTCTTCTGCTGG AGGTGGGCTTTATAAGTTCCCTNCCC CTACTGNCCAGCATTTTCATCAAAGAT CCCTCCCTAGGAATCCTGGGAACCTC TC	878	D	--
IM000545	GATAAGCTTATCTTGAACCTGAATGTATATGG AGAAGCAGAAACCTTGAAACAGCCACAGAA ACTGAAGAAGGATGAAGGTGGAACCTCAGC TGGAATATTCATG	879	D	--
IM000546	CATGTTCCCAGCTGGGCAAGGCCTCGGGTTCC TCGGTGAAGAGTGTGGACCAGCCGATGAGCC CTCCGACGTGTGGATGAAACGGCTGGCTTTG TTTAGTTTTGTTTTAACCTCCCCAACGAGACTT TGATCAGCTCCACCTCGAAAATGTTGCGGAAA GATGCGGAGAGCCTGAGGGACTGCGGGGCAG CAACGGGCTCCGGCCTAGCCCGGCCCGCGG CCCCCAGA	880	B	AI41328 8
IM000547	ACCAAGTGTTAATAATGTACTGATGGCTTCTG CCTGTGGCAGTACACTTGTCTCTACACATG	881	C	--
IM000548	CCTTACTGCAGAGATGACTCGGCCAACGGCTT CGAGCCCCTGACCACTTCCTCAGGTTTGGTTT TGTTAGTTTTTTCTCACAGCAATGGGAAGCAT AATCAATACAACCTCCCAGAATGCGACCTGTG ACAAGGCCAATGAGCAGACTCAAGGCTGGGC ACATAAAAGCACCAAAAAAAAAAACTCCCTT GCAGTTATTGTTTCATG	882	D	--
IM000549	GACTGAGCCTGCCTGGGGCCGTAGGG AAGGGGGGGTTGGACCCTCTGGTATT TGCAGTTACCACTGACAGGGTTTTTC CGAGATGCCAGTGTGAGGGTGTTCGG TGCTGACCCCCCAGGGACCGTGCAGC CCCGATGGCTGTCTCGGTCCTCTCAN CTTTTCCGCCACCCCTGGGATATTTCA GGACTIONCCCCGCAACAGCTCTGA CTGAGGTCAGCTCTGTGACCAGGGNC CCTGTCCCCGGTGTGNNGTGTATTTG CATG	883	K	Wnt1

IM000550	CATGTAGAAGGCAGAGGACAACCTTCAGGGA TTATTCTGCCCTTTCAC	884	C	--
IM000551	GTTCTCCATTCTGCTGCTTCTCCCTGATACAT TGAGTTACAGCAGCCCACGCTACACACTCTC GCACATG	885	K	<i>Wnt1</i>
IM000552	CATGCCACCAACAAATAAGTAAGTAAAAAAG AAGGAAGGAAGGAAGGAAGGAAGAAAGAAAGAA AACATTTTAAATCTGTAAT	886	D	--
IM000553	CGGAGCTTAGGTCTATCATTAAAGATACAAC CAAATAGGCAGAATCATTTCTGAGGAGCCC ATTTTCTTTATCTCAGGTCCTGCAGATTTCTCC CTGGTATTATCAGGGAGGAGCAGCAGCTGAG CTATCTATCTCCTTTACTAATAGAAAAAACG CCTTTAGGGCTTGAGCACAGGACCTGTATTTT AGGGGAATGTTGACAATCCATAACTCCAGGG TGGACTACTAAGCCCTGCAAGGTGAGTGAAC CCCGGCCGAGAATAAGGCCCATG	887	R	--
IM000554	CATGGCCTGAGAGTTGGAAGAGTATTGTAA GCAGGGGTGTTCCAGAAAGTTTAGAATATAC AGACACTATACTCTATCCAGACTTCTTGGCAC AGGGAGTTCAAATGTAGACTCTGAGCCCCGTC CTGGGGCAGCTTCTTCCACCTGCTTTGGGTAG AAGCAGGCA'GACTCTGGGTAGACTCTGATTCC AAGGCTAAGTAACCCCTGAACCCAGAACAGT GTTTTT	888	D	--
IM000555	CCAGATATCATACTGAGTTCGTAGGTGGTTTT AATTAATCACGGGCCCTGGCATG	889	D	--
IM000556	TTGGTGATCCAAACCCAAAGAGACAAATGCT GAATGTTCACTCTCATTITCTGTTCTTAGCTCC AAATCTTCAGATATGAGTAAGCAACACATAA ATTATGAAGGGACCATACTGGGATGTAGGGG GCTTGCATG	890	D	--
IM000557	CATGAGCACTGCTCTAGGGACACCTC CCATCCCTTCCTAGCACCCCAAATGC CCCTTCCCATCTCTCCTTCCAGAAGTT GGA	891	K	<i>Wnt-3</i>
IM000558	ATATAGCTGTCTCCTGAGGGCCTATGCCAGTG CCTGGCAAATACAGAAGTGGATGCTCACAAT CATCCATTGGACAGAGCACAGAGTCCCCAAT GAAGGAGCTAGAGAAAGTACCCAAGGAGCTG AAGGGGTCTGAAGCCCCATAGGAGGAACATC AATATGAACTAACCAGTGCCCCAGAGTTCCT TAGAACTAAACCACCAATCAAAGAAAACACA TG	892	R	--
IM000559	CATGATAAGGTTAGAGTTTTGTGAGCCTCCTT AACCTTGCTCAGCAAGCGTTGGGCTCTTGGCA GCCGAGCTGCCATCTTTCTCATCCCCGATAGA GCCAGCCGCCCTTGTCGTGCTTGAATAAGTT AGAGGAGGCATTATAGAGCGGACCTAAACAT	893	D	--

	TTGCCTTGGAGCCTGAGGGATGGGGATTGGCT GAATGTGAAT			
IM000560	CAGAACTGTGCTCTTTAGGAAGCCAGACGCTA TGCCTTAGGCCCTGTTCCCTCCAGACCTTGCTC TGTGCTACAGTGTAAGGCGAAGATCATG	894	D	--
IM000561	GAGAATTAGAAAAGAGATAACAAAGGCGAGA AAGAGAGGCGTGTGAGAGCATG	895	D	--
IM000562	GTTTCCAGATTGTCCTAGTAGCTGGGCTGCAG GAACAGCCAGCATG	896	C	--
IM000563	GGGGGTGGGGTGGTAAGAGAAGATTAATTA GCCTAGCATATATAAGGTTTTGGATTCAATCT TCAACTCCACCCCTTAAAGAATAAATAAACAA GTAGATAGATTATAGACAGACAGCTAGATGG ATAGACAGATAGCTACATAGATACATAGATA GATGATAGATAATAGACAGACAGACAGATAA ATGATAGATAGATGATAGGAAGTCCCAGTTA ACAAATGGAAATAAAAAGACAAAAGTCCCCT TTGTCCATG	897	D	--
IM000564	GTATATGGAATATGGCAAGAAAAGTGAATA CATG	898	R	--
IM000565	CATGGTAAAGGTCAGGAGTACACCTGTGCTTC TGTGTTCTTCTGTGTTGGCTGACAGCTGGGCA GAAGTGAGTTCAGGAGGCAACCCATACGAT GAGACAAGCCGGGGCAAAGTGGGATATGTGG ACCGCAGCACATCAGAAGGGTGTGCCCGACA TAAAC	899	B	AA1113 54
IM000566	CATGAAGTATATTATTAGAGGGGAAGTAGTCT TACTGCTGAGCAGCGTGTGTCTTCTACAGAG GATGTTTGTGTTCTGGAATTTAAATTAATTA AAGTAATAGTGTCAATGAAACGTTGTCCGGTG ACTTGCTTCTTTAAATGATCACTGTTAGACA GGGA	900	R	--
IM000567	AATAATCAGATTTCAGAGCTCCAG GAACTAAACCAACAACCAACGAATA CACATG	901	R	--
IM000568	CATGATTTGATAGGGTTATTTGGTTCTCTGGA ATCTAACTTCTTGAGTTCTTTGTGTATATTGGA TATTAGCCCTCT	902	R	--
IM000569	GCAAATAGTCCTTTGTACCGAACTCCACACA CTAATGTAGTGAATTATTTAAATTTATTCCTT AATCTTTTTTTAAAGTCCAGACTCTATCCCCCT CCTTGTCACCCCTCTGATTGTTCCACATCCCAT ACCTCCTTGCCTCATG	903	R	--
IM000570	TTCCATCTCTTGATTCTGTTGCTGATGCTCAC ATCTATGTTCCAGATTCTTTCCTAGTGTTTC TATCTCCACTGTTGCCTCACTTTGGGTTTCTT TATTGTGTCCACTTTCCTTTTTAGGCTTGGAT GGTTTATTGAATCCATCACCTGTTTGGTTGT	904	C	--

	GTTTTCTGCAATTCCTTAAGGGATTTTGTGT TTCCTCTTTAATGCTTCTACCTGTTGGTTAT GTTTTCTGTAATTCCTTAAGGGATTTTGTGT TTCCTCTTTAATGCTTCTACTTGTTTAGCAGT GTTCTCCTGCATTTCTTTAAGTGAGTTATTTAA GTCCTTCTTGATGTCCTCTACCATCATCATG			
IM000571	CATGAGTTTTCTACTTTTTTATAAAATTATATA AAGTCATTTAGTAGAACCTAGCTTTATTTAAT TTTACCAATTAATATAAGGCCACTGATATTAT TGACTTTTGTCACTACAAAATACAGCAATGAA ATAATCTTTCTTCTAGGCTCCTTCCTCATCAAA CTAGTTCTTCAGCTCACATTAATACTTTTTTCA AGTTGTAAGGGACCTCAGGGACAGGGGGC	905	D	--
IM000572	CATGAGCTTATAGTTTCAGTAAGAGAGCATAG ATAGAATATAGGTGCCTGTGCGCTGGCTCTTT TGGTTGTATTTAAATCCTTTATCTCTGAGAAGT CGGAACCTGTTGGCAACAGACAATATGGTAGC C	906	D	--
IM000573	CTGACACAGGTATGCCCAGTCCATAGTGTGCA GAGCACAGATGGCCAAGGATAACTAGGAATG AGACCTACTTAACCCAACTCCAAACATTATG AAACTTTAAAAAAATGACTTCAGTTGAACTTT GCAGGTAACCATCATG	907	D	--
IM000574	ATTGTGTCCTTTTAACATTCTTGCTTTAGTAGA ACATCCTCTGACCCGTATCTGATTCAGTGAAA AATTCCTTCACGAGTCTGCCTTAGCAAAACAT CCTTTCACCTGTGTCTGCTTCAGGAAAAACACC CCTTCACATG	908	R	--
IM000575	CATGTTGGTAACAGATACAACAAGCAGACTT AAACTAATAAGAAAACAGCTATGATTAATAT GTTTATAACTTAGCTGAAGAGAATGTATGGAG CTTTGAAGTTAATCTTTTCATATACACAGGAA TGCCTTCAAAAAGCATTGCAGCAGATTTCAAA GGATTAACTCAT	909	D	--
IM000576	CATGTGGCGAACCAGCATCACTTTTGCTCTTT CCTTACTAACCAGGACATCCATCATTATTTT AATAGCATCCACCCTAGTAGATATAAGGTGAT ACCTTATTGTGATTTCAATTTGCCTTCTCTGAA GATCACTAACAATCAAAATCTGGTTCATTTA TTTATGAATTCTCATTTGCTTTTGCTAAATAT ATGTTTACAATTCTTTTCAATTTAAAGCAAA TTGTTTTGTTAATAATGAGCTAACTTTTCATAC ATTGAAG	910	D	--
IM000577	TTGCTGTGGGCCTAATTCAAGGCTGA TAGATCACCACAGAAGGACACTGTTT TCCTCCGGGCAGCAGGAAGTACAGG GTAGGGACTCTAGAATCACTGCCCTA GGGCATG	911	B	AI66396 9
IM000578	GTAAGTTTGTAGCTAGAGCAAAAAGAC AATGGAAGGAGATCAAGGGAATACAAAGTGG	912	R	--

	GAAAGAAGTCAGAGTATCATTATGTCCAGGT GATATGATAGTATACATAAATGACCCTATAGA TTACACCTAAGACCTCTACAGTGGATAAATAC TAAAATATTTACTACACAGAAATCACCCCATG			
IM000579	CATGCAAGGTATGAACTCACTAATAA GGGGATA	913	D	--
IM000580	CATGGTTCACACTCCATAATATCTTGTTCTCAC TAATTCCTCTAATCCCATAATATACACCAATA ATTTAACAAGGGAATTTCTACATTGATTTGTA ATAAGGGAGATACTGTGTGAACTTACCCAAC AAAAGTCTCCAATAGAAGTGTGGATACCACA GGAAGTCTTGTGACAACCATTAAAATTTGGGT CTGATAAGAAGATAACCCTTTAAATATATAGA TTATGTAAAG	914	D	--
IM000581	CATGGGCTGGGGAAAGGCAGAGAGAAGAACA TCTGGATTGTTCTTAACCTTGCCTTTAAAATGA GACTTCAATAATACTTAGACGTACCAGCTTCT CACAGTCAGTTAAAATGTGACACACACACCTC TCAGCAGACTGAATGGGTGAG	915	D	--
IM000582	AGAGATGGTTGGGATTTAAGTTACCA GGGTAGGGTCACCACAATCAACCCTT GATGCCCTTATAGGAAGAAACATG	916	D	--
IM000583	CATGGAAGTCTAAAAGACATTAGGTTCTGGAT GGAAGAAGAGAAAAATTATCTTTAAGTTTTAGA AAAGGGATGATAAAACAAGTCTTAAATCTTCT CAATTTTGCCATAATTCATTTGAATTAATATTG GTAAATGCTTTGTGTGGTCCCATAAAGTTCAA TGTGTTATATCACTAAGTAGTTATTTGTAAAA TTATAAATAGCCTCTAT	917	C	--
IM000584	CTTGTGAATTGTTTAACTGTTTTGAAAAAGTA GATGTTTTCTCTATTTATTTTGGGACAATTAT CAGAATTTGAAACAACTGTGTATCTCTTATT TACTTTCTGCTTAACCCCATG	918	D	--
IM000585	CATGGTTGCTATATTCATTAACACAAATCATT TAAAATCCTTAATGTAAAATGGGCACATTTTC AAAATTTAAATATATGAAAACCAATAAAGAT AGAAAATTTAGGAAAAAAAATAATCCAAGCA AGATGTTAACATCCAACCACAGCAGCATATTA GCAGCAGGACAAAAATAAGGACAACAACCAA GAAAGGGATTGTGGTTAATGTATGCCTCATTG GAAGGGATAATAGGATGTAAAAGTGTGACAA TAAAGAGAAAAAAATCTCTTTTAAAAATGTAA GTTAAAATAATAAAAAATAATTTAAAAATTGGT GTTCTCAGGGCTGGATAATATTACTAACAAAA CCAGGGAATTATTAATAAAAAATCTCTTATCA GTTAT	919	D	--
IM000586	AACAAGTTTAAATGGGGCATAGTGGATCAC ATTGTGATCCCAGCACTTGGAAGGTAGAAAT AGGTAAATTAAGAGTCAAGGTCATTTCTCAG TTATGTAGTTGTACATTTCTAGCGATGTAGTT	920	D	--

	GAGTTCAAGGCCATG			
IM000587	GTCTCTCAATGTGCATTTCTCATTTTTCACGTT TTTCAGGGTTTCTCGCCATATTCCATG	921	R	--
IM000588	AATTGCATTGAATCTGTGGATTTCTATTAACA AGATGGCCATTTTTTTCCTATGTTAATCGTACT GATCCATCAGGATGGCAGTCTTTCCATCTTCT GATATCGGCCTCAATTTCTTTCTTCAGGGGCTT GAAGTTATCGCCATG	922	R	--
IM000589	GGCTAGGTACTCCTAAACCTTCCTCTGCTATC CTAGGCCCAATAGAAAAAAGTGGCCCATG	923	D	--
IM000590	AATAATACTTTCACTGTACTTTAAAAATATTAT CTCCTATCTCACTCTAATACTTCTGTGAAAGA AGCAATATCGTCTCTTTGTAGATAAAAAATGGC TGAGAAGGGCACCTTCAAGACACTAAGTGAC TAACTCAGACTCAGAAGTTCAGAGACCATG	924	D	--
IM000591	CATGCTCTACTATGTTACAGCAGTCTTATTTA TAACTTCCAGATACTGGAAGCAACTCAGATGT TCCTCAATGTAAGAATGGATACAGAAAAAAT ATGGTACATTTACACAATGGGGTACAACCTCAG CTATTAAGAACAATGAC	925	R	--
IM000592	AAAACCCAAGAACAATTAAGCTGTA GTTCCCAAGTGTAAATTATATTATGGT TGTTTCTGCTTGCTTTATATCCCTATA TACAATTTATGATTCAAGTATTAGTG GGAATAGACTAATGGCATG	926	C	--
IM000593	CATGCCAAGCCTTCTGGTATCACCTAAAGGC	927	C	--
IM000594	CATGCTCTTCTCTGCTGTTCTTACTGAATTTT AATAAGAACAATTCCACACAGCTCGAAAGCA CTGCTCAATTAAGAGATATTCCTACCAGGCAT CTTTGGAATCCTGCAAGCACCTTCTCTGTTT CCTGATGACCCTCAATTTGGTTGTGTCCAGAG GTTGGTGGGGAGGAGGGGAGGGGAAACGAA GCTTATTTTTTTTAATTGCAAGTTCATTTTA CAATGTTCTCGAT	928	D	--
IM000595	CATGCTAGGCAAATGCTCCACTGAATGAATTA CATTTCCAATCCTTTAGATGCATTTTAAAGAG AAAAGATTGAGTACTGAAGTTTTGAATAGAAT ACAGGAATAAGGGACTAAACATATATATAGC CTTATATAGAGAAATATTAAGTAAGTAGTAAC TTTGCTTGTGTGTGTGTGTGTGTGTCACAC	929	D	--
IM000596	CATGCCATTAGTCTATCCCACTAATACTTGA ATCATAAATTGTATATAGGGATATAAAGCAA GCAGAAACAACCATAATATAATTACACTTGG GAACTACAGCTTAATTGTTCTTGGGTTTT	930	C	--
IM000597	CATGCACAGCTGGTGAGTGAGTTGTCTTCTGG TACAAAAATCTCCTCACAGGCACATTTACAAG TGCCTATATCTTTGCTAGCTTCAAGAACACAA AGAAGGGACACACAAAAGCTCTTCTGAGTCT	931	D	--

	CCTTCTCCTGCTGTTATTTTG			
IM000598	ATCGTCAAAGTTAGCAAAATTATAAATGTGAA AGTCATG	932	D	--
IM000599	CATGAATTATGTTTGTGTTTATTTCTTT TGTACATCATTCAATGCAGTAATCTA AAGTTTGGGGTCTTGGTCTTATATCTT GGAACCTCAGTGACTTATTGGTTCTA ACG	933	D	--
IM000600	AGAGACAGTCACAAAAGGGGCCATTCTTGTT AAGAATGGGCCAGTGGAGAAGTTCGGGTAG TGGAGTAGCCTGCCTCAGTTTCCTCTGTCTTC TGTAAGTAAATGTGTTAATGGTTAACATG	934	K	<i>Fgf3/Fgf</i> 4
IM000601	CATGTAGCATTTATCTTAGCCAGCAC	935	D	--
IM000602	CATGTACAGACTATGAACAGGAAATGTTTTG CAAATAACTCTGTGCATTAGAATTTCTTCAG AAATATAACCATTTTGACAGTTGTAGGTTACA CTTTTAAAATTACAAAATCAATAAAATTGATC TACAAACCGAGGCCTACAAAACCTTGCTGG ATATTGAAGACGGCATAATATTAAAG	456 936	D	--
IM000603	AATTCCCACCCACAGGGTGGCTCCATAAC CATCTGTAAGTCCAGTCTCAGGGACTCCAAGG CCCTCTTTGGCTTGCAAGGGCTGCACACAC ACAGCGCACACATG	937	K	<i>Fgf3/Fgf</i> 4
IM000604	CATGGTGAATGATTGTTTTGATGTGTTCTTGG ATTTGGTTTCGAGAATTTATTGACTATTTTGG CATTAATACTCATAAGGGAAATTGGTCTGAAG TTCCTTCCTTGTTGAGTCTTTATGAGGGTATCA ATATAATTGTGGATTCATAGAGCAAGTTAGAT TGTGTTCCCTCTGTTTATATTTTGTGGAATATT TTGAAGAGTATTGGTATTAGATGTTCCCTTGAA GGTATGATAGAATTCTGAACTAAACCATATG GTTCTGGATTTTTTTTGGTTGGAAGACCAATG ACTGCTTCTATTTCTTTAGGTGTTATGGGACTG TATAGATGGTTTATCTGAACCAGATTAACTT TGGTATTTGTTATCTGTTTAGAAAATTGCCCAT TTCATCCATATTCCCAGTTGTGTTGAGTATAG GCTTTTGTAGTAGGATATAATGATTTTGAAT TTCCTCAGTATGTTTTCTTATATCTCCCTTTC ATTTCTGATTTTGTAAATGTGGATACTATCTCT GTGTCCTCTGTTTAGTCTGGCTAAGGGTTTTTC TATCTTGTTGATTTTCTG	938	R	--
IM000605	CATGGGTAAACAGTGGGCCCTAAACTGAACT AGAAAACCTAAAGATGCTCATAGGGAAGAAG AAAAGAGCAGAAAGCTTAGCTTCTAGACAGG GGTAAGGCTTAGAGCTCAATAAAAAAGGAAC CCC	939	K	<i>Wnt1</i>
IM000606	CATGGCCTGTCTCAGTTTACTTCACAGCTGAA CAAGAGGCAGAGAGTGACAGGTAG	940	K	<i>Wnt1</i>

IM000607	CATGCTCGCCAGTCCCAGAACCTGGA AGGCTGAGGCAGGAGGATTA AAAAG CCTTGGGGACACCAGGCTTGGTGGCA CCGGTCGTAAATCCAGCACTGGGGAG TTAAGAAGCAAGTGAGTCACATCTGT GAGTCTGAGGCTATCTTGGTCTACGT AACCAGCTCTAGTATAGCCAGCCTGG GATACATAGTAACCAGTTCTAGTATA GCCAGCCTGGGATACACAGTAACCA GTTCTAGTATAGCCAGCCTGGGATAC ACC	941	D	--
IM000608	CATATGCGTATTCACATTTGTGTGGGAACGTC CTTGGAGAAAGCAGGAGCAGGAGTTACAGAC AGTTATAAGCTGCCTGACCTGGGTGCTGGGAA ACACCTCAGGTCCTCTGGAAGAGCAGTAAGTC CCCTTAACCAATGAACCATCTATCCGTCCAGC CTACATTTAATTTGTTTCTTATTTACTTTGTCT GCATG	942	R	--
IM000609	CACACACACACACACCGGCTGGGGATCCAA CCCATCTCGTCCTTACACGTGCTCTACCATCA CGCCACACATTTCCAGCACNTTTATCTGAAGT GTTTCCTTTTATTTGTGCA TG	943	K	<i>Wnt1</i>
IM000610	CATGCCTGGTGCCTGCAGAGGTCAGAAAGTGT TGGATGCCCTGGAATTAGAGTAACACATAGTT ATAAGATGCTGCGTGGGTGCTGGGATTTGAAC CCTTGTCTCTGCAAGAGCAGCCAGTGCTCTT AACCACCGAGCCATCCCTCCAGCCCCTGATTA CTCACTCTTCACGGCCTCAATCTTGTAAGGAA TATTGAGGCTGCCAAGTGACGCAAGAGCACC TAGGAAGGCAGCCACATCGGTGGCACTCTGG AAGCACTGCGAGGATGACTGCACACATTGCC GGTTGTC	944	K	<i>Notch1</i>
IM000611	CATGCTGGCCATTTATTTTGATTTAAGTTATAC TCTAGACCTTTGTAAATATTAGCCATTGCATA TTACAGAAATTTCTTAGCAGAGATAGTCTCTC ACTCTTAGTGATGAGCAAGCTGGAGCTCAGCA TTATTCTCCCAGCTAAGATACAGAATTACAGA CGTTTATGACGGACACATCTTGATGTAGTTA CTTAGTCCAC	945	D	--
IM000612	CCCCCCCCGCCCTGCCAGACCGCAGCCCCAA GCACAGCATG	946	D	--
IM000613	CATGCCTCCCTCAGCCTCCTCCACCCCTTCCTG TCCTGCCTCCTCATCACTGTGTAAATAATTTGC ACCGAAATGTGGCCGCAGAGCCACGCGTTTCG GTTATGTAAATAAACTATTTATGTGCTGGG TTCCAGCCTGGGTTGCAGAGACCACCT	947	K	<i>Fgf3/Fgf4</i>
IM000614	CATGAATTCAATGGTGTGCTGTCTATAAATGC AAATAAACCATATATATCATATTACACTCAAT TTTAAATATTTTTCCTAATATTAATAAAGGTG ATGGGGAACCTT	948	D	--

IM000615	CATGTCTACTTTATTGCATATTAGGAT GTCAGGTCCTGCTCGTTTCCTGGGAC CATTTGCCTGGAAGACATTTTCCATT CTTTTACTCTGAGATAGTTCCTGTCTT TGTGTTGAGGTGTGTTTCTTGTTATTC AGCAAAATGCTGGATCTTGTTTGC GA ATCCAGTCTGTTAGCTTATGTCTTTTT ACAGGTGAATTGAGTCCATTAATATT GAGAGATATTAAAGAGAAATGACTTT TGGTTCCTGATATATTTGTTTTTCTAG TTAGTTTTGTGTGCTTGGGACTCTCTC CCTTTGACTGTGTTGTGAGATGCTTA ATATCTTGTCTATCTTTGGTGCAGGT GTCTTCCTTGTGTTAGAGTTTTTCATTC CAGGTTTCTCTGTAGTGTTATGTTAG AAGACATATACTGCTTGAATTTAGTT TTGCCTGGAATATTTGTTTTCTCCAT CTATGTTGATTGAGAGTTTTTCTGGGT AAAATAGCCTANCCTGGCATTGTGT TCTCTTAAAAGTCTGTATGACCTCTG ACTANGCTTTTCTGGCC	949	D	--
IM000616	CATGGTGAATGATTGTTTTGATGTGT TCTTGGATTGGTTTCGAGAATTTTAT TGACTATTTTGGCATTAACTACTCATA AGGGAAATTGGTCTGAAGTTCTTTCC TTGTTGAGTCTTTATGAGGGTATCAA TATAATTGTGGATTCATAGAGCAAGT TGGATTGTGTTCTTCTGTTTATATTT TGTGGAATATTTTGAAGAGTATTGGT ATTAGATTTTCTTTGAAGGTATGATA GAATTCTGAACTAAACCCATATGGTT CTGGATTTTTTTTTGGTTGGAAGACCA ATGACTGCTTCTATTTCTTTAGGTGTT ATGGGACTGTATAGATGGTTTATCTG AACCAGATTAACTTTGGTATTTGTT ATCTGTTTAGAAAATTGCCCATTTCA TCCATATTTCCCAGTTGTGTTGAGTAT AGGCTTTTGTAGTAGGATATAATGAT TTTTGAATTTCTCAGTATGTTTTCT TATATCTCCCTTTCCATTTCTGATTTT GTTAATGTGGATACTATCTCCGTGTC CCC	950	R	--
IM000617	CCATGTCAGGTGGTTAACCTGTGAGTCTAACT TCCAGGAATGCAATGCCTCTGGCATCTACAGG CATAAACATACTTGTGGCTTACACTCAAACCTG ACACACCAACACATATGTGCACGCGCACACA CACACACACCAAATTAATAATAAATAAACC TTTTAAAAAATATAGAATCTATAGATAATT GCTTTACTGCACTCACAAACATTTAGGATC	951	D	--
IM000618	ACACTAACACAAAGAAGGGGATC	952	D	--

CLAIMS

We claim:

1. A recombinant nucleic acid comprising a nucleotide sequence selected from the group consisting of the sequences outlined in Tables 1-112.
2. A host cell comprising the recombinant nucleic acid of claim 1.
3. An expression vector comprising the recombinant nucleic acid according to claim 2.
4. A host cell comprising the expression vector of claim 3.
5. A recombinant protein comprising an amino acid sequence encoded by a nucleic acid sequence comprising a sequence selected from the group consisting of the sequences outlined in Tables 1-112.
6. A method of screening drug candidates comprising:
 - a) providing a cell that expresses a carcinoma associated (CA) gene comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112 or fragment thereof;
 - b) adding a drug candidate to said cell; and
 - c) determining the effect of said drug candidate on the expression of said CA gene.
7. A method according to claim 6 wherein said determining comprises comparing the level of expression in the absence of said drug candidate to the level of expression in the presence of said drug candidate.
8. A method of screening for a bioactive agent capable of binding to an CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112, said method comprising:
 - a) combining said CAP and a candidate bioactive agent; and
 - b) determining the binding of said candidate agent to said CAP.
9. A method for screening for a bioactive agent capable of modulating the activity of an CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a

nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112, said method comprising:

- a) combining said CAP and a candidate bioactive agent; and
- b) determining the effect of said candidate agent on the bioactivity of said CAP.

10. A method of evaluating the effect of a candidate carcinoma drug comprising:

- a) administering said drug to a patient;
- b) removing a cell sample from said patient; and
- c) determining alterations in the expression or activation of a gene comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112.

11. A method of diagnosing carcinoma comprising:

- a) determining the expression of one or more genes comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112, in a first tissue type of a first individual; and
- b) comparing said expression of said gene(s) from a second normal tissue type from said first individual or a second unaffected individual;

wherein a difference in said expression indicates that the first individual has carcinoma.

12. A method for inhibiting the activity of a CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112, said method comprising binding an inhibitor to said CAP.

13. A method of treating carcinomas comprising administering to a patient an inhibitor of an CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112.

14. A method of neutralizing the effect of an CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112, comprising contacting an agent

specific for said CAP protein with said CAP protein in an amount sufficient to effect neutralization.

15. A polypeptide which specifically binds to a protein encoded by a nucleic acid comprising a nucleic acid selected from the group consisting of the sequences outlined in Tables 1-112.

16. A polypeptide according to claim 15 comprising an antibody which specifically binds to a protein encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-112.

17. A biochip comprising one or more nucleic acid segments selected from the group consisting of a nucleic acid of the sequences outlined in Tables 1-112 or fragments thereof.

18. A method of diagnosing carcinoma or a propensity to carcinoma by sequencing at least one CA gene of an individual.

19. A method of determining CA gene copy number comprising adding an CA gene probe to a sample of genomic DNA from an individual under conditions suitable for hybridization.