




(22) Date de dépôt/Filing Date: 1991/02/25
(41) Mise à la disp. pub./Open to Public Insp.: 1991/08/27
(45) Date de délivrance/Issue Date: 2002/08/27
(62) Demande originale/Original Application: 2 037 017
(30) Priorités/Priorities: 1990/02/26 (07/486,806) US;
1991/01/22 (07/643,344) US


(51) Cl.Int.⁷/Int.Cl.⁷ A61F 7/00
(72) Inventeur/Inventor:
OWENS, BYRON C., US
(73) Propriétaire/Owner:
VESTURE CORPORATION, US
(74) Agent: SMART & BIGGAR

(54) Titre : COUSSIN THERAPEUTIQUE ET MODE D'EMPLOI
(54) Title: THERAPEUTIC PAD AND METHOD



(57) Abrégé/Abstract:

A therapeutic pad for heating or cooling has a liquid absorbent to prevent liquid leakage in the event the sealed envelope of the pad is ruptured. The method of forming the pad includes vacuuming the thermoplastic envelope prior to sealing. The pad can be used alone or with a comforter to provide warmth or to remove heat from the body of the user.



70033-12D

ABSTRACT

A therapeutic pad for heating or cooling has a liquid absorbent to prevent liquid leakage in the event the sealed envelope of the pad is ruptured. The method of forming the pad includes vacuuming the thermoplastic envelope prior to sealing. The pad can be used alone or with a comforter to provide warmth or to remove heat from the body of the user.

70033-12D

This is a division of our co-pending Canadian Patent Application No 2,037,017 filed 25 Feb. 1991.

The invention relates to therapeutic pads and specifically to therapeutic pads for applying heat or removing
5 heat from particular body surface areas of the user to soothe muscles and joints.

It is well-known that liquid containing therapeutic pads are designed for heating and cooling applications for parts of the human body such as a bruised arm, thigh or back
10 muscle or to relieve pain from a sprained ankle. Therapeutic heating pads may contain liquids such as in conventional hot water bottles or may be of the more modern style which are sealed liquid pouches that can be microwaved and then applied to sore muscles or joints. It is also well-known that certain
15 therapeutic pads are designed to be cooled or frozen in freezers or the like whereby they can be removed and placed on sprained ankles or otherwise positioned to relieve pain by withdrawing heat from the user's body. It has also been known in the past to provide a comforter in the form of a stuffed or
20 yieldable object such as a stuffed toy animal whereby a hot water bottle can be inserted within the object and the object can then be placed in a child's bed whereby the child can be comforted by the heat emanating therefrom. In recent years therapeutic pads have been manufactured and sold consisting of
25 flexible plastic envelopes into which water type solutions are contained. The pad is placed in a vacuum pump whereby the air within the bag will be withdrawn and the bag can then be heat sealed with the liquid therein. Pads which have been used in the past to contain liquids for either heating or cooling have
30 been susceptible to breakage and rupturing whereby the user's clothes, furniture, bed sheets and the like have become damaged and must be disposed of or at least cleaned. Also adults are

70033-12D

greatly concerned with small children that need to use therapeutic pads which may leak and accordingly this fear has deterred their use to some degree.

Thus, with the known problems and disadvantages
5 associated with prior art therapeutic pads, the present invention was conceived and one of its objectives is to provide a therapeutic pad which is constructed to prevent leaks, even in the event the outer envelope is ruptured.

SUMMARY OF THE INVENTION

10 The present invention provides, a therapeutic pad comprising: (a) a liquid; (b) means to absorb said liquid, said liquid disposed within said liquid absorbing means; (c) a thin flexible envelope, said liquid absorbing means positioned inside said envelope; said liquid absorbing means in a
15 compressed posture, said liquid absorbing means maintained in the compressed posture after said envelope is sealed; and (d) a cover, said cover positioned around said envelope.

The invention also provides a therapeutic pad comprising: (a) a thin, flexible, permanently sealed envelope;
20 (b) a liquid disposed within said envelope; (c) means for absorbing said liquid, said liquid absorbing means positioned in a compressed posture inside said envelope; and (d) a cover, said cover positioned around said envelope.

The invention further provides a therapeutic pad for
25 releasable attachment comprising: a liquid filled pad, said pad including a strap, said strap for retaining said pad in place.

The therapeutic pad preferably includes a readily visible temperature indication device which will provide
30 additional safety and efficiency in heating the pad. The pad

70033-12D

can be used to provide a seat cushion for use by sports fans and other who sit outside during cold weather.

The pad or pouch is preferably microwavable and may be in the form of an attachable body or forehead (stress) mask
5 which can be worn to apply heat or cold therapy.

The therapeutic pad can be shaped to fit on electric massagers of vibrators as are commercially available.

The invention also provides a seat cushion comprising: a therapeutic pad comprising: a thermoplastic envelope, a
10 liquid, said liquid contained within said envelope, a resilient member, said member positioned in said envelope and maintained in a compressed configuration after sealing of said envelope, said resilient member in contact with said liquid whereby air entering said envelope will allow said resilient member to
15 expand and absorb said liquid, and an exterior covering.

The invention also provides method of forming a seat cushion comprising the steps of: (a) placing a resilient liquid absorbing means within a flexible envelope; (b) adding liquid into said envelope; (c) applying a suction to said
20 envelope to compress said absorbing means; (d) sealing said envelope such that said liquid absorbing means remains compressed within the sealed envelope; and (e) placing said sealed envelope in an exterior covering.

Various other advantages of the present invention
25 become apparent to those skilled in the art as a more detailed description of the embodiments is presented below.

The new and improved therapeutic pad solves many problems of conventional pads as are now being used. The pad of the invention is preferably formed from a permanently sealed
30 thin, flexible outer envelope and included therein is a liquid

70033-12D

filled absorbent such as a synthetic sponge which is compressed prior to envelope sealing. The compressed sponge retains liquid and in the event the envelope is accidentally punctured, the sponge will rapidly enlarge in size preventing any liquid within the pouch from escaping through the rupture. The method of forming the therapeutic pad consists of placing a liquid containing thermoplastic envelope in a vacuum chamber apparatus. A sponge is inserted into the liquid and thereafter, by the use of a vacuum pump, air is evacuated from the envelope and the sponge is compressed as the envelope deflates. Once a sufficient vacuum is pulled, for example 24 inches of Hg., the envelope is sealed by a pair of heating elements. The sealed envelope is placed in a water impervious envelope having a rubberized covering to increase the safety and durability. A thermochromic liquid crystal temperature indication device is affixed to the outer surface of the rubberized covering to indicate when the interior liquid has reached sufficient temperatures. The therapeutic pad is then ready to be placed in a fabric cover and may be microwaved or otherwise heated prior to use. Somewhat similar steps are used to form a therapeutic pad which can be used by cooling or freezing by placing in a refrigerator or freezer. Therapeutic pads of the invention can be placed within a yieldable object such as a teddy bear, pillow or the like whereby the object can be used for comforting a child at bed time. Also, the therapeutic pad can be placed in a foldable seat cushion for use by fans watching outdoor winter sports such as football games. Various shapes of the therapeutic pad can be used such as for face masks, arm, neck or leg wraps or which can be shaped to releasably attach to electric vibrators or other devices which are used to massage sore muscles or joints.

70033-12D

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 illustrates a typical pad of the invention as shown herein;

Fig. 2 demonstrates a cross-sectional view of the pad
5 as shown in Fig. 1 along lines 2-2;

Fig. 3 pictures a conventional combination vacuum forming and heat sealing unit;

Fig. 4A depicts the envelope of the therapeutic pad having a liquid and absorbent therein prior to vacuuming;

10 Fig. 4B illustrates the envelope of Fig. 4A but with a partial vacuum applied;

Fig. 4C shows the envelope which has been fully vacuumed and sealed prior to insertion into a rubberized covering;

15 Fig. 5 illustrates the expansion of the liquid absorbent such as if a leak should occur in the envelope;

Fig. 6 presents a comforter object in the form of a stuffed teddy bear with a therapeutic pad in the vest worn on the chest of the bear;

20 Fig. 7 demonstrates another embodiment of a stuffed object having a therapeutic pad positioned within;

Fig. 8 depicts a foldable seat cushion as used with the heatable therapeutic pad;

Fig. 9 shows the seat cushion of Fig. 8 in
25 perspective view unfolded;

70033-12D

Fig. 10 pictures an enlarged view of a typical temperature indication device having temperature indicia as used with the invention, in a top plan view;

Fig. 11 depicts the temperature indication device of Fig. 10 in an end elevational view;

Fig. 12 presents a conventional electric vibrator with cylindrical therapeutic pad removed therefrom;

Fig. 13 demonstrates an end view of the cylindrical pad in cut-away fashion;

Fig. 14 shows yet another commercially available battery powered vibrator with a dome-like pad removed therefrom;

Fig. 15 illustrates the pad as shown in Fig. 14 from a side view;

Fig. 16 shows a top plan view of a face or stress mask in partial cut-away form;

Fig. 17 illustrates a side elevational view of the mask as shown in Fig. 16; and

Fig. 18 shows a neck or arm pad having a cut-away section.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The preferred form of the therapeutic pad of the invention is shown in cross-sectional view in Fig. 2 and includes a fabric outer cover, a thermoplastic envelope which contains a liquid filled sponge which has been compressed to approximately forty percent of its original size. The sponge compression provides unique features to the device for use in a

70033-12D

variety of applications whereby, in the event of an inadvertent rupture of the envelope, the sponge will expand and absorb any liquid which may otherwise drain through the rupture and contact human skin causing burns or irritations, stain bed sheets, clothing or the like. The preferred method of making the therapeutic pad comprises placing a flexible thermoplastic envelope such as may be formed from polyethylene in a conventional vacuum forming and heat sealing cabinet. Liquid is introduced into the envelope and a sponge is also positioned therein. With the vacuuming device turned on, the air is pumped from the envelope and as the envelope collapses, the sponge is compressed. Once a sufficient vacuum has been drawn, such as twenty-four inches of Hg. as demonstrated on a vacuum gauge, the heat sealing elements are activated to permanently seal the envelope where it can then be placed in a rubberized covering and an exterior fabric cover for later microwaving and application to a sore muscle. The therapeutic pad can also be used in a comforter such as with a stuffed toy animal or the like to be used as a companion for small children. The stuffed animal is provided with an outer vest having a pocket whereby the therapeutic pad can be for example microwaved, and placed within the vest pocket of the stuffed animal. The animal can then be given to a child in bed and by heat emanation from the therapeutic pad, the child will receive comfort and will generally, easily fall to sleep.

DETAILED DESCRIPTION OF THE DRAWINGS

AND OPERATION OF THE INVENTION

Turning now to the drawings, therapeutic pad 10 as shown in Fig. 1 contains a liquid filled microwavable pad as used for sore muscles by athletes or other. The pad can be placed in a conventional microwave oven and heated for approximately five minutes. The pad is then removed and placed

70033-12D

against the sore muscle or joint to provide warm therapeutic relief. Other pads are made which can be placed in the freezer of a home refrigerator and once they have reached the desired temperature, can be used to extract heat from a sore muscle,
5 ankle joint or the like to reduce swelling and inflammation.

Pad 10 is shown in Fig. 2 in cross-sectional view whereby cover 11 is formed from a cotton fabric and encloses sealed flexible plastic envelope 12 which may be for example, formed from polyethylene or other suitable and durable
10 plastics. Means 13 to absorb liquid is positioned within envelope 12 and in a compressed state as will be hereinafter explained. Means 13 consist of a synthetic nylon sponge although other resilient, compressible absorbents may also be used such as natural sponges, or other synthetic or natural
15 structures. As seen in Fig. 2, absorbent means 13 is compressed to approximately forty percent of its normal size and as would be understood, if envelope 12 is ruptured, means 13 would attempt to recover to its normal, non-compressed configuration. A water impervious covering 40 is shown in
20 Figs. 2 and 3 which may consist of cotton flannel/rubberized sheathing, a neoprene coated nylon sheeting, a natural rubberized sheeting or other similar combinations. These materials are conventional and are commonly used in hospitals and for incontinence uses on beds, chairs and for other
25 articles. Their durability and high resistance to tearing and puncturing make them desirable and they have been found to provide superior water impervious coatings for therapeutic pads.

In Fig. 3, combination vacuum and heat sealing device
30 14 is shown having a chamber lid 15 and control panel 16 for vacuum forming and heat sealing thermoplastic envelopes such as envelope 12 as shown in Fig. 2. Device 14 is conventional and

70033-12D

is sold throughout the food industry for vacuum packaging meats and other products. In forming therapeutic pads as presented herein, an empty envelope 12 is filled with a suitable amount of liquid such as a water solution or proprietary formula and a
5 sponge 17 as shown in Fig. 4A is placed therein. As shown in Figs. 4B and 4C, sponge 17 is reduced in size as air is evacuated from collapsing envelope 12 and as would be understood in Fig. 4C, with sponge 17 substantially compressed once the vacuum pressure reaches the controlled level of for
10 example, 24 inches of Hg., envelope 12 is permanently heat sealed, maintaining sponge 17 in a compressed posture. Thereafter, cover 11 can be applied thereto as desired. In the event the seal of envelope 12 is broken or in the event envelope 12 is ruptured at some surface point, air as depicted
15 by the arrow in Fig. 5 will rush into envelope 12 allowing sponge 17 to expand and close off rupture 18 while absorbing any liquid which may attempt to drain therethrough. Hence, with the rupture so protected and filled with sponge 17, therapeutic pad 20 is safe for use in that it will not substantially cause
20 injury, damage or staining to children, bed linens, clothes or the like. A rubberized impervious covering 40 is shown in Fig. 5 surrounding envelope 12 to provide a more durable product. The aforementioned rubberized covering 40 may be formed from a cotton flannel which is bonded to a natural or synthetic rubber
25 or may consist of nylon sheathing which has been neoprene coated as is well-known in the incontinence product art. Also, in Fig. 5 liquid crystal temperature indicator 45 is shown positioned atop pad 20. Liquid crystal temperature indicating devices are old and have been used many years to indicate
30 temperatures and temperature changes. Temperature indicator 45 is affixed by an adhesive or by other means to rubberized covering 40 to assist one in determining the temperature and

70033-12D

the time required to bring pad 20 to its desired temperature level in a microwave oven during heating.

As seen in Figs. 10 and 11, thermochromic liquid crystal temperature indicator 45 consists of a transparent adhesive backed base 46 for attachment to covering 40. Affixed to base 46 is polymer pouch 47 for containing liquid crystals. Various temperature indicia is available and as shown in Fig. 10, pouch 47 includes a black background top surface 48 at room temperature with white letters 49 which indicate high, medium and low temperatures. A red background 51 is shown at the top of pouch 47 with ghost letters 50 which spell "HOT" contained therein. Thus, when room temperature pad 20 is first placed in a microwave oven, letters 49, are white and as the temperature increases the letters of "HI", "MED" and "LO", change color from white to red. Also, background 51 which is red at room temperature turns white upon sufficient heating thereby allowing ghost letters 50 to become very apparent as they turn a solid, dark red color. At this point the pad has reached its desired temperature level and may be removed from the microwave oven for use.

While therapeutic pad 20 as shown in Figs. 1 and 2 can be applied directly to human skin, it has been determined that children can be relieved of daily emotional distress which accumulates by providing them with a stuffed object such as a toy bear which dispenses heat therefrom. As illustrated in Fig. 6, toy stuffed bear 25 is wearing vest 26 which includes a front pocket 27 for maintaining microwavable therapeutic pad 20. Toy bear 25 can then be placed in a child's crib or bed and pad 20 will provide warmth therefrom for a period of time to soothe and comfort the mind and body of the child. Various other objects such as pillows, or other animal designs could likewise be utilized such as a vest, gown or some other pad

70033-12D

support maintained on the outside of the object. Additionally, as shown in Fig. 7, a stuffed toy animal 31 could be manufactured with an inner pocket 30 into which the therapeutic pad 20, with its means for liquid absorption is located and would be extremely beneficial under conditions of rough handling or the like that may cause envelope 12 as shown in Fig. 2 to rupture since means 13 will prevent drainage into toy bear 31, and thereby preventing damage and inconvenience.

In Figs. 8 and 9 seat cushion 60 is shown which comprises an outer, durable fabric or other suitable cover 67 having joined thereto handles 61, 61'. Seat cushion 60 can be closed as shown in Fig. 8 and latched with closure strap 62 having distal end hook and loop fastener 63 for engaging hook and loop fastener 64 which is affixed on side 68 of seat cushion 60. Thus, pad 10 can be placed in a microwave oven and heated to the desired temperature level prior to a football game or the like where it is inserted into cover 67, folded, latched with closure strap 62 and carried to a football game such as are played in outside stadiums. upon arrival at the stadium seat, closure strap 62 is then released allowing seat cushion 62 to open to a flat posture as shown in Fig. 9 where it is placed on the bench seat or the like. The user can then sit on soft cushion 65 as shown in Fig. 9 and remain warm and comfortable through several hours of outside activity. Upon leaving the user can refold seat cushion 60 by reattaching closure strap 62 and then easily transport seat cushion 60 back to his home or other destination.

As shown in Figs. 12 and 13, cylindrical therapeutic pad 70 is shown which fits over conventional elongated electrical vibrator 71. Vibrator 71 applies a massaging action to sore muscles and with liquid filled cylindrical pad 70 thereon cold or heat therapy can be provided. As seen in the

70033-12D

cut-away view of pad 70 in Fig. 13, cylindrical therapeutic pad 70 which may be four inches in diameter and five inches in length includes an outer cloth covering 73, a rubberized inner covering or layer 74, a plastic envelope 75 which contains
5 liquid filled sponge 76 therein. Elastic bands 77, 77' are positioned at each end of the cylindrical member to assist in holding cylindrical pad 70 on vibrator 71 during use. As would be understood, cylindrical pad 70 can be manually slid onto and off vibrator 71 as opening 78 is slightly larger in diameter
10 than vibrator body 79. Elastic bands 77, 77' surround opening 78, 78' and resiliently maintain therapeutic pad 70 on vibrator 71 during use. It has been found for example, by providing a microwavable therapeutic pad 70 an increased therapeutic sensation is achieved for aching muscles and the like. As the
15 liquid filled sponge 76 is agitated during use, the heated liquid therein and about is stirred and the warmth is evenly distributed to the sore muscles more uniformly. The process of using pad 70 in its microwavable form consists of removing it from vibrator 71, placing pad 70 in a microwave oven for a
20 sufficient length of time for heating. Thereafter pad 70 is removed and placed on vibrator 71 for use. For cold therapy, pad 70 would be placed in a freezer or the like to prepare it for usage.

In Figs. 14 and 15, another vibrator covering pad 80
25 is shown. Vibrator 81 is battery operated and like vibrator 71, is commercially available. Substantially dome-shaped therapeutic pad 80 has an elastic or resilient rim 82 which stretches to allow vibrator head 83 to enter cavity 84 therein. Dome-shaped therapeutic pad 80 is generally constructed, except
30 for its outer appearance, as is cylindrical therapeutic pad 70 shown in Figs. 12 and 13 and likewise can be either a hot or cold therapy type pad.

70033-12D

Another use of a hot or cold therapeutic pad is shown in Figs. 16 and 17 whereby face mask 90 is presented. As shown, face or stress mask 90 consists of an outer cloth covering 91 with end flaps 92, 93 having hook and loop fasteners 94, 94' respectively affixed thereto. Mask 90 can be placed across the forehead and eye slot 95 allows the wearer to watch television or the like while mask 90 is worn. Mask 90 may be internally constructed similarly to therapeutic cylindrical pad 70 in Fig. 13 with a rubberized coating 96, a plastic envelope 97 and a liquid filled sponge 98 contained therein. Fig. 17 illustrates a side view of the device as shown in Fig. 16 illustrating the relative thinness of mask 90 which may be approximately one inch in thickness. Face mask 90 has been found to be useful in relieving headaches or facial aches or soreness which may develop proximate thereto. A similar construction without the eye slot 95 is seen in Fig. 18 having only one strap 101 attached to therapeutic liquid filled arm pad 100. Hook and loop fasteners 102 and 103 allow pad 100 to be attached around the neck, arm or leg of the person. Pad 100 includes an outer covering of fabric 104, an inner rubberized coating 105 and a liquid filled sponge 107. Cold (freezable) or heat (microwavable) models are available depending on whether desired hot or cold therapy.

The illustrations and examples provided herein are for explanatory purposes only and are not intended to limit the scope of the appended claims.

70033-12D

CLAIMS:

1. A therapeutic pad comprising:

(a) a liquid;

(b) means to absorb said liquid, said liquid disposed
5 within said liquid absorbing means;

(c) a thin flexible envelope, said liquid absorbing means
positioned inside said envelope; said liquid absorbing means in
a compressed posture, said liquid absorbing means maintained in
the compressed posture after said envelope is sealed; and

10 (d) a cover, said cover positioned around said envelope.

2. The pad of claim 1, wherein said liquid absorbing
means comprises a sponge.

3. The pad of claim 1, wherein said liquid absorbing
means comprises a resilient structure.

15 4. The pad of claim 1, 2 or 3, wherein said cover is
formed from fabric.

5. The pad of claim 1, 2 or 3, wherein said cover
comprises a cotton fabric.

6. The pad of any one of claim 1 to 5, wherein said
20 liquid absorbing means is compressed to approximately forty
percent of its uncompressed size.

7. The pad of any one of claims 1 to 6, wherein said
envelope is permanently sealed.

8. A therapeutic pad comprising:

25 (a) a thin, flexible, permanently sealed envelope;

70033-12D

(b) a liquid disposed within said envelope;

(c) means for absorbing said liquid, said liquid absorbing means positioned in a compressed posture inside said envelope; and

5 (d) a cover, said cover positioned around said envelope.

9. The pad of claim 8, wherein said liquid absorbing means comprises a sponge.

10. The pad of claim 8, wherein said liquid absorbing means comprises a resilient structure.

10 11. The pad of claim 8, 9 or 10, wherein said cover is formed from fabric.

12. The pad of claim 8, 9 or 10, wherein said cover comprises a cotton fabric.

13. The pad of any one of claims 8 to 12, wherein said
15 liquid absorbing means is compressed to approximately forty percent of its uncompressed size.

14. A pad as claimed in any one of claims 1 to 13 including a temperature indicator positioned on said flexible envelope.

20 15. A pad as claimed in claim 14, wherein said temperature indicator comprises a liquid crystal temperature indicator.

16. A pad as claimed in claim 14, wherein said temperature indicator comprises a thermochromic liquid crystal
25 indicator.

17. A pad as claimed in claim 16 including indicia, said indicia for changing colour as the temperature changes.

70033-12D

18. A pad as claimed in any one of claims 1 to 3 or 8 to 10, wherein said cover is of water impervious material.

19. A pad as claimed in claim 18 including a temperature indicator located on said flexible envelope.

5 20. A seat cushion comprising: a therapeutic pad comprising: a thermoplastic envelope, a liquid, said liquid contained within said envelope, a resilient member, said member positioned in said envelope and maintained in a compressed configuration after sealing of said envelope, said resilient
10 member in contact with said liquid whereby air entering said envelope will allow said resilient member to expand and absorb said liquid, and an exterior covering.

21. A seat cushion as claimed in claim 20 and including a handle, said handle attached to said covering.

15 22. A seat cushion as claimed in claim 20 and including a closure strap, said strap affixed to said exterior covering.

23. A seat cushion as claimed in claim 20, wherein said pad is foldable for ease in transportation.

20 24. A method of forming a seat cushion comprising the steps of:

(a) placing a resilient liquid absorbing means within a flexible envelope;

(b) adding liquid into said envelope;

(c) applying a suction to said envelope to compress said
25 absorbing means;

(d) sealing said envelope such that said liquid absorbing means remains compressed within the sealed envelope; and

70033-12D

(e) placing said sealed envelope in an exterior covering.

25. The method of claim 24, wherein the step of placing a liquid absorbing means within an envelope comprises the step of placing a sponge within the envelope.

5 26. The method of claim 24, wherein adding liquid to said envelope comprises adding a water solution into said envelope.

27. The method of claim 24, wherein the step of applying suction to said envelope comprises connecting a vacuum pump to said envelope.

10 28. The method of claim 24, wherein the step of sealing said envelope comprises heat sealing said envelope.

29. The method of claim 24, wherein the step of exteriorly covering said envelope comprises covering said envelope with a fabric sheath having a carrying handle.

SMART & BIGGAR

OTTAWA, CANADA

PATENT AGENTS




FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 6








FIG. 7






FIG. 12




FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18

