



US00PP16922P2

(12) **United States Plant Patent**  
**Vandenberg**

(10) **Patent No.:** **US PP16,922 P2**

(45) **Date of Patent:** **Aug. 1, 2006**

(54) **CHRYSANTHEMUM PLANT NAMED**  
**'YODIGIT'**

(52) **U.S. Cl.** ..... **Plt./294**

(58) **Field of Classification Search** ..... **Plt./294**  
See application file for complete search history.

(50) Latin Name: *Chrysanthemum*×*morifolium*  
Varietal Denomination: **Yodigit**

(75) Inventor: **Cornelis P. Vandenberg**, Fort Myers,  
FL (US)

*Primary Examiner*—Kent Bell  
*Assistant Examiner*—Annette H Para  
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(73) Assignee: **Yoder Brothers, Inc.**, Barberton, OH  
(US)

(57) **ABSTRACT**

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

A new and distinct cultivar of *Chrysanthemum* plant named  
'Yodigit', characterized by its upright cut *Chrysanthemum*  
that is usually grown as a natural spray; dark green-colored  
foliage; freely flowering habit; uniform inflorescence form  
and development; small daisy-type inflorescences; white-  
colored ray florets; response time about nine weeks; strong  
peduncles; and good postproduction longevity.

(21) Appl. No.: **11/122,825**

(22) Filed: **May 5, 2005**

(51) **Int. Cl.**  
**A01H 5/00** (2006.01)

**2 Drawing Sheets**

**1**

**2**

Botanical designation: *Chrysanthemum*×*morifolium*.  
Cultivar denomination: 'Yodigit'.

SUMMARY OF THE INVENTION

CROSS-REFERENCE TO RELATED  
APPLICATIONS

The present application is co-pending with the following  
related applications: Title: *Chrysanthemum* Plant Named  
'Yoguide'. Applicant: Cornelis P. Vandenberg.

5

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar  
of *Chrysanthemum* plant, botanically known as  
*Chrysanthemum*×*morifolium* and hereinafter referred to by  
the name 'Yodigit'.

10

The new *Chrysanthemum* is a product of a planned  
breeding program conducted by the Inventor in Salinas,  
Calif. and Alva, Fla. The objective of the breeding program  
is to create new cut *Chrysanthemum* cultivars having inflo-  
rescences with desirable colors and good inflorescence form  
and substance.

15

The new *Chrysanthemum* originated from a cross-  
pollination made by the Inventor in May, 1995, in Salinas,  
Calif., of the *Chrysanthemum*×*morifolium* cultivar Alma,  
not patented, as the female, or seed, parent with a proprietary  
selection of *Chrysanthemum*×*morifolium* identified as code  
number 1849, not patented, as the male, or pollen, parent.

20

The cultivar Yodigit was discovered and selected by the  
Inventor as a flowering plant within the progeny of the stated  
cross-pollination in a controlled environment in Alva, Fla.,  
in April, 1996. The selection of this plant was based on its  
desirable inflorescence color and good inflorescence form  
and substance.

25

Asexual reproduction of the new *Chrysanthemum* by  
terminal cuttings in a controlled environment in Alva, Fla.  
since June, 1996, has shown that the unique features of this  
new *Chrysanthemum* are stable and reproduced true to type  
in successive generations.

30

Plants of the cultivar Yodigit have not been observed  
under all possible environmental conditions. The phenotype  
may vary somewhat with variations in environment such as  
temperature, daylength and light intensity, without,  
however, any variance in genotype.

The following traits have been repeatedly observed and  
are determined to be the unique characteristics of 'Yodigit'.  
These characteristics in combination distinguish 'Yodigit' as  
a new and distinct cultivar:

1. Upright cut *Chrysanthemum* that is usually grown as a  
natural spray.
2. Dark green-colored foliage.
3. Freely flowering habit, about ten inflorescences per  
flowering stem.
4. Uniform inflorescence form and development.
5. Small daisy-type inflorescences that are about 4.1 cm in  
diameter.
6. Attractive white-colored ray florets.
7. Response time about nine weeks.
8. Strong peduncles.
9. Good postproduction longevity with inflorescences and  
foliage maintaining good substance and color for about  
three weeks in an interior environment.

Compared to plants of the female parent, the cultivar  
Alma, plants of the new *Chrysanthemum* have slightly  
smaller inflorescences, are more freely and uniformly flow-  
ering and flower about three to four days later.

Compared to plants of the male parent selection, plants of  
the new *Chrysanthemum* have smaller inflorescences and are  
more freely flowering.

Compared to plants of the cultivar Yoguide, disclosed in  
U.S. Plant patent application Ser. No. 11/122,823, plants of  
the new *Chrysanthemum* differ primarily in ray floret col-  
oration as plants of the cultivar Yoguide have bright yellow-  
colored ray florets.

Plants of the new *Chrysanthemum* can be compared to plants of the *Chrysanthemum*×*morifolium* cultivar Vero, disclosed in U.S. Plant Pat. No. 6,399. In side-by-side comparisons conducted in Alva, Fla., plants of the new *Chrysanthemum* differed from plants of the cultivar Vero in the following characteristics:

1. Plants of the new *Chrysanthemum* had smaller inflorescences than plants of the cultivar Vero.
2. Plants of the new *Chrysanthemum* were more freely flowering than plants of the cultivar Vero.
3. Plants of the new *Chrysanthemum* had shorter peduncles than plants of the cultivar Vero.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Chrysanthemum*, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Chrysanthemum*.

The photograph on the first sheet comprises a side perspective view of a typical flowering stem of 'Yodigit' grown as a natural spray.

The photograph on the second sheet comprises a close-up view of typical inflorescences of 'Yodigit'.

#### DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used. The aforementioned photographs and following observations and measurements describe plants grown in Salinas, Calif., under conditions which approximate commercial practice in a polyethylene-covered greenhouse. Two-week old rooted cuttings were planted on Dec. 30, 2004 and received about two weeks of long day/short nights followed by short day/long nights until flowering. Plants were grown as single-stem natural spray cut *Chrysanthemums*. During the production time, the following environmental conditions were measured: day temperatures, 24 to 27° C.; night temperatures, 10 to 16° C.; and light levels, 2,000 to 4,000 foot-candles. Measurements and numerical values represent averages for six to ten typical flowering stems and were taken about nine to ten weeks after the start of short days.

Botanical Classification: *Chrysanthemum*×*morifolium* cultivar Yodigit.

Commercial classification: Daisy-type cut *Chrysanthemum*. Parentage:

*Female or seed parent*.—*Chrysanthemum*×*morifolium* cultivar Alma, not patented.

*Male or pollen parent*.—Proprietary selection of *Chrysanthemum*×*morifolium* identified as code number 1849, not patented.

Propagation:

*Type*.—Terminal tip cuttings.

*Time to rooting*.—About 10 to 14 days with soil temperatures of 18 to 21° C.

*Root description*.—Fine, fibrous; white in color.

*Rooting habit*.—Freely branching.

Plant description:

*Appearance*.—Herbaceous daisy-type cut flower that is typically grown as a natural spray.

*Flowering stem description*.—Aspect: Erect. Length: About 107 cm. Spray diameter: About 13 cm. Stem diameter: About 6 mm. Internode length: About 3.9 cm. Texture: Pubescent; longitudinally ridged. Color: Close to 146A.

*Foliage description*.—Arrangement: Alternate. Length: About 7.8 cm. Width: About 4.2 cm. Apex: Cuspidate. Base: Attenuate to truncate. Margin: Palmately lobed; sinuses mostly divergent. Texture: Upper and lower surfaces, pubescent and leathery; veins prominent on lower surface. Color: Developing and fully expanded foliage, upper surface: Close to 147A. Developing and fully expanded foliage, lower surface: Close to 147B. Venation, upper surface: Close to 147A. Venation, lower surface: Close to 147B. Petiole: Length: About 1.8 cm. Diameter: About 3 mm. Texture, upper and lower surfaces: Pubescent. Color, upper and lower surfaces: Close to 146A.

Flowering description:

*Appearance*.—Daisy-type inflorescence form with elongated oblong-shaped ray florets. Inflorescences borne on terminals, arising from leaf axils. Disc and ray florets develop acropetally on a capitulum.

*Flowering response*.—Under natural conditions, plant flower in the autumn/winter in the Northern Hemisphere. At other times of the year, inflorescence initiation and development can be induced under short day/long night conditions (at least 13.5 hours of darkness). Plants exposed to two to three weeks of long day/short night conditions after planting followed by photoinductive short day/long night conditions flower about nine weeks later when grown as a natural spray. Inflorescences uniform in form and development.

*Postproduction longevity*.—In an interior environment, inflorescences and foliage will maintain good color and substance for about three weeks in an interior environment.

*Quantity of inflorescences*.—Freely flowering habit, about ten inflorescences per stem develop.

*Fragrance*.—None detected.

*Inflorescence size*.—Diameter: Small, about 4.1 cm. Depth (height): About 1.5 cm. Disc diameter: About 1.4 cm. Receptacle diameter: About 6 mm. Receptacle height: About 6.5 mm.

*Inflorescence buds*.—Height: About 6 mm. Diameter: About 7.5 mm. Shape: Oblate. Color: More green than 147A.

*Ray florets*.—Shape: Elongated oblong. Length: About 2 cm. Width: About 6 mm. Corolla tube length: About 5 mm. Apex: Obtuse, emarginate or retuse. Base: Fused. Texture: Smooth, glabrous; satiny; longitudinally ridged. Aspect: Initially erect; when mature, mostly straight and perpendicular to the peduncle. Number of ray florets per inflorescence: About 21 in a single whorl. Color: When opening and fully opened, upper surface: Close to 155D. When opening and fully opened, lower surface: Close to 155D.

*Disc florets*.—Shape: Tubular, elongated. Length: About 6 mm. Width, apex: About 2 mm. Width, base: About 1.5 mm. Number of disc florets per inflorescence: About 157. Close to 144A. Immature: Close to 144B. Mature: Apex: Close to 9A. Mid-section: Close to 144C to 144D. Base: Close to 155D.

*Phyllaries*.—Quantity per inflorescence: About 22 in two or three whorls. Length: About 8 mm. Width: About 3.5 mm. Shape: Lanceolate. Apex: Acute. Base: Truncate. Margin: Entire. Texture, upper surface: Smooth, waxy. Texture, lower surface: Pubescent. Color, upper surface: Close to 146A. Color, lower surface: More green than 147A.

*Peduncles*.—Length: First peduncle: About 10 cm. Fourth peduncle: About 14.5 cm. Seventh peduncle: About 16.5 cm. Diameter: About 2.5 mm. Angle: About 30° from vertical. Strength: Strong. Texture: Pubescent. Color: Close to 146A.

*Reproductive organs*.—Androecium: Present on disc florets only. Anther length: Less than 1 mm. Anther color: Close to 12A. Amount of pollen: None

observed. Gynoecium: Present on both ray and disc florets. Style length: About 4 mm. Style color: Close to 144C. Stigma color: Close to 9A.

*Seed/fruit*.—Seed and fruit production has not been observed.

Disease/pest resistance: Resistance to pathogens and pests common to *Chrysanthemums* has not been observed on plants grown under commercial conditions.

Temperature tolerance: Plants of the new *Chrysanthemum* have demonstrated good tolerance to low temperatures of 7° C. and high temperatures high temperatures of 38° C. It is claimed:

1. A new and distinct cultivar of *Chrysanthemum* plant named 'Yodigit', as illustrated and described.

\* \* \* \* \*



