

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 January 2006 (19.01.2006)

PCT

(10) International Publication Number
WO 2006/006001 A1

(51) International Patent Classification⁷: **G06K 7/00**

(21) International Application Number:
PCT/IB2005/001768

(22) International Filing Date: 22 June 2005 (22.06.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/882,619 2 July 2004 (02.07.2004) US

(71) Applicant (for all designated States except US): **NOKIA CORPORATION** [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).

(71) Applicant (for LC only): **NOKIA INC.** [US/US]; 6000 Connection Drive, Irving, Texas 75039 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SUOMELA, Hartti** [FI/FI]; Alaniitynkujä 5 B 3, FIN-02760 Espoo (FI). **ANTTILA, Akseli** [FI/FI]; Pajalahdentie 6 B 25, FIN-00200 Helsinki (FI). **BELETSKI, Oleg** [RU/FI]; Vilpukatu 2 C 18, FIN-02230 Espoo (FI). **SCHEMBRI, Ingrid** [MT/FI]; Pyörrekuja 4 F 76, FIN-01600 Vantaa (FI). **SAARINEN, Petteri, J.** [FI/FI]; Arkadiankatu 31

B 30, FIN-00100 Helsinki (FI). **HEINONEN, Jukka** [FI/FI]; Pajalahdentie 9 A 17, FIN-00200 Helsinki (FI). **VON KNORRING, Tony, Niklas** [FI/FI]; Vironkatu 8 C 46, FIN-00170 Helsinki (FI).


(74) Agent: **HARROUN, John, A.**; Morgan & Finnegan, L.L.P., Three World Financial Center, New York, NY 10281-2101 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: INITIATION OF ACTIONS WITH COMPRESSED ACTION LANGUAGE REPRESENTATIONS



(57) Abstract: A device stores one or more compression rules for an action language. Upon receipt of a signal from a tag (such as an RFID tag, a visual tag, or an audio tag), a compressed data stream corresponding to the tag is decoded from the signal. Based on the one or more compression rules, one or more action parameters are derived from the compressed data stream. With these parameters, a corresponding action is performed. The action may include communicating across a wireless communications network as well as obtaining content from a remote content provider. Also the action may include storing data, such as a contact entry, or a calendar event.

WO 2006/006001 A1

**Published:**

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INITIATION OF ACTIONS WITH COMPRESSED ACTION LANGUAGE REPRESENTATIONS

This application claims priority to U.S. Application Serial No. 10/882,619, filed July 2, 2004, entitled "Initiation of Actions with Compressed Action Language Representations",
5 which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

[0001] The present invention relates to the representation of actions and data in a dense format. In addition, the present invention relates to the initiation of actions in communications devices.

10 BACKGROUND OF THE INVENTION

[0002] Visual tags, such as barcodes, can be used to store information in the form of bits that are encoded into corresponding visual elements. Such stored information may include data that define one or more actions to be performed by a mobile device. In addition, this stored information may include error correction information and/or error
15 detection information (e.g., checksums).

[0003] A mobile device having an image sensor (for example, a camera phone) can read a visual tag's information and carry out the actions defined by this information. Visual tags are not the only articles that may trigger a mobile device's actions. In a similar manner, radio frequency identification (RFID) tags, audio streams (also called
20 audio tags), watermarks in visual media, and the like can be used to trigger actions in mobile devices with corresponding sensors.

[0004] Such tag-initiated actions can be, for example, instructions regarding the storage of calendar events, contact information, or other information in the device's memory. In addition, examples of tag-initiated actions include launching an external
25 communications connection (e.g., placing a phone call, sending an SMS message, initiating a wireless application protocol session, or establishing a web connection). Also, tag-initiated actions may include a device launching an application and passing tag-

originated parameters to the application. Further, such actions may result in the mobile device obtaining services or content from remote providers.

[0005] The triggering of such actions in mobile devices can be achieved by encoding the action defining data according to a language developed for that particular purpose. Such languages (referred to herein as action languages) define how particular actions are indicated and how the data is to be interpreted.

[0006] The amount of information that a tag may store is often limited. For instance, the number of bits expressed in a visual tag determines the visual tag's physical size. However, this size cannot become too large because limits exist in the size of most associated media channels (e.g., space available in a newspaper advertisement). Audio tags are similarly constrained as the transmission speed of an audio channel is relatively low due to noisy environments. Therefore, it is desirable for such action languages to minimize the number of symbols (e.g., bits) required to express the action.

[0007] Archiver data compression techniques, such as zip, arj, and lhz, compress data by identifying data sequence patterns and replacing them with indices from a compression dictionary. However, such compression techniques are not suitable for small amounts of data, at least because the compression dictionary must accompany the compressed data. Thus, the employment of such compression techniques with tags may result in "compressed data" that is actually larger than the original data.

[0008] Also several languages exist for inputting data into mobile devices. VCal and VCard are examples of such languages. However, these textual languages are quite verbose and do not provide for efficient information storage in tags. An additional example of such languages is the wireless application protocol (WAP) binary extensible markup language (XML). This language merely defines compacting methods for data identifiers. In other words, it replaces the long, textual parameter and action titles with shorter titles. However, this language does not compress the parameters themselves.

SUMMARY OF THE INVENTION

[0009] The present invention provides a method, system, and computer program product that stores one or more compression rules for an action language and receives a

signal from a tag (such as an RFID tag, a visual tag, or an audio tag). In addition, the method, system, and computer program product decode from the signal a compressed data stream corresponding to the tag. Based on the one or more compression rules, one or more action parameters are derived from the compressed data stream. With these
5 parameters, a corresponding action is performed.

[0010] The one or more compression rules may include at least one of: using short identifiers, storing data in a compact format, using fixed data structures, and using references. The action may include communicating across a wireless communications network as well as obtaining content from a remote content provider. Also the action
10 may include storing data, such as a contact entry, or a calendar event.

[0011] According to a further aspect of the present invention, a method encodes an action into a compact representation according to an action language, which employs one or more of using short identifiers, storing data in a compact format, using fixed data structures, and using references. In addition, the method stores the compact
15 representation in a tag. According to another aspect, an apparatus includes an encoder for encoding an action into a compact representation according to an action language, and a generator for storing the compact representation in a tag. In yet a further aspect of the present invention, a tag includes a compact representation of an action;

[0012] The present invention provides for the compact representation of actions in
20 tags. Further features and advantages of the present invention will become apparent from the following description and accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] In the drawings, like reference numbers generally indicate identical,
25 functionally similar, and/or structurally similar elements. The drawing in which an element first appears is indicated by the leftmost digit(s) in the reference number. The present invention will be described with reference to the accompanying drawings, wherein:

[0014] FIG. 1 is a diagram of an exemplary operational environment;

30 [0015] FIG. 2 is a diagram showing operations involving the generation and reading of tags;

[0016] FIG. 3 is a flowchart illustrating an operation according to an aspect of the present invention;

[0017] FIG. 4 is a diagram of a wireless communications device performing tag-initiated actions according to an embodiment of the present invention;

5 [0018] FIG. 5 is a flowchart showing an operation according to aspects of the present invention; and

[0019] FIG. 6 is a diagram of an exemplary wireless communications device implementation.

10 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. Operational Environment

[0020] Before describing the invention in detail, it is helpful to first describe an environment in which the invention may be used. Accordingly, FIG. 1 is a diagram of an exemplary operational environment in which a wireless communications device (WCD)
15 102 may receive information from various tags 104. As a result of this received information, WCD 102 may perform various actions.

[0021] WCD 102 is a portable device having wireless communications capabilities. For example, WCD 102 may be a mobile telephone, or a personal digital assistant (PDA) with wireless communications capabilities. As shown in FIG. 1, WCD
20 102 may include one or more of various tag readers. Examples of such readers include a visual tag reader 106, an RFID tag reader 108, and an audio tag reader 110.

[0022] In addition, WCD 102 includes a communication module 112 and one or more applications 114. Communications module 112 provides for the exchange of information across one or more wireless communications networks. Such networks may
25 be cellular (e.g., GSM based) or short-range, such as IEEE 802.11 wireless local area networks (WLANs) and Bluetooth networks. This exchange may involve the transmission and reception of RF signals 130 through an antenna 120.

[0023] Such wireless communications networks may provide access to various resources. For example, FIG. 1 shows that WCD 102 may access a content server 122
30 through a packet-based network 124, such as the Internet.

[0024] Applications 114 may perform actions based on information received from tags 104. These actions may involve storing information, such as content entries and calendar events. Also, such actions may involve communicating with remote entities. For example, a particular application 114 may collaborate with communications module
5 112 to request and receive content from content server 122.

[0025] As shown in FIG. 1, WCD 102 further includes a display 116 and a keypad 118. These components allow a user to interact (e.g., exchange information) with WCD 102. These components are provided as examples. As alternatives or enhancements, WCD 102 may include other types of user interfaces. Such interfaces may include
10 components such as a touch screen, a microphone, and/or speaker(s).

[0026] The tags shown in FIG. 1 include visual tags 104a-d, an RFID tag 104e, and an audio tag 104f. These tags may store information encoded according to an action language. In embodiments of the present invention, action languages are employed that advantageously reduce the capacity required to store such information.

15 [0027] FIG. 2 is a diagram showing operations involving the generation and reading of tags. These operations are shown in the context of a visual tag. However, such operations may be employed with other types of tags.

[0028] In particular, FIG. 2 shows a tag generation process 250 and a tag reading process 260. As shown in FIG. 2, process 250 commences with an action 202 that is
20 input to an action language encoder 204. Action 202 may be various types of operations performed by a computing device 220. For instance, action 202 may be storing a contact entry, storing a calendar event, placing a phone call, accessing a web site, or sending a communication such as a short messaging service (SMS) message.

[0029] Action language encoder 204 employs an action language to encode action
25 202 into a representation that may be automatically identified by a computing platform or device. Accordingly, this representation may include one or more symbols such as bits. As shown in FIG. 2, action language encoder 204 generates an action language representation 206, which is sent to generator 208.

[0030] Generator 208 transfers action language representation 206 to a
30 transmission medium. For instance, FIG. 2 shows that generator 208 includes a visual tag generator 210, an audio tag generator 212, an RFID tag programmer 214, as well as

other encoders 216. For purposes of illustration, FIG. 2 shows visual tag generator 210 generating a visual tag 218 from action language representation 206.

[0031] As shown in FIG. 2, visual tag 218 is a two-dimensional barcode. However, other types of visual tags (such as one-dimensional barcodes) may be generated. Visual tag 218 may be placed on various media. For example, tag 218 may be printed on a tangible surface, such as paper or an adhesive label. Also, tag 218 may be engraved to a surface (such as metal). In addition, tag 218 may be placed on various electronic media, such as a jumbo screen, or a device display. Such devices include portable communications devices (e.g., WCD 102), computer workstations, or video display terminals.

[0032] Process 250 may be performed in various ways. For instance, encoder 204 and generator 208 may be implemented in various devices, such as a computer workstation, a wireless communications device, or other portable device. Actions may be received through the device's user interface (e.g., a keypad, a keyboard, or a touch screen) through manual data entry techniques.

[0033] In addition to tag generation process 250, FIG. 2 also shows tag reading process 260. In this process, a computing device 220 derives action language representation 206 from tag 218 and performs an action corresponding to this representation.

[0034] Computing device 220 may be a mobile communications device, such as WCD 102. Alternatively, computing device 220 may be, for example, a point-of-sale (POS) terminal, a computer workstation, or the like. FIG. 2 shows that computing device 220 includes a visual tag reader 222, an action language interpreter/executor 232, and an external application 236. However, in embodiments, computing device 220 may include multiple external applications 236.

[0035] Visual tag reader 222 includes an image sensor (i.e., a camera) 224 and a visual tag decoder 228. Image sensor 224 has a field of view. When visual tag 218 is within this field of view, image sensor 224 converts optical light energy, such as reflections, from tag 218 into an image signal 226. Visual tag decoder 228 converts this image signal into a symbol sequence 230. This sequence corresponds to (e.g., is identical to) action language representation 206. As shown in FIG. 2, interpreter/executor 232

receives sequence 230 and processes it according to techniques provided by the present invention.

[0036] As a result of this processing, a launch command 234 can be generated. Launch command 234 may include one or more parameters obtained or derived from parameters in symbol sequence 230. FIG. 2 shows that launch command 234 is sent to an external application 236. Application 236 performs one or more actions corresponding to the parameters in launch command 234.

II. Action Language

[0037] As described above with reference to FIG. 2, action languages are used to encode actions into representations for processing by computing platforms (such as mobile communications devices). These representations may be stored in formats, such as visual tags, barcodes, RFID tags, and audio streams. Examples of actions include storing a contact entry, storing a calendar event, sending a message, initiating a telephone call, and obtaining content/services from a remote provider. Accordingly, such actions (and their corresponding action language representations) may include one or more parameters. These parameters may be contained in fields, each field including an indicator and one or more corresponding parameters.

[0038] As discussed above, conventions such as VCard may be used to represent information for storage as contact entries. An exemplary VCard is shown below.

```
BEGIN:VCARD
VERSION:2.1
N:Smith;John;M.;Mr.;Esq.
TEL;WORK;VOICE;MSG:+1 (919) 555-1234
TEL;CELL:+1 (919) 554-6758
TEL;WORK;FAX:+1 (919) 555-9876
PHOTO;GIF;MIME:<<JOHNSMITH.part3.960129T083020.xyzMail@host
3.com>
ADR;WORK;PARCEL;POSTAL;DOM:Suite 101;1 Central St.;Any
Town;NC;27654
END:VCARD
```

[0039] VCards are typically transferred from one device to another. This transfer typically initiates an action to store a contact entry in the receiving device. VCards may include a plurality of parameters. For example, the VCard shown above includes nine fields, each containing various parameters. Three of these fields (begin, end, and version) pertain to formatting. The remaining fields convey name, telephone, photo, and address information.

[0040] Each of these VCard fields includes an indicator. As shown above, these indicators include one or more text strings separated by semicolons. A colon identifies the end of each indicator. A parameter may follow an indicator. The parameter may have multiple values separated by semicolons.

[0041] In a manner similar to VCards, VCals are used to encode information associated with calendar entries. VCals may be transferred from one device to another, typically initiating an action to store a calendar entry in the receiving device.

III. Efficient Action Language

[0042] In embodiments of the present invention, action languages provide for the compact and efficient representation of actions. To achieve such compactness and efficiency, various techniques may be employed. These techniques may include one or more of the following: using short identifiers, storing data in a compact format, using fixed data structures, and using references. These compression techniques are not exclusive. Rather, these techniques are complementary. Accordingly, any combination of these techniques (as well as others) may be employed in the encoding of an action language representation.

[0043] FIG. 3 is a flowchart illustrating an operation according to an aspect of the present invention. In this operation, actions are encoded efficiently so that they may be expressed on limited capacity media, such as various types of tags. As shown in FIG. 3, this operation includes a step 302, in which action information is provided (or received). This information may include an action language specifier identifying the action type, and one or more parameter values. Next, a step 304 is performed. In this step, an action language specification corresponding to the action information is obtained.

[0044] The action language specification contains information (e.g., rules) regarding the manner in which parameters and other data are expressed in an encoded representation. Accordingly, in a step 306, the action language specification is applied to the information provided in step 302. This results in an action language representation of the action.

[0045] Various techniques may be employed to provide an efficient and compact action language representation. Therefore, step 306 may include performing one or more of steps 308-314. As shown in FIG. 3, short identifiers are used in step 308, data is stored using a compact format in step 310, fixed data structures are used in step 312, and references are employed in step 314. Combinations of these steps may be performed in parallel or in any sequence. Details regarding the techniques of these steps are now described.

A. Using Short Identifiers

[0046] Embodiments of the present invention identify fields using short identifiers such as binary numbers, instead of textual identifiers. An example of this compression technique is shown below (specifying a title in VCard and in an Efficient Action Language (EAL) approach of the present invention). In this example, a Latin character set is used. Also, the hexadecimal values listed in this example and the following examples (for example 0x07) each reserve only one byte of storage space, although the visual representation here in this application uses four characters.

In VCard:	'T' 'T' 'T' 'L' 'E' ':' 'M' 'a' 'n' 'a' 'g' 'e' 'r'
In EAL:	0x07 'M' 'a' 'n' 'a' 'g' 'e' 'r'

25

[0047] In the above example, "0x07" efficiently identifies a title field, as opposed to the more lengthy identifier 'T' 'T' 'T' 'L' 'E' that is employed by VCard. Also, in embodiments, identifiers shorter than 1 byte (or eight bits) may be used. This provides even greater space savings, but limits the number of unique identifiers and hence the number of separate fields.

30

B. Storing Data in a Compact Format

[0048] Aspects of the present invention store data in a compact format that is well suited for the data type. For example, instead of storing a telephone number as characters (the VCard approach), the telephone number may be stored as an integer value. The following is an example of such a technique.

In VCard:	'+' '3' '5' '8' '5' '0' '1' '2' '3' '4' '5' '6' '7' '8'
In EAL:	0x03 0x42 0xb3 0x63 0x2b 0x4e

10

C. Using Fixed Data Structures

[0049] Using fixed data structures relies on the fact that some of the fields (for actions) may be mandatory, while others may be optional. According to embodiments of the present invention, the order (or location) of mandatory fields are fixed according to a predetermined scheme. This fixed ordering eliminates the need for identifiers to be provided with each mandatory field. An example of such a technique is provided below. This example (expressed in pseudo language), is a compact encoding of a store_calendar_event action. This action includes two mandatory parameters: event_description and event_start. Accordingly, these parameters do not require accompanying identifiers. However, this action also includes three optional parameters: event_end, event_alarm, and event_location. As shown below, these parameters are marked with corresponding identifiers, according to an embodiment of the present invention.

25

```

store_calendar_event =
    event_description,
    event_start,
    [event_end_id, event_end],
    [event_alarm_id, event_alarm],
    [event_location_id, event_location];

```

30

D. Using References

5 **[0050]** In embodiments of the present invention, an encoded action may provide definitions or predefined values. For example, in an action language representation for a store contact entry action, fields may provide the following definitions.

10

First name: Joe Last name: Somebody Company: TheCorp
--

15 **[0051]** Also, in embodiments, an action language may employ various references to provide for compression. For instance, a one-byte reference (e.g., 0x02) may be used to indicate the ".com" domain. Similarly, a one-byte reference (e.g., 0x16) may be used to provide a typical e-mail template, such as <first name>.<last name>@<company> = 0x16. Accordingly, with such references, embodiments of the present invention advantageously allow for the e-mail address, Joe.Somebody@TheCorp.com, to be
20 constructed with just two bytes (e.g., 0x16 0x02).

E. Example Representation of a Store Contact Entry Action

25 **[0052]** An example of a compressed representation of an action according to an aspect of the present invention is now described. In this example, the following original data is to be compressed into a compact representation for a store contact entry action.

30

FIRST NAME: Joe LAST NAME: Somebody ... TELEPHONE: +3585012345678
--

[0053] In embodiments of the present invention, both transmitting and receiving devices (also referred to as encoding and decoding devices) "know" (through software)

that the first two fields in a contact information message are always first name and last name (in this order). The following fields are optional and might appear in an arbitrary order. Accordingly, compressing this information results in the following pseudo action language representation.

5

Joe
Somebody
...
T: 0x03 0x42 0xb3 0x63 0x2b 0x4e

10

[0054] In this representation, using fixed data structures has eliminated the use of identifiers for the first two fields. Also, in this pseudo action language example, using short identifiers has shortened the identifier for the telephone number field to be merely "T". Moreover, the corresponding telephone number parameter has been shortened by storing the parameter value in a compact format (i.e., as a corresponding hexadecimal representation).

15

[0055] Therefore, embodiments of the present invention provide rules for various types of actions (e.g., store contact entry). For example, a store contact entry action may be represented by a first field for a first name, a second field for a surname, and then a number of other fields in an arbitrary order.

20

[0056] A specifier (e.g., a header) of the action type may be provided in the action language representation. As soon as the decoding device recognizes the action type of the representation (store contact information, store calendar entry, store URL, access URL, send SMS, etc.), the device uses an appropriate rule set to decode the representation.

25

[0057] This rule set involves an action language specification. The action language specification contains information (e.g., rules) regarding the manner in which parameters and other data are expressed in an encoded representation. For example, such information may include the order of required fields and the format of their identifiers (e.g., short identifiers). In addition, such information may include compression indicators indicating how parameters are compressed for each field. Thus, in an encoding phase (such as in tag generation process 250), an action is compressed according to a specification. Conversely, in a decoding phase (such as in tag reading process 260), the

30

action is identified (e.g., from a specifier) and the corresponding specification is followed to decode the action.

IV. Tag-Initiated Action

5

[0058] FIG. 4 is a block diagram showing a wireless communications device 418 performing tag-initiated actions. These actions may involve the retrieval of content and/or services from remote providers. However, these actions may merely involve processing by device 418 to perform operations, such as the creation and storage of
10 contact entries or calendar events.

[0059] As shown in FIG. 4, such actions may be initiated by tags 410, 412, and 414. These tags are of different types. For instance, tag 410 is a visual tag. In contrast, tag 412 is a radio frequency identification (RFID) tag. Further, tag 414 is an audio tag. Also, there can be other types of tags that are each capable of relaying small amounts of
15 information.

[0060] Device 418 can include one or more readers for these different types of tags. As shown in FIG. 4, these readers may include a visual tag reader 420, an RFID tag reader 421, and/or an audio tag reader 422. Each of these readers includes a sensor and a decoder. For instance, visual tag reader 420 includes a camera module 424 as its sensor,
20 and a visual tag decoder 428. Camera module 424 has a field of view that, when oriented to cover visual tag 410, generates an image signal 426. This signal is sent to visual tag decoder 428 for processing.

[0061] Visual tag decoder 428 processes signal 426 and generates from it a sequence of symbols (e.g., binary bits) 430 that were expressed on visual tag 410. These
25 symbols (also referred to as input binary data 430) are then sent to action interpreter 432.

[0062] Action interpreter 432 includes a specification database 433, a parser 434 and an action executor 436. Specification database 433 may be implemented with memory and includes one or more action language specifications. Parser 434 identifies actions and related fields and parameters from the input binary data 430. This
30 identification is based on compression rules that are associated with one of the action language specifications stored in specification database 433. As a result, WCD 418 may

perform one or more actions in accordance with these fields and parameters. These action(s) may be initiated directly by action parser 434. However, as an intermediate step, these actions may need further processing. Accordingly, parser 434 may send the parsed parameters to action executor 436 for translation into parameters that are readable
5 by various applications.

[0063] FIG. 4 shows parameters 438a and 438b being sent from action interpreter 432 to various applications. These applications may include a browser 442, and one or more external applications 444. These applications may perform the one or more actions conveyed in action command(s) 430. In performing such actions, these applications may
10 communicate with a remote content/service provider 456 across a packet-based network 454 (e.g., the Internet).

[0064] In particular, FIG. 4 shows a communication 458. During this communication, browser 442 receives content from a content server 456 (e.g., a web site or the like). Also, FIG. 4 shows a communication 460 in which an external application
15 444 receives a content download from content/service provider 456. Communications, such as communications 458 and 460, are based on the result of interpreting action data 430.

[0065] As described above, action executor 436 may process various parameters received from parser 434. This processing may include the translation of parameters as
20 well as communications with remote entities across network 454 to receive parameters or a handler for an unknown action. For instance, FIG. 4 shows a communication 440, in which action executor 436 exchanges information with a registry server 446. This communication may involve executor 436 requesting a resource identifier (such as a URL) or an action handler for an action, which WCD 418 cannot handle.

25 **[0066]** In response, registry server 446 returns a corresponding resource identifier or action handler, which contains specification information (such as specification database 433) of the compression rules for the action in question as well as operating instructions for the action interpreter to carry out the action. The receipt of such information allows action executor 436 to send appropriate parameters to applications
30 (e.g., opening a browser 442 with a content server URL as a parameter, and external applications 444). In turn, WCD 418 may perform actions, such as communications 458 and 460. These communications involve the downloading of content to device 418.

[0067] FIG. 5 is a flowchart of an operation according to embodiments of the present invention. This operation may be performed by various wireless communications devices, such as the devices of FIGs. 1, 2, and 4.

[0068] As shown in FIG. 5, this operation includes a step 502, in which a device
5 stores one or more action language specifications. Each of these action language specifications has one or more rules. As described above, such rules may include using short identifiers, storing data in a compact format, using fixed data structures, and/or using references.

[0069] In a step 504, the device obtains a signal from a tag. Next, in a step 506,
10 the device derives a compressed data stream from the signal. Steps 504 and 506 may be performed by a tag reader. For instance, when this operation involves a visual tag, a visual tag reader (e.g., visual tag reader 420) analyzes an image signal produced by an image sensor (e.g., camera module 424) to determine whether the image information corresponds to a visual tag. If so, then tag characteristics such as orientation, size, and
15 distortions are determined. Based on this, the data stored in the visual tag is derived. With reference to FIG. 4, these steps may be performed by visual tag decoder 428.

[0070] When this operation involves an RFID tag, steps 504 and 506 may
comprise receiving a wireless RF signal and demodulating it (e.g., using pulse width demodulation techniques) to derive the data stored in the RFID tag. However, when this
20 operation involves an audio tag, steps 504 and 506 may comprise converting a sound into an analog signal and deriving the audio tag data through, for example, tone-based demodulation techniques.

[0071] FIG. 5 shows that an action language specifier is obtained from the
compressed data stream in a step 508. This specifier indicates the type of action (e.g.,
25 store contact entry) to be used when decompressing the data stream. Accordingly, in a step 510, the device retrieves a stored action language specification that corresponds to the action language specifier.

[0072] In a step 512, one or more action parameters are extracted from the
compressed data stream. This derivation employs the one or more rules of the retrieved
30 action language.

[0073] In a step 514, the device performs an action based on the action parameter(s) extracted in step 512.

V. Device Implementation

5 [0074] The wireless communications devices described in connection with the present invention may be any number of wireless devices, such as wireless/cellular telephones, personal digital assistants (PDAs), or other wireless handsets, as well as portable computing devices capable of wireless communication. These devices utilize
10 computing systems to control and manage the conventional device activity as well as the functionality provided by the present invention. Accordingly, hardware, firmware, software or a combination thereof may be used to perform the various functions and operations described herein. An example of a representative wireless communications device implementation capable of performing these functions and operations is shown in
15 FIG. 6.

[0075] FIG. 6 is a diagram of an exemplary wireless communications device implementation 600. This implementation includes a processor 602, such as a microprocessor, reduced instruction set computer (RISC), or other central processing module. Processor 602 need not be a single device, and may include one or more
20 processors. For example, processing unit 602 may include a master processor and associated slave processors coupled to communicate with the master processor.

[0076] Processor 602 controls the basic functions of the wireless communications device in accordance with programs stored in a memory 604. Thus, processor 602 may perform functions associated with the encoding, decoding, and actions aspects of the
25 present invention. More particularly, memory 604 may include an operating system and program modules for carrying out functions and applications in the device. For instance FIG. 6 shows that memory 602 stores application software 662, which includes instructions and data for applications, such as browser 442, external applications 444, and calendar and contact applications. Also, memory includes action interpreter software
30 664, may be used (through execution by processor 602) to implement action interpreter 432.

[0077] Memory 604 may also be used to store data. Accordingly, FIG. 6 shows that memory 604 stores one or more action language specifications 660.

[0078] Memory 604 may include one or more of read-only memory (ROM), flash ROM, programmable and/or erasable ROM, random access memory (RAM), subscriber interface module (SIM), wireless interface module (WIM), smart card, or other removable memory devices, etc. Such program modules may also be transmitted to wireless communications device implementation 600 via signals received from a network, such as the Internet and/or wireless communications networks. In one embodiment of the invention, data is stored in non-volatile electrically-erasable, programmable ROM (EEPROM), flash ROM, etc. so that it is retained when device power is lost.

[0079] Processor 602 is also coupled to a user-interface 610. As shown in FIG. 6, user-interface 610 may include, for example, a display 612 (e.g., a liquid crystal display and/or a touch screen), a keypad 614, a speaker 616, and a microphone 618. These and other user-interface components are coupled to processor 602 according to techniques known in the art. Keypad 614 includes alpha-numeric keys for performing a variety of functions, including dialing numbers and executing operations assigned to one or more keys.

[0080] Device implementation 600 may also include a digital signal processor (DSP) 620. DSP 620 may perform a variety of functions, including analog-to-digital (A/D) conversion, digital-to-analog (D/A) conversion, speech coding/decoding, encryption/decryption, error detection and correction, bit stream translation, filtering, etc.

[0081] A transceiver 622, through an antenna 624, exchanges RF signals 626 between the wireless device and remote entities via a network (not shown). This network may be, for example, a cellular or satellite telephony network. Also, this network may be a short-range (e.g., Bluetooth or WLAN) wireless communications network.

[0082] FIG. 6 shows that device implementation 600 includes an RFID tag reader 630, a visual tag reader 640, and an audio tag reader 650. These readers are coupled to processor 602 and allow device implementation 600 to receive encoded actions from remote tags.

[0083] RFID tag reader 630 includes a transceiver 632 and an antenna 634. Reader 630 transmits signals 636 which can be recognized by tags, thereby activating the

tags. In response, the tags provide RF tag information signals 638 (e.g., action language representations). Transceiver 632 converts these signals into a data stream, which is provided to, for example, action interpreter 432.

[0084] As shown in FIG. 6, visual tag reader 640 includes an image sensor 642, such as a camera, and a visual tag decoder 644. Audio tag reader 650 includes an audio processor 654, which is used to convert an audio signal received from microphone 618 into a corresponding data stream. Audio processor 654 may be implemented in hardware, software, firmware, or any combination thereof. Accordingly, these components may include instructions stored in memory 604 and executed by processor 602 and/or DSP 620.

[0085] Implementation 600 is provided as a representative example of a computing environment in which the principles of the present invention may be applied. From the description provided herein, those skilled in the art will appreciate that the present invention is equally applicable in a variety of other currently known and future mobile computing environments.

[0086] Using the description provided herein, the invention may be implemented as a machine, process, or article of manufacture by using standard programming and/or engineering techniques to produce programming software, firmware, hardware or any combination thereof.

[0087] Any resulting program(s), having computer-readable program code, may be embodied on one or more computer-usable media such as resident memory devices, smart cards or other removable memory devices, or transmitting devices, thereby making a computer program product or article of manufacture according to the invention. As such, the terms "article of manufacture" and "computer program product" as used herein are intended to encompass a computer program that exists permanently or temporarily on any computer-usable medium or in any transmitting medium which transmits such a program.

[0088] As indicated above, memory/storage devices include, but are not limited to, disks, optical disks, removable memory devices such as smart cards, SIMs, WIMs, semiconductor memories such as RAM, ROM, PROMS, etc. Transmitting mediums include, but are not limited to, transmissions via wireless communication networks, the

Internet, intranets, telephone/modem-based network communication, hard-wired/cabled communication network, satellite communication, and other stationary or mobile network systems/communication links.

[0089] From the description provided herein, those skilled in the art are readily
5 able to combine software created as described with appropriate general purpose or special purpose computer hardware to create a mobile computer system and/or computer subcomponents embodying the invention, and to create a mobile computer system and/or computer subcomponents for carrying out the features of the invention.

10 VI. Conclusion

[0090] While various embodiments of the present invention have been described
above, it should be understood that they have been presented by way of example only,
and not in limitation. Accordingly, it will be apparent to persons skilled in the relevant
art that various changes in form and detail can be made therein without departing from
15 the spirit and scope of the invention. Thus, the breadth and scope of the present invention should not be limited by any of the above-described exemplary embodiments, but should be defined only in accordance with the following claims and their equivalents.

WHAT IS CLAIMED IS:

1. A method, comprising:
 - (a) storing one or more compression rules for an action language;
 - (b) receiving a signal from a tag;
 - 5 (c) decoding from the signal a compressed data stream corresponding to the tag;
 - (d) based on the one or more compression rules, deriving one or more action parameters from the compressed data stream; and
 - (e) performing an action based on the one or more action parameters.
- 10 2. The method of claim 1, wherein the one or more compression rules includes at least one of: using short identifiers, storing data in a compact format, using fixed data structures, and using references.
3. The method of claim 1, wherein step (f) comprises communicating across a
15 wireless communications network.
4. The method of claim 1, wherein step (f) further comprises obtaining content from a remote content provider.
- 20 5. The method of claim 1, wherein step (f) includes storing a contact entry.
6. The method of claim 1, wherein step (f) includes storing a calendar event.
7. The method of claim 1, wherein the tag is a radio frequency identification (RFID)
25 tag.
8. The method of claim 1, wherein the tag is a visual tag.
9. The method of claim 1, wherein the tag is an audio tag.
- 30 10. A wireless communications device, comprising:
a tag reader configured to receive a signal from a tag and decode a compressed

data stream from the signal;

a memory configured to store one or more compression rules for an action language;

5 an action interpreter configured to derive one or more action parameters from the compressed data stream based on the one or more compression rules, and

an application configured to perform an action in accordance with the one or more action parameters.

11. The method of claim 10, wherein the one or more compression rules includes at
10 least one of: using short identifiers, storing data in a compact format, using fixed data structures, and using references.

12. The wireless communications device of claim 10, wherein the tag reader is
15 configured to receive the signal from a radio frequency identification (RFID) tag.

13. The wireless communications device of claim 10, wherein the tag reader is
configured to receive the signal from a visual tag.

14. The wireless communications device of claim 13, wherein the tag reader
20 comprises a camera.

15. The wireless communications device of claim 10, wherein the tag reader is
configured to receive the signal from an audio tag.

25 16. The wireless communications device of claim 10, wherein the application is a personal contacts application, and the action includes storing a contact entry.

17. The wireless communications device of claim 10, wherein the application is a
calendar application, and the action includes storing a calendar event.

30 18. The wireless communications device of claim 10, wherein the application is a browser application, and the action includes obtaining content from a remote content provider.

19. The wireless communications device of claim 10, wherein the action includes communicating across a wireless communications network.

20. A computer program product comprising a computer useable medium having
5 computer

program logic recorded thereon for enabling a processor in a computer system of a wireless communications device, the computer program logic comprising:

program code for enabling the processor to store one or more compression rules for an action language;

10 program code for enabling the processor to receive a signal from a tag;

program code for enabling the processor to decode from the signal a compressed data stream corresponding to the tag;

program code for enabling the processor to, based on the one or more compression rules, derive one or more action parameters from the compressed data stream; and

15 program code for enabling the processor to perform an action based on the one or more action parameters.

21. A method, comprising:

20 (a) storing a plurality of action language specifications, each action language specification having one or more compression rules;

(b) receiving a signal from a tag;

(c) decoding from the signal a compressed data stream corresponding to the tag, the compressed data stream including an action language specifier;

25 (d) selecting among the stored action language specifications, an action language specification corresponding to the action language specifier;

(e) deriving one or more action parameters from the compressed data stream based on the selected action language specifications corresponding to the action language specifier; and

(f) performing an action based on the one or more action parameters.

30

22. A method, comprising:

encoding an action into a compact representation according to an action language,
wherein the action language employs one or more of using short identifiers, storing data
in a compact format, using fixed data structures, and using references;

storing the compact representation in a tag.

5

23. An apparatus, comprising:

an encoder for encoding an action into a compact representation according to an
action language, wherein the action language employs one or more of using short
identifiers, storing data in a compact format, using fixed data structures, and using

10 references; and

a generator for storing the compact representation in a tag.

24. The apparatus of claim 23, further comprising a memory that stores one or more
action language specifications.

15

25. A tag, comprising:

a compact representation of an action;

wherein the compact representation employs one or more of using short
identifiers, storing data in a compact format, using fixed data structures, and using

20 references.




FIG. 1




FIG. 2




FIG. 3





FIG. 4

**FIG. 5**




FIG. 6

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: G06K 7/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: G06K, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 20040000585 A1 (K. SILVERBROOK ET AL), 1 January 2004 (01.01.2004), claims 1-23, abstract --	1-25
A	US 20040083138 A1 (K. SILVERBROOK ET AL), 29 April 2004 (29.04.2004), claims 1-52 --	1-25
E	WO 2005101337 A1 (HAND HELD PRODUCTS, INC.), 27 October 2005 (27.10.2005), paragraph (0078)-(0080), abstract -- -----	1-25

☐ Further documents are listed in the continuation of Box C.
 ☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

15 November 2005

Date of mailing of the international search report

17-11-2005

Name and mailing address of the ISA/

Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Elisabet Åselius / MRo
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	AU	761767 B	12/06/2003
				AU	761773 B	12/06/2003
				AU	762210 B	19/06/2003
				AU	764448 B	21/08/2003
				AU	764450 B	21/08/2003
				AU	764616 B	28/08/2003
				AU	765063 B	04/09/2003
				AU	774248 B	24/06/2004
				AU	774280 B	24/06/2004
				AU	776494 B	09/09/2004
				AU	776862 B	23/09/2004
				AU	4725700 A	12/12/2000
				AU	4725800 A	12/12/2000
				AU	4726600 A	12/12/2000
				AU	4726900 A	12/12/2000
				AU	5375100 A	22/01/2001
				AU	5375200 A	22/01/2001
				AU	5511700 A	22/01/2001
				AU	5662800 A	22/01/2001
				AU	7498200 A	24/04/2001
				AU	7498300 A	24/04/2001
				AU	7498400 A	24/04/2001
				AU	7498500 A	24/04/2001
				AU	PQ291299 D	00/00/0000
				AU	2003248034 A	00/00/0000
				AU	2003254699 A	00/00/0000
				AU	2003254700 A	00/00/0000
				AU	2003254733 A	00/00/0000
				AU	2003254734 A	00/00/0000
				AU	2003254736 A	00/00/0000
				BR	0010804 A	07/05/2002
				BR	0010809 A	04/06/2002
				BR	0010849 A	01/07/2003
				BR	0010862 A	02/07/2002
				BR	0011984 A	22/06/2004
				CA	2371538 A	30/11/2000
				CA	2371561 A	30/11/2000
				CA	2371568 A	30/11/2000
				CA	2371947 A	30/11/2000
				CA	2384446 A	29/03/2001
				CA	2384449 A	29/03/2001
				CA	2384460 A	29/03/2001
				CA	2384464 A	29/03/2001
				CA	2414749 A	11/01/2001
				CA	2414766 A	11/01/2001
				CA	2414767 A	11/01/2001
				CA	2414768 A	11/01/2001
				CN	1196080 C	06/04/2005
				CN	1354864 A,T	19/06/2002
				CN	1363073 A,T	07/08/2002
				CN	1365460 A,T	21/08/2002
				CN	1377486 A,T	30/10/2002
				CN	1379869 A,T	13/11/2002
				CN	1379870 A,T	13/11/2002
				CN	1379888 A,T	13/11/2002

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	CN	1379889	A,T	13/11/2002
				CN	1382286	A,T	27/11/2002
				CN	1624711	A	08/06/2005
				CN	1680957	A	12/10/2005
				EP	1200912	A	02/05/2002
				EP	1200913	A	02/05/2002
				EP	1203284	A	08/05/2002
				EP	1212714	A	12/06/2002
				EP	1214682	A	19/06/2002
				EP	1218815	A	03/07/2002
				EP	1218816	A	03/07/2002
				EP	1222568	A	17/07/2002
				EP	1224614	A	24/07/2002
				EP	1226548	A	31/07/2002
				EP	1234276	A	28/08/2002
				EP	1242969	A	25/09/2002
				IL	146606	D	00/00/0000
				IL	146607	D	00/00/0000
				IL	146615	D	00/00/0000
				IL	146618	D	00/00/0000
				IL	147355	D	00/00/0000
				JP	2003500746	T	07/01/2003
				JP	2003500760	T	07/01/2003
				JP	2003500963	T	07/01/2003
				JP	2003507806	T	25/02/2003
				JP	2003510677	T	18/03/2003
				JP	2003510700	T	18/03/2003
				JP	2003512687	T	02/04/2003
				JP	2003512688	T	02/04/2003
				JP	2004532435	T	21/10/2004
				MX	PA01012060	A	28/07/2003
				MX	PA01012068	A	28/07/2003
				MX	PA01012069	A	28/07/2003
				MX	PA01012149	A	28/07/2003
				US	6609653	B	26/08/2003
				US	6644545	B	11/11/2003
				US	6651879	B	25/11/2003
				US	6679420	B	20/01/2004
				US	6720985	B	13/04/2004
				US	6816274	B	09/11/2004
				US	6825956	B	30/11/2004
				US	6862105	B	01/03/2005
				US	6867880	B	15/03/2005
				US	6922779	B	26/07/2005
				US	20030081252	A	01/05/2003
				US	20030090735	A	15/05/2003
				US	20030090737	A	15/05/2003
				US	20030093335	A	15/05/2003
				US	20030093376	A	15/05/2003
				US	20030093377	A	15/05/2003
				US	20030093378	A	15/05/2003
				US	20030102370	A	05/06/2003
				US	20030103239	A	05/06/2003
				US	20030103654	A	05/06/2003
				US	20030103655	A	05/06/2003

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US 20040000585 A1 01/01/2004

US	20030103656	A	05/06/2003
US	20030105817	A	05/06/2003
US	20030105818	A	05/06/2003
US	20030110220	A	12/06/2003
US	20030117652	A	26/06/2003
US	20030130903	A	10/07/2003
US	20030150910	A	14/08/2003
US	20030151772	A	14/08/2003
US	20030169453	A	11/09/2003
US	20030195820	A	16/10/2003
US	20030208410	A	06/11/2003
US	20040169682	A	02/09/2004
US	20040190085	A	30/09/2004
US	20040190092	A	30/09/2004
US	20040199414	A	07/10/2004
US	20040204236	A	14/10/2004
US	20040215562	A	28/10/2004
US	20050036169	A	17/02/2005
US	20050041266	A	24/02/2005
US	20050056692	A	17/03/2005
US	20050073722	A	07/04/2005
US	20050111037	A	26/05/2005
US	20050157334	A	21/07/2005
US	20050160099	A	21/07/2005
US	20050165621	A	28/07/2005
US	20050198515	A	08/09/2005
US	20050200636	A	15/09/2005
US	20050212830	A	29/09/2005
US	20050234737	A	20/10/2005
WO	0072192	A	30/11/2000
WO	0072241	A	30/11/2000
WO	0072242	A	30/11/2000
WO	0072244	A	30/11/2000
WO	0102940	A	11/01/2001
WO	0103015	A	11/01/2001
WO	0103016	A	11/01/2001
WO	0103017	A	11/01/2001
WO	0122207	A	29/03/2001
WO	0122208	A	29/03/2001
WO	0122357	A	29/03/2001
WO	0122358	A	29/03/2001
AT	276958	T	15/10/2004
AT	295270	T	15/05/2005
AU	761330	B	05/06/2003
AU	761333	B	05/06/2003
AU	761509	B	05/06/2003
AU	761770	B	12/06/2003
AU	761925	B	12/06/2003
AU	762167	B	19/06/2003
AU	762253	B	19/06/2003
AU	762301	B	19/06/2003
AU	762536	B	26/06/2003
AU	762620	B	03/07/2003
AU	762667	B	03/07/2003
AU	764601	B	21/08/2003

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US 20040000585 A1 01/01/2004

AU	764602 B	21/08/2003
AU	764649 B	28/08/2003
AU	764651 B	28/08/2003
AU	765604 B	25/09/2003
AU	766159 B	09/10/2003
AU	766461 B	16/10/2003
AU	768454 B	11/12/2003
AU	772145 B	08/04/2004
AU	774025 B	10/06/2004
AU	774258 B	24/06/2004
AU	775792 B	12/08/2004
AU	1009201 A	08/05/2001
AU	1009301 A	08/05/2001
AU	1009401 A	08/05/2001
AU	1009501 A	08/05/2001
AU	1009601 A	08/05/2001
AU	1009701 A	08/05/2001
AU	1009801 A	08/05/2001
AU	1010101 A	08/05/2001
AU	1010601 A	08/05/2001
AU	1010701 A	08/05/2001
AU	1010801 A	08/05/2001
AU	4726500 A	12/12/2000
AU	4727300 A	12/12/2000
AU	4727400 A	12/12/2000
AU	4729000 A	12/12/2000
AU	4729200 A	12/12/2000
AU	4729600 A	12/12/2000
AU	4729700 A	12/12/2000
AU	4729900 A	12/12/2000
AU	4730700 A	12/12/2000
AU	4730900 A	12/12/2000
AU	4731000 A	12/12/2000
AU	4731100 A	12/12/2000
AU	5374800 A	22/01/2001
AU	5374900 A	22/01/2001
AU	5375500 A	22/01/2001
AU	5375600 A	22/01/2001
AU	5375700 A	22/01/2001
AU	5509500 A	12/12/2000
AU	PQ363299 D	00/00/0000
AU	2004201005 A	00/00/0000
AU	2004201878 A	00/00/0000
AU	2004201880 A	00/00/0000
AU	2004201882 A	00/00/0000
AU	2004201883 A	00/00/0000
AU	2004226971 A	00/00/0000
BR	0010789 A	09/03/2004
BR	0010792 A	09/03/2004
BR	0010797 A	11/06/2002
BR	0010848 A	14/05/2002
BR	0010851 A	07/05/2002
BR	0010855 A	11/06/2002
BR	0010886 A	18/11/2003
BR	0010888 A	18/11/2003

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	BR	0010889	A	07/05/2002
				BR	0010893	A	27/08/2002
				BR	0010900	A	04/06/2002
				BR	0010904	A	28/05/2002
				BR	0010906	A	02/07/2002
				BR	0012077	A	30/04/2002
				CA	2371479	A	30/11/2000
				CA	2371573	A	30/11/2000
				CA	2371970	A	30/11/2000
				CA	2374630	A	30/11/2000
				CA	2374658	A	30/11/2000
				CA	2374661	A	30/11/2000
				CA	2374701	A	30/11/2000
				CA	2374713	A	30/11/2000
				CA	2374824	A	30/11/2000
				CA	2374831	A	30/11/2000
				CA	2374850	A	30/11/2000
				CA	2375247	A	30/11/2000
				CA	2375801	A	30/11/2000
				CA	2377908	A	11/01/2001
				CA	2388091	A	03/05/2001
				CA	2388102	A	03/05/2001
				CA	2388109	A	03/05/2001
				CA	2388125	A	03/05/2001
				CA	2388132	A	03/05/2001
				CA	2388135	A	03/05/2001
				CA	2388139	A	03/05/2001
				CA	2388143	A	03/05/2001
				CA	2388620	A	03/05/2001
				CA	2388622	A	03/05/2001
				CA	2388626	A	03/05/2001
				CA	2414745	A	11/01/2001
				CA	2414752	A	11/01/2001
				CA	2414755	A	11/01/2001
				CA	2414759	A	11/01/2001
				CN	1144751	C,T	07/04/2004
				CN	1145130	C,T	07/04/2004
				CN	1160649	C	04/08/2004
				CN	1164431	C	01/09/2004
				CN	1196992	C	13/04/2005
				CN	1205529	C	01/06/2005
				CN	1213363	C	03/08/2005
				CN	1214315	C	10/08/2005
				CN	1351725	A,T	29/05/2002
				CN	1351726	A,T	29/05/2002
				CN	1353845	A,T	12/06/2002
				CN	1353849	A,T	12/06/2002
				CN	1358139	A,T	10/07/2002
				CN	1358285	A,T	10/07/2002
				CN	1359350	A,T	17/07/2002
				CN	1360688	A,T	24/07/2002
				CN	1361901	A,T	31/07/2002
				CN	1363058	A,T	07/08/2002
				CN	1364118	A,T	14/08/2002
				CN	1364253	A,T	14/08/2002

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	CN	1367891 A,T	04/09/2002
				CN	1367893 A,T	04/09/2002
				CN	1371496 A,T	25/09/2002
				CN	1371497 A,T	25/09/2002
				CN	1375081 A,T	16/10/2002
				CN	1399757 A,T	26/02/2003
				CN	1399758 A,T	26/02/2003
				CN	1399759 A,T	26/02/2003
				CN	1399760 A,T	26/02/2003
				CN	1399761 A,T	26/02/2003
				CN	1399769 A,T	26/02/2003
				CN	1519116 A	11/08/2004
				CN	1535832 A	13/10/2004
				CN	1547134 A	17/11/2004
				CN	1548299 A	24/11/2004
				CN	1641560 A	20/07/2005
				CN	1658140 A	24/08/2005
				CN	1658231 A	24/08/2005
				DE	60014167 D,T	22/09/2005
				DE	60020132 D	00/00/0000
				EP	1203283 A	08/05/2002
				EP	1203287 A	08/05/2002
				EP	1203288 A	08/05/2002
				EP	1203289 A	08/05/2002
				EP	1203314 A	08/05/2002
				EP	1212200 A,B	12/06/2002
				EP	1218197 A	03/07/2002
				EP	1222521 A	17/07/2002
				EP	1222618 A	17/07/2002
				EP	1222644 A	17/07/2002
				EP	1224524 A	24/07/2002
				EP	1226489 A	31/07/2002
				EP	1226549 A	31/07/2002
				EP	1228420 A	07/08/2002
				EP	1228421 A	07/08/2002
				EP	1230588 A	14/08/2002
				EP	1234262 A	28/08/2002
				EP	1234263 A	28/08/2002
				EP	1234274 A	28/08/2002
				EP	1235692 A	04/09/2002
				EP	1235693 A	04/09/2002
				EP	1235694 A	04/09/2002
				EP	1236144 A	04/09/2002
				EP	1242943 A	25/09/2002
				EP	1242944 A	25/09/2002
				EP	1244594 A,B	02/10/2002
				EP	1247241 A	09/10/2002
				EP	1259872 A	27/11/2002
				EP	1299854 A	09/04/2003
				IL	146614 D	00/00/0000
				IL	146622 D	00/00/0000
				IL	146624 A	17/05/2005
				IL	146643 D	00/00/0000
				IL	146644 D	00/00/0000
				IL	146648 D	00/00/0000

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US 20040000585 A1 01/01/2004

IL	146649 D	00/00/0000
IL	146675 D	00/00/0000
IL	146677 D	00/00/0000
IL	146678 D	00/00/0000
IL	146679 D	00/00/0000
IL	146715 D	00/00/0000
IL	146716 D	00/00/0000
IL	147387 D	00/00/0000
JP	2003500240 T	07/01/2003
JP	2003500244 T	07/01/2003
JP	2003500248 T	07/01/2003
JP	2003500250 T	07/01/2003
JP	2003500251 T	07/01/2003
JP	2003500725 T	07/01/2003
JP	2003500727 T	07/01/2003
JP	2003500728 T	07/01/2003
JP	2003500731 T	07/01/2003
JP	2003500733 T	07/01/2003
JP	2003500734 T	07/01/2003
JP	2003500763 T	07/01/2003
JP	2003500769 T	07/01/2003
JP	2003504716 T	04/02/2003
JP	2003504717 T	04/02/2003
JP	2003504718 T	04/02/2003
JP	2003504719 T	04/02/2003
JP	2003512689 T	02/04/2003
JP	2003513315 T	08/04/2003
JP	2003513367 T	08/04/2003
JP	2003513368 T	08/04/2003
JP	2003513369 T	08/04/2003
JP	2003513373 T	08/04/2003
JP	2003513375 T	08/04/2003
JP	2003513831 T	15/04/2003
JP	2003513832 T	15/04/2003
JP	2003514321 T	15/04/2003
JP	2003514322 T	15/04/2003
MX	PA01012061 A	28/07/2003
MX	PA01012062 A	28/07/2003
MX	PA01012064 A	30/06/2003
MX	PA01012065 A	30/06/2003
MX	PA01012066 A	30/06/2003
MX	PA01012067 A	28/07/2003
MX	PA01012111 A	28/07/2003
MX	PA01012113 A	28/07/2003
MX	PA01012120 A	30/06/2003
MX	PA01012122 A	28/07/2003
MX	PA01012142 A	28/07/2003
MX	PA01012147 A	28/07/2003
MX	PA01012152 A	21/07/2003
MX	PA02004123 A	11/12/2003
MX	PA02004127 A	02/04/2004
MX	PA02004128 A	02/04/2004
MX	PA02004129 A	02/04/2004
MX	PA02004130 A	02/04/2004
MX	PA02004131 A	02/04/2004

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	MX	PA02004132	A	02/04/2004
				MX	PA02004133	A	02/04/2004
				US	6439706	B	27/08/2002
				US	6454482	B	24/09/2002
				US	6457883	B	01/10/2002
				US	6474888	B	05/11/2002
				US	6591884	B	15/07/2003
				US	6627870	B	30/09/2003
				US	6724374	B	20/04/2004
				US	6728000	B	27/04/2004
				US	6766942	B	27/07/2004
				US	6785016	B	31/08/2004
				US	6786397	B	07/09/2004
				US	6808330	B	26/10/2004
				US	6813039	B	02/11/2004
				US	6813558	B	02/11/2004
				US	6839053	B	04/01/2005
				US	6847883	B	25/01/2005
				US	6889896	B	10/05/2005
				US	6938826	B	06/09/2005
				US	6947027	B	20/09/2005
				US	6957768	B	25/10/2005
				US	6957921	B	25/10/2005
				US	6957923	B	25/10/2005
				US	20020080396	A	27/06/2002
				US	20020088064	A	11/07/2002
				US	20020095733	A	25/07/2002
				US	20020096084	A	25/07/2002
				US	20020136972	A	26/09/2002
				US	20030053840	A	20/03/2003
				US	20030063943	A	03/04/2003
				US	20030080948	A	01/05/2003
				US	20030085269	A	08/05/2003
				US	20030085270	A	08/05/2003
				US	20030089533	A	15/05/2003
				US	20030090462	A	15/05/2003
				US	20030090463	A	15/05/2003
				US	20030090477	A	15/05/2003
				US	20030091216	A	15/05/2003
				US	20030091217	A	15/05/2003
				US	20030093757	A	15/05/2003
				US	20030102366	A	05/06/2003
				US	20030103657	A	05/06/2003
				US	20030106018	A	05/06/2003
				US	20030106024	A	05/06/2003
				US	20030118393	A	26/06/2003
				US	20030142072	A	31/07/2003
				US	20040046977	A	11/03/2004
				US	20040046995	A	11/03/2004
				US	20040174556	A	09/09/2004
				US	20040183748	A	23/09/2004
				US	20040196473	A	07/10/2004
				US	20040196490	A	07/10/2004
				US	20040217160	A	04/11/2004
				US	20040239990	A	02/12/2004

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US 20040000585 A1 01/01/2004

US	20040263874	A	30/12/2004
US	20050006454	A	13/01/2005
US	20050011944	A	20/01/2005
US	20050046688	A	03/03/2005
US	20050046901	A	03/03/2005
US	20050052409	A	10/03/2005
US	20050063000	A	24/03/2005
US	20050063007	A	24/03/2005
US	20050079004	A	14/04/2005
US	20050086585	A	21/04/2005
US	20050094186	A	05/05/2005
US	20050104868	A	19/05/2005
US	20050121524	A	09/06/2005
US	20050131633	A	16/06/2005
US	20050151723	A	14/07/2005
US	20050156909	A	21/07/2005
US	20050166145	A	28/07/2005
US	20050166146	A	28/07/2005
US	20050175222	A	11/08/2005
US	20050177728	A	11/08/2005
US	20050233809	A	20/10/2005
WO	0071353	A	30/11/2000
WO	0071357	A	30/11/2000
WO	0071455	A	30/11/2000
WO	0072124	A	30/11/2000
WO	0072126	A	30/11/2000
WO	0072127	A	30/11/2000
WO	0072129	A	30/11/2000
WO	0072131	A	30/11/2000
WO	0072133	A	30/11/2000
WO	0072134	A	30/11/2000
WO	0072246	A	30/11/2000
WO	0072247	A	30/11/2000
WO	0072286	A	30/11/2000
WO	0102939	A	11/01/2001
WO	0102946	A	11/01/2001
WO	0102947	A	11/01/2001
WO	0102948	A	11/01/2001
WO	0102995	A	11/01/2001
WO	0130589	A	03/05/2001
WO	0130590	A	03/05/2001
WO	0130591	A	03/05/2001
WO	0131517	A	03/05/2001
WO	0131518	A	03/05/2001
WO	0131519	A	03/05/2001
WO	0131520	A	03/05/2001
WO	0131521	A	03/05/2001
WO	0131559	A	03/05/2001
WO	0131571	A	03/05/2001
WO	0131576	A	03/05/2001
ZA	200203727	A	03/12/2002
ZA	200203728	A	10/12/2002
ZA	200203729	A	02/12/2002
ZA	200203730	A	02/12/2002
ZA	200203731	A	05/09/2002

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 2005/001768

US	20040000585	A1	01/01/2004	ZA	200203732 A	23/09/2002
US	20040083138	A1	29/04/2004	AU	2002952259 D	00/00/0000
				AU	2003266852 A	00/00/0000
				CA	2502483 A	06/05/2004
				EP	1559063 A	03/08/2005
				US	6929186 B	16/08/2005
				US	20040079807 A	29/04/2004
				US	20040190085 A	30/09/2004
				US	20040190092 A	30/09/2004
				US	20040256471 A	23/12/2004
				US	20040262405 A	30/12/2004
				US	20040262406 A	30/12/2004
				US	20040262407 A	30/12/2004
				US	20050001042 A	06/01/2005
				WO	2004038650 A	06/05/2004
				AU	2003900983 D	00/00/0000
				AU	2004217403 A	16/09/2004
				US	20040173687 A	09/09/2004
				US	20040174577 A	09/09/2004
				WO	2004079642 A	16/09/2004
				AU	2002342445 A	23/06/2004
				CA	2508126 A	17/06/2004
				EP	1567975 A	31/08/2005
				WO	2004051557 A	17/06/2004
WO	2005101337	A1	27/10/2005	NONE		