# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 97/23253 (11) International Publication Number: **A1** A61M 5/32 3 July 1997 (03.07.97) (43) International Publication Date: (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, PCT/DK96/00537 (21) International Application Number: CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, (22) International Filing Date: 17 December 1996 (17.12.96) MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian (30) Priority Data: patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European 1460/95 22 December 1995 (22.12.95) DK patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, 0492/96 24 April 1996 (24.04.96) LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). (71) Applicant (for all designated States except US): NOVO NORDISK A/S [DK/DK]; Novo Allé, DK-2880 Bagsværd Published (DK). With international search report. (72) Inventors; and (75) Inventors/Applicants (for US only): SMEDEGAARD, Jørgen, K. [DK/DK]; Bernhard Bangs Allé 22, DK-2000 Frederiksberg (DK). STEENGAARD, Kim [DK/DK]; Carinaparken 49, DK-3460 Birkerød (DK). EJLERSEN, Henning, Munk [DK/DK]; Bueager 31, DK-2950 Vedbæk (DK). (74) Common Representative: NOVO NORDISK A/S; Corporate Patents, Novo Allé, DK-2880 Bagsværd (DK).

### (54) Title: INJECTION NEEDLE

#### (57) Abstract

An injection needle is so designed that the length of the injection part of the needle extending from the suspension of the needle in a needle hub to a skin piercing pointed end of the needle lies in the interval 4 - 6 mm.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Моласо	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

### INJECTION NEEDLE

The invention relates to injection needles having an injection part with a skin piercing obliquely cut end and being fastened in a needle hub for mounting on a syringe.

5

Such needles are often shaped as double pointed needles which in excess of the skin piercing point has at the other end of the needle a point which pierces a rubber membrane which closes an ampoule containing the liquid to be injected.

Needles of the above kind are used for injection of liquids which have to be injected subcoutaneously, i.e. in the subcutis lying between the cutis and a muscle membrane which cover the underlying muscles, e.g. insulin. If insulin is injected into the muscle it will be absorbed in the body too quickly and an unwanted drop in the blood sugar level may be the result. On the other hand insulin injected in the cutis will not

be absorbed at all or in an unpredictable way.

To be sure that intramuscular injection is avoided an injection technique may be used by which the skin is gripped by one hand between the thumb and the side of the index finger so that a fold of the skin is formed and thereafter the needle insertion and the injection are performed with the injection device held in the other hand. The technique described makes the injection a two hand operation, and even a third hand could be useful for drawing and keeping away clothes normally covering the injection zone.

25 It in

20

It is an object of the invention to provide a needle suited for use by subcoutaneous injections which needle may mainly be inserted without making it necessary to form a fold of the skin and by which the injection consequently occupies only one hand. Allthough the injection of insulin is described as an example, the needle is useful for

all kinds of subcoutaneus injections, e.g. for injecton of growth hormon.

30

35

US 5 462 535 mentions the provision of needles the injection part of which has an overall length of 8 - 12 mm. This length will seen in relation to the often used 16 mm needles reduce the risk for performing intramuscular injections, but by slim males the sum of the thicknesses of the cutis and the subcutis may even be smaller than 8 mm

and the risk for intramuscular injection will still be unacceptable.

5

15

20

35

From US 5 015 235 it is known to reduce the effective length of a 12,5 mm long needle by mounting on the needle hub a skirt surrounding the needle coaxially in a distance from said needle. The skirt only leaves a minor length of the needle free for injection. Skirts of different lengths may be used to leave 4 or 8 mm of the needle free for penetration of the skin. The effective length of the needle is only well defined by insertion perpendicular to the skin whereas the effective length is further reduced in a not well defined way if the needle is inserted at an oblique angle.

Needles having lengths between 3 mm and 4 mm have been discussed but being that short a needle will hardly be able to penetrate the cutis, especially not when the needle is inserted at an oblique angle.

The risk of making intramuscular injections or injections in cutis is heavily reduced when a needle is used, by which according to the invention the overall length of the injection part of the needle extending from its fastening in the needle hub to its skin piercing end lies in the interval 4 - 6 mm.

The shorter overall length of the injection part of the needle counted from its support in the hub to the skin piercing point enables use of thin and thin walled needles with reduced risk for cracking. This reduced risk is not obtained by needles the effective length of which are reduced by surrounding a part of the needle with a sleeve which does not support the needle.

As it is possible to administer insulin through needles as thin as G30, administration will also be possible through a thin walled needle having a bore larger than 0,133 mm. which corresponds to the smallest bore of a G30 needle. If the outer diameter is set as the largest diameter allowed for a G30 needle, thin walls will allow a larger bore than known from a normal G0 needle

- According to an embodiment of the invention the outer diameter of the needle and the diameter of the bore of the needle may comply with one of the conditions: with one of the conditions:
  - a) the outer diameter is smaller than 0,320 mm and the diameter of the bore is larger than 0,165 mm, or

10

b) the outer diameter is smaller than 0,298 mm and the diameter of the bore is larger than 0,133 mm.

In the following the invention is described in more details with reference to the drawing, wherein the figure schematically shows a needle inserted in a zone of skin with an underlying muscle.

In figure 1 a needle hub 1 carrying an injection needle 2 is mounted on a syringe 3. The injection needle 2 is inserted through a cutis layer 4 into a subcutis layer 5 which is by a muscle membrane 10 separated from a muscle tissue 6 with blood vessels 11. An injected not yet absorbed amount of liquid in the subcutis is designated by the number 7.

Where the needle 2 is fastened in the hub 1 this hub has a protrusion 8 which is terminated by a dome 9. By this construction the injection part of the needle may be obliquely inserted in its full length whereas a full insertion is only possible by insertion of the needle perpendicularly to the skin if the injection part of the needle extends directly from the end surface of the hub.

By a number of measurement it is found that the thickness of the cutis and subcutis lies in the intervals described i the following table. The mean values may be seen as the values valid for the preferred injection zones.

		<u>Fema</u>	les		Males	ì	
25		min	max	mean	min	max	mean
	cutis	1,1	3,6	1,7	1,2	4,1	2,3
	subcutis	4,5	30,8	12,1	2,3	26,9	7,2
	sum	5,6	34,4	13,8	3,5	31,0	9,5

Recognizing that the emission of liquid from the needle due to the oblique cut of the end of this needle takes place in a range in a distance from the point of the needle, e. g. by a G30 needle in the range 0,4 - 1,2 mm from the point of the needle, it is seen that by women even an injection with a 6 mm needle perpendicular to the skin in a zone where the skin thickness is minimum, will not reach the muscle whereas an injection with a 4 mm needle is possible when the zones with the thickest cutis is avoided.

5

10

15

20

Using a 6 mm needle men should avoid injection in the zones where the skin thickness is minimum and such zone are actually not attractive for injections. A 4 mm needle cannot be used in zones where the cutis has its maximum thickness, but also these zones lies beyond the zones normally preferred for injection which are the abdomen and the thighs.

If the needle is inserted under an oblique angel the skin may be looked upon as having a thickness which is the thickness in the above table divided by sinus of the angle between the needle and the skin surface. By an angle of 45° this corresponds to a multiplication by 1,4.

It is seen that women can use a 6 mm needle universally for injections with the needle perpendicular to the skin surface or forming an angle with this surface, whereas a 4 mm needle may not be used without keeping the needle perpendicular to the skin surface when injections are made in zones where the cutis has its maximum thickness.

Neither in the zones where the skin has it minimum thickness nor the zones where the skin has its maximum thickness men should use a 6 mm needle even when it is inserted under an oblique angle, in the first mentioned zones the 6 mm needle may reach the muscle and in the last mentioned zones the needle may not reach through the cutis. In the zones where the skin has its minimum thickness a 4 mm needle may be used when it is inserted under an oblique angle to the skin.

25

Whereas the zones wherein the skin has its minimum thickness are mainly not attractive as injection zones, the condition in these zones corresponds to the conditions met in the preferred injection zones by skinny people, especially skinny children.

30

35

However in the preferred injection zones represented by the mean values for the thicknesses of the cutis and subcutis a 4 mm needle as well as a 6 mm needle may be used perpendicularly to the skin surface or forming an oblique angle with that surface leaving an acceptable margin for variations around the mean value of the thickness of the skin layers.

## **CLAIMS**

10

- 1) Injection needle having an injection part with a skin piercing obliquely cut end and being fastened in a needle hub for mounting on a syringe, characterized in that the overall length of the injection part of the needle extending from its fastening in the needle hub to its skin piercing end lies in the interval 4 6 mm.
- 2) Injection needle according to claim 1, characterized in that the outer diameter of the needle and the diameter of the bore of the needle complies with one of the conditions:
  - a) the outer diameter is smaller than 0,320 mm and the diameter of the bore is larger than 0,165 mm, or
- 15 b) the outer diameter is smaller than 0,298 mm and the diameter of the bore is larger than 0,133 mm.




Fig. 1

## INTERNATIONAL SEARCH REPORT

International application No. PCT/DK 96/00537

A. CLASSI	FICATION OF SUBJECT MATTER		
	51M 5/32 International Patent Classification (IPC) or to both na	tional classification and IPC	
	SEARCHED		
Minimum doo	cumentation searched (classification system followed by	classification symbols)	
IPC6: AG	51M		
Documentation	on searched other than minimum documentation to the	extent that such documents are included in	the fields searched
SE,DK,F	I,NO classes as above		
Electronic dat	a base consulted during the international search (name	of data base and, where practicable, search	n terms used)
DIALOG:	WPI, CLAIMS		
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Х	EP 0279583 A2 (OWEN MUMFORD LTD. (24.08.88), column 2, line 3 abstract		1-2
A	WO 9300948 A1 (NOVO NORDISK A/S) (21.01.93), abstract	, 21 January 1993	1-2
Further	r documents are listed in the continuation of Box	C. X See patent family anne	x.
1 .	ategories of cited documents:	"T" later document published after the int date and not in conflict with the appli	
to be of p	at defining the general state of the art which is not considered particular relevance	the principle or theory underlying the	invention
"L" documen	cument but published on or after the international filing date it which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	"X" document of particular relevance: the considered novel or cannot be conside step when the document is taken alon	ered to involve an inventive
special re	eason (as specified) at referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive ste	p when the document is
	t published prior to the international filing date but later than	combined with one or more other such being obvious to a person skilled in the	ne art
	actual completion of the international search	"&" document member of the same patent  Date of mailing of the international	
	•	05.04.97	· · · · · · · · · · · · · · · · · · ·
14 Marc	h 1997 nailing address of the ISA/	Authorized officer	
1	raining address of the ISA/	Audiorizat officer	
	S-102 42 STOCKHOLM	May Hallne	
racsimile N	o. +46 8 666 02 86	Telephone No. +46 8 782 25 00	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

03/02/97 P

International application No.
PCT/DK 96/00537

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
EP-A2- 0279583	0279583	24/08/88	DE-D,T- US-A-	3884640 5015235	27/01/94 14/05/91
WO-A1-	9300948	21/01/93	AU-B- AU-A- CA-A- EP-A- JP-T- US-A-	670916 2375392 2111985 0594782 6509004 5462535	08/08/96 11/02/93 21/01/93 04/05/94 13/10/94 31/10/95

Form PCT/ISA/210 (patent family annex) (July 1992)