



US00D984697S

(12) **United States Design Patent**
Antoniadis et al.

(10) **Patent No.:** **US D984,697 S**

(45) **Date of Patent:** **** Apr. 25, 2023**

(54) **HEADLIGHT FOR A VEHICLE**

D861,934 S * 10/2019 Badstuebner D26/28
D891,652 S * 7/2020 Metros D26/28
D896,413 S * 9/2020 Badstuebner D26/28

(71) Applicant: **Daimler AG**, Stuttgart (DE)

(Continued)

(72) Inventors: **Apostolos Antoniadis**, Stuttgart (DE);
Achim-Dietrich Badstuebner,
Sindelfingen (DE); **Robert Lesnik**,
Leonberg (DE); **Peter Riedel**,
Holzgerlingen (DE); **Anselm Scheil**,
Tuebingen (DE); **Gorden Wagener**,
Wangen (DE)

FOREIGN PATENT DOCUMENTS

JP D1550043 S 5/2016
KR 3010222020000 9/2019

(Continued)

OTHER PUBLICATIONS

(73) Assignee: **Mercedes-Benz Group AG**, Stuttgart (DE)

Chinese-language Search Report issued in counterpart Taiwan Design Patent Application No. 110302504 dated Jan. 4, 2022 with partial English translation (5 pages).

(**) Term: **15 Years**

Primary Examiner — Angela J Lee

(21) Appl. No.: **29/815,659**

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(22) Filed: **Nov. 16, 2021**

(57) **CLAIM**

(51) **LOC (14) Cl.** **26-06**

The ornamental design for a headlight for a vehicle, as shown and described.

(52) **U.S. Cl.**

USPC **D26/28**

DESCRIPTION

(58) **Field of Classification Search**

USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36,
D26/139

This application contains subject matter related to the following co-pending U.S. design patent application:

CPC F21S 41/00; F21S 41/141; F21S 41/162;
F21S 41/18; F21S 41/20; F21S 41/33;
F21S 41/36; F21S 41/60; F21S 43/00;
F21W 2103/35; F21W 2103/40; F21W
2102/17; F21W 2102/30; F21W 2103/00;
F21W 2103/55; F21W 2104/00; F21W
2107/17; F21W 2107/13

Application Ser. No. 29/787,670, filed Jun. 8, 2021 and entitled "Vehicle, Toy, and/or Replicas Thereof."

See application file for complete search history.

FIG. 1 is a front view of a first embodiment of a headlight for a vehicle according to the design;

FIG. 2 is a right, front perspective view thereof;

FIG. 3 is a right side view thereof; and

FIG. 4 is a top view thereof.

FIG. 5 is a front view of a second embodiment of the headlight for a vehicle according to the design;

FIG. 6 is a left, front perspective view thereof;

FIG. 7 is a left side view thereof; and,

FIG. 8 is a top view thereof.


The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D769,493 S * 10/2016 Futschik D26/28
D843,024 S * 3/2019 Hochmuth D26/28
D857,954 S * 8/2019 Han F21S 43/00
D26/28

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D897,570	S	*	9/2020	Antoniadis	D26/28
D905,306	S	*	12/2020	Lai	D26/28
D935,649	S	*	11/2021	Wu	D26/28
D936,874	S	*	11/2021	Wu	D26/28
D942,656	S	*	2/2022	Park	D26/28
D964,608	S	*	9/2022	Asano	D26/28
D970,762	S	*	11/2022	Badstuebner	F21S 41/18 D26/28

FOREIGN PATENT DOCUMENTS

TW		D191517	S	7/2018
TW		D204310	S	4/2020
WO		WO DM/100632		10/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8