



US00D730830S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D730,830 S**
(45) **Date of Patent:** **** Jun. 2, 2015**

(54) **ELECTRODE PLATE FOR SECONDARY BATTERY**

D288,940 S * 3/1987 Rutter D20/17
D356,119 S * 3/1995 Roesser et al. D20/17
5,649,378 A * 7/1997 Roesser et al. 40/559

(71) Applicants: **Jongsung Kim**, Sungnam-si (KR);
Kangho Ko, Yongin-si (KR)

* cited by examiner

(72) Inventors: **Jongsung Kim**, Sungnam-si (KR);
Kangho Ko, Yongin-si (KR)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(**) Term: **14 Years**

(21) Appl. No.: **29/437,056**

(22) Filed: **Nov. 13, 2012**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D13/121**

(58) **Field of Classification Search**

USPC D13/121, 153, 154, 156, 133, 147;
429/209, 233, 241, 247, 81; D20/27,
D20/39, 10, 13, 15, 17, 22, 40–42

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

479,753 A * 7/1892 Colgate 429/241
567,045 A * 9/1896 Rhodin 429/241
D31,368 S * 8/1899 Porter D13/121
D56,652 S * 11/1920 Cook D13/121
1,608,469 A * 11/1926 Daniel 429/241
1,800,422 A * 4/1931 Williams 429/228
D89,980 S * 5/1933 Wartow D20/42
D285,917 S * 9/1986 Anderson et al. D13/121

(57) **CLAIM**

The ornamental design for an electrode plate for secondary battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electrode plate for secondary battery showing our new design;

FIG. 2 is a front view thereof (a rear view thereof being a mirror image of the front view);

FIG. 3 is a detail view thereof as indicated in FIG. 2;

FIG. 4 is a detail view thereof as indicated in FIG. 2;

FIG. 5 is a left side view thereof (a right side view thereof being a mirror image of the left side view);

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines depict environmental subject matter only and form no part of the claimed design. The electrode plate is shown with symbolic break lines. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

