

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
22 February 2007 (22.02.2007)

PCT

(10) International Publication Number
WO 2007/022189 A2

(51) International Patent Classification:
G06F 17/30 (2006.01)

(21) International Application Number:
PCT/US2006/031845

(22) International Filing Date: 16 August 2006 (16.08.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/708,448 16 August 2005 (16.08.2005) US
11/400,128 7 April 2006 (07.04.2006) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 11/400,128 (CON)
Filed on 7 April 2006 (07.04.2006)

(71) Applicant and

(72) Inventor: **STRASSMANN, Steven** [US/US]; 7 Beals Street, Brookline, Ma 02446, Brookline, Massachusetts 02446 (US).

(74) Agents: **FEIGENBAUM, David L.** et al.; Fish & Richardson P.C., P.O. Box 1022, Minneapolis, MN 55440 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **SEARCHING FOR INFORMATION ABOUT ASSETS**



(57) Abstract: A method includes receiving an electronic query of a user directed to obtaining items of information belonging to one or more predefined categories and that relate to an interest of the user in a specified product, searching in multiple locations, and presenting to the user essentially only items of information that relate to the interest of the user and that belong to the categories, the items not being limited to a price and a source for the product and not being limited to items that have been pre-arranged for presentation to the user in reply to an online query that refers to the product.

WO 2007/022189 A2

SEARCHING FOR INFORMATION ABOUT ASSETS

RELATED APPLICATION

This application claims priority from co-pending provisional U.S. Application Serial Number 60/708,448, filed August 16, 2005.

5

TECHNICAL FIELD

This description relates to data search and storage, and more particularly to searching for or storing information about assets using an inference-based process.

BACKGROUND

Individuals purchase or acquire products, and often need a mechanism to keep
10 track of the products. In addition, products often require service, maintenance, or accessories, which an individual may prefer to keep track of in one place.

SUMMARY

In one aspect, in general, the invention features a method comprising receiving an electronic query of a user directed to obtaining items of information belonging to
15 one or more predefined categories and that relate to an interest of the user in a specified product, searching in a plurality of locations, and presenting to the user essentially only items of information that relate to the interest of the user and that belong to the categories, the items not being limited to a price and a source for the product and not being limited to items that have been pre-arranged for presentation to the user in reply
20 to an online query that refers to the product.

Implementations may include one or more of the following features: The plurality of locations includes a database. The plurality of locations includes a web site. The plurality of locations includes two locations on the internet, the two locations on the internet being owned by different entities. The interest of the user in the product
25 comprises an ownership interest. One of the categories comprises information relevant to maintaining the product. One of the categories comprises product manuals. One of the categories comprises web sites. The web sites belong to the product manufacturer. The method includes the further step of storing the items of information. The items of

information are stored in a location under the user's control. The method includes the further steps of receiving other information about the product from the user, and associating the items of information with the other information. The method includes the further steps of receiving other information about the product from a retailer, and
5 associating the items of information with the other information. The other information comprises a serial number. The other information comprises a purchase date. The other information comprises a proof of purchase.

In another aspect, in general, the invention features a method comprising, at the request of a user who has a interest in a product, electronically searching for first
10 information that is associated with the product and is relevant to the property interest, receiving results of the search, at least two results being received from different sources, receiving additional information from the user about the product; associating the additional information with the first information; and storing the additional information in a location controlled by the user.

15 Implementations may include one or more of the following features: The interest is a property interest. The step of electronic searching is performed on the internet. The first information is relevant to maintaining the product. The additional information comprises a serial number.

The details of one or more embodiments of the invention are set forth in the
20 accompanying drawings and the description below. Some of the examples address aspects of these consumer needs. Additional features of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

FIG. 1 is a block diagram.
25 FIGS. 2, 3A, 3B, and 3C are example screen shots.
FIG. 4 is a block diagram.
FIG. 5 is a flowchart.
FIGS. 6-7 are block diagrams.
FIG. 8 is a flowchart.
30 FIG. 9 is a block diagram.
FIG. 10 is a flowchart.
FIG. 11 is a block diagram.

FIG. 12 is a flowchart.

FIG. 13 is a block diagram.

DETAILED DESCRIPTION

The remainder of this description will refer throughout to a series of example
5 systems. In these examples, a system is described by which a user may keep track of
items he or she has purchased. Consider a user who owns or is considering purchase of
some new product. The term “product” includes, by way of a few examples, (but is not
limited to) a tool, device, electronic gadget, appliance, or automobile. In some
examples, these products are durable, so that owners tend to need to refer to manuals or
10 require occasional repair or maintenance. In some examples, these products are
standardized under a model name or number, so that they can be referred to readily and
consistently. These examples are for illustrative purposes only and are not intended to
limit the claimed invention.

User Interface

15 **FIG. 1** illustrates a scenario in which an individual has purchased two items **105**
and **106**. The products were purchased at an online merchant **101** and a traditional store
102, respectively. Each of the items has warranty information **103** and manuals **104**.
The examples described below provide a method for keeping track, in a centralized
location, of a person’s products and information necessary to maintain those products,
20 among other things. This information is tracked through a web interface.

As depicted in **FIG. 2**, some embodiments are accessed through a search page.
The search page has an input box **201** for entry of search terms and a submit button **202**
for initiating the search. The user types the name of a product into the input box **201**
and clicks on the submit button **202**. Thus, for instance, if a user types “Maytag
25 MDB6650A,” an example system searches a database or consults an internet search
engine for all information that may be relevant to that product.

FIG. 3A depicts a web page displaying the result of the search. In some
examples, the display includes a product description and support section **301**. Some or
all of the following information is presented in the product description and support
30 section **301**:

<u>Data</u>	<u>Example</u>
Manufacturer	Maytag
Model name	Jetclean II Dishwasher
Model number	MDB6650A
Category	Home & Home & Garden/Appliances/Major Kitchen Appliances/Dishwashers
Home page	http://www.maytag.com
Catalog description	<text downloaded from Maytag web site>
Product brochures	<Adobe Acrobat files downloaded from Maytag web site>
Product photographs	<photographs downloaded from Maytag web site>
Manuals	<downloadable Owner's Manual, Installation Manual, and Repair Manual>
Updates	<Links to product software updates, if any>
Authorized national dealers	<Links to authorized Maytag dealers>
Local dealers and repair shops	<Links to local Maytag dealers>
Sources for spare parts, upgrades, or accessories	<Links to web sites or stores which sell parts for your Maytag dishwasher>
Support web site	http://www.maytag.com/support
Support phone number	800-4MAYTAG
User groups	<Link to Maytag discussion forum>
Reviews	<Links to reviews of your Maytag dishwasher>
Known flaws, limitations, or problems	<Links to recall information for your Maytag dishwasher>

In the example depicted in **FIG. 3A**, a user enters a product name, model, or some other information identifying a product in search field **302**. The user then presses the “return” key or clicks the “what have you got?” button **303**. The system responds by determining the manufacturer and model name, using the techniques described in more detail below. The system inserts this information in the maker field **304** and the model field **305**. If the system has incorrectly determined the maker or manufacturer, the user, in some examples, can change the information in the maker field **304** and the model field **305** and re-conduct the search (for example, by pressing the “return” key).

The system also determines what category of product has been searched for, and fills this information in the popup menu **306**.

Sometimes, the system will determine that more than one category of product is responsive to the search. For example, if the user searches for “IBM,” the system might

find products in the “laptop” category as well as products in the “typewriter” category. The user can select a category from the popup menu 306. This action causes the system to only display products in the given category. In some examples, the popup menu 306 includes a category representing “all products.”

5 Images representing the products found by the system are displayed in the image display area 307. The images displayed in this area are, in some examples, limited to the products in the category set by the popup menu 306, manufactured by the maker set in the maker field 304, with a model name matching the setting of the model name field 305.

10 If there are more found products than can be displayed in the image display area 307, the system, in some examples, displays a “more” button 308. If the user clicks this button, in some examples, the system removes the existing images from the image display area 307, and in their place, displays images representing additional products. In other examples, the system displays a new page with a larger area dedicated to
15 displaying images.

In some instances, the model name displayed in the model field 305 represents a family of products. In some examples, the images displayed in the image display area 307 represent specific models within the product family. For example, in the depicted example, the user has searched for “laserjet” in the search field 302, and the system
20 delivered a result with a maker field 304 reading “HP,” and the model field 305 reading “laserjet.” Because there are a number of different models of LaserJets, various models appeared in the image display area 307.

If the user owns a LaserJet, or is otherwise interested in keeping track of information about LaserJets, he or she clicks, in some examples, on the “Add to my
25 stuff” button 309. Alternatively, the user may know that he or she owns, or is interested in, a specific model of LaserJet. In that case, the user clicks on the specific model in the image display area 307. A new page is displayed that, in some examples, looks identical to the depiction in FIG. 3, except that the model field 305 contains the specific model number, and the image display area 307 contains only images of that particular
30 model of LaserJet. In some examples, the user then clicks the “Add to my stuff” button 309.

In some examples, after the user clicks the “Add to my stuff” button 309, the user is taken to the screen depicted in **FIG. 3B**. The user may also access this screen directly whenever the user wishes to view a list of items he or she is tracking.

A list of all items the user is tracking appears on the page in the example depicted by **FIG. 3B**. An image 310 of each item is shown. The image 310 may be
5 either derived from the internet, or may be supplied by the user (e.g., a digital photograph of the user’s actual product). The manufacturer and model number 323 are listed, along with the category 322. This information may come from the system itself (as described in more detail below), or may be specified by the user.

10 In some examples, additional information is displayed about the user’s particular product. For example, the system depicted in **FIG 3B** displays the product serial number 312. The depicted example also includes information about the item’s shipment information, including the retailer 313, the price 314, the shipment date 315, an order number 316, and a link to the retailer’s web site 311.

15 The depicted example includes links 318 to allow a user to sell the product through various online retailers. In some examples, the link would take a user to a page where certain details of the sale were already automatically filled in, e.g., the product name and model number.

The depicted example also includes information about the current value 317, as
20 determined from one or more online retailers. The example also includes user-supplied comments 319. The depicted example also displays a manufacturer-specific name and part number 320.

FIG. 3C shows a further example of a page listing the items a user is tracking. When the user clicks the edit button 350, additional fields appear that permit the user to
25 fill in information about a product. The depicted example permits a user to edit the product’s maker 351 or model 352; to add or change an associated picture 353; to edit the assigned category 354; to enter a serial number 355; to add support information including a URL for the manufacturer’s support page 356, the product manual 357, product reviews 358, product updates 359; to add information about the store from
30 which the product was purchased 361 and the purchase price 362, date 363, order number 364, and tracking number 365; and to add information about the product’s current value such as a price estimate 367 together with the source of the estimate 366 and the date on which the estimate was obtained 368.

In some examples, some or all of this information, or additional information, is obtained automatically by the system from external sources.

Implementation

With reference to FIG. 4, some embodiments include seven modules: a) the
5 knowledge module 401; b) the rule engine 402; c) the crawler 403; d) the query engine 404; e) the learning module 405; f) storage 406; and g) administration 407.

Some example embodiments operate as described in FIG. 5. In step 501, the user enters a query on a web page. The query is received on a server (step 502). The server passes the query to the query engine 404 (step 503). The query engine sends a
10 request to ten search engines, potentially specialized search engines such as www.froogle.com or websearch.alexa.com (step 504). (In other examples, any number of search engines may be used.) In step 505, the query engine 404 receives results from the search engines, and, in step 506, extracts the top ten results from each of the ten search engines (for a total of 100 results). (In other examples, any number of results can
15 be extracted from some or all of the engines; or no results may be extracted.) In step 507, the query engine 404 retrieves the web pages associated with these 100 results.

In step 508, the query engine 404 passes the user's query and the 100 web pages to the rule engine 402. In step 509, as more fully described below, the rule engine 402 generates a list of Core Attribute Guesses (CAGs). A CAG is a data structure
20 representing a likely manufacturer, category, and/or product name relating to the search phrase. The rule engine 402 creates this list by referring to data contained in the knowledge model 401. In step 510, as more fully laid out below, the list of CAGs is fed back into the rule engine 402 to generate a list of "candidates," which is a CAG that has been validated, or confirmed to be correct. In step 511, the candidates are fed back into
25 the rule engine 402, which filters and consolidates the results. Finally, in step 512, the system displays a web page with the results formatted as depicted in FIG. 3.

In some examples, a number of tasks are running asynchronously in the background. FIG. 12 describes these tasks. In advance, the knowledge module 401 is preconfigured to include information about common product categories (e.g.,
30 dishwashers) and manufacturers (e.g., Kenmore). Execution of one background task begins in step 1201 when a timer awakens a background thread. In step 1202, control passes to the crawler 403. The crawler 403 searches the internet, using a search engine such as www.google.com, for web pages relating to each of the categories and

manufacturers in the knowledge model **401** (step **1203**). In step **1204**, the crawler **403** updates the knowledge model **401** with results gleaned from the search results.

In some examples, a second background task causes the periodic operation of the learning module **405**, whose operation is explained below.

5 Other embodiments may include additional modules, omit these described modules, or consist of entirely different modules.

A. The Knowledge Module

Some embodiments include a knowledge module **401**. The knowledge module maintains a knowledge model, an example of which is depicted in **FIG. 6**. The
10 knowledge model is an object-oriented semantic network. Each node in the network represents an entity tracked by the system. Each entity is a member of one or more classes. In some examples, one type of object class tracked by the knowledge model **401** is called a category. Category objects are hierarchically-linked in the knowledge model **401** to form an ontology. For example, the following category nodes might be
15 linked: Appliances/Home appliances/Kitchen/Dishwashers.

In some examples, the knowledge module **401** tracks entities (nodes) including product manufacturers (e.g., Honda, Sony, or Panasonic); categories (e.g., flat-screen televisions or automobiles); information sources (e.g., web sites, phone numbers, or static documents); resources found (e.g., retrieved and derived facts, URLs, or
20 documents); rules (used by the rule engine **402**); and leads (used by the crawler **403**).

Links between nodes in the knowledge module represent relationships and are directional. The nature of the relationship depends on the type of node. For example, with reference to **FIG. 6**, the link to the “Honda” node **601** (of type “manufacturer”) from the “car” node **602** (of type “category”) indicates that a Honda is a type of car.
25 The link from the “Honda” node **601** to the “web site” node **605** (of type “information source”) indicates that Honda has a web site at the given URL. The knowledge model of **FIG. 6** also knows that “Volkswagen” (node **606**) is another manufacturer of cars (node **602**).

B. The Rule Engine

30 Some embodiments include a rule engine **402**. The rule engine takes an input, applies relevant rules to it, and delivers an output. It includes meta-rules used to govern the order in which rules are applied.

In some embodiments, the rule engine **402** is structured as depicted in **FIG.7**. The engine **402** takes an input **701** and transforms it in a manner specified by a series of applicable rules **702**, **705** to create the desired output **703**. In some examples, rules are linked such that the output of one rule **702** becomes the input of the next rule **705**.

5 Rules are linked together in a rule queue **706**.

In some embodiments, rules are selected and ordered through the operation of one or more meta-rules **703**, **704**.

1. Input

In some examples, the input **701** is a data structure representing partial
10 knowledge, i.e., what is known so far. In some examples, the input consists of a list of facts **705** that are assumed to be true, plus a list of hypotheses **706** which are likely to be true. In some examples, the input includes a reference to a knowledge module **401**. In some examples, the input also includes working data **707**, including the user's search term and intermediate results accumulated so far.

15 2. Types of rules

A rule transforms the input to result in the output. For example, a rule might copy some or all of an input into the output. A rule might modify or rewrite the input to produce the output. A rule might also log certain types of events for later examination by a human. Each rule has at least one trigger, indicating the circumstances under
20 which it is to execute. It also has at least one consequence, indicating the transformation to be applied.

In some examples, there are at least three kinds of rules. The first kind has a trigger that matches a search string entered by a user. This type of rule outputs a data structure known as a Core Attribute Guess, or CAG. A CAG is a data structure
25 representing a likely manufacturer, category, and/or product name relating to the search phrase. **FIG. 11** depicts five possible CAGs that might be generated by the rule engine **402** based on the search term "Accord." This type of rule applies a heuristic to a set of web results generated by the crawler **403** (**FIG. 13**, step **1310**). For example, the rule might generate a CAG for a Honda Accord Hybrid because, after analyzing the web
30 results, the rule concludes that Accord Hybrid often occurs in close proximity to Honda, which already has a node in the knowledge model **401** indicating that Honda is an automobile manufacturer.

A second type of rule takes as input a list of CAGs. This type of rule searches the knowledge model 401 for leads associated with each CAG. For each associated lead, this type of rule executes the instruction contained in the lead, and attempts to verify the CAG, that is, verify that the manufacturer referenced in the CAG in fact
5 manufactures the referenced product. For example, in the knowledge model 401, one lead is a link to a page on Honda's web site containing a list of all its current automobiles. The rule verifying this CAG retrieves this page from the Honda web site and searches for the product name contained in the CAG (i.e., "Honda Accord Hybrid") to verify that this string in fact occurs on this page.

10 A third kind of rule takes the list of candidates and filters and consolidates candidates to yield a final list of results. Some of the generated candidates may be duplicative (for example, if a given product name has multiple alternative spelling). Others may be inconsistent (for example, if there are five results for types of Honda Accords, and one result for computer software); in this case, the rule may decide that
15 the user was probably searching for a car and not for software, and might eliminate the software result. (Some rules would not eliminate the inconsistent result, and provide that alternative result to the user in addition to all the models of the Honda Accord.)

3. Meta-rules

A meta-rule is a special rule that operates on the rule queue. Meta-rules are the
20 same as rules, except that instead of transforming input into output, they operate on the rule queue 706. Meta-rules may add, remove, or reorder rules to be applied. Some examples of meta-rules operate based on an analysis of the input. Others adjust the relative weight given a particular rule based on the rule's history of providing relevant results.

4. Execution

25 **FIG. 8** describes the manner in which the rule engine 402 operates in one embodiment. In step 801, the engine receives the input. In steps 802-806, the engine makes a queue of rules matching the current input. In step 802, the engine finds the first available rule. In step 803, it checks to see if the rule has a trigger matching the current
30 input. If not, the process skips to step 805. Otherwise, in step 804, the engine adds the rule to the queue. In step 805, the engine checks to see if there are more rules available. If so, then in step 806, the engine fetches the next rule, and returns to step 802.

When each of the rules have been stepped through, in step 807, the engine checks to see if any meta-rules are available. If there are, then in step 808, the engine fetches the first meta-rule. In step 809, the engine applies the meta-rule to reorder the rules in the queue. In step 810, the engine checks to see if any more meta-rules are
 5 available. If there are, then in step 811, the engine fetches the next meta-rule, and returns to step 809.

Otherwise, in step 812, the engine fetches the first rule in the queue. In step 813, it applies the rule to the input—passing to the rule both the user's original input and any results generated by other rules already executed. The rule adds its own results to the
 10 list of intermediate results passed in. Then, in step 814, the engine checks to see if there are any more rules. If so, in step 815, the engine fetches the next rule, and returns to step 813. If not, then in step 816, the engine returns the combined results of the rules.

C. Leads

1. Representation

15 **FIG. 9** depicts the representation of leads 404 in some embodiments. A lead is a data structure representing a promising potential source of information. In some examples, the data structure includes information representing an instruction 901; the start point 902; the expected result type 903; and operational attributes 909. Operational
 20 attributes 909 include the usefulness of the lead 904; the date of most recent execution 905; the expense of the lead 906 (in terms of time or other resources); failure flags 907 (in case URL is unresponsive or raises errors); and priority 908.

In some examples, the instruction 901 is a constant representing one of the following instructions:

- 25 • Search a given URL (specified in the start point 902) to find out about a given manufacturer
- Search a given URL (specified in the start point 902) to find out about a given product
- Search a given URL (specified in the start point 902) to get a useful list of categories
- 30 • Search a given URL (specified in the start point 902) to get repair manuals for a given product

- Use a search box on a web site (specified in the start point **902**) to conduct a search
- Click at a given set of coordinates in a navigation bar to get support information for a given manufacturer

5 In some examples, a lead contains an instruction to compose a search query to be delegated to an external search engine on the internet, then to gather the results from the external search engine.

As depicted in **FIG. 6**, in some embodiments, the knowledge module **401** tracks information about leads. For example, a link from the “Honda” node **601** to the “Honda leads” node **607** indicates that the given lead **406** provides product manuals for Honda vehicles.

D. Crawler

In some examples, the crawler **403** is responsible for periodically gathering up all relevant leads to run, and executing them. The crawler **403** executes leads with higher priority **908** more frequently than leads with lower priority. When the crawler **403** executes a lead, it performs a query specified by the instruction **901** contained in the lead. After performing the query, it records the operational attributes of the query in the operational attributes **909** section of the lead. It then records the results of the query by adding “resources found” nodes to the knowledge module **401**. The crawler can also operate in conjunction with the rule engine **402** to update arbitrary nodes in the knowledge module **401**. In one example, the crawler may discover new categories, using heuristics set forth in a set of rules, and update the knowledge module **401** with information about the new categories. In other examples, instead of using the rule engine **402**, these heuristics are hard-coded in the crawler **403**.

E. QUERY ENGINE

In some examples, the query engine **404** handles requests from users. Requests may be either interactive or stored. In an interactive request, a user enters a search phrase in real time. A stored request consists of previously-saved interactive requests.

FIG. 10 depicts the process by which, in some examples, the query engine **404** handles an interactive request. In step **1001**, the user enters a search phrase. In step **1002**, the rule engine **402** is applied to the search phrase (see **FIG. 8**). The rule engine **402** outputs a list of CAGs.

In step **1003**, the CAGs are passed back into the rule engine **402**, which outputs a list of leads. These leads describe relevant web searches that can be used to validate the CAGs.

In step **1005**, the query engine **404** executes the search specified by each of the
5 generated leads. In step **1006**, the query engine determines which CAGs have been validated and which have not, discarding the invalidated CAGs (step **1008**). The validated CAGs are called candidates. In step **1009**, the query engine examines each candidate and retrieves additional attributes such as a photograph of the product; the product description; repair information; documents (such as user manuals, installation
10 manuals, and brochures); and links to reviews and support web pages. In some examples, the query engine uses leads associated with each candidate to retrieve this information. In some examples, the query engine **404** uses the rule engine **402**, either instead of or in conjunction with the leads.

In step **1015**, the query engine **404** invokes the rule engine **402** again to filter
15 and consolidate the results, as described above in connection with the rule engine **402**.

In step **1016**, the results are presented to the user on a web page. If there are multiple candidates, the web page provides the user with the option of refining or modifying the search by making a selection from among the candidates. If the user elects to refine the search (step **1013**), control returns to step **1005**, which executes the
20 newly-refined search.

In some examples, the web page also gives the user the option to save the current search. If the user selects this option, some embodiments save the search in an XML file in a location personalized to the user, such as on the user's home computer or on a network storage area.

As described earlier, **FIGS 3B** and **3C** depicts an example interactive web page. This interface allows a user to browse and continue to refine the information in the stored requests. Additional information, such as serial numbers or maintenance records, can be added to objects stored in the XML file, through this interactive area. In another embodiment, this additional information can be retrieved directly from a
25 manufacturer's web site or another external source.
30

F. LEARNING MODULE

As depicted in **FIG. 13**, in some examples, the learning module **405** is used to accumulate knowledge from use of the system and improve its accuracy and

effectiveness. The learning module **405** maintains a series of logs and rules which look over those logs for opportunities to improve accuracy.

In some embodiments, the learning module **405** maintains a user input learning log **1303** which accumulates samples of user inputs. Referring to **FIGS. 10** and **13**, the user input learning log **1303** stores the user's search phrase **1304** (step **1005** of **FIG. 10**), corresponding candidates **1305** ascertained in step **1006**, attributes **1306** retrieved in step **1009**, consolidated results **1307** derived in step **1015**, any user refinement **1308** (step **1013**), and the final saved item **1309**.

In some embodiments, the learning module **405** maintains a leads and documents log **1310**. In this log is recorded recent leads **1311**, results created by these leads **1312**, and the frequency **1313** with which these results are referred to by users. In some embodiment, the rule engine **402** contains a rule that refers to the leads and documents log **1310** to display the results of more popular leads more prominently than the results of less popular leads. In addition, a system administrator may review the leads and documents log **1310** manually, to gain insight into which leads are most productive. A system administrator may also use this information to write better rules; for example, if the leads and documents log **1310** shows that most people who search for "iPod" are searching for an Apple iPod, the system administrator can write a rule to more heavily weight Apple iPods in the search results. A system administrator may also discover a number of searches for "i-Pod" executed by individuals searching for iPods. The administrator could then write a rule in which searches for "i-Pod" are modified to search for "iPod."

A system administrator could also write a rule that implements a misspelling subsystem. Such a rule might automatically remove hyphens from search terms, change vowels, and correct common spelling mistakes.

Some examples of the learning modules modify the knowledge module **401**. For example, a learning module can update a manufacturer node, adding a "known products" attribute, that a rule in the rule engine **402** may refer to when creating or validating CAGs. In another example, a learning module updates the "coffeemaker" category node, adding a "popular manufacturers" attribute including the data "Braun," to suggest to a rule that Braun products might be heavily weighted in search results.

G. Storage

Some embodiments include a storage area. The storage area is where data for the above systems is stored. Some examples use text files for storage. Some examples use a SQL database, such as MySQL, for storage. Some examples permit the storage to
5 be accessed from the internet.

Some embodiments use a user's local hard drive for certain types of personal storage, such as users' stored requests. Other embodiments use an independent high-capacity network storage location for personal storage.

In some examples, personal user information is stored in a distributed manner,
10 i.e., not on the server executing the system described. In some examples, the personal user information is stored on a user's own hard disk.

H. ADMINISTRATION

Some embodiments include an administration area that provides tools for managing the system's operations. In some examples, these tools include utilities for
15 authoring and editing content, such as the knowledge model and the rules. Other tools include reporting tools to allow an administrator to review usage patterns and to assist an administrator in resource planning.

Although a particular embodiment has been described, other embodiments are within the scope of the following claims. For example, except where specifically
20 indicated in the claim language, the claims are not necessarily limited to operation over the internet. The claims are not restricted to using the specific components or user interfaces described above. The claims are not necessarily limited to tracking information about physical products. Rather, the scope of the invention is defined solely by the claim language.

WHAT IS CLAIMED IS:

1. A method comprising:

receiving an electronic query of a user directed to obtaining items of
information belonging to one or more predefined categories and that relate to an
5 interest of the user in a specified product;

searching in a plurality of locations; and

presenting to the user essentially only items of information that relate to the
interest of the user and that belong to the categories, the items not being limited
to a price and a source for the product and not being limited to items that have
10 been pre-arranged for presentation to the user in reply to an online query that
refers to the product.
2. The method of claim 1, wherein the plurality of locations includes a database.
3. The method of claim 1, wherein the plurality of locations includes a web site.
4. The method of claim 1, wherein the plurality of locations includes two locations
15 on the internet, the two locations on the internet being owned by different
entities.
5. The method of claim 1, wherein the interest of the user in the product comprises
an ownership interest.
6. The method of claim 1, wherein one of the categories comprises information
20 relevant to maintaining the product.
7. The method of claim 1, wherein one of the categories comprises product
manuals.
8. The method of claim 1, wherein one of the categories comprises web sites.
9. The method of claim 8, wherein the web sites belong to the product
25 manufacturer.
10. The method of claim 1, wherein one of the categories comprises a resale value.
11. The method of claim 1, further comprising storing the items of information.
12. The method of claim 11, wherein the items of information are stored in a
location under the user's control.
- 30 13. The method of claim 1, further comprising:

receiving other information about the product from the user; and

associating the items of information with the other information.

14. The method of claim 1, further comprising:
presenting to the user an option to sell the specified product.
15. The method of claim 13, wherein the other information comprises a serial number.
- 5 16. The method of claim 13, wherein the other information comprises a purchase date.
17. The method of claim 13, wherein the other information comprises a proof of purchase.
18. The method of claim 1, further comprising:
10 receiving other information about the product from a retailer; and
associating the items of information with the other information.
19. A method comprising:
at the request of a user who has a interest in a product, electronically searching
15 for first information that is associated with the product and is relevant to the property interest,
receiving results of the search, at least two results being received from different sources,
receiving additional information from the user about the product;
associating the additional information with the first information; and
20 storing the additional information.
20. The method of claim 19, wherein the interest is a property interest.
21. The method of claim 19, wherein the step of electronic searching is performed on the internet.
22. The method of claim 19, wherein the first information is relevant to maintaining
25 the product.
23. The method of claim 19, wherein the additional information comprises a serial number.
24. The method of claim 19, wherein the additional information is stored in a location controlled by the user.

FIG. 1




FIG. 2





FIG. 3A



thingly

What have you got?

thingly (thing'lē) v. Find out everything about things.

My stuff [hide](#)

310



HP laserjet 323

Electronics/Printers, Copiers, & Fax Machines/Printers/Laser Printers — 322

[edit](#)

311



Canon SD400

Electronics/Cameras/Digital Cameras

[Support Manual Review](#) 312

Serial # 0623315523 313

Shipped from Walmart.com for \$377.14 on 14-Jun-2005 order 314

#2677095933559 315


Current value: eBay \$343.92 Yahoo Auctions \$351.76

1ClickSell on eBay, Yahoo Auction, craigslist

I love this camera

[edit](#)

316



Sony D8C-T1

Electronics/Cameras/Digital Cameras

[Support Manual Update Review Review Review](#)

Serial # 1366242

Shipped from Amazon.com for \$420.85 on 8-Feb-2005 order

#002-1656637-8616035

317 Current value: eBay \$325.60 Yahoo Auctions \$301.02

1ClickSell on eBay, Yahoo Auction, craigslist

[edit](#)



Apple iPod 20GB

Electronics/Audio/MP3 Players

[Support Dealer](#) 321

Serial # B34293

Current value: eBay \$204.30 Yahoo Auctions \$207.22

1ClickSell on eBay, Yahoo Auction, craigslist

I love this iPod

[edit](#)

318

319



Maytag dishwasher

Home & Garden/Appliances/Major Kitchen Appliances/Dishwashers

MD86650A Maytag Jetclean II Dishwasher

[Support Manual](#)

Serial # U51-HZ346S299033CW

[edit](#)

320





FIG. 4






FIG. 6




FIG. 7






FIG. 8



Instruction <u>901</u>	
Start point <u>902</u>	
Expected result type <u>903</u>	
Operational attributes <u>909</u>	Usefulness <u>904</u>
	Date of execution <u>905</u>
	Expense <u>906</u>
	Failure flags <u>907</u>
	Priority <u>908</u>

FIG. 10



Category: Software
Manufacturer: Accord Software, Inc.
Product name: AccordSTAR

Category: Automobiles
Manufacturer: Honda
Product name: Honda Accord Hybrid

Category: Automobiles
Manufacturer: Honda
Product name: Honda Accord Coupe LX

Category: Automobiles
Manufacturer: Honda
Product name: Honda Accord Sedan EX

Category: GPS
Manufacturer: Accord Software & Systems
Product name: GPS Signal Tap-L2C

