



US 20040179037A1


(19) **United States**(12) **Patent Application Publication**
Blattner et al.(10) **Pub. No.: US 2004/0179037 A1**(43) **Pub. Date: Sep. 16, 2004**(54) **USING AVATARS TO COMMUNICATE
CONTEXT OUT-OF-BAND****Related U.S. Application Data**

(60) Provisional application No. 60/450,663, filed on Mar. 3, 2003. Provisional application No. 60/512,852, filed on Oct. 22, 2003.

(76) Inventors: **Patrick D. Blattner**, Sterling, VA (US);
John D. Robinson, South Riding, VA (US); **Michael J. Blackwell**, Lewis Center, OH (US); **Brian D. Heikes**, Ashburn, VA (US); **John Thomas Love**, Sterling, VA (US); **James A. Odell**, Potomac Falls, VA (US)**Publication Classification**(51) **Int. Cl.⁷ G09G 5/00**(52) **U.S. Cl. 345/751; 345/733**(57) **ABSTRACT**

An avatar representing a user in a communications session may be used to send to another user an out-of-band communication that conveys information independent of information conveyed directly in the text message sent. The out-of-band information may be communicated using a change in the avatar appearance or avatar animation as a communication conduit. By way of example, an out-of-band communication may include information about the sender's setting, environment, activity or mood, which is not explicitly communicated and part of a text message exchanged by a sender and a recipient.

Correspondence Address:

FISH & RICHARDSON P.C.**1425 K STREET, N.W.****11TH FLOOR****WASHINGTON, DC 20005-3500 (US)**(21) Appl. No.: **10/747,652**(22) Filed: **Dec. 30, 2003****100**

100




FIG. 1

115




FIG. 2

300




FIG. 3




FIG. 4

500





FIG. 5






FIG. 7



FIG. 8

900




FIG. 9

1000




FIG. 10




FIG. 11A




FIG. 11B

1200




FIG. 12

1300

Multiple Personalities

- 1 - Member enters Chooser.
- 2 - Clicks "Change Icon."
- 3 - Selects icon and clicks "Save."
- 4 - Clicks "Save into Personality" (saves all four current expressions).
- 5 - Pop-up prompts member to name Personality.
- 6 - Clicks "Management Area"
- 7 - Management Area allows delete and rename of Personalities.




FIG. 13




FIG. 14

1500




FIG. 15




FIG. 16





FIG. 17



USING AVATARS TO COMMUNICATE CONTEXT OUT-OF-BAND

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit of U.S. Provisional Application No. 60/450,663, filed Mar. 3, 2003, and titled "Providing Video, Sound, or Animated Content With Instant Messages," and claims the benefit of U.S. Provisional Application No. 60/512,852, filed Oct. 22, 2003, and titled "Providing Video, Sound, or Animated Content With Instant Messages," both which are incorporated by reference.

TECHNICAL FIELD

[0002] This description relates to projecting a graphical representation of a communications application operator (hereinafter "sender") in communications sent in a network of computers.

BACKGROUND

[0003] Online services may provide users with the ability to send and receive instant messages. Instant messages are private online conversations between two or more people who have access to an instant messaging service, who have installed communications software necessary to access and use the instant messaging service, and who each generally have access to information reflecting the online status of other users.

[0004] An instant message sender may send self-expression items to an instant message recipient. Current implementations of instant messaging self-expression enable a user to individually select self-expression settings, such as a Buddy Icon and a Buddy Wallpaper, which settings thereafter project to other users who see or interact with that person online.

SUMMARY

[0005] In one general aspect, communicating includes graphically representing, with an avatar capable of being animated, a first user in a communication session involving the first user and a second user. A message is communicated between the first user and the second user. The message conveys explicit information from the first user to the second user. Out-of-band information is communicated to the second user using a change in the avatar appearance or avatar animation as a communication conduit. The out-of-band communication includes a communication that is related to a context of the first user and that differs from the information conveyed in the message sent between the first user and the second user.

[0006] Implementations may include one or more of the following features. For example, the communication session may be an instant messaging communication session. The avatar may be a facial animation that does not include a body having an ear or a leg or may be a facial animation, including a neck, that does not include a body having an ear or a leg.

[0007] The out-of-band information may include information indicating an environmental condition associated with the first user. The environmental condition may include an environmental condition related to weather occurring in a

geographic location near the first user. The out-of-band information may indicate a personality characteristic associated with the first user or an emotional state associated with the first user.

[0008] The out-of-band information may include information indicating a setting characteristic associated with the first user. The setting characteristic may include a characteristic related to time of day of the first user or a characteristic related to time of year. The time of year may include a holiday or a season that is one of spring, summer, fall or winter. The setting characteristic may include a characteristic associated with a work setting or a recreation setting. The recreation setting may include a beach setting, a tropical setting or a winter sport setting.

[0009] The out-of-band information may include information related to a mood of the first user. The mood of the first user may be one of happy, sad or angry.

[0010] The out-of-band information may include information associated with an activity of the first user. The activity may be performed by the first user at substantially the same time that the out-of-band message is communicated from the first user to the second user. The activity may be working or listening to music. The out-of-band information may include information conveying that the first user has muted sounds associated with the avatar.

[0011] An animation of the avatar to convey the out-of-band information from the first user to the second user may be triggered based on the information conveyed in the message from the first user to the second user. The trigger may include a portion or all of the text of the message. The trigger may include an audio portion of the message. The trigger may include the passing of a predetermined amount of time during which the first user does not communicate a message to the second user or does not use a computing device that is used by the first user to communicate with the second user in the communication session.

[0012] The avatar animation used as the communication conduit may include a facial expression of the avatar, a gesture made by a hand or arm of the avatar, movement of a body of the avatar or sounds made by the avatar. At least some of the sounds may include a voice based on a voice of the first user. The avatar animation used as the communication conduit may include a breakout animation that involves displaying avatar outside of normal display space occupied by the avatar. A breakout animation may include telescoping, resizing, or repositioning the avatar.

[0013] The first user may be provided with multiple pre-configured avatars having associated preselected animations. The first user may be enabled to select a particular avatar to represent the user in the communications session. The first user may be persistently associated with the selected avatar to represent the first user in subsequent communication sessions.

[0014] The first user may be enabled to modify the appearance of the avatar. Enabling the first user to modify the appearance of the avatar may include enabling the first user to use a slide bar to indicate a particular modification of a particular feature of the avatar or enabling the first user to modify appearance of the avatar to reflect a characteristic of the first user. The characteristic of the first user may be one of age, gender, hair color, eye color, or a facial feature.

[0015] Enabling the first user to modify the appearance of the avatar may include enabling the first user to modify the appearance of the avatar by adding, changing or deleting a prop displayed with the avatar. A prop may be one of eyeglasses, sunglasses, a hat, or earrings.

[0016] The first user may be enabled to modify a trigger used to cause an animation of the avatar. The trigger may include text included in the message sent from the first user to the second user.

[0017] The avatar may be animated for use as an information assistant to convey information to the first user. Use of the avatar by an application other than a communications application, including an online journal, may be enabled.

[0018] A depiction of the avatar may be displayed in the form that is substantially similar to a trading card. The trading card depiction of the avatar may include characteristics associated with the first user.

[0019] Implementations of the techniques discussed above may include a method or process, a system or apparatus, or computer software on a computer-accessible medium.

[0020] The details of one or more of the implementations are set forth in the accompanying drawings and description below. Other features will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

[0021] FIGS. 1, 2 and 5 are diagrams of user interfaces for an instant messaging service capable of enabling a user to project an avatar for self-expression.

[0022] FIG. 3 is a flow chart of a process for animating an avatar based on the content of an instant message.

[0023] FIG. 4 is a block diagram illustrating exemplary animations of an avatar and textual triggers for each animation.

[0024] FIG. 6 is a diagram illustrating an exemplary process involving communications between two instant messaging client systems and an instant message host system, whereby an avatar of a user of one of the instant message client systems is animated based on the animation of an avatar of a user of the other of the instant message client systems.

[0025] FIG. 7 is a flow chart of a process for selecting and optionally customizing an avatar.

[0026] FIG. 8 is a block diagram depicting examples of avatars capable of being projected by a user for self-expression.

[0027] FIG. 9 is a diagram of a user interface for customizing the appearance of an avatar.

[0028] FIG. 10 is a diagram of a user interface used to present a snapshot description of an avatar.

[0029] FIG. 11A is a block diagram illustrating relationships between online personas, avatars, avatar behaviors and avatar appearances.

[0030] FIG. 11B is a flow chart of a process for using a different online personality to communicate with each of two instant message recipients.

[0031] FIG. 12 is a diagram of a user interface that enables an instant message sender to select among available online personas.

[0032] FIG. 13 is a diagram of exemplary user interfaces for enabling an instant message sender to create and store an online persona that includes an avatar for self-expression.

[0033] FIG. 14 is a flow chart of a process for enabling a user to change an online persona that includes an avatar for self-expression.

[0034] FIG. 15 is a flow chart of a process for using an avatar to communicate an out-of-band message to an instant message recipient.

[0035] FIGS. 16, 17 and 18 are diagrams of exemplary communications systems capable of enabling an instant message user to project an avatar for self-expression.

DETAILED DESCRIPTION

[0036] An avatar representing a user in a communications session may be used to send to another user an out-of-band communication that conveys information independent of information conveyed directly in the text message sent. The out-of-band information may be communicated using a change in the avatar appearance or avatar animation as a communication conduit. By way of example, an out-of-band communication may include information about the sender's setting, environment, activity or mood, which is not explicitly communicated and part of a text message exchanged by a sender and a recipient.

[0037] FIG. 1 illustrates an exemplary graphical user interface 100 for an instant messaging service capable of enabling a user to project an avatar for self-expression. The user interface 100 may be viewed by a user who is an instant message sender and whose instant messaging communications program is configured to project an avatar associated with and used as an identifier for the user to one or more other users or user groups (collectively, instant message recipients). In particular, the user IMSender is an instant message sender using the user interface 100. The instant message sender projects a sender avatar 135 in an instant messaging communications session with an instant message recipient SuperBuddyFan1, who projects a recipient avatar 115. A corresponding graphical user interface (not shown) is used by the instant message recipient SuperBuddyFan1. In this manner, the sender avatar 135 is visible in each of the sender's user interface and the recipient's user interface, as is the recipient avatar 115. The instant messaging communications session may be conducted simultaneously, near-simultaneously, or serially.

[0038] The user interface (UI) 100 includes an instant message user interface 105 and an instant messaging buddy list window 170.

[0039] The instant message user interface 105 has an instant message recipient portion 110 and an instant message sender portion 130. The instant message recipient portion 110 displays the recipient avatar 115 chosen by the instant message recipient with whom the instant message sender is having an instant message conversation. Similarly, the instant message sender portion 130 displays the sender avatar 135 chosen by the instant message sender. The display of the sender avatar 135 in the instant message user

interface **105** enables the instant message sender to perceive the avatar being projected to the particular instant message recipient with whom the instant message sender is communicating. The avatars **135** and **115** are personalization items selectable by an instant message user for self-expression.

[0040] The instant message user interface **105** includes an instant message composition area **145** for composing instant message messages to be sent to the instant message recipient and for message history text box **125** for displaying a transcript of the instant message communications session with the instant message recipient. Each of the messages sent to, or received from, the instant message recipient are listed in chronological order in the message history text box **125**, each with an indication of the user that sent the message as shown at **126**. The message history text box **125** optionally may include a time stamp **127** for each of the messages sent.

[0041] Wallpaper may be applied to portions of the graphical user interface **100**. For example, wallpaper may be applied to window portion **120** that is outside of the message history box **125** or window portion **140** that is outside of the message composition area **145**. The recipient avatar **115** is displayed over, or in place of, the wallpaper applied to the window portion **120**, and the wallpaper applied to the window portion **120** corresponds to the recipient avatar **115**. Likewise, the sender avatar **135** is displayed over, or in place of, the wallpaper applied to the window portion **140** and the wallpaper applied to the window portion **120** corresponds to the sender avatar **135**. In some implementations, a box or other type of boundary may be displayed around the avatar, as shown by boundary **157** displayed around the sender avatar **135**. A different wallpaper may be applied to window portion **158** inside the boundary **157** than the wallpaper applied to the window portion **140** outside of the message composition area **145** but not within the boundary **157**. The wallpaper may appear to be non-uniform and may include objects that are animated. The wallpapers applied to the window portions **120** and **140** may be personalization items selectable by an instant message user for self-expression.

[0042] The instant message user interface **105** also includes a set of feature controls **165** and a set of transmission controls **150**. The feature controls **165** may control features such as encryption, conversation logging, conversation forwarding to a different communications mode, font size and color control, and spell checking, among others. The set of transmission controls **150** includes a control **160** to trigger sending of the message that was typed into the instant message composition area **145**, and a control **155** for modifying the appearance or behavior of the sender avatar **135**.

[0043] The instant message buddy list window **170** includes an instant message sender-selected list **175** of potential instant messaging recipients ("buddies") **180a-180g**. Buddies typically are contacts who are known to the potential instant message sender (here, IMSender). In the list **175**, the representations **180a-180g** include text identifying the screen names of the buddies included in list **175**; however, additional or alternative information may be used to represent one or more of the buddies, such as an avatar associated with the buddy, that is reduced in size and either still or animated. For example, the representation **180a** includes the screen name and avatar of the instant message

recipient named SuperBuddyFan1. The representations **180a-180g** may provide connectivity information to the instant message sender about the buddy, such as whether the buddy is online, how long the buddy has been online, whether the buddy is away, or whether the buddy is using a mobile device.

[0044] Buddies may be grouped by an instant message sender into one or more user-defined or pre-selected groupings ("groups"). As shown, the instant message buddy list window **170** has three groups, Buddies **182**, Co-Workers **184**, and Family **186**. SuperBuddyFan**1185a** belongs to the Buddies group **182**, and ChattingChuck **185c** belongs to the Co-Workers group **184**. When a buddy's instant message client program is able to receive communications, the representation of the buddy in the buddy list is displayed under the name or representation of the buddy group to which the buddy belongs. As shown, at least potential instant messaging recipients **180a-180g** are online. In contrast, when a buddy's instant message client program is not able to receive communications, the representation of the buddy in the buddy list may not be displayed under the group with which it is associated, but it may instead be displayed with representations of buddies from other groups under the heading Offline **188**. All buddies included in the list **175** are displayed either under one of the groups **182**, **184**, or **186**, or under the heading Offline **188**.

[0045] As illustrated in FIG. 1, each of the sender avatar **135** and the recipient avatar **115** is a graphical image that represents a user in an instant message communications session. The sender projects the sender avatar **135** for self-expression, whereas the recipient projects the recipient avatar **115** also for self-expression. Here, each of the animation avatars **135** or **115** is an avatar that only includes a graphical image of a face, which may be referred to as a facial avatar or a head avatar. In other implementations, an avatar may include additional body components. By way of example, a Thanksgiving turkey avatar may include an image of a whole turkey, including a head, a neck, a body and feathers.

[0046] The sender avatar **135** may be animated in response to an instant message sent to the instant message recipient, and the recipient avatar **115** may be animated in response to an instant message sent by the instant message recipient. For example, the text of an instant message sent by the sender may trigger an animation of the sender avatar **135**, and the text of an instant messages sent by the instant message recipient to the sender may trigger an animation of the recipient avatar **115**.

[0047] More particularly, the text of a message to be sent is specified by the sender in the message specification text box **145**. The text entered in the message specification text box **145** is sent to the recipient when the sender activates the send button **160**. When the send button **160** is activated, the instant message application searches the text of the message for animation triggers. When an animation trigger is identified, the sender avatar **135** is animated with an animation that is associated with the identified trigger. This process is described more fully later. In a similar manner, the text of a message sent by the instant message recipient and received by the sender is searched for animation triggers and, when found, the recipient avatar **115** is animated with an animation associated with the identified trigger. By way of

example, the text of a message may include a character string "LOL," which is an acronym that stands for "laughing out loud." The character string "LOL" may trigger an animation in the sender avatar **135** or the recipient avatar **115** such that the sender avatar **135** or the recipient avatar **115** appears to be laughing.

[0048] Alternatively or additionally, the sender avatar **135** may be animated in response to an instant message sent from the instant message recipient, and the recipient avatar **115** may be animated in response to a message sent from the instant message sender. For example, the text of an instant message sent by the sender may trigger an animation of the recipient avatar **115**, and the text of an instant messages sent by the instant message recipient to the sender may trigger an animation of the sender avatar **135**.

[0049] More particularly, the text of a message to be sent is specified by the sender in the message specification text box **145**. The text entered in the message specification text box **145** is sent to the recipient when the sender activates the send button **160**. When the send button **160** is activated, the instant message application searches the text of the message for animation triggers. When an animation trigger is identified, the recipient avatar **115** is animated with an animation that is associated with the identified trigger. In a similar manner, the text of a message sent by the instant message recipient and received by the sender is searched for animation triggers and, when found, the sender avatar **135** is animated with an animation associated with the identified trigger.

[0050] In addition, the sender avatar **135** or the recipient avatar **115** may be animated in direct response to a request from the sender or the recipient. Direct animation of the sender avatar **135** or the recipient avatar **115** enables use of the avatars as a means for communicating information between the sender and the recipient without an accompanying instant message. For example, the sender may perform an action that directly causes the sender avatar **135** to be animated, or the recipient may perform an action that directly causes the recipient avatar **115** to be animated. The action may include pressing a button corresponding to the animation to be played or selecting the animation to be played from a list of animations. For example, the sender may be presented with a button that inspires an animation in the sender avatar **135** and that is distinct from the send button **160**. Selecting the button may cause an animation of the sender avatar **135** to be played without performing any other actions, such as sending an instant message specified in the message composition area **145**. The played animation may be chosen at random from the possible animations of the sender avatar **135**, or the played animation may be chosen before the button is selected.

[0051] An animation in one of the avatars **135** or **115** displayed on the instant messaging user interface **105** may cause an animation in the other avatar. For example, an animation of the recipient avatar **115** may trigger an animation in the sender avatar **135**, and vice versa. By way of example, the sender avatar **135** may be animated to appear to be crying. In response to the animation of the sender avatar **135**, the recipient avatar **115** also may be animated to appear to be crying. Alternatively, the recipient avatar **115** may be animated to appear comforting or sympathetic in response to the crying animation of the sender avatar **135**. In

another example, a sender avatar **135** may be animated to show a kiss and, in response, a recipient avatar **115** may be animated to blush.

[0052] The recipient avatar **115** may appear to respond to a mood of the sender communicated by the sender avatar **135**. By way of example, in response to a frowning or teary animation of the sender avatar **135**, the recipient avatar **115** also may appear sad. Alternatively, the recipient avatar **115** may be animated to try to cheer up the sender avatar **135**, such as by smiling, exhibiting a comical expression, such as sticking its tongue out, or exhibiting a sympathetic expression.

[0053] An avatar **135** or **115** may be animated in response to a detected idle period of a predetermined duration. For example, after a period of sender inactivity, the sender avatar **135** may be animated to give the appearance that the avatar is sleeping, falling off of the instant messaging interface **105**, or some other activity indicative of inactivity. An avatar **135** or **115** also may progress through a series of animations during a period of sender inactivity. The series of animations may repeat continuously or play only once in response to the detection of an idle period. In one example, the sender avatar **135** may be animated to give the appearance that the avatar is sleeping and then having the avatar appear to fall off the instant messaging user interface **105** after a period of sleeping. Animating an avatar **135** or **115** through a progression of multiple animations representative of a period of sender inactivity may provide entertainment to the sender. This may lead to increased usage of the instant messaging user interface **105** by the sender, which in turn, may lead to an increased market share for the instant message service provider.

[0054] The sender avatar **135** or the recipient avatar **115** may be animated to reflect the weather at the geographic locations of the sender and the recipient, respectively. For example, if rain is falling at the geographic location of the sender, then the sender avatar **135** may be animated to put on a rain coat or open an umbrella. The wallpaper corresponding to the sender avatar **135** also may include rain drops animated to appear to be falling on the sender avatar **135**. The animation of the sender avatar **135** or the recipient avatar **115** played in response to the weather may be triggered by weather information received on the sender's computer or the recipient's computer, respectively. For example, the weather information may be pushed to the sender's computer by a host system of an instant messaging system being used. If the pushed weather information indicates that it is raining, then an animation of the sender avatar **135** corresponding to rainy weather is played.

[0055] Furthermore, the avatar may be used to audibly verbalize content other than the text communicated between parties during a communications session. For example, if the text "Hi" appears within a message sent by the sender, the sender avatar **135** may be animated to verbally say "Hello" in response. As another example, when the text "otp" or the text "on the phone" appears within a message sent by the recipient, the recipient avatar **115** may be animated to verbally say "be with you in just a minute" in response. As another example, in response to an idle state, an avatar may audibly try to get the attention of the sender or the recipient. For example, when the recipient sends a message to the sender that includes a question mark and the sender is

determined to be idle, the recipient avatar **115** may audibly say “Hello? You there?” to try to elicit a response from the sender regarding the recipient’s question.

[0056] The sender may mute the recipient avatar **115** or the sender avatar **135** to prevent the recipient avatar **115** or the sender avatar **135** from speaking further. By way of example, the sender may prefer to mute the recipient avatar **115** to prevent the recipient avatar **115** from speaking. In one implementation, to show that an avatar is muted, the avatar may appear to be wearing a gag.

[0057] The voice of an avatar may correspond to the voice of a user associated with the avatar. To do so, the characteristics of the user’s voice may be extracted from audio samples of the user’s voice. The extracted characteristics and the audio samples may be used to create the voice of the avatar. Additionally or alternatively, the voice of the avatar need not correspond to the voice of the user and may be any generated or recorded voice.

[0058] The sender avatar **135** may be used to communicate an aspect of the setting or the environment of the sender. By way of example, the animation and appearance of the sender avatar **135** may reflect aspects of the time, date or place of the sender or aspects of the circumstances, objects or conditions of the sender. For example, when the sender uses the instant messaging user interface **105** at night, the sender avatar **135** may appear to be dressed in pajamas and have a light turned on to illuminate an otherwise dark portion of the screen on which the avatar is displayed and/or the sender avatar **135** may periodically appear to yawn. When the sender uses the instant messaging user interface **105** during a holiday period, the sender avatar **135** may be dressed in a manner illustrative of the holiday, such as appearing, as Santa Claus during December, a pumpkin near Halloween, or Uncle Sam during early July. The appearance of the sender avatar **135** also may reflect the climate or geographic location of the sender. For example, when rain is falling in the location of the sender, wallpaper corresponding the sender avatar **135** may include falling raindrops and/or the sender avatar **135** may wear a rain hat or appear under an open umbrella. In another example, when the sender is sending instant message from a tropical location, the sender avatar **135** may appear in beach attire.

[0059] The sender avatar **135** also may communicate an activity being performed by the sender while the sender is using the instant messaging user interface **105**. For example, when the sender is listening to music, the avatar **135** may appear to be wearing headphones. When the sender is working, the sender avatar **135** may be dressed in business attire, such as appearing in a suit and a tie.

[0060] The appearance of the sender avatar **135** also may communicate the mood or an emotional state of the sender. For example, the sender avatar **135** may communicate a sad state of the sender by frowning or shedding a tear. The appearance of the sender avatar **135** or the recipient avatar **115** may resemble the sender or the recipient, respectively. For example, the appearance of the sender avatar **135** may be such that the sender avatar **135** appears to be of a similar age as the sender. In one implementation, as the sender ages, the sender avatar **135** also may appear to age. As another example, the appearance of the recipient avatar **115** may be such that the recipient avatar **115** has an appearance similar to that of the recipient.

[0061] In some implementations, the wallpaper applied to the window portion **120** and/or the wallpaper applied to the window portion **140** may include one or more animated objects. The animated objects may repeat continuously or periodically on a predetermined or random basis a series of animations. Additionally or alternatively, the wallpapers applied to the window portions **120** and **140** may be animated to in response to the text of messages sent between the sender and the recipient. For example, the text of an instant message sent by the sender may trigger an animation of the animated objects included in the wallpaper corresponding to the sender avatar **135**, and the text of an instant messages sent by the instant message recipient to the sender may trigger an animation of the animated objects included in the wallpaper corresponding to the recipient avatar **115**. The animated objects included in the wallpapers may be animated to reflect the setting or environment, activity and mood of the recipient and the sender, respectively.

[0062] An avatar may be used as a mechanism to enable self-expression or additional non-text communication by a user associated with the avatar. For example, the sender avatar **135** is a projection of the sender, and the recipient avatar **115** is a projection of the recipient. The avatar represents the user in instant messaging communications sessions that involve the user. The personality or emotional state of a sender may be projected or otherwise communicated through the personality of the avatar. Some users may prefer to use an avatar that more accurately represents the user. As such, a user may change the appearance and behavior of an avatar to more accurately reflect the personality of the user. In some cases, a sender may prefer to use an avatar for self-expression rather than projecting an actual image of the sender. For example, some people may prefer using an avatar to sending a video or photograph of the sender.

[0063] Referring to FIG. 2, the animation of an avatar may involve resizing or repositioning the avatar such that the avatar occupies more or different space on the instant message user interface **105** than the original boundary of the avatar. In the illustration of FIG. 2, the size of sender avatar **205** has been increased such that the avatar **205** covers a portion of the message instant message composition area **145** and the control **155**. In addition, elements of the user interface **100** other than an avatar also may be displayed using additional space or using different space on the user interface **100**. For example, a sender avatar may depict a starfish with an expressive face and may be displayed on wallpaper that includes animated fish. The animated fish included in the wallpaper may be drawn outside the original boundary around the sender avatar **135** and appear to swim outside the original boundary area.

[0064] Referring to FIG. 3, a process **300** is illustrated for animating an avatar for self-expression based on the content of an instant message. In particular, an avatar representing an instant message sender is animated in response to text sent by the sender. The wallpaper of the avatar also is animated. The process **300** is performed by a processor executing an instant messaging communications program. In general, the text of a message sent to an instant message recipient is searched for an animation trigger and, when a trigger is found, the avatar that represents the instant message sender is animated in a particular manner based on the particular trigger that is found. The wallpaper displayed for

the avatar includes an animated object or animated objects. The object or objects may be animated based on the content of the instant message sent or may be animated based on other triggers, including (but not limited to) the passing of a predetermined amount of time, the occurrence of a particular day or time of day, any type of animation of the sender avatar, a particular type of animation of the sender avatar, any type of animation of the recipient avatar, or a particular type of the animation of the recipient avatar. Also, when the sender is inactive for a predetermined duration, the avatar sequentially displays each of multiple animations associated with an idle state.

[0065] The process 300 begins when an instant message sender who is associated with an avatar starts an instant messaging communications session with an instant message recipient (step 305). To do so, the sender may select the name of the recipient from a buddy list, such as the buddy list 170 from FIG. 1. Alternatively, the name of the recipient may be entered into a form that enables instant messages to be specified and sent. As another alternative, the sender may start an instant messaging application that may be used to sign on for access to the instant messaging system and specify the recipient as a user of the instant messaging system with which a communications session is to be started. Once the recipient has been specified in this manner, a determination is made as to whether a copy of avatars associated with the sender and the recipient exist on the instant message client system being used by the sender. If not, copies of the avatars are retrieved for use during the instant message communications session. For example, information to render an avatar of the recipient may be retrieved from an instant message host system or the instant message recipient client. In some cases, a particular avatar may be selected by the sender for use during the instant messaging communications session. Alternatively or additionally, the avatar may have been previously identified and associated with the sender.

[0066] The processor displays a user interface for the instant messaging session including the avatar associated with the sender and wallpaper applied to the user interface over which the avatar is displayed (step 307). The avatar may be displayed over, for example, wallpaper applied to a portion of a window in which an instant message interface is displayed. In another example, the avatar is displayed over a portion or portions of an instant message interface, such as window portions 120 or 140 and FIG. 1. In the example of FIG. 3, the wallpaper corresponding to avatar may include an object or objects that are animated during the instant message communications session.

[0067] The processor receives text of a message entered by the sender to be sent to the instant message recipient (step 310) and sends a message corresponding to the entered text to the recipient (step 315). The processor compares the text of the message to multiple animation triggers that are associated with the avatar projected by the sender (step 320). A trigger may include any letter, number, or symbol that may be typed or otherwise entered using a keyboard or keypad. Multiple triggers may be associated with an animation.

[0068] Referring also to FIG. 4, examples 400 of triggers associated with animations 405a-405q of a particular avatar model are shown. Each of the animations 405a-405q has multiple associated triggers 410a-410q. More particularly,

by way of example, the animation 405a, in which the avatar is made to smile, has associated triggers 410a. Each of the triggers 410a includes multiple character strings. In particular, triggers 410a include a “:)” trigger 411a, a “:-)” trigger 412a, a “0:-)” trigger 413a, a “0:)” trigger 414a, and a “Nice” trigger 415a. As illustrated, a trigger may be an English word, such as 415a, or an emoticon, such as 411a-414a. Other examples of a trigger include a particular abbreviation, such as “lol” 411n, and an English phrase, such as “Oh no” 415e. As discussed previously, when one of the triggers is included in an instant message, the avatar is animated with an animation that is associated with the trigger. In one example, when “Nice” is included in an instant message, the avatar is made to smile. In one implementation, one or more of the triggers associated with an animation is modifiable by a user. For example, a user may associate a new trigger with an animation, such as by adding “Happy” to triggers 410a to make the avatar smile. In another example, a user may delete a trigger associated with an animation (that is, disassociate a trigger from an animation), such as by deleting “Nice” 415a. In yet another example, a user may change a trigger that is associated with an animation, such as by changing the “wink” trigger 413b to “winks.”

[0069] In some implementations, a particular trigger may be associated with only one animation. In other implementations, a particular trigger may be permitted to be associated with multiple animations. In some implementations, only one of the multiple animations may be played in response to a particular trigger. The single animation to be played may be chosen randomly or in a pre-determined manner from the multiple animations. In other implementations, all of the multiple animations may be played serially based on a single trigger. In some implementations, a user may be permitted to delete a particular animation. For example, the user may delete the yell animation 405g. In such a case, the user may delete some or all of the triggers associated with the yell animation 405g or may chose to associate some or all of the triggers 410g with a different animation, such as a smile animation 405a.

[0070] Referring again to FIG. 3, the processor determines whether a trigger is included within the message (step 325). When the message includes a trigger (step 325), the processor identifies a type of animation that is associated with the identified trigger (step 330). This may be accomplished by using a database table, a list, or a file that associates one or more triggers with a type of animation for the avatar to identify a particular type of animation. Types of animation include, by way of example, a smile 405a, a wink 405b, a frown 405c, an expression with a tongue out 405d, a shocked expression 410d, a kiss 405f, a yell 405g, a big smile 405h, a sleeping expression 405i, a nodding expression 405j, a sigh 405k, a sad expression 405l, a cool expression 405m, a laugh 405n, a disappearance 405o, a smell 405p, or a negative expression 405q, all of FIG. 4. The identified type of animation for the avatar is played (step 335).

[0071] Optionally, the processor may identify and play an animation of at least one wallpaper object based on the match of a trigger with the text of the message sent (step 337).

[0072] The processor monitors the communications activity of the sender for periods of inactivity (step 340) to detect

when the sender is in an idle state or an idle period of communications activity (step 345). The sender may be in an idle state after a period during which no messages were sent. To detect an idle state, the processor may determine whether the sender has not typed or sent an instant message or otherwise interacted with the instant message communications application for a predetermined amount of time. Alternatively, an idle state may be detected by the processor when the sender has not used the computer system in which the processor operates for a predetermined amount of time.

[0073] When the processor detects inactivity (which may be referred to an idle state), a type of animation associated with the idle state is identified (step 350). This may be accomplished by using a database table, list or file that identifies one or more types of animations to play during a detected idle period. The type of animations played during a detected idle state may be the same as or different from the types of animations played based on a trigger in an instant message. The identified type of animation is played (step 355). In one implementation, multiple types of animation associated with the idle state may be identified and played. When the processor detects that the sender is no longer idle, such as by receiving an input from the sender, the processor may immediately stop playing the animation event (not shown). In some implementations, a user may select types of animations to be played during an idle period and/or select the order in which the animation are played when multiple animations are played during an idle period. A user may configure or otherwise determine the duration of time during which no messages are sent that constitutes an idle period for the user.

[0074] In some implementations, the processor may detect a wallpaper object trigger that is different than the trigger used to animate the sender avatar (step 360). For example, the processor may detect the passage of a predetermined amount of time. In another example, the processor may detect that the content of the instant message includes a trigger for a wallpaper object animation that is different from the trigger used to animate the sender avatar. Other wallpaper object triggers may include (but are not limited to) the occurrence of a particular day or a particular time of day, the existence of any animations by the sender avatar, the existence of a particular type of animation by the sender avatar, the existence of animations by the recipient avatar, and/or the existence of a particular type of the animation of the recipient avatar. The triggers for the animation of wallpaper objects also may be user-configurable such that a user selects whether a particular type of animation is to be included, any animations are to be played, and triggers for one or more of the wallpaper objects. A trigger for a type of animation of a wallpaper object or objects may be the same as, or different from, one of the triggers associated with animating the avatar.

[0075] When the processor detects a wallpaper object trigger (step 360), the processor identifies and plays an animation of at least one wallpaper object (step 337).

[0076] The process of identifying and playing types of animations during a sent instant message (steps 310-335) is performed for every instant message that is sent and for every instant message that is received by the processor. The process of identifying and playing types of animation events during periods of inactivity (steps 340-355) may occur

multiple times during the instant messaging communications session. Steps 310-355 may be repeated indefinitely until the end of the instant messaging communications session.

[0077] The process of identifying and playing the types of animations that correspond to a sent instant message or that are played during a period of sender inactivity (steps 320-355) also are performed by the processor of the instant message communications application that received the message. In this manner, the animation of the sender avatar may be viewed by the sender and the recipient of the instant message. Thus, the animation of the avatar conveys information from the sender to the recipient that is not directly included in the instant message.

[0078] Referring to FIG. 5, an instant messaging interface 500 may be used by a sender of a speech-based instant messaging system to send and receive instant messages. In the speech-based instant messaging system, instant messages are heard rather than read by users. The instant messages may be audio recordings of the users of the speech-based instant messaging system, or the instant messages may include text that is converted into audible speech with a text-to-speech engine. The audio recordings or the audible speech are played by the users. The speech-based instant messaging interface 500 may display an avatar 505 corresponding to a user of the instant messaging system from which speech-based instant messages are received. The avatar 505 may be animated automatically in response to the received instant messages such that the avatar 505 appears to be speaking the contents of the instant message. The recipient may view the animation of the avatar 505 and gather information not directly or explicitly conveyed in the instant message. Depending on the animation played, the recipient may be able to determine, for example, the mood of the sender or whether the sender is being serious or joking.

[0079] More particularly, the audio message may be processed in the same or similar manner as a textual instant message is processed with respect to the animation process 300 of FIG. 3. In such a case, types of animations are triggered by audio triggers included in an instant message.

[0080] In some implementations, the avatar 505 may appear to be speaking the instant message. For example, the avatar 505 may include animations of mouth movements corresponding to phonemes in human speech to increase the accuracy of the speaking animations. When the instant message includes text, a text-to-speech process may be generate sounds spoken by the avatar 505, animations corresponding to phonemes in the text may be generated, and a lip synchronization process may be used to synchronize the playing of the audio with the lip animation such that the phonemes are heard at the same time that the corresponding animation of the mouth of the avatar 505 is seen. When the instant message includes an audio recording, animations corresponding to phonemes in the audio recording may be generated, and a lip synchronization used to synchronize the playing of the audio recording with the lip animation.

[0081] In another example, a sender may record an audio portion to be associated with one or more animations of the avatar 505. The recording then may be played when the corresponding animation of the avatar 505 is played.

[0082] FIG. 6 illustrates an example process 600 for communicating between instant message clients 602a and

602b, through an instant message host system **604**, to animate one avatar in response to an animation played in a different avatar. Each of the users using client **602a** or client **602b** is associated with an avatar that represents and projects the user during the instant message session. The communications between the clients **602a** and **602b** are facilitated by an instant messaging host system **604**. In general, the communications process **600** enables a first client **602a** and a second client **602b** to send and receive communications from each other. The communications are sent through the instant messaging host system **604**. Some or all of the communications may trigger an animation or animations in an avatar associated with the user of the first client **602a** and an animation or animations in an avatar associated with the user of the second client **602b**.

[0083] An instant messaging communications session is established between the first client **602a** and the second client **602b** in which communications are sent through the instant messaging server host system **604** (step **606**). The communications session involves a first avatar that represents the user of the first client **602a** and a second avatar that represents the user of the second client **602b**. This may be accomplished, for example, as described previously with respect to step **305** of FIG. 3. In general, both the user of the first client **602a** and the user of the second client **602b** may use a user interface similar to the user interface **100** of FIG. 1 in which the sender avatar and the recipient avatar are displayed on the first client **602a** and on the second client **602b**.

[0084] During the instant messaging communications session, a user associated with the first client **602a** enters text of an instant message to be sent to a user of the second client **602b**, which is received by the processor on the client **602a** executing the instant messaging communications application (step **608**). The entered text may include a trigger for one of the animations from the first avatar model. The processor executing the instant messaging communications application sends the entered text to the second client **602b** in the instant message by way of the host system **604** (step **610**). Specifically, the host system **604** receives the message and forwards the message from the first client **602a** to the second client **602b** (step **612**). The message then is received by the second client **602b** (step **614**). Upon receipt of the message, the second client **602b** displays the message in a user interface in which messages from the user of the first client **602a** are displayed. The user interface may be similar to the instant messaging user interface **105** from FIG. 1, in which avatars corresponding to the sender and the recipient are displayed.

[0085] Both the first client **602a** and the second client **602b** have a copy of the message, and both the first client **602a** and the second client **602b** begin processing the text of the message to determine if the text of the message triggers any animations in the respective copies of the first and second avatar models. When processing the message, the first client **602a** and the second client **602b** may actually process the message substantially concurrently or serially, but both the first client **602a** and the second client **602b** process the message in the same way.

[0086] Specifically, the first client **602a** searches the text of the message for animation triggers to identify a type of animation to play (step **616a**). The first client **602a** then

identifies an animation having the identified type of animation for a first avatar associated with the user of the first client **602a** (step **618a**). The first client **602a** plays the identified animation for the first avatar that is associated with the user of the first client **602a** (step **620a**). The first avatar model is used to identify the animation to be played because the first avatar model is associated with the first client **602a**, which sent the message. The first client **602a** and the second client **602b** use identical copies of the first avatar model to process the message, so the same animation event is seen on the first client **602a** and the second client **602b**.

[0087] The animation from the first avatar model triggers an animation from the second avatar model. To do so, the first client **602a** identifies, based on the identified type of animation played for the first avatar in response to the text trigger, a type of animation to be played for a second avatar that is associated with the user of the second client **602b** (step **622a**). The first client **602b** plays the identified type of animation for the second avatar (step **624a**).

[0088] The first client also may identify a type of animation to be played for wallpaper corresponding to the first avatar and plays the identified wallpaper animation of the first avatar (step **626a**). The wallpaper of the avatar may include an object or objects that are animated during the instant message communications session. The animation of the object or objects may occur based on, for example, a trigger in an instant message or the passage of a predetermined amount of time. The animation of wallpaper objects also may be user-configurable such that a user selects whether a particular type animation, or any animations, are played, and the triggers for one or more of the wallpaper objects. A trigger for a type of animation of a wallpaper object or objects may be the same as, or different from, one of the triggers associated with animating the avatar. After the message has been sent and processed, the user of the first client **602a** may not send any additional messages for a period of time. The first client **602a** detects such a period of inactivity (step **628a**). The first client **602a** identifies and plays an animation of a type associated with a period of inactivity of detected by the first client **602a** (step **630a**). This may be accomplished by using a database table, list or file that identifies one or more types of animations to play during a detected idle period.

[0089] The second client **602b** processes the instant message in the same way as the first client **602a**. Specifically, the second client **602b** processes the message with steps **616b** through **630b**, each of which are substantially the same as parallel the message processing steps **616a** through **630a** performed by the first client **602a**. Because each of the first client **602a** and the second client **602b** have copies of the avatars corresponding to the users of the first client **602a** and the second client **602b**, the same animations that were played on the first client **602a** as a result of executing steps **616a** through **630a** are played on the second client **602b** as a result of executing the similar steps **616b** through **630b**.

[0090] During the communications process **600**, a text-based message indicates the types of animations that occur. However, messages with different types of content also may trigger animations of the avatars. For example, characteristics of an audio signal included in an audio-based message may trigger animations from the avatars.

[0091] Referring to FIG. 7, a process 700 is used to select and optionally customize an avatar for use with an instant messaging system. An avatar may be customized to reflect a personality to be expressed or another aspect of self-expression of the user associated with the avatar. The process 700 begins when a user selects an avatar from multiple avatars and the selection is received by the processor executing the process 700 (step 705). For example, a user may select a particular avatar from multiple avatars such as the avatars illustrated in FIG. 8. Each of the avatars 805a-805r is associated with an avatar model that specifies the appearance of the avatar. Each of the avatars 805a-805r also includes multiple associated animations, each animation identified as being of a particular animation type. The selection may be accomplished, for example, when a user selects one avatar from a group of displayed avatars. The display of the avatars may show multiple avatars in a window, such as by showing a small representation (which in some implementations may be referred to as a "thumbnail") of each avatar. Additionally or alternatively, the display may be a list of avatar names from which the user selects.

[0092] FIG. 8 illustrates multiple avatars 805a-805r. Each avatar 805a-805r includes an appearance, name, and personality description. In one example, avatar 805a has an appearance 810a, a name 810b and a personality description 810c. The appearance of an avatar may represent, by way of example, living, fictional or historical people, sea creatures, amphibians, reptiles, mammals, birds, or animated objects. Some avatars may be represented only with a head, such as avatars 805a-805r. In one example, the appearance of the avatar 805b includes a head of a sheep. The appearance of other avatars may include only a portion or a specific part of a head. For example, the appearance of the avatar 805f resembles a set of lips. Other avatars may be represented by a body in addition to a head. For example, the appearance of the avatar 805n includes a full crab body in addition to a head. An avatar may be displayed over wallpaper that is related in subject matter to the avatar. In one example, the avatar 805i is displayed over wallpaper that is indicative of a swamp in which the avatar 805j lives.

[0093] Each of the avatars 805a-805r has a base state expression. For example, the avatar 805f appears to be happy, the avatar 805j appears to be sad, and the avatar 805m appears to be angry. Avatars may have other base state expressions, such as scared or bored. The base state expression of an avatar may influence the behavior of the avatar, including the animations and the sounds of the avatar. In one example, the avatar 805f has a happy base state expression and consequently has a generally happy behavior, whereas the avatar 805m has a creepy base state expression and consequently has a generally scary, creepy and spooky demeanor. In another example, a happy avatar may have upbeat sounds while an angry avatar may appear to be shouting when a sound is produced. The base state expression of an avatar may be changed as a result of the activities of a user associated with the avatar. By way of example, the degree of happiness expressed by the avatar may be related to the number of messages sent or received by the user. When the user sends or receives many messages in a predetermined period of time, the avatar may appear happier than when the user sends or receives fewer messages in the predetermined period of time.

[0094] One of multiple avatars 805a-805r may be chosen by a user of the instant messaging system. Each of the avatars 805a-805r is associated with an appearance, characteristics and behaviors that express a particular type of personality. For example, an avatar 805f, which has appearance characteristics of a dolphin, may be chosen.

[0095] Each of the avatars 805a-805r is a multi-dimensional character with depth of personality, voice, and visual attributes. In contrast to representing a single aspect of a user through the use of an unanimated, two-dimensional graphical icon, an avatar of the avatars 805a-805r is capable of indicating a rich variety of information about the user projecting the avatar. Properties of the avatar enable the communication of physical attributes, emotional attributes, and other types of context information about the user that are not well-suited (or even available) for presentation through the use of two-dimensional icons that are not animated. In one example, the avatar may reflect the user's mood, emotions, and personality. In another example, the avatar may reflect the location, activities and other context of the user. These characteristics of the user may be communicated through the appearance, the visual animations, and the audible sounds of the avatar.

[0096] In one example of an avatar personality, an avatar named SoccerBuddy (not shown) is associated with an energetic personality. In fact, the personality of the SoccerBuddy avatar may be described as energetic, bouncy, confidently enthusiastic, and youthful. The SoccerBuddy avatar's behaviors reflect events in soccer matches. For example, the avatar's yell animation is an "ole, ole, ole" chant, his big-smile animation is "goooooooooaaaaallllll," and, during a frown animation or a tongue-out animation, the avatar shows a yellow card. Using wallpaper, the SoccerBuddy is customizable to represent a specific team. Special features of the SoccerBuddy avatar include cleated feet to represent the avatar's base. In general, the feet act as the base for the avatar. The SoccerBuddy avatar is capable of appearing to move about by pogo-sticking on his feet. In a few animations, such as when the avatar goes away, the avatar's feet may become large and detach from the SoccerBuddy. The feet are able to be animated to kick a soccer ball around the display.

[0097] In another example, a silent movie avatar is reminiscent of silent film actor in the 1920's and 1930's. A silent movie avatar is depicted using a stove-pipe hat and a handle-bar moustache. The silent movie avatar is not associated with audio. Instead of speaking, the silent movie avatar is replaced by, or displays, placards having text in a manner similar to how speech was conveyed in a silent movie.

[0098] In other examples, an avatar may be appropriate to current events or a season. In one example, an avatar may represent a team or a player on a team involved in professional or amateur sport. An avatar may represent a football team, a baseball team, or a basketball team, or a particular player of a team. In one example, teams engaged in a particular playoff series may be represented. Examples of seasonal avatars include a Santa Claus avatar, an Uncle Sam avatar, a Thanksgiving turkey avatar, a Jack-o-Lantern avatar, a Valentine's Day heart avatar, an Easter egg avatar, and an Easter bunny avatar.

[0099] Animation triggers of the avatar may be modified to customize when various types of animations associated

with the avatar are to occur (step 710). For example, a user may modify the triggers shown in FIG. 4 to indicate when an avatar is to be animated, as described previously with respect to FIG. 3. The triggers may be augmented to include frequently used words, phrases, or character strings. The triggers also may be modified such that the animations that are played as a result of the triggers are indicative of the personality of the avatar. Modifying the triggers may help to define the personality expressed by the avatar and used for user self-expression.

[0100] A user also may configure the appearance of an avatar (step 715). This also may help define the personality of the avatar, and communicate a self-expressive aspect of the sender. For example, referring also to FIG. 9, an appearance modification user interface 900 may be used to configure the appearance of an avatar. In the example of FIG. 9, the appearance modification user interface 900 enables the user to modify multiple characteristics of a head of an avatar. For example, hair, eyes, nose, lips and skin tone of the avatar may be configured with the appearance modification user interface 900. For example, a hair slider 905 may be used to modify the length of the avatar's hair. The various positions of the hair slider 905 represent different possible lengths of hair for the avatar that correspond to different representations of the hair of the avatar included in the avatar model file associated with the avatar being configured. An eyes slider 910 may be used to modify the color of the avatar's eyes, with each position of the eyes slider 910 representing a different possible color of the avatar's eyes and each color being represented in the avatar model file. A nose slider 915 may be used to modify the appearance of the avatar's nose, with each position of the nose slider 915 representing a different possible appearance of the avatar's nose and each possible appearance being represented in the avatar model file. In a similar manner, a lips slider 920 may be used to modify the appearance of the avatar's lips, with each position of the lips slider 920 representing a different possible appearance of the avatar's lips and associated with a different lip representation in the avatar model file. The avatar's skin tone also may be modified with a skin tone slider 925. Each of the possible positions of the skin tone slider 925 represents a possible skin tone for the avatar with each being represented in the avatar model file.

[0101] The appearance of the avatar that is created as a result of using the sliders 905-925 may be previewed in an avatar viewer 930. The values chosen with the sliders 905-925 are reflected in the avatar illustrated in the avatar viewer 930. In one implementation, the avatar viewer 930 may be updated as each of the sliders 905-925 is moved such that the changes made to the avatar's appearance are immediately visible. In another implementation, the avatar viewer 930 may be updated once after all of the sliders 905-925 have been used.

[0102] A rotation slider 935 enables the rotation of the avatar illustrated in the avatar viewer 930. For example, the avatar may be rotated about an axis by a number of degrees chosen on the rotation slider 935 relative to an unrotated orientation of the avatar. In one implementation, the axis extends vertically through the center of the avatar's head and the unrotated orientation of the avatar is when the avatar is facing directly forward. Rotating the avatar's head with the rotation slider 930 enables viewing of all sides of the avatar

to illustrate the changes to the avatar's appearance made with the sliders 905-925. The avatar viewer 930 may be updated as the rotation slider 930 is moved such that changes in the orientation of the avatar may be immediately visible.

[0103] The appearance modification user interface 900 also includes a hair tool button 940, a skin tool button 945, and a props tool button 950. Selecting the hair tool button 940 displays a tool for modifying various characteristics of the avatar's hair. For example, the tool displayed as a result of selecting the hair tool button 940 may enable changes to, for example, the length, color, cut, and comb of the avatar's hair. In one implementation, the changes made to the avatar's hair with the tool displayed as a result of selecting the hair tool button 940 are reflected in the illustration of the avatar in the avatar viewer 930.

[0104] Similarly, selecting a skin tool button 945 displays a tool for modifying various aspects of the avatar's skin. For example, the tool displayed as a result of selecting the skin tool button 945 may enable, for example, changing the color of the avatar's skin, giving the avatar a tan, giving the avatar tattoos, or changing the weathering of the avatar's skin to give appearances of the age represented by the avatar. In one implementation, the changes made to the avatar's skin with the tool displayed as a result of selecting the skin tool button 945 are reflected in the illustration of the avatar in the avatar viewer 930.

[0105] In a similar manner, selecting the props tool button 950 displays a tool for associating one or more props with the avatar. For example, the avatar may be given eyeglasses, earrings, hats, or other objects that may be worn by, or displayed on or near, the avatar through use of the props tool. In one implementation, the props given to the avatar with the tool displayed as a result of selecting the props tool button 950 are shown in the illustration of the avatar in the avatar viewer 930. In some implementations, all of the props that may be associated with the avatar are included in the avatar model file. The props controls whether each of the props is made visible when the avatar is displayed. In some implementations, a prop may be created using and rendered by two-dimensional animation techniques. The rendering of the prop is synchronized with animations for the three-dimensional avatar. Props may be generated and associated with an avatar after the avatar is initially created.

[0106] Once all desired changes have been made to the avatar's appearance, the user may accept the changes by selecting a publish button 955. Selecting the publish button 955 saves the changes made to the avatar's appearance. In addition, when copies of the avatar are held by other users of the instant messaging system to reflect the change made, the other users are sent updated copies of the avatar that reflect the changes made by the user to the avatar. The copies of the avatar may be updated so that all copies of the avatar have the same appearance such that there is consistency among the avatars used to send and receive out-of-band communications. The appearance modification user interface 900 may be used by the user to change only copies of the avatar corresponding to the user. Therefore, the user is prevented from making changes to other avatars corresponding to other users that may be overwritten if user is sent updated copies of the other avatars because the other users made changes to the other avatars. Preventing the user from modifying the other avatars ensures that all copies of the avatars are identical.

[0107] The avatar illustrated in the avatar viewer **930** may have an appearance that does not include one of hair, eyes, a nose, lips, or skin tone that are modified with the sliders **905-925**. For example, the appearance of the avatar **805/** from **FIG. 8** does not include hair, eyes, a nose, or skin tone. In such a case, the appearance modification user interface **900** may omit the sliders **905-925** and instead include sliders to control other aspects of the appearance of the avatar. For example, the appearance modification user interface **900** may include a teeth slider when the appearance of the avatar **805/** is being modified. Moreover, the interface **900** may be customized based on the avatar selected, to enable appropriate and relevant visual enhancements thereto.

[0108] In another example of configuring the appearance of an avatar, a configurable facial feature of an avatar may be created using blend shapes of the animation model corresponding to the avatar. A blend shape defines a portion of the avatar that may be animated. In some implementations, a blend shape may include a mesh percentage that may be modified to cause a corresponding modification in the facial feature. In such a case, a user may be able to configure a facial feature of an avatar by using a slider or other type of control to modify the mesh percentage of the blend shapes associated with the facial feature being configured.

[0109] In addition to modifying the appearance of the avatar with the appearance modification user interface **900**, the color, texture, and particles of the avatar may be modified. More particularly, the color or shading of the avatar may be changed. The texture applied to avatar may be changed to age or weather the skin of the avatar. Furthermore, the width, length, texture, and color of particles of the avatar may be customized. In one example, particles of the avatar used to portray hair or facial hair, such as a beard, may be modified to show hair or beard growth in the avatar.

[0110] Referring again to **FIG. 7**, wallpaper over which the avatar is illustrated and an animation for objects in the wallpaper may be chosen (step **720**). This may be accomplished by, for example, choosing wallpaper from a set of possible wallpapers. The wallpapers may include animated objects, or the user may choose objects and animations for the chosen objects to be added to the chosen wallpaper.

[0111] A trading card that includes an image of the avatar, a description of the avatar may be created (step **725**). In some implementations, the trading card also may include a description of the user associated with the avatar. The trading card may be shared with other users of the instant messaging system to inform the other users of the avatar associated with the user.

[0112] Referring also to **FIG. 10**, one example of a trading card is depicted. The front side **1045** of the trading card shows the avatar **1046**. The animations of the avatar may be played by selecting the animations control **1047**. The back side **1050** of the trading card includes descriptive information **1051** about the avatar, including the avatar's name, date of birth, city, species, likes, dislikes, hobbies, and aspirations. As illustrated in **FIG. 10**, both the front side **1045** and the back side **1050** of the trading card is shown. In some implementations, only one side **1045** or **1050** of the trading card is able to be displayed at one time. In such a case, a user may be able to control the side of the trading card that is displayed by using one of the flip controls **1048** or **1052**. A

store from which accessories for the avatar **1046** illustrated in the trading card may be accessed by selecting a shopping control **1049**.

[0113] Referring again to **FIG. 7**, the avatar also may be exported for use in another application (step **730**). In some implementations, an avatar may be used by an application other than a messaging application. In one example, an avatar may be displayed as part of a user's customized home page of the user's access provider, such as an Internet service provider. An instant message sender may drag-and-drop an avatar to the user's customized home page such that the avatar is viewable by the user corresponding to the avatar. In another example, the avatar may be used in an application in which the avatar is viewable by anyone. An instant message sender may drag-and-drop the sender's avatar to the sender's blog or another type of publicly-accessible online journal. The user may repeat one or more of the steps in process **700** until the user is satisfied with the appearance and behavior of the avatar. The avatar is saved and made available for use in an instant messaging communications session.

[0114] Referring again to **FIG. 10**, the avatar settings user interface **1000** includes a personality section **1002**. Selecting a personality tab **1010** displays a personality section of the avatar settings interface **1000** for modifying the behavior of the one or more avatars. In one implementation, the avatar settings user interface **1000** may be used with the process **700** of **FIG. 7** to choose the wallpaper of an avatar and/or to create a trading card for an avatar.

[0115] The personality section **1002** of the avatar settings interface **1000** includes an avatar list **1015** including the one or more various avatars corresponding to the user of the instant messaging system. Each of the one or more avatars may be specified to have a distinct personality for use while communicating with a specific person or in a specific situation. In one implementation, an avatar may change appearance or behavior depending on the person with which the user interacts. For example, an avatar may be created with a personality that is appropriate for business communications, and another avatar may be created with a personality that is appropriate for communications with family members. Each of the avatars may be presented in the list with a name as well as a small illustration of each avatar's appearance. Selection of an avatar from the avatar list **1015** enables the specification of the behavior of the selected avatar. For example, the avatar **1020**, which is chosen to be the user's default avatar, has been selected from the avatar list **1015**, so the behavior of the avatar **1020** may be specified.

[0116] Names of the avatars included in the avatar list may be changed through selection of a rename button **1025**. Selecting the rename button displays a tool for changing the name of an avatar selected from the avatar list **1015**. Similarly, an avatar may be designated as a default avatar by selecting a default button **1030** after selecting the avatar from the avatar list **1015**. Avatars may be deleted by selecting a delete button **1035** after selecting the avatar from the avatar list **1015**. In one implementation, a notification is displayed before the avatar is deleted from the avatar list **1015**. Avatars also may be created by selecting a create button **1040**. When the create button **1040** is pressed, a new

entry is added to the avatar list **1015**. The entry may be selected and modified in the same way as other avatars in the avatar list **1015**.

[0117] The behavior of the avatar is summarized in a card front **1045** and a card back **1050** displayed on the personality section. The card front **1045** includes an illustration of the avatar and wallpaper over which the avatar **1020** is illustrated. The card front **1045** also includes a shopping control **1049** to a means for purchasing props for the selected avatar **1020**. The card back **1050** includes information describing the selected avatar **1020** and a user of the selected avatar. The description may include a name, a birth date, a location, as well as other identifying and descriptive information for the avatar and the user of the avatar. The card back **1050** also may include an illustration of the selected avatar **1020** as well as the wallpaper over which the avatar **1020** is illustrated. The trading card created as part of the avatar customization process **700** includes the card front **1045** and the card back **1050** automatically generated by the avatar settings interface **1000**.

[0118] The personality section **1002** of the avatar settings interface **1000** may include multiple links **1055-1070** to tools for modifying other aspects of the selected avatar's **1020** behavior. For example, an avatar link **1055** may lead to a tool for modifying the appearance of the selected avatar **1020**. In one implementation, selecting the avatar link **1055** may display the appearance modification user interface **900** from FIG. 9. In another implementation, the avatar link **1055** may display a tool for substituting or otherwise selecting the selected avatar **1020**. In yet another example, the avatar link **1055** may allow the appearance of the avatar to be changed to a different species. For example, the tool may allow the appearance of the avatar **1020** to be changed from that of a dog to that of a cat.

[0119] A wallpaper link **1060** may be selected to display a tool for choosing the wallpaper over which the selected avatar **1020** is drawn. In one implementation, the wallpaper may be animated.

[0120] A sound link **1065** may be selected to display a tool with which the sounds made by the avatar **1020** may be modified. The sounds may be played when the avatar is animated, or at other times, to get the attention of the user.

[0121] An emoticon link **1070** may be selected to display a tool for specifying emoticons that are available when communicating with the selected avatar **1020**. Emoticons are two-dimensional non-animated images that are sent when certain triggers are included in the text of an instant message. Changes made using the tools that are accessible through the links **1055-1070** may be reflected in the card front **1045** and the card back **1050**. After all desired changes have been made to the avatars included in the avatar list **1015**, the avatar settings interface **1000** may be dismissed by selecting a close button **1075**.

[0122] It is possible, through the systems and techniques described herein, particularly with respect to FIGS. 11A-14, to enable users to assemble multiple self-expression items into a collective "online persona" or "online personality," which may then be saved and optionally associated with one or more customized names. Each self-expression item is used to represent the instant message sender or a characteristic or preference of the instant message sender, and may

include user-selectable binary objects. The self-expression items may be made perceivable by a potential instant message recipient ("instant message recipient") before, during, or after the initiation of communications by a potential instant message sender ("instant message sender"). For example, self-expression items may include an avatar, images, such as wallpaper, that are applied in a location having a contextual placement on a user interface. The contextual placement typically indicates an association with the user represented by the self-expression item. For instance, the wallpaper may be applied in an area where messages from the instant message sender are displayed, or in an area around a dialog area on a user interface. Self-expression items also include sounds, animation, video clips, and emoticons (e.g., smileys). The personality may also include a set of features or functionality associated with the personality. For example, features such as encrypted transmission, instant message conversation logging, and forwarding of instant messages to an alternative communication system may be enabled for a given personality.

[0123] Users may assign personalities to be projected when conversing with other users, either in advance of or "on-the-fly" during a communication session. This allows the user to project different personalities to different people on-line. In particular, users may save one or more personalities (e.g., where each personality typically includes groups of instant messaging self-expression items such as, for example avatars, Buddy Sounds, Buddy Wallpaper, and Smileys, and/or a set of features and functionalities) and they may name those personalities to enable their invocation, they may associate each of different personalities with different users with whom they communicate or groups of such users so as to automatically display an appropriate/selected personality during communications with such other users or groups, or they may establish each of different personalities during this process of creating, adding or customizing lists or groups of users or the individual users themselves. Thus, the personalities may be projected to others in interactive online environments (e.g., Instant Messaging and Chat) according to the assignments made by the user. Moreover, personalities may be assigned, established and/or associated with other settings, such that a particular personality may be projected based on time-of-day, geographic or virtual location, or even characteristics or attributes of each (e.g., cold personality for winter in Colorado or chatting personality while participating in a chat room).

[0124] In many instances, an instant message sender may have multiple online personas for use in an instant message communications session. Each online persona is associated with an avatar representing the particular online persona of the instant message sender. In many cases, each online persona of a particular instant message sender is associated with a different avatar. This need not be necessarily so. Moreover, even when two or more online personas of a particular instant message sender include the same avatar, the appearance or behavior of the avatar may be different for each of the online personas. In one example, a starfish avatar may be associated with two online personas of a particular instant message sender. The starfish avatar that is associated with one online persona may have different animations than the other starfish avatar that is associated with the other online persona. Even when both of the starfish avatars include the same animations, one of the starfish avatars may

be animated to display an animation of a particular type based on different triggers than the same animation that is displayed for the other of the starfish avatars.

[0125] FIG. 11A shows relationships between online personas, avatars, avatar behaviors and avatar appearances. In particular, FIG. 11A shows online personas 1102a-1102e and avatars 1104a-1104d that are associated with the online personas 1102a-1102e. Each of the avatars 1104a-1104d includes an appearance 1106a-1106c and a behavior 1108a-1108d. More particularly, the avatar 1104a includes an appearance 1106a and a behavior 1108a; the avatar 1104b includes an appearance 1106b and a behavior 1108b; the avatar 1104c includes the appearance 1106c and a behavior 1108c; and the avatar 1104d includes an appearance 1106c and a behavior 1108d. The avatars 1104c and 1104d are similar in that both include the appearance 1106c. However, the avatars 1104c and 1104d differ in that the avatar 1104c includes the behavior 1108c while the avatar 1104d includes the behavior 1108d.

[0126] Each of the online personas 1102a-1102e is associated with one of the avatars 1104a-1104d. More particularly, the online persona 1102a is associated with the avatar 1104a; the online persona 1102b is associated with the avatar 1104b; the online persona 1102c also is associated with the avatar 1104b; the online persona 1102d is associated with the avatar 1104c; and the online persona 1102e is associated with the avatar 1104d. As illustrated by the online persona 1102a that is associated with the avatar 1104a, an online persona may be associated with an avatar that is not also associated with a different online persona.

[0127] Multiple online personas may use the same avatar. This is illustrated by the online personas 1102b and 1102c that are both associated with the avatar 1104b. In this case, the appearance and behavior exhibited by avatar 1104b is the same for both of the online personas 1102b and 1102c. In some cases, multiple online personas may use similar avatars that have the same appearance by which exhibit different behavior, as illustrated by online personas 1102d and 1102e. The online personas 1102d and 1102e are associated with similar avatars 1104c and 1104d that have the same appearance 1106c. The avatars 1102d and 1102e, however, exhibit different behavior 1108c and 1108d, respectively.

[0128] In creating personalities, the instant message sender may forbid a certain personality to be shown to designate instant message recipients and/or groups. For example, if the instant message sender wants to ensure that the "Casual" personality is not accidentally displayed to the boss or to co-workers, the instant message sender may prohibit the display of the "Casual" personality to the boss on an individual basis, and may prohibit the display of the "Casual" personality to the "Co-workers" group on a group basis. An appropriate user interface may be provided to assist the instant message sender in making such a selection. Similarly, the instant message sender may be provided an option to "lock" a personality to an instant message recipient or a group of instant message recipients to guard against accidental or unintended personality switching and/or augmenting. Thus, for example, the instant message sender may choose to lock the "Work" personality to the boss on an individual basis, or to lock the "Work" personality to the "Co-workers" group on a group basis. In one example, the Casual personality will not be applied to a locked personality.

[0129] FIG. 11B shows an exemplary process 1100 to enable an instant message sender to select an online persona to be made perceivable to an instant message recipient. The selected online persona includes an avatar representing the online persona of the instant message sender. The process 1100 generally involves selecting and projecting an online persona that includes an avatar representing the sender. The instant message sender creates or modifies one or more online personalities, including an avatar representing the sender (step 1105). The online personalities may be created or modified with, for example, the avatar settings user interface 1000 of FIG. 10. Creating an online persona generally involves the instant message sender selecting one or more self-expression items and/or features and functionalities to be displayed to a certain instant message recipient or group of instant message recipients. A user interface may be provided to assist the instant message sender in making such a selection, as illustrated in FIG. 12.

[0130] FIG. 12 shows a chooser user interface 1200 that enables the instant message sender to select among available personalities 1205, 1210, 1215, 1220, 1225, 1230, 1235, 1240, 1245, 1250, and 1255. The user interface 1200 also has a control 1260 to enable the instant message sender to "snag" the personality of another user, and a control 1265 to review the personality settings currently selected by the instant message sender. Through the use of the avatar settings interface 1000, the user may change the personality, including the avatar, being projected to the instant message recipient before, during, or after the instant message conversation with the recipient.

[0131] Alternatively, the selection of a personality also may occur automatically without sender intervention. For example, an automatic determination may be made that the sender is sending instant messages from work. In such a case, a personality to be used at work may be selected automatically and used for all communications. As another example, an automatic determination may be made that the sender is sending instant messages from home, and a personality to be used at home may be selected automatically and used for all communications. In such an implementation, the sender is not able to control which personality is selected for use. In other implementations, automatic selection of a personality may be used in conjunction with sender selection of a personality, in which case the personality automatically selected may act as a default that may be changed by the sender.

[0132] FIG. 13 shows a series 1300 of exemplary user interfaces for enabling an instant message sender to create and store a personality, and/or select various aspects of the personality such as avatars, buddy wallpaper, buddy sounds, and smileys. As shown, user interface 1305 enables an instant message sender to select a set of one or more self-expression items and save the set of self-expression items as a personality. The user interface 1305 also enables an instant message sender to review and make changes to an instant message personality. For example, the user interface 1305 enables an instant message sender to choose an avatar 1310 (here, referred to as a SuperBuddy), buddy wallpaper 1315, emoticons 1320 (here, referred to as Smileys), and buddy sounds 1325. A set of controls 1340 is provided to enable the instant message sender to preview 1340a the profile and to save 1340b these selected self-expression items as a personality. The instant message sender is able to

name and save the personality **1345** and then is able to apply the personality **1350** to one or more individual instant message recipients or one or more groups of instant message recipients. A management area **1350a** is provided to enable the instant message sender to delete, save, or rename various instant message personalities. In choosing the self-expression items, other interfaces such as user interface **1355** may be displayed to enable the instant message sender to select the particular self-expression items. The user interface **1355** includes a set of themes **1360** for avatars which enables an instant message sender to select a particular theme **1365** and choose a particular avatar **1370** in the selected theme. A set of controls **1375** is provided to assist the instant message sender in making the selection of self-expression items. Also, an instant message sender may be enabled to choose a predetermined theme, for example, by using a user interface **1380**. In user interface **1380**, the instant message sender may select various categories **1385** of pre-selected themes and upon selecting a particular category **1390**, a set of default pre-selected, self-expression items is displayed, **1390a**, **1390b**, **1390c**, **1390d**, **1390e**, and **1390f**. The set may be unchangeable or the instant message sender may be able to individually change any of the pre-selected self-expression items in the set. A control section **1395** is also provided to enable the instant message sender to select the themes.

[0133] In another implementation, the features or functionality of the instant message interface may vary based upon user-selected or pre-selected options for the personality selected or currently in use. The features or functionality may be transparent to the instant message sender. For example, when using the “Work” personality, the outgoing instant messages may be encrypted, and a copy may be recorded in a log, or a copy may be forwarded to a designated contact such as an administrative assistant. A warning may be provided to an instant message recipient that the instant message conversation is being recorded or viewed by others, as appropriate to the situation. By comparison, if the non-professional “Casual” personality is selected, the outgoing instant messages may not be encrypted and no copy is recorded or forwarded.

[0134] As a further example, if the “Work” personality is selected and the instant message sender indicates an unavailability to receive instant messages (e.g., through selection of an “away” message or by going offline), then messages received from others during periods of unavailability may be forwarded to another instant message recipient such as an administrative assistant, or may be forwarded to an e-mail address for the instant message sender. By comparison, if the non-professional “Casual” personality is selected, no extra measures are taken to ensure delivery of the message.

[0135] In one implementation, the features and functionality associated with the personality would be transparent to the instant message sender, and may be based upon one or more pre-selected profiles types when setting up the personality. For example, the instant message sender may be asked to choose from a group of personality types such as professional, management, informal, vacation, offbeat, etc. In the example above, the “Work” personality may have been set up as a “professional” personality type and the “Casual” personality may have been set up as an “informal” personality type. In another implementation, the instant message sender may individually select the features and functionalities associated with the personality.

[0136] Referring again to **FIG. 11B**, the personality is then stored (step **1110**). The personality may be stored on the instant message sender system, on the instant message host system, or on a different host system such as a host system of an authorized partner or access provider.

[0137] Next, the instant message sender assigns a personality to be projected during future instant message sessions or when engaged in future instant message conversations with an instant message recipient (step **1115**). The instant message sender may wish to display different personalities to different instant message recipients and/or groups in the buddy list. The instant message sender may use a user interface to assign personalization items to personalities on at least a per-buddy group basis. For example, an instant message sender may assign a global avatar to all personalities, but assign different buddy sounds on a per-group basis to other personalities (e.g. work, family, friends), and assign buddy wallpaper and smileys on an individual basis to individual personalities corresponding to particular instant message recipients within a group. The instant message sender may assign other personality attributes based upon the occurrence of certain predetermined events or triggers. For example, certain potential instant message recipients may be designated to see certain aspects of the Rainy Day personality if the weather indicates rain at the geographic location of the instant message sender. Default priority rules may be implemented to resolve conflicts, or the user may select priority rules to resolve conflicts among personalities being projected or among self-expression items being projected for an amalgamated personality.

[0138] For example, a set of default priority rules may resolve conflicts among assigned personalities by assigning the highest priority to personalities and self-expression items of personalities assigned on an individual basis, assigning the next highest priority to assignments of personalities and personalization items made on a group basis, and assigning the lowest priority to assignments of personalities and personalization items made on a global basis. However, the user may be given the option to override these default priority rules and assign different priority rules for resolving conflicts.

[0139] Next, an instant message session between the instant message sender and the instant message recipient is initiated (step **1120**). The instant message session may be initiated by either the instant message sender or the instant message recipient.

[0140] An instant message user interface is rendered to the instant message recipient, configured to project the personality, including the avatar, assigned to the instant message recipient by the instant message sender (step **1125**), as illustrated, for example, in the user interface **100** in **FIG. 1**. The personality, including an avatar associated with the personality, chosen by an instant messaging recipient may be made perceivable upon opening of a communication window by the instant message sender for a particular instant message recipient but prior to initiation of communications. This may allow a user to determine whether to initiate communications with instant message recipient. For example, an instant message sender may notice that the instant message recipient is projecting an at-work personality, and the instant message sender may decide to refrain from sending an instant message. This may be particularly

true when the avatar of the instant message recipient is displayed on a contact list. On the other hand, rendering the instant message recipient avatar after sending an instant message may result in more efficient communications.

[0141] The appropriate personality/personalization item set for a buddy is sent to the buddy when the buddy communicates with the instant message sender through the instant messaging client program. For example, in an implementation which supports global personalization items, group personalization items, and personal personalization items, a personal personalization item is sent to the buddy if set, otherwise a group personalization item is sent, if set. If neither a personal nor a group personalization item is set, then the global personalization item is sent. As another example, in an implementation that supports global personalization items and group personalization items, the group personalization item for the group to which the buddy belongs is sent, if set, otherwise the global personalization item is sent. In an implementation that only supports group personalization items, the group personalization item for the group to which the buddy belongs is sent to the buddy.

[0142] An instant message session between the instant message sender and another instant message recipient also may be initiated (step 1130) by either the instant message sender or the second instant message recipient.

[0143] Relative to the second instant message session, a second instant message user interface is rendered to the second instant message recipient, configured to project the personality, including the avatar, assigned to the second instant message recipient by the instant message sender (step 1135), similar to the user interface illustrated by FIG. 1. The personality may be projected in a similar manner to that described above with respect to step 1125. However, the personality and avatar projected to the second instant message recipient may differ from the personality and avatar projected to the first instant message recipient described above in step 1125.

[0144] Referring to FIG. 14, an exemplary process 1400 enables an instant message sender to change a personality assigned to an instant message recipient. In process 1400, a user selection of a new online persona, including an avatar, to be assigned to the instant message recipient is received (step 1405). The change may be received through an instant message chooser 1200, such as that discussed above with respect to FIG. 12, and may include choosing self-expression items and/or features and functionality using such as interface or may include “snagging” an online persona or an avatar of the buddy using such an interface. Snagging an avatar refers to the appropriation by the instant message sender of one or more personalization items, such as the avatar, used by the instant message recipient. Typically, all personalization items in the online persona of the instant message recipient are appropriated by the instant message sender when “snagging” an online persona.

[0145] Next, the updated user interface for that instant message recipient is rendered based on the newly selected personality (step 1410).

[0146] FIG. 15 illustrates an example process 1500 for modifying the appearance, or the behavior, of an avatar associated with an instant message sender to communicate an out-of-band message to an instant message recipient. The

process may be performed by an instant messaging system, such as communications systems 1600, 1700, and 1800 described with respect to FIGS. 16, 17, and 18, respectively. An out-of-band message refers to sending a message that communicates context out-of-band—that is, conveying information independent of information conveyed directly through the text of the instant message itself sent to the recipient. Thus, the recipient views the appearance and behavior of the avatar to receive information that is not directly or explicitly conveyed in the instant message itself. By way of example, an out-of-band communication may include information about the sender's setting, environment, activity or mood, which is not communicated and part of a text message exchanged by a sender and a recipient.

[0147] The process 1500 begins with the instant messaging system monitoring the communications environment and sender's environment for an out-of-band communications indicator (step 1510). The indicator may be an indicator of the sender's setting, environment, activity, or mood that is not expressly conveyed in instant messages sent by the sender. For example, the out-of-band indicator may be an indication of time and date of the sender's location, which may be obtained from a clock application associated with the instant messaging system or with the sender's computer. The indicator may be an indication of the sender's physical location. The indicator may be an indication of an indication of weather conditions of the sender's location, which may be obtained from a weather reporting service, such as a web site that provides weather information for geographic locations.

[0148] In addition, the indicator may indicate the activities of the sender that take place at, or near, the time when an instant message is sent. For example, the indicator may determine from the sender's computer other applications that are active at, or near, the time that an instant message is sent. For example, the indicator may detect that the sender is using a media-playing application to play music, so the avatar associated with the sender may appear to be wearing headphones to reflect that the sender is listening to music. As another example, the indicator may detect that the sender is working with a calculator application, so the avatar may appear to be wearing glasses to reflect that sender is working.

[0149] The activities of the sender also may be monitored through use of a camera focused on the sender. Visual information taken from the camera may be used to determine the activities and mood of the sender. For example, the location of points on the face of the sender may be determined from the visual information taken from the camera. The position and motion of the facial points may be reflected in the avatar associated with the sender. Therefore, if the sender were to, for example, smile, then the avatar also smiles.

[0150] The indicator of the sender's mood also may come from another device that is operable to determine the sender's mood and send an indication of mood to the sender's computer. For example, the sender may be wearing a device that monitors heart rate, and determines the sender's mood from the heart rate. For example, the device may conclude that the sender is agitated or excited when an elevated heart rate is detected. The device may send the indication of the sender's mood to the sender's computer for use with the sender's avatar.

[0151] The instant messaging system makes a determination as to whether an out-of-band communications indicator has been detected (step 1520). When an out-of-band communications indicator is detected, the instant messaging system determines whether the avatar must be modified, customized, or animated to reflect the detected out-of-band communications indicator (step 1530); meanwhile or otherwise, the instant messaging system continues to monitor for out-of-band communications indicators (step 1510). To determine whether action is required, the instant messaging system may use a data table, list or file that includes out-of-band communications indicators and an associated action to be taken for each out-of-band communications indicator. Action may not be required for each out-of-band communications indicator detected. For example, action may only be required for some out-of-band communications indicators when an indicator has changed from a previous indicator setting. By way of example, the instant messaging system may periodically monitor the clock application to determine whether the setting associated with the sender is daytime or nighttime. Once the instant messaging system has taken action based on detecting an out-of-band communications indicator having a nighttime setting, the instant messaging system need not take action based on the detection of a subsequent nighttime setting indicator. The instant messaging system only takes action based on the nighttime setting after receiving an intervening out-of-band communications indicator for a daytime setting.

[0152] When action is required (step 1540), the appearance and/or behavior of the avatar is modified in response to the out-of-band communications indicator (step 1550).

[0153] In one example, when an out-of-band communications indicator shows that the sender is sending instant messages at night, the appearance of the avatar is modified to be dressed in pajamas. When the indicator shows that the sender is sending instant messages during a holiday period, the avatar may be dressed in a manner illustrative of the holiday. By way of example, the avatar may be dressed as Santa Claus during December, a pumpkin near Halloween, or Uncle Sam during early July.

[0154] In another example, when the out-of-band indicator shows that the sender is at the office, the avatar may be dressed in business attire, such as a suit and a tie. The appearance of the avatar also may reflect the weather or general climate of the geographic location of the sender. For example, when the out-of-band communications indicator shows that it is raining at the location of the sender, the wallpaper of the avatar may be modified to include falling raindrops or display an open umbrella and/or the avatar may appear to wear a rain hat.

[0155] As another example, when the out-of-band communications indicator shows that the sender is listening to music, the appearance of the avatar may be changed to show the avatar wearing headphones. Additionally or alternatively, the appearance of the avatar may be changed based on the type of music to which the sender is listening. When the indicator indicates that the sender is working (at the sender's work location or at another location), the avatar may appear in business attire, such as wearing a suit and a tie. As indicated by this example, different out-of-band communications indicators may trigger the same appearance of the avatar. In particular, both the out-of-band communications

indicator of the sender being located at work and the out-of-band communications indicator of the sender performing a work activity causes the avatar to appear to be wearing a suit and tie.

[0156] In yet another example of an out-of-band communications indicator, the mood of the sender may be so indicated. In such a case, the appearance of the avatar may be changed to reflect the indicated mood. For example, when the sender is sad, the avatar may be modified to reflect the sad state of the sender, such as by animating the avatar to frown or cry. In another example, based on the detected activity of the sender, a frazzled, busy or pressed mood may be detected and the avatar animated to communicate such an emotional state.

[0157] After the avatar appearance and/or behavior has been modified to reflect the out-of-band indicator (step 1550), the updated avatar, or an indication that the avatar has been updated, is communicated to the recipient (step 1560). Generally, the updated avatar, or indication that the avatar has been changed, is provided in association with the next instant message sent by the sender; however, this is not necessarily so in every implementation. In some implementations, a change in the avatar may be communicated to the recipient independently of the sending of a communication. Additionally or alternatively, when a buddy list of the instant message user interface includes a display of a sender's avatar, the change of the avatar appearance may be communicated to each buddy list that includes the sender. Thus, the recipient is made able to perceive the updated avatar, the behavior and/or appearance providing an out-of-band communication to the sender.

[0158] FIG. 16 illustrates a communications system 1600 that includes an instant message sender system 1605 capable of communicating with an instant message host system 1610 through a communication link 1615. The communications system 1600 also includes an instant message recipient system 1620 capable of communicating with the instant message host system 1610 through the communication link 1615. Using the communications system 1600, a user of the instant message sender system 1605 is capable of exchanging communications with a user of the instant message recipient system 1620. The communications system 1600 is capable of animating avatars for use in self-expression by an instant message sender.

[0159] In one implementation, any of the instant message sender system 1605, the instant message recipient system 1620, or the instant message host system 1610 may include one or more general-purpose computers, one or more special-purpose computers (e.g., devices specifically programmed to communicate with each other), or a combination of one or more general-purpose computers and one or more special-purpose computers. By way of example, the instant message sender system 1605 or the instant message recipient system 1620 may be a personal computer or other type of personal computing device, such as a personal digital assistant or a mobile communications device. In some implementations, the instant message sender system 1605 and/or the instant message recipient 1620 may be a mobile telephone that is capable of receiving instant messages.

[0160] The instant message sender system 1605, the instant message recipient system 1620 and the instant message host system 1610 may be arranged to operate within or

in concert with one or more other systems, such as, for example, one or more LANs (“Local Area Networks”) and/or one or more WANs (“Wide Area Networks”). The communications link **1615** typically includes a delivery network (not shown) that provides direct or indirect communication between the instant message sender system **1605** and the instant message host system **1610**, irrespective of physical separation. Examples of a delivery network include the Internet, the World Wide Web, WANs, LANs, analog or digital wired and wireless telephone networks (e.g., Public Switched Telephone Network (PSTN), Integrated Services Digital Network (ISDN), and various implementations of a Digital Subscriber Line (DSL)), radio, television, cable, or satellite systems, and other delivery mechanisms for carrying data. The communications link **1615** may include communication pathways (not shown) that enable communications through the one or more delivery networks described above. Each of the communication pathways may include, for example, a wired, wireless, cable or satellite communication pathway.

[0161] The instant message host system **1610** may support instant message services irrespective of an instant message sender’s network or Internet access. Thus, the instant message host system **1610** may allow users to send and receive instant messages, regardless of whether they have access to any particular Internet service provider (ISP). The instant message host system **1610** also may support other services, including, for example, an account management service, a directory service, and a chat service. The instant message host system **1610** has an architecture that enables the devices (e.g., servers) within the instant message host system **1610** to communicate with each other. To transfer data, the instant message host system **1610** employs one or more standard or proprietary instant message protocols.

[0162] To access the instant message host system **1610** to begin an instant message session in the implementation of FIG. 16, the instant message sender system **1605** establishes a connection to the instant message host system **1610** over the communication link **1615**. Once a connection to the instant message host system **1610** has been established, the instant message sender system **1605** may directly or indirectly transmit data to and access content from the instant message host system **1610**. By accessing the instant message host system **1610**, an instant message sender can use an instant message client application located on the instant message sender system **1605** to view whether particular users are online, view whether users may receive instant messages, exchange instant messages with particular instant message recipients, participate in group chat rooms, trade files such as pictures, invitations or documents, find other instant message recipients with similar interests, get customized information such as news and stock quotes, and search the Web. The instant message recipient system **1620** may be similarly manipulated to establish contemporaneous connection with instant message host system **1610**.

[0163] Furthermore, the instant message sender may view or perceive an avatar and/or other aspects of an online persona associated with the instant message sender prior to engaging in communications with an instant message recipient. For example, certain aspects of an instant message recipient selected personality, such as an avatar chosen by the instant message recipient, may be perceivable through the buddy list itself prior to engaging in communications.

Other aspects of a selected personality chosen by an instant message recipient may be made perceivable upon opening of a communication window by the instant message sender for a particular instant message recipient but prior to initiation of communications. For example, animations of an avatar associated with the instant message sender only may be viewable in a communication window, such as the user interface **100** of FIG. 1.

[0164] In one implementation, the instant messages sent between instant message sender system **1605** and instant message recipient system **1620** are routed through the instant message host system **1610**. In another implementation, the instant messages sent between instant message sender system **1605** and instant message recipient system **1620** are routed through a third party server (not shown), and, in some cases, are also routed through the instant message host system **1610**. In yet another implementation, the instant messages are sent directly between instant message sender system **1605** and instant message recipient system **1620**.

[0165] The techniques, processes and concepts in this description may be implemented using communications system **1600**. One or more of the processes may be implemented in a client/host context, a standalone or offline client context, or a combination thereof. For example, while some functions of one or more of the processes may be performed entirely by the instant message sender system **1605**, other functions may be performed by host system **1610**, or the collective operation of the instant message sender system **1605** and the host system **1610**. By way of example, in process **300**, the avatar of an instant message sender may be respectively selected and rendered by the standalone/offline device, and other aspects of the online persona of the instant message sender may be accessed or updated through a remote device in a non-client/host environment such as, for example, a LAN server serving an end user or a mainframe serving a terminal device.

[0166] FIG. 17 illustrates a communications system **1700** that includes an instant message sender system **1605**, an instant message host system **1610**, a communication link **1615**, and an instant message recipient **1620**. System **1700** illustrates another possible implementation of the communications system **1600** of FIG. 16 that is used for animating avatars used for self-expression by an instant message sender.

[0167] In contrast to the depiction of the instant message host system **1610** in FIG. 16, the instant message host system **1610** includes a login server **1770** for enabling access by instant message senders and routing communications between the instant message sender system **1605** and other elements of the instant message host system **1610**. The instant message host system **1610** also includes an instant message server **1790**. To enable access to and facilitate interactions with the instant message host system **1610**, the instant message sender system **1605** and the instant message recipient system **1620** may include communication software, such as for example, an online service provider client application and/or an instant message client application.

[0168] In one implementation, the instant message sender system **1605** establishes a connection to the login server **1770** in order to access the instant message host system **1610** and begin an instant message session. The login server **1770**

typically determines whether the particular instant message sender is authorized to access the instant message host system **1610** by verifying the instant message sender's identification and password. If the instant message sender is authorized to access the instant message host system **1610**, the login server **1770** usually employs a hashing technique on the instant message sender's screen name to identify a particular instant message server **1790** within the instant message host system **1610** for use during the instant message sender's session. The login server **1770** provides the instant message sender (e.g., instant message sender system **1605**) with the Internet protocol ("IP") address of the instant message server **1790**, gives the instant message sender system **1605** an encrypted key, and breaks the connection. The instant message sender system **1605** then uses the IP address to establish a connection to the particular instant message server **1790** through the communications link **1615**, and obtains access to the instant message server **1790** using the encrypted key. Typically, the instant message sender system **1605** will be able to establish an open TCP connection to the instant message server **1790**. The instant message recipient system **1620** establishes a connection to the instant message host system **1610** in a similar manner.

[0169] In one implementation, the instant message host system **1610** also includes a user profile server (not shown) connected to a database (not shown) for storing large amounts of user profile data. The user profile server may be used to enter, retrieve, edit, manipulate, or otherwise process user profile data. In one implementation, an instant message sender's profile data includes, for example, the instant message sender's screen name, buddy list, identified interests, and geographic location. The instant message sender's profile data may also include self-expression items selected by the instant message sender. The instant message sender may enter, edit and/or delete profile data using an installed instant message client application on the instant message sender system **1705** to interact with the user profile server.

[0170] Because the instant message sender's data are stored in the instant message host system **1610**, the instant message sender does not have to reenter or update such information in the event that the instant message sender accesses the instant message host system **1610** using a new or different instant message sender system **1605**. Accordingly, when an instant message sender accesses the instant message host system **1610**, the instant message server can instruct the user profile server to retrieve the instant message sender's profile data from the database and to provide, for example, the instant message sender's self-expression items and buddy list to the instant message server. Alternatively, user profile data may be saved locally on the instant message sender system **1605**.

[0171] FIG. 18 illustrates another example communications system **1800** capable of exchanging communications between users that project avatars for self-expression. The communications system **1800** includes an instant message sender system **1605**, an instant message host system **1610**, a communications link **1615** and an instant message recipient system **1620**.

[0172] The host system **1610** includes instant messaging server software **1832** routing communications between the instant message sender system **1605** and the instant message recipient system **1620**. The instant messaging server soft-

ware **1832** may make use of user profile data **1834**. The user profile data **1834** includes indications of self-expression items selected by an instant message sender. The user profile data **1834** also includes associations **1834a** of avatar models with users (e.g., instant message senders). The user profile data **1834** may be stored, for example, in a database or another type of data collection, such as a series of extensible mark-up language (XML) files. In some implementations, the some portions of the user profile data **1834** may be stored in a database while other portions, such as associations **1834a** of avatar models with users, may be stored in an XML file.

[0173] One implementation of user profile data **1834** appears in the table below. In this example, the user profile data includes a screen name to uniquely identify the user for whom the user profile data applies, a password for signing-on to the instant message service, an avatar associated with the user, and an optional online persona. As shown in Table 1, a user may have multiple online personas, each associated with the same or a different avatar.

TABLE 1

Screen Name	Password	Avatar	Online Persona
Robert_Appleby	5846%JYNG	Clam	Work
Robert_Appleby	5846%JYNG	Starfish	Casual
Susan_Merit	6748#474V	Dolphin	
Bill_Smith	JHG7868\$0	Starfish	Casual
Bill_Smith	JHG7868\$0	Starfish	Family
Greg_Jones	85775\$#59	Frog	

[0174] The host system **1610** also includes an avatar model repository **1835** in which definitions of avatars that may be used in the instant message service are stored. In this implementation, an avatar definition includes an avatar model file, an avatar expression file for storing instructions to control the animation of the avatar, and wallpaper file. Thus, the avatar model repository **1835** includes avatar model files **1836**, avatar expression files **1837** and avatar wallpaper files **1838**.

[0175] The avatar model files **1836** define the appearance and animations of each of the avatars included in the avatar model repository **1835**. Each of the avatar model files **1836** defines the mesh, texture, lighting, sounds, and animations used to render an avatar. The mesh of a model file defines the form of the avatar, and the texture defines the image that covers the mesh. The mesh may be represented as a wire structure composed of a multitude of polygons that may be geometrically transformed to enable the display of an avatar to give the illusion of motion. In one implementation, lighting information of an avatar model file is in the form of a light map that portrays the effect of a light source on the avatar. The avatar model file also includes multiple animation identifiers. Each animation identifier identifies a particular animation that may be played for the avatar. For example, each animation identifier may identify one or more morph targets to describe display changes to transform the mesh of an avatar and display changes in the camera perspective used to display the avatar.

[0176] When an instant message user projects an avatar self-expression, it may be desirable to define an avatar with multiple animations, including facial animations, to provide more types of animations usable by the user for self-

expression. Additionally, it may be desirable for facial animations to use a larger number of blend shapes, which may result in an avatar that, when rendered, may appear more expressive. A blend shape defines a portion of the avatar that may be animated and, in general, the more blend shapes that are defined for an animation model, the more expressive the image rendered from the animation model may appear.

[0177] Various data management techniques may be used to implement the avatar model files. In some implementations, information to define an avatar may be stored in multiple avatar files that may be arranged in a hierarchical structure, such as a directory structure. In such a case, the association between a user and an avatar may be made through an association of the user with the root file in a directory of model files for the avatar.

[0178] In one implementation, an avatar model file may include all possible appearances of an avatar, including different features and props that are available for user-customization. In such a case, user preferences for the appearance of the user's avatar include indications of which portions of the avatar model are to be displayed, and flags or other indications for each optional appearance feature or prop may be set to indicate whether the feature or prop is to be displayed. By way of example, an avatar model may be configured to display sunglasses, reading glasses, short hair and long hair. When a user configures the avatar to wear sunglasses and have long hair, the sunglasses feature and long hair features are turned on, the reading glasses and short hair features are turned off, and subsequent renderings of the avatar display the avatar having long hair and sunglasses.

[0179] The avatar model repository 1835 also includes avatar expression files 1837. Each of the avatar expression files 1837 defines triggers that cause animations in the avatars. For example, each of the avatar expression files 1837 may define the text triggers that cause an of animation when the text trigger is identified in an instant message, as previously described with respect to FIGS. 3 and 4. An avatar expression file also may store associations between out-of-band communication indicators and animations that are played when a particular out-of-band communication indicator is detected. One example of a portion of an avatar expression file is depicted in Table 2 below.

TABLE 2

ANIMATION TYPE	TRIGGERS	OUT-OF-BAND COMMUNICATION INDICATORS
SMILE	:) :-) Nice	
GONE AWAY	bye brb cu gtg cul bbl gg b4n ttyl ttfn	Instruction to shut down computer
SLEEP	zzz tired sleepy snooze	Time is between 1 a.m. and 5 a.m.
WINTER CLOTHES		Date is between November 1 and March 1
RAIN		Weather is rain
SNOW		Weather is snow

[0180] In some implementations, the association between a particular animation for a particular animation identifier is indirectly determined for a particular trigger or out-of-band

communication indicator. For example, a particular trigger or out-of-band communication indicator may be associated with a type of animation (such as a smile, gone away, or sleep), as illustrated in Table 2. A type of animation also may be associated with a particular animation identifier included in a particular avatar model file, as illustrated in Table 3 below. In such a case, to play an animation based on a particular trigger or out-of-band communication indicator, the type of animation is identified, the animation identifier associated with the identified type of animation is determined, and the animation identified by the animation identifier is played. Other computer animation and programming techniques also may be used. For example, each avatar may use the same animation identifier for a particular animation type rather than including the avatar name shown in the table. Alternatively or additionally, the association of animation types and animation identifiers may be stored separately for each avatar.

TABLE 3

ANIMATION TYPE	ANIMATION IDENTIFIER	AVATAR NAME
SMILE	1304505	DOLPHIN
SMILE	5858483	FROG
GONE AWAY	4848484	DOLPHIN

[0181] The avatar expression files 1837 also include information to define the way that an avatar responds to an animation of another avatar. In one implementation, an avatar expression file includes pairs of animation identifiers. One of the animation identifiers in each pair identifies a type of animation that, when the type of animation is played for one avatar, triggers an animation that is identified by the other animation identifier in the pair in another avatar. In this manner, the avatar expression file may define an animation played for an instant message recipient's avatar in response to an animation played by an instant message sender's avatar. In some implementations, the avatar expression files 1837 may include XML files having elements for defining the text triggers for each of the animations of the corresponding avatar and elements for defining the animations that are played in response to animations seen from other avatars.

[0182] The avatar model repository 1835 also includes avatar wallpaper files 1838 that define the wallpaper over which an avatar is drawn. The wallpaper may be defined using the same or different type of file structure as the avatar model files. For example, an avatar model file may be defined as an animation model file that is generated and playable using animation software from Viewpoint Corporation of New York, N.Y., whereas the wallpaper files may be in the form of a Macromedia Flash file that is generated and playable using animation software available from Macromedia, Inc. of San Francisco, Calif. When wallpaper includes animated objects that are triggered by an instant message, an out-of-band communication indicator or an animation of an avatar, the avatar wallpaper files 1838 also may include one or more triggers that are associated with the wallpaper animation.

[0183] Each of the instant message sender system 1605 and the instant message recipient system 1620 includes an instant messaging communication application 1807 or 1827

that capable of exchanging instant messages over the communications link **1615** with the instant message host system **1610**. The instant messaging communication application **1807** or **1827** also may be referred to as an instant messaging client.

[**0184**] Each of the instant message sender system **1605** and the instant message recipient system **1620** also includes avatar data **1808** or **1828**. The avatar data **1808** or **1828** include avatar model files **1808a** or **1828a**, avatar expression files **1808b** or **1828b**, and avatar wallpaper files **1808c** or **1828c** for the avatars that are capable of being rendered by the instant message sender system **1605** or the instant message recipient system **1620**, respectively. The avatar data **1808** or **1828** may be stored in persistent storage, transient storage, or stored using a combination of persistent and transient storage. When all or some of the avatar data **1808** or **1828** is stored in persistent storage, it may be useful to associate a predetermined date on which some or all of the avatar data **1808** or **1828** is to be deleted from the instant message sender system **1605** or the instant message recipient system **1620**, respectively. In this manner, avatar data may be removed from the instant message sender system **1605** or the instant message recipient system **1620** after the data has resided on the instant message sender system **1605** or **1620** for a predetermined period of time and presumably is no longer needed. This may help reduce the amount of storage space used for instant messaging on the instant message sender system **1605** or the instant message recipient system **1620**.

[**0185**] In one implementation, the avatar data **1808** or **1828** is installed on the instant message sender system **1605** or the instant message recipient system **1620**, respectively, with the instant messaging client software installed on the instant message sender system **1605** or the instant message recipient system **1620**. In another implementation, the avatar data **1808** or **1828** is transmitted to the instant message sender system **1605** or the instant message recipient system **1620**, respectively, from the avatar model repository **1835** of the instant messaging host system **1610**. In yet another implementation, the avatar data **1808** or **1828** is copied from a source unrelated to instant messaging and stored for use as instant messaging avatars on the instant message sender system **1605** or the instant message recipient system **1620**, respectively. In yet another implementation, the avatar data **1808** or **1828** is sent to the instant message sender system **1605** or the instant message recipient system **1620**, respectively, with or incident to instant messages sent to the instant message sender system **1605** or the instant message recipient system **1620**. The avatar data sent with an instant message corresponds to the instant message sender that sent the message.

[**0186**] The avatar expression files **1808b** or **1828b** are used to determine when an avatar is to be rendered on the instant message sender system **1605** or the instant message recipient **1620**, respectively. To render an avatar, one of the avatar model files **1808a** is displayed on the two-dimensional display of the instant messaging system **1605** or **1620** by an avatar model player **1809** or **1829**, respectively. In one implementation, the avatar model player **1808** or **1829** is an animation player by Viewpoint Corporation. More particularly, the processor of the instant messaging system **1605** or **1620** calls the avatar model player **1809** or **1829** and identifies an animation included in one of the avatar model

files **1808a** or **1828a**. In general, the animation is identified by an animation identifier in the avatar model file. The avatar model player **1809** or **1829** then accesses the avatar model file and plays the identified animation.

[**0187**] In many cases multiple animations may be played based on a single trigger or out-of-band communications indicator. This may occur, for example, when one avatar reacts to an animation of another avatar that is animated based on a text trigger, as described previously with respect to **FIG. 6**.

[**0188**] In the system **1800**, four animations may be separately initiated based on a text trigger in one instant message. An instant message sender projecting a self-expressive avatar uses instant message sender system **1605** to send a text message to an instant message recipient using instant message recipient system **1620**. The instant message recipient also is projecting a self-expressive avatar. The display of the instant message sender system **1605** shows an instant message user interface, such as user interface **100** of **FIG. 1**, as does the display of instant message recipient system **1620**. Thus, the sender avatar is shown on both the instant message sender system **1605** and the instant message recipient system **1620**, as is the recipient avatar. The instant message sent from instant message sender system includes a text trigger that causes the animation of the sender avatar on the instant message sender system **1605** and the sender avatar on the instant message recipient system **1620**. In response to the animation of the sender avatar, the recipient avatar is animated, as described previously with respect to **FIG. 6**. The reactive animation of the recipient avatar occurs in both the recipient avatar displayed on the instant message sender system **1605** and the recipient avatar displayed on the instant message recipient system **1620**.

[**0189**] In some implementations, an instant messaging user is permitted to customize one or more of the animation triggers or out-of-band communications indicators for avatar animations, wallpaper displayed for an avatar, triggers or out-of-band communications indicators for animating objects of the wallpaper, and the appearance of the avatar. In one implementation, a copy of an avatar model file, an expression file or a wallpaper file is made and the modifications of the user are stored in the copy of the avatar model file, an expression file or a wallpaper file. The copy that includes the modification is then associated with the user. Alternatively or additionally, only the changes—that is, the differences between the avatar before the modifications and the avatar after the modifications are made—are stored. In some implementations, different versions of the same avatar may be stored and associated with a user. This may enable a user to modify an avatar, use the modified avatar for a period of time, and then return to using a previous version of the avatar that does not include the modification.

[**0190**] In some implementations, the avatars from which a user may choose may be limited by the instant message service provider. This may be referred to as a closed implementation or a locked-down implementation. In such an implementation, the animations and triggers associated with each avatar within the closed set of avatars may be preconfigured. In some closed implementations, the user may customize the animations and/or triggers of a chosen avatar. For example, a user may include a favorite video clip as an animation of an avatar, and the avatar may be configured to

play the video clip after certain text triggers appear in the messages sent by the user. In other closed implementations, the user is also prevented from adding animations to an avatar.

[0191] In some implementations, the set of avatars from which a user may choose is not limited by the instant message service provider, and the user may use an avatar other than an avatar provided by the instant message service provider. This may be referred to as an open implementation or an unlocked implementation. For example, an avatar usable in an instant message service may be created by a user using animation software provided by the instant message service provider, off-the-shelf computer animation software, or software tools provided by a third-party that are specialized for the creating avatars compatible with one or more instant message services.

[0192] In some implementations, a combination of a closed-implementation and an open-implementation may be used. For example, an instant message service provider may limit the selection by users who are minors to a set of predetermined avatars provided by the instant message service provider while permitting users who are adults to use an avatar other than an avatar available from the instant message service provider.

[0193] In some implementations, the avatars from which a user may select may be limited based on a user characteristic, such as age. As illustrated in Table 4 below and using the avatars shown in FIG. 8 only as an example, a user who is under the age of 10 may be limited to one group of avatars. A user who is between 10 and 18 may be limited to a different group of avatars, some of which are the same as the avatars selectable by users under the age of 10. A user who is 18 or older may select from any avatar available from the instant message provider service.

TABLE 4

USER AGE	AVATAR NAMES
Less than age 10	Sheep, Cow, Dolphin, Happy, Starfish, Dragon, Polly
Age 10 to 18	Sheep, Cow, Dolphin, Happy, Starfish, Dragon, Polly, Robot, Frog, T-Rex, Parrot, Boxing Glove, Snake, Monster, Parrot
Age 18 or older	Sheep, Cow, Dolphin, Happy, Starfish, Dragon, Polly, Robot, Frog, T-Rex, Parrot, Boxing Glove, Snake, Monster, Parrot, Lips, Pirate Skull

[0194] Instant messaging programs typically allow instant message senders to communicate in real-time with each other in a variety of ways. For example, many instant messaging programs allow instant message senders to send text as an instant message, to transfer files, and to communicate by voice. Examples of instant messaging communication applications include AIM (America Online Instant Messenger), AOL (America Online) Buddy List and Instant Messages which is an aspect of many client communication applications provided by AOL, Yahoo Messenger, MSN Messenger, and ICQ, among others. Although discussed above primarily with respect to instant message applications, other implementations are contemplated for providing similar functionality in platforms and online applications.

For example, the techniques and concepts may be applied to an animated avatar that acts as an information assistant to convey news, weather, and other information to a user of a computer system or a computing device.

[0195] The techniques and concepts generally have been described in the context of an instant messaging system that uses an instant messaging host system to facilitate the instant messaging communication between instant message senders and instant message recipients. Other instant message implementations are contemplated, such as an instant message service in which instant messages are exchanged directly between an instant message sender system and an instant message recipient system.

[0196] Other implementations are within the scope of the following claims.

What is claimed is:

1. A method for communicating, the method comprising:

graphically representing, with an avatar capable of being animated, a first user in a communication session involving the first user and a second user;

communicating a message between the first user and the second user, the message conveying explicit information from the first user to the second user; and

communicating out-of-band information to the second user using a change in the avatar appearance or avatar animation as a communication conduit,

wherein the out-of-band communication comprises a communication that is related to a context of the first user and that differs from the information conveyed in the message sent between the first user and the second user.

2. The method of claim 1 wherein the communication session is an instant messaging communication session.

3. The method of claim 1 wherein the avatar comprises a facial animation that does not include a body having an ear or a leg.

4. The method of claim 1 wherein the avatar comprises a facial animation, including a neck, that does not include a body having an ear or a leg.

5. The method of claim 1 wherein the out-of-band information comprises information indicating an environmental condition associated with the first user.

6. The method of claim 5 wherein the environmental condition comprises an environmental condition related to weather occurring in a geographic location near the first user.

7. The method of claim 1 wherein the out-of-band information comprises information indicating a personality characteristic associated with the first user.

8. The method of claim 1 wherein the out-of-band information comprises information indicating an emotional state associated with the first user.

9. The method of claim 1 wherein the out-of-band information comprises information indicating a setting characteristic associated with the first user.

10. The method of claim 9 wherein the setting characteristic comprises a characteristic related to time of day of the first user.

11. The method of claim 9 wherein the setting characteristic comprises a characteristic related to time of year.

12. The method of claim 11 wherein the time of year comprises a holiday.

13. The method of claim 11 wherein the time of year comprises a season wherein the season is one of spring, summer, fall or winter.

14. The method of claim 9 wherein the setting characteristic comprises a characteristic associated with a work setting.

15. The method of claim 9 wherein the setting characteristic comprises a characteristic associated with a recreation setting.

16. The method of claim 15 wherein the recreation setting comprises a beach setting or a tropical setting.

17. The method of claim 15 wherein the recreation setting comprises a winter sport setting.

18. The method of claim 1 wherein out-of-band information comprises information related to a mood of the first user.

19. The method of claim 18 wherein the mood of the first user comprises one of happy, sad or angry.

20. The method of claim 1 wherein out-of-band information comprises information associated with an activity of the first user.

21. The method of claim 20 wherein the activity is being performed by the first user at substantially the same time that the out-of-band message is communicated from the first user to the second user.

22. The method of claim 21 wherein the activity comprises one of working or listening to music.

23. The method of claim 5 wherein out-of-band information comprises information conveying that the first user has muted sounds associated with the avatar.

24. The method of claim 1 further comprising triggering, based on the information conveyed in the message from the first user to the second user, an animation of the avatar to convey the out-of-band information from the first user to the second user.

25. The method of claim 24 wherein the trigger comprises a portion of text.

26. The method of claim 24 wherein the trigger comprises all of the text of the message.

27. The method of claim 24 wherein the trigger comprises an audio portion of the message.

28. The method of claim 24 wherein the trigger comprises passing a predetermined amount of time during which the first user does not communicate a message to the second user.

29. The method of claim 24 wherein the trigger comprises passing a predetermined amount of time during which the first user does not use a computing device that is used by the first user to communicate with the second user in the communication session.

30. The method of claim 1 wherein the avatar animation used as the communication conduit comprises a facial expression of the avatar.

31. The method of claim 1 wherein the avatar animation used as the communication conduit comprises a gesture made by a hand of the avatar or a gesture made by an arm of the avatar.

32. The method of claim 1 wherein the avatar animation used as the communication conduit comprises movement of a body of the avatar.

33. The method of claim 1 wherein the avatar animation used as the communication conduit comprises sounds made by the avatar.

34. The method of claim 33 wherein at least some of the sounds comprise a voice based on a voice of the first user.

35. The method of claim 1 wherein the avatar animation used as the communication conduit comprises a breakout animation that involves displaying avatar outside of normal display space occupied by the avatar

36. The method of claim 35 wherein the breakout animation comprises telescoping the avatar.

37. The method of claim 35 wherein the breakout animation comprises resizing the avatar.

38. The method of claim 35 wherein the breakout animation comprises repositioning the avatar.

39. The method of claim 1 further comprising

providing the first user with multiple preconfigured avatars having associated preselected animations; and

enabling the first user to select a particular avatar to represent the user in the communications session.

40. The method of claim 39 further comprising persistently associating the first user with the selected avatar to represent the first user in subsequent communication sessions.

41. The method of claim 39 further comprising enabling the first user to modify the appearance of the avatar.

42. The method of claim 41 wherein enabling the first user to modify the appearance of the avatar comprises enabling the first user to use a slide bar to indicate a particular modification of a particular feature of the avatar.

43. The method of claim 41 wherein enabling the first user to modify the appearance of the avatar comprises enabling the first user to modify appearance of the avatar to reflect a characteristic of the first user.

44. The method of claim 43 wherein the characteristic of the first user comprises one of age, gender, hair color, eye color, or a facial feature.

45. The method of claim 41 wherein enabling the first user to modify the appearance of the avatar comprises enabling the first user to modify appearance of the avatar by adding, changing or deleting a prop displayed with the avatar.

46. The method of claim 45 wherein the prop comprises one of eyeglasses, sunglasses, a hat, or earrings.

47. The method of claim 1 further comprising enabling the first user to modify a trigger used to cause an animation of the avatar.

48. The method of claim 47 wherein the trigger comprises text included in the message sent from the first user to the second user.

49. The method of claim 1 further comprising animating the avatar for use as an information assistant to convey information to the first user.

50. The method of claim 1 further comprising enabling use of the avatar by an application other than a communications application.

51. The method of claim 50 wherein enabling use of the avatar by an application other than a communications application comprises enabling use of the avatar in an online journal.

52. The method of claim 1 further comprising displaying a depiction of the avatar in the form that is substantially similar to a trading card.

53. The method of claim 52 wherein the trading card depiction of the avatar comprises a trading card depiction of the avatar that includes characteristics associated with the first user.

54. A computer-readable medium or propagated signal having embodied thereon a computer program configured to communicate, the medium or signal comprising one or more code segments configured to:

graphically represent, with an avatar capable of being animated, a first user in a communication session involving the first user and a second user;

communicate a message between the first user and the second user, the message conveying explicit information from the first user to the second user; and

communicate out-of-band information to the second user using a change in the avatar appearance or avatar animation as a communication conduit,

wherein the out-of-band communication comprises a communication that is related to a context of the first user and that differs from the information conveyed in the message sent between the first user and the second user.

55. The medium of claim 54 wherein the communication session is an instant messaging communication session.

56. The medium of claim 54 wherein the out-of-band information comprises information indicating an environmental condition associated with the first user.

57. The medium of claim 54 wherein the out-of-band information comprises information indicating a personality characteristic associated with the first user.

58. The medium of claim 54 wherein the out-of-band information comprises information indicating an emotional state associated with the first user.

59. The medium of claim 54 wherein the out-of-band information comprises information indicating a setting characteristic associated with the first user.

60. The medium of claim 54 wherein out-of-band information comprises information related to a mood of the first user.

61. The medium of claim 54 wherein out-of-band information comprises information associated with an activity of the first user.

62. The medium of claim 54 further comprising enabling the first user to modify a trigger used to cause an animation of the avatar.

63. A system for communicating, the system comprising a processor connected to a storage device and one or more input/output devices, wherein the processor is configured to:

graphically represent, with an avatar capable of being animated, a first user in a communication session involving the first user and a second user;

communicate a message between the first user and the second user, the message conveying explicit information from the first user to the second user; and

communicate out-of-band information to the second user using a change in the avatar appearance or avatar animation as a communication conduit,

wherein the out-of-band communication comprises a communication that is related to a context of the first user and that differs from the information conveyed in the message sent between the first user and the second user.

64. The system of claim 63 wherein the communication session is an instant messaging communication session.

65. The system of claim 63 wherein the out-of-band information comprises information indicating an environmental condition associated with the first user.

66. The system of claim 63 wherein the out-of-band information comprises information indicating a personality characteristic associated with the first user.

67. The system of claim 63 wherein the out-of-band information comprises information indicating an emotional state associated with the first user.

68. The system of claim 63 wherein the out-of-band information comprises information indicating a setting characteristic associated with the first user.

69. The system of claim 63 wherein out-of-band information comprises information related to a mood of the first user.

70. The system of claim 63 wherein out-of-band information comprises information associated with an activity of the first user.

71. The system of claim 63 further comprising enabling the first user to modify a trigger used to cause an animation of the avatar.

72. A system for communicating, the system comprising:

means for graphically representing, with an avatar capable of being animated, a first user in a communication session involving the first user and a second user;

means for communicating a message between the first user and the second user, the message conveying explicit information from the first user to the second user; and

means for communicating out-of-band information to the second user using a change in the avatar appearance or avatar animation as a communication conduit,

wherein the out-of-band communication comprises a communication that is related to a context of the first user and that differs from the information conveyed in the message sent between the first user and the second user.

* * * * *