

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 199959410 B2**
(10) Patent No. **778876**

(54) Title
Swimming goggles

(51)⁷ International Patent Classification(s)
A63B 033/00

(21) Application No: **199959410**

(22) Application Date: **1999.11.12**

(43) Publication Date : **2001.05.17**

(43) Publication Journal Date : **2001.05.17**

(44) Accepted Journal Date : **2004.12.23**

(71) Applicant(s)
Herman Chiang

(72) Inventor(s)
Herman Chiang

(74) Agent/Attorney
**WATERMARK PATENT and TRADEMARK ATTORNEYS, Locked Bag 5, HAWTHORN
VIC 3122**

(56) Related Art
**EP 827761
WO 1998/048905
WO 1994/002087**

SWIMMING GOGGLES

ABSTRACT OF THE DISCLOSURE

5 The subject invention relates to the presentation of the structural improvement of swimming goggles (1), comprising of two frames (10, 11), two lenses (12, 13) contained on the two frames (10, 11), a nose bridge (2) joining the two frames (10, 11), and a headset (3) fitted to the outside of the two frames (10, 11). The nose bridge (2) comprises of a connecting unit (20) and a combining unit (21), with soft material (22) fitted to one
10 side where the connecting unit (20) is in contact with the nose bridge (2); and, the combining unit (21) is located at two sides of the connecting unit (20), whereby the soft material (22) will provide comfortable contact with the nose when the swimming goggles (1) are worn by the user.

AUSTRALIA
PATENTS ACT 1990

COMPLETE SPECIFICATION

FOR A STANDARD PATENT

ORIGINAL

Name and Address
of Applicant:

Herman Chiang
11F-2, no.634-9 Ching-Ping Rd.
Chung-HO City
Taipei Hsien
TAIWAN

ADDRESS FOR SERVICE
ALTERED



Actual Inventor(s): Herman Chiang

Address for Service:

Watermark Patent & Trademark Attorneys
~~Spruson & Ferguson, Patent Attorneys~~ *290 Boroondra*
~~Level 33 St Martins Tower, 31 Market Street~~ *Hawthorn*
~~Sydney, New South Wales, 2000, Australia~~

✓lc
3122

Invention Title: Swimming Goggles

The following statement is a full description of this invention, including the best method of performing it known to me/us:-

SWIMMING GOGGLES

BACKGROUND OF THE INVENTION

The subject invention relates to a type of swimming goggles, particularly to a structural improvement of swimming goggles involving a nose bridge that is equipped with a soft protective pad, providing comfortable contact with the user's nose.

Conventionally, the construction of swimming goggles involved lens frames, a lenses, a nose bridge, a protective pad, and a headset. Wherein the nose bridge serves to join the lens frames, the headset is fastened onto the user's head; while the protective pad, which is resistant to water seepage, provides comfortable contact with the user's face. Different users have different face shapes and different distances between their eyes, though comfortable contact can be achieved by adjusting the nose bridge and the tension of the headset. The protective pad for better fitting with the user's face and the nose bridge in contact with the user's nose, also play important roles to the comfort of fit when the user is wearing swimming goggles. The prior design of swimming goggles involved a protective pad, either of a sucking disc type or a foam sponge type, which did not have the same tight fitting and comfort to the user's face, but since they are both of soft materials, they can be accepted by consumers. However, a nose bridge serves simultaneously with the function of joining two lens frames, so it is often made of a hard material, resulting in an uncomfortable feeling of poor contact with the nose ridge. Please refer to Fig. 1 for illustration of the nose bridge 50 on conventional swimming goggles 5 being made of a hard material in the joining of lens frames 51 and 52 on two sides. When the goggles are worn on the user's face, as shown in Fig 2, the hard material of the nose bridge 50 will roughly contact the nose ridge 60, so the comfort level when wearing the goggles may not be very high.

BRIEF DESCRIPTION OF THE INVENTION

The primary objective of this invention – the swimming goggles – is to provide a type of swimming goggle which includes a nose bridge of a soft protective pad on one side of the nose bridge, which is in contact with the user's nose ridge, being of a soft material. This will provide comfortable contact on the user's nose ridge.

With this in mind, according to one aspect of the present invention, there is provided swimming goggles including:

two frames, two lenses contained in the two frames, a nose bridge that joins the two frames, and a headset fitted to the outside of the two frames;

5 wherein,

said nose bridge includes a connecting unit, a side of the connecting unit adapted to be in contact with a user's nose is covered by soft material, the connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that
10 when the soft material is received in the accommodating groove, a center part of the soft material will extend further out of the accommodating groove than do ends of the soft material.



According to another aspect of the present invention, there is provided swimming goggles including:

15 two lens frames, two lenses contained in the two lens frames, a nose bridge that is formed integrally with the two lens frames, and a headset fitted to the outside of the two lens frames; wherein

said nose bridge includes a connecting unit, a side of the connecting unit adapted to be in contact with a user's nose is covered by soft material, the
20 connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that when the soft material is received in the accommodating groove, a center part of the soft material will extend further out of the accommodating groove than do ends of the soft material.

25 According to a further aspect of the present invention, there is provided swimming goggles including:

a nose bridge assembled between two lens frames of the swimming goggles, the nose bridge including a connecting unit, a side of the connecting unit adapted to be in contact with a user's nose is covered by soft material, the
30 connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that when the soft material is received in the accommodating groove, a center part of



the soft material will extend further out of the accommodating groove than do ends of the soft material.

BRIEF DESCRIPTION OF DIAGRAMS:

Figs. 1 and 2 are a plan view of a prior design of swimming goggles and a
5 side view of the goggles worn on a user.

Fig. 3 is an exploded view of the subject invention of swimming goggles.

Fig. 4 is an assembled, perspective view of Fig. 3.

Fig. 5 is a top view of the second embodiment of the invention of swimming goggles.



10 Fig. 6 is a top view of the third embodiment of the invention of swimming goggles.

Fig. 7 is a top view of the fourth embodiment of the invention of swimming goggles.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

15 Referring to Figs. 3 and 4, the subject invention of swimming goggles 1 comprises of two frame 10, 11, a nose bridge 2 and a headset 3, of which, each frame 10, 11 is formed as one-piece with lenses 12, 13. On the side of the longer axis are assembling holes 14, 15 and on its outside are joining units 16, 17 to join the headset 3. The said joining units, 16, 17, are frame bodies formed as one-
20 piece with the frames 10, 11, enabling penetration and assembly of one end of a headband 30 of the headset 3. On the frames 10, 11, corresponding to one side of the lens 12, 13, are protective pads 18, 19. The said two protective pads, 18, 19, are respectively composed of suction discs, 181, 191, on the frames 10, 11, and sponges, 182, 192, attached to the suction discs – providing a comfortable
25 face-fitting effect for the user.

The said nose bridge 2 is located between the said two frames 10, 11, including a connecting unit 20 and a combining unit 21, of which the connecting unit 20 has two edges. The said combining unit 21 has serrated edges on the two ends of the connecting unit 20, whereby these edges can be pulled through
30 the assembling holes 14 and 15 on the frames 10, 11, to combine the two frames 10, 11 as one unit. On the connecting unit 20 is an accommodating groove 201. This groove 201, being a groove body with a shallow center part and two deeper sides, is able to accommodate the sponge 22 by using the gluing process. The



said sponge, 22, after being assembled, will have more exposure (approximately 1.5mm), as the middle of the said accommodating groove 201 is shallow; meanwhile its two sides will be buried deep in the accommodating groove 201. This is shown in Fig. 4, in which a part of sponge 22 is contained in the accommodating groove 201, while a part is exposed above the accommodating groove 201, so as to provide comfortable contact to the user when the goggles are resting on the nose.

Referring to Fig. 5, which is a second embodiment of the subject invention of swimming goggles. Whereas the swimming goggles 1 comprises of two frames 10', 11', a nose bridge 2' and a headset 3', the difference between this embodiment and the first embodiment lies in that the combining unit 21' on the nose bridge 2' has extensions roughly perpendicular to the connecting unit 20' at two ends of the connecting unit 20'. Thus, to roughly form a "U" shape, and there being a fixing hole 201' on it, the said fixing hole 201' serves to match the fixing posts 101', 111' on the frames 10', 11'. The sponge 22' on the nose bridge 2', which is the same as in the first embodiment, is installed within the accommodating groove 201', exposing approximately 1.5mm at its center, for the purpose of comfortable fitting with the nose bridge.

Please refer to Fig. 6 which is a third embodiment of the subject invention. Wherein the swimming goggles 1" are made of one body, comprising of two frames 10", 11", and a nose bridge 2", on the said nose bridge 2" there is an accommodating groove 201" to secure the sponge 22" with the gluing process, hence providing comfortable fitting with the nose bridge. Fig. 7 illustrates another type of swimming goggles, these type of swimming goggle 7 has a frame body 70 including a nose bridge 73. The two frames 71, 72 are assembled as one unit, and these type of swimming goggles 7 can also have a sponge 74 fitted onto the nose bridge to provide comfortable fitting with the nose.

Summing up, the subject invention is proven to have a novelty construction and conspicuous performance, as required for the application for a patent right. The above disclosure however, refers merely to the preferred embodiment of the subject invention, which shall not be based to limit or restrict the scope of the subject claims. Therefore, all equivalent variations and modifications deriving

from the subject invention shall be included in the spirit and scope of the subject claims.



THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. Swimming goggles including:

two frames, two lenses contained in the two frames, a nose bridge that joins the two frames, and a headset fitted to the outside of the two frames;

5 wherein,

said nose bridge includes a connecting unit, a side of the connecting unit adapted to be in contact with a user's nose is covered by soft material, the connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that

10 when the soft material is received in the accommodating groove, a center part of the soft material will extend further out of the accommodating groove than do ends of the soft material.

2. The swimming goggles as recited in claim 1, wherein the combining unit has two sets of serrated edges.

15 3. The swimming goggles as recited in claim 1 or 2, wherein the soft material is selected from the group consisting of foam sponge, rubber, plastic and thermoplastic rubber.

4. The swimming goggles as recited in any one of the preceding claims, wherein the soft material is affixed to the accommodating groove.

20 5. The swimming goggles as recited in claim 1, wherein the combining unit has extensions generally perpendicular to the connecting unit at two ends of the connecting unit to form a "U" shape body, on which fixing holes to receive the fixing posts on the frames are provided.

25 6. The swimming goggles as recited in claim 2, wherein the connecting unit is arched.

7. The swimming goggles as recited in claim 6, wherein the soft material is selected from the group consisting of foam sponge, rubber, plastic and thermoplastic rubber.

8. The swimming goggles as recited in claim 7, wherein the soft material is
5 affixed to the accommodating groove.

9. Swimming goggles including:

two lens frames, two lenses contained in the two lens frames, a nose bridge that is formed integrally with the two lens frames, and a headset fitted to the outside of the two lens frames; wherein

10 said nose bridge includes a connecting unit, a side of the connecting unit adapted to be in contact with a user's nose is covered by soft material, the connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that when the soft material is received in the accommodating groove, a center part of
15 the soft material will extend further out of the accommodating groove than do ends of the soft material.

10. The swimming goggles as recited in claim 9, wherein the soft material is selected from the group consisting of foam sponge, rubber, plastic and thermoplastic rubber.

20 11. The swimming goggles as recited in claim 9 or 10, wherein the soft material is affixed to the accommodating groove.

12. Swimming goggles including:

a nose bridge assembled between two lens frames of the swimming goggles, the nose bridge including a connecting unit, a side of the connecting unit
25 adapted to be in contact with a user's nose is covered by soft material, the connecting unit including an accommodating groove to receive the soft material, ends of the accommodating groove being deeper than a central area so that when the soft material is received in the accommodating groove, a center part of

the soft material will extend further out of the accommodating groove than do ends of the soft material.

13. The swimming goggles as recited in claim 12, wherein the said soft material is selected from the group consisting of foam sponge, rubber, plastic and thermoplastic material.

14. The swimming goggles as recited in claim 12 or 13, wherein the soft material is affixed to the accommodating groove.



15. Swimming goggles substantially as hereinbefore described with respect to any one of the embodiments as shown in Figures 3 to 7 of the accompanying drawings.

DATED this 1st day of October 2004

HERMAN CHIANG

WATERMARK PATENT & TRADE MARK ATTORNEYS
290 BURWOOD ROAD
HAWTHORN VICTORIA 3122
AUSTRALIA

P22545AU00 MCQ/SLB







FIG 1

**FIG 2**






FIG 4




FIG 5

12 11 99 59410




FIG 6




FIG 7