



US00D397495S

United States Patent [19]

Bayer et al.

[11] Patent Number: Des. 397,495

[45] Date of Patent: **Aug. 25, 1998

[54] LIGHTING FIXTURE COMPONENT

[75] Inventors: Georg Bayer, Plattsburgh; Roslyn Yando, Brainardsville; Andrew M. Schuyler, Plattsburgh, all of N.Y.

[73] Assignee: Schonbek Worldwide Lighting, Inc., Plattsburgh, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 69,249

[22] Filed: Mar. 20, 1997

Related U.S. Application Data

[62] Division of Ser. No. 33,178, Jan. 6, 1995, Pat. No. Des. 382,077.

[51] LOC (6) Cl. 26-99

[52] U.S. Cl. D26/154

[58] Field of Search D26/72, 80-92, D26/113, 145, 148, 150, 152, 154, 155; 362/147, 404-408; D11/40, 44, 48, 67, 68, 115, 221

[56] References Cited

U.S. PATENT DOCUMENTS

D. 62,759 7/1923 Villaret D26/145

D. 63,601	12/1923	Ainsworth	D26/154
D. 63,861	1/1924	Yokel	D26/145 X
D. 73,520	9/1927	Holdeman	D26/152
D. 74,644	3/1928	Aglow	D26/155
D. 108,805	3/1938	Philippe	D11/40
D. 150,930	9/1948	Chernow	D11/40
5,285,364	2/1994	Bayer	362/405
5,577,838	11/1996	Lucas	362/405

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Wolf, Greenfield & Sacks, P.C.

[57] CLAIM

The ornamental design for a lighting fixture component, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the invention;
FIG. 2 is a front elevation thereof;
FIG. 3 is a side elevation view with the opposite side being a mirror image thereof;
FIG. 4 is a rear elevation thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a top plan view thereof.
The broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

