PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification ⁶ :		(11) International Publication Number: WO 95/24
A61K 7/06, 7/50	A1	(43) International Publication Date: 14 September 1995 (14.09
21) International Application Number: PCT/I	EP95/0071	(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE,
22) International Filing Date: 25 February 1995	5 (25.02.95	KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, M MX, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
30) Priority Data: 9404550.7 9 March 1994 (09.03.94)	G	TJ, TT, UA, UG, UZ, VN, European patent (AT, BE, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, U
71) Applicant (for AU BB CA GB IE KE LK MN MW N. TT UG only): UNILEVER PLC [GB/GB]; Unile Blackfriars, London EC4P 4BQ (GB).		
71) Applicant (for all designated States except AU BB KE LK MN MW NZ SD SG SZ TT UG): UNILI [NL/NL]; Weena 455, NL-3013 AL Rotterdam	EVER N.V	claims and to be republished in the event of the receip
72) Inventor: MURRAY, Andrew, Malcolm; 15 Moon Parkgate, South Wirral, Cheshire L64 6TL (GB)		,
74) Agent: MULDER, C., W., R.; Unilever plc, Pater Colworth House, Sharnbrook, Bedford MK44 1		,
54) Title: HAIR CONDITIONING COMPOSITION		
57) Abstract		
% by weight of an emulsion polymerised dimethiconol	nonionic o	out 0.05 to about 5 % by weight of cationic surfactant, (b) 0.01 to onditioning polymer having the formula: HO-Si(CH ₃) ₂ -O-[Si(CH ₃) vention also comprises a method of making a conditioning composition of the compositi

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Austria	GB	United Kingdom	MR	Mauritania
	GE	Georgia	MW	Malawi
		•	NE	Niger
			NL	Netherlands
2			NO	Norway
		* *	NZ	New Zealand
			PL	Poland
		· · · · · · · · · · · · · · · · · · ·	PT	Portugal
	_	-		Romania
		*		Russian Federation
				Sudan
	KP			Sweden
-	T/D			Slovenia
		•		Slovakia
Côte d'Ivoire				
Cameroon				Senegal
China		Sri Lanka		Chad
Czechoslovakia	LU	Luxembourg		Togo
Czech Republic	LV	Latvia	_	Tajikistan
•	MC	Monaco	TT	Trinidad and Tobago
•	MD	Republic of Moldova	UA	Ukraine
	MG	Madagascar	US	United States of America
•	ML	Mali	UZ	Uzbekistan
	MN	Mongolia	VN	Viet Nam
Gabon		•		
	China	Australia GE Barbados GN Belgium GR Burkina Faso HU Bulgaria IE Benin IT Brazil JP Belarus KE Canada KG Central African Republic KP Congo KR Côte d'Ivoire KZ Cameroon LI China LK Czechoslovakia LU Czech Republic LV Germany MC Denmark MD Spain MG Finland LK	Australia GE Georgia Barbados GN Guinea Belgium GR Greece Burkina Faso HU Hungary Bulgaria IE Ireland Benin IT Italy Brazil JP Japan Belarus KE Kenya Canada KG Kyrgystan Central African Republic KP Democratic People's Republic of Korea Switzerland KR Republic of Korea Côte d'Ivoire KZ Kazakhstan Cameroon LI Liechtenstein China LK Sri Lanka Czechoslovakia LU Luxembourg Czech Republic MC Monaco Demmark MD Republic of Moldova Spain MG Madagascar Finland ML Mali	Australia GE Georgia MW Barbados GN Guinea NE Belgium GR Greece NL Burkina Faso HU Hungary NO Bulgaria IE Ireland NZ Benin IT Italy PL Brazil JP Japan PT Belarus KE Kenya RO Canada KG Kyrgystan RU Central African Republic KP Democratic People's Republic SD Congo of Korea SE Switzerland KR Republic of Korea SI Côte d'Ivoire KZ Kazakhstan SK Cameroon LI Liechtenstein SN China LK Sri Lanka TD Czech Republic LV Latvia TJ Cermary MC Monaco TT Denmark MD Republic of Moldova Spain MG Madagascar US Finland ML Mali VX

- 1 -

Hair Conditioning Composition

This invention relates to hair conditioning compositions intended to be rinsed off and containing non-volatile insoluble silicone gum, particularly dimethiconol gum.

Use of high viscosity gums as hair conditioning agents is known and suitable gums are described in US 4 874 416 (Spitzer). The gums are usually used in solution in a volatile silicone such as a cyclomethicone.

Emulsion polymerised silicones are known from US 2 891 920 (Hyde), US 3 294 725 (Findlay), and US 3 360 491 (Axon).

- Emulsion polymerised dimethylpolysiloxane microemulsicae are described in EP 0 268 982 (Toray). Dimethiconol materials are taught as one of a range of possibilities.
- Articles such as "Organofunctional Silicones for Personal Care Applications", Wendel, Samuel R and DiSapio, Alfred J. Cosmetics & Toiletries vol 98 May 1983, pp 103-106 have taught away from the use of Dimethiconol in hair compositions.
- Dimethiconol can be prepared in various ways, one of which is emulsion polymerisation.

Silicone oils are often added to hair conditioning compositions in the form of aqueous emulsions. These emulsions are usually formed by mechanical shearing of the oil. Sometimes they are formed by chemical emulsification but this is not the same as emulsion polymerisation and does not provide the unexpected advantages of the present invention.

30

5

10

- 2 -

A problem with prior hair conditioning compositions has been that they either provide inadequate conditioning; or the use of high viscosity gums leads to processing difficulties. The latter problem has in the past been partially solved by the use of solvent for the gum. Such solvents are undesirable for the consumer and affect the conditioning properties of the gum.

According to the present invention a hair conditioning composition which is substantially free from anionic surfactant comprises:

- (a) about 0.05 to about 5% by weight cationic surfactant,
- (b) 0.01 to 10% by weight of an emulsion polymerised dimethiconol nonionic conditioning polymer having the formula:

$$HO-Si(CH_3)_2-O-[Si(CH_3)_2-O-]_nSi(CH_3)_2-OH$$

20

5

10

where n is 2700 or more to give a molecular weight of over $200\ 000$, and

- (c) water.
- Substantially free from anionic surfactant means that the composition contains less than 1% of anionic surfactant.

The composition preferably also comprises about 0.2 to about 20% by weight of a long chain fatty alcohol.

30

35

Preferably the average particle size of the dimethiconol polymer is less than 20 microns and more preferably it is less than 2 microns. Small particle size enables a more uniform distribution of silicone conditioning agent on the hair for the same concentration of silicone in the shampoo.

- 3 -

The polymer can be cross-linked. Advantageously the viscosity of the dimethiconol lies in the range 1-20 million cst because higher viscosity increases the conditioning effect obtainable from the silicone.

5

10

15

The cationic surfactant is preferably present in an amount of 0.1 to 1% by weight. Mono-, di- and tri-alkyl substituted quaternary ammonium cationic surfactants may be used; also ethoxylated quaternary ammonium cationic surfactants. Suitable cationic surfactants include: Cetyl trimethyl ammonium chloride, Behenyl trimethyl ammonium chloride, Stearyl dimethylbenzyl ammonium chloride, cetylpyridinium chloride, and materials given the CTFA designations: Quaternium-5, Quaternium-31, Quaternium-18, and mixtures thereof. The preferred cationic surfactants are Cetyl trimethyl ammonium chloride and behenyl trimethyl ammonium chloride.

Long chain fatty alcohols may have fatty alkyl or alkenyl chains with 14 to 22 carbon atoms, preferably 16 to 20. Fatty alcohol which is particularly suitable for use in conjunction with cationic surfactant is a mixture of cetyl and stearyl alcohols. Preferably the composition comprises 0.5 to 10% by weight of long chain fatty alcohol, most preferably from 1 to 5% by weight.

The composition may also contain optional nonionic and amphoteric surfactant.

30 The nonionic surfactants suitable for use in the composition of the invention may include condensation products of aliphatic (C_e-C_{1e}) primary or secondary linear or branched chain alcohols or phenols with alkylene oxides, usually ethylene oxide and generally 6-30 EO.

- 4 -

Other suitable nonionics include mono or di alkyl alkanolamides or alkyl polyglucosides. Examples include coco mono or diethanolamide, coco mono isopropanolamide, and coco di glucoside.

5

10

15

20

25

30

35

The amphoteric surfactants suitable for use in the composition of the invention may include alkyl amine oxides, alkyl betaines, alkyl amidopropyl betaines, alkyl sulphobetaines, alkyl glycinates, alkyl carboxyglycinates, alkyl amphopropionates, alkyl amidopropyl hydroxysultaines, acyl taurates and acyl glutameates wherein the alkyl and acyl groups have from 8 to 18 carbon atoms. Examples include lauryl amine oxide, cocodimethyl sulphopropyl betaine and preferably lauryl betaine, cocamidopropyl betaine and sodium cocamphopropionate.

The composition may also include minor amounts of other ingredients such as antibacterial agents, foam boosters, pearlescers, perfumes, dyes, colouring agents, preservatives, thickeners, proteins, polymers, phosphate esters and buffering agents

The invention also comprises a method for preparation of a conditioning composition which contains insoluble silicone having a molecular weight above 200 000 and a viscosity of greater than 1 million cst as the conditioning agent comprising the steps of forming the silicone into an emulsion, the emulsion having a viscosity of less than 1000cps, then mixing the emulsion with the other ingredients. Preferably the emulsion comprises greater than 40% by weight of the silicone.

In a preferred method the silicone is emulsion polymerised because such a material is able to combine small particle size with high viscosity.

25

Dimethiconol silicone is particularly preferred. The dimethiconol silicone can either be used as such or it can be end-capped with a further methyl group.

5 The invention will now be further described with reference to the following examples:

Table 1

		А	В	1	2	3	4	5
10	CTAC ¹	0.7	0.7	0.7	0.7	0.5	0.7	
	BTAC ²	•	•	-	-	_	~	0.7
	Laurex CS ³	1.9	1.9	1.9	3.5	1.0	1.9	1.9
	Paraffin Wax	1.0	1.0	1.0	1.0	-	1.0	1.0
15	Glycerol monostearate	0.7	0.7	0.7	0.7	_	0.7	0.7
	Natrosol 250 HR4	-	-	_	-	1.3	-	-
	Polysurf 67 ⁵	-	ı	_	_	_	0.2	1
	X2-1766 ⁶	ı	ı	1.7	-	3.3	-	2.5
	X2-1784 ⁷	-	-	1	2.0	1	6.0	-
20	BY 22-026 ⁸	-	2.0	-	ı	-	1	-
	minors		as	req	uir	ed		
	water		to	100	ογο			

- 1 is Cetyl trimethyl ammonium chloride
- 2 is behenyl trimethyl ammonium chloride
- 3 is 2:1 hexadecanol:octadecanol ex Albright & Wilson

- 6 -

- 4 is hydroxy ethyl cellulose ex Hercules
- 5 is cetyl hydroxyethyl cellulose ex Hercules
- 5 6 is a 60% silicone emulsion polymer, mol wt 300,000
 - 7 is a 50% silicone emulsion polymer, mol wt 240,000
 - 8 is a 50% mechanical emulsion of silicone, mol wt 115,000

10

15

20

The compositions detailed in Table 1 were used to treat identical hair switches which were then subjected to a series of paired comparison tests by trained panellists. The two attributes considered to be most indicative of conditioning benefit are (a) ease of dry combing and (b) smooth feel of the hair when dry. In each case the comparison was with the comparative example A which contained no silicone conditioning agent. Comparative Example B, containing a mechanical emulsion of silicone conditioning agent according to the prior art, did not give rise to any statistically significant differences. Whereas all the compositions according to the invention were statistically preferred over Comparative Example A. From these comparative tests it can be concluded that compositions according to the invention and prepared according to the method of the invention give superior results to the mechanical silicone emulsion composition B.

25

- 7 -

CLAIMS

1. A rinse off hair conditioning composition substantially free from anionic surfactant comprising:

5

- (a) about 0.05 to about 5% by weight of cationic surfactant,
- (b) 0.01 to 10% by weight of an emulsion polymerised dimethiconol nonionic conditioning polymer having the formula:

 $HO-Si(CH_3)_2-O-[Si(CH_3)_2-O-]_nSi(CH_3)_2-OH$

where n is greater than 2700, and (c) water.

15

10

2. A composition according to claim 1 wherein the average particle size of the dimethiconol polymer is less than 20 microns.

20

3. A composition according to claim 2 wherein the average particle size of the dimethiconol polymer is less than 2 microns.

25

4. A composition according to claim 1 wherein the viscosity of the dimethiconol lies in the range 1-20 million cst.

2 (

5. A composition according to any preceding claim which further comprises 0.2 to 20% by weight of a C_{14-22} alcohol.

30

6. A composition according to any preceding claim wherein the cationic surfactant is selected from the group

- 8 -

comprising cetyl trimethyl ammonium chloride and behenyl trimethyl ammonium chloride.

- 7. A method for preparation of a rinse off conditioning composition which contains a cationic surfactant and insoluble silicone having a molecular weight above 200 000 and a viscosity of greater than 1 million cst as the conditioning agent comprising the steps of forming the silicone into an emulsion, the emulsion having a viscosity of less than 1000cps, then mixing the emulsion with the other conditioner ingredients including the cationic surfactant.
 - 8. A method as claimed in claim 7 wherein the emulsion comprises more than 40% by weight of the silicone.
 - 9. A method according to claim 7 or 8 wherein the silicone is emulsion polymerised dimethiconol.

5

10

15

INTERNATIONAL SEARCH REPORT

Intu Jonal Application No

PCT/EP 95/00717

A. CLASSII IPC 6	FICATION OF SUBJECT MATTER A61K7/06 A61K7/50		
	International Patent Classification (IPC) or to both national classification (IPC) and the second classification (IPC) are to both national classification (IPC) are to both national classification (IPC).	cation and IPC	
	SEARCHED cumentation searched (classification system followed by classification A61K	on symbols)	
Documentati	on searched other than minimum documentation to the extent that st	uch documents are included in the fields so	earched .
Electronic da	ata base consulted during the international search (name of data base	and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to claim No.
Y	WO,A,93 19723 (ALBERTO CULVER COM October 1993 see the whole document	PANY) 14	1,2,5,9
Y	EP,A,O 268 982 (TORY SILICONE COMPANY, LTD.) 1 June 1988 cited in the application see page 1, line 1 - line 35 see page 4, line 16 - line 36 see claims 1,2		1,2,5,9
A	WO,A,92 09264 (RICHARDSON-VICKS, INC.) 11 June 1992 see the whole document		1-9
A	US,A,4 950 468 (SUNSTAR KABUSHIKI 21 August 1990 see the whole document	KAISHA)	1-9
X Furt	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
'A' docum consid 'E' earlier filing 'L' docum which citatio 'O' docum other 'P' docum later t	ent defining the general state of the art which is not ered to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or	"T" later document published after the initial or priority date and not in conflict we cited to understand the principle or to invention." "A" document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the different cannot be considered to involve an indocument is combined with one or ments, such combination being obvious the art. "&" document member of the same patern Date of mailing of the international state."	theory underlying the e claimed invention to be considered to ocument is taken alone e claimed invention inventive step when the more other such docu- ous to a person skilled
1	6 August 1995	25. 0 8.95	
	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Sierra Gonzalez,	
Í			

INTERNATIONAL SEARCH REPORT

Int. .uonal Application No PCT/EP 95/00717

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	US,A,2 891 920 (J. F. HYDE) 23 June 1959 cited in the application see the whole document	1-9

INTERNATIONAL SEARCH REPORT

Int. ional Application No PCT/EP 95/00717

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-9319723	14-10-93	AU-B- 381489 CA-A- 213102 US-A- 533256	9 14-10-93
EP-A-0268982	01-06-88	JP-B- 406228 JP-A- 6313051 AU-B- 61542 AU-A- 832718 DE-A- 377776 WO-A- 880379	2 02-06-88 3 03-10-91 7 16-06-88 3 30-04-92
WO-A-9209264	11-06-92	US-A- 507337 US-A- 507337 AU-A- 910109 CA-A- 209560 CN-A- 106303 EP-A- 055978 FI-A- 93245 JP-T- 650308 NZ-A- 24079	2 17-12-91 1 25-06-92 7 31-05-92 8 29-07-92 6 15-09-93 4 28-05-93 6 07-04-94
US-A-4950468	21-08-90	NONE	
US-A-2891920	23-06-59	NONE	