



US00PP30114P3

(12) **United States Plant Patent**
Nguyen

(10) **Patent No.:** **US PP30,114 P3**

(45) **Date of Patent:** **Jan. 15, 2019**

(54) **CALIBRACHOA PLANT NAMED**
'BALCONGLAV'

(50) Latin Name: *Calibrachoa hybrida*
Varietal Denomination: **Balconglav**

(71) Applicant: **Ball Horticultural Company**, West
Chicago, IL (US)

(72) Inventor: **Phuong N. Nguyen**, Thousand Oaks,
CA (US)

(73) Assignee: **Ball Horticultural Company**, West
Chicago, IL (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/732,246**

(22) Filed: **Oct. 12, 2017**

(65) **Prior Publication Data**

US 2018/0235133 P1 Aug. 16, 2018

Related U.S. Application Data

(60) Provisional application No. 62/600,238, filed on Feb.
16, 2017.

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/82 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./413**
CPC *A01H 6/821* (2018.05)

(58) **Field of Classification Search**
USPC Plt./263.1, 413
See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt
Assistant Examiner — Karen M Redden

(74) *Attorney, Agent, or Firm* — Audrey Charles

(57) **ABSTRACT**

A new and distinct cultivar of *Calibrachoa* plant named
'Balconglav', characterized by its medium purple-violet
colored flowers, medium green-colored foliage, low growth
vigor, and compact-mounded growth habit, is disclosed.

1 Drawing Sheet

1

Latin name of genus and species of plant claimed: *Cali-
brachoa hybrida*.

Variety denomination: 'Balconglav'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Calibrachoa* plant botanically known as *Calibrachoa*
hybrida and hereinafter referred to by the cultivar name
'Balconglav'.

The new cultivar originated in a controlled breeding
program in Arroyo Grande, Calif. during March 2014. The
objective of the breeding program was the development of
Calibrachoa cultivars with unique flower coloration and
compact, mounded growth habit.

The new *Calibrachoa* cultivar is the result of cross-
pollination. The female (seed) parent of the new cultivar is
the proprietary *Calibrachoa hybrida* breeding selection
coded PN10362-3, not patented, characterized by its light
purple-colored flowers, medium green-colored foliage, low
growth vigor, and compact-mounded growth habit. The male
(pollen) parent of the new cultivar is the proprietary *Cali-
brachoa hybrida* breeding selection coded PN105352-3, not
patented, characterized by its medium purple-colored flow-
ers, medium green-colored foliage, low growth vigor, and
compact-mounded growth habit. The new cultivar was dis-
covered and selected as a single flowering plant within the
progeny of the above stated cross-pollination during August
2014 in a controlled environment in Arroyo Grande, Calif.

Asexual reproduction of the new cultivar by terminal stem
cuttings since August 2014 in Arroyo Grande, Calif. and
West Chicago, Ill. has demonstrated that the new cultivar
reproduces true to type with all of the characteristics, as

2

herein described, firmly fixed and retained through succes-
sive generations of such asexual propagation.

SUMMARY OF THE INVENTION

The following characteristics of the new cultivar have
been repeatedly observed and can be used to distinguish
'Balconglav' as a new and distinct cultivar of *Calibrachoa*
plant:

1. Medium purple-violet colored flowers;
2. Medium green-colored foliage;
3. Low growth vigor; and
4. Compact-mounded growth habit.

Plants of the new cultivar differ from plants of the female
and male parents primarily in have a slightly different flower
color and in having larger sized flowers.

Of the many commercially available *Calibrachoa* culti-
vars, the most similar in comparison to the new cultivar is
CALIPETITE Blue 'SAKCAL106', not patented. However,
in side by side comparisons, plants of the new cultivar differ
from plants of 'SAKCAL106' in at least the following
characteristics:

1. Plants of the new cultivar are more compact, as
measured by plant width, than plants of
'SAKCAL106';
2. Plants of the new cultivar have flowers with a slightly
darker-colored throat opening and slightly darker
flower color than 'SAKCAL106'; and
3. Plants of the new cultivar have narrower leaves than
plants of 'SAKCAL106'.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs show, as nearly true as it
is reasonably possible to make the same in color illustrations

of this type, typical flower and foliage characteristics of the new cultivar. Colors in the photographs differ slightly from the color values cited in the detailed description, which accurately describes the colors of 'Balconglav'. The plants were grown in 4.5-inch pots for 9 weeks in a greenhouse in West Chicago, Ill. Plants were given one pinch one week after transplant.

FIG. 1 illustrates a side view of the overall growth and flowering habit of 'Balconglav'.

FIG. 2 illustrates a close-up view of an individual flower of 'Balconglav'.

DETAILED BOTANICAL DESCRIPTION

The new cultivar has not been observed under all possible environmental conditions to date. Accordingly, it is possible that the phenotype may vary somewhat with variations in the environment, such as temperature, light intensity, and day length, without, however, any variance in genotype.

The chart used in the identification of colors described herein is The R.H.S. Colour Chart of The Royal Horticultural Society, London, England, 2015 edition, except where general color terms of ordinary significance are used. The color values were determined in February 2017 under natural light conditions in West Chicago, Ill.

The following descriptions and measurements describe plants produced from cuttings from stock plants and grown in a glass-covered greenhouse under conditions comparable to those used in commercial practice. The plants were grown in West Chicago, Ill. in 4.5-inch pots for 9 weeks utilizing a soilless growth medium. Plants were given one pinch one week after transplant. Greenhouse temperatures were maintained at approximately 66° F. to 70° F. (19° C. to 21° C.) during the day and approximately 58° F. to 62° F. (14° C. to 17° C.) during the night. Greenhouse light levels of 2,500 footcandles to 6,000 footcandles were maintained during the day. Measurements and numerical values represent averages of typical plants.

Botanical classification: *Calibrachoa hybrida* cultivar Balconglav.

Parentage:

Female parent.—Proprietary *Calibrachoa hybrida* breeding selection coded PN10362-3, not patented.

Male parent.—Proprietary *Calibrachoa hybrida* breeding selection coded PN105352-3, not patented.

Propagation:

Type cutting.—Terminal stem.

Time to initiate roots.—Approximately 6 to 8 days.

Time to produce a rooted cutting.—Approximately 21 to 28 days.

Root description.—Fibrous.

Rooting habit.—Freely branching.

Plant description:

Commercial crop time.—Approximately 5 to 8 weeks from a rooted cutting to finish in a 10 cm pot.

Growth habit and general appearance.—Low vigor, compact-mounded.

Size.—Height from soil level to top of plant plane: Approximately 6.0 cm. Width: Approximately 16.5 cm.

Branching habit.—Freely branching, pinching enhances basal branching. Quantity of main branches per plant: Approximately 4.

Branch.—Strength: Strong, flexible. Length: Approximately 7.5 cm. Diameter: Approximately 2.0 mm.

Length of central internode: Approximately 5.0 mm. Texture: Densely glandular pubescent. Gland color: Colorless, transparent. Color of young and mature stems: 144A.

Foliage description:

General description.—Quantity of leaves per main branch: Approximately 12. Fragrance: Slight. Form: Simple. Arrangement on flowering stem: Opposite.

Leaves.—Aspect: At acute angle to stem with tip turning downward. Shape: Elliptic. Margin: Entire. Apex: Broadly acute. Base: Attenuate. Venation pattern: Pinnate. Length of mature leaf: Approximately 2.9 cm. Width of mature leaf: Approximately 1.1 cm. Texture of upper and lower surfaces: Moderately glandular pubescent. Gland color: Colorless, transparent. Color of upper surface of young foliage: 137B with midvein of 144D. Color of lower surface of young foliage: Closest to 138A with midvein of 138B. Color of upper surface of mature foliage: 137A with venation of 144A to indistinguishable. Color of lower surface of mature foliage: Between 138A and 138B with venation of 138D to indistinguishable.

Petiole.—Length: Approximately 3.0 mm. Diameter: Approximately 2.0 mm. Texture: Moderately glandular pubescent. Gland color: Colorless, transparent. Color: 144A.

Flowering description:

Flowering habit.—'Balconglav' is freely flowering under outdoor growing conditions with substantially continuous blooming from spring through autumn and year-round in greenhouse environment.

Lastingness of individual flower on the plant.—Approximately 5 to 7 days.

Flower description:

General description.—Type: Single, salverform. Quantity per plant: Approximately 8. Fragrance: None detected.

Bud.—Rate of opening: Generally takes 3 to 4 days for bud to progress from first color to fully open flower. Quantity per plant: Approximately 6.

Bud just before opening.—Shape: Oblong. Length: Approximately 1.9 cm. Diameter: Approximately 5.0 mm. Texture: Densely glandular pubescent. Gland color: Colorless, transparent. Color: Petal portion 85D with venation of N77A, tube portion 154D with venation of N77A.

Corolla.—Diameter: Approximately 3.1 cm.

Petals.—Quantity: 5, fused to form a tube. Shape: Obovate. Margin: Entire. Apex: Emarginate. Length from tube: Approximately 1.1 cm. Length of free portion: Approximately 5.0 mm. Width: Approximately 1.3 cm. Texture of upper surface: Glabrous. Texture of lower surface: Glandular pubescent, dense along venation. Gland color: Colorless, transparent. Color of upper surface when first open: N82A and N82B, midveins of N92A and throat opening of N81A. Color of lower surface when first and fully open: 85C and 85D with midveins of N77A. Color of upper surface when fully open: N82B and N82C transitioning to lighter than N82D with age, midveins of N92A and throat opening of N82A.

Corolla tube.—Length: Approximately 1.8 cm. Diameter at distal end: Approximately 6.0 mm. Diameter

at proximal end: Approximately 1.0 mm. Texture of inner surface: Glabrous. Texture of outer surface: Densely glandular pubescent. Gland color: Colorless, transparent. Color of inner surface: 154B, venation of 145A and N92A near throat opening. Color of outer surface: 154D with venation of N77A.

Sepals.—Quantity per flower: 5, fused along lower half. Shape: Lanceolate. Apex: Broadly acute. Length: Approximately 1.5 cm to 1.9 cm. Width: Approximately 3.0 mm to 4.0 mm. Texture of upper and lower surfaces: Densely glandular pubescent. Gland color: Colorless, transparent. Color of upper surface: 137A. Color of lower surface: 137C with 144A at base.

Peduncle.—Strength: Strong, flexible. Aspect: Acute angle to stem. Length: Approximately 1.2 cm. Diameter: Approximately 1.0 mm. Texture: Densely glandular pubescent. Gland color: Colorless, transparent. Color: 144A.

Reproductive organs.—Androecium: Stamen quantity: 5, basifixed. Stamen length: Approximately 7.0 mm.

Filament length of fixed portion: Approximately 3.0 mm. Filament color: 145D. Anther shape: Bilobed, ovoid. Anther length: Approximately 1.0 mm. Anther color: 8A. Pollen amount: Abundant. Pollen color: 8C. Gynoecium: Pistil quantity: 1 per flower. Pistil length: Approximately 7.0 mm. Stigma shape: Funnel. Stigma length: Less than 1.0 mm. Stigma color: 143A. Style length: Approximately 5.0 mm. Style color: 145D. Ovary diameter: Approximately 2.0 mm. Ovary color: 144A.

Seed and fruit production: Neither seed nor fruit production has been observed.

Disease and pest resistance: Resistance to pathogens and pests common to *Calibrachoa* has not been observed.

What is claimed is:

1. A new and distinct cultivar of *Calibrachoa* plant named 'Balcong'lav', substantially as herein illustrated and described.

* * * * *



FIG. 1



FIG. 2