



US00D860930S

(12) **United States Design Patent**
Ishii

(10) **Patent No.:** **US D860,930 S**

(45) **Date of Patent:** **** Sep. 24, 2019**

(54) **AUTOMOBILE TIRE**

(71) Applicant: **THE YOKOHAMA RUBBER CO., LTD.**, Minato-ku, Tokyo (JP)

(72) Inventor: **Makoto Ishii**, Tokyo (JP)

(73) Assignee: **THE YOKOHAMA RUBBER CO., LTD.**, Minato-ku, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/590,024**

(22) Filed: **Jan. 6, 2017**

(30) **Foreign Application Priority Data**

Jul. 8, 2016 (JP) 2016-014600

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**

USPC D12/604-605, 500-501, 506, 534-538,
D12/569-573, 900; D5/30; D7/396.4,
D7/396.5

CPC B06C 13/00; B06C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D182,576	S	*	4/1958	Ellies		D12/501
D568,236	S	*	5/2008	Holden		D12/605
D585,018	S	*	1/2009	Shondel		D12/605
D588,529	S	*	3/2009	Reese		D12/605
D622,210	S	*	8/2010	Raatikainen		D12/521
D649,111	S	*	11/2011	Tokizaki		D12/605
D656,089	S	*	3/2012	Miyazaki		D12/605
D660,785	S	*	5/2012	Tokizaki		D12/605
D680,490	S	*	4/2013	Iwabuchi		D12/605
D682,191	S	*	5/2013	Ebiko		D12/605
D683,303	S	*	5/2013	Ebiko		D12/605

D740,747	S	*	10/2015	Sato		D12/605
D754,595	S	*	4/2016	Tokizaki		D12/605
D768,067	S	*	10/2016	Kuwano		D12/605
D797,038	S	*	9/2017	Sekine		D12/605

(Continued)

OTHER PUBLICATIONS

“Goodyear Fierce Attitude M/T.” Goodyear, dated Sep. 11, 2016 (Retrieved from the Internet May 15, 2019). Internet URL:< <https://web.archive.org/web/20150911004123/https://www.goodyear.com/en-US/tires/fierce-attitude-mt> > (Year: 2016).*

(Continued)

Primary Examiner — Jack Reickel

Assistant Examiner — Rachel A Voorhies

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;


FIG. 8 is a partially enlarged view of a portion defined by lines 8-8 shown in FIG. 1;

FIG. 9 is a partially enlarged view of a portion defined by lines 9-9 shown in FIG. 2; and,

FIG. 10 is a cross sectional view of a portion defined by lines 10-10 shown in FIG. 9.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D800,646	S	*	10/2017	Sato		D12/605
D801,263	S	*	10/2017	Sato		D12/605
D806,642	S	*	1/2018	Kuwano		D12/605
D807,814	S	*	1/2018	Yamakawa		D12/604
D813,150	S	*	3/2018	Schoeppner		D12/605
D829,643	S	*	10/2018	Mita		D12/605
D829,644	S	*	10/2018	Morita		D12/605
D829,645	S	*	10/2018	Morita		D12/605
2012/0118466	A1	*	5/2012	Ebiko		B60C 13/02 152/523
2012/0132333	A1	*	5/2012	Ebiko		B60C 11/0309 152/209.8

OTHER PUBLICATIONS

“Tire Sidewall Explained.” Blackcircles.com, dated Nov. 17, 2016 (Retrieved from the Internet May 2019). Internet URL: < <https://web.archive.org/web/20161117090405/http://www.blackcircles.com/general/sidewall> > (Year: 2016).*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

