



US00D432509S

United States Patent [19]
Webb et al.

[11] **Patent Number:** **Des. 432,509**
[45] **Date of Patent:** **** Oct. 24, 2000**

[54] **PORTABLE RADIO COMMUNICATION DEVICE**
[75] Inventors: **William Duncan Webb**, Glenview;
Bradley Keith Lohrding, Gurnee, both
of Ill.; **Richard Enrique Maldonado**,
Fountain Hills, Ariz.; **Matthew Ronald**
Michieli, Gilbert, Ariz.; **Jay Robert**
Mitchell, Mesa, Ariz.; **James Lee**
Isbell, Phoenix, Ariz.

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **29/112,095**

[22] Filed: **Oct. 8, 1999**

[51] **LOC (7) Cl.** **14-03**
[52] **U.S. Cl.** **D14/138**
[58] **Field of Search** D14/137, 138,
D14/147-148, 247-248, 250, 240, 140-142;
379/433.434, 419, 420, 428, 440; 455/550-575,
90

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 353,809	12/1994	Nuovo et al.		D14/138
D. 365,095	12/1995	Kajita		D14/138
D. 372,237	7/1996	Nagele et al.		D14/138
D. 373,764	9/1996	Nagele et al.		D14/138
D. 388,784	1/1998	Phillips et al.		D14/138
D. 393,857	4/1998	Park		D14/138
D. 394,433	5/1998	Lindeman et al.		D14/138
D. 396,230	7/1998	Phillips et al.		D14/138
D. 406,135	2/1999	Nagano et al.		D14/138
D. 409,600	5/1999	Yang et al.		D14/138
D. 411,843	7/1999	Lohrding et al.		D14/138
D. 412,704	8/1999	Vuolteenaho et al.		D14/138
D. 413,884	9/1999	Ogawa		D14/138
D. 415,149	10/1999	Vuolteenaho et al.		D14/138
D. 415,489	10/1999	Ke		D14/138
D. 417,213	11/1999	Meyer		D14/138
D. 421,004	2/2000	Curtis		D14/138
D. 421,005	2/2000	Lucaci et al.		D14/138

D. 421,435	3/2000	Haase et al.		D14/137
5,768,370	6/1998	Maatta et al.		379/433
5,848,152	12/1998	Slipy et al.		379/433
5,909,490	6/1999	Sokolich et al.		379/433
6,006,074	12/1999	De Larminat et al.		455/90

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Lalita P. Williams


[57] **CLAIM**

The ornamental design for a portable radio communication device, as shown and described.

DESCRIPTION

FIG. 1 is a top, right and front perspective view of the portable radio communication device;
FIG. 2 is a left side elevational view of the portable radio communication device shown in FIG. 1;
FIG. 3 is a front elevational view of the portable radio communication device shown in FIG. 1;
FIG. 4 is a bottom elevational view of the portable radio communication device shown in FIG. 1;
FIG. 5 is a top elevational view of the portable radio communication device shown in FIG. 1;
FIG. 6 is a right side elevational view of the portable radio communication device shown in FIG. 1;
FIG. 7 is a rear elevational view of the portable radio communication device shown in FIG. 1;
FIG. 8 is a top, right and front perspective view of the portable radio communication device shown in FIG. 1 without the broken line showings;
FIG. 9 is a left side elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings;
FIG. 10 is a top elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings; and,
FIG. 11 is a rear elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings.
The broken line showings in FIGS. 1-7 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 11




FIG. 9