
## N. E. HARPER. PHOTOGRAPH HOLDER.

(Application filed July 23, 1902.)

(No Model.)



E.W. Woodward.

Nelson E. Harper, Indenter, Eddhow the

## UNITED STATES PATENT OFFICE.

NELSON E. HARPER, OF PAULDING, OHIO.

## PHOTOGRAPH-HOLDER.

SPECIFICATION forming part of Letters Patent No. 715,376, dated December 9,1902.

Application filed July 23, 1902. Serial No. 116,688. (No model.)

To all whom it may concern:

Be it known that I, Nelson E. Harper, a citizen of the United States, residing at Paulding, in the county of Paulding and State of 5 Ohio, have invented a new and useful Photograph-Holder, of which the following is a specification.

This invention relates to devices employed for connecting two or more photograph-cards, to card-pictures, and the like in a foldable position and also in a position to be readily connected and disconnected, and has for its object the production of a simply constructed and applied device whereby a plurality of photograph-cards and similar articles may be detachably and adjustably connected or cards of different sizes interchangeably connected in the same series.

The invention consists in a rod having a plurality of pairs of yieldable clips movably disposed thereon adapted to detachably engage the cards, so that they may be folded together when not in use or extended to expose their faces.

5 Other novel features of the invention will appear in the annexed description and be specified in the claims.

In the drawings illustrative of the invention, Figure 1 is a perspective view of the desovice applied. Fig. 2 is a perspective view of one of the clips detached.

The improved device consists of a rod 10 of any suitable size or material, but preferably either gold or silver plated, and with ornamental enlarged ends 11, forming stops to prevent the removal of the rod from the clips. The clips consist of metal plates 12, of tempered metal, to cause them to possess the requisite resiliency and folded around the rods with the ends in close engagement, as shown in Fig. 2, which represents one of the clips detached. As many of the clips may be employed as required, but generally four will be employed upon each rod and arranged in 45 pairs, as shown.

The spaced sides of the clips 12 are adapted to receive the edges of the photograph-cards, (indicated at 13,) and when arranged in pairs with the adjacent edges of each pair so of the clips in engagement and disposed at expessive ends of the rods they afford means

for the support of two photograph-cards in movable engagement with the rod, the clips forming the leaves of the hinges and the rod forming the pintle to the hinges, so that the 55 photographs may be folded together face to face or back to back or opened out, as illustrated in Fig. 1.

In the illustration the devices are shown applied only to the sides of the photograph-60 eards; but it is evident that they could be as readily applied to the ends of the cards. In that event the rods 10 would necessarily be shorter than when employed upon the sides of the eard; but this would not affect the in-65 vention.

It will be obvious that by employing a plurality of their rods and their movably-attached and adjustable clips an unlimited number of photograph-cards may be movably 70 coupled and adapted to be folded or extended at will. It will also be obvious that photographs of different sizes may be readily coupled together by adjusting the clips longitudinally of the rods to correspond to the sizes 75 of the photographs.

The lengths of the rods may be varied as required to adapt the device to different sizes of eards, and the clips 12 may be likewise varied in size and of any thickness of metal to 80 increase or decrease their strength and correspondingly increase or decrease their grip upon the eards.

The clips may be made of any ornamental or fanciful design, so that their presence will 85 not detract from the appearance of the photographs or other cards held in the device.

This makes a very simple, complete, and easily-applied device, whereby a plurality of cards of any kind or similar articles may be 90 movably and detachably connected in a position to be folded like the leaves of a book or extended to expose the faces of the cards.

Having thus described my invention, what

I claim is—
1. A card-holder comprising a rod having pairs of longitudinally-movable clamps pivotally mounted thereon and opening in different directions to engage the adjacent edges of a plurality of cards.

of the clips in engagement and disposed at 2. A card-holder comprising a rod provided opposite ends of the rods they afford means with spring-clips disposed in pairs thereon,

the jaws of the respective pairs being disposed in different directions to engage the adjacent edges of a plurality of cards.

3. A card-holder comprising a rod, having spring-clips mounted thereon, said clips having eyes for pivotally engaging said rod and flared lips for receiving the edges of cards to be carried by said holder.

4. A card-holder comprising a rod having to stops at its opposite ends, and pairs of spring-

clips movably engaging said rod and adapted to engage the adjacent edges of a plurality of cards.

In testimony that I claim the foregoing as my own I have hereto affixed my signature in 15 the presence of two witnesses.

NELSON E. HARPER.

## Witnesses:

C. M. HUDSON,

C. K. CUNNINGHAM.