

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 January 2006 (05.01.2006)

PCT

(10) International Publication Number
WO 2006/000065 A1

(51) International Patent Classification : ⁷ **A21D 10/00**,
8/04, B65D 81/20, A23L 3/3418, C12N 1/18, 1/04, A23L
3/3445

(21) International Application Number:
PCT/BE2005/000103

(22) International Filing Date: 29 June 2005 (29.06.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
04447156.3 29 June 2004 (29.06.2004) EP

(71) Applicant (for all designated States except US):
PURATOS NV [BE/BE]; Industrialaan 25, B-1702
GROOT-BIJGAARDEN (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BONJEAN, Bernard** [BE/BE]; rue de Dreumont, 19, B-1495 MAR-
BAIS (BE). **CAPPELLE, Stefan** [BE/BE]; Botermelk-
straat 31, B-9500 ONKERZELE (BE). **TOSSUT, Pierre**

[BE/BE]; rue au Vieux Bon Dieu, 8, B-4350 REMI-
COURT (BE). **DEWILDE, Christophe** [BE/BE]; rue des
Rouges-Gorges, 2, B-1640 RHODE-SAINT-GENESE
(BE).


(74) Agents: **VAN MALDEREN, Joëlle** et al.; pronovem-OF-
FICE VAN MALDEREN, Avenue Josse Goffin 158,
B-1082 Brussels (BE).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ,
OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL,
SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

(54) Title: PACKAGED POWDER COMPOSITION FOR BAKERY



(57) Abstract: The present invention relates to a new product for bakery industry comprising a stable powdered composition, said powdered composition comprising active yeast and a bread improvement composition, and optionally a bread flavour composition. The present invention also relates to its use and a process for its preparation.

WO 2006/000065 A1



ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*

PACKAGED POWDER COMPOSITION FOR BAKERY

5

10 Field of the invention

[0001] The present invention relates to a new packaged product for bakery industry comprising a stable powdered composition, said powdered composition comprising active yeast(s) and a bread improvement composition, and optionally a bread flavour composition. The present invention also relates to its use and a process for its preparation.

Back ground of the invention

[0002] Currently, many bakery ingredients (salt, flour, yeasts, enzymes, aromas, etc) are dosed separately. There are several disadvantages coupled therewith.

[0003] Separate dosing increases the risk of faults as well as the labor costs incurred with said dosing. In case of powdered products, the investments in separate dosing are further significantly higher compared to a single dosing system since all screws, all motors and automation has to be multiplied by the number of separate dosing points. Powdered dosing systems are also less accurate, or they require huge investments for automation. The dust production due to the dosing of powdered products is an increasing problem in the bakery due to its allergic properties. In terms of waste

disposal, separate packaging will generate much more waste compared to an all in-one solution. Separate products increase the number of stock keeping units, complicating the logistic organization of the bakery as well as a decreased working capital due to immobilization of capital into stocks.

[0004] For these reasons, ready-to-use sourdough base compositions have been developed and liquid sourdough base compositions have entered the market as bakery ingredients.

[0005] There are many attempts to supply the yeasts together with chemical additives (or dough conditioners) such as oxidizing and reducing agents, emulsifiers, fatty materials, enzymes, etc (also referred to as improvers).

[0006] EP 0619947 for instance, describes the co-formulation of yeasts and improvers, and proposes to solve the problem of the instability of the composition by extruding the mixture.

[0007] EP 1090553 and the parent patent EP 0659344 describe a composition where the bread-improving agent has the same particle size as the dry yeast, which is in granular form. An alternative consists of coating the dry yeast granules with the bread-improving agent, in the form of a film or adhered particles.

[0008] But these proposed solutions involve further steps in the process and further equipments. Moreover, they do not solve another problem encountered when the mix of dry yeast and improvers (such as emulsifiers) is packed under vacuum: the product tends to make a bloc, difficult to break (referred to as the caking).

Summary of the invention

[0009] It was found that it was possible to combine or admix a dough conditioner composition with active yeast(s) in a powdered formulation, and optionally a bread flavour improvement composition, and optionally salt, to obtain a powdered composition which is stable when packaged under inert atmosphere, with a volume ratio "inert atmosphere / powdered composition" comprised between about 50/50 and about 4/96, preferably comprised between about 30/70 and about 4/96, and more preferably comprised between about 10/90 and about 5/95.

[0010] The present invention also relates to the use of a (bakery) product of the invention (powdered composition packaged under inert atmosphere, with a volume ratio "inert atmosphere / powdered composition" comprised between about 50/50 and about 4/96, preferably comprised between about 30/70 and about 4/96, and more preferably comprised between about 10/90 and about 5/95) for the preparation of bread, cake, biscuits, pastries, snacks, pizza, etc.

[0011] The present invention also relates to a process for the preparation of a powdered composition of active yeast(s) and improvers, packaged under inert atmosphere, wherein the volume ratio "inert atmosphere / powdered composition" is comprised between about 50/50 and about 4/96, preferably comprised between about 30/70 and about 4/96, and more preferably comprised between about 10/90 and about 5/95.

[0012] More particularly, the present invention provides a (bakery) product comprising a powdered composition (1) that comprises an improver composition and an active yeast, said powdered composition (1) being packaged into a container (3), the headspace (2) of which, after sealing, consists essentially

of at least about 5% of inert atmosphere, based on the total volume of said container (3).

[0013] In a (bakery) product according to the invention said powdered composition may further comprise a flavour improvement composition and/or (a) flavour improvement compound(s) and/or salt.

[0014] Preferably, said improver composition comprises:

- one or more enzymes selecting from the group consisting of amylases, xylanases, lipases, oxidases, dehydrogenases, laccases and proteases, and/or
- one or more oxidizing or reducing agents, and/or
- one or more emulsifiers, and/or
- one or more fatty materials, and/or
- one or more vitamins, and/or
- one or more sources of fibre, or
- a mixture of two or more thereof.

[0015] Preferably, said flavour improvement composition comprises a sourdough product or a sponge product, or a mixture thereof.

[0016] Preferably, said flavour improvement compound(s) comprise(s) one or more natural aroma compounds, one or more chemical aroma compounds, one or more acids and/or one or more acidifying agents, or a mixture of two or more thereof.

[0017] Preferably, said inert atmosphere consists of nitrogen, argon, helium, or carbon dioxide, or a mixture of two or more thereof.

[0018] Preferably, said flavour improvement composition and said active yeast have a dry matter of minimum 94 %.

[0019] Preferably, the residual oxygen content is less than about 2%, based on the gas-phase volume in the container, after sealing.

[0020] Preferably, the residual humidity content is less than about 6%, based on the weight of said powdered composition.

[0021] Preferably, said container is a multilayer based films impermeable to oxygen and to humidity.

10 [0022] The present invention also provides a process for the preparation of a (bakery) product comprising the steps of:

- admixing an improver composition and an active yeast, both in powder form,
- optionally adding a bread flavour improvement composition in powder form,
- 15 - optionally adding (a) bread flavour improvement compound(s) in powder form,
- optionally adding salt,
- filling a container with the resulting powdered composition, and
- 20 - sealing said container under inert atmosphere, while leaving a headspace of at least 5% based on the volume of said container, said headspace consisting essentially of said inert atmosphere.

25 [0023] Preferably, in a process of the invention, said improver composition comprises:

- one or more enzymes selecting from the group consisting of amylases, xylanases, lipases, oxidases and proteases, and/or
- one or more oxidizing or reducing agents, and/or
- 30 - one or more emulsifiers, and/or

- one or more fatty materials, and/or
- one or more vitamins,
- One or more sources of fibre, or
- a mixture of two or more thereof.

5 [0024] Preferably, in a process of the invention, said flavour improvement composition comprises a sourdough product, or a sponge product, or a mixture thereof.

[0025] Preferably, in a process of the invention, said inert atmosphere consists of nitrogen, argon, helium, or carbon
10 dioxide, or a mixture of two or more thereof.

[0026] The present invention also relates to the use of a (bakery) product of the invention (powdered composition packaged under inert atmosphere, wherein the volume ratio "inert atmosphere / powdered composition" is comprised between
15 about 50/50 and about 4/96, preferably comprised between about 30/70 and about 4/96, and more preferably comprised between about 10/90 and about 5/95) for the preparation of bread, cake, biscuits, pastries, snacks or pizzas.

20

Description of the figures

[0027] Figure 1 represents a (bakery) product of the invention.

25 Detailed description of the invention

[0028] The term "flavour improvement system", "flavour improvement composition", "bread flavour improvement composition" refer to a sourdough or a sourdough product; a bakery sponge or a sponge product.

[0029] The terms "(bread) flavour (improvement) compounds" and "(bread) flavour (improvement) substances" refer to substances added in relation to the flavour, such as natural and/or chemical aroma compounds, acids or acidifying agents
5 (producing acid and/or gas), or a mixture of two or more thereof.

[0030] The term "sourdough" refers to a dough fermented by lactic acid bacteria and/or yeast(s), having a characteristic acidic flavour due to the lactic acid bacteria
10 producing mainly lactic acid, acetic acid and some minor compounds and/or the typical flavour top-notes produced by the yeast(s).

[0031] The term "sourdough product" refers to the product above, that is stabilized in one or another way (e.g.
15 through drying, pasteurization, cooling, freezing, etc) so that this product can be added to a regular dough, thereby replacing the in-bakery produced pre-fermentation.

[0032] The term "sponge" refers to a dough fermented by yeast(s), having a characteristic flavour due to said yeast(s)
20 fermentation. It is a pre-fermentation product based on a yeast fermentation of part of the flour.

[0033] The term "sponge product" refers to the stabilized form of such a regular bakery sponge fermentation, used to enhance the flavour in a regular dough. It can be a
25 sponge extract.

[0034] The terms "bread improvement system", "bread improvement composition", "dough conditioner composition", "(bread) improver composition" and "improver(s)" refer to one or more substances or compositions added to the dough in order
30 to improve dough handling properties and/or quality of the final baked product. These substances can be enzymes or

(chemical) additives such as oxidizing/reducing agents, emulsifiers, fatty materials, vitamins, etc.

[0035] There is a wide range of enzymes that can be used for bread improvement purposes, such as amylases, xylanases, lipases, oxidases (e.g. glucose oxidase, carbohydrate oxidase, 5 hexose oxidase, etc), proteases, dehydrogenases, laccases, and others described as such in the literature and patents.

[0036] In the context of the present invention, the term 10 "bakery product" refers to a "product for bakery industry".

[0037] The present invention relates to a (bakery) product (or a product for bakery industry) comprising (or consisting of) a powdered composition that comprises an improver composition and active yeast(s), said powdered 15 composition being packaged under inert atmosphere with a volume ratio (inert atmosphere / powdered composition) comprised between about 50/50 and about 4/96, preferably between about 30/70 and about 4/96, and more preferably between about 10/90 and about 4/96. 20

[0038] A (bakery) product (or a product for bakery industry) of the invention comprises (or consists of) a powdered composition that comprises an improver composition and active yeast(s), said powdered composition being packaged into 25 a container, the headspace of which, after sealing, consisting essentially of at least about 4%, preferably at least about 5% of inert atmosphere based on the total volume of said container. The remaining volume is occupied by the said powdered composition.

30 [0039] A product for bakery industry of the invention may also be defined as comprising (or consisting of) a

container and a powdered composition, said powdered composition comprising an improver composition and active yeast, wherein the headspace of said container, after sealing, consists (essentially) of at least 5% of inert atmosphere, based on the
5 total volume of said container.

[0040] In a (bakery) product (or a product for bakery industry) of the invention a powdered composition may further comprise a flavour improvement composition and/or (a) flavour
10 improvement compound(s) and/or salt.

[0041] The improver composition used in a (bakery) product (or product for bakery industry) of the invention, can comprise or consist of:

- one or more enzymes selecting from the group consisting of
15 amylases, xylanases, lipases, oxidases, proteases, dehydrogenases and laccases, and/or
- one or more oxidizing or reducing agents such as ascorbic acid, glutathione, cystein, and/or
- one or more emulsifiers, such as DATEM[®], SSL[®], CSL[®], GMS[®],
20 rhamnolipids, lecithines, sucroesters, bile salts, and/or
- one or more fatty materials, e.g. margarin, butter, oil, and/or
- one or more vitamins, e.g. pantothenic acid, vitamin E, and/or
- 25 - one or more sources of fibre, e.g. oat fibre.

[0042] It may also consist of a mixture of two or more of the listed components.

[0043] The flavour improvement composition used in a (bakery) product (or a product for bakery industry) of the
30 invention, can comprise or consist of (in their powder form) a sourdough product or a sponge product, or a mixture thereof.

[0044] The flavour improvement compounds used in a (bakery) product (or a product for bakery industry) of the invention, can comprise or consist of one or more natural aroma compounds, one or more chemical aroma compounds, one or more acids and/or one or more acidifying agents (producing acid and/or gas), or a mixture of two or more thereof.

[0045] In the context of the present invention, the term "headspace" refers to the volume left at the top of the almost filled container before or after sealing.

[0046] In the context of the present invention, the term "about", when associated with the headspace, the oxygen or humidity, means +/- 0,5%. For example, "about 4%" means that 4,5%, 4,4%, 4,3%, 4,2%, 4,1%, 3,9%, 3,8%, 3,7%, 3,6% or 3,5% are also encompassed.

[0047] In a (bakery) product (or a product for bakery industry) of the invention, the headspace of the container may consists of 50%, 45%, 40%, 35%, 30%, 25%, 20% or 15% of inert atmosphere based on the total volume of said container. The remaining volume occupied by the said powdered composition is thus respectively 50%, 55%, 60%, 65%, 70%, 75%, 80% or 85% based on the total volume of said container.

[0048] In a preferred (bakery) product (or product for bakery industry) of the invention, the headspace of the container consists of more than about 10%, 9%, 8%, 7%, 6%, 5%, or more than about 4% of inert atmosphere based on the total volume of said container.

[0049] In a preferred (bakery) product (or product for bakery industry) of the invention, the headspace of the container consists of about 10%, 9%, 8%, 7%, 6%, 5%, or about

4% of inert atmosphere based on the total volume of said container, and the remaining volume occupied with respectively about 90%, 91%, 92%, 93%, 94%, 95% or about 96% of said powdered composition based on the total volume of said
5 container.

[0050] The active yeast preferably used in a (bakery) product (or a product for bakery industry) of the present invention is Instant Active Dry Yeast, which is active yeast having a dry matter of minimum 94 %, and packed under vacuum.

10 [0051] The inert atmosphere used in a (bakery) product (or a product for bakery industry) of the invention can consist of any non reactive gas, or gas that has a high threshold before it reacts, such as nitrogen, argon, helium, or carbon dioxide, or a mixture of two or more thereof. Nitrogen is
15 preferred in the framework of the present invention.

[0052] The term "essentially" means that the inert atmosphere used in a (bakery) product (or a product for bakery industry) of the invention may contain oxygen referred to as the residual oxygen content.

20 [0053] In a preferred (bakery) product (or product for bakery industry) of the invention, the residual oxygen content is less than about 5% based on the gas-phase volume in the container, after sealing.

[0054] In a more preferred (bakery) product (or product
25 for bakery industry) of the invention, the residual oxygen content is less than about 2%, preferably less than about 1% and more preferably less than about 0,5% based on the gas-phase volume in the container, after sealing.

30 [0055] The container preferably used in a (bakery) product (or a product for bakery industry) of the present

invention is any multilayer based films designed for food applications.

[0056] Said container (or packaging means) may have different forms, and more particularly can be a bag.

5 [0057] Said container may comprise (or consists of) polyester, aluminium and polyethylene.

[0058] The polyester can allow the printing, and the polyethylene can allow the sealing at high temperature.

[0059] The aluminium acts as oxygen barrier.

10 [0060] Preferably, said container comprises (about) 17 g/m² of polyester, (about) 19 g/m² of aluminium and (about) 92 g/m² of polyethylene.

[0061] There is no need to add a polyamide layer which is usually used for packing under vacuum.

15 [0062] Preferably, said container (or bag) has a thickness of about 119 microns. It is thicker than the packaging means usually used for active dried yeast, which is about 106 microns.

[0063] Advantageously, said container further comprises
20 an easy opening system, i.e. a system (or means) provided for opening said container (e.g. a bag) without any cutting material. Said easy opening system may result from a special coating system applied only on a specific area where the sealing will be done.

25 [0064] Said container must be impermeable to oxygen and to humidity.

[0065] Indeed, the residual humidity must be kept as low as possible. In a preferred (bakery) product (or a product for bakery industry) of the invention, the residual humidity is
30 less than 10%, preferably less than 6% and more preferably less than 5% based on the weight of the powdered composition.

[0066] A (bakery) product (or a product for bakery industry) according to the present invention can be stored for a long time at ambient temperature.

[0067] In a (bakery) product (or a product for bakery industry) according to the present invention, the bread improvement composition is sufficiently stable and the results in dough and/or bread improvement properties are comparable to those obtained when the components are each dosed separately, even after 12 months of storage. Moreover the yeast remains sufficiently stable and shows a gassing production capacity comparable to any regular instant active dry yeast.

[0068] The present invention also relates to a process for the preparation of a (bakery) product (or a product for bakery industry) comprising the steps of (or consisting of):

- admixing an improver composition and active yeast(s), both in powder form,
- optionally adding a bread flavour improvement composition in powder form,
- 20 - optionally adding (a) bread flavour improvement compound(s) in powder form,
- optionally adding salt,
- filling a container with the resulting powdered composition, and
- 25 - sealing said container under inert atmosphere, preferably nitrogen, with a volume ratio, inert atmosphere / powdered composition, comprised between about 50/50 and about 4/96, preferably between about 30/70 and about 4/96, and more preferably between about 10/90 and about 5/95.

30 [0069] In a process of the invention, the container is sealed under inert atmosphere, preferably under nitrogen, so

that a headspace of at least about 4%, preferably at least about 5% based on the total volume of said container is left. The headspace, after sealing, contains essentially inert atmosphere, preferably nitrogen, and the remaining volume is
5 occupied by the said powdered composition.

[0070] In a process of the invention, the headspace of the container may consists of 50%, 45%, 40%, 35%, 30%, 25%, 20% or 15% of inert atmosphere based on the total volume of said container. The remaining volume occupied by the said powdered
10 composition is thus respectively 50%, 55%, 60%, 65%, 70%, 75%, 80% or 85% based on the total volume of said container.

[0071] In a preferred process of the invention, the headspace of the container consists of more than about 10%, 9%, 8%, 7%, 6%, 5%, or more than about 4% of inert atmosphere based
15 on the total volume of said container.

[0072] In a preferred process of the invention, the headspace of the container consists of about 10%, 9%, 8%, 7%, 6%, 5% or about 4% of inert atmosphere based on the total volume of said container, and the remaining volume occupied
20 with respectively about 90%, 91%, 92%, 93%, 94%, 95% or about 96% of said powdered composition based on the total volume of said container.

[0073] The headspace may also contain less than about 5% oxygen based on the gas-phase volume in the container, after
25 sealing. This oxygen content is referred to as the residual oxygen content.

[0074] In a preferred process of the invention, the residual oxygen content is less than about 2%, preferably less than about 1% and more preferably less than about 0,5% based on
30 the gas-phase volume in the container, after sealing.

[0075] The container can be any container designed for food applications, impermeable to oxygen and humidity.

[0076] A preferred container is made of multilayer laminate films with barriers against oxygen and humidity.

5

[0077] The powdered composition in a (bakery) product (or a product for bakery industry) of the invention can be used as a powdered leaven composition and/or for the preparation of bread, cake, biscuits, pastries, snacks, pizza, etc.

10 [0078] The invention will be described in further details in the following examples, which are intended for illustration purposes only, and should not be construed as limiting the scope of the invention in any way.

EXAMPLESExample 1

[0079] A sourdough product, i.e. a stabilized dough
 5 fermented by lactic acid bacteria and/or yeast, is dried and
 put into powder form. The residual humidity content is 5% based
 on the weight of the sourdough. In other words, the dry matter
 of the sourdough is 95%.

[0080] In parallel, a bread improver composition is
 10 prepared by blending:

- Ascorbic acid, and
- Enzymes: Bel'ase A75[®] which is a fungal amylase (BELDEM,
 Belgium) and Bel'ase B210[®], which is a bacterial xylanase
 (BELDEM, Belgium).

15 [0081] The components mentioned above, together with
 yeast, which consists of instant active dry yeast with a 96%
 dry matter, and salt, are transferred into a container.

[0082] The proportions of the different components used
 in the powdered composition are summarised in Table 1.

20

Table 1.

Components	Proportion (1)	Proportion (2)
Sourdough	533.2	535.2
Instant active dry yeast	129.15	129.15
Ascorbic acid	1.5	1.5
Bel'ase B210 (Beldem, BELGIUM)	0.5	0.5
Bel'ase A75 (Beldem, BELGIUM)	0.25	0.25
Salt	333.4	333.4
Total	998	1000

[0083] The powdered sourdough, the yeast, salt and
 improvers are sealed, under nitrogen, in a container (a
 25 multilayer based films with barriers against oxygen and

humidity), so that a headspace of 5% based on the volume of said container is left, filled with the nitrogen. The residual oxygen content is 1% based on the gas-phase volume in the container.

5

Example 2

[0084] A stability follow-up is made by preparing a dough using the (bakery) product (or product for bakery industry) of the invention, prepared according to example 1, which has been stored at 47°C during seven days. These storage conditions are considered to reflect the stability of the yeast for a period of two years.

[0085] The dough consists of 280 g of flour, 162 ml of water and 6% - based on the weight of the flour - of the powdered composition of the (bakery) product (or product for bakery industry) of the invention after 7 days of storage at 47°C. The temperature of the water is 30°C. The ingredients are mixed during six minutes, with the temperature of the dough maintained at 30°C.

[0086] Comparative tests are also performed by preparing different sets of dough with compositions (having the same ingredients as the (bakery) product (or product for bakery industry) of the invention, in the same proportions) kept for different period of time, in different storage conditions, as described in Table 2.

Table 2.

Conditions	Ref n°
Open pack stored at 4°C	1
Closed pack under vacuum stored at 4°C	2
Open pack stored at 20°C	3
Closed pack under vacuum stored at 20°C	4
Closed pack under vacuum stored at 47°C	5
Bakery product of example 1 stored at 47°C	6

[0087] The results of the comparative tests are summarized in Table 3.

5 Table 3

Storage period		Ref. n°					
		1	2	3	4	5	6
Day 0	Volume (%)	100	100	100	100	100	100
Day 7	Volume (%)	100	93	94	97	95	94
Day 21	Volume (%)	98	97	97	100		
Day 35	Volume (%)	98	96	92	103		
Day 63	Volume (%)	96	98	79	102		

"Volume (%)" refers to the volume of baked product in relative percentage against the bread volume measured at day 0.

10 [0088] From the results summarized in Table 3, it can be concluded that the powdered composition of the bakery product of the invention is very stable.

[0089] After two years-equivalent of storage, the gassing power activity has been measured (carrying out a
15 commonly used baking process, known from the skilled person, in which the volume obtained is directly correlated to the gassing power of the yeast) at 95%, which is considered as stable for a normal instant active dry yeast.

[0090] After 2 years-equivalent of storage, the
20 percentage obtained with the powdered composition of a bakery product of example 1 is very similar to the one obtained when

the powdered composition is packaged under vacuum. But after these 2 years-equivalent of storage, the powdered composition of a bakery product of the invention has a better powder structure compared to the powdered composition packaged under vacuum.

Example 3

[0091] A powdered composition is prepared by admixing:

- 10 - A sourdough product produced by blending the above mentioned ingredients. The sourdough is dried and put into powder form. The residual humidity content is 5% based on the weight of the sourdough. In other words, the dry matter of the sourdough is 95%,
- 15 - instant active dry yeast with a 96% dry matter,
- hydrolysed proteins,
- Ascorbic acid,
- Enzymes: Bel'ase A75[®] which is a fungal amylase (BELDEM, Belgium) and Bel'ase B210[®], which is a bacterial xylanase
- 20 (BELDEM, Belgium), and
- Salt.

[0092] The proportions of the different components used in the powdered composition are summarised in Table 4.

Table 4

Compound	Proportion	Proportion
Sourdough	458,33	460,33
Instant active dry yeast	154.02	154.02
Ascorbic acid	1.5	1.5
Bel'ase B210 (Beldem, BELGIUM)	0.5	0.5
Bel'ase A75 (Beldem, BELGIUM)	0.25	0.25
Hydrolysed proteins	50	50
Salt	333.4	333.4
Total	998	1000

[0093] The powdered composition is sealed, under nitrogen, in a container (a multilayer based films with barriers against oxygen and humidity), so that a headspace of 5% based on the volume of said container is left, filled with the nitrogen. The residual oxygen content is 1% based on the gas-phase volume in the container.

10 **Example 4**

[0094] Another powdered composition is prepared by admixing:

- instant active dry yeast with a 96% dry matter,
- an emulsifier: Multec SSL 3000[®],
- 15 - Ascorbic acid,
- Enzymes: Bel'ase A75[®] which is a fungal amylase (BELDEM, Belgium) and Bel'ase B210[®], which is a bacterial xylanase (BELDEM, Belgium), and

[0095] The proportions of the different components used in the powdered composition are summarised in Table 5.

Table 5

Compound	Proportion
Multec SSL 3000 [®]	200
Instant active dry yeast	787.3
Ascorbic acid	9
Bel'ase B210 (Beldem, BELGIUM)	3
Bel'ase A75 (Beldem, BELGIUM)	0.7
Total	1000

[0096] The powdered composition is sealed, under nitrogen, in a container (a multilayer based films with barriers against oxygen and humidity), so that a headspace of 5% based on the volume of said container is left, filled with

the nitrogen. The residual oxygen content is 1% based on the gas-phase volume in the container.

5 **Example 5**

[0097] Bread is baked following the recipe described below.

[0098] Each dough consists of 2000 units of flour, 1280 units of water, 40 units of salts and 0,75% - based on the
10 weight of the flour - of the powdered composition of the (bakery) product (or product for bakery industry) of example 4, after storage at 20°C for different period of time. The temperature of the water is 18°C. The ingredients are mixed during two minutes, then six minutes, with the temperature of
15 the dough maintained at 29,4°C.

[0099] A comparative test is performed by preparing:

- Different sets of dough with a composition (having the same ingredients as the (bakery) product (or product for bakery industry) of the invention, in the same
20 proportions) packaged under vacuum, and stored also for different period of time, and
- another set of dough with all the ingredients put separately.

[00100] The following observations, as summarized in
25 Table 6, were made when the dough was prepared with a powdered composition that was stored for different period of time, in different conditions.

Table 6

Storage period		Conditions		
		(1)	(2)	(3)
Day 0	Volume (ml)	2775	2765	2765
3 months	Volume (ml)	2825	2750	2760
6 months	Volume (ml)	2900	2745	2750
9 months	Volume (ml)	2775	2750	2745
12 months	Volume (ml)	2775	2750	2760

(1) All ingredients used separately

(2) composition packaged under vacuum and stored at 20°C

5 (3) powdered composition of the (bakery) product (or product for bakery industry) of the invention prepared according to example 4, stored at 20°C

[00101] From Table 6, it can be derived that the powdered
10 composition of the (bakery) product (or product for bakery industry) of the invention is stable.

[00102] After 12 months of storage, the volume obtained
with the powdered composition of a (bakery) product (or product
for bakery industry) of example 4 is slightly better than the
15 one obtained when the powdered composition is packaged under vacuum. And it could be noticed after 12 months of storage that the powdered composition packaged under vacuum had the tendency to form a block, losing its powder form. To the contrary, the powdered composition of a bakery product of example 4 had kept
20 its powder structure.

Example 6

[00103] A powdered composition is prepared by admixing:

- a sourdough product (dough fermented by lactic acid bacteria and/or yeast, dried and put into powder form)
- 5 with a residual humidity content of 5% based on the weight of the sourdough,
- instant active dry yeast with a 96% dry matter,
- hydrolysed proteins,
- Ascorbic acid, and
- 10 - Enzymes: Bel'ase A75[®] which is a fungal amylase (BELDEM, Belgium) and Bel'ase B210[®], which is a bacterial xylanase (BELDEM, Belgium).

[00104] The proportions of the different components used in the powdered composition are summarised in Table 7.

15 Table 7

Compound	Proportion
Sourdough	690,51
Instant active dry yeast	231,11
Ascorbic acid	2,25
Bel'ase B210 (Beldem, BELGIUM)	0,75
Bel'ase A75 (Beldem, BELGIUM)	0,38
Hydrolysed proteins	75
Total	1000

[00105] The powdered composition is sealed, under nitrogen, in a container (a multilayer based films with barriers against oxygen and humidity), so that a headspace of

20 5% based on the volume of said container is left, filled with the nitrogen. The residual oxygen content is 1% based on the gas-phase volume in the container.

[00106] In fact the powdered composition is the same as described in example 3 the salt excepted (there is no salt

25 added in the present example).

[00107] It has been observed that the absence (or presence) of salt does not influence the stability of the powdered composition packaged under inert atmosphere according to the invention (for instance after being stored at 47°C during 7 days) : the results obtained, having regard to the volume (%) measured such as in example 2 or 7, were very similar for powdered compositions, with or without salt, packaged under inert atmosphere according to the invention.

[00108] Indeed, the salt can be added while preparing the dough.

Example 7

[00109] A stability follow-up is made by preparing doughs using two products for bakery industry of the invention, prepared according to examples 1 and 3, which have been stored at 47°C during 1 week.

[00110] Storage conditions at 47°C during 1 week are considered to reflect the stability of the yeast for a period of two years.

[00111] Each dough consists of 280 g of flour, 162 ml of water and 6% - based on the weight of the flour - of a powdered composition of the products for bakery industry of the invention after 1 week. of storage at 47°C. The temperature of the water is 30°C. The ingredients are mixed during six minutes, with the temperature of each dough maintained at 30°C.

[00112] Comparative tests are also performed by preparing in parallel two sets of dough having the same ingredients, in the same proportions, wherein the powdered compositions are stored in different conditions at 20°C during 1 week, 2 weeks, etc..

[00113] The results of the comparative tests are summarized in Table 8.

Table 8

Storage period		Open pack at room T°	Product of ex. 1	Open pack at room T°	Product of ex. 3
week 0	Volume (%)		100%	100%	100%
Week 1	Volume (%)		95%	86%	97%
Week 2	Volume (%)	98%			100%
Week 3	Volume (%)	96%	98%		100%
Week 4	Volume (%)	95%	93%	77%	
Week 5	Volume (%)	91%			96%
Week 6	Volume (%)	85%		79%	90%
Week 7	Volume (%)	83%	96%	75%	
Week 8	Volume (%)				
Week 9	Volume (%)	78%		80%	90%
Week 10	Volume (%)				
Week 11	Volume (%)	75%	95%	64%	94%
Week 12	Volume (%)				
Week 13	Volume (%)				
Week 14	Volume (%)				
Week 15	Volume (%)	38%	93%	58%	92%
Week 16	Volume (%)				
Week 17	Volume (%)	19%		51%	
Week 18	Volume (%)				
Week 19	Volume (%)				
Week 20	Volume (%)		90%	47%	

5 "Volume (%)" refers to the volume of baked product in relative percentage against the bread volume measured at day 0.

[00114] From the results summarized in Table 7, it can be concluded that the powdered composition of the bakery product
10 of the invention is very stable.

[00115] After two years-equivalent of storage, the gassing power activity has been measured (carrying out a commonly used baking process, known from the skilled person, in which the volume obtained is directly correlated to the gassing
15 power of the yeast) at 95% and 97% respectively for a powdered composition packaged under inert atmosphere according to

example 1 and 3, which is considered as stable for a normal instant active dry yeast.

CLAIMS

1. A product for bakery industry comprising a container (3) and a powdered composition (1), said powdered composition (1) comprising an improver composition and an active yeast, wherein the headspace (2) of said container (3), after sealing, consists of at least about 5% of inert atmosphere, based on the total volume of said container (3).

2. A product according to claim 1 wherein said powdered composition (1) further comprises a flavour improvement composition and/or (a) flavour improvement compound(s) and/or salt.

3. A product according to claim 1 or 2, wherein said improver composition comprises:

- one or more enzymes selecting from the group consisting of amylases, xylanases, lipases, oxidases, dehydrogenases, laccases and proteases, and/or
- one or more oxidizing or reducing agents, and/or
- one or more emulsifiers, and/or
- one or more fatty materials, and/or
- one or more vitamins, and/or
- one or more sources of fibre, or
- a mixture of two or more thereof.

4. A product according to any of claims 1 to 3, wherein said flavour improvement composition comprises a sourdough product, a sponge product, or a mixture thereof.

5. A product according to any of claims 1 to 4, wherein said flavour improvement compound(s) comprise(s) one or more natural aroma compounds, one or more chemical aroma compounds,

one or more acids and/or one or more acidifying agents, or a mixture of two or more thereof.

6. A product according to any of claims 1 to 5, wherein said inert atmosphere consists of nitrogen, argon, helium, or
5 carbon dioxide, or a mixture of two or more thereof.

7. A product according to any of claims 1 to 6, wherein said flavour improvement composition and said active yeast have a dry matter of minimum 94 %.

8. A product according to any of claims 1 to 7, wherein
10 the residual oxygen content is less than about 2%, based on the gas-phase volume in the container, after sealing.

9. A product according to any of claims 1 to 8, wherein the residual humidity content is less than about 6%, based on the weight of said powdered composition.

15 10. A product according to any of claims 1 to 8, wherein the container is a multilayer based films impermeable to oxygen and to humidity.

11. A process for the preparation of a product for bakery industry comprising the steps of:

- 20 - admixing an improver composition and an active yeast, both in powder form,
- optionally adding a bread flavour improvement composition in powder form,
- optionally adding (a) bread flavour improvement compound(s)
25 in powder form,
- optionally adding salt,
- filling a container with the resulting powdered composition, and
- sealing said container under inert atmosphere, while
30 leaving a headspace of at least 5% based on the volume of said

container, said headspace consisting essentially of said inert atmosphere.

12. A process according to claim 11, wherein said improver composition comprises:

- 5 - one or more enzymes selecting from the group consisting of amylases, xylanases, lipases, oxidases and proteases, and/or
- one or more oxidizing or reducing agents, and/or
- one or more emulsifiers, and/or
- one or more fatty materials, and/or
- 10 - one or more vitamins,
- One or more sources of fibre, or
- a mixture of two or more thereof.

13. A process according to claim 11 or 12, wherein said flavour improvement composition comprises a sourdough product,
15 a sponge product, or a mixture thereof.

14. A process according to any of claims 11 to 13, wherein said inert atmosphere consists of nitrogen, argon, helium, or carbon dioxide, or a mixture of two or more thereof.

15. Use of a product according to any of claims 1 to 10
20 for the preparation of bread, cake, biscuits, pastries, snacks or pizzas.




Fig. 1

INTERNATIONAL SEARCH REPORT

International Application No
PCT/BE2005/000103

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A21D10/00 A21D8/04 B65D81/20 A23L3/3418 C12N1/18
C12N1/04 A23L3/3445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A21D B65D A23L C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 1 230 205 A (KONINKLIJKE GIST SPIRITUS 'NL') 28 April 1971 (1971-04-28) page 2, lines 64-102 example 10 claims 1-7,37,38	1,3,6,9, 10,15
X	WO 03/090543 A (DSM IP ASSETS BV ; GROEN DEODORUS JACOBUS (NL); HACK CORNELIS JACOBUS) 6 November 2003 (2003-11-06) page 3, lines 16-31 page 4, lines 12-19 page 4, line 27 - page 5, line 12 page 5, line 33 - page 6, line 6 page 6, line 23 - page 7, line 19 examples 3,5	1-3,5,6, 10-12, 14,15
Y	claims 1-3,10-13,17,19-21,23 ----- -/--	4,7,13

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

30 September 2005

Date of mailing of the international search report

10/10/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Piret-Viprey, E

INTERNATIONAL SEARCH REPORT

 Inter. Patent Application No
 PCT/BE2005/000103

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 328 250 A (CLEMENT PHILIPPE ET AL) 4 May 1982 (1982-05-04) column 9, lines 51-58 claims 1,7 -----	1,3,8,9, 15
Y	EP 0 375 558 A (3P SA) 27 June 1990 (1990-06-27) page 2, line 18 - page 3, line 25 page 3, lines 46-49 -----	4,7,13
A	----- claims 1-5	1-15
A	GB 2 009 583 A (PATENT TECHNOLOGY) 20 June 1979 (1979-06-20) page 1, lines 40-47,78-87 page 1, line 93 - page 2, line 18 page 2, lines 69-130 page 6, lines 52-56 claims 1,3-6,8,9,11,13,14,22,25,26 -----	1-15
A	US 5 384 139 A (VASSENEIX ANDRE) 24 January 1995 (1995-01-24) column 1, lines 49-60 claims 1,2 -----	1-15
A	DE 35 04 686 A (HERCULES VOLLKORNMUEHLENBAECKE) 14 August 1986 (1986-08-14) claims 1,8,10,11,14,15 page 7, lines 15-21 examples 1,2 -----	4,7,13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/BE2005/000103

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 1230205	A	28-04-1971	AT 305935 B	26-03-1973
			BE 741456 A1	08-05-1970
			CA 949805 A1	25-06-1974
			CH 541620 A	15-09-1973
			CS 150992 B2	17-09-1973
			DE 1956146 A1	17-09-1970
			DK 154770 B	19-12-1988
			ES 373306 A1	01-06-1972
			FR 2022909 A5	07-08-1970
			IE 33841 B1	13-11-1974
			IL 33322 A	30-04-1973
			IT 944524 B	20-04-1973
			JP 55010233 B	14-03-1980
			LU 59777 A1	13-05-1970
			MY 2473 A	31-12-1973
			NL 6916806 A	12-05-1970
			NO 150565 B	30-07-1984
			OA 3170 A	15-12-1970
			SE 355031 B	02-04-1973
			TR 17160 A	25-04-1974
YU 279869 A	30-04-1980			
ZA 6907814 A	30-06-1971			
WO 03090543	A	06-11-2003	AU 2003229733 A1	10-11-2003
			BR 0309433 A	15-02-2005
			CA 2483435 A1	06-11-2003
			CN 1649500 A	03-08-2005
			JP 2005523032 T	04-08-2005
			US 2005106287 A1	19-05-2005
US 4328250	A	04-05-1982	AU 514651 B2	19-02-1981
			AU 1551376 A	05-01-1978
			BE 843792 A1	05-01-1977
			CA 1075077 A1	08-04-1980
			DE 2629952 A1	03-02-1977
			ES 449558 A1	16-12-1977
			FR 2316328 A1	28-01-1977
			IT 1063787 B	11-02-1985
			JP 52007477 A	20-01-1977
			NL 7607329 A	05-01-1977
			SE 7607567 A	04-01-1977
			US 4370420 A	25-01-1983
EP 0375558	A	27-06-1990	FR 2640851 A1	29-06-1990
			NO 895200 A	11-07-1990
GB 2009583	A	20-06-1979	AU 525511 B2	11-11-1982
			AU 4150878 A	17-05-1979
			CA 1115116 A1	29-12-1981
			JP 1097136 C	14-05-1982
			JP 54089055 A	14-07-1979
			JP 56038166 B	04-09-1981
			NL 7811185 A	15-05-1979
US 5384139	A	24-01-1995	NONE	
DE 3504686	A	14-08-1986	NONE	