

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23L 1/305, A61K 31/385, 31/195	A1	(11) International Publication Number: WO 00/10408 (43) International Publication Date: 2 March 2000 (02.03.00)
(21) International Application Number: PCT/CA99/00772 (22) International Filing Date: 20 August 1999 (20.08.99) (30) Priority Data: 2,246,014 21 August 1998 (21.08.98) CA 09/138,136 21 August 1998 (21.08.98) US (71) Applicant (for all designated States except US): MUS- CLETECH RESEARCH AND DEVELOPMENT INC. [CA/CA]; Unit 100, 7050 Telford Way, Mississauga, Ontario L5S 1V7 (CA). (72) Inventor; and (75) Inventor/Applicant (for US only): GARDINER, Paul, T. [CA/CA]; 46 Gladstone Square, Brampton, Ontario L6S 2H6 (CA). (74) Agent: BERESKIN & PARR; 40th floor, 40 King Street West, Toronto, Ontario M5H 3Y2 (CA).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: FOOD SUPPLEMENTS COMPRISING LIPOIC ACID AND CREATINE AND METHODS FOR THEIR USE		
(57) Abstract Food supplement compositions comprise lipoic acid or a derivative thereof and creatine or a derivative thereof. The compositions optionally, but preferably, further comprise dextrose. The food supplement compositions are suitable for supplementing the diet of an athlete and particularly for enhancing an athlete's muscle size or strength.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

FOOD SUPPLEMENTS COMPRISING LIPOIC ACID AND CREATINE AND METHODS FOR THEIR USE

FIELD OF INVENTION

5 The present invention is directed to food supplements which comprise lipoic acid or derivative thereof and creatine or a derivative thereof, and to methods for supplementing the diet of an athlete and methods for enhancing an athlete's muscle size or strength, which methods employ these food supplements.

BACKGROUND OF INVENTION

10 Creatine (also known as N-methyl-N-guanyl glycine or (alpha methyl guanido) acetic acid) is an amino acid compound produced naturally in the liver and kidneys and obtained from food such as meat and fish. Food supplements containing creatine, typically creatine monohydrate, are commonly used by athletes to allow them to train harder and enhance muscle size and strength. Various commercial products containing creatine monohydrate are available.

15 Lipoic acid (also known as alpha-lipoic acid, thioctic acid or 6,8-dithio octanoic acid) is a nutrient that the human body makes in minute quantities and may be obtained from yeast and liver. Studies have shown that lipoic acid can significantly increase the body's utilization of blood sugar in type II diabetics and that lipoic acid may increase the metabolic clearance rate of glucose by 50% in diabetics. In Europe, 20 lipoic acid has been used as a substitute for insulin in the treatment of Type II diabetes.

Food supplements for enhancing an athlete's muscle size and strength have become popular substitutes for steroids and other drugs in various sports and body building regimes. However, as athletes continually strive for improved performance, there is a continuing need for non-steroid containing aids for improving muscle size and 25 strength.

SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide new food supplements. It is a more specific object of the invention to provide food supplements particularly adapted for supplementing the diet of an athlete. It is another object to 30 provide food supplements which may enhance an athlete's muscle size or strength. It is a further object of the invention to provide non-steroid containing food supplements and to provide food supplements which may be conveniently administered to the diet of an athlete.

35 These and additional objects are provided by the food supplements and methods according to the present invention. The food supplements comprise lipoic acid or a derivative thereof, for example a salt or ester thereof, and creatine or a derivative thereof, for example a hydrate, salt or ester thereof. The food supplements may optionally, and preferably, further comprise dextrose. It has been determined

that such food supplement compositions are advantageous for supplementing the diet of an athlete and may provide surprising enhancement of an athlete's muscle size or strength when administered to an athlete's diet. These and additional objects and advantages will be more fully apparent in view of the following detailed description.

5 **DETAILED DESCRIPTION OF THE INVENTION**

The food supplement compositions of the present invention comprise lipoic acid or a derivative thereof and creatine or a derivative thereof. Creatine and hydrates thereof, particularly creatine monohydrate, are known to improve and/or enhance muscle size and/or strength. The food supplements and methods of the present invention may provide further and significant muscle size and strength enhancement or improvement as compared with supplements and methods employing only creatine or a hydrate thereof. Although the present invention is not to be limited by any theoretical explanation, it is believed that insulin is a primary factor that stimulates glucose and creatine transport into the muscle cells and that the lipoic acid both mimics and enhances the actions of insulin in glucose and creatine transport into the muscle cells. In preferred embodiments, the compositions further include dextrose which has been shown to stimulate insulin action.

The food supplements comprise lipoic acid or a derivative thereof, for example a salt or ester thereof. Suitable salts include, but are not limited to, alkali and alkaline earth metal salts, for example sodium, potassium or calcium salts, while suitable esters include, but are not limited to, alkyl esters, for example, methyl, ethyl or propyl esters, or lactone esters.

The food supplement compositions further comprise creatine or a derivative thereof, for example a hydrate, salt or ester thereof. Commercially available creatine derivatives include creatine monohydrate, other creatine hydrates, creatine citrate and creatine pyruvate. The creatine which is employed in the food supplement compositions of the present invention preferably comprises creatine monohydrate, commercially available from various sources. It is similarly preferred that the creatine, creatine monohydrate or other creatine derivative is a pharmaceutical-grade material. As set forth above, the food supplement compositions also preferably further comprise dextrose (glucose), with pharmaceutical-grade dextrose being preferred.

The food supplement compositions of the present invention may be provided in liquid or powder form, with powders suitable for mixing with water or other liquids being preferred. The food supplement compositions in powder or granular form may be provided in accordance with customary processing techniques, for example as spray dried powders, or the like. Owing to the lipoic acid component, the food supplement compositions generally exhibit an acidic pH value.

The lipoic acid or salt, ester or other derivative thereof is employed in the food supplement compositions according to the present invention in an amount sufficient to increase creatine transport into the muscle cells. In a preferred embodiment, the food supplement compositions comprise from about 0.1 mg to about 10 mg lipoic acid or derivative thereof per gram of supplement and from about 0.01 g to about 0.5 g of creatine, preferably creatine monohydrate, or derivative thereof, per gram of supplement. In further preferred embodiments, the food supplement compositions comprise from about 0.5 mg to about 5 mg lipoic acid derivative thereof per gram of supplement and from about 0.05 g to about 0.25 g of creatine or derivative thereof per gram of supplement. Even more preferably the food supplement compositions comprise from about 1 mg to about 3 mg lipoic acid, salt, ester or other derivative thereof per gram of supplement and from about 0.05 g to about 0.2 g of creatine, creatine monohydrate or other derivative thereof per gram of supplement. Food supplement compositions further comprising dextrose preferably include the dextrose in an amount sufficient to stimulate insulin secretion and preferably the food supplement compositions comprise from about 0.1 g to about 0.9 g dextrose per gram of supplement. In further preferred embodiments, the food supplement compositions comprise from about 0.4 g to about 0.9 g dextrose per gram of supplement, and more preferably comprise from about 0.5 g to about 0.8 g dextrose per gram of supplement. Most preferably, the food supplement compositions comprise about 0.75 g dextrose per gram of supplement.

The food supplement compositions according to the present invention may further contain additional components to further increase the speed at or ease with which creatine enters the bloodstream and subsequently the muscle tissue, or to otherwise enhance the effects of the creatine in the body. For example, additional amino acids may be included in the food supplement compositions. Suitable amino acids include, but are not limited to, glutamine, alanine, taurine, carnitine, acetyl-L-carnitine, and the like. These additional amino acids may stimulate cell volumization and protein synthesis and therefore provide further advantages to increasing muscle strength and/or size. These amino acids may be employed individually or in various combinations and in amounts customary in the art, for example in the range of from about 0.01 mg to about 100 mg per gram of food supplement.

In a further preferred embodiment, the food supplement compositions also include a chromium compound. Again, while not intending to be limited by theory, various studies have indicated that chromium supplementing will improve glucose tolerance in insulin-sensitive individuals by up to 50% and thereby maximize insulin efficiency. Chromium is a constituent of a biologically active compound, the glucose tolerance factor (GTF), found in foods such as organ meats, whole grains, cheese, mushrooms and brewer's yeast. Various chromium compounds may be included in the

food supplement compositions, and in amounts effective to improve insulin efficiency. A preferred chromium compound is chromium picolinate, which may be included, for example in an amount of from about 50 to about 500 micrograms per 100 grams of supplement. Additional components for the food supplement compositions include
5 additional minerals such as magnesium, potassium, phosphorous, salts thereof, or mixtures thereof in amounts conventional in the art, for example, from about 0.01 mg to about 100 mg per gram of food supplement. The food supplement compositions also preferably contain ascorbic acid (vitamin C), for example in amounts equal to or exceeding the recommended minimum daily requirements. Another component for use in
10 the food supplements comprises beta-hydroxy, beta-methyl butyrate (HMB), in amounts known in the art.

The food supplement compositions may further comprise natural and/or artificial flavoring components, dyes or other coloring additives, preservatives and other conventional food supplement additives known in the art.

15 The food supplements according to the present invention may be employed in methods for supplementing the diet of an athlete, and/or for enhancing an athlete's muscle size or strength. The food supplement compositions of the present invention are particularly advantageous for creating an increased anabolic environment and obtaining extra growth in lean muscle mass and strength. The amount of the food
20 supplement composition which is administered to the diet of the athlete may vary depending on the desired effect, the body weight and characteristics of the athlete, and the like. For example, in preferred methods for supplementing the diet of an athlete and/or for enhancing an athlete's muscle size or strength, from about 10 mg to about 1,000 mg of lipoic acid, salt, ester or other derivative thereof and from about 1 g
25 to about 50 g of creatine, creatine monohydrate, or other derivative thereof are administered to the diet of the athlete on a daily basis. In more preferred embodiments of these methods, from about 50 mg to about 500 mg of lipoic acid or derivative thereof and from about 5 g to about 25 g of creatine, creatine monohydrate or other derivative thereof are administered to the diet of the athlete on a daily basis.
30 The food supplement may be administered in a single serving or in multiple servings spaced throughout the day. In alternate preferred embodiments, from about 100 mg to about 300 mg of lipoic acid or derivative thereof and from about 5 g to about 20 g of creatine, creatine monohydrate or other derivative thereof are administered to the diet of the athlete on a daily basis.

35 To facilitate such administration, preferred embodiments of the food supplement of the invention comprise from about 0.1 mg to about 10 mg lipoic acid or derivative thereof per gram of supplement and from about 0.01 g to about 0.5 g of creatine, creatine monohydrate, or other derivative thereof per gram of supplement,

and the supplement is administered in an amount of from about 10 g to about 500 g per day. In additional embodiments, such supplements are administered in an amount of from about 50 g to about 300 g per day, in one or multiple servings throughout the day.

5 In additional embodiments wherein the supplement further comprises dextrose, from about 10 mg to about 1,000 mg of lipoic acid or derivative thereof, from about 1 g to about 50 g of creatine, creatine monohydrate or other derivative thereof, and from about 10 g to about 300 g of dextrose are administered to the diet of the athlete on a daily basis. In further preferred embodiments, from about 50 mg to about 500 mg of lipoic acid or derivative thereof, from about 5 g to about 25 g of creatine, 10 creatine monohydrate, or other derivative thereof, and from about 50 g to about 200 g of dextrose administered to the diet of the athlete on a daily basis. Most preferably, each supplement serving comprises from about 100 mg to about 300 mg lipoic acid or a derivative thereof, from about 5 g to about 20 g of creatine, creatine monohydrate or other derivative thereof, and from about 50 g to about 90 g, more preferably about 75 g, 15 of dextrose.

When the food supplement further comprises dextrose, a supplement comprising from about 0.1 mg to about 10 mg lipoic acid or derivative thereof per gram of supplement, from about 0.01 g to about 0.5 g of creatine or derivative thereof per gram of supplement, and from about 0.1 g to about 0.9 g dextrose per gram of supplement, 20 preferably from about 0.5 g to about 0.8 g dextrose per gram of supplement, may be administered in an amount of from about 10 g to about 500 g, more preferably from about 50 g to about 300 g, per day.

In one embodiment of the methods according to the present invention, increased servings of the food supplement according to the present invention may be initially 25 administered to the athlete's diet in order to increase or enhance the athlete's muscle size or strength, followed by a maintenance period in which decreased servings of the food supplement may be administered. The initial period may be at least several days and may extend up to several weeks as desired. Once a desired muscle strength and/or size has been obtained, lower servings of the food supplement may be administered to 30 the athlete's diet in order to maintain the increased muscle size and/or strength. These features will be discussed in further detail in the examples. Additionally, in order to maximize the effects of the food supplement in enhancing muscle size and/or strength, it is preferred that the food supplement is administered to the diet of the athlete immediately following an exercise period. On non-workout days, the food 35 supplement may be administered anytime during the day, although administering the food supplement upon awakening or otherwise during the morning hours is preferred.

The food supplement compositions and methods of the invention are further illustrated in the following examples. In the examples and throughout the present

specification, parts and percentages are by weight unless otherwise specified.

EXAMPLES

EXAMPLE 1

5 In this example, an athlete consumes two servings of the food supplement as described herein daily, one in the morning and the other twelve hours later or immediately after his/her exercise workout. This regime is continued for five days in order to enhance muscle size and/or strength. Each serving of the food supplement is approximately 100 g and contains the following:

	<u>Component</u>	<u>Amount</u>
10	Lipoic Acid	200 mg
	Creatine Monohydrate	10 g
	Dextrose	75 g
	Taurine	2000 mg
	Vitamin C	250 mg
15	Magnesium	70 mg
	Potassium	150 mg
	Phosphorous	100 mg
	Chromium Picolinate	300 mcg

Each approximate 100 gram serving is mixed with 12 ounces of cold water to provide a liquid drink. An additional 8 ounces of water is consumed after the food supplement liquid drink is consumed.

EXAMPLE 2

25 The muscle size and/or strength enhancing regime of Example 1 is modified so that the athlete consumes four servings of the food supplement daily, with each serving being approximately 50 g of the supplement and comprising:

	<u>Component</u>	<u>Amount</u>
	Lipoic Acid	100 mg
	Creatine Monohydrate	5 g
	Dextrose	37.5 g
30	Taurine	1000 mg
	Vitamin C	125 mg
	Magnesium	35 mg
	Potassium	75 mg
	Phosphorous	50 mg
35	Chromium Picolinate	150 mcg

Each supplement serving is mixed with 12 ounces of cold water and the servings are administered at approximately evenly spaced times through the day, with one serving being consumed immediately after the athlete's exercise workout.

EXAMPLE 3

40 Once the regime described in Example 1 is completed, the athlete continues with a maintenance regime wherein one serving of the food supplement composition

described in Example 1 is consumed on a daily basis. The serving is consumed immediately after an exercise workout or, on non-workout days, upon awakening or otherwise in the morning hours. As described in Example 1, the approximate 100 gram serving is mixed with cold water to form a liquid drink. Alternatively, the food
5 supplement is be combined with other liquid drinks or foods as desired. This maintenance regime is continued for at least eight weeks to maintain enhanced muscle size and/or strength.

The servings set forth in these examples are designed for a 2000 calorie diet. Daily values may be increased or decreased depending on the calorie needs of
10 individual athletes, and/or body weights of individual athletes.

The examples and embodiments set forth in the present application are provided only to illustrate various aspects of the invention and additional embodiments and advantages of the food supplements and methods of the present invention will be apparent to those skilled in the art.

I CLAIM:

1. A food supplement, comprising lipoic acid or a derivative thereof, and creatine or a derivative thereof.
2. A food supplement according to claim 1, comprising lipoic acid or a salt
5 or ester thereof and creatine or a hydrate, salt or ester thereof.
3. A food supplement according to claim 1, comprising lipoic acid or a derivative thereof and creatine monohydrate.
4. A food supplement according to claim 1, comprising from about 0.1 mg to
10 about 10 mg lipoic acid or a derivative thereof per gram of supplement and from about 0.01 g to about 0.5 g of creatine or a derivative thereof per gram of supplement.
5. A food supplement according to claim 1, comprising from about 0.5 mg to
about 5 mg lipoic acid or a derivative thereof per gram of supplement and from about 0.05 g to about 0.25 g of creatine or a derivative thereof per gram of supplement.
6. A food supplement according to claim 1, comprising from about 1 mg to
15 about 3 mg lipoic acid or derivative thereof per gram of supplement and from about 0.05 g to about 0.2 g of creatine or a derivative thereof per gram of supplement.
7. A food supplement according to claim 1, further comprising dextrose.
8. A food supplement according to claim 7, comprising from about 0.1 mg to
20 about 10 mg lipoic acid or a derivative thereof per gram of supplement, from about 0.01 g to about 0.5 g of creatine or a derivative thereof per gram of supplement, and from about 0.1 g to about 0.9 g dextrose per gram of supplement.
9. A food supplement according to claim 7, comprising from about 0.5 mg to
25 about 5 mg lipoic acid or derivative thereof per gram of supplement, from about 0.05 g to about 0.25 g of creatine or a derivative thereof per gram of supplement, and from about 0.4 g to about 0.9 g dextrose per gram of supplement.
10. A food supplement according to claim 7, comprising from about 1 mg to
about 3 mg lipoic acid or a derivative thereof per gram of supplement, from about 0.05 g to about 0.2 g of creatine or a derivative thereof per gram of supplement, and from

about 0.5 g to about 0.8 g dextrose per gram of supplement.

11. A food supplement according to claim 1, further comprising ascorbic acid, taurine, magnesium, potassium, phosphorus, chromium, salts thereof, or mixtures thereof.

5 12. A food supplement according to claim 7, further comprising ascorbic acid, taurine, magnesium, potassium, phosphorus, chromium, salts thereof, or mixtures thereof.

10 13. A food supplement according to claim 1, comprising lipoic acid or a derivative thereof, creatine or a derivative thereof, dextrose, taurine, chromium picolinate and ascorbic acid.

14. A method for supplementing the diet of an athlete, comprising administering to the diet of the athlete a supplement comprising lipoic acid or a derivative thereof, and creatine or a derivative thereof.

15 15. A method according to claim 14, wherein from about 10 mg to about 1000 mg of lipoic acid or a derivative thereof and from about 1 g to about 50 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

16. A method according to claim 14, wherein from about 50 mg to about 500 mg of lipoic acid or a derivative thereof and from about 5 g to about 25 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

20 17. A method according to claim 14, wherein from about 100 mg to about 300 mg of lipoic acid or a derivative thereof and from about 5 g to about 20 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

25 18. A method according to claim 14, wherein the supplement comprises from about 0.1 mg to about 10 mg lipoic acid or a derivative thereof per gram of supplement and from about 0.01 g to about 0.5 g of creatine or a derivative thereof per gram of supplement, and further wherein the supplement is administered in an amount of from about 10 g to about 500 g per day.

19. A method according to claim 18, wherein the supplement is administered in an amount of from about 50 g to about 300 g per day.

20. A method according to claim 14, wherein the supplement further comprises dextrose.

21. A method according to claim 20, wherein from about 10 mg to about 1000 mg of lipoic acid or a derivative thereof, from about 1 g to about 50 g of creatine or a derivative thereof, and from about 10 g to about 300 g of dextrose are administered to the diet of the athlete on a daily basis.

22. A method according to claim 20, wherein from about 50 mg to about 500 mg of lipoic acid or a derivative thereof, from about 5 g to about 25 g of creatine or a derivative thereof, and from about 50 g to about 200 g of dextrose are administered to the diet of the athlete on a daily basis.

23. A method according to claim 20, wherein the supplement is administered in a serving which comprises from about 100 mg to about 300 mg lipoic acid or a derivative thereof, from about 5 g to about 20 g of creatine or a derivative thereof, and from about 50 g to about 90 g dextrose.

24. A method according to claim 14, wherein the food supplement is mixed with water to provide a liquid drink.

25. A method for enhancing an athlete's muscle size or strength, comprising administering to the diet of the athlete a supplement comprising lipoic acid or a derivative thereof, and creatine or a derivative thereof.

26. A method according to claim 25, wherein from about 10 mg to about 1000 mg of lipoic acid or a derivative thereof and from about 1 g to about 50 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

27. A method according to claim 25, wherein from about 50 mg to about 500 mg of lipoic acid or a derivative thereof and from about 5 g to about 25 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

28. A method according to claim 25, wherein from about 100 mg to about 300 mg of lipoic acid or a derivative thereof and from about 5 g to about 20 g of creatine or a derivative thereof are administered to the diet of the athlete on a daily basis.

29. A method according to claim 25, wherein the supplement comprises from about 0.1 mg to about 10 mg lipoic acid or a derivative thereof per gram of supplement and from about 0.01 g to about 0.5 g of creatine or a derivative thereof per gram of supplement, and further wherein the supplement is administered in an amount
5 of from about 10 g to about 500 g per day.

30. A method according to claim 29, wherein the supplement is administered in an amount of from about 50 g to about 300 g per day.

31. A method according to claim 25, wherein the supplement further comprises dextrose.

10 32. A method according to claim 31, wherein from about 10 mg to about 1000 mg of lipoic acid or a derivative thereof, from about 1 g to about 50 g of creatine or a derivative thereof, and from about 10 g to about 300 g of dextrose are administered to the diet of the athlete on a daily basis.

15 33. A method according to claim 31, wherein from about 50 mg to about 500 mg of lipoic acid or a derivative thereof, from about 5 g to about 25 g of creatine or a derivative thereof, and from about 50 g to about 200 g of dextrose are administered to the diet of the athlete on a daily basis.

20 34. A method according to claim 31, wherein the supplement is administered in a serving which comprises from about 100 mg to about 300 mg lipoic acid or a derivative thereof, from about 5 g to about 20 g of creatine or a derivative thereof, and from about 50 g to about 90 g dextrose.

INTERNATIONAL SEARCH REPORT

Intern Application No
PCT/CA 99/00772

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A23L1/305 A61K31/385 A61K31/195		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A23L A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 812 590 A (ASTA MEDICA AG) 17 December 1997 (1997-12-17) column 2, line 6 - line 21 ---	1-34
X	EP 0 702 953 A (ASTA MEDICA AG) 27 March 1996 (1996-03-27) page 3, line 58 -page 4, line 2 ---	1-34
X	NETRITION.COM "MET-RX CREATINE AC" 'ONLINE! AVAILABLE FROM INTERNET: <URL:HTTP://WWW.NETRITION.COM/CYTOPRO_PAGE .HTML> 30 NOVEMBER 1999, pages 1-7, XP002124392 page 5 see Copyright on page 7: "1996 - 1999" --- -/--	1-34
☒ Further documents are listed in the continuation of box C. ☒ Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search 1 December 1999		Date of making of the international search report 15/12/1999
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer Bendl, E

INTERNATIONAL SEARCH REPORT

International Application No
PCT/CA 99/00772

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MAXIMUSCLE "THE ULTIMATE 'ALL IN ONE' POWER PRODUCT" 'ONLINE! AVAILABLE FROM INTERNET: <URL: WWW.MAXIMUSCLE.COM/CYCLONE.HTML> 01.12.99, XP002124446 see Copyright: 1998 / 1999 ---	1-34
P,X	THE NUTRASENSE COMPANY "CREATINE MTS TRANSPORT SYSTEM" 'ONLINE! AVAILABLE FROM INTERNET: <URL:WWW.NUTRASENSE.COM/NUTRASENSE/CREATIN EMTS.HTML> 30. NOVEMBER 1999 , XP002124393 Last modification: 13. Aug. 1999 ---	1-34
P,X	VITANET "MUSCLE TECH'S CELL-TECH" 'ONLINE! AVAILABLE FROM INTERNET: <URL:HTTP://STORE.YAHOO.COM/VITANET/MUSTEC CEL4PO.HTML> 30. NOVEMBER 1999, XP002124394 Last modification: 08. Aug. 1999 ---	1-34
P,X	PHYSICAL ENHANCEMENT "EXTREME SUPPLEMENTATION" 'ONLINE! AVAILABLE FROM INTERNET: <URL:HTTP://PHYSICALENHANCEMENT.COM/SUPP/E XTREME4.HTML> 30. NOVEMBER 1999, XP002124395 Last modification 17. June 1999 ---	1-34
P,X	"ATHLETENGOLD" 'ONLINE! AVAILABLE FROM INTERNET: <HTTP://STORE.YAHOO.COM/ATHLETENGOLD/INLEM ANDGRAP.HTML> 01.DECEMBER 1999, XP002124447 Last modification: 18. Aug. 1999 -----	1-34

包含硫辛酸和肌酸的食品补充及它们的使用方法 4

本发明涉及包含硫辛酸或其衍生物和肌酸或其衍生物的食品补充组合物。所述组合物任选地，但是优选地，另外包含葡萄糖。所述食品补充组合物适于补充运动员的饮食，特别适于增强运动员的肌肉大小和强度。