



US00D760412S

(12) **United States Design Patent**
Andersson Murkett et al.

(10) **Patent No.:** **US D760,412 S**
(45) **Date of Patent:** **** Jun. 28, 2016**

- (54) **TAILLIGHT FOR A VEHICLE**
- (71) Applicant: **Daimler AG**, Stuttgart (DE)
- (72) Inventors: **Linda Andersson Murkett**, Ditzingen (DE); **Stefan Handt**, Stuttgart (DE)
- (73) Assignee: **Daimler AG**, Stuttgart (DE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/523,477**
- (22) Filed: **Apr. 10, 2015**

D552,769 S	*	10/2007	Leclercq	D26/28
D553,269 S	*	10/2007	Pfeiffer	D26/28
D565,211 S		3/2008	Haller et al.		
D570,015 S	*	5/2008	Hsu	D26/28

* cited by examiner

Primary Examiner — Marcus Jackson
(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a taillight for a vehicle, as shown and described.

DESCRIPTION

This application contains subject matter related to the following co-pending U.S. design patent applications: Application Ser. No. 29/523,474, filed herewith and entitled "Vehicle, Toy, and/or Replicas Thereof"; Application Ser. No. 29/523,475, filed herewith and entitled "Rear Portion of a Vehicle, Toy, and/or Replicas Thereof"; Application Ser. No. 29/523,476, filed herewith and entitled "Taillight for a Vehicle"; and Application Ser. No. 29/523,480, filed herewith and entitled "Vehicle, Toy, and/or Replicas Thereof".

FIG. 1 is a left perspective view of a first embodiment of a taillight for a vehicle according to the design; FIG. 2 is a front view thereof; and FIG. 3 is a left side view thereof. FIG. 4 is a right perspective view of a second embodiment of the taillight for a vehicle according to the design; FIG. 5 is a front view thereof; and FIG. 6 is a right side view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(30) **Foreign Application Priority Data**

Oct. 13, 2014 (WO) DM/084673

(51) **LOC (10) CL.** **26-06**


(52) **U.S. CL.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28–36; 362/61, 80–83, 267–269, 362/459–468, 475–478, 485–487
CPC F21S 48/00; F21S 48/10; F21S 48/115; F21S 48/225; F21S 48/1233; F21S 48/1266; F21S 48/1388; F21S 48/2268; F21V 21/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D498,013 S	*	11/2004	Pfeiffer	D26/28
D523,976 S	*	6/2006	Pfeiffer	D26/28
D538,452 S	*	3/2007	Pfeiffer	D26/28
D539,450 S	*	3/2007	Pfeiffer	D26/28
D549,363 S	*	8/2007	Pfeiffer	D26/28






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6