



US00D704875S

(12) **United States Design Patent**
Johnson

(10) **Patent No.:** **US D704,875 S**

(45) **Date of Patent:** **** May 13, 2014**

- (54) **FIRE RATED DOWNLIGHT HOUSING**
- (75) Inventor: **Andrew Joseph Johnson**, Klosters (CH)
- (73) Assignee: **Aurora Lighting Inc.**, Clearwater, FL (US)

7,607,935	B2 *	10/2009	Dahl	439/485
D608,041	S *	1/2010	Hua	D26/74
D609,840	S *	2/2010	Tang	D26/74
7,748,868	B2	7/2010	Patti et al.	362/269
7,954,974	B2 *	6/2011	Johnson	362/147
D655,436	S *	3/2012	Johnson	D26/74
D658,327	S *	4/2012	Meise et al.	D26/74

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/400,708**

Primary Examiner — Angela J Lee

(74) Attorney, Agent, or Firm — Hayes Soloway P.C.

(22) Filed: **Aug. 31, 2011**

(57) **CLAIM**

The ornamental design for a fire rated downlight housing, as shown and described.

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/330,674, filed on Jan. 12, 2009, now abandoned.

DESCRIPTION

(51) **LOC (10) Cl.** **26-05**

(52) **U.S. Cl.** **D26/74**
USPC **D26/74**

(58) **Field of Classification Search**
USPC D26/24, 72, 80, 81, 83, 85, 88, 89, 91, D26/113, 118, 123, 124, 138, 74, 76; 362/145, 146, 147, 148, 150, 153, 294, 362/296.01, 296.07, 296.08, 311.07, 362/311.09, 311.1, 345, 364, 365, 366, 373
See application file for complete search history.


FIG. 1 is a top plan view showing my design;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a side view from the top;
 FIG. 4 is a side view from the bottom;
 FIG. 5 is a perspective view thereof from one side, the other side being a mirror image;
 FIG. 6 is a top plan view of a second alternative embodiment of my design;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a side view from the top;
 FIG. 9 is a side view from the bottom;
 FIG. 10 is a perspective view thereof from one side, the other side being a mirror image;
 FIG. 11 is a top plan view of a third alternative embodiment of my design;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a side view from the top;
 FIG. 14 is a side view from the bottom; and,
 FIG. 15 is a perspective view thereof from one side, the other side being a mirror image.
 The broken lines illustrate environmental components of the fire rated downlight housing which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D247,562	S *	3/1978	Walker et al.	D14/209
5,664,869	A *	9/1997	Bitton	362/147
D448,880	S	10/2001	Benghozi	D26/74
7,191,993	B2	3/2007	Bobrowski	248/318
D544,979	S	6/2007	Hartmann et al.	D26/74
D558,378	S	12/2007	Rashidi	D26/74
7,331,555	B2	2/2008	St-Pierre	248/343
D574,541	S	8/2008	Matsumoto et al.	D26/74
7,473,005	B2	1/2009	O'Brien	362/148
7,476,010	B2	1/2009	Johnson	362/373
7,513,658	B2	4/2009	Shen	
7,530,717	B2	5/2009	Magisano et al.	362/365

1 Claim, 6 Drawing Sheets



US D704,875 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0068847	A1	3/2008	Bedard	362/365	
2008/0278953	A1 *	11/2008	Haugaard	362/365	
2012/0140490	A1 *	6/2012	Rowlette et al.	362/373	
D665,117	S *	8/2012	Yoshida et al.	D26/74	
8,308,322	B2 *	11/2012	Santiago et al.	362/365	* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15