US 20230359655A1

(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2023/0359655 A1**

MULLINS et al. (43) **Pub. Date: Nov. 9, 2023**

(54) **ENABLING EXCHANGE OF CONVERSATIONAL BOT SKILLS DURING CONVERSATIONAL CHAT**

(71) Applicant: **Microsoft Technology Licensing, LLC**, Redmond, WA (US)

(72) Inventors: **Christopher Lee MULLINS**, Sammamish, WA (US); **Scott Jeff GELLOCK**, Seattle, WA (US); **Thomas Matthew LAIRD-MCCONNELL**, Kirkland, WA (US); **Steven Wayne ICKMAN**, Redmond, WA (US); **Gabriel GILABERT**, Brooklyn, NY (US); **John Anthony TAYLOR**, Bellevue, WA (US)

(21) Appl. No.: **18/350,661**

(22) Filed: **Jul. 11, 2023**

Related U.S. Application Data

(63) Continuation of application No. 16/780,696, filed on Feb. 3, 2020, now Pat. No. 11,741,140.

(60) Provisional application No. 62/949,327, filed on Dec. 17, 2019.

Publication Classification

(51) **Int. Cl.**


G06F 16/332	(2006.01)
G06F 16/9032	(2006.01)
G06F 16/951	(2006.01)
G06F 16/9538	(2006.01)
H04L 51/02	(2006.01)
G06F 18/20	(2006.01)

(52) **U.S. Cl.**

CPC ***G06F 16/3329*** (2019.01); ***G06F 16/90332*** (2019.01); ***G06F 16/951*** (2019.01); ***G06F 16/9538*** (2019.01); ***H04L 51/02*** (2013.01); ***G06F 18/285*** (2023.01)

(57) **ABSTRACT**

In non-limiting examples of the present disclosure, systems, methods, and devices for enabling conversational bot communications are presented. A marketplace comprising an identity of a plurality of skills may be maintained, each of the plurality of skills associated with a manifest and a conversational bot. A request for execution of a specific skill may be received. A plurality of conversational bots may be identified, each of the plurality of conversational bots being associated with a manifest for executing the specific skill. The plurality of conversational bots may be ranked. The specific skill may be caused to be executed by the highest ranked conversational bot. In some examples, a plurality of highest ranked conversational bots may be surfaced and a bot that is selected may execute the specific skill.





104
Natural Language Input (Command/ Query) 106A
108
Bot Chat 128
110
112
Bot Chat 129
102
Natural Language Input (Command/Query) 106B
100
120
122
119
118
116
Data Store
114
NETWORK 126
128
124
Skill Request 107A
Natural Language Input (Command/Query) 106D
Conversational Bot A
132
Skill A
Manifest A 136
134
Skill N
Manifest N 140
138
130
Manifest Marketplace
Skill Library 146
Skill Type
Manifest
Bot
Manifest
Bot
Manifest
Bot
144
142
Skill Request 107B
Conversational Bot B
150
Skill C
Manifest C 154
152
Skill N
Manifest N 158
156
148

FIG. 1

FIG. 2



Manifest
Publishing Info 204
Connection 206
Language 208
Activities
Message 212
Events 214
End of Conversation 216
Invoke 218
Add 220
Update 222
Delete 224
[Custom] 226
210
Sent Activities 228
202

FIG. 3



300A
302A
www.[restaurantwebsite].com
Bot
Online Now
306A
Welcome! How can I help you?
I would like to book a table for four at 7pm tomorrow
304A
Bot A
Skill A
Skill B
Skill C
308A
300B
302B
www.[restaurantwebsite].com
Bot
Online Now
306B
Your table is booked.
Book me a car for my dinner.
304B
Bot A
Skill A
Skill B
Skill C
308B

FIG. 4



400
User Data 412
Address 414
Bot A
Skill A 418
Skill B 420
Skill C 422
416
Book Car Request
User Token 428
426
Skill Library 430
Book Car Skill
Manifest
Bot B
Bot C
Bot D
434
432
Conversation Control 442
Address 440
Bot C
Skill E 438
Skill F 440
Skill G 442
436
Execute Car Booking Skill 448
402
Rideshare Service B 406
Rideshare Service C 408
Rideshare Service D 410

FIG. 5



500
502
www.[restaurantwebsite].com
Bot
Online Now
506
Book me a car for my dinner.
Your car from [rideshare service] C will pick you up.
504
Bot A
Skill A
Skill B
Skill C
508

FIG. 6



600
602
Unsupervised ML
606
Language Processing
608
Neural Network
610
Skill Library
604
Skill Ranking Engine
612
Site Ranking Engine
614
NLP – Skill Match Engine
616
618
Type N Skills
Manifest
Bot M
Bot N
Bot O
628
Weather Skills
Bot J
Bot K
Bot L
626
Investment Skills
Bot G
Bot H
Bot I
624
Book Car Skill
Bot D
Bot E
Bot F
622
Travel Booking Skill
Bot A
Bot B
Bot C
620
630
Investment Service A
632
Investment Service B
634
Investment Service C
636
638
Web
640
Web Search Engine
642

FIG. 7A



Start
Receive NL input by first bot
702A
Identify skill needed to fulfill one of query and command
704A
Determine skill is not executable by first bot
706A
Determine skill is executable by second bot
708A
Send execution request from first bot to second bot
710A
Receive request for information needed for second bot to execute skill
712A
Send information to second bot
714A
End
700A

FIG. 7B




Start
Receive request for execution of skill from conversational bot
702B
Determine that execution of skill requires additional information
704B
Send a request for the additional information
706B
Receive the additional information
708B
Execute the skill
710B
End
700B

FIG. 8


Start
Maintain skill marketplace
802
Receive request for execution of specific skill
804
Identify plurality of conversational bots associated with a manifest for executing skill
806
Rank conversational bots
808
Cause the skill to be executed by highest-ranked bot
810
End
800




FIG. 9



1000
1061
Special-Purpose Processor
1060
Processor
1062
Memory
1002
1066
Apps
1005
Display
1030
Peripheral Device Port
1064
OS
1068
Storage
1035
Keypad
1070
Power Supply
Video Interface
Audio Interface
Radio Interface Layer
LED
1076
1074
1072
1020

FIG. 10



COMPUTING DEVICE
SYSTEM MEMORY
OPERATING SYSTEM
1105
PROGRAM MODULES
CONVERSATIONAL BOT APPLICATION
SKILL MATCHING ENGINE
1111
LANGUAGE PROCESSING ENGINE
1113
WEBSITE RANKING ENGINE
1115
SKILL RANKING ENGINE
1117
1120
1106
1104
1108
PROCESSING UNIT
1102
REMOVABLE STORAGE
1109
NON-REMOVABLE STORAGE
1110
INPUT DEVICE(S)
1112
OUTPUT DEVICE(S)
1114
COMMUNICATION CONNECTIONS
1116
1100
OTHER COMPUTING DEVICES
1150

FIG. 11



GENERAL COMPUTING DEVICE
1204
TABLET COMPUTING DEVICE
1206
MOBILE COMPUTING DEVICE
1208
NETWORK
1215
SERVER
1202
STORE
1216
DIRECTORY SERVICES
1222
WEB PORTAL
1224
MAILBOX SERVICES
1226
INSTANT MESSAGING STORES
1228
SOCIAL NETWORKING SERVICES
1230

FIG. 12

ENABLING EXCHANGE OF CONVERSATIONAL BOT SKILLS DURING CONVERSATIONAL CHAT

RELATED APPLICATIONS

[0001] This application claims priority to and is a continuation of U.S. patent application Ser. No. 16/780,696, filed Feb. 3, 2020, and entitled "MARKETPLACE CONVERSATIONAL BOT SKILLS," which claims priority to U.S. Provisional Patent Application No. 62/949,327, filed Dec. 17, 2019, and entitled "MARKETPLACE FOR CONVERSATIONAL BOT SKILLS," each of which are hereby incorporated by reference in their entireties for all purposes.

BACKGROUND

[0002] Entities are increasingly using conversational bots to handle user requests and commands related to their goods and services. Users often input complex queries and commands to conversational bots that cannot adequately process those requests for various reasons. For example, some requests are simply not supported by a corresponding conversational bot, and some requests may not be understood correctly. Additionally, while some requests may be understood correctly by a conversational bot, the conversational bot may nonetheless not have the requisite information needed to execute a skill needed to appropriately respond.

[0003] It is with respect to this general technical environment that aspects of the present technology disclosed herein have been contemplated. Furthermore, although a general environment has been discussed, it should be understood that the examples described herein should not be limited to the general environment identified in the background.

SUMMARY

[0004] This summary is provided to introduce a selection of concepts in a simplified form that are further described below in the Detailed Description section. This summary is not intended to identify key features or essential features of the claimed subject matter, nor is it intended to be used as an aid in determining the scope of the claimed subject matter. Additional aspects, features, and/or advantages of examples will be set forth in part in the description which follows and, in part, will be apparent from the description or may be learned by practice of the disclosure.

[0005] Non-limiting examples of the present disclosure describe systems, methods, and devices for enabling conversational bot communications. Examples described herein relate to one or more conversational bots, which may execute one or more skills. Each skill may be described in one or more manifests. A manifest may describe an object that is capable of sending and receiving conversational bot framework-compatible messages. A manifest may allow configuration, registration, and publishing data about a conversational bot and/or skill to be authored, stored, and transmitted between services. A manifest may describe how to contact a conversational bot, what capabilities a conversational bot offers, and information about how it should be published.

[0006] In examples, a user-bot conversation may be initiated via a messaging construct. The messaging construct may comprise a web chat interface, an application chat interface, or a digital assistant interface, for example. A user may provide a query or command to the conversational bot. The conversational bot may determine whether it has a skill that is required to fulfill the query or command. If the conversational bot has the skill, it may simply perform the skill and in some instances communicate the completion of the query or command to the user.

[0007] In examples where the conversational bot does not have the skill required to fulfill the query or command, it may determine whether there is another conversational bot that has the skill. The conversational bot that received the query or command (the primary conversational bot) may query a manifest marketplace or other skill repository to determine whether there is another conversational bot that may perform the skill and fulfill the query or command for the user. If a determination is made that there is another conversational bot that can execute the skill (the secondary conversational bot) the primary conversational bot may pass control of the conversation to the secondary conversational bot until the query or command is fulfilled. Passing the conversation may simply mean that the secondary conversational bot perform actions and/or communicate with the primary conversational bot and need not necessarily communicate directly via the user chat interface. For example, the secondary conversational bot may send requests for information to the primary conversational bot, the primary conversational bot may obtain that information, and it may be passed back to the secondary conversational bot for skill execution. Once the secondary conversational bot has executed a requisite skill to complete an original request, the primary conversational bot may take control of the conversation back over and respond to the original query or command.

[0008] In some examples, an identity and a classification of a plurality of skills, manifests, and conversational bots may be stored in a manifest marketplace. The manifest marketplace may be searchable by skill type. In some examples, the skills, conversational bots, and/or manifests, may be scored based on website ranking factors. For example, websites that have associated conversational bots may have a rank score that may be provided to the manifest marketplace. The manifest marketplace may use the website ranking and in some cases one or more additional factors to rank conversational bots and associated skills. Skill requests from conversational bots may be routed to the manifest marketplace to determine whether there is a bot that can execute a particular skill needed to fulfill a request.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009] Non-limiting and non-exhaustive examples are described with reference to the following figures:

[0010] FIG. **1** is a schematic diagram illustrating an example distributed computing environment for enabling conversational bot communications.

[0011] FIG. **2** illustrates a skill manifest and associated exemplary elements included in the skill manifest.

[0012] FIG. **3** illustrates a computing device and an exemplary communication with a conversational bot associated with a restaurant entity.

[0013] FIG. **4** illustrates bot-to-bot communications and the processing of a command from the bot communication of FIG. **3**.

[0014] FIG. **5** illustrates a computing device that displays the result of the processing and bot-to-bot communications performed in relation to FIG. **4**.

[0015] FIG. **6** is a schematic diagram illustrating an example distributed computing environment for identifying relevant skills from a manifest marketplace in relation to natural language input queries and commands.

[0016] FIG. **7**A is an exemplary method for enabling conversational bot communications in relation to a natural language input.

[0017] FIG. **7**B is another exemplary method for enabling conversational bot communications in relation to a natural language input.

[0018] FIG. **8** is an exemplary method for enabling conversational bot communications in relation to a natural language input and a manifest marketplace.

[0019] FIGS. **9** and **10** are simplified diagrams of a mobile computing device with which aspects of the disclosure may be practiced.

[0020] FIG. **11** is a block diagram illustrating example physical components of a computing device with which aspects of the disclosure may be practiced.

[0021] FIG. **12** is a simplified block diagram of a distributed computing system in which aspects of the present disclosure may be practiced.

DETAILED DESCRIPTION

[0022] Various embodiments will be described in detail with reference to the drawings, wherein like reference numerals represent like parts and assemblies throughout the several views. Reference to various embodiments does not limit the scope of the claims attached hereto. Additionally, any examples set forth in this specification are not intended to be limiting and merely set forth some of the many possible embodiments for the appended claims.

[0023] The various embodiments and examples described above are provided by way of illustration only and should not be construed to limit the claims attached hereto. Those skilled in the art will readily recognize various modifications and changes that may be made without following the example embodiments and applications illustrated and described herein, and without departing from the true spirit and scope of the claims.

[0024] Examples of the disclosure provide systems, methods, and devices for enabling conversational bot communications. A conversational bot may be published by, and/or associated with, a particular entity. For example, a first company may host a first conversational bot that provides artificial intelligence-driven conversational capabilities in relation to goods and/or services provided by that company, and a second company may host a second conversational bot that provides artificial intelligence-driven conversational capabilities in relation to goods and/or services provided by that company. Other entities that a conversational bot may be published by and/or associated with may include individual users, applications, websites, and/or digital assistants.

[0025] A conversational bot may comprise one or more software objects that interact with input (e.g., natural language input from a user, schematic input, object-oriented input) and/or other bots in a conversational manner. A conversational bot may be associated with one or more skills, and each skill may be associated with one or more manifests. A skill may comprise one or more operations that are performed by a conversational bot to accomplish a task. A manifest may comprise one or more objects that describe how to contact a conversational bot, what capabilities a conversational bot offers, and information about how that information should be published.

[0026] In some examples, a conversational bot and/or one or more corresponding manifests may be hosted by an entity's website or database. In additional examples, a plurality of manifests, conversational bots, and/or skills may be stored in one or more repositories. Examples of a conversational bot repository include a conversational bot service and a manifest marketplace. Websites and repositories that host bot manifests may be searchable, and therefore utilized, by computing devices seeking to interact with corresponding bots. Computing devices and their associated applications and interfaces may interact with hosted bots and manifests utilizing one or more application programming interfaces (APIs).

[0027] In examples, when a conversational bot receives a request or command, a determination may be made by the conversational bot as to whether it has a skill (and corresponding manifest) that can fulfill that request or command. If a determination is made that the conversational bot does have a skill that can fulfill the request or command, and the conversational bot has all the information it needs to fulfill that request itself, it may execute the skill and fulfill the request or command. If a determination is made that the conversational bot does have a skill that can fulfill the request or command but that the conversational bot does not have all the information it needs to fulfill that request itself, it may cause a request for the missing information to be surfaced in a chat dialog with a user that can provide that missing information. In some examples, the conversational bot, if it has been granted permission to do so by a user (e.g., via account settings, via explicit input), may automatically obtain missing information needed to complete a request or command from a user account database or other information source associated with a requesting user.

[0028] In examples where a conversational bot does not have a skill needed to fulfill a request or command, the conversational bot, or a conversational bot service, may identify a secondary conversational bot that is capable of executing that skill and thereby fulfilling the request or command. In some examples, a conversational bot service may access a manifest marketplace to identify one or more conversational bots that have a skill that can fulfill a request or command. The manifest marketplace may include a skill library that includes an identity of each of a plurality of conversational bots, an identity of one or more skills that are associated with each of those conversational bots, and one or more manifests associated with those one or more skills. In some examples, the manifest marketplace may be populated with skills, conversational bots, and/or manifests via a registration process. In some examples, the manifest marketplace may require that skills are capable of performing, or necessarily perform, one or more actions. For example, the manifest marketplace may require that skills of a specific skill type execute an encryption or personal identifiable information (PII) scrubbing action on data they receive in order to be registered with the manifest marketplace. In additional examples, the manifest marketplace may only register skills/bots for publishers of those skills/bots that go through an authentication process and/or that meet certain authentication requirements. In some examples, websites that have associated conversational bots may include their manifest in the website directory. Thus, the manifest mar-

ketplace may crawl website directories to identify new skills that may be registered with the manifest marketplace.

[0029] In examples, rather than having only a single manifest marketplace, there may be a plurality of manifest marketplaces. For example, there may be one or more public marketplaces as well as one or more domain specific marketplaces. Additionally, private marketplaces may exist. For example, manifest marketplaces may exist behind corporate firewalls or inside a government data center. The non-public marketplaces may be searchable upon authentication of user domains and/or user credentials. According to some examples, a manifest marketplace may be maintained by an administrator. For example, an administrator for a marketplace may only allow certain bots and/or skills to be added to it. Additionally, an administrator for a marketplace may remove certain bots and/or skills as it sees fit and/or based on violations of a terms of service contract.

[0030] In examples, the skills and/or the manifests included in the skill library may be classified, tagged, organized, or otherwise associated with a skill type. As such, the skills and/or manifests may be searchable and/or matched to natural language queries and commands, and schema-defined queries and commands, that are received by the conversational bot service. According to some examples, a conversational bot may only hand off or accept skill execution operations to or from other conversational bots that have one or more skills and/or require one or more particular skills be performed. For example, a conversational bot may only hand off or accept skill execution operations to or from other conversational bots that will execute a PII scrubbing skill on any data associated with skill performance. In another example, a conversational bot may only hand off or accept skill execution operations to or from other conversational bots that will execute a data encryption skill on any data that it sends or receives.

[0031] In examples where a secondary conversational bot has been passed control of a conversation and/or execution of a skill, the secondary conversational bot may execute the skill that has been requested of it by the primary conversational bot (e.g., the bot in textual or audio communication with the user). In instances where the secondary conversational bot needs additional information to execute a skill, the secondary conversational bot may request that information from the primary bot or a different source. For example, the secondary conversational bot may provide a request for additional information that may be sent to the primary conversational bot and surfaced to the user in a conversational interface. The user may provide the necessary information that is required to the primary conversational bot, and that information may be provided by the primary conversational bot to the secondary conversational bot. In other examples, the secondary conversational bot may have been provided with access to obtain missing information directly (e.g., from a user database, from the user directly) rather than having to go through the primary conversational bot. In such instances, the secondary conversational bot may directly obtain the missing information and execute one or more skills so that a request or command received by the primary conversational bot can be completed. Once the request or command has been completed via execution of one or more skills by the secondary conversational bot, the secondary conversational bot may pass control over the conversation back to the primary conversational bot. The actions by the secondary conversational bot need never be seen by the interacting user. That is, in some examples, the requesting/commanding user need not receive a direct message from the secondary conversational bot. Rather, the primary conversational bot may relay any requests from the secondary conversational bot to the user or a database associated with the user, and/or the secondary conversational bot may perform actions on the backend that are never seen by the user aside from their results. In this way, the user may be provided with a seamless experience in which a single conversational bot accomplishes or facilitates all desired user actions.

[0032] In examples where a determination is made that a primary conversational bot does not have a skill needed to fulfill a request or command, and a further determination is made that there are no secondary conversational bots that have the skill needed to fulfill the request or command, the primary conversational bot may perform one or more fallback operations. A first fallback operation may comprise causing an indication (e.g., in a chat dialog) that the request or command cannot be fulfilled by the conversational bot to be surfaced. A second fallback operation may comprise causing a web search corresponding to the request or command to be performed and causing one or more results from that web search to be surfaced. A third fallback operation may comprise identifying one or more related tasks to the request or command that can be fulfilled via execution of an identified skill to be surfaced.

[0033] The systems, methods, and devices described herein provide technical advantages for performing tasks electronically and interacting with conversational bots. Processing costs (e.g., CPU cycles) associated with identifying services that may assist with task completion are reduced in that conversational bots may automatically identify other conversational bots associated with services that may be useful in executing skills that are needed for task completion. Privacy concerns associated with handing off information to third parties are also addressed via the mechanisms described herein in that when a task (e.g., a user query, a user command) is received by a first conversational bot, that conversational bot may require that secondary conversational bots that may complete portions of the task execute privacy-oriented skills (e.g., PII scrubbing skills, data encryption skills). User experience is also enhanced via the mechanisms described herein in that a user may have multiple conversational bots execute skills on her behalf, but only need to interact with a single conversational bot in the process. That is, because the systems, methods, and devices described herein allow for more interaction between conversational bots behind the scenes, the user need not be involved on the front end with each bot handling a request or command.

[0034] FIG. **1** is a schematic diagram illustrating an example distributed computing environment **100** for enabling conversational bot communications. Computing environment **100** includes natural language input sub-environment **102**, network and processing sub-environment **124**, data sources sub-environment **114**, manifest marketplace sub-environment **142**, first conversational bot sub-environment **130**, and second conversational bot sub-environment **148**.

[0035] Natural language input sub-environment **102** includes user **104**, laptop computing device **108**, digital assistant audio device **110**, and mobile computing device **112**. User **104** issues natural language input **106**A. Natural

language input **106**A may comprise a command or a query. Natural language input **106**A may be received by one of laptop computing device **108**, digital assistant audio device **110**, or mobile computing device **112**. In examples, natural language input **106**A may be received by a bot chat interface as illustrated by bot chat element **128** on laptop computing device **108**, and bot chat element **129** on mobile computing device **112**. For example, a website or application accessed on a computing device may surface a bot chat interface and a natural language input may be typed or audibly received by the bot chat interface. In other examples, natural language input **106**A may be received by a digital assistant service, such as by a digital assistant service associated with digital assistant audio device **110**. In examples where natural language input **106**A is received by a digital assistant service, it may be sent from the digital assistant service to a conversational bot service. In examples where natural language input **106**A is received directly by a bot interface, it may be automatically and/or directly received from a corresponding computing device (e.g., laptop computing device **108**, mobile computing device **129**) by a conversational bot service. Natural language input **106**A may be sent to the conversational bot service via an API.

[0036] Network and processing sub-environment **124** includes network **126** and server computing device **128**. Any and all of the computing devices described herein may communicate via a network, such as network **126** in network and processing sub-environment **124**. Network and processing sub-environment **124** may comprise a conversational bot service. That is, a conversational bot service may be hosted by one or more server computing devices, such as server computing device **128**. The conversational bot service may comprise a plurality of conversational bots. Each of the conversational bots may be associated with one or more manifests. A manifest may comprise an interface definition language (IDL) that includes instructions for sending, receiving, and processing commands associated with skills that a conversational bot may perform. A skill may comprise one or more activities that may be performed by a conversational bot. Additional details related to the elements that may be included in a manifest are described below in relation to FIG. **2**. Certain bots associated with the conversational bot service may not be associated with their own manifests. That is, a conversational bot that receives inputs and directs those inputs to one or more other conversational bots, but which does not perform any skills itself, may be associated with one or more conversational APIs, but need not be associated with its own manifest or manifests.

[0037] In some examples, the conversational bot service may include or otherwise be associated with a manifest marketplace. The manifest marketplace is illustrated by manifest marketplace sub-environment **142**. Manifest marketplace sub-environment **142** includes skill library **146**. Skill library **146** includes an identity of each of a plurality of conversational bots, an identity of one or more skills that are associated with each of those conversational bots, and one or more manifests associated with those one or more skills. In examples, the skills and/or the manifests included in skill library **146** may be classified, tagged, organized, or otherwise associated with a skill type. As such, the skills and/or manifests may be searchable and/or matched to natural language queries and commands, and schema-defined queries and commands, that are received by the conversational bot service. For example, natural language input **106**D may be provided to manifest marketplace **142** and one or more keywords or phrases included in natural language input **106**D may be matched to one more skills or skill types in manifest marketplace **142**.

[0038] The conversational bot service and/or the manifest marketplace may communicate with one or more data sources as illustrated by data sources sub-environment **114**. Data sources sub-environment **114** includes data store **116**, documents **119**, user information **118**, electronic messages **120**, and calendar information **122**. Data store **116** is representative of various data sources. Data store **116** may comprise data from the World Wide Web, data associated with conversational bot entities, and/or data associated with user accounts. Regarding data associated with user accounts, data store **116** may comprise data for a plurality of user accounts associated with one or more computing devices, one or more applications (e.g., productivity applications), and/or one or more application suites (e.g., productivity application suites). For example, user **104** may have a user account that is associated with one or more applications and/or services and data that includes settings for that user account, preferences for that user account, documents generated by that user account, documents sent by that user account, and/or documents received by that user account, all of which may be included in data store **116** with user information **118**. Thus, in this example, data store **116** may include user information **118**, documents **119** emails **120**, and calendar information **122** (or references thereto) associated with one or more user accounts.

[0039] In this example, natural language input **106**A is sent from one of laptop computing device **108**, digital assistant audio device **110**, or mobile computing device **112** to the conversational bot service in network and processing sub-environment **124** as illustrated by natural language input **106**B. Natural language input **106**B may be processed by one or more natural language processing models associated with the conversational bot service. In examples, the one or more natural language processing models may determine whether natural language input **106**B includes a reference to a specific conversational bot, reference to a specific skill, a reference to a specific skill type, reference to a task to be performed, or any combination of the same. In examples where a specific skill and a specific conversational bot are identified in natural language input **106**B, a schematized request to perform the skill may be sent from the conversational bot service to an endpoint corresponding to the specific conversational bot and the one or more manifests corresponding to the specific skill.

[0040] In examples where a specific conversational bot is not identified, but a specific skill and/or skill type is identified, further processing may be performed to determine a specific conversational bot and corresponding one or more manifests to send a request to. In some examples, the processing may comprise identifying one or more conversational bots, or entities associated with one or more conversational bots, that a user account for user **104** is associated with. For example, a user token comprising the identity of user **104** and/or user **104**'s user account may be provided to skill library **146** and a determination may be made as to one or more conversational bots and/or entities associated with conversational bots that user **104** has an account for. In additional examples, the processing may comprise identifying one or more conversational bots and/or entities that are publicly available for use (e.g., a user does not have to have

an account to access). The processing may further comprise identifying one or more conversational bots that have one or more manifests for performing a skill corresponding to the identified specific skill and/or skill type. In examples where more than one conversational bot is identified as being capable of performing an identified specific skill from natural language input **106**B, those conversational bots may be ranked. The ranking may comprise one or more metrics (e.g., popularity of website corresponding to conversational bot, popularity of conversational bot by other users, history of using conversational bot by user **104**).

[0041] In some examples, once a conversational bot and one or more manifests associated with the conversational bot have been identified for performing the specific skill, the conversational bot service may send a request for performance of the skill to one or more endpoints for the identified manifests. In other examples, if a conversational bot is identified for performing the specific skill, but a specific manifest has not been identified, the conversational bot service may send the natural language directly to the conversational bot and the conversational bot may identify one or more manifests for performing the specific skill. In this example, conversational bot A **132** in first conversational bot sub-environment **130** is identified as being able to perform a specific skill identified in natural language input **106**B. As such, the request for performance of the specific skill is sent to conversational bot A **132** via skill request **107**A.

[0042] In examples, a conversational bot may initiate and open a conversation between an origination point and the conversational bot when a skill request is received. The origination point may comprise a computing device (e.g., laptop computing device **108**, digital assistant audio device **110**, mobile computing device **112**), an interface where the skill request originated (e.g., bot chat interface **128**, bot chat interface **129**), and/or a conversational intermediary between an originating natural language input and the conversational bot (e.g., a digital assistant service, the conversational bot service). Thus, in this example, a conversation is initiated and opened by conversational bot A **132** when it receives skill request **107**A. As an example, skill request **107**A may comprise a request to perform skill A **134**. Thus, skill request **107**A may be sent to an endpoint specified in manifest A **136**. Skill A **134** may then be performed by conversational bot A **132**.

[0043] In addition to request **107**A including a request to perform skill A **134**, request **107**A may include a request to perform an additional skill that is not a skill that may be performed by conversational bot A **132**. That is, the additional skill may not be skill A **134** or one of the other skills, such as skill N **138** and corresponding manifest N **140**, that conversational bot A **132** is capable of performing. In examples, conversational bot A **132** may identify another conversational bot that is capable of performing the additional skill. For example, conversational bot A may query the conversational bot service and/or the manifest marketplace (e.g., skill library **146**) to identify one or more bots and corresponding manifests for performing the additional skill.

[0044] In this example, conversational bot A identifies that the additional skill is skill C **152**, which is performable by conversational bot **150** in second conversational bot sub-environment **148**. As such, conversational bot A **132** sends skill request **107**B to the endpoint included in manifest C **154** corresponding to skill C **152**. Conversational bot B **150** may then perform skill C **152** and return the result either directly to conversational bot A or to the origination point of the request (e.g., laptop computing device **108**, bot chat interface **128**, digital assistant audio computing device **110**, mobile computing device **112**, bot chat interface **129**) where the result may be caused to be surfaced.

[0045] According to examples, if conversational bot B **150** requires additional information not specified in skill request **107**B to fulfill the request, conversational bot B **150** may send a request for that additional information back to conversational bot A **132**. For example, conversational bot B **150** may need location information for user **104**, account credential information for user **104**, and/or payment information for user **104**, and that information may be requested from conversational bot A **132**, which may obtain that information and return it to conversational bot B **150**. In some examples, conversational bot A **132** may identify that information directly from user **104** via part of the conversation with user **104** on one of the devices included in natural language input sub-environment **102**. In other examples, conversational bot A **132** may identify that information from an account associated with user **104** (e.g., from user information **118** in data sources sub-environment **114**). The retrieval of that information may be made via execution of a specific skill and manifest associated with conversational bot A **132**.

[0046] In examples where a first conversational bot sends a subsequent request to a second conversational bot, the first conversational bot may turn over control of the open conversation to the second conversational bot. Once the second conversational bot has completed the portion of the request corresponding to its skills, the second conversational bot may turn control of the conversation back over to the first conversational bot.

[0047] FIG. **2** illustrates a skill manifest **202** and associated exemplary elements included in the skill manifest. Manifest **202** comprises publishing information element **204**, connection element **206**, language element **208**, activities element **210**, and sent activities element **228**. Activities element **210** further comprises message element **212**, events element **214**, end of conversation element **216**, invoke element **218**, add element **220**, update element **222**, delete element **224**, and [custom] element **226**. Manifest **202** may comprise more or fewer elements than illustrated in this example. Manifest **202** may describe an object that is capable of sending and receiving conversational bot framework-compatible messages. Manifest **202** may allow configuration, registration, and publishing data about a conversational bot to be authored, stored, and transmitted between services. Manifest **202** may describe how to contact a conversational bot, what capabilities a conversational bot offers, and information about how it should be published. Manifest **202** may be a flat list of name/value pairs, some of which are primitive, and some of which are complex (nested). Manifest **202** may be expressed in the JSON format but may also be projected into in-memory data structures in other languages (e.g., C #, JavaScript).

[0048] Publishing information element **204** may define an identity of a bot associated with manifest **202** that may execute activities included in manifest **202**; a publisher of the one or more bots associated with manifest **202**; copyright information for manifest **202**; and license information for manifest **202**. Publishing information element **204** may

contain information about how a conversational bot is published into a registry (e.g., a conversational bot service, a manifest marketplace).

[0049] Connection element **206** may define endpoint information for connecting with manifest **202** from one or more geographic locations (e.g., North America endpoint, European endpoint). Connection element **206** may include an authentication connection representing a sign-in service containing parameters describing how to use a conversational bot to request user sign-in and consent.

[0050] Language element **208** may define an identity of one or more languages that are supported by the bot associated with manifest **202**.

[0051] Activities element **210** may define operations that the bot can receive, execute, and/or modify. Activities element **210** may represent conversational behaviors made by humans and automated software within chat applications, email, and other text interaction programs. Each activity object may include a type field and represent a single action (e.g., send text content, send multimedia attachments, execute "like" button, typing indicator). Exemplary activities in activities element **210** are described below.

[0052] Message element **212** may define message types that may be received and attempted to be resolved by the bot. Message activities may represent content intended to be shown within a conversational interface. Message activities may contain text, speech, interactive cards, and binary or unknown attachments.

[0053] Events element **214** may define a plurality of named event type properties that indicate a task that a skill may execute. Events may be custom developed for each skill type. For example, for a flight booking skill there may be a "BookFlight" event that books a flight when called; for a calendar application there may be a "clock" event that checks an electronic calendar for calendar entries at periodic intervals when called; for an investment skill there may be a "GetStockPrice" event that obtains stock prices when called. Event activities may communicate programmatic information from a client or channel to a conversational bot. The meaning of an event activity may be defined by a "name" field, which may be meaningful within the scope of a channel. Event activities may be designed to carry both interactive information (such as button clicks) and non-interactive information (such as notification of a client automatically updating an embedded speech model). Event activities are the asynchronous counterpart to invoke activities. Event activities may be identified by a "type" value of event and specific values of the "name" field.

[0054] End of conversation element **216** may comprise a definition for ending an open conversation between a first conversational bot and the conversational bot associated with manifest **202** and/or ending an open conversation between the conversational bot associated with manifest **202** and a user communication element. In some examples, end of conversation activities may signal the end of a conversation from a recipient's perspective. This may be because the conversation has been affirmatively ended, or because the recipient has been removed from the conversation in a way that is indistinguishable from it ending. End of conversation activities may be identified by a "type" value.

[0055] Invoke element **218** may define a plurality of named invoke type properties that indicate a task that a skill will execute. Invoke activities may communicate programmatic information from a client or channel to a conversational bot and have a corresponding return payload for use within a channel. Invoke activities are the synchronous counterpart to event activities. Event activities may be designed to be extensible. Invoke activities may differ only in their ability to return response payloads back to a channel; because the channel must decide where and how to process these response payloads, invoke may only be useful in cases where explicit support for each invoke name has been added to a channel. Invoke activities may be identified by a "type" value of "invoke" and specific values of the "name" field.

[0056] Add element **220** may comprise a definition for adding operations and/or content to an existing activity.

[0057] Update element **222** may comprise a definition for updating operations and/or content for an existing activity.

[0058] Delete element **224** may comprise a definition for deleting operations and/or content from an existing activity.

[0059] [Custom] element **226** may comprise custom definitions for activities that may be created by bot developers for use in custom skills.

[0060] Sent activities element **228** may comprise activities that a conversational bot can send to a skill (e.g., to a different conversational bot). In contrast, activities **210** may comprise activities that a conversational bot corresponding to manifest **202** may perform.

[0061] FIG. **3** illustrates a computing device **302**A/**302**B and an exemplary communication with a conversational bot associated with a restaurant entity. Computing device **302**A in sub-environment **300**A, and computing device **302**B in sub-environment **300**B are the same computing device.

[0062] Web browser **304**A is open on computing device **302**A. Web browser **304**A is currently navigated to www.[restaurantwebsite].com. In this example, a user is interacting with the restaurant entity via a conversational bot for that entity. Specifically, real-time bot chat window **306**A is being utilized to communicate with conversational bot A **308**A. Conversational bot A **308** may be hosted by a conversational bot service and may be associated with a plurality of manifests (e.g., a manifest for skill A, a manifest for skill B, a manifest for skill C).

[0063] Conversational bot A **308**A opened the dialog in chat window **306**A with the text "Welcome! How can I help you?" The user then responded with the natural language input "I would like to book a table for four at 7 pm tomorrow".

[0064] Moving to sub-environment **300**B, in response to the user's natural language input discussed above, conversational bot A **308**B communicates the text "Your table is booked" in chat window **306**B. That is, conversational bot A **308**A may have executed a "BookTable" skill (e.g., one of skills A, B, or C). The user then responded with the natural language input "Book me a car for my dinner." Additional details regarding the processing of this natural language input are discussed below in relation to FIG. **4**.

[0065] FIG. **4** illustrates bot-to-bot communications and the processing of a command from the bot communication of FIG. **3**. The command at issue in this example is book car request **426**, which originated from the natural language input "Book me a car for my dinner." That natural language input was received by conversational bot A **416**, which is associated with the restaurant entity. Conversational bot A **416** has three skills that it can perform. Specifically, conversational bot A **416** can perform skill A **418**, skill B **420**, and skill C **422**. However, when conversational bot A **416**, or the conversational bot service on behalf of conversational

bot A **416**, receives the natural language input and processes it with one or more natural language processing models, a determination may be made that none of the skills that conversational bot A can perform will fulfill an identified "book car" command.

[0066] Because conversational bot A **416** determines that it cannot fulfill the "book car" command itself, it may determine whether one or more other bots that the user that generated the corresponding natural language input has access to may fulfill the "book car" command. In this example, conversational bot A **416** sends book car request **426** and user token **428** to manifest marketplace sub-environment **432**. Book car request **426** may comprise the natural language input originally received by conversational bot A **416** or a schematized version of that natural language input. User token **428** may comprise an account identity associated with the user that provided the natural language input and/or security credentials associated with that account. This information may be obtained by conversational bot A **416** from user data store **412**.

[0067] Manifest marketplace sub-environment **432** includes skill library **430**. Skill library **430** includes an identity of each of a plurality of conversational bots, an identity of one or more skills that are associated with each of those conversational bots, and one or more manifests associated with those one or more skills. In examples, the skills and/or manifests included in skill library **430** may be classified, tagged, organized, or otherwise associated with a skill type. As such, the skills and/or manifests may be searchable and/or matched to natural language queries and commands, and schema-defined queries and commands, that are received by the conversational bot service and/or the manifest marketplace.

[0068] In this example, a determination is made of a skill type associated with book car request **426** of "book car" skill. Thus, a plurality of book car skill bots (bot B, bot C, bot D) and corresponding manifests that are capable of performing the desired skill and handling book car request **426** are illustrated in book car skill element **434**. Each of those book car skill bots and corresponding manifests are associated with a different rideshare service. This is illustrated by rideshare service sub-environment **402**. For example, conversational bot B corresponds to rideshare service B database **406**, conversational bot C corresponds to rideshare service C database **408**, and conversational bot D corresponds to rideshare service database D **410**. Although the databases for the rideshare services are illustrated as containing their corresponding bots and manifests, the bots and manifests may be maintained separately by the conversational bot service.

[0069] According to examples, a determination may be made, utilizing user token **428**, via the manifest marketplace and/or communication with one or more of rideshare service B database **406**, rideshare service C database **408**, and/or rideshare service D **410**, that the user account associated with the natural language input book car request only has an account for one or a subset of the rideshare services and/or that settings associated with that user account indicate a preference for one of the rideshare services. In this example, a determination has been made that the rideshare service that the user account has an account with and/or a preference for using corresponds to rideshare service C database **408**. As such, conversation control **442** is passed from conversational bot A **416** to conversational bot C **436**, which is the conversational bot for that rideshare service. Conversation control **442** may comprise backend communications and operations that are never surfaced in a communication with a corresponding user. For example, conversational control **442** here may comprise conversational bot C **436** communicating with conversational bot A **416**, one or more additional conversational bots, and/or user data store **412**.

[0070] Conversational bot C **436** may perform three skills (skill E **438**, skill F **440**, and skill G **442**). At least one of those skills corresponds to a "book car" skill that is needed to complete book car request **426**. However, in some instances it may be the case that a bot that has taken control of a conversation needs additional information to complete to execute a skill and complete a request. In this example, conversational bot C **436** makes a determination that it needs one or both of an address where the user needs to be picked up and/or an address where the user needs to be dropped off. Depending on user privacy settings, conversational bot C **436** may obtain that address information directly from user data store **412** if it is available, or from conversational bot A **416**. In examples where that information is not available from user data store **412**, conversational bot C **436** may request the address information from conversational bot A **416**. As such, conversational bot A **416** may surface a request for that information in the bot chat window that it has open on one of the computing devices associated with the user, the user may provide that information to conversational bot A **416**, and address information **440** may then be provided from conversational bot A **416** to conversational bot C **436**.

[0071] Once conversational bot C **436** has all the requisite information needed to execute the "book car" skill it may execute and fulfill book car request **426**, as indicated by execute car booking skill element **448**. Upon executing the "book car" skill, conversational bot C **436** may send an "end of conversation" action indication to conversational bot A **416**, which may then take back control of the conversation.

[0072] FIG. **5** illustrates a computing device **502** that displays the result of the processing and bot-to-bot communications performed in relation to FIG. **4**. Conversational bot A **508** has taken control of the conversation back from the rideshare conversational bot (conversational bot C **436**). Computing device **502** displays web browser **504** and bot messaging window **506**. The user has previously provided the natural language input "Book me a car for my dinner" in messaging window **506**, conversational bot A **508** processed that request in combination with conversational bot C **436**, and the conversational bot notes this in messaging window **506** with the text "Your car from [rideshare service] C will pick you up.

[0073] Although FIGS. **3-5** illustrate bot-to-bot communications and user communications in relation to a bot messaging window in a website, other messaging constructs are within the scope of this disclosure. For example, conversational bot A **508** may communicate with the user via an audio device, via an intermediary digital assistant, via SMS message, and/or via email.

[0074] FIG. **6** is a schematic diagram illustrating an example distributed computing environment **600** for identifying relevant skills from a manifest marketplace in relation to natural language input queries and commands. Computing environment **600** includes manifest marketplace **602**, company database sub-environment **630**, and web service sub-environment **638**.

[0075] Manifest marketplace **602** includes skill library **604**. Skill library **604** includes an identity for each of a plurality of conversational bots, an identity of one or more skills that are associated with each of those conversational bots, and one or more manifests associated with those one or more skills. In examples, the skills and/or manifests included in skill library **604** may be classified, tagged, organized, or otherwise associated with a skill type. As such, the skills and/or manifests may be searchable and/or matched to natural language queries and commands, and schema-defined queries and commands, that are received by the conversational bot service.

[0076] In this example, manifest marketplace **602** includes skill classifications **618**. That is, there are a plurality of skill types for which corresponding manifests and conversational bots have been classified by skill type. Skill classifications **618** includes travel booking skills **620**, with corresponding conversational bots A, B and C; book car skills **622**, with corresponding conversational bots D, E and F; investment skills **624**, with corresponding conversational bots G, H and I; weather skills **626**, with corresponding conversational bots J, K and L; and type N skills **618** (exemplary of any miscellaneous skill type), with corresponding conversational bots M, N and O. The skill type divisions that are illustrated may be further divided in sub-classes and sub-classes of sub-classes. For example, travel booking skills **620** may be divided into flight booking skills, hotel booking skills, train booking skills. Book car skills **622** may be divided into car types and ride share types. Investment skills **624** may be divided by transaction type, pay or no pay, and cost per transaction. Weather skills **626** may be divided by geographic region and radar types.

[0077] Company database sub-environment **630** illustrates three exemplary investment services that each have a corresponding conversational bot. Although the three exemplary investment services are illustrated as being in the same sub-environment, they each correspond to a different service and therefore are separate and distinct from one another. For example, investment service A database **632** is associated with conversational bot G, which may perform one or more investment skills. Investment service B database **634** is associated with conversational bot H, which may perform one or more investment skills. Investment service C database **636** is associated with conversational bot I, which may perform one or more investment skills. The skills performed by each of those bots may be the same skill or a different skill. The manifests for those skills may differ by publishing elements only, or by a plurality of elements (e.g., endpoints, languages, activities, sent activities).

[0078] Manifest marketplace **602** further includes skill ranking engine **612**, site ranking engine **614**, and natural language processing skill matching engine **616**. Skill ranking engine **612** and/or site ranking engine **614** may receive data from web service sub-environment **638**. The data may comprise website rank data or data that may be utilized by skill ranking engine **612** and/or site ranking engine **614** to rank websites and associated skills. For example, web service sub-environment **638** includes web data **640** for websites and web search engine **642** from one or more search engines. Web data **640** may include an identity of a plurality of websites associated with entities that have conversational bots. Web data **640** may further include use data associated with those websites. For example, web data **640** may include a number of users that access a website, a frequency of access for a website, engagement data with a website (e.g., amount of time spent by users, number of pages of website viewed, number of scrolls on each page, number of orders placed), and/or engagement data with a conversational bot associated with a web page. Web search engine **642** may provide additional information to web data **640** that may be received by skill ranking engine **612** and/or site ranking engine **614**. For example, search engine **642** may collect information related to a number of searches for a particular website and/or conversational bot, a number of clicks on websites and/or conversational bot elements, a frequency of searches, and search term patterns. Any of that data may be provided to skill ranking engine **612** and/or site ranking engine **614**.

[0079] Skill ranking engine **614** may utilize data from web service sub-environment **638**, site ranking engine **614**, and/or skill use data from skill library **604** in calculating scores for skills and ranking them. The scores may be based on one or more of popularity of skill, popularity of conversational bot associated with skill, and/or popularity of entity associated with conversational bot. One or more machine learning models, such as neural network **610** and unsupervised machine learning model **606** may be utilized in calculating scores for websites and skills.

[0080] Natural language processing skill match engine **616** may perform operations associated with identifying relevant words and phrases from a natural language input provided to a conversational bot and matching those words and/or phrases to one or more highest ranked skills. Natural language processing skill match engine **616** may apply one or more language processing models, such as language processing model **608** in scoring words as being relevant to a skill. Language processing model **608** may comprise one or more word and/or sentence embedding layers (e.g., Word2Vec, BERT, Sent2Vec, Embeddings from Language Models (ELMo), recurrent neural network).

[0081] Language processing model **608** may further comprise a sentence level information aggregation layer for aggregating embeddings from each word in a natural language input into a distinct embedding for one or more sentences included in a natural language input. The distinct sentence aggregation layer may apply a neural network to the embeddings for each word. In examples, the neural network may comprise a gated recurrent unit (GRU) neural network or bidirectional GRU (bi-GRU) neural network. In other examples the neural network may comprise a long short-term memory (LSTM) neural network, an attention-based aggregation method, etc.

[0082] Language processing model **608** may further comprise a contextual aggregation layer for aggregating each distinct embedding for each of the sentences into a contextual embedding. In aggregating the distinct embeddings for each sentence, the contextual aggregation layer may apply a neural network to each distinct embedding for each of the sentences. In examples, the neural network may comprise a GRU neural network, or bi-GRU neural network. In other examples, the neural network may comprise an LSTM neural network, an attention-based aggregation method, etc.

[0083] Language processing model **608** may further comprise a scoring layer for scoring and ranking each of the sentences in a natural language input based on their relevance to a skill type (e.g., a "book car" skill type, "get stock price" skill type). In scoring and ranking each sentence, the scoring layer may apply a classifier function to each con-

textual embedding for each of the plurality of sentences (e.g., the embeddings generated by the contextual aggregation layer). In examples, the classifier function may comprise a sigmoid function. Other activation functions (e.g., tanh, softplus) may be utilized for scoring each sentence.

[0084] FIG. **7**A is an exemplary method **700**A for enabling conversational bot communications in relation to a natural language input. The method **700**A begins at a start operation and flow moves to operation **702**A.

[0085] At operation **702**A a natural language input is received by a first conversational bot. The natural language input may be received via a chat interface in a website, a chat interface in an application, a real-time messaging application, an SMS message, an email, and/or an intermediary digital assistant. The natural language input may be associated with a user account. For example, a user may be signed into an account associated with a web browser application, one or more applications, and/or an application service, and the account information may therefore be made available to the conversational bot.

[0086] From operation **702**A flow continues to operation **704**A where a skill needed to fulfill one of: a query included in the natural language input, and a command included in the natural language input, is identified. The skill may be associated with one or more manifests. A manifest may comprise one or more objects that describe how to contact a conversational bot, what capabilities a conversational bot offers, and information about how that information should be published. The skill may comprise one or more operations that may be performed by a conversational bot to accomplish a task. The skill may be identified via application of one or more natural language processing models to the natural language input.

[0087] From operation **704**A flow continues to operation **706**A where a determination is made that the skill is not executable by the first conversational bot. for example, the conversational bot and/or a conversational bot service may determine that the first conversational bot does not have a manifest that includes one or more activities needed to perform the skill.

[0088] From operation **706**A flow continues to operation **708**A where a determination is made that the skill is executable by a second conversational bot. The determination may be made by the conversational bot, a conversational bot service, and/or a manifest marketplace. In some examples, there may be more than one conversational bot that is identified as capable of executing the skill. In such examples, the plurality of bots may be scored and ranked based on factors including: popularity of conversational bot, popularity of website associated with conversational bot, and user preferences.

[0089] From operation **708**A flow continues to operation **710**A where a request for execution of the skill is sent from the first conversational bot to the second conversational bot. The request may be sent via an API. In some examples, the request may comprise the natural language input. In other examples, the request may comprise a schematized request for execution of the skill. In additional examples, the request may include a token describing the user (or user account) that generated the natural language input.

[0090] From operation **710**A flow continues to operation **712**A where a request for information needed for the second conversational bot to execute the skill is received by the first conversational bot from the second conversational bot. The information may relate to the user that generated the natural language input. For example, the second conversational bot may need payment information, time information, location information, among other information types, to execute the skill. In some examples, when the first conversational bot receives the request for information, it may request that information from the user (e.g., via a chat window, via an audio query). In other examples, when the first conversational bot receives the request for information, it may determine whether that information is available in a user store associated with a user account for the user.

[0091] From operation **712**A flow continues to operation **714**A where the information is sent by the first conversational bot to the second conversational bot. The second conversational bot may execute the skill and turn control of the conversation back over to the first conversational bot.

[0092] From operation **714**A flow moves to an end operation and the method **700**A ends.

[0093] FIG. **7**B is another exemplary method **700**B for enabling conversational bot communications in relation to a natural language input. The method **700**B begins at a start operation and flow moves to operation **702**B.

[0094] At operation **702**B a request for execution of a skill is received by a second conversational bot from a first conversational bot. The request for execution of the skill may be received in the form of the natural language input or a schematized format. According to some examples, the second conversational bot may determine whether the first conversational bot executes a PII scrubbing skill. In examples, the second conversational bot may only execute the skill for the first conversational bot if the first conversational bot executes a PII scrubbing skill.

[0095] From operation **702**B flow continues to operation **704**B where a determination is made by the second conversational bot that execution of the skill requires additional information. The information may relate to the user that generated the natural language input. For example, the second conversational bot may need payment information, time information, location information, among other information types, to execute the skill.

[0096] From operation **704**B flow continues to operation **706**B where a request for the additional information is sent from the second conversational bot to the first conversational bot. The request may be sent to the second conversational bot via an API.

[0097] From operation **706**B flow continues to operation **708**B where the additional information is received by the second conversational bot.

[0098] From operation **708**B flow continues to operation **710**B where the second conversational bot executes the skill. The second conversational bot may then pass control of the conversation back to the first conversational bot.

[0099] From operation **710** B flow moves to an end operation and the method **700**B ends.

[0100] FIG. **8** is an exemplary method **800** for enabling conversational bot communications in relation to a natural language input and a manifest marketplace. The method **800** begins at a start operation and flow moves to operation **802**.

[0101] At operation **802** a marketplace comprising an identity of a plurality of skills is maintained, each of the plurality of skills associated with a manifest and a conversational bot. The manifest marketplace may include a skill library that includes an identity of each of a plurality of conversational bots, an identity of one or more skills that are

associated with each of those conversational bots, and one or more manifests associated with those one or more skills. In examples, the skills and/or the manifests included in the skill library may be classified, tagged, organized, or otherwise associated with a skill type. As such, the skills and/or manifests may be searchable and/or matched to natural language queries and commands, and schema-defined queries and commands, that are received by a conversational bot service.

[0102] From operation **802** flow continues to operation **804** where a request for execution of a specific skill is received. The request may be received by the conversational bot service and/or a manifest marketplace. The request may be in the form of a natural language input or it may be in a schematized format.

[0103] From operation **804** flow continues to operation **806** where a plurality of conversational bots is identified, each of the plurality of conversational bots being associated with a manifest for executing the specific skill. In examples, the identification may be made based on keyword and/or phrase matching between a natural language input comprising the request for the specific skill, and categorized skill names in the skill library.

[0104] From operation **806** flow continues to operation **808** where the plurality of conversational bots is ranked. The plurality of conversational bots may be ranked based on a calculated value for each of the conversational bots. The value may be based on one or more of: a relevance of the bot to the requested skill, a popularity of the bot, a popularity of a website associated with the bot, user preferences, and user history of interaction with the conversational bots.

[0105] From operation **808** flow continues to operation **810** where the skill is caused to be executed by the highest-ranked conversational bot.

[0106] From operation **810** flow moves to an end operation and the method **800** ends.

[0107] FIGS. **9** and **10** illustrate a mobile computing device **900**, for example, a mobile telephone, a smart phone, wearable computer (such as smart eyeglasses), a tablet computer, an e-reader, a laptop computer, or other AR compatible computing device, with which embodiments of the disclosure may be practiced. With reference to FIG. **9**, one aspect of a mobile computing device **900** for implementing the aspects is illustrated. In a basic configuration, the mobile computing device **900** is a handheld computer having both input elements and output elements. The mobile computing device **900** typically includes a display **905** and one or more input buttons **910** that allow the user to enter information into the mobile computing device **900**. The display **905** of the mobile computing device **900** may also function as an input device (e.g., a touch screen display). If included, an optional side input element **915** allows further user input. The side input element **915** may be a rotary switch, a button, or any other type of manual input element. In alternative aspects, mobile computing device **900** may incorporate more or fewer input elements. For example, the display **905** may not be a touch screen in some embodiments. In yet another alternative embodiment, the mobile computing device **900** is a portable phone system, such as a cellular phone. The mobile computing device **900** may also include an optional keypad **935**. Optional keypad **935** may be a physical keypad or a "soft" keypad generated on the touch screen display. In various embodiments, the output elements include the display **905** for showing a graphical user interface (GUI), a visual indicator **920** (e.g., a light emitting diode), and/or an audio transducer **925** (e.g., a speaker). In some aspects, the mobile computing device **900** incorporates a vibration transducer for providing the user with tactile feedback. In yet another aspect, the mobile computing device **900** incorporates input and/or output ports, such as an audio input (e.g., a microphone jack), an audio output (e.g., a headphone jack), and a video output (e.g., a HDMI port) for sending signals to or receiving signals from an external device.

[0108] FIG. **10** is a block diagram illustrating the architecture of one aspect of a mobile computing device. That is, the mobile computing device **1000** can incorporate a system (e.g., an architecture) **1002** to implement some aspects. In one embodiment, the system **1002** is implemented as a "smart phone" capable of running one or more applications (e.g., browser, e-mail, calendaring, contact managers, messaging clients, games, and media clients/players). In some aspects, the system **1002** is integrated as a computing device, such as an integrated personal digital assistant (PDA) and wireless phone.

[0109] One or more application programs **1066** may be loaded into the memory **1062** and run on or in association with the operating system **1064**. Examples of the application programs include phone dialer programs, e-mail programs, personal information management (PIM) programs, word processing programs, spreadsheet programs, Internet browser programs, messaging programs, and so forth. The system **1002** also includes a non-volatile storage area **1068** within the memory **1062**. The non-volatile storage area **1068** may be used to store persistent information that should not be lost if the system **1002** is powered down. The application programs **1066** may use and store information in the non-volatile storage area **1068**, such as e-mail or other messages used by an e-mail application, and the like. A synchronization application (not shown) also resides on the system **1002** and is programmed to interact with a corresponding synchronization application resident on a host computer to keep the information stored in the non-volatile storage area **1068** synchronized with corresponding information stored at the host computer. As should be appreciated, other applications may be loaded into the memory **1062** and run on the mobile computing device **1000**, including instructions for providing and operating a conversational bot platform.

[0110] The system **1002** has a power supply **1070**, which may be implemented as one or more batteries. The power supply **1070** might further include an external power source, such as an AC adapter or a powered docking cradle that supplements or recharges the batteries.

[0111] The system **1002** may also include a radio interface layer **1072** that performs the function of transmitting and receiving radio frequency communications. The radio interface layer **1072** facilitates wireless connectivity between the system **1002** and the "outside world," via a communications carrier or service provider. Transmissions to and from the radio interface layer **1072** are conducted under control of the operating system **1064**. In other words, communications received by the radio interface layer **1072** may be disseminated to the application programs **1066** via the operating system **1064**, and vice versa.

[0112] The visual indicator **920** may be used to provide visual notifications, and/or an audio interface **1074** may be used for producing audible notifications via the audio transducer **925**. In the illustrated embodiment, the visual indica-

tor **920** is a light emitting diode (LED) and the audio transducer **925** is a speaker. These devices may be directly coupled to the power supply **1070** so that when activated, they remain on for a duration dictated by the notification mechanism even though the processor **1060** and other components might shut down for conserving battery power. The LED may be programmed to remain on indefinitely until the user takes action to indicate the powered-on status of the device. The audio interface **1074** is used to provide audible signals to and receive audible signals from the user. For example, in addition to being coupled to the audio transducer **925**, the audio interface **1074** may also be coupled to a microphone to receive audible input, such as to facilitate a telephone conversation. In accordance with embodiments of the present disclosure, the microphone may also serve as an audio sensor to facilitate control of notifications, as will be described below. The system **1002** may further include a video interface **1076** that enables an operation of an on-board camera **930** to record still images, video stream, and the like.

[0113] A mobile computing device **1000** implementing the system **1002** may have additional features or functionality. For example, the mobile computing device **1000** may also include additional data storage devices (removable and/or non-removable) such as, magnetic disks, optical disks, or tape. Such additional storage is illustrated in FIG. **10** by the non-volatile storage area **1068**.

[0114] Data/information generated or captured by the mobile computing device **1000** and stored via the system **1002** may be stored locally on the mobile computing device **1000**, as described above, or the data may be stored on any number of storage media that may be accessed by the device via the radio interface layer **1072** or via a wired connection between the mobile computing device **1000** and a separate computing device associated with the mobile computing device **1000**, for example, a server computer in a distributed computing network, such as the Internet. As should be appreciated such data/information may be accessed via the mobile computing device **1000** via the radio interface layer **1072** or via a distributed computing network. Similarly, such data/information may be readily transferred between computing devices for storage and use according to well-known data/information transfer and storage means, including electronic mail and collaborative data/information sharing systems.

[0115] FIG. **11** is a block diagram illustrating physical components (e.g., hardware) of a computing device **1100** with which aspects of the disclosure may be practiced. The computing device components described below may have computer executable instructions for assisting conversational bot interactions. In a basic configuration, the computing device **1100** may include at least one processing unit **1102** and a system memory **1104**. Depending on the configuration and type of computing device, the system memory **1104** may comprise, but is not limited to, volatile storage (e.g., random access memory), non-volatile storage (e.g., read-only memory), flash memory, or any combination of such memories. The system memory **1104** may include an operating system **1105** suitable for running one or more conversational bot applications and/or services. The operating system **1105**, for example, may be suitable for controlling the operation of the computing device **1100**. Furthermore, embodiments of the disclosure may be practiced in conjunction with a graphics library, other operating systems, or any other application program and is not limited to any particular application or system. This basic configuration is illustrated in FIG. **11** by those components within a dashed line **1108**. The computing device **1100** may have additional features or functionality. For example, the computing device **1100** may also include additional data storage devices (removable and/or non-removable) such as, for example, magnetic disks, optical disks, or tape. Such additional storage is illustrated in FIG. **11** by a removable storage device **1109** and a non-removable storage device **1110**.

[0116] As stated above, a number of program modules and data files may be stored in the system memory **1104**. While executing on the processing unit **1102**, the program modules **1106** (e.g., conversational bot application **1120**) may perform processes including, but not limited to, the aspects, as described herein. According to examples, skill matching engine **1111** may perform one or more operations associated with matching a query and/or command included in a natural language input to one or more skills that may be executed by a conversational bot. Language processing engine **1113** may perform one or more operations associated with applying one or more natural language processing models to a natural language input to identify one or more tasks and associated skill requests therein. Website ranking engine **1115** may perform one or more operations associated with scoring a plurality of websites associated with conversational bots and ranking those bots based on the scores. Skill ranking engine **1117** may perform one or more operations associated with scoring skills associated with conversational bots based on match to natural language input and/or schematized request, popularity of bot, popularity of corresponding website, popularity for specific user, and user preferences, for example, and ranking the bots based on those scores.

[0117] Furthermore, embodiments of the disclosure may be practiced in an electrical circuit comprising discrete electronic elements, packaged or integrated electronic chips containing logic gates, a circuit utilizing a microprocessor, or on a single chip containing electronic elements or microprocessors. For example, embodiments of the disclosure may be practiced via a system-on-a-chip (SOC) where each or many of the components illustrated in FIG. **11** may be integrated onto a single integrated circuit. Such an SOC device may include one or more processing units, graphics units, communications units, system virtualization units and various application functionality all of which are integrated (or "burned") onto the chip substrate as a single integrated circuit. When operating via an SOC, the functionality, described herein, with respect to the capability of client to switch protocols may be operated via application-specific logic integrated with other components of the computing device **1100** on the single integrated circuit (chip). Embodiments of the disclosure may also be practiced using other technologies capable of performing logical operations such as, for example, AND, OR, and NOT, including but not limited to mechanical, optical, fluidic, and quantum technologies. In addition, embodiments of the disclosure may be practiced within a general purpose computer or in any other circuits or systems.

[0118] The computing device **1100** may also have one or more input device(s) **1112** such as a keyboard, a mouse, a pen, a sound or voice input device, a touch or swipe input device, etc. The output device(s) **1114** such as a display, speakers, a printer, etc. may also be included. The aforementioned devices are examples and others may be used.

The computing device **1100** may include one or more communication connections **1116** allowing communications with other computing devices **1150**. Examples of suitable communication connections **1116** include, but are not limited to, radio frequency (RF) transmitter, receiver, and/or transceiver circuitry; universal serial bus (USB), parallel, and/or serial ports.

[0119] The term computer readable media as used herein may include computer storage media. Computer storage media may include volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information, such as computer readable instructions, data structures, or program modules. The system memory **1104**, the removable storage device **1109**, and the non-removable storage device **1110** are all computer storage media examples (e.g., memory storage). Computer storage media may include RAM, ROM, electrically erasable read-only memory (EEPROM), flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other article of manufacture which can be used to store information and which can be accessed by the computing device **1100**. Any such computer storage media may be part of the computing device **1100**. Computer storage media does not include a carrier wave or other propagated or modulated data signal.

[0120] Communication media may be embodied by computer readable instructions, data structures, program modules, or other data in a modulated data signal, such as a carrier wave or other transport mechanism, and includes any information delivery media. The term "modulated data signal" may describe a signal that has one or more characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media may include wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, radio frequency (RF), infrared, and other wireless media.

[0121] FIG. **12** illustrates one aspect of the architecture of a system for processing data received at a computing system from a remote source, such as a personal/general computer **1204**, tablet computing device **1206**, or mobile computing device **1208**, as described above. Content displayed at server device **1202** may be stored in different communication channels or other storage types. For example, various documents may be stored using a directory service **1222**, a web portal **1224**, a mailbox service **1226**, an instant messaging store **1228**, or a social networking site **1230**. The program modules **1106** may be employed by a client that communicates with server device **1202**, and/or the program modules **1106** may be employed by server device **1202**. The server device **1202** may provide data to and from a client computing device such as a personal/general computer **1204**, a tablet computing device **1206** and/or a mobile computing device **1208** (e.g., a smart phone) through a network **1215**. By way of example, the computer systems described herein may be embodied in a personal/general computer **1204**, a tablet computing device **1206** and/or a mobile computing device **1208** (e.g., a smart phone). Any of these embodiments of the computing devices may obtain content from the store **1216**, in addition to receiving graphical data useable to be either pre-processed at a graphic-originating system, or post-processed at a receiving computing system.

[0122] Aspects of the present disclosure, for example, are described above with reference to block diagrams and/or operational illustrations of methods, systems, and computer program products according to aspects of the disclosure. The functions/acts noted in the blocks may occur out of the order as shown in any flowchart. For example, two blocks shown in succession may in fact be executed substantially concurrently or the blocks may sometimes be executed in the reverse order, depending upon the functionality/acts involved.

[0123] The description and illustration of one or more aspects provided in this application are not intended to limit or restrict the scope of the disclosure as claimed in any way. The aspects, examples, and details provided in this application are considered sufficient to convey possession and enable others to make and use the best mode of claimed disclosure. The claimed disclosure should not be construed as being limited to any aspect, example, or detail provided in this application. Regardless of whether shown and described in combination or separately, the various features (both structural and methodological) are intended to be selectively included or omitted to produce an embodiment with a particular set of features. Having been provided with the description and illustration of the present disclosure, one skilled in the art may envision variations, modifications, and alternate aspects falling within the spirit of the broader aspects of the general inventive concept embodied in this application that do not depart from the broader scope of the claimed disclosure.

[0124] The various embodiments described above are provided by way of illustration only and should not be construed to limit the claims attached hereto. Those skilled in the art will readily recognize various modifications and changes that may be made without following the example embodiments and applications illustrated and described herein, and without departing from the true spirit and scope of the following claims.

What is claimed is:

1. A computer-implemented method, comprising:

receiving, by a first conversational bot, a natural language input in a conversational chat;

identifying a skill for fulfilling one of a query or a command in the natural language input;

determining that the skill is not executable by the first conversational bot and is executable by a second conversational bot;

transmitting a request for the skill from the first conversational bot to the second conversational bot;

receiving, by the first conversational bot from the second conversational bot, a request for information regarding the request for the skill;

transmitting the information from the first conversational bot to the second conversational bot;

providing, by the first conversational bot, control of the conversational chat to the second conversational bot for execution of the skill; and

receiving, by the first conversation bot from the second conversational bot, the control of the conversational chat after execution of the skill.

2. The computer-implemented method of claim **1**, wherein the natural language input is associated with a user account.

3. The computer-implemented method of claim **1**, wherein the natural language input is received via one of a

chat interface in a website, a chat interface in an application, a real-time messaging application, a Short Message Service "SMS" message, an email, and an intermediary digital assistant.

4. The computer-implemented method of claim **1**, wherein the skill is associated with a manifest comprising an object that describes how to contact the second conversational bot.

5. The computer-implemented method of claim **1**, wherein determining that the skill is not executable by the first conversational bot comprises:

determining that the first conversational bot does not include a manifest that includes the skill.

6. The computer-implemented method of claim **1**, further comprising:

identifying a plurality of conversational bots that can execute the skill, the plurality of conversational bots comprising the second conversational bot; and

ranking the plurality of conversational bots for executing the skill.

7. The computer-implemented method of claim **6**, wherein the ranking is based on one or more factors including popularity of the respective conversational bot, popularity of a website associated with the respective conversational bot, and user preferences identified based on a user account associated with the natural language input.

8. The computer-implemented method of claim **1**, wherein the request for the skill comprises the natural language input.

9. The computer-implemented method of claim **1**, wherein the request for the skill comprises a token describing a user account associated with the natural language input.

10. The computer-implemented method of claim **1**, wherein the information comprises one of payment information, time information, location information, or a combination thereof.

11. The computer-implemented method of claim **1**, further comprising:

requesting, by the first conversational bot via the conversational chat, the information.

12. The computer-implemented method of claim **1**, further comprising:

obtaining the information from a user store associated with a user account associated with the natural language input.

13. A system, comprising:

one or more processors; and

a memory having stored thereon instructions that, upon execution by the one or more processors, cause the one or more processors to:

receive a natural language input in a conversational chat;

identify a skill for fulfilling one of a query or a command in the natural language input;

determine that the skill is not executable by a first conversational bot and is executable by a second conversational bot;

transmit a request for the skill to the second conversational bot;

receive, from the second conversational bot, a request for information regarding the request for the skill;

transmit the information to the second conversational bot;

provide control of the conversational chat to the second conversational bot for execution of the skill; and

receive the control of the conversational chat from the second conversational bot after execution of the skill.

14. The system of claim **13**, wherein the instructions to determine that the skill is not executable by the first conversational bot comprises further instructions that, upon execution by the one or more processors, cause the one or more processors to:

determine that the first conversational bot does not include a manifest that includes the skill, wherein a manifest comprises an object that associates a conversational bot with a skill and describes how to contact the conversational bot.

15. The system of claim **13**, wherein the instructions comprise further instructions that, upon execution by the one or more processors, cause the one or more processors to:

identify a plurality of conversational bots that can execute the skill, the plurality of conversational bots comprising the second conversational bot; and

rank the plurality of conversational bots for executing the skill.

16. The system of claim **15**, wherein the instructions to rank the plurality of conversational bots bases the rank on one or more factors including popularity of the respective conversational bot, popularity of a website associated with the respective conversational bot, and user preferences identified based on a user account associated with the natural language input.

17. The system of claim **13**, wherein the request for the skill comprises one or more of the natural language input and a token describing a user account associated with the natural language input.

18. The system of claim **13**, wherein the information comprises one of payment information, time information, location information, or a combination thereof.

19. The system of claim **13**, wherein the instructions comprise further instructions that, upon execution by the one or more processors, cause the one or more processors to:

request, via the conversational chat, the information.

20. The system of claim **13**, wherein the instructions comprise further instructions that, upon execution by the one or more processors, cause the one or more processors to:

obtain the information from a user store associated with a user account associated with the natural language input.

* * * * *