



(19) **United States**

(12) **Patent Application Publication**

Kern et al.

(10) **Pub. No.: US 2004/0106159 A1**

(43) **Pub. Date: Jun. 3, 2004**

(54) **METHOD FOR ANTIGEN-SPECIFIC STIMULATION OF T-LYMPHOCYTES WITH SYNTHETIC PEPTIDE LIBRARIES**

(76) Inventors: **Florian Kern**, Berlin (DE); **Hans-Dieter Volk**, Berlin (DE); **Petra Reinke**, Berlin (DE); **Nicole Faulhaber**, Rheurdt (DE); **Ingolf-Pascal Surel**, Berlin (DE); **Elham Khatamzas**, Berlin (DE)

Correspondence Address:
Norris McLaughlin & Marcus
30th Floor
220 East 42nd Street
New York, NY 10017 (US)

(21) Appl. No.: **10/203,915**
(22) PCT Filed: **Feb. 17, 2001**
(86) PCT No.: **PCT/EP01/01773**

(30) **Foreign Application Priority Data**
Feb. 22, 2000 (DE)..... 10009341.8

Publication Classification

(51) **Int. Cl.⁷** **G01N 33/567**
(52) **U.S. Cl.** **435/7.21**

(57) **ABSTRACT**

The invention relates to a method for the antigen-specific stimulation of T-lymphocytes with synthetic peptide libraries, comprising the following steps: a) dividing the whole amino acid sequence of the antigen into protein fragments with partial amino acid sequences: b) synthesising a peptide library containing these protein fragments: c) incubating a suspension containing CD8- and/or CD4- T-lymphocytes with all of the protein fragments of the peptide library in a single culture batch. The method can be used for immunostimulation of T-lymphocytes of mammals, especially humans, as well as for diagnosis purposes, in order to determine whether a mammal, especially a human being, has previously responded to a specific protein with its/his/her immune system, and the strength of this response.


Fig. 1

1. MESSAKRMDPDNPD	41. EDKREMWMACIKELH	81. SVMLAKRPLITKPEV
2. AKRKMDPDNPDEGPS	42. EMWMACIKELHDVSK	82. AKRPLITKPEVISVM
3. MDPDNPDEGPSSKVP	43. ACIKELHDVSKGAAN	83. LITKPEVISVMKRRI
4. NPDEGPSSKVPRPET	44. ELHDVSKGAANKLGG	84. PEVISVMKRRIEEIC
5. GPSSKVPRPETPVTK	45. VSKGAANKLGGALQA	85. SVMKRRIEEICMKVF
6. KVPRPETPVTKATTF	46. AANKLGGALQAKARA	86. RRIEEICMKVFAQYI
7. PETPVTKATTFLQTM	47. LGGALQAKARAKKDE	87. EICMKVFAQYILGAD
8. VTKATTFLQTMLRKE	48. LQAKARAKKDELRRK	88. KVFAQYILGADPLRV
9. TTFLQTMLRKEVNSQ	49. ARAKKDELRRKMMYM	89. QYILGADPLRVCS
10. QTMLRKEVNSQLSLG	50. KDELRRKMMYMCYRN	90. GADPLRVCSPSVDDL
11. RKEVNSQLSLGDPLF	51. RRKMMYMCYRNIEFF	91. LRVCSPSVDDLRAIA
12. NSQLSLGDPLFPELA	52. MYMCYRNIEFFTKNS	92. SPSVDDLRAIAEESD
13. SLGDPLFPELAEESL	53. YRNIEFFTKNSAFPK	93. DDLRAIAEESDEEEA
14. PLFPELAEESLKTFE	54. EFFTNSAFPKTTNG	94. AIAEESDEEEAIVAY
15. ELAEESLKTFEQVTE	55. KNSAFPKTTNGCSQA	95. ESDEEEAIVAYTLAT
16. ESLKTFEQVTEDCNE	56. FPKTTNGCSQAMAAL	96. EEAIIVAYTLATAGVS
17. TFEQVTEDCNENPEK	57. TNGCSQAMAALQNL	97. VAYTLATAGVSSSDS
18. VTEDCNENPEKDVLA	58. SQAMAALQNLQPCSP	98. LATAGVSSSDSLVSP
19. CNENPEKDVLAELVK	59. AALQNLQPCSPDEIM	99. GVSSSDSLVSPPESP
20. PEKDVLAELVKQIKV	60. NLPQPCSPDEIMAYAQ	100. SDSLVSPPESPVPAT
21. VLAELVKQIKVRVDM	61. CSPDEIMAYAQKIFK	101. VSPPESPVPATIPLS
22. LVKQIKVRVDMVRHR	62. EIMAYAQKIFKILDE	102. ESPVPATIPLSVIV
23. IKVRVDMVRHRIKEH	63. YAQKIFKILDEERDK	103. PATIPLSVIVAENS
24. VDMVRHRIKEHMLKK	64. IFKILDEERDKVLTH	104. PLSSVIVAENSQEE
25. RHRIKEHMLKKYTQT	65. LDEERDKVLTHIDHI	105. VIVAENSQEESEQS
26. KEHMLKKYTQTEEFK	66. RDKVLTHIDHIFMDI	106. ENSDQEESEQSDEEE
27. LKKYTQTEEFKFTGAF	67. LTHIDHIFMDILTTC	107. QEESEQSDEEEEGA
28. TQTEEFKFTGAFNMMG	68. DHIFMDILTTCVETM	108. EQSDEEEEGAQEER
29. EKFTGAFNMMGGCLQ	69. MDILTTCVETMCNEY	109. EEEEGAQEEREDTV
30. GAFNMMGGCLQNALD	70. TTCVETMCNEYKVT	110. EGAQEEREDTVSVKS
31. MMGGCLQNALDILDK	71. ETMCNEYKVTSACM	111. EEREDTVSVKSEPV
32. CLQNALDILDKVHEP	72. NEYKVTSACMMTMY	112. DTVSVKSEPVSEIEE
33. ALDILDKVHEPFEE	73. VTSACMMTMYGGIS	113. VKSEPVSEIEEVAPE
34. LDKVHEPFEEEMKCI	74. ACMMTMYGGISLLSE	114. PVSEIEEVAPEEEED
35. HEPFEEEMKCIGLTMQ	75. TMYGGISLLSEFCRV	115. IEEVAPEEEEDGAEE
36. EEMKCIGLTMQSMYE	76. GISLLSEFCRVLCY	116. APEEEEDGAEEPTAS
37. CIGLTMQSMYENYIV	77. LSEFCRVLCYVLEE	117. EEDGAEEPTASGGKS
38. TMQSMYENYIVPEDK	78. CRVLCYVLEETSVM	118. AEEPTASGGKSTHPM
39. MYENYIVPEDKREMW	79. CCYVLEETSVM LAKR	119. TASGGKSTHPMVTRS
40. YIVPEDKREMWMACI	80. LEETSVM LAKRPLIT	120. GKSTHPMVTRSKADQ

Fig. 2

1. MESRGRRCPEMISVL	54. ATKMQVIGDQYVKVY	107. AMAGASTSAGRKRKS
2. GRRCPMISVLGPIS	55. QVIGDQYVKVYLESF	108. ASTSAGRKRKSASSA
3. PEMISVLGPISGHVL	56. DQYVKVYLESFCEDV	109. AGRKRKSASSATACT
4. SVLGPISGHVLKAVF	57. KVYLESFCEDVPSGK	110. RKSASSATACTSGVM
5. PISGHVLKAVFSRGD	58. ESFCEDVPSGKLFMH	111. SSATACTSGVMTRGR
6. HVLKAVFSRGDTPVL	59. EDVPSGKLFMHVTLG	112. ACTSGVMTRGRLKAE
7. AVFSRGDTPVLPHET	60. SGKLFMHVTLGSDVE	113. GVMTRGRLKAESTVA
8. RGDTPVLPHETRLLO	61. FMHVTLGSDVEEDLT	114. RGRLKAESTVAPEED
9. PVLPHETRLLOQTGIH	62. TLGSDVEEDLTMTNRN	115. KAESTVAPEEDTDED
10. HETRLLOQTGIHVRVS	63. DVEEDLTMTNRNPQPF	116. TVAPEEDTDESDNE
11. LLQGTGIHVRVSQPSL	64. DLTMTNRNPQPFMRPH	117. EEDTDESDNEIHNP
12. GIHVRVSQPSLILVS	65. TRNPQPFMRPHERNG	118. DEDSDNEIHNPVFT
13. RVSQPSLILVSQYTP	66. QPFMRPHERNGFTVL	119. DNEIHNPVFTWPPW
14. PSLILVSQYTPDSTP	67. RPHERNFTVLCPKN	120. HNPVFTWPPWQAGI
15. LVSQYTPDSTPCHRG	68. RNFVTLCPKNMIIK	121. VFTWPPWQAGILARN
16. YTPDSTPCHRGDNQL	69. TVLCPKNMIKPGKI	122. PPWQAGILARNLVP
17. STPCHRGDNQLQVQH	70. PKNMIKPGKISHIM	123. AGILARNLVPVATV
18. HRGDNQLQVQHTYFT	71. IIKPGKISHIMLDVA	124. ARNLVPMVATVQGN
19. NQLQVQHTYFTGSEV	72. GKISHIMLDVAFTSH	125. VPMVATVQGNLKYQ
20. VQHTYFTGSEVENVS	73. HIMLDVAFTSHEHFG	126. ATVQGNLKYQEFFW
21. YFTGSEVENVSNNVH	74. DVAFTSHEHFGLLCP	127. GQNLKYQEFFWDAND
22. SEVENVSNNVHNPTG	75. TSHEHFGLLCPKSI	128. KYQEFFWDANDIYRI
23. NVSVNNVHNPTGRSIC	76. HFGLLCPKSIPLGLSI	129. FFWWDANDIYRIFAE
24. NVHNPTGRSICPSQE	77. LCPKSIPLGLSISGNL	130. ANDIYRIFAELEGVW
25. PTGRSICPSQEPMSI	78. SIPGLSISGNLLMNG	131. YRIFAELEGVWQPA
26. SICPSQEPMSIYVYA	79. LSISGNLLMNGQQIF	132. AELEGVWQPAQPKR
27. SQEPMSIYVYALPLK	80. GNLLMNGQQIFLEVQ	133. GVVQPAQPKRRRHR
28. MSYVYALPLKMLNI	81. MNGQQIFLEVQAI	134. PAAQPKRRRHRQDAL
29. VYALPLKMLNIPNIN	82. QIFLEVQAI	135. PKRRRHRQDALPGPC
30. PLKMLNIPNINVHHY	83. EVQAI	136. RHRQDALPGPCIAST
31. LNIPNINVHHYPSAA	84. IRETVELRQYDPVAA	137. DALPGPCIASTPKKH
32. SINNVHHYPSAAERKH	85. VELRQYDPVAAFFF	138. LPGPCIASTPKKHRC
33. HHHYPSAAERKHRLP	86. QYDPVAAFFFDDIDL	
34. SAAERKHRLPVAADA	87. VAALFFFDIDL	
35. RKHRLPVAADAVIHA	88. FFFDIDL	
36. HLPVADAVIHASGKQ	89. IDLLLRGPQYSEHP	
37. ADAVIHASGQMWA	90. LRGQPQYSEHPTFTS	
38. IHASGQMWAQRLTV	91. PQYSEHPTFTSQYRI	
39. GKQMWAQRLTVSGLA	92. EHPTFTSQYRIQKGL	
40. WQARLTVSGLAWTRQ	93. FTSQYRIQKLEYRH	
41. LTVSGLAWTRQQNQW	94. YRIQKLEYRHTWDR	
42. GLAWTRQQNQWKEPD	95. GKLEYRHTWDRHDEG	
43. TRQQNQWKEPDVYYT	96. YRHTWDRHDEGAQ	
44. NQWKEPDVYYTSAFV	97. WDRHDEGAQDDDDV	
45. EPDVYYTSAFVFPTK	98. DEGAQDDDDVWTS	
46. YYTSAFVFPTKDVAL	99. AQGDDDVWTS	
47. AFVFPTKDVALRHVV	100. DDVWTS	
48. PTKDVALRHVVCAHE	101. TSGSDS	
49. VALRHVVCAHELVC	102. DSDEELVT	
50. HVLCAHELVCSEMENT	103. ELVT	
51. AHELVCSEMENTRATK	104. TERKT	
52. VCSMENTRATKMQVI	105. TPRVT	
53. ENTRATKMQVIGDQY	106. TGGGAMAGASTSAGR	

Fig. 3



METHOD FOR ANTIGEN-SPECIFIC STIMULATION OF T-LYMPHOCYTES WITH SYNTHETIC PEPTIDE LIBRARIES

[0001] The invention relates to a method for antigen-specific stimulation of T lymphocytes with synthetic peptide libraries, comprising the following steps:

[0002] (a) subdividing the total amino acid sequence of the antigen into protein fragments with partial amino acid sequences;

[0003] (b) synthesizing a peptide library containing these protein fragments;

[0004] (c) incubating a suspension containing CD8+ and/or CD4+ T lymphocytes with all the protein fragments of the peptide library in a single culture run.

[0005] The method can be employed for both the immunostimulation of T lymphocytes of mammals, especially humans, and for diagnostics in order to establish whether a mammal, especially a human, has previously responded to a specific protein with its immune system, and if so, how strong such response is.

BACKGROUND OF THE INVENTION

[0006] The immune response of CD8+ T lymphocytes to protein antigens can be detected only with a great expenditure using known methods. It depends on the presentation of the epitopes derived from these antigens on MHC class I molecules on cells and can be measured through measuring a cytotoxic response induced by exposure. This experimental set-up is usual and takes one to several weeks in which the CD8+ T lymphocytes must be stimulated with the antigen in a suitable cell culture and are then incubated in a cytotoxicity test with suitable target cells which have been loaded with peptides from this antigen or transfected with the antigen or parts thereof. The induction of a response of the CD8+ T lymphocytes is measured from the degree of destruction of target cells, which requires suitable controls and includes a great experimental and time expenditure.

[0007] The detection of the immune response of CD4+ T lymphocytes to protein antigens is somewhat less complicated. The response of CD4+ T lymphocytes to protein antigens depends on the presentation of the epitopes derived from these antigens on MHC class II molecules on cells and can be measured through the proliferation of such cells in the presence of the antigen or upon exposure to this antigen, e.g., through the incorporation of tritiated thymidine. This experimental set-up is usual and takes several days up to a week or longer. The presence of a CD4+ T lymphocyte response to protein antigens can further be measured in a known method in which a suspension containing CD4+ T lymphocytes is incubated with the corresponding protein followed by detecting the CD4+ T lymphocyte induction through the presence of intracellular cytokines by flow cytometry.

[0008] The presence of a CD8+ T lymphocyte or CD4+ T lymphocyte response to individual epitopes can further be measured in a known method in which a suspension containing CD8+ and/or CD4+ T lymphocytes is incubated with peptides from this protein followed by detecting the CD8+ or CD4+ T lymphocyte induction through the presence of

intracellular cytokines by flow cytometry, making use of the fact that peptides can be charged directly from outside onto the MHC class I or MHC class II molecules on cells, circumventing intracellular processing. In this method, it can be achieved by a suitable grouping of peptides that stimulating peptides can be identified and thus epitopes can be determined. The grouping used in this way distributes all possible epitopes to several, and mostly a large number of, runs so that it can be established whether individual peptides from this protein can induce a T lymphocyte response and it can be established which of the peptides occurring in the individual groups have led to such stimulation (this is described in F. Kern et al., *Journal of Virology*, October 1999, p. 8179-8184, and in WO 99/36568).

[0009] However, this grouping allows neither to determine systematically in a single measurement with a corresponding control whether a T lymphocyte response against the protein is present at all, nor to tell how strong the response (the proportion of the reactive lymphocytes in percent of the total CD8+ or CD4+ T lymphocytes) to this protein is all in all. To do this, the usual grouping in this method for the identification of epitopes would require several stimulation and measuring runs, depending on the number of peptides used. The application described in the literature aims at the precise identification of epitopes and therefore uses groups of peptides whose size is chosen in such a way that as few as possible individual peptides must be tested to establish the stimulating activity of a peptide group. However, the smaller the group size is chosen, the more groups have to be tested. Therefore, as the most favorable variant, a number of groups is chosen in this method which is twice the square root of the next square number exceeding the number of the peptides (unless the number of peptides is itself a square number).

[0010] This may be exemplified by the pp65 protein of the human cytomegalovirus. 138 peptides were synthesized which cover the amino acid sequence of the whole protein (561 amino acids) to the full length thereof, neighboring peptides overlapping by 9 amino acids each. 138 is not a square number. The next higher square number from 138 is 144 (12×12). Thus, the peptides were distributed to 2×12 , i.e. 24, groups in such a way that each peptide occurs in exactly two different groups. By combining the groups with positive results (stimulation), the stimulating peptide can be concluded directly (when only two groups show a positive result), or it can be narrowed down to a small number of candidate peptides which can be retested individually, if more than two groups of peptides have resulted in positive stimulation results. The principle of this grouping has been described in some detail by F. Kern et al., *Journal of Virology*, October 1999, p. 8179-8184. A possibility for telling by one single run with a corresponding negative control whether a protein has a stimulating effect on CD8+ T lymphocytes, i.e., whether the amino acid sequence of this protein contains epitopes which are recognized by CD8+ T lymphocytes, has not been described to date.

DESCRIPTION OF THE INVENTION

[0011] The object of the invention is to provide a possibility for how to employ protein antigens of known sequence for the immunostimulation of CD8+ and CD4+ T lymphocytes, wherein cellular antigen processing is not necessary and individual antigenic determinants (epitopes) need not be

identified. It has now been found that a sufficient immunostimulation can be achieved by incubation with T lymphocytes of a special peptide library of individual fragments of the antigen with some overlapping of the fragments. The stimulation can be detected by flow cytometry. Thus, it can be established whether an organism (human or animal) has built up a T lymphocyte response against the immunizing antigen after an exposure which has occurred (also well-aimed immunization). This T lymphocyte reactivity can be examined in terms of its time course. A further object of the invention is to provide a method by which protein antigens whose amino acid sequences are known can be identified as T-lymphocyte-stimulating protein antigens within a short time and with comparably few expenditure. This further provides a possibility for examining prior to the selection of a protein for the identification of epitopes whether T-lymphocyte-stimulating antigenic determinants are at all present in this protein.

[0012] Thus, the present invention relates to

[0013] (1) a method for the antigen-specific stimulation of T lymphocytes with synthetic peptide libraries, comprising the following steps:

[0014] (a) subdividing the total amino acid sequence of the antigen into protein fragments with partial amino acid sequences, wherein said protein fragments have a minimum length of 9 amino acid residues (also briefly referred to as "AA" in the following), and wherein adjacent or neighboring protein fragments are overlapping with their partial amino acid sequence;

[0015] (b) synthesizing a peptide library containing the protein fragments defined in (a);

[0016] (c) incubating a suspension containing CD8+ and/or CD4+ T lymphocytes with all the protein fragments of the peptide library obtained in (b) in a single culture run;

[0017] (2) in a preferred embodiment of method (1), it is adapted for in-vivo and in-vitro immunostimulation of T lymphocytes of mammals, especially humans;

[0018] (3) stimulated T lymphocytes obtainable by the method as defined above under (2);

[0019] (4) use of a peptide library as defined above under (1) for the preparation of a medicament for in-vivo immunostimulation of T lymphocytes of mammals; and

[0020] (5) a composition for in-vitro and in-vivo immunostimulation of T lymphocytes of mammals, comprising one or more peptide libraries as defined above under (1).

DESCRIPTION OF FIGURES

[0021] **FIG. 1:** Peptides for whole pool HCMV IE-1 (laboratory strain AD169). The sequence of the starting protein, VIE1-HCMVA 55 kDa immediate-early protein 1 (IE1), human cytomegalovirus (strain AD169), is known from Swiss-Prot P13202 and depicted in SEQ ID NO:1.

[0022] **FIG. 2:** Peptides for whole pool HCMV pp65 (laboratory strain AD169). The sequence of the starting

protein, PP65-HCMVA 65 kDa lower matrix phosphoprotein (pp65), human cytomegalovirus (strain AD169), is known from Swiss-Prot P06725 and depicted in SEQ ID NO:2.

[0023] **FIG. 3:** Detection of intracellular interferon-gamma in CD8+ T lymphocytes upon stimulation with the peptide libraries described. The marker CD69 was used as an activation marker in addition to interferon-gamma. The representation has been limited to CD3+/CD8+ events, stating the average fluorescence intensity.

DETAILED DESCRIPTION OF THE INVENTION

[0024] "Antigens" in the method according to the invention are those antigens which have a peptide basic structure (i.e., proteins, parts of proteins or polypeptides etc.). The antigen in step (a) of the above defined method is an antigen (i.e., protein, part of a protein, or polypeptide) to which a T lymphocyte stimulation is desired, or on which it is to be tested whether such a stimulation has already occurred.

[0025] "Proteins or peptides" in the present invention have a sequence of at least nine AAs as an essential feature.

[0026] A "peptide library" within the meaning of the application is a complex mixture of peptides which in their entirety cover the complete sequence of a protein antigen or partial antigen, which is in such a way that successive peptides are overlapping along this sequence.

[0027] Therefore, in the method according to embodiment (1) of the invention, it may be necessary to determine the total amino acid sequence of the antigen prior to the above mentioned step (a), especially when the amino acid sequence of the antigen is not known.

[0028] It does not matter how the sequence of the antigen has been established. Thus, for a new protein, the sequence can be analyzed for the first time, or for a known protein, it may be read from a data base. It is only important that the amino acid sequence of the protein or partial protein has been determined.

[0029] In a preferred embodiment of method (1) according to the invention, the protein fragments have a minimum length of 15 AAs and/or a maximum length of 35 AAs, preferably 25 AAs. It is further preferred that an overlap of 8 AAs, preferably 11 AAs, is present between neighboring protein fragments. In addition, the synthetic protein fragments may be extended by a maximum of 7 natural or artificial AAs and/or a protective group at either or both of their N terminus and C terminus. These extensions of natural or artificial AAs are non-overlapping sequences.

[0030] Suitable protective groups on the N terminus of the protein fragments are alkyl, aryl, alkylaryl, aralkyl, alkyl-carbonyl or arylcarbonyl, having from 1 to 10 carbon atoms, an acyl group having from 1 to 7 carbon atoms, etc. Preferred protective groups for the N terminus are the naphthoyl, naphthylacetyl, naphthylpropionyl and benzoyl groups. Suitable protective groups for the C terminus of the protein fragments are alkoxy or aryloxy groups having from 1 to 10 carbon atoms or an amino group. Further protective groups are described in Houben-Weyl (1974), Georg Thieme Verlag, 4th Edition. The description of the protective groups in the above reference is included herein by reference.

[0031] Further, it is preferred that the concentration of the individual protein fragments of the peptide library is at least 1 ng/ml, preferably from about 0.1 to about 10 μ g/ml in the culture run (final concentration). Particularly preferred is a concentration of about 1 μ g/ml of culture broth.

[0032] In addition, it is preferred that the incubation solution (i.e., the culture broth) further contains one or more compounds having costimulatory properties, such as costimulatory antibodies (e.g. anti-CD28 or anti-CD49d) or other molecules having costimulatory properties. (e.g., stimulatory CTLA4-Ig). These compounds are preferably contained in the culture broth in final concentration of from 0.1 to 10 μ g/ml.

[0033] A particularly preferred embodiment of the method (1) according to the invention for the antigen-specific stimulation of T lymphocytes with synthetic peptide libraries comprises the following steps:

[0034] (a₁) determining the total amino acid sequence of the antigen, which is a protein or part of a protein;

[0035] (a₂) subdividing the total amino acid sequence in protein fragments having partial amino acid sequences, wherein the protein fragments have a minimum length of 9 (preferably 15) AAs, optionally have a maximum length of 25 AAs, and wherein adjacent or neighboring protein fragments are overlapping with their partial amino acid sequence, an overlap of 8 AAs, especially an overlap of 11 AAs, being preferred;

[0036] (b) synthesizing a peptide library containing the protein fragments defined in (a₂), optionally extended by a maximum of 7 natural or artificial amino acids and/or a protective group at either or both of the N terminus and C terminus;

[0037] (c) incubating a suspension containing CD8+ and/or CD4+ T lymphocytes with all the protein fragments of the peptide library in a single culture run.

[0038] Preferred is the use of the method according to the invention for identifying stimulating or non-stimulating mixtures of all protein fragments in a single culture run, wherein the following steps are added:

[0039] (d) identifying (preferably flow-cytometric identifying) of

[0040] (i) at least one T-cell cytokine which was induced by the protein fragment or fragments and synthesized in the T lymphocytes, wherein said cytokine or cytokines are intracellular or bound to the cell membrane; and/or

[0041] (ii) at least one activation marker which was induced by the protein fragment or fragments and synthesized in the T lymphocytes, wherein said activation marker or markers are intracellular or bound to the cell membrane.

[0042] The method (1) according to the invention is also suitable for establishing whether T-lymphocyte-stimulating antigenic determinants are present in an antigen.

[0043] The method according to the invention is further suitable for diagnostics, especially to establish whether a mammal, especially a human, has previously responded to a specific protein with its immune system, and how strong such response is.

[0044] According to the preferred embodiment (2) of the invention, the method is suitable for immunostimulation of T lymphocytes of mammals, especially humans, for both in-vitro and in-vivo applications. This method may further include the expanding of the stimulated T lymphocytes.

[0045] The above mentioned embodiments of the method according to the invention may also be designed to employ several different synthetic peptide libraries (from different antigens) together in one culture run or in separated culture runs.

[0046] Suspensions containing T lymphocytes within the meaning of this application are characterized by containing cells which can present MHC-bound peptides. Thus, the presenting cells may also be T lymphocytes in addition to the antigen-presenting cells.

[0047] An advantage of the method according to the invention is the fact that the identification of at least one T-cell cytokine or activation marker is effected on the level of the individual cell. Thus, it is possible to exactly determine the phenotype of the responding cells. Cytokines and surface markers are described in some detail in Abul K. Abbas et al. (1997), Cellular and Molecular Immunology, Philadelphia, 3rd Edition, ISBN 0-7216-4024-9.

[0048] It is known that protein fragments binding to MHC class I molecules (MHC=major histocompatibility complex) usually have a length of 9 amino acids, while protein fragments binding to MHC class II molecules are somewhat longer and more variable in length.

[0049] An advantage of methods (1) and (2) according to the invention is the fact that, despite of the short incubation time, the protein fragments are taken up by the MHC molecules present on the cell surface sufficiently to enable an unambiguous identification of a T-cell stimulation after six hours, for example.

[0050] In the method according to the invention, the suspension containing T lymphocytes can be derived from whole blood, peripheral white blood cells (PWBC), splenocytes, thymocytes, bone marrow, cerebrospinal fluid, lymph node cells, etc.

[0051] In the method according to the invention, it is particularly advantageous that processing of the T lymphocytes is not required. Thus, the T lymphocytes need not be enriched, and further, the removal or destruction of other cells is not necessary. Thus, the method according to the invention can be practiced more simply in a routine manner.

[0052] Preferred is a method according to the invention for antigen-specific stimulation of T lymphocytes with synthetic peptide libraries in which the suspension containing the T lymphocytes is derived from patients to be treated, from other donors or from animals. If the suspension containing T lymphocytes is derived from a patient, the identification can be used, for example, for establishing to which protein of a virus a CD8+ or CD4+ T lymphocyte response can be induced. The peptide library employed for examining this reactivity can then be selectively employed for the stimu-

lation of further T lymphocytes of the same or other patients. The cells thus induced and stimulated for proliferation can be expanded in vivo or ex vivo and subsequently retransfused to the patient.

[0053] The method according to the invention can also be used in veterinary medicine. It is possible to use a wide variety of animal species and also constellations of animal patients and donors as the source of the suspension containing T lymphocytes.

[0054] Advantageous is a method according to the invention for the antigen-specific stimulation of T lymphocytes with synthetic peptide libraries in which the antigens, which are proteins or partial proteins, are derived from microorganisms, macroorganisms, cells, cell cultures and/or tissues from donors or patients. Microorganisms include, for example, viruses, bacteria, fungi, protozoans, parasites. Macroorganisms include, for example, all multicellular eukaryotes. This source is just important for influencing allergies. Included are animals and plants. There may be used cells, cell cultures or even whole tissues consisting of one or more layers or cell types.

[0055] Preferred is a method according to the invention for antigen-specific stimulation of T lymphocytes with synthetic peptide libraries in which the stimulation is detected by means of a flow cytometer. What is essential is the principle that markers present in the cell or on its surface, such as cytokines or surface markers, will contact with a specific detector, for example, an antibody, the detector being loaded with a fluorescent dye. Upon excitation by laser light of this fluorescent dye on the cells focused in a liquid stream, the flow cytometer records the emitted scattered light and fluorescence signals, which enables the simultaneous or later analysis of the cells. Such techniques are described in some detail in Howard M. Shapiro (1995), *Practical Flow Cytometry*, New York, 3rd Edition, ISBN 0-471-30376-3. The detection of the intracellular cytokines is described in ILL. Picker et al. (1995), *Blood*, Vol. 86, p. 1408.

[0056] The advantage of this method according to the invention for antigen-specific stimulation of T lymphocytes with synthetic peptide libraries is that a reagent for the immunostimulation of T lymphocytes can be made available within a very short period of time and, as compared to the conventional method, with very low expenditure. It is further advantageous that individual stimulating epitopes need not be identified.

[0057] In a single run (one tube or one well or one flask, etc.), the T lymphocytes of a donor/patient (CD8 and/or CD4) can be stimulated simultaneously with all possible antigenic determinants of the protein (or proteins when several peptide libraries are used) without needing to be specifically known. For example, the T lymphocytes of a patient who has undergone a bone marrow transplantation could be incubated with HLA-identical dendritic cells which were previously incubated with such a mixture of peptides, and thus these T lymphocytes could be stimulated with all epitopes relevant (i.e., binding) to the particular HLA type without these epitopes needing to be known or becoming known by the method. The only critical point is that they stimulate T lymphocytes and belong to the selected protein or proteins. These cells could be retransferred to the patient within the scope of an adoptive immunotherapy.

[0058] A preferred source of the T lymphocytes to be stimulated are those (human or animal) donors which have

previously build up an immunological primary response to the antigen or in which such an immune response to the antigen has been induced by exposure. This may have occurred, for example, within the scope of an infection or also within the scope of an immunization. This situation also prevails in an auto-immune response.

[0059] Another advantage is that the MHC type of the donor need not be known. A further advantage is that the stimulation of both CD8+ and CD4+ T lymphocytes can be examined simultaneously and in a single run.

[0060] The stimulated T lymphocytes according to embodiment (3) of the invention are preferably obtained by in-vitro stimulation. The stimulated lymphocytes are capable of being transfused into a patient.

[0061] The medicament according to embodiment (4) of the invention may contain further immunoreactive compounds, such as the above defined compounds having co-stimulating properties, in addition to usual additives and auxiliaries. The medicament may also contain several of the above defined peptide libraries.

[0062] The composition according to embodiment (5) can be a pharmaceutical composition, i.e., for the in-vivo treatment of humans and animals, or a diagnostic composition or a so-called kit, i.e., primary for in-vitro application, wherein the peptide library is respectively adapted to the antigen to be stimulated. As to further components of the composition, the same applies as has been set forth above with respect to embodiment (4).

[0063] The present invention is further illustrated by the following non-limiting Example.

EXAMPLE

[0064] Mononuclear cells were prepared from the peripheral blood of two patients obtained by venous puncture. The patients possessed antibodies against the human cytomegalovirus (HCMV). The cells prepared by standard methods were incubated for six hours under optimized conditions with peptide libraries for the HCMV proteins 65 kD lower matrix phosphoprotein (pp65) and 55 kDa immediate-early protein 1 (IE1). This is done according to the method described in Kern et al., *Eur. J. Immunol.* 30: 1676-1682 (2000), which comprises the following steps:

[0065] 1. Resuspension of PBMC (2.5×10^6 /ml in RPMI 1640 with 2 mM glutamine added) after Ficoll preparation (standard protocol).

[0066] 2. 400 μ l of this suspension was mixed in an incubation vessel (sterile tube from Falcon No. 2054, 5 ml) with 100 μ l of peptide solution (containing 10 μ g of each individual peptide in RPMI 1640 with 2 mM glutamine added).

[0067] 3. Incubation at 37° C. under an H₂O-saturated atmosphere with 5% CO₂ (standard incubator).

[0068] 4. After 2 hours, there was added 500 μ l of RPMI 1640 to which 20% fetal calf serum (v/v) and additionally glutamine (2 mM) and 10 μ g of Brefeldin A (BFA, final concentration in the mix was 10 μ g/ml) had been added. The final concentration of fetal calf serum in the mix is 10% (v/v). The final concentration of each individual peptide is 1 μ g/ml.

- BFA serves to retain synthetic cytokines in the cells, which is of advantage for the detection of the intracellular cytokines. The final volume of the mix is 1 ml.
- [0069] 5. After further incubation for 4 h under the same conditions (i.e., a total incubation time of 6 h), the incubation was stopped by adding ice-cold PBS buffer solution.
- [0070] 6. This was followed by centrifugation (8 min, 400 g), decantation and further processing of the samples according to a standard protocol, including detachment from the tube wall using 2 mM EDTA/PBS solution, fixation, permeabilization and staining with monoclonal antibodies.
- [0071] 7. Analysis on a flow cytometer (e.g., a four-color fluorescence flow cytometer of the type Facs-Calibur (Becton Dickinson)).
- [0072] The sequences of IE-1 and pp65 have been deposited in the SWISS-PROT data base, European Bioinformatics Institute, under the Nos. P13202 (see also SEQ ID NO: 1) and P06725 (see also SEQ ID NO: 2). In addition, the sequences of both proteins are described in M. S. Chee, A. T. Bankier, S. Becks et al., Curr. Top. Microbiol. Immunol. 154: 125-169 (1990).
- [0073] The peptide library which represents the 55 kD immediate-early protein 1 consisted of peptides of 15 amino acids length each with 9 overlaps between successive peptides (see FIG. 1), and the peptide library which represents the 65 kD lower matrix phosphoprotein consisted of peptides of 15 amino acids length each with 11 overlaps between successive peptides (see FIG. 2).
- [0074] In two different individuals (columns "I" and "II" in FIG. 3), incubation with the peptide libraries resulted in the production of IFN-gamma in T cells, which was detected by measurement on a flow cytometer on the level of the individual cells (J. L. Picker et al. (1995), Blood, Vol. 86, p. 1408-1419), or else in no detectable stimulation. Individual I exhibited a CD8+ T lymphocyte response to IE-1, but not to pp65, whereas individual II exhibited a CD8+ T lymphocyte response to both proteins. Incubation with an irrelevant peptide did not produce this effect (control).

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 260

<210> SEQ ID NO 1

<211> LENGTH: 491

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1

<400> SEQUENCE: 1

Met Glu Ser Ser Ala Lys Arg Lys Met Asp Pro Asp Asn Pro Asp Glu
1 5 10 15

Gly Pro Ser Ser Lys Val Pro Arg Pro Glu Thr Pro Val Thr Lys Ala
20 25 30

Thr Thr Phe Leu Gln Thr Met Leu Arg Lys Glu Val Asn Ser Gln Leu
35 40 45

Ser Leu Gly Asp Pro Leu Phe Pro Glu Leu Ala Glu Glu Ser Leu Lys
50 55 60

Thr Phe Glu Gln Val Thr Glu Asp Cys Asn Glu Asn Pro Glu Lys Asp
65 70 75 80

Val Leu Ala Glu Leu Val Lys Gln Ile Lys Val Arg Val Asp Met Val
85 90 95

Arg His Arg Ile Lys Glu His Met Leu Lys Lys Tyr Thr Gln Thr Glu
100 105 110

Glu Lys Phe Thr Gly Ala Phe Asn Met Met Gly Gly Cys Leu Gln Asn
115 120 125

Ala Leu Asp Ile Leu Asp Lys Val His Glu Pro Phe Glu Glu Met Lys
130 135 140

Cys Ile Gly Leu Thr Met Gln Ser Met Tyr Glu Asn Tyr Ile Val Pro
145 150 155 160

Glu Asp Lys Arg Glu Met Trp Met Ala Cys Ile Lys Glu Leu His Asp
165 170 175

-continued

Val Ser Lys Gly Ala Ala Asn Lys Leu Gly Gly Ala Leu Gln Ala Lys
 180 185 190
 Ala Arg Ala Lys Lys Asp Glu Leu Arg Arg Lys Met Met Tyr Met Cys
 195 200 205
 Tyr Arg Asn Ile Glu Phe Phe Thr Lys Asn Ser Ala Phe Pro Lys Thr
 210 215 220
 Thr Asn Gly Cys Ser Gln Ala Met Ala Ala Leu Gln Asn Leu Pro Gln
 225 230 235 240
 Cys Ser Pro Asp Glu Ile Met Ala Tyr Ala Gln Lys Ile Phe Lys Ile
 245 250 255
 Leu Asp Glu Glu Arg Asp Lys Val Leu Thr His Ile Asp His Ile Phe
 260 265 270
 Met Asp Ile Leu Thr Thr Cys Val Glu Thr Met Cys Asn Glu Tyr Lys
 275 280 285
 Val Thr Ser Asp Ala Cys Met Met Thr Met Tyr Gly Gly Ile Ser Leu
 290 295 300
 Leu Ser Glu Phe Cys Arg Val Leu Cys Cys Tyr Val Leu Glu Glu Thr
 305 310 315 320
 Ser Val Met Leu Ala Lys Arg Pro Leu Ile Thr Lys Pro Glu Val Ile
 325 330 335
 Ser Val Met Lys Arg Arg Ile Glu Glu Ile Cys Met Lys Val Phe Ala
 340 345 350
 Gln Tyr Ile Leu Gly Ala Asp Pro Leu Arg Val Cys Ser Pro Ser Val
 355 360 365
 Asp Asp Leu Arg Ala Ile Ala Glu Glu Ser Asp Glu Glu Glu Ala Ile
 370 375 380
 Val Ala Tyr Thr Leu Ala Thr Ala Gly Val Ser Ser Ser Asp Ser Leu
 385 390 395 400
 Val Ser Pro Pro Glu Ser Pro Val Pro Ala Thr Ile Pro Leu Ser Ser
 405 410 415
 Val Ile Val Ala Glu Asn Ser Asp Gln Glu Glu Ser Glu Gln Ser Asp
 420 425 430
 Glu Glu Glu Glu Glu Gly Ala Gln Glu Glu Arg Glu Asp Thr Val Ser
 435 440 445
 Val Lys Ser Glu Pro Val Ser Glu Ile Glu Glu Val Ala Pro Glu Glu
 450 455 460
 Glu Glu Asp Gly Ala Glu Glu Pro Thr Ala Ser Gly Gly Lys Ser Thr
 465 470 475 480
 His Pro Met Val Thr Arg Ser Lys Ala Asp Gln
 485 490

<210> SEQ ID NO 2

<211> LENGTH: 561

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65

<400> SEQUENCE: 2

Met Glu Ser Arg Gly Arg Arg Cys Pro Glu Met Ile Ser Val Leu Gly
 1 5 10 15
 Pro Ile Ser Gly His Val Leu Lys Ala Val Phe Ser Arg Gly Asp Thr
 20 25 30

-continued

Pro	Val	Leu	Pro	His	Glu	Thr	Arg	Leu	Leu	Gln	Thr	Gly	Ile	His	Val	35	40	45
Arg	Val	Ser	Gln	Pro	Ser	Leu	Ile	Leu	Val	Ser	Gln	Tyr	Thr	Pro	Asp	50	55	60
Ser	Thr	Pro	Cys	His	Arg	Gly	Asp	Asn	Gln	Leu	Gln	Val	Gln	His	Thr	65	70	75
Tyr	Phe	Thr	Gly	Ser	Glu	Val	Glu	Asn	Val	Ser	Val	Asn	Val	His	Asn	85	90	95
Pro	Thr	Gly	Arg	Ser	Ile	Cys	Pro	Ser	Gln	Glu	Pro	Met	Ser	Ile	Tyr	100	105	110
Val	Tyr	Ala	Leu	Pro	Leu	Lys	Met	Leu	Asn	Ile	Pro	Ser	Ile	Asn	Val	115	120	125
His	His	Tyr	Pro	Ser	Ala	Ala	Glu	Arg	Lys	His	Arg	His	Leu	Pro	Val	130	135	140
Ala	Asp	Ala	Val	Ile	His	Ala	Ser	Gly	Lys	Gln	Met	Trp	Gln	Ala	Arg	145	150	155
Leu	Thr	Val	Ser	Gly	Leu	Ala	Trp	Thr	Arg	Gln	Gln	Asn	Gln	Trp	Lys	165	170	175
Glu	Pro	Asp	Val	Tyr	Tyr	Thr	Ser	Ala	Phe	Val	Phe	Pro	Thr	Lys	Asp	180	185	190
Val	Ala	Leu	Arg	His	Val	Val	Cys	Ala	His	Glu	Leu	Val	Cys	Ser	Met	195	200	205
Glu	Asn	Thr	Arg	Ala	Thr	Lys	Met	Gln	Val	Ile	Gly	Asp	Gln	Tyr	Val	210	215	220
Lys	Val	Tyr	Leu	Glu	Ser	Phe	Cys	Glu	Asp	Val	Pro	Ser	Gly	Lys	Leu	225	230	235
Phe	Met	His	Val	Thr	Leu	Gly	Ser	Asp	Val	Glu	Glu	Asp	Leu	Thr	Met	245	250	255
Thr	Arg	Asn	Pro	Gln	Pro	Phe	Met	Arg	Pro	His	Glu	Arg	Asn	Gly	Phe	260	265	270
Thr	Val	Leu	Cys	Pro	Lys	Asn	Met	Ile	Ile	Lys	Pro	Gly	Lys	Ile	Ser	275	280	285
His	Ile	Met	Leu	Asp	Val	Ala	Phe	Thr	Ser	His	Glu	His	Phe	Gly	Leu	290	295	300
Leu	Cys	Pro	Lys	Ser	Ile	Pro	Gly	Leu	Ser	Ile	Ser	Gly	Asn	Leu	Leu	305	310	315
Met	Asn	Gly	Gln	Gln	Ile	Phe	Leu	Glu	Val	Gln	Ala	Ile	Arg	Glu	Thr	325	330	335
Val	Glu	Leu	Arg	Gln	Tyr	Asp	Pro	Val	Ala	Ala	Leu	Phe	Phe	Phe	Asp	340	345	350
Ile	Asp	Leu	Leu	Leu	Gln	Arg	Gly	Pro	Gln	Tyr	Ser	Glu	His	Pro	Thr	355	360	365
Phe	Thr	Ser	Gln	Tyr	Arg	Ile	Gln	Gly	Lys	Leu	Glu	Tyr	Arg	His	Thr	370	375	380
Trp	Asp	Arg	His	Asp	Glu	Gly	Ala	Ala	Gln	Gly	Asp	Asp	Asp	Val	Trp	385	390	395
Thr	Ser	Gly	Ser	Asp	Ser	Asp	Glu	Glu	Leu	Val	Thr	Thr	Glu	Arg	Lys	405	410	415
Thr	Pro	Arg	Val	Thr	Gly	Gly	Gly	Ala	Met	Ala	Gly	Ala	Ser	Thr	Ser	420	425	430

-continued

Ala	Gly	Arg	Lys	Arg	Lys	Ser	Ala	Ser	Ser	Ala	Thr	Ala	Cys	Thr	Ser
	435						440					445			
Gly	Val	Met	Thr	Arg	Gly	Arg	Leu	Lys	Ala	Glu	Ser	Thr	Val	Ala	Pro
	450					455				460					
Glu	Glu	Asp	Thr	Asp	Glu	Asp	Ser	Asp	Asn	Glu	Ile	His	Asn	Pro	Ala
465					470					475				480	
Val	Phe	Thr	Trp	Pro	Pro	Trp	Gln	Ala	Gly	Ile	Leu	Ala	Arg	Asn	Leu
				485					490					495	
Val	Pro	Met	Val	Ala	Thr	Val	Gln	Gly	Gln	Asn	Leu	Lys	Tyr	Gln	Glu
			500					505					510		
Phe	Phe	Trp	Asp	Ala	Asn	Asp	Ile	Tyr	Arg	Ile	Phe	Ala	Glu	Leu	Glu
		515					520					525			
Gly	Val	Trp	Gln	Pro	Ala	Ala	Gln	Pro	Lys	Arg	Arg	Arg	His	Arg	Gln
	530					535					540				
Asp	Ala	Leu	Pro	Gly	Pro	Cys	Ile	Ala	Ser	Thr	Pro	Lys	Lys	His	Arg
545					550					555					560

Gly

<210> SEQ ID NO 3
 <211> LENGTH: 15
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
 Fragment

<400> SEQUENCE: 3

Met	Glu	Ser	Ser	Ala	Lys	Arg	Lys	Met	Asp	Pro	Asp	Asn	Pro	Asp
1				5					10				15	

<210> SEQ ID NO 4
 <211> LENGTH: 15
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
 Fragment

<400> SEQUENCE: 4

Gln	Thr	Met	Leu	Arg	Lys	Glu	Val	Asn	Ser	Gln	Leu	Ser	Leu	Gly
1				5					10				15	

<210> SEQ ID NO 5
 <211> LENGTH: 15
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
 Fragment

<400> SEQUENCE: 5

Ser	Asp	Ser	Leu	Val	Ser	Pro	Pro	Glu	Ser	Pro	Val	Pro	Ala	Thr
1				5					10				15	

<210> SEQ ID NO 6
 <211> LENGTH: 15
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
 Fragment

-continued

<400> SEQUENCE: 6

Val	Ser	Pro	Pro	Glu	Ser	Pro	Val	Pro	Ala	Thr	Ile	Pro	Leu	Ser
1				5					10				15	

<210> SEQ ID NO 7

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 7

Glu	Ser	Pro	Val	Pro	Ala	Thr	Ile	Pro	Leu	Ser	Ser	Val	Ile	Val
1				5					10				15	

<210> SEQ ID NO 8

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 8

Pro	Ala	Thr	Ile	Pro	Leu	Ser	Ser	Val	Ile	Val	Ala	Glu	Asn	Ser
1				5					10				15	

<210> SEQ ID NO 9

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 9

Pro	Leu	Ser	Ser	Val	Ile	Val	Ala	Glu	Asn	Ser	Asp	Gln	Glu	Glu
1				5					10				15	

<210> SEQ ID NO 10

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 10

Val	Ile	Val	Ala	Glu	Asn	Ser	Asp	Gln	Glu	Glu	Ser	Glu	Gln	Ser
1				5					10				15	

<210> SEQ ID NO 11

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 11

Glu	Asn	Ser	Asp	Gln	Glu	Glu	Ser	Glu	Gln	Ser	Asp	Glu	Glu	Glu
1				5					10				15	

-continued

<210> SEQ ID NO 12
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 12

Gln Glu Glu Ser Glu Gln Ser Asp Glu Glu Glu Glu Gly Ala
1 5 10 15

<210> SEQ ID NO 13
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 13

Glu Gln Ser Asp Glu Glu Glu Glu Gly Ala Gln Glu Glu Arg
1 5 10 15

<210> SEQ ID NO 14
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 14

Glu Glu Glu Glu Glu Gly Ala Gln Glu Glu Arg Glu Asp Thr Val
1 5 10 15

<210> SEQ ID NO 15
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 15

Arg Lys Glu Val Asn Ser Gln Leu Ser Leu Gly Asp Pro Leu Phe
1 5 10 15

<210> SEQ ID NO 16
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 16

Glu Gly Ala Gln Glu Glu Arg Glu Asp Thr Val Ser Val Lys Ser
1 5 10 15

<210> SEQ ID NO 17
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 17

Asn Ser Gln Leu Ser Leu Gly Asp Pro Leu Phe Pro Glu Leu Ala
1 5 10 15

<210> SEQ ID NO 18
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 18

Ser Leu Gly Asp Pro Leu Phe Pro Glu Leu Ala Glu Glu Ser Leu
1 5 10 15

<210> SEQ ID NO 19
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 19

Pro Leu Phe Pro Glu Leu Ala Glu Glu Ser Leu Lys Thr Phe Glu
1 5 10 15

<210> SEQ ID NO 20
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 20

Glu Leu Ala Glu Glu Ser Leu Lys Thr Phe Glu Gln Val Thr Glu
1 5 10 15

<210> SEQ ID NO 21
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 21

Glu Ser Leu Lys Thr Phe Glu Gln Val Thr Glu Asp Cys Asn Glu
1 5 10 15

<210> SEQ ID NO 22
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 22

-continued

Thr	Phe	Glu	Gln	Val	Thr	Glu	Asp	Cys	Asn	Glu	Asn	Pro	Glu	Lys
1				5					10					15

<210> SEQ ID NO 23
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 23

Val	Thr	Glu	Asp	Cys	Asn	Glu	Asn	Pro	Glu	Lys	Asp	Val	Leu	Ala
1				5					10					15

<210> SEQ ID NO 24
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 24

Cys	Asn	Glu	Asn	Pro	Glu	Lys	Asp	Val	Leu	Ala	Glu	Leu	Val	Lys
1			5						10					15

<210> SEQ ID NO 25
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 25

Ala	Lys	Arg	Lys	Met	Asp	Pro	Asp	Asn	Pro	Asp	Glu	Gly	Pro	Ser
1				5					10					15

<210> SEQ ID NO 26
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 26

Pro	Glu	Lys	Asp	Val	Leu	Ala	Glu	Leu	Val	Lys	Gln	Ile	Lys	Val
1				5					10					15

<210> SEQ ID NO 27
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 27

Val	Leu	Ala	Glu	Leu	Val	Lys	Gln	Ile	Lys	Val	Arg	Val	Asp	Met
1				5					10					15

<210> SEQ ID NO 28
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 28

Leu Val Lys Gln Ile Lys Val Arg Val Asp Met Val Arg His Arg
1 5 10 15

<210> SEQ ID NO 29
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 29

Ile Lys Val Arg Val Asp Met Val Arg His Arg Ile Lys Glu His
1 5 10 15

<210> SEQ ID NO 30
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 30

Val Asp Met Val Arg His Arg Ile Lys Glu His Met Leu Lys Lys
1 5 10 15

<210> SEQ ID NO 31
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 31

Arg His Arg Ile Lys Glu His Met Leu Lys Lys Tyr Thr Gln Thr
1 5 10 15

<210> SEQ ID NO 32
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 32

Lys Glu His Met Leu Lys Lys Tyr Thr Gln Thr Glu Glu Lys Phe
1 5 10 15

<210> SEQ ID NO 33
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

-continued

<400> SEQUENCE: 33

Leu	Lys	Lys	Tyr	Thr	Gln	Thr	Glu	Glu	Lys	Phe	Thr	Gly	Ala	Phe
1				5					10					15

<210> SEQ ID NO 34

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 34

Thr	Gln	Thr	Glu	Glu	Lys	Phe	Thr	Gly	Ala	Phe	Asn	Met	Met	Gly
1				5					10					15

<210> SEQ ID NO 35

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 35

Glu	Lys	Phe	Thr	Gly	Ala	Phe	Asn	Met	Met	Gly	Gly	Cys	Leu	Gln
1				5					10					15

<210> SEQ ID NO 36

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 36

Met	Asp	Pro	Asp	Asn	Pro	Asp	Glu	Gly	Pro	Ser	Ser	Lys	Val	Pro
1				5					10					15

<210> SEQ ID NO 37

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 37

Gly	Ala	Phe	Asn	Met	Met	Gly	Gly	Cys	Leu	Gln	Asn	Ala	Leu	Asp
1				5					10					15

<210> SEQ ID NO 38

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 38

Met	Met	Gly	Gly	Cys	Leu	Gln	Asn	Ala	Leu	Asp	Ile	Leu	Asp	Lys
1				5					10					15

-continued

<210> SEQ ID NO 39
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 39

Cys Leu Gln Asn Ala Leu Asp Ile Leu Asp Lys Val His Glu Pro
1 5 10 15

<210> SEQ ID NO 40
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 40

Ala Leu Asp Ile Leu Asp Lys Val His Glu Pro Phe Glu Glu Met
1 5 10 15

<210> SEQ ID NO 41
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 41

Leu Asp Lys Val His Glu Pro Phe Glu Glu Met Lys Cys Ile Gly
1 5 10 15

<210> SEQ ID NO 42
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 42

His Glu Pro Phe Glu Glu Met Lys Cys Ile Gly Leu Thr Met Gln
1 5 10 15

<210> SEQ ID NO 43
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 43

Glu Glu Met Lys Cys Ile Gly Leu Thr Met Gln Ser Met Tyr Glu
1 5 10 15

<210> SEQ ID NO 44
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1

-continued

Fragment

<400> SEQUENCE: 44

Cys Ile Gly Leu Thr Met Gln Ser Met Tyr Glu Asn Tyr Ile Val
1 5 10 15

<210> SEQ ID NO 45

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 45

Thr Met Gln Ser Met Tyr Glu Asn Tyr Ile Val Pro Glu Asp Lys
1 5 10 15

<210> SEQ ID NO 46

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 46

Met Tyr Glu Asn Tyr Ile Val Pro Glu Asp Lys Arg Glu Met Trp
1 5 10 15

<210> SEQ ID NO 47

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 47

Asn Pro Asp Glu Gly Pro Ser Ser Lys Val Pro Arg Pro Glu Thr
1 5 10 15

<210> SEQ ID NO 48

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 48

Tyr Ile Val Pro Glu Asp Lys Arg Glu Met Trp Met Ala Cys Ile
1 5 10 15

<210> SEQ ID NO 49

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 49

Glu Asp Lys Arg Glu Met Trp Met Ala Cys Ile Lys Glu Leu His
1 5 10 15

-continued

<210> SEQ ID NO 50
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 50

Glu Met Trp Met Ala Cys Ile Lys Glu Leu His Asp Val Ser Lys
1 5 10 15

<210> SEQ ID NO 51
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 51

Ala Cys Ile Lys Glu Leu His Asp Val Ser Lys Gly Ala Ala Asn
1 5 10 15

<210> SEQ ID NO 52
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 52

Glu Leu His Asp Val Ser Lys Gly Ala Ala Asn Lys Leu Gly Gly
1 5 10 15

<210> SEQ ID NO 53
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 53

Val Ser Lys Gly Ala Ala Asn Lys Leu Gly Gly Ala Leu Gln Ala
1 5 10 15

<210> SEQ ID NO 54
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 54

Ala Ala Asn Lys Leu Gly Gly Ala Leu Gln Ala Lys Ala Arg Ala
1 5 10 15

<210> SEQ ID NO 55
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 55

Leu Gly Gly Ala Leu Gln Ala Lys Ala Arg Ala Lys Lys Asp Glu
1 5 10 15

<210> SEQ ID NO 56
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 56

Leu Gln Ala Lys Ala Arg Ala Lys Lys Asp Glu Leu Arg Arg Lys
1 5 10 15

<210> SEQ ID NO 57
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 57

Ala Arg Ala Lys Lys Asp Glu Leu Arg Arg Lys Met Met Tyr Met
1 5 10 15

<210> SEQ ID NO 58
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 58

Gly Pro Ser Ser Lys Val Pro Arg Pro Glu Thr Pro Val Thr Lys
1 5 10 15

<210> SEQ ID NO 59
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 59

Lys Asp Glu Leu Arg Arg Lys Met Met Tyr Met Cys Tyr Arg Asn
1 5 10 15

<210> SEQ ID NO 60
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 60

-continued

Arg	Arg	Lys	Met	Met	Tyr	Met	Cys	Tyr	Arg	Asn	Ile	Glu	Phe	Phe
1				5					10					15

<210> SEQ ID NO 61
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 61

Met	Tyr	Met	Cys	Tyr	Arg	Asn	Ile	Glu	Phe	Phe	Thr	Lys	Asn	Ser
1				5					10					15

<210> SEQ ID NO 62
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 62

Tyr	Arg	Asn	Ile	Glu	Phe	Phe	Thr	Lys	Asn	Ser	Ala	Phe	Pro	Lys
1				5					10					15

<210> SEQ ID NO 63
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 63

Glu	Phe	Phe	Thr	Lys	Asn	Ser	Ala	Phe	Pro	Lys	Thr	Thr	Asn	Gly
1				5					10					15

<210> SEQ ID NO 64
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 64

Lys	Asn	Ser	Ala	Phe	Pro	Lys	Thr	Thr	Asn	Gly	Cys	Ser	Gln	Ala
1				5					10					15

<210> SEQ ID NO 65
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 65

Phe	Pro	Lys	Thr	Thr	Asn	Gly	Cys	Ser	Gln	Ala	Met	Ala	Ala	Leu
1				5					10					15

<210> SEQ ID NO 66
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 66

Thr	Asn	Gly	Cys	Ser	Gln	Ala	Met	Ala	Ala	Leu	Gln	Asn	Leu	Pro
1				5						10				15

<210> SEQ ID NO 67
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 67

Ser	Gln	Ala	Met	Ala	Ala	Leu	Gln	Asn	Leu	Pro	Gln	Cys	Ser	Pro
1				5					10					15

<210> SEQ ID NO 68
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 68

Ala	Ala	Leu	Gln	Asn	Leu	Pro	Gln	Cys	Ser	Pro	Asp	Glu	Ile	Met
1				5					10					15

<210> SEQ ID NO 69
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 69

Lys	Val	Pro	Arg	Pro	Glu	Thr	Pro	Val	Thr	Lys	Ala	Thr	Thr	Phe
1				5					10					15

<210> SEQ ID NO 70
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 70

Asn	Leu	Pro	Gln	Cys	Ser	Pro	Asp	Glu	Ile	Met	Ala	Tyr	Ala	Gln
1				5					10					15

<210> SEQ ID NO 71
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

-continued

<400> SEQUENCE: 71

Cys Ser Pro Asp Glu Ile Met Ala Tyr Ala Gln Lys Ile Phe Lys
1 5 10 15

<210> SEQ ID NO 72

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 72

Glu Ile Met Ala Tyr Ala Gln Lys Ile Phe Lys Ile Leu Asp Glu
1 5 10 15

<210> SEQ ID NO 73

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 73

Tyr Ala Gln Lys Ile Phe Lys Ile Leu Asp Glu Glu Arg Asp Lys
1 5 10 15

<210> SEQ ID NO 74

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 74

Ile Phe Lys Ile Leu Asp Glu Glu Arg Asp Lys Val Leu Thr His
1 5 10 15

<210> SEQ ID NO 75

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 75

Leu Asp Glu Glu Arg Asp Lys Val Leu Thr His Ile Asp His Ile
1 5 10 15

<210> SEQ ID NO 76

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 76

Arg Asp Lys Val Leu Thr His Ile Asp His Ile Phe Met Asp Ile
1 5 10 15

-continued

<210> SEQ ID NO 77
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 77

Leu Thr His Ile Asp His Ile Phe Met Asp Ile Leu Thr Thr Cys
1 5 10 15

<210> SEQ ID NO 78
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 78

Asp His Ile Phe Met Asp Ile Leu Thr Thr Cys Val Glu Thr Met
1 5 10 15

<210> SEQ ID NO 79
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 79

Met Asp Ile Leu Thr Thr Cys Val Glu Thr Met Cys Asn Glu Tyr
1 5 10 15

<210> SEQ ID NO 80
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 80

Pro Glu Thr Pro Val Thr Lys Ala Thr Thr Phe Leu Gln Thr Met
1 5 10 15

<210> SEQ ID NO 81
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 81

Thr Thr Cys Val Glu Thr Met Cys Asn Glu Tyr Lys Val Thr Ser
1 5 10 15

<210> SEQ ID NO 82
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1

-continued

Fragment

<400> SEQUENCE: 82

Glu	Thr	Met	Cys	Asn	Glu	Tyr	Lys	Val	Thr	Ser	Asp	Ala	Cys	Met
1				5					10					15

<210> SEQ ID NO 83

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 83

Asn	Glu	Tyr	Lys	Val	Thr	Ser	Asp	Ala	Cys	Met	Met	Thr	Met	Tyr
1				5					10					15

<210> SEQ ID NO 84

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 84

Val	Thr	Ser	Asp	Ala	Cys	Met	Met	Thr	Met	Tyr	Gly	Gly	Ile	Ser
1				5					10					15

<210> SEQ ID NO 85

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 85

Ala	Cys	Met	Met	Thr	Met	Tyr	Gly	Gly	Ile	Ser	Leu	Leu	Ser	Glu
1				5					10					15

<210> SEQ ID NO 86

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 86

Thr	Met	Tyr	Gly	Gly	Ile	Ser	Leu	Leu	Ser	Glu	Phe	Cys	Arg	Val
1				5					10					15

<210> SEQ ID NO 87

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 87

Gly	Ile	Ser	Leu	Leu	Ser	Glu	Phe	Cys	Arg	Val	Leu	Cys	Cys	Tyr
1				5					10					15

-continued

<210> SEQ ID NO 88
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 88

Leu Ser Glu Phe Cys Arg Val Leu Cys Cys Tyr Val Leu Glu Glu
1 5 10 15

<210> SEQ ID NO 89
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 89

Cys Arg Val Leu Cys Cys Tyr Val Leu Glu Glu Thr Ser Val Met
1 5 10 15

<210> SEQ ID NO 90
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 90

Cys Cys Tyr Val Leu Glu Glu Thr Ser Val Met Leu Ala Lys Arg
1 5 10 15

<210> SEQ ID NO 91
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 91

Val Thr Lys Ala Thr Thr Phe Leu Gln Thr Met Leu Arg Lys Glu
1 5 10 15

<210> SEQ ID NO 92
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 92

Leu Glu Glu Thr Ser Val Met Leu Ala Lys Arg Pro Leu Ile Thr
1 5 10 15

<210> SEQ ID NO 93
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 93

Ser Val Met Leu Ala Lys Arg Pro Leu Ile Thr Lys Pro Glu Val
1 5 10 15

<210> SEQ ID NO 94
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 94

Ala Lys Arg Pro Leu Ile Thr Lys Pro Glu Val Ile Ser Val Met
1 5 10 15

<210> SEQ ID NO 95
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 95

Leu Ile Thr Lys Pro Glu Val Ile Ser Val Met Lys Arg Arg Ile
1 5 10 15

<210> SEQ ID NO 96
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 96

Pro Glu Val Ile Ser Val Met Lys Arg Arg Ile Glu Glu Ile Cys
1 5 10 15

<210> SEQ ID NO 97
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 97

Ser Val Met Lys Arg Arg Ile Glu Glu Ile Cys Met Lys Val Phe
1 5 10 15

<210> SEQ ID NO 98
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 98

-continued

Arg	Arg	Ile	Glu	Glu	Ile	Cys	Met	Lys	Val	Phe	Ala	Gln	Tyr	Ile
1				5					10					15

<210> SEQ ID NO 99
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 99

Glu	Ile	Cys	Met	Lys	Val	Phe	Ala	Gln	Tyr	Ile	Leu	Gly	Ala	Asp
1				5					10					15

<210> SEQ ID NO 100
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 100

Lys	Val	Phe	Ala	Gln	Tyr	Ile	Leu	Gly	Ala	Asp	Pro	Leu	Arg	Val
1				5					10					15

<210> SEQ ID NO 101
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 101

Gln	Tyr	Ile	Leu	Gly	Ala	Asp	Pro	Leu	Arg	Val	Cys	Ser	Pro	Ser
1				5					10					15

<210> SEQ ID NO 102
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 102

Thr	Thr	Phe	Leu	Gln	Thr	Met	Leu	Arg	Lys	Glu	Val	Asn	Ser	Gln
1				5					10					15

<210> SEQ ID NO 103
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 103

Gly	Ala	Asp	Pro	Leu	Arg	Val	Cys	Ser	Pro	Ser	Val	Asp	Asp	Leu
1				5					10					15

<210> SEQ ID NO 104
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 104

Leu Arg Val Cys Ser Pro Ser Val Asp Asp Leu Arg Ala Ile Ala
1 5 10 15

<210> SEQ ID NO 105
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 105

Ser Pro Ser Val Asp Asp Leu Arg Ala Ile Ala Glu Glu Ser Asp
1 5 10 15

<210> SEQ ID NO 106
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 106

Asp Asp Leu Arg Ala Ile Ala Glu Glu Ser Asp Glu Glu Glu Ala
1 5 10 15

<210> SEQ ID NO 107
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 107

Ala Ile Ala Glu Glu Ser Asp Glu Glu Glu Ala Ile Val Ala Tyr
1 5 10 15

<210> SEQ ID NO 108
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 108

Glu Ser Asp Glu Glu Glu Ala Ile Val Ala Tyr Thr Leu Ala Thr
1 5 10 15

<210> SEQ ID NO 109
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

-continued

<400> SEQUENCE: 109

Glu Glu Ala Ile Val Ala Tyr Thr Leu Ala Thr Ala Gly Val Ser
1 5 10 15

<210> SEQ ID NO 110

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 110

Val Ala Tyr Thr Leu Ala Thr Ala Gly Val Ser Ser Ser Asp Ser
1 5 10 15

<210> SEQ ID NO 111

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 111

Leu Ala Thr Ala Gly Val Ser Ser Ser Asp Ser Leu Val Ser Pro
1 5 10 15

<210> SEQ ID NO 112

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 112

Gly Val Ser Ser Ser Asp Ser Leu Val Ser Pro Pro Glu Ser Pro
1 5 10 15

<210> SEQ ID NO 113

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 113

Glu Glu Arg Glu Asp Thr Val Ser Val Lys Ser Glu Pro Val Ser
1 5 10 15

<210> SEQ ID NO 114

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 114

Asp Thr Val Ser Val Lys Ser Glu Pro Val Ser Glu Ile Glu Glu
1 5 10 15

-continued

<210> SEQ ID NO 115
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 115

Val Lys Ser Glu Pro Val Ser Glu Ile Glu Glu Val Ala Pro Glu
1 5 10 15

<210> SEQ ID NO 116
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 116

Pro Val Ser Glu Ile Glu Glu Val Ala Pro Glu Glu Glu Glu Asp
1 5 10 15

<210> SEQ ID NO 117
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 117

Ile Glu Glu Val Ala Pro Glu Glu Glu Glu Asp Gly Ala Glu Glu
1 5 10 15

<210> SEQ ID NO 118
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 118

Ala Pro Glu Glu Glu Glu Asp Gly Ala Glu Glu Pro Thr Ala Ser
1 5 10 15

<210> SEQ ID NO 119
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 119

Glu Glu Asp Gly Ala Glu Glu Pro Thr Ala Ser Gly Gly Lys Ser
1 5 10 15

<210> SEQ ID NO 120
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1

-continued

Fragment

<400> SEQUENCE: 120

Ala Glu Glu Pro Thr Ala Ser Gly Gly Lys Ser Thr His Pro Met
1 5 10 15

<210> SEQ ID NO 121

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 121

Thr Ala Ser Gly Gly Lys Ser Thr His Pro Met Val Thr Arg Ser
1 5 10 15

<210> SEQ ID NO 122

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV IE-1
Fragment

<400> SEQUENCE: 122

Gly Lys Ser Thr His Pro Met Val Thr Arg Ser Lys Ala Asp Gln
1 5 10 15

<210> SEQ ID NO 123

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 123

Met Glu Ser Arg Gly Arg Arg Cys Pro Glu Met Ile Ser Val Leu
1 5 10 15

<210> SEQ ID NO 124

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 124

His Glu Thr Arg Leu Leu Gln Thr Gly Ile His Val Arg Val Ser
1 5 10 15

<210> SEQ ID NO 125

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 125

Asp Asp Val Trp Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu Val
1 5 10 15

-continued

<210> SEQ ID NO 126
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 126

Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu Val Thr Thr Glu Arg
1 5 10 15

<210> SEQ ID NO 127
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 127

Asp Ser Asp Glu Glu Leu Val Thr Thr Glu Arg Lys Thr Pro Arg
1 5 10 15

<210> SEQ ID NO 128
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 128

Glu Leu Val Thr Thr Glu Arg Lys Thr Pro Arg Val Thr Gly Gly
1 5 10 15

<210> SEQ ID NO 129
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 129

Thr Glu Arg Lys Thr Pro Arg Val Thr Gly Gly Gly Ala Met Ala
1 5 10 15

<210> SEQ ID NO 130
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 130

Thr Pro Arg Val Thr Gly Gly Gly Ala Met Ala Gly Ala Ser Thr
1 5 10 15

<210> SEQ ID NO 131
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 131

Thr Gly Gly Gly Ala Met Ala Gly Ala Ser Thr Ser Ala Gly Arg
1 5 10 15

<210> SEQ ID NO 132

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 132

Ala Met Ala Gly Ala Ser Thr Ser Ala Gly Arg Lys Arg Lys Ser
1 5 10 15

<210> SEQ ID NO 133

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 133

Ala Ser Thr Ser Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser Ala
1 5 10 15

<210> SEQ ID NO 134

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 134

Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser Ala Thr Ala Cys Thr
1 5 10 15

<210> SEQ ID NO 135

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 135

Leu Leu Gln Thr Gly Ile His Val Arg Val Ser Gln Pro Ser Leu
1 5 10 15

<210> SEQ ID NO 136

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 136

-continued

Arg	Lys	Ser	Ala	Ser	Ser	Ala	Thr	Ala	Cys	Thr	Ser	Gly	Val	Met
1				5					10					15

<210> SEQ ID NO 137
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 137

Ser	Ser	Ala	Thr	Ala	Cys	Thr	Ser	Gly	Val	Met	Thr	Arg	Gly	Arg
1				5					10					15

<210> SEQ ID NO 138
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 138

Gly	Ile	His	Val	Arg	Val	Ser	Gln	Pro	Ser	Leu	Ile	Leu	Val	Ser
1				5					10					15

<210> SEQ ID NO 139
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 139

Arg	Val	Ser	Gln	Pro	Ser	Leu	Ile	Leu	Val	Ser	Gln	Tyr	Thr	Pro
1				5					10					15

<210> SEQ ID NO 140
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 140

Pro	Ser	Leu	Ile	Leu	Val	Ser	Gln	Tyr	Thr	Pro	Asp	Ser	Thr	Pro
1				5					10					15

<210> SEQ ID NO 141
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 141

Leu	Val	Ser	Gln	Tyr	Thr	Pro	Asp	Ser	Thr	Pro	Cys	His	Arg	Gly
1				5					10					15

<210> SEQ ID NO 142
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 142

Tyr	Thr	Pro	Asp	Ser	Thr	Pro	Cys	His	Arg	Gly	Asp	Asn	Gln	Leu
1				5					10				15	

<210> SEQ ID NO 143
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 143

Ser	Thr	Pro	Cys	His	Arg	Gly	Asp	Asn	Gln	Leu	Gln	Val	Gln	His
1				5				10					15	

<210> SEQ ID NO 144
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 144

His	Arg	Gly	Asp	Asn	Gln	Leu	Gln	Val	Gln	His	Thr	Tyr	Phe	Thr
1				5			10						15	

<210> SEQ ID NO 145
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 145

Asn	Gln	Leu	Gln	Val	Gln	His	Thr	Tyr	Phe	Thr	Gly	Ser	Glu	Val
1				5				10					15	

<210> SEQ ID NO 146
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 146

Gly	Arg	Arg	Cys	Pro	Glu	Met	Ile	Ser	Val	Leu	Gly	Pro	Ile	Ser
1				5				10					15	

<210> SEQ ID NO 147
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

-continued

<400> SEQUENCE: 147

Val	Gln	His	Thr	Tyr	Phe	Thr	Gly	Ser	Glu	Val	Glu	Asn	Val	Ser
1				5				10					15	

<210> SEQ ID NO 148

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 148

Tyr	Phe	Thr	Gly	Ser	Glu	Val	Glu	Asn	Val	Ser	Val	Asn	Val	His
1				5				10					15	

<210> SEQ ID NO 149

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 149

Ser	Glu	Val	Glu	Asn	Val	Ser	Val	Asn	Val	His	Asn	Pro	Thr	Gly
1				5				10					15	

<210> SEQ ID NO 150

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 150

Asn	Val	Ser	Val	Asn	Val	His	Asn	Pro	Thr	Gly	Arg	Ser	Ile	Cys
1				5				10					15	

<210> SEQ ID NO 151

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 151

Asn	Val	His	Asn	Pro	Thr	Gly	Arg	Ser	Ile	Cys	Pro	Ser	Gln	Glu
1				5				10					15	

<210> SEQ ID NO 152

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 152

Pro	Thr	Gly	Arg	Ser	Ile	Cys	Pro	Ser	Gln	Glu	Pro	Met	Ser	Ile
1				5				10					15	

-continued

<210> SEQ ID NO 153
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 153

Ser	Ile	Cys	Pro	Ser	Gln	Glu	Pro	Met	Ser	Ile	Tyr	Val	Tyr	Ala
1				5					10					15

<210> SEQ ID NO 154
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 154

Ser	Gln	Glu	Pro	Met	Ser	Ile	Tyr	Val	Tyr	Ala	Leu	Pro	Leu	Lys
1				5					10					15

<210> SEQ ID NO 155
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 155

Met	Ser	Ile	Tyr	Val	Tyr	Ala	Leu	Pro	Leu	Lys	Met	Leu	Asn	Ile
1				5					10					15

<210> SEQ ID NO 156
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 156

Val	Tyr	Ala	Leu	Pro	Leu	Lys	Met	Leu	Asn	Ile	Pro	Ser	Ile	Asn
1				5					10					15

<210> SEQ ID NO 157
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 157

Pro	Glu	Met	Ile	Ser	Val	Leu	Gly	Pro	Ile	Ser	Gly	His	Val	Leu
1				5					10					15

<210> SEQ ID NO 158
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65

-continued

Fragment

<400> SEQUENCE: 158

Pro Leu Lys Met Leu Asn Ile Pro Ser Ile Asn Val His His Tyr
1 5 10 15

<210> SEQ ID NO 159

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 159

Leu Asn Ile Pro Ser Ile Asn Val His His Tyr Pro Ser Ala Ala
1 5 10 15

<210> SEQ ID NO 160

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 160

Ser Ile Asn Val His His Tyr Pro Ser Ala Ala Glu Arg Lys His
1 5 10 15

<210> SEQ ID NO 161

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 161

His His Tyr Pro Ser Ala Ala Glu Arg Lys His Arg His Leu Pro
1 5 10 15

<210> SEQ ID NO 162

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 162

Ser Ala Ala Glu Arg Lys His Arg His Leu Pro Val Ala Asp Ala
1 5 10 15

<210> SEQ ID NO 163

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 163

Arg Lys His Arg His Leu Pro Val Ala Asp Ala Val Ile His Ala
1 5 10 15

-continued

<210> SEQ ID NO 164
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 164

His Leu Pro Val Ala Asp Ala Val Ile His Ala Ser Gly Lys Gln
1 5 10 15

<210> SEQ ID NO 165
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 165

Ala Asp Ala Val Ile His Ala Ser Gly Lys Gln Met Trp Gln Ala
1 5 10 15

<210> SEQ ID NO 166
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 166

Ile His Ala Ser Gly Lys Gln Met Trp Gln Ala Arg Leu Thr Val
1 5 10 15

<210> SEQ ID NO 167
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 167

Gly Lys Gln Met Trp Gln Ala Arg Leu Thr Val Ser Gly Leu Ala
1 5 10 15

<210> SEQ ID NO 168
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 168

Ser Val Leu Gly Pro Ile Ser Gly His Val Leu Lys Ala Val Phe
1 5 10 15

<210> SEQ ID NO 169
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 169

Trp Gln Ala Arg Leu Thr Val Ser Gly Leu Ala Trp Thr Arg Gln
1 5 10 15

<210> SEQ ID NO 170

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 170

Leu Thr Val Ser Gly Leu Ala Trp Thr Arg Gln Gln Asn Gln Trp
1 5 10 15

<210> SEQ ID NO 171

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 171

Gly Leu Ala Trp Thr Arg Gln Gln Asn Gln Trp Lys Glu Pro Asp
1 5 10 15

<210> SEQ ID NO 172

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 172

Thr Arg Gln Gln Asn Gln Trp Lys Glu Pro Asp Val Tyr Tyr Thr
1 5 10 15

<210> SEQ ID NO 173

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 173

Asn Gln Trp Lys Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe Val
1 5 10 15

<210> SEQ ID NO 174

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 174

-continued

Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe Val Phe Pro Thr Lys
1 5 10 15

<210> SEQ ID NO 175
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 175

Tyr Tyr Thr Ser Ala Phe Val Phe Pro Thr Lys Asp Val Ala Leu
1 5 10 15

<210> SEQ ID NO 176
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 176

Ala Phe Val Phe Pro Thr Lys Asp Val Ala Leu Arg His Val Val
1 5 10 15

<210> SEQ ID NO 177
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 177

Pro Thr Lys Asp Val Ala Leu Arg His Val Val Cys Ala His Glu
1 5 10 15

<210> SEQ ID NO 178
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 178

Val Ala Leu Arg His Val Val Cys Ala His Glu Leu Val Cys Ser
1 5 10 15

<210> SEQ ID NO 179
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 179

Pro Ile Ser Gly His Val Leu Lys Ala Val Phe Ser Arg Gly Asp
1 5 10 15

<210> SEQ ID NO 180
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 180

His	Val	Val	Cys	Ala	His	Glu	Leu	Val	Cys	Ser	Met	Glu	Asn	Thr
1			5					10					15	

<210> SEQ ID NO 181
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 181

Ala	His	Glu	Leu	Val	Cys	Ser	Met	Glu	Asn	Thr	Arg	Ala	Thr	Lys
1			5					10					15	

<210> SEQ ID NO 182
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 182

Val	Cys	Ser	Met	Glu	Asn	Thr	Arg	Ala	Thr	Lys	Met	Gln	Val	Ile
1			5				10						15	

<210> SEQ ID NO 183
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 183

Glu	Asn	Thr	Arg	Ala	Thr	Lys	Met	Gln	Val	Ile	Gly	Asp	Gln	Tyr
1			5				10						15	

<210> SEQ ID NO 184
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 184

Ala	Thr	Lys	Met	Gln	Val	Ile	Gly	Asp	Gln	Tyr	Val	Lys	Val	Tyr
1			5				10						15	

<210> SEQ ID NO 185
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

-continued

<400> SEQUENCE: 185

Gln	Val	Ile	Gly	Asp	Gln	Tyr	Val	Lys	Val	Tyr	Leu	Glu	Ser	Phe
1				5					10					15

<210> SEQ ID NO 186

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 186

Asp	Gln	Tyr	Val	Lys	Val	Tyr	Leu	Glu	Ser	Phe	Cys	Glu	Asp	Val
1				5					10					15

<210> SEQ ID NO 187

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 187

Lys	Val	Tyr	Leu	Glu	Ser	Phe	Cys	Glu	Asp	Val	Pro	Ser	Gly	Lys
1				5					10					15

<210> SEQ ID NO 188

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 188

Glu	Ser	Phe	Cys	Glu	Asp	Val	Pro	Ser	Gly	Lys	Leu	Phe	Met	His
1				5					10					15

<210> SEQ ID NO 189

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 189

Glu	Asp	Val	Pro	Ser	Gly	Lys	Leu	Phe	Met	His	Val	Thr	Leu	Gly
1				5					10					15

<210> SEQ ID NO 190

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 190

His	Val	Leu	Lys	Ala	Val	Phe	Ser	Arg	Gly	Asp	Thr	Pro	Val	Leu
1				5					10					15

-continued

<210> SEQ ID NO 191
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 191

Ser Gly Lys Leu Phe Met His Val Thr Leu Gly Ser Asp Val Glu
1 5 10 15

<210> SEQ ID NO 192
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 192

Phe Met His Val Thr Leu Gly Ser Asp Val Glu Glu Asp Leu Thr
1 5 10 15

<210> SEQ ID NO 193
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 193

Thr Leu Gly Ser Asp Val Glu Glu Asp Leu Thr Met Thr Arg Asn
1 5 10 15

<210> SEQ ID NO 194
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 194

Asp Val Glu Glu Asp Leu Thr Met Thr Arg Asn Pro Gln Pro Phe
1 5 10 15

<210> SEQ ID NO 195
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 195

Asp Leu Thr Met Thr Arg Asn Pro Gln Pro Phe Met Arg Pro His
1 5 10 15

<210> SEQ ID NO 196
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65

-continued

Fragment

<400> SEQUENCE: 196

Thr	Arg	Asn	Pro	Gln	Pro	Phe	Met	Arg	Pro	His	Glu	Arg	Asn	Gly
1				5					10					15

<210> SEQ ID NO 197

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 197

Gln	Pro	Phe	Met	Arg	Pro	His	Glu	Arg	Asn	Gly	Phe	Thr	Val	Leu
1				5					10					15

<210> SEQ ID NO 198

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 198

Arg	Pro	His	Glu	Arg	Asn	Gly	Phe	Thr	Val	Leu	Cys	Pro	Lys	Asn
1				5					10					15

<210> SEQ ID NO 199

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 199

Arg	Asn	Gly	Phe	Thr	Val	Leu	Cys	Pro	Lys	Asn	Met	Ile	Ile	Lys
1				5					10					15

<210> SEQ ID NO 200

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 200

Thr	Val	Leu	Cys	Pro	Lys	Asn	Met	Ile	Ile	Lys	Pro	Gly	Lys	Ile
1				5					10					15

<210> SEQ ID NO 201

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 201

Ala	Val	Phe	Ser	Arg	Gly	Asp	Thr	Pro	Val	Leu	Pro	His	Glu	Thr
1				5					10					15

-continued

<210> SEQ ID NO 202
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 202

Pro Lys Asn Met Ile Ile Lys Pro Gly Lys Ile Ser His Ile Met
1 5 10 15

<210> SEQ ID NO 203
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 203

Ile Ile Lys Pro Gly Lys Ile Ser His Ile Met Leu Asp Val Ala
1 5 10 15

<210> SEQ ID NO 204
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 204

Gly Lys Ile Ser His Ile Met Leu Asp Val Ala Phe Thr Ser His
1 5 10 15

<210> SEQ ID NO 205
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 205

His Ile Met Leu Asp Val Ala Phe Thr Ser His Glu His Phe Gly
1 5 10 15

<210> SEQ ID NO 206
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 206

Asp Val Ala Phe Thr Ser His Glu His Phe Gly Leu Leu Cys Pro
1 5 10 15

<210> SEQ ID NO 207
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 207

Thr Ser His Glu His Phe Gly Leu Leu Cys Pro Lys Ser Ile Pro
1 5 10 15

<210> SEQ ID NO 208

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 208

His Phe Gly Leu Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser Ile
1 5 10 15

<210> SEQ ID NO 209

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 209

Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser Ile Ser Gly Asn Leu
1 5 10 15

<210> SEQ ID NO 210

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 210

Ser Ile Pro Gly Leu Ser Ile Ser Gly Asn Leu Leu Met Asn Gly
1 5 10 15

<210> SEQ ID NO 211

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 211

Leu Ser Ile Ser Gly Asn Leu Leu Met Asn Gly Gln Gln Ile Phe
1 5 10 15

<210> SEQ ID NO 212

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 212

-continued

Arg	Gly	Asp	Thr	Pro	Val	Leu	Pro	His	Glu	Thr	Arg	Leu	Leu	Gln
1				5					10					15

<210> SEQ ID NO 213
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 213

Gly	Asn	Leu	Leu	Met	Asn	Gly	Gln	Gln	Ile	Phe	Leu	Glu	Val	Gln
1				5					10					15

<210> SEQ ID NO 214
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 214

Met	Asn	Gly	Gln	Gln	Ile	Phe	Leu	Glu	Val	Gln	Ala	Ile	Arg	Glu
1				5					10					15

<210> SEQ ID NO 215
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 215

Gln	Ile	Phe	Leu	Glu	Val	Gln	Ala	Ile	Arg	Glu	Thr	Val	Glu	Leu
1				5					10					15

<210> SEQ ID NO 216
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 216

Glu	Val	Gln	Ala	Ile	Arg	Glu	Thr	Val	Glu	Leu	Arg	Gln	Tyr	Asp
1				5					10					15

<210> SEQ ID NO 217
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 217

Ile	Arg	Glu	Thr	Val	Glu	Leu	Arg	Gln	Tyr	Asp	Pro	Val	Ala	Ala
1				5					10					15

<210> SEQ ID NO 218
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 218

Val Glu Leu Arg Gln Tyr Asp Pro Val Ala Ala Leu Phe Phe Phe
1 5 10 15

<210> SEQ ID NO 219
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 219

Gln Tyr Asp Pro Val Ala Ala Leu Phe Phe Phe Asp Ile Asp Leu
1 5 10 15

<210> SEQ ID NO 220
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 220

Val Ala Ala Leu Phe Phe Phe Asp Ile Asp Leu Leu Leu Gln Arg
1 5 10 15

<210> SEQ ID NO 221
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 221

Phe Phe Phe Asp Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln Tyr
1 5 10 15

<210> SEQ ID NO 222
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 222

Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln Tyr Ser Glu His Pro
1 5 10 15

<210> SEQ ID NO 223
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

-continued

<400> SEQUENCE: 223

Pro Val Leu Pro His Glu Thr Arg Leu Leu Gln Thr Gly Ile His
1 5 10 15

<210> SEQ ID NO 224

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 224

Leu Gln Arg Gly Pro Gln Tyr Ser Glu His Pro Thr Phe Thr Ser
1 5 10 15

<210> SEQ ID NO 225

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 225

Pro Gln Tyr Ser Glu His Pro Thr Phe Thr Ser Gln Tyr Arg Ile
1 5 10 15

<210> SEQ ID NO 226

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 226

Glu His Pro Thr Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys Leu
1 5 10 15

<210> SEQ ID NO 227

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 227

Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys Leu Glu Tyr Arg His
1 5 10 15

<210> SEQ ID NO 228

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 228

Tyr Arg Ile Gln Gly Lys Leu Glu Tyr Arg His Thr Trp Asp Arg
1 5 10 15

-continued

<210> SEQ ID NO 229
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 229

Gly Lys Leu Glu Tyr Arg His Thr Trp Asp Arg His Asp Glu Gly
1 5 10 15

<210> SEQ ID NO 230
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 230

Tyr Arg His Thr Trp Asp Arg His Asp Glu Gly Ala Ala Gln Gly
1 5 10 15

<210> SEQ ID NO 231
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 231

Trp Asp Arg His Asp Glu Gly Ala Ala Gln Gly Asp Asp Asp Val
1 5 10 15

<210> SEQ ID NO 232
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 232

Asp Glu Gly Ala Ala Gln Gly Asp Asp Asp Val Trp Thr Ser Gly
1 5 10 15

<210> SEQ ID NO 233
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 233

Ala Gln Gly Asp Asp Asp Val Trp Thr Ser Gly Ser Asp Ser Asp
1 5 10 15

<210> SEQ ID NO 234
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65

-continued

Fragment

<400> SEQUENCE: 234

Ala Cys Thr Ser Gly Val Met Thr Arg Gly Arg Leu Lys Ala Glu
1 5 10 15

<210> SEQ ID NO 235

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 235

Gly Val Met Thr Arg Gly Arg Leu Lys Ala Glu Ser Thr Val Ala
1 5 10 15

<210> SEQ ID NO 236

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 236

Arg Gly Arg Leu Lys Ala Glu Ser Thr Val Ala Pro Glu Glu Asp
1 5 10 15

<210> SEQ ID NO 237

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 237

Lys Ala Glu Ser Thr Val Ala Pro Glu Glu Asp Thr Asp Glu Asp
1 5 10 15

<210> SEQ ID NO 238

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 238

Thr Val Ala Pro Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn Glu
1 5 10 15

<210> SEQ ID NO 239

<211> LENGTH: 15

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 239

Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn Glu Ile His Asn Pro
1 5 10 15

-continued

<210> SEQ ID NO 240
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 240

Asp Glu Asp Ser Asp Asn Glu Ile His Asn Pro Ala Val Phe Thr
1 5 10 15

<210> SEQ ID NO 241
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 241

Asp Asn Glu Ile His Asn Pro Ala Val Phe Thr Trp Pro Pro Trp
1 5 10 15

<210> SEQ ID NO 242
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 242

His Asn Pro Ala Val Phe Thr Trp Pro Pro Trp Gln Ala Gly Ile
1 5 10 15

<210> SEQ ID NO 243
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 243

Val Phe Thr Trp Pro Pro Trp Gln Ala Gly Ile Leu Ala Arg Asn
1 5 10 15

<210> SEQ ID NO 244
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 244

Pro Pro Trp Gln Ala Gly Ile Leu Ala Arg Asn Leu Val Pro Met
1 5 10 15

<210> SEQ ID NO 245
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 245

Ala Gly Ile Leu Ala Arg Asn Leu Val Pro Met Val Ala Thr Val
1 5 10 15

<210> SEQ ID NO 246
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 246

Ala Arg Asn Leu Val Pro Met Val Ala Thr Val Gln Gly Gln Asn
1 5 10 15

<210> SEQ ID NO 247
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 247

Val Pro Met Val Ala Thr Val Gln Gly Gln Asn Leu Lys Tyr Gln
1 5 10 15

<210> SEQ ID NO 248
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 248

Ala Thr Val Gln Gly Gln Asn Leu Lys Tyr Gln Glu Phe Phe Trp
1 5 10 15

<210> SEQ ID NO 249
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 249

Gly Gln Asn Leu Lys Tyr Gln Glu Phe Phe Trp Asp Ala Asn Asp
1 5 10 15

<210> SEQ ID NO 250
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 250

-continued

Lys Tyr Gln Glu Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg Ile
1 5 10 15

<210> SEQ ID NO 251
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 251

Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg Ile Phe Ala Glu Leu
1 5 10 15

<210> SEQ ID NO 252
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 252

Ala Asn Asp Ile Tyr Arg Ile Phe Ala Glu Leu Glu Gly Val Trp
1 5 10 15

<210> SEQ ID NO 253
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 253

Tyr Arg Ile Phe Ala Glu Leu Glu Gly Val Trp Gln Pro Ala Ala
1 5 10 15

<210> SEQ ID NO 254
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 254

Ala Glu Leu Glu Gly Val Trp Gln Pro Ala Ala Gln Pro Lys Arg
1 5 10 15

<210> SEQ ID NO 255
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 255

Gly Val Trp Gln Pro Ala Ala Gln Pro Lys Arg Arg Arg His Arg
1 5 10 15

<210> SEQ ID NO 256
<211> LENGTH: 15

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 256

Pro Ala Ala Gln Pro Lys Arg Arg Arg His Arg Gln Asp Ala Leu
1 5 10 15

<210> SEQ ID NO 257
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 257

Pro Lys Arg Arg Arg His Arg Gln Asp Ala Leu Pro Gly Pro Cys
1 5 10 15

<210> SEQ ID NO 258
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 258

Arg His Arg Gln Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser Thr
1 5 10 15

<210> SEQ ID NO 259
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 259

Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser Thr Pro Lys Lys His
1 5 10 15

<210> SEQ ID NO 260
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: HCMV pp65
Fragment

<400> SEQUENCE: 260

Leu Pro Gly Pro Cys Ile Ala Ser Thr Pro Lys Lys His Arg Gly
1 5 10 15

1. A method for the antigen-specific stimulation of T lymphocytes with synthetic peptide libraries, comprising the following steps:

(a) subdividing the total amino acid sequence of the antigen into protein fragments with partial amino acid sequences, wherein said protein fragments have a minimum length of 9 amino acid residues (AAs), and wherein adjacent or neighboring protein fragments are overlapping with their partial amino acid sequence;

(b) synthesizing a peptide library containing the protein fragments defined in (a);

(c) incubating a suspension containing CD8+ and/or CD4+ T lymphocytes with all the protein fragments of said peptide library in a single culture run.

2. The method according to claim 1, wherein the protein fragments have a minimum length of 15 AAs and/or a maximum length of 35 AAs, preferably 25 AAs.

3. The method according to claim 1 or 2, wherein an overlap of 8 AAs, preferably 11 AAs, exists between neighboring protein fragments.

4. The method according to one or more of claims 1 to 3, wherein the synthetic protein fragments are extended by a maximum of 7 natural or artificial AAs and/or a protective group at either or both of their N terminus and C terminus.

5. The method according to one or more of claims 1 to 4, wherein the concentration of the individual protein fragments of the peptide library is at least 1 ng/ml, preferably from 0.1 to 10 μ g/ml, in the culture mix.

6. The method according to one or more of claims 1 to 5, wherein one or more compounds having costimulatory properties, especially costimulatory antibodies, are added to the incubation solution.

7. The method according to one or more of claims 1 to 6, wherein the total amino acid sequence of the antigen is determined prior to step (a) in the method.

8. The method according to claims 1 to 7 adapted for identifying stimulating or non-stimulating mixtures of all protein fragments in a single culture run, wherein the method preferably further comprises the following steps:

(d) identifying, preferably flow-cytometric identifying, of

(i) at least one T-cell cytokine which was induced by the protein fragment or fragments and synthesized in the T lymphocytes and which is intracellular or bound to the cell membrane; and/or

(ii) at least one activation marker which was induced by the protein fragment or fragments and synthesized in the T lymphocytes and which is intracellular or bound to the cell membrane.

9. The method according to one or more of claims 1 to 5 which is capable of establishing whether T-lymphocyte-stimulating antigenic determinants are present in an antigen.

10. The method according to one or more of claims 1 to 7 which is adapted for in-vivo and in-vitro immunostimulation of T lymphocytes of mammals, especially humans.

11. The method according to claim 10, further comprising expansion of the stimulated T lymphocytes.

12. The method according to claim 11, further comprising transfusion of the expanded T lymphocytes obtained into a patient.

13. The method according to one or more of claims 1 to 8 which is suitable for diagnostics, especially to establish whether a mammal, especially a human, has previously responded to a specific protein with its immune system, and if so, how strong such response is.

14. The method according to one or more of claims 9 to 13 which comprises the use of several different synthetic peptide libraries, wherein the incubation of the peptide libraries with the CD8+ and/or CD4+ T lymphocyte suspension is effected together in one culture run or in separated culture runs.

15. Stimulated T lymphocytes obtainable by the method according to claim 10 or 11.

16. Use of a peptide library as defined in one or more of claims 1 to 5 for the preparation of a medicament for in-vivo immunostimulation of T lymphocytes of mammals.

17. A composition for in-vitro and in-vivo immunostimulation of T lymphocytes of mammals, comprising one or more peptide libraries as defined in one or more of claims 1 to 5.

* * * * *