




(86) **Date de dépôt PCT/PCT Filing Date:** 2016/10/17
(87) **Date publication PCT/PCT Publication Date:** 2017/04/27
(45) **Date de délivrance/Issue Date:** 2020/05/05
(85) **Entrée phase nationale/National Entry:** 2018/04/17
(86) **N° demande PCT/PCT Application No.:** KR 2016/011621
(87) **N° publication PCT/PCT Publication No.:** 2017/069471
(30) **Priorité/Priority:** 2015/10/20 (CN201520816187.2)

(51) **Cl.Int./Int.Cl.** *H04M 1/04* (2006.01)
(72) **Inventeur/Inventor:**
PARK, JIN KYU, KR
(73) **Propriétaire/Owner:**
MOMOSTICK CO., LTD., KR
(74) **Agent:** GOWLING WLG (CANADA) LLP

(54) **Titre : SUPPORT DE TELEPHONE MOBILE**
(54) **Title: MOBILE PHONE HOLDER**



(57) **Abrégé/Abstract:**

The present invention relates to a mobile phone holder including a base, the holder: providing an flexible sheet and a sliding device so as to allow the fingers to pass through the arch-shaped flexible sheet during one-handed operations; making one-handed operations easier so as to prevent the mobile phone from dropping during one-handed operations; and allowing the height of the flexible sheet provided in an arch shape to be adjusted, thereby enabling the mobile phone to be put directly on a loading surface and allowing a user to freely use both hands.

【ABSTRACT】

The present invention relates to a mobile phone holder including a base, the holder: providing an flexible sheet and
5 a sliding device so as to allow the fingers to pass through the arch-shaped flexible sheet during one-handed operations; making one-handed operations easier so as to prevent the mobile phone from dropping during one-handed operations; and
10 allowing the height of the flexible sheet provided in an arch shape to be adjusted, thereby enabling the mobile phone to be put directly on a loading surface and allowing a user to freely use both hands.

【Invention Title】

MOBILE PHONE HOLDER

【Technical Field】

5 The present invention relates to a technical field of a mobile phone part, and more particularly, to a mobile phone holder, which enables a user to freely use his or her hands and to easily manipulate a mobile phone with one hand.

10 **【Background Art】**

 As application of mobile devices, such as cell phones, in social life grows more comprehensive, frequency in use of the mobile devices is increasing more and more. However, when a user holds a cell phone in his or her hand for a long
15 time, the user feels a burden. Especially, using of the mobile device in a specific place or using a smart phone navigation during driving may bring danger with the user because the user cannot freely use his or her two hands. Moreover, as mobile phone operating systems and touch screen
20 technology advance more and more, users feel difficulty in manipulating their mobile phones with one hand due to an increase of a screen size. In the case of women with small hands or persons who use mobile phones before going to bed, they may easily drop their phones because it is difficult to
25 manipulate the phones with one hand.

 However, there is no effective method of solution on the above-mentioned problems till now.

【Disclosure】

30 **【Technical Problem】**

Accordingly, the present invention has been made in view of the above-mentioned problems occurring in the prior art, and it is an object of the present invention to provide a mobile phone holder, which enables a user to freely use his or her hands and to easily manipulate a mobile phone with one hand.

【Technical Solution】

To accomplish the above object, according to the present invention, there is provided a mobile phone holder including: a base; an flexible sheet and a transparent adhesive sheet respectively mounted on the top surface and the bottom surface of the base; sliding units respectively mounted at right and left end portions of the bottom surface of the flexible sheet; a closed type chute and an open type chute mounted to be matched with the sliding units at the corresponding positions of the right and left end portions of the base; a opening formed in the base corresponding to the right end of the closed type chute to communicate with the closed type chute; a tiered concave groove formed adjacent to the opening at the closed type chute; and a closed type ring-shaped boss and an open type arc-shaped boss, which are respectively mounted at the corresponding positions of the base located at the bottom surface of the closed type chute and the base located at the bottom surface of the open type chute to be matched with the sliding units, wherein the sliding units includes a rectangular boss fixed and connected to the flexible sheet, the rectangular boss is fixed and connected with an arc-shaped boss through a connection pole, and the diameter of the connection pole is smaller than the minimum width of the closed type chute and the open type chute.

Furthermore, the outer diameter of the arc-shaped boss is smaller than or equal to the inner diameter of the opening.

Moreover, right and left end portions of the closed type ring-shaped boss have a semicircular structure, and the inner
5 diameter of the semicircular structure of the closed type ring-shaped boss is larger than the outer diameter of the ring-shaped boss.

Additionally, the inner diameter of the open type ring-shaped boss is larger than the outer diameter of the ring-
10 shaped boss.

Moreover, the flexible sheet is made of silica gel.

In addition, the base is made of polycarbonate.

【Advantageous Effects】

15 As described above, the mobile phone holder according to an embodiment of the present invention includes the flexible sheet and the sliding unit mounted to allow the user's fingers to pass through the arch-shaped flexible sheet during one-handed operations and to make one-handed operations
20 easier, thereby preventing the mobile phone from dropping down during one-handed operations. Moreover, the mobile phone holder according to an embodiment of the present invention allows the user to adjust the height of the arch-shaped part of the flexible sheet such that the user can put
25 the mobile phone on a loading surface and freely use his or her both hands.

【Description of Drawings】

Hereinafter, necessary drawings for exemplary
30 embodiments will be described in brief in order to clearly describe technical solutions of embodiments of the present

invention or cited references. The attached drawings described hereinafter are just some examples of the present invention, and those skilled in the art may obtain other drawings based on the attached drawings on the assumption
5 that those skilled in the art will not try to make inventive step utilizing the drawings.

FIG. 1 is a structure diagram of a mobile phone holder according to a preferred embodiment of the present invention.

FIG. 2 is a structure diagram of a base of the mobile
10 phone holder according to the preferred embodiment of the present invention.

FIG. 3 is a structure diagram of an flexible sheet of the mobile phone holder according to the preferred embodiment of the present invention.

15

【Mode for Invention】

Hereinafter, technical solutions of embodiments of the present invention will be clearly and perfectly described with reference to the attached drawings. The embodiments are
20 just exemplary and do not mean all kinds of embodiments of the present invention. It should be appreciated that all of other embodiments obtainable on the basis of embodiments of the present invention by those skilled in the art belong to the protective scope of the present invention.

25 As shown in FIGS. 1 to 3, a mobile phone holder according to an embodiment of the present invention includes: a base 1; an flexible sheet 2 and a transparent adhesive sheet 3 respectively mounted on the top surface and the bottom surface of the base 1; sliding units 4 respectively
30 mounted at right and left end portions of the bottom surface of the flexible sheet 2; a closed type chute 5 and an open type chute 6 mounted to be matched with the sliding units 4

at the corresponding positions of the right and left end portions of the base 1; a opening 7 formed in the base 1 corresponding to the right end of the closed type chute 5 to communicate with the closed type chute 5; a tiered concave groove 8 formed adjacent to the opening 7 at the closed type chute 5; and a closed type ring-shaped boss 9 and an open type arc-shaped boss 10, which are respectively mounted at the corresponding positions of the base 1 located at the bottom surface of the closed type chute 5 and the base 1 located at the bottom surface of the open type chute 6 to be matched with the sliding units 4, wherein the sliding units 4 includes a rectangular boss 11 fixed and connected to the flexible sheet 2, the rectangular boss 11 is fixed and connected with an arc-shaped boss 13 through a connection pole 12, and the diameter of the connection pole 12 is smaller than the minimum width of the closed type chute 5 and the open type chute 6.

In an embodiment, the outer diameter of the arc-shaped boss 13 is smaller than or equal to the inner diameter of the opening 7.

In an embodiment, right and left end portions of the closed type ring-shaped boss 9 have a semicircular structure, the inner diameter of the semicircular structure of the closed type ring-shaped boss 9 is larger than the outer diameter of the ring-shaped boss 13.

In an embodiment, the inner diameter of the open type ring-shaped boss 10 is larger than the outer diameter of the ring-shaped boss 13.

In an embodiment, the flexible sheet 2 is made of silica gel.

In an embodiment, the base 1 is made of polycarbonate.

For easy understanding of the technical solution of the present invention, the technical solution of the present invention will be described in detail through the following application method.

5 In the case of an application of the mobile phone holder according to the present invention, because the sliding units 4, the closed type chute 5, and the open type chute 6 can adjust the height of the arch-shaped part of the flexible sheet 2, the height of the arch-shaped part of the flexible
10 sheet 2 is adjusted as the user wants when the user wants to release the mobile phone in a state where the user's fingers passed through the arch-shaped surface, such that the flexible sheet 2 can directly support the mobile phone.

Overall, the mobile phone holder according to an
15 embodiment of the present invention includes the flexible sheet and the sliding unit mounted to allow the user's fingers to pass through the arch-shaped flexible sheet during one-handed operations and to make one-handed operations easier, thereby preventing the mobile phone from dropping
20 down during one-handed operations. Moreover, the mobile phone holder according to an embodiment of the present invention allows the user to adjust the height of the arch-shaped part of the flexible sheet such that the user can put the mobile phone on a loading surface and freely use his or
25 her both hands.

As described above, while the present invention has been described with reference to the particular illustrative embodiments, it is not to be restricted by the embodiments. It is to be appreciated that all changes, modifications, and
30 equivalents should be construed as belonging to the scope of the present invention without departing from the scope and spirit of the invention.

Claims

1. A mobile phone holder comprising:

a base;

a flexible sheet and a transparent adhesive sheet respectively mounted on a top surface and a bottom surface of the base;

sliding units respectively mounted at right and left end portions of the bottom surface of the flexible sheet;

a closed type chute and an open type chute mounted to be matched with the sliding units at corresponding positions of right and left end portions of the base;

an opening formed in the base to communicate with the closed type chute; and

a tiered concave groove formed in the closed type chute extending from the opening;

wherein the sliding units include a first boss fixed and connected to the flexible sheet, the first boss is connected to the flexible sheet through a connection pole, and a diameter of the connection pole is smaller than a minimum width of the closed type chute and the open type chute.

2. The mobile phone holder according to claim 1, further comprising:

an arc-shaped boss connected to the first boss through the connection pole; and

a closed type ring-shaped boss formed on the base,

wherein an outer diameter of the arc-shaped boss is smaller than or equal to an inner diameter of the opening.

3. The mobile phone holder according to claim 2, wherein right and left end portions of the closed type ring-shaped boss have a semicircular structure, and an inner diameter of the semicircular structure of the closed type ring-shaped boss is larger than an outer diameter of the arc-shaped boss.

4. The mobile phone holder according to claim 2, further comprising:

an open-type arc-shaped boss formed on the base,

wherein an inner diameter of the open type arc-shaped boss is larger than an outer diameter of the arc-shaped boss.

5. The mobile phone holder according to claim 1, wherein the flexible sheet is made of silica gel.

6. The mobile phone holder according to claim 1, wherein the base is made of polycarbonate.

WO 2017/069471

PCT/KR2016/011621

FIG. 1




FIG. 2




FIG. 3

